



802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX



802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8887G	97.11	Inf	-Inf	8.61	3	Vertical	94	2.59	-	88.50	35.80	7.49	34.68
AV	7.1533G	50.85	68.20	-17.35	9.74	3	Vertical	94	2.59	-	41.11	36.61	7.89	34.76
PK	6.8887G	106.83	Inf	-Inf	8.61	3	Vertical	94	2.59	-	98.22	35.80	7.49	34.68
PK	7.2436G	62.04	88.20	-26.16	9.80	3	Vertical	94	2.59	-	52.24	36.79	7.78	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.902G	83.61	Inf	-Inf	8.71	3	Horizontal	198	2.20	-	74.90	35.80	7.60	34.69
AV	7.1715G	50.88	68.20	-17.32	9.71	3	Horizontal	198	2.20	-	41.17	36.64	7.83	34.76
PK	6.9027G	92.57	Inf	-Inf	8.70	3	Horizontal	198	2.20	-	83.87	35.79	7.60	34.69
PK	7.1288G	62.10	88.20	-26.10	9.69	3	Horizontal	198	2.20	-	52.41	36.47	7.98	34.76


802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX



802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9995G	97.34	Inf	-Inf	9.38	3	Vertical	0	2.70	-	87.96	35.70	8.42	34.74
AV	7.1685G	50.94	68.20	-17.26	9.72	3	Vertical	0	2.70	-	41.22	36.64	7.84	34.76
PK	7.0005G	107.31	Inf	-Inf	9.38	3	Vertical	0	2.70	-	97.93	35.70	8.42	34.74
PK	7.2145G	61.83	88.20	-26.37	9.71	3	Vertical	0	2.70	-	52.12	36.73	7.75	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.004G	83.08	Inf	-Inf	9.39	3	Horizontal	162	1.50	-	73.69	35.72	8.41	34.74
AV	7.184G	50.99	68.20	-17.21	9.70	3	Horizontal	162	1.50	-	41.29	36.67	7.79	34.76
PK	7.003G	91.54	Inf	-Inf	9.39	3	Horizontal	162	1.50	-	82.15	35.72	8.41	34.74
PK	7.1425G	62.11	88.20	-26.09	9.72	3	Horizontal	162	1.50	-	52.39	36.55	7.93	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.98997G	52.37	68.20	-15.83	18.06	3	Vertical	58	1.00	-	34.31	40.38	10.56	32.88
PK	13.98999G	60.49	88.20	-27.71	18.06	3	Vertical	58	1.00	-	42.43	40.38	10.56	32.88

802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.98993G	48.98	68.20	-19.22	18.06	3	Horizontal	52	2.21	-	30.92	40.38	10.56	32.88
PK	13.99014G	59.55	88.20	-28.65	18.06	3	Horizontal	52	2.21	-	41.49	40.38	10.56	32.88

802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0998G	97.38	Inf	-Inf	9.63	3	Vertical	1	2.50	-	87.75	36.30	8.08	34.75
AV	7.1742G	50.97	68.20	-17.23	9.71	3	Vertical	1	2.50	-	41.26	36.65	7.82	34.76
PK	7.1004G	108.16	Inf	-Inf	9.62	3	Vertical	1	2.50	-	98.54	36.30	8.07	34.75
PK	7.1622G	62.29	88.20	-25.91	9.72	3	Vertical	1	2.50	-	52.57	36.62	7.86	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1037G	85.06	Inf	-Inf	9.63	3	Horizontal	201	2.17	-	75.43	36.32	8.06	34.75
AV	7.2207G	51.08	68.20	-17.12	9.72	3	Horizontal	201	2.17	-	41.36	36.74	7.75	34.77
PK	7.1034G	94.97	Inf	-Inf	9.63	3	Horizontal	201	2.17	-	85.34	36.32	8.06	34.75
PK	7.1769G	62.38	88.20	-25.82	9.70	3	Horizontal	201	2.17	-	52.68	36.65	7.81	34.76


802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX



802.11ax HEW20_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.11991G	89.68	Inf	-Inf	9.68	3	Vertical	0	2.70	-	80.00	36.42	8.01	34.75
AV	7.1255G	62.88	68.20	-5.32	9.68	3	Vertical	0	2.70	BP 1MHz	53.20	36.45	7.99	34.76
PK	7.1187G	99.30	Inf	-Inf	9.67	3	Vertical	0	2.70	-	89.63	36.41	8.01	34.75
PK	7.1255G	73.89	88.20	-14.31	9.68	3	Vertical	0	2.70	BP 1MHz	64.21	36.45	7.99	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.12393G	79.79	Inf	-Inf	9.68	3	Horizontal	265	2.48	-	70.11	36.44	7.99	34.75
AV	7.1255G	61.57	68.20	-6.63	9.68	3	Horizontal	265	2.48	BP 1MHz	51.89	36.45	7.99	34.76
PK	7.12245G	89.60	Inf	-Inf	9.68	3	Horizontal	265	2.48	-	79.92	36.43	8.00	34.75
PK	7.1255G	72.40	88.20	-15.80	9.68	3	Horizontal	265	2.48	BP 1MHz	62.72	36.45	7.99	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.22996G	51.26	68.20	-16.94	18.11	3	Vertical	70	1.03	-	33.15	40.47	10.80	33.16
PK	14.23001G	60.01	88.20	-28.19	18.11	3	Vertical	70	1.03	-	41.90	40.47	10.80	33.16

802.11ax HEW20_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.22633G	47.21	68.20	-20.99	18.11	3	Horizontal	251	2.90	-	29.10	40.47	10.80	33.16
PK	14.22896G	57.90	88.20	-30.30	18.11	3	Horizontal	251	2.90	-	39.79	40.47	10.80	33.16

802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	48.15	68.20	-20.05	7.22	3	Vertical	73	2.56	-	40.93	34.30	7.45	34.53
AV	5.9683G	97.41	Inf	-Inf	7.39	3	Vertical	73	2.56	-	90.02	34.26	7.65	34.52
PK	5.857G	59.52	88.20	-28.68	6.76	3	Vertical	73	2.56	-	52.76	34.13	7.16	34.53
PK	5.9683G	107.16	Inf	-Inf	7.39	3	Vertical	73	2.56	-	99.77	34.26	7.65	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9077G	48.16	68.20	-20.04	7.15	3	Horizontal	343	2.28	-	41.01	34.30	7.38	34.53
AV	5.9611G	83.09	Inf	-Inf	7.38	3	Horizontal	343	2.28	-	75.71	34.28	7.62	34.52
PK	5.8969G	60.41	88.20	-27.79	7.10	3	Horizontal	343	2.28	-	53.31	34.29	7.34	34.53
PK	5.9605G	92.85	Inf	-Inf	7.38	3	Horizontal	343	2.28	-	85.47	34.28	7.62	34.52


802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX



802.11ax HEW40_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9078G	48.34	68.20	-19.86	7.15	3	Vertical	333	2.52	-	41.19	34.30	7.38	34.53
AV	6.1328G	97.55	Inf	-Inf	6.94	3	Vertical	333	2.52	-	90.61	34.03	7.42	34.51
PK	5.9144G	59.55	88.20	-28.65	7.18	3	Vertical	333	2.52	-	52.37	34.30	7.41	34.53
PK	6.1334G	107.14	Inf	-Inf	6.94	3	Vertical	333	2.52	-	100.20	34.03	7.42	34.51

802.11ax HEW40_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9114G	48.27	68.20	-19.93	7.17	3	Horizontal	220	2.50	-	41.10	34.30	7.40	34.53
AV	6.1154G	83.25	Inf	-Inf	6.92	3	Horizontal	220	2.50	-	76.33	33.96	7.47	34.51
PK	5.882G	60.14	88.20	-28.06	6.97	3	Horizontal	220	2.50	-	53.17	34.23	7.27	34.53
PK	6.116G	93.48	Inf	-Inf	6.92	3	Horizontal	220	2.50	-	86.56	33.96	7.47	34.51

802.11ax HEW40_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.25003G	48.34	54.00	-5.66	14.11	3	Vertical	82	1.01	-	34.23	39.00	9.66	34.55
PK	12.24984G	57.76	74.00	-16.24	14.10	3	Vertical	82	1.01	-	43.66	39.00	9.66	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.24996G	44.21	54.00	-9.79	14.10	3	Horizontal	31	2.97	-	30.11	39.00	9.66	34.56
PK	12.24899G	55.87	74.00	-18.13	14.10	3	Horizontal	31	2.97	-	41.77	39.00	9.66	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.898G	48.21	68.20	-19.99	7.10	3	Vertical	332	2.78	-	41.11	34.29	7.34	34.53
AV	6.1734G	97.65	Inf	-Inf	6.99	3	Vertical	332	2.78	-	90.66	34.19	7.30	34.50
PK	5.8968G	59.34	88.20	-28.86	7.10	3	Vertical	332	2.78	-	52.24	34.29	7.34	34.53
PK	6.1536G	107.76	Inf	-Inf	6.97	3	Vertical	332	2.78	-	100.79	34.11	7.36	34.50

802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	48.18	68.20	-20.02	7.19	3	Horizontal	290	2.80	-	40.99	34.30	7.42	34.53
AV	6.1602G	85.44	Inf	-Inf	6.98	3	Horizontal	290	2.80	-	78.46	34.14	7.34	34.50
PK	5.8794G	58.89	88.20	-29.31	6.95	3	Horizontal	290	2.80	-	51.94	34.22	7.26	34.53
PK	6.1794G	94.49	Inf	-Inf	7.01	3	Horizontal	290	2.80	-	87.48	34.22	7.29	34.50

802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.32996G	46.86	54.00	-7.14	14.10	3	Vertical	100	1.00	-	32.76	38.90	9.70	34.50
PK	12.32986G	56.91	74.00	-17.09	14.10	3	Vertical	100	1.00	-	42.81	38.90	9.70	34.50

802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.32787G	43.83	54.00	-10.17	14.10	3	Horizontal	90	2.41	-	29.73	38.90	9.70	34.50
PK	12.33238G	56.48	74.00	-17.52	14.10	3	Horizontal	90	2.41	-	42.38	38.90	9.70	34.50

802.11ax HEW40_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.909G	48.32	68.20	-19.88	7.16	3	Vertical	330	2.46	-	41.16	34.30	7.39	34.53
AV	6.2534G	97.61	Inf	-Inf	7.33	3	Vertical	330	2.46	-	90.28	34.41	7.41	34.49
PK	5.8658G	59.02	88.20	-29.18	6.83	3	Vertical	330	2.46	-	52.19	34.16	7.20	34.53
PK	6.2534G	106.91	Inf	-Inf	7.33	3	Vertical	330	2.46	-	99.58	34.41	7.41	34.49

802.11ax HEW40_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9162G	48.27	68.20	-19.93	7.19	3	Horizontal	172	2.21	-	41.08	34.30	7.42	34.53
AV	6.2402G	83.12	Inf	-Inf	7.25	3	Horizontal	172	2.21	-	75.87	34.38	7.37	34.50
PK	5.8982G	59.45	88.20	-28.75	7.10	3	Horizontal	172	2.21	-	52.35	34.29	7.34	34.53
PK	6.239G	93.85	Inf	-Inf	7.24	3	Horizontal	172	2.21	-	86.61	34.38	7.36	34.50

802.11ax HEW40_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.49G	46.85	54.00	-7.15	14.38	3	Vertical	83	2.24	-	32.47	38.99	9.78	34.39
PK	12.49008G	57.17	74.00	-16.83	14.38	3	Vertical	83	2.24	-	42.79	38.99	9.78	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.48756G	43.98	54.00	-10.02	14.38	3	Horizontal	39	1.37	-	29.60	38.99	9.78	34.39
PK	12.48942G	55.42	74.00	-18.58	14.38	3	Horizontal	39	1.37	-	41.04	38.99	9.78	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9142G	48.28	68.20	-19.92	7.18	3	Vertical	189	2.47	-	41.10	34.30	7.41	34.53
AV	6.4038G	97.30	Inf	-Inf	8.34	3	Vertical	189	2.47	-	88.96	34.91	7.91	34.48
PK	5.8914G	59.16	88.20	-29.04	7.05	3	Vertical	189	2.47	-	52.11	34.27	7.31	34.53
PK	6.4038G	105.90	Inf	-Inf	8.34	3	Vertical	189	2.47	-	97.56	34.91	7.91	34.48

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	48.32	68.20	-19.88	7.21	3	Horizontal	199	2.36	-	41.11	34.30	7.44	34.53
AV	6.4074G	85.33	Inf	-Inf	8.33	3	Horizontal	199	2.36	-	77.00	34.91	7.90	34.48
PK	5.8326G	59.49	88.20	-28.71	6.55	3	Horizontal	199	2.36	-	52.94	34.03	7.05	34.53
PK	6.4062G	94.33	Inf	-Inf	8.33	3	Horizontal	199	2.36	-	86.00	34.91	7.90	34.48


802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX



802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	48.25	68.20	-19.95	7.17	3	Vertical	188	2.64	-	41.08	34.30	7.40	34.53
AV	6.4438G	97.78	Inf	-Inf	8.31	3	Vertical	188	2.64	-	89.47	34.99	7.80	34.48
PK	5.9158G	60.00	88.20	-28.20	7.19	3	Vertical	188	2.64	-	52.81	34.30	7.42	34.53
PK	6.4438G	105.66	Inf	-Inf	8.31	3	Vertical	188	2.64	-	97.35	34.99	7.80	34.48

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	48.22	68.20	-19.98	7.22	3	Horizontal	197	2.48	-	41.00	34.30	7.45	34.53
AV	6.4474G	85.24	Inf	-Inf	8.30	3	Horizontal	197	2.48	-	76.94	34.99	7.79	34.48
PK	5.8834G	58.81	88.20	-29.39	6.98	3	Horizontal	197	2.48	-	51.83	34.23	7.28	34.53
PK	6.4486G	94.49	Inf	-Inf	8.31	3	Horizontal	197	2.48	-	86.18	35.00	7.79	34.48

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.88995G	47.22	68.20	-20.98	15.97	3	Vertical	76	2.17	-	31.25	39.68	9.99	33.70
PK	12.88986G	57.55	88.20	-30.65	15.97	3	Vertical	76	2.17	-	41.58	39.68	9.99	33.70

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.89007G	45.24	68.20	-22.96	15.97	3	Horizontal	105	2.99	-	29.27	39.68	9.99	33.70
PK	12.88928G	56.79	88.20	-31.41	15.97	3	Horizontal	105	2.99	-	40.82	39.68	9.99	33.70

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	48.24	68.20	-19.96	7.17	3	Vertical	0	2.63	-	41.07	34.30	7.40	34.53
AV	6.4892G	97.51	Inf	-Inf	8.20	3	Vertical	0	2.63	-	89.31	35.00	7.67	34.47
AV	7.1584G	50.69	68.20	-17.51	9.73	3	Vertical	0	2.63	-	40.96	36.62	7.87	34.76
PK	5.8774G	58.83	88.20	-29.37	6.93	3	Vertical	0	2.63	-	51.90	34.21	7.25	34.53
PK	6.4892G	106.10	Inf	-Inf	8.20	3	Vertical	0	2.63	-	97.90	35.00	7.67	34.47
PK	7.1598G	60.98	88.20	-27.22	9.73	3	Vertical	0	2.63	-	51.25	36.62	7.87	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	48.11	68.20	-20.09	7.23	3	Horizontal	197	2.54	-	40.88	34.30	7.46	34.53
AV	6.4892G	85.39	Inf	-Inf	8.20	3	Horizontal	197	2.54	-	77.19	35.00	7.67	34.47
AV	7.1542G	50.74	68.20	-17.46	9.74	3	Horizontal	197	2.54	-	41.00	36.61	7.89	34.76
PK	5.8718G	58.93	88.20	-29.27	6.89	3	Horizontal	197	2.54	-	52.04	34.19	7.23	34.53
PK	6.4892G	94.15	Inf	-Inf	8.20	3	Horizontal	197	2.54	-	85.95	35.00	7.67	34.47
PK	7.129G	61.69	88.20	-26.51	9.68	3	Horizontal	197	2.54	-	52.01	36.47	7.97	34.76


802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX



802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.895G	48.19	68.20	-20.01	7.08	3	Vertical	360	2.49	-	41.11	34.28	7.33	34.53
AV	6.5278G	97.26	Inf	-Inf	8.30	3	Vertical	360	2.49	-	88.96	35.22	7.57	34.49
AV	7.1326G	50.72	68.20	-17.48	9.70	3	Vertical	360	2.49	-	41.02	36.50	7.96	34.76
PK	5.8852G	58.75	88.20	-29.45	6.99	3	Vertical	360	2.49	-	51.76	34.24	7.28	34.53
PK	6.5292G	106.54	Inf	-Inf	8.30	3	Vertical	360	2.49	-	98.24	35.23	7.56	34.49
PK	7.1984G	61.44	88.20	-26.76	9.68	3	Vertical	360	2.49	-	51.76	36.70	7.74	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.909G	48.29	68.20	-19.91	7.16	3	Horizontal	198	2.68	-	41.13	34.30	7.39	34.53
AV	6.5292G	85.41	Inf	-Inf	8.30	3	Horizontal	198	2.68	-	77.11	35.23	7.56	34.49
AV	7.1942G	50.67	68.20	-17.53	9.68	3	Horizontal	198	2.68	-	40.99	36.69	7.75	34.76
PK	5.8544G	59.38	88.20	-28.82	6.74	3	Horizontal	198	2.68	-	52.64	34.12	7.15	34.53
PK	6.5292G	94.23	Inf	-Inf	8.30	3	Horizontal	198	2.68	-	85.93	35.23	7.56	34.49
PK	7.2012G	62.80	88.20	-25.40	9.67	3	Horizontal	198	2.68	-	53.13	36.70	7.73	34.76


802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX



802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5638G	97.20	Inf	-Inf	8.43	3	Vertical	186	2.71	-	88.77	35.46	7.47	34.50
AV	7.1266G	50.54	68.20	-17.66	9.68	3	Vertical	186	2.71	-	40.86	36.46	7.98	34.76
PK	6.5626G	104.71	Inf	-Inf	8.42	3	Vertical	186	2.71	-	96.29	35.45	7.47	34.50
PK	7.1386G	61.46	88.20	-26.74	9.71	3	Vertical	186	2.71	-	51.75	36.53	7.94	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5638G	83.20	Inf	-Inf	8.43	3	Horizontal	205	1.94	-	74.77	35.46	7.47	34.50
AV	7.1386G	50.67	68.20	-17.53	9.71	3	Horizontal	205	1.94	-	40.96	36.53	7.94	34.76
PK	6.5638G	91.63	Inf	-Inf	8.43	3	Horizontal	205	1.94	-	83.20	35.46	7.47	34.50
PK	7.1434G	61.75	88.20	-26.45	9.73	3	Horizontal	205	1.94	-	52.02	36.56	7.93	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.13G	46.77	68.20	-21.43	16.42	3	Vertical	360	2.05	-	30.35	39.60	10.12	33.30
PK	13.12988G	57.77	88.20	-30.43	16.42	3	Vertical	360	2.05	-	41.35	39.60	10.12	33.30

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.12993G	46.03	68.20	-22.17	16.42	3	Horizontal	128	2.05	-	29.61	39.60	10.12	33.30
PK	13.12986G	58.16	88.20	-30.04	16.42	3	Horizontal	128	2.05	-	41.74	39.60	10.12	33.30

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	96.90	Inf	-Inf	8.50	3	Vertical	355	2.95	-	88.40	35.98	7.09	34.57
AV	7.148G	50.70	68.20	-17.50	9.74	3	Vertical	355	2.95	-	40.96	36.59	7.91	34.76
PK	6.688G	105.53	Inf	-Inf	8.50	3	Vertical	355	2.95	-	97.03	35.98	7.09	34.57
PK	7.161G	61.28	88.20	-26.92	9.72	3	Vertical	355	2.95	-	51.56	36.62	7.86	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.69G	84.46	Inf	-Inf	8.50	3	Horizontal	198	2.43	-	75.96	35.98	7.09	34.57
AV	7.177G	50.63	68.20	-17.57	9.70	3	Horizontal	198	2.43	-	40.93	36.65	7.81	34.76
PK	6.688G	94.65	Inf	-Inf	8.50	3	Horizontal	198	2.43	-	86.15	35.98	7.09	34.57
PK	7.164G	60.86	88.20	-27.34	9.72	3	Horizontal	198	2.43	-	51.14	36.63	7.85	34.76


802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX



802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8387G	97.29	Inf	-Inf	8.22	3	Vertical	87	2.73	-	89.07	35.80	7.07	34.65
AV	7.1705G	50.75	68.20	-17.45	9.71	3	Vertical	87	2.73	-	41.04	36.64	7.83	34.76
PK	6.8387G	106.83	Inf	-Inf	8.22	3	Vertical	87	2.73	-	98.61	35.80	7.07	34.65
PK	7.1628G	61.44	88.20	-26.76	9.73	3	Vertical	87	2.73	-	51.71	36.63	7.86	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.852G	84.12	Inf	-Inf	8.32	3	Horizontal	196	2.28	-	75.80	35.80	7.18	34.66
AV	7.1425G	50.81	68.20	-17.39	9.72	3	Horizontal	196	2.28	-	41.09	36.55	7.93	34.76
PK	6.8513G	93.53	Inf	-Inf	8.31	3	Horizontal	196	2.28	-	85.22	35.80	7.17	34.66
PK	7.1257G	61.21	88.20	-26.99	9.68	3	Horizontal	196	2.28	-	51.53	36.45	7.99	34.76


802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX



802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8843G	98.01	Inf	-Inf	8.57	3	Vertical	255	2.59	-	89.44	35.80	7.45	34.68
AV	7.1615G	50.77	68.20	-17.43	9.72	3	Vertical	255	2.59	-	41.05	36.62	7.86	34.76
PK	6.8843G	107.70	Inf	-Inf	8.57	3	Vertical	255	2.59	-	99.13	35.80	7.45	34.68
PK	7.1594G	62.07	88.20	-26.13	9.73	3	Vertical	255	2.59	-	52.34	36.62	7.87	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.892G	84.14	Inf	-Inf	8.63	3	Horizontal	195	2.38	-	75.51	35.80	7.51	34.68
AV	7.2182G	50.72	68.20	-17.48	9.72	3	Horizontal	195	2.38	-	41.00	36.74	7.75	34.77
PK	6.8913G	94.07	Inf	-Inf	8.63	3	Horizontal	195	2.38	-	85.44	35.80	7.51	34.68
PK	7.1727G	62.08	88.20	-26.12	9.71	3	Horizontal	195	2.38	-	52.37	36.65	7.82	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.76987G	50.22	68.20	-17.98	17.69	3	Vertical	72	2.24	-	32.53	40.03	10.45	32.79
PK	13.76991G	60.32	88.20	-27.88	17.69	3	Vertical	72	2.24	-	42.63	40.03	10.45	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.76999G	49.11	68.20	-19.09	17.69	3	Horizontal	345	2.24	-	31.42	40.03	10.45	32.79
PK	13.77003G	59.94	88.20	-28.26	17.69	3	Horizontal	345	2.24	-	42.25	40.03	10.45	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9244G	97.80	Inf	-Inf	8.83	3	Vertical	256	2.55	-	88.97	35.75	7.78	34.70
AV	7.1944G	50.70	68.20	-17.50	9.68	3	Vertical	256	2.55	-	41.02	36.69	7.75	34.76
PK	6.9232G	107.26	Inf	-Inf	8.82	3	Vertical	256	2.55	-	98.44	35.75	7.77	34.70
PK	7.162G	61.94	88.20	-26.26	9.72	3	Vertical	256	2.55	-	52.22	36.62	7.86	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9262G	83.12	Inf	-Inf	8.85	3	Horizontal	277	2.90	-	74.27	35.75	7.80	34.70
AV	7.1968G	50.85	68.20	-17.35	9.67	3	Horizontal	277	2.90	-	41.18	36.69	7.74	34.76
PK	6.9244G	92.36	Inf	-Inf	8.83	3	Horizontal	277	2.90	-	83.53	35.75	7.78	34.70
PK	7.1488G	62.74	88.20	-25.46	9.74	3	Horizontal	277	2.90	-	53.00	36.59	7.91	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.84996G	50.40	68.20	-17.80	17.77	3	Vertical	65	1.00	-	32.63	40.10	10.49	32.82
PK	13.84985G	60.20	88.20	-28.00	17.77	3	Vertical	65	1.00	-	42.43	40.10	10.49	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.84997G	48.11	68.20	-20.09	17.77	3	Horizontal	345	2.38	-	30.34	40.10	10.49	32.82
PK	13.84993G	59.73	88.20	-28.47	17.77	3	Horizontal	345	2.38	-	41.96	40.10	10.49	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0041G	97.75	Inf	-Inf	9.39	3	Vertical	252	2.49	-	88.36	35.72	8.41	34.74
AV	7.1331G	50.74	68.20	-17.46	9.70	3	Vertical	252	2.49	-	41.04	36.50	7.96	34.76
PK	7.0044G	107.40	Inf	-Inf	9.39	3	Vertical	252	2.49	-	98.01	35.73	8.40	34.74
PK	7.1337G	61.50	88.20	-26.70	9.70	3	Vertical	252	2.49	-	51.80	36.50	7.96	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.014G	81.35	Inf	-Inf	9.41	3	Horizontal	164	1.27	-	71.94	35.78	8.37	34.74
AV	7.1508G	50.82	68.20	-17.38	9.74	3	Horizontal	164	1.27	-	41.08	36.60	7.90	34.76
PK	7.0131G	91.70	Inf	-Inf	9.41	3	Horizontal	164	1.27	-	82.29	35.78	8.37	34.74
PK	7.1463G	61.57	88.20	-26.63	9.74	3	Horizontal	164	1.27	-	51.83	36.58	7.92	34.76


802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX



802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0838G	97.87	Inf	-Inf	9.58	3	Vertical	255	2.53	-	88.29	36.20	8.13	34.75
AV	7.1606G	50.86	68.20	-17.34	9.73	3	Vertical	255	2.53	-	41.13	36.62	7.87	34.76
PK	7.0832G	107.62	Inf	-Inf	9.58	3	Vertical	255	2.53	-	98.04	36.20	8.13	34.75
PK	7.1927G	62.10	88.20	-26.10	9.69	3	Vertical	255	2.53	-	52.41	36.69	7.76	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0892G	84.91	Inf	-Inf	9.60	3	Horizontal	243	2.25	-	75.31	36.24	8.11	34.75
AV	7.2071G	50.82	68.20	-17.38	9.69	3	Horizontal	243	2.25	-	41.13	36.71	7.74	34.76
PK	7.0892G	96.78	Inf	-Inf	9.60	3	Horizontal	243	2.25	-	87.18	36.24	8.11	34.75
PK	7.2137G	62.23	88.20	-25.97	9.71	3	Horizontal	243	2.25	-	52.52	36.73	7.75	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.16997G	52.14	68.20	-16.06	18.15	3	Vertical	52	1.00	-	33.99	40.50	10.74	33.09
PK	14.16989G	61.10	88.20	-27.10	18.15	3	Vertical	52	1.00	-	42.95	40.50	10.74	33.09

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.16992G	49.26	68.20	-18.94	18.15	3	Horizontal	338	2.23	-	31.11	40.50	10.74	33.09
PK	14.17005G	59.95	88.20	-28.25	18.15	3	Horizontal	338	2.23	-	41.80	40.50	10.74	33.09

802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.76	68.20	-19.44	7.20	3	Vertical	72	2.52	-	41.56	34.30	7.43	34.53
AV	5.988G	97.75	Inf	-Inf	7.44	3	Vertical	72	2.52	-	90.31	34.22	7.74	34.52
PK	5.8625G	59.15	88.20	-29.05	6.81	3	Vertical	72	2.52	-	52.34	34.15	7.19	34.53
PK	5.9885G	107.84	Inf	-Inf	7.44	3	Vertical	72	2.52	-	100.40	34.22	7.74	34.52

802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9185G	48.56	68.20	-19.64	7.20	3	Horizontal	341	2.34	-	41.36	34.30	7.43	34.53
AV	6.001G	82.94	Inf	-Inf	7.47	3	Horizontal	341	2.34	-	75.47	34.20	7.79	34.52
PK	5.8845G	59.38	88.20	-28.82	6.99	3	Horizontal	341	2.34	-	52.39	34.24	7.28	34.53
PK	6.0015G	91.79	Inf	-Inf	7.46	3	Horizontal	341	2.34	-	84.33	34.19	7.79	34.52

802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.97G	50.21	54.00	-3.79	13.44	3	Vertical	80	1.00	-	36.77	38.64	9.52	34.72
PK	11.97002G	57.45	74.00	-16.55	13.44	3	Vertical	80	1.00	-	44.01	38.64	9.52	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.96778G	43.34	54.00	-10.66	13.44	3	Horizontal	25	1.40	-	29.90	38.64	9.52	34.72
PK	11.96966G	54.75	74.00	-19.25	13.44	3	Horizontal	25	1.40	-	41.31	38.64	9.52	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.84	68.20	-19.36	7.23	3	Vertical	335	2.50	-	41.61	34.30	7.46	34.53
AV	6.1528G	97.96	Inf	-Inf	6.97	3	Vertical	335	2.50	-	90.99	34.11	7.36	34.50
PK	5.9248G	59.08	88.20	-29.12	7.23	3	Vertical	335	2.50	-	51.85	34.30	7.46	34.53
PK	6.133G	108.06	Inf	-Inf	6.94	3	Vertical	335	2.50	-	101.12	34.03	7.42	34.51

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9104G	48.77	68.20	-19.43	7.17	3	Horizontal	174	1.66	-	41.60	34.30	7.40	34.53
AV	6.1594G	81.31	Inf	-Inf	6.98	3	Horizontal	174	1.66	-	74.33	34.14	7.34	34.50
PK	5.8942G	59.32	88.20	-28.88	7.07	3	Horizontal	174	1.66	-	52.25	34.28	7.32	34.53
PK	6.1588G	90.36	Inf	-Inf	6.99	3	Horizontal	174	1.66	-	83.37	34.14	7.35	34.50

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.29004G	49.07	54.00	-4.93	14.07	3	Vertical	78	1.02	-	35.00	38.92	9.68	34.53
PK	12.29023G	58.13	74.00	-15.87	14.07	3	Vertical	78	1.02	-	44.06	38.92	9.68	34.53

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.28858G	44.54	54.00	-9.46	14.07	3	Horizontal	110	2.21	-	30.47	38.92	9.68	34.53
PK	12.2896G	55.51	74.00	-18.49	14.07	3	Horizontal	110	2.21	-	41.44	38.92	9.68	34.53

802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.904G	48.90	68.20	-19.30	7.14	3	Vertical	331	2.61	-	41.76	34.30	7.37	34.53
AV	6.213G	97.75	Inf	-Inf	7.10	3	Vertical	331	2.61	-	90.65	34.33	7.27	34.50
PK	5.922G	60.01	88.20	-28.19	7.22	3	Vertical	331	2.61	-	52.79	34.30	7.45	34.53
PK	6.214G	106.41	Inf	-Inf	7.11	3	Vertical	331	2.61	-	99.30	34.33	7.28	34.50

802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	48.89	68.20	-19.31	7.21	3	Horizontal	173	1.66	-	41.68	34.30	7.44	34.53
AV	6.239G	83.11	Inf	-Inf	7.24	3	Horizontal	173	1.66	-	75.87	34.38	7.36	34.50
PK	5.816G	59.06	88.20	-29.14	6.41	3	Horizontal	173	1.66	-	52.65	33.96	6.98	34.53
PK	6.239G	91.66	Inf	-Inf	7.24	3	Horizontal	173	1.66	-	84.42	34.38	7.36	34.50

802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.45008G	47.95	54.00	-6.05	14.30	3	Vertical	82	2.24	-	33.65	38.95	9.76	34.41
PK	12.45011G	57.76	74.00	-16.24	14.30	3	Vertical	82	2.24	-	43.46	38.95	9.76	34.41

802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.45023G	44.64	54.00	-9.36	14.30	3	Horizontal	86	1.50	-	30.34	38.95	9.76	34.41
PK	12.44888G	55.84	74.00	-18.16	14.29	3	Horizontal	86	1.50	-	41.55	38.95	9.76	34.42

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	48.95	68.20	-19.25	7.19	3	Vertical	187	2.71	-	41.76	34.30	7.42	34.53
AV	6.3838G	98.39	Inf	-Inf	8.25	3	Vertical	187	2.71	-	90.14	34.87	7.86	34.48
PK	5.8426G	58.83	88.20	-29.37	6.64	3	Vertical	187	2.71	-	52.19	34.07	7.10	34.53
PK	6.3634G	106.30	Inf	-Inf	8.14	3	Vertical	187	2.71	-	98.16	34.83	7.79	34.48

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	48.72	68.20	-19.48	7.20	3	Horizontal	172	1.50	-	41.52	34.30	7.43	34.53
AV	6.379G	82.36	Inf	-Inf	8.23	3	Horizontal	172	1.50	-	74.13	34.86	7.85	34.48
PK	5.9194G	59.28	88.20	-28.92	7.21	3	Horizontal	172	1.50	-	52.07	34.30	7.44	34.53
PK	6.379G	92.18	Inf	-Inf	8.23	3	Horizontal	172	1.50	-	83.95	34.86	7.85	34.48


802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX



802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9176G	48.82	68.20	-19.38	7.20	3	Vertical	187	2.67	-	41.62	34.30	7.43	34.53
AV	6.4636G	98.16	Inf	-Inf	8.28	3	Vertical	187	2.67	-	89.88	35.00	7.75	34.47
AV	7.1636G	51.35	68.20	-16.85	9.73	3	Vertical	187	2.67	-	41.62	36.63	7.86	34.76
PK	5.9232G	58.66	88.20	-29.54	7.22	3	Vertical	187	2.67	-	51.44	34.30	7.45	34.53
PK	6.4454G	106.90	Inf	-Inf	8.31	3	Vertical	187	2.67	-	98.59	34.99	7.80	34.48
PK	7.1594G	62.36	88.20	-25.84	9.73	3	Vertical	187	2.67	-	52.63	36.62	7.87	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9232G	48.78	68.20	-19.42	7.22	3	Horizontal	271	2.49	-	41.56	34.30	7.45	34.53
AV	6.4524G	84.92	Inf	-Inf	8.31	3	Horizontal	271	2.49	-	76.61	35.00	7.78	34.47
AV	7.1608G	51.30	68.20	-16.90	9.73	3	Horizontal	271	2.49	-	41.57	36.62	7.87	34.76
PK	5.7832G	58.41	88.20	-29.79	6.18	3	Horizontal	271	2.49	-	52.23	33.80	6.92	34.54
PK	6.4916G	94.09	Inf	-Inf	8.20	3	Horizontal	271	2.49	-	85.89	35.00	7.67	34.47
PK	7.1482G	61.47	88.20	-26.73	9.74	3	Horizontal	271	2.49	-	51.73	36.59	7.91	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.93003G	48.02	68.20	-20.18	16.08	3	Vertical	74	2.15	-	31.94	39.70	10.01	33.63
PK	12.92992G	58.50	88.20	-29.70	16.08	3	Vertical	74	2.15	-	42.42	39.70	10.01	33.63

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.93047G	45.62	68.20	-22.58	16.08	3	Horizontal	318	2.13	-	29.54	39.70	10.01	33.63
PK	12.93089G	55.93	88.20	-32.27	16.08	3	Horizontal	318	2.13	-	39.85	39.70	10.01	33.63

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9234G	48.87	68.20	-19.33	7.22	3	Vertical	360	2.48	-	41.65	34.30	7.45	34.53
AV	6.5282G	97.75	Inf	-Inf	8.31	3	Vertical	360	2.48	-	89.44	35.23	7.57	34.49
AV	7.2226G	51.28	68.20	-16.92	9.74	3	Vertical	360	2.48	-	41.54	36.75	7.76	34.77
PK	5.9122G	59.04	88.20	-29.16	7.17	3	Vertical	360	2.48	-	51.87	34.30	7.40	34.53
PK	6.5296G	106.05	Inf	-Inf	8.31	3	Vertical	360	2.48	-	97.74	35.24	7.56	34.49
PK	7.238G	61.25	88.20	-26.95	9.79	3	Vertical	360	2.48	-	51.46	36.78	7.78	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9136G	48.88	68.20	-19.32	7.18	3	Horizontal	157	2.98	-	41.70	34.30	7.41	34.53
AV	6.5366G	83.79	Inf	-Inf	8.34	3	Horizontal	157	2.98	-	75.45	35.29	7.54	34.49
AV	7.1904G	51.24	68.20	-16.96	9.68	3	Horizontal	157	2.98	-	41.56	36.68	7.76	34.76
PK	5.9066G	59.66	88.20	-28.54	7.15	3	Horizontal	157	2.98	-	52.51	34.30	7.38	34.53
PK	6.5366G	94.43	Inf	-Inf	8.34	3	Horizontal	157	2.98	-	86.09	35.29	7.54	34.49
PK	7.2184G	61.17	88.20	-27.03	9.72	3	Horizontal	157	2.98	-	51.45	36.74	7.75	34.77


802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX



802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6238G	97.62	Inf	-Inf	8.50	3	Vertical	187	2.96	-	89.12	35.74	7.30	34.54
AV	7.1614G	51.32	68.20	-16.88	9.72	3	Vertical	187	2.96	-	41.60	36.62	7.86	34.76
PK	6.643G	105.67	Inf	-Inf	8.54	3	Vertical	187	2.96	-	97.13	35.86	7.23	34.55
PK	7.1614G	61.78	88.20	-26.42	9.72	3	Vertical	187	2.96	-	52.06	36.62	7.86	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6238G	82.56	Inf	-Inf	8.50	3	Horizontal	166	3.00	-	74.06	35.74	7.30	34.54
AV	7.1746G	51.39	68.20	-16.81	9.71	3	Horizontal	166	3.00	-	41.68	36.65	7.82	34.76
PK	6.6238G	92.15	Inf	-Inf	8.50	3	Horizontal	166	3.00	-	83.65	35.74	7.30	34.54
PK	7.1734G	61.87	88.20	-26.33	9.71	3	Horizontal	166	3.00	-	52.16	36.65	7.82	34.76


802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX



802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.709G	97.89	Inf	-Inf	8.43	3	Vertical	360	2.84	-	89.46	35.98	7.03	34.58
AV	7.188G	51.49	68.20	-16.71	9.69	3	Vertical	360	2.84	-	41.80	36.68	7.77	34.76
PK	6.71G	107.62	Inf	-Inf	8.42	3	Vertical	360	2.84	-	99.20	35.98	7.02	34.58
PK	7.144G	62.25	88.20	-25.95	9.72	3	Vertical	360	2.84	-	52.53	36.56	7.92	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.706G	85.21	Inf	-Inf	8.45	3	Horizontal	170	2.13	-	76.76	35.99	7.04	34.58
AV	7.199G	51.42	68.20	-16.78	9.67	3	Horizontal	170	2.13	-	41.75	36.70	7.73	34.76
PK	6.704G	93.74	Inf	-Inf	8.45	3	Horizontal	170	2.13	-	85.29	35.99	7.04	34.58
PK	7.185G	62.25	88.20	-25.95	9.69	3	Horizontal	170	2.13	-	52.56	36.67	7.78	34.76


802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX



802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7787G	97.53	Inf	-Inf	8.03	3	Vertical	91	2.91	-	89.50	35.84	6.81	34.62
AV	7.1322G	51.29	68.20	-16.91	9.69	3	Vertical	91	2.91	-	41.60	36.49	7.96	34.76
PK	6.7787G	106.93	Inf	-Inf	8.03	3	Vertical	91	2.91	-	98.90	35.84	6.81	34.62
PK	7.1336G	61.15	88.20	-27.05	9.70	3	Vertical	91	2.91	-	51.45	36.50	7.96	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7906G	84.18	Inf	-Inf	7.96	3	Horizontal	199	2.94	-	76.22	35.82	6.77	34.63
AV	7.1336G	51.25	68.20	-16.95	9.70	3	Horizontal	199	2.94	-	41.55	36.50	7.96	34.76
PK	6.7913G	93.70	Inf	-Inf	7.96	3	Horizontal	199	2.94	-	85.74	35.82	6.77	34.63
PK	7.1329G	60.89	88.20	-27.31	9.70	3	Horizontal	199	2.94	-	51.19	36.50	7.96	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.56993G	50.15	68.20	-18.05	17.77	3	Vertical	72	2.27	-	32.38	40.14	10.35	32.72
PK	13.5701G	59.39	88.20	-28.81	17.77	3	Vertical	72	2.27	-	41.62	40.14	10.35	32.72

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.56995G	47.90	68.20	-20.30	17.77	3	Horizontal	270	1.03	-	30.13	40.14	10.35	32.72
PK	13.57031G	58.39	88.20	-29.81	17.77	3	Horizontal	270	1.03	-	40.62	40.14	10.35	32.72

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8594G	97.97	Inf	-Inf	8.38	3	Vertical	91	2.56	-	89.59	35.80	7.24	34.66
AV	7.1828G	51.74	68.20	-16.46	9.70	3	Vertical	91	2.56	-	42.04	36.67	7.79	34.76
PK	6.8783G	108.04	Inf	-Inf	8.53	3	Vertical	91	2.56	-	99.51	35.80	7.40	34.67
PK	7.2094G	61.81	88.20	-26.39	9.69	3	Vertical	91	2.56	-	52.12	36.72	7.74	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.851G	83.38	Inf	-Inf	8.31	3	Horizontal	199	2.93	-	75.07	35.80	7.17	34.66
AV	7.2052G	51.43	68.20	-16.77	9.69	3	Horizontal	199	2.93	-	41.74	36.71	7.74	34.76
PK	6.8503G	92.54	Inf	-Inf	8.30	3	Horizontal	199	2.93	-	84.24	35.80	7.16	34.66
PK	7.2094G	61.84	88.20	-26.36	9.69	3	Horizontal	199	2.93	-	52.15	36.72	7.74	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.72995G	51.14	68.20	-17.06	17.72	3	Vertical	65	1.00	-	33.42	40.07	10.43	32.78
PK	13.73017G	59.78	88.20	-28.42	17.72	3	Vertical	65	1.00	-	42.06	40.07	10.43	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.73006G	49.06	68.20	-19.14	17.72	3	Horizontal	346	2.23	-	31.34	40.07	10.43	32.78
PK	13.72996G	58.76	88.20	-29.44	17.72	3	Horizontal	346	2.23	-	41.04	40.07	10.43	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9438G	97.98	Inf	-Inf	8.95	3	Vertical	255	2.84	-	89.03	35.71	7.95	34.71
AV	7.1922G	51.65	68.20	-16.55	9.68	3	Vertical	255	2.84	-	41.97	36.68	7.76	34.76
PK	6.924G	107.48	Inf	-Inf	8.83	3	Vertical	255	2.84	-	98.65	35.75	7.78	34.70
PK	7.23G	62.17	88.20	-26.03	9.76	3	Vertical	255	2.84	-	52.41	36.76	7.77	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9252G	83.32	Inf	-Inf	8.84	3	Horizontal	274	2.88	-	74.48	35.75	7.79	34.70
AV	7.185G	51.53	68.20	-16.67	9.69	3	Horizontal	274	2.88	-	41.84	36.67	7.78	34.76
PK	6.9252G	92.44	Inf	-Inf	8.84	3	Horizontal	274	2.88	-	83.60	35.75	7.79	34.70
PK	7.1718G	61.83	88.20	-26.37	9.71	3	Horizontal	274	2.88	-	52.12	36.64	7.83	34.76


802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX



802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0241G	97.73	Inf	-Inf	9.44	3	Vertical	254	2.56	-	88.29	35.84	8.34	34.74
AV	7.1411G	51.66	68.20	-16.54	9.72	3	Vertical	254	2.56	-	41.94	36.55	7.93	34.76
PK	7.043G	107.59	Inf	-Inf	9.48	3	Vertical	254	2.56	-	98.11	35.96	8.27	34.75
PK	7.1288G	61.96	88.20	-26.24	9.69	3	Vertical	254	2.56	-	52.27	36.47	7.98	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0283G	84.24	Inf	-Inf	9.45	3	Horizontal	243	2.22	-	74.79	35.87	8.32	34.74
AV	7.136G	51.45	68.20	-16.75	9.71	3	Horizontal	243	2.22	-	41.74	36.52	7.95	34.76
PK	7.0289G	93.74	Inf	-Inf	9.45	3	Horizontal	243	2.22	-	84.29	35.87	8.32	34.74
PK	7.1318G	61.67	88.20	-26.53	9.70	3	Horizontal	243	2.22	-	51.97	36.49	7.97	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.05005G	51.35	68.20	-16.85	18.13	3	Vertical	52	2.19	-	33.22	40.45	10.62	32.94
PK	14.05002G	60.31	88.20	-27.89	18.13	3	Vertical	52	2.19	-	42.18	40.45	10.62	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.05001G	49.98	68.20	-18.22	18.13	3	Horizontal	48	2.26	-	31.85	40.45	10.62	32.94
PK	14.05014G	59.57	88.20	-28.63	18.13	3	Horizontal	48	2.26	-	41.44	40.45	10.62	32.94

802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.908G	49.82	68.20	-18.38	7.16	3	Vertical	72	2.40	-	42.66	34.30	7.39	34.53
AV	6.008G	98.17	Inf	-Inf	7.42	3	Vertical	72	2.40	-	90.75	34.17	7.77	34.52
PK	5.904G	59.62	88.20	-28.58	7.14	3	Vertical	72	2.40	-	52.48	34.30	7.37	34.53
PK	6.0095G	109.22	Inf	-Inf	7.40	3	Vertical	72	2.40	-	101.82	34.16	7.76	34.52

802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.915G	48.80	68.20	-19.40	7.19	3	Horizontal	340	2.45	-	41.61	34.30	7.42	34.53
AV	6.0415G	82.97	Inf	-Inf	7.18	3	Horizontal	340	2.45	-	75.79	34.03	7.67	34.52
PK	5.8355G	60.30	88.20	-27.90	6.58	3	Horizontal	340	2.45	-	53.72	34.04	7.07	34.53
PK	6.04G	93.08	Inf	-Inf	7.20	3	Horizontal	340	2.45	-	85.88	34.04	7.68	34.52

802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.04997G	49.29	54.00	-4.71	13.71	3	Vertical	81	1.06	-	35.58	38.85	9.56	34.70
PK	12.04983G	57.39	74.00	-16.61	13.71	3	Vertical	81	1.06	-	43.68	38.85	9.56	34.70

802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.05164G	43.75	54.00	-10.25	13.72	3	Horizontal	332	1.47	-	30.03	38.85	9.56	34.69
PK	12.05252G	55.19	74.00	-18.81	13.73	3	Horizontal	332	1.47	-	41.46	38.86	9.56	34.69

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	49.01	68.20	-19.19	7.21	3	Vertical	332	2.40	-	41.80	34.30	7.44	34.53
AV	6.193G	98.11	Inf	-Inf	7.02	3	Vertical	332	2.40	-	91.09	34.27	7.25	34.50
PK	5.8986G	59.25	88.20	-28.95	7.10	3	Vertical	332	2.40	-	52.15	34.29	7.34	34.53
PK	6.2122G	109.25	Inf	-Inf	7.09	3	Vertical	332	2.40	-	102.16	34.32	7.27	34.50

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	49.00	68.20	-19.20	7.23	3	Horizontal	172	1.50	-	41.77	34.30	7.46	34.53
AV	6.2194G	82.71	Inf	-Inf	7.14	3	Horizontal	172	1.50	-	75.57	34.34	7.30	34.50
PK	5.8746G	59.03	88.20	-29.17	6.91	3	Horizontal	172	1.50	-	52.12	34.20	7.24	34.53
PK	6.1986G	91.35	Inf	-Inf	7.02	3	Horizontal	172	1.50	-	84.33	34.29	7.23	34.50


802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX



802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	48.84	68.20	-19.36	7.15	3	Vertical	189	2.83	-	41.69	34.30	7.38	34.53
AV	6.363G	97.79	Inf	-Inf	8.14	3	Vertical	189	2.83	-	89.65	34.83	7.79	34.48
PK	5.913G	59.86	88.20	-28.34	7.18	3	Vertical	189	2.83	-	52.68	34.30	7.41	34.53
PK	6.3834G	106.71	Inf	-Inf	8.25	3	Vertical	189	2.83	-	98.46	34.87	7.86	34.48

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	48.75	68.20	-19.45	7.17	3	Horizontal	173	1.47	-	41.58	34.30	7.40	34.53
AV	6.3198G	82.14	Inf	-Inf	7.83	3	Horizontal	173	1.47	-	74.31	34.68	7.64	34.49
PK	5.8806G	59.72	88.20	-28.48	6.95	3	Horizontal	173	1.47	-	52.77	34.22	7.26	34.53
PK	6.3378G	92.15	Inf	-Inf	7.97	3	Horizontal	173	1.47	-	84.18	34.75	7.71	34.49

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.68996G	46.26	54.00	-7.74	15.12	3	Vertical	70	1.00	-	31.14	39.28	9.89	34.05
PK	12.68986G	57.22	74.00	-16.78	15.12	3	Vertical	70	1.00	-	42.10	39.28	9.89	34.05

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.68967G	45.09	54.00	-8.91	15.12	3	Horizontal	125	2.51	-	29.97	39.28	9.89	34.05
PK	12.69068G	55.33	74.00	-18.67	15.12	3	Horizontal	125	2.51	-	40.21	39.28	9.89	34.05

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9198G	48.97	68.20	-19.23	7.21	3	Vertical	0	2.53	-	41.76	34.30	7.44	34.53
AV	6.4686G	98.01	Inf	-Inf	8.26	3	Vertical	0	2.53	-	89.75	35.00	7.73	34.47
AV	7.1546G	51.36	68.20	-16.84	9.74	3	Vertical	0	2.53	-	41.62	36.61	7.89	34.76
PK	5.8106G	59.82	88.20	-28.38	6.36	3	Vertical	0	2.53	-	53.46	33.94	6.96	34.54
PK	6.4686G	106.01	Inf	-Inf	8.26	3	Vertical	0	2.53	-	97.75	35.00	7.73	34.47
PK	7.163G	61.82	88.20	-26.38	9.73	3	Vertical	0	2.53	-	52.09	36.63	7.86	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9184G	48.79	68.20	-19.41	7.20	3	Horizontal	270	2.57	-	41.59	34.30	7.43	34.53
AV	6.491G	85.95	Inf	-Inf	8.20	3	Horizontal	270	2.57	-	77.75	35.00	7.67	34.47
AV	7.1434G	51.53	68.20	-16.67	9.73	3	Horizontal	270	2.57	-	41.80	36.56	7.93	34.76
PK	5.8652G	58.91	88.20	-29.29	6.83	3	Horizontal	270	2.57	-	52.08	34.16	7.20	34.53
PK	6.4504G	95.86	Inf	-Inf	8.31	3	Horizontal	270	2.57	-	87.55	35.00	7.78	34.47
PK	7.1924G	62.02	88.20	-26.18	9.68	3	Horizontal	270	2.57	-	52.34	36.68	7.76	34.76


802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX



802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.6441G	97.66	Inf	-Inf	8.54	3	Vertical	187	2.83	-	89.12	35.86	7.23	34.55
AV	7.1369G	51.37	68.20	-16.83	9.71	3	Vertical	187	2.83	-	41.66	36.52	7.95	34.76
PK	6.643G	106.55	Inf	-Inf	8.54	3	Vertical	187	2.83	-	98.01	35.86	7.23	34.55
PK	7.1787G	61.78	88.20	-26.42	9.70	3	Vertical	187	2.83	-	52.08	36.66	7.80	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.6452G	84.47	Inf	-Inf	8.55	3	Horizontal	168	2.16	-	75.92	35.87	7.23	34.55
AV	7.1314G	51.29	68.20	-16.91	9.70	3	Horizontal	168	2.16	-	41.59	36.49	7.97	34.76
PK	6.6452G	94.88	Inf	-Inf	8.55	3	Horizontal	168	2.16	-	86.33	35.87	7.23	34.55
PK	7.2117G	61.17	88.20	-27.03	9.69	3	Horizontal	168	2.16	-	51.48	36.72	7.74	34.77


802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX



802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8186G	97.91	Inf	-Inf	8.06	3	Vertical	88	2.64	-	89.85	35.80	6.90	34.64
AV	7.177G	51.54	68.20	-16.66	9.70	3	Vertical	88	2.64	-	41.84	36.65	7.81	34.76
PK	6.8186G	108.19	Inf	-Inf	8.06	3	Vertical	88	2.64	-	100.13	35.80	6.90	34.64
PK	7.1338G	61.18	88.20	-27.02	9.70	3	Vertical	88	2.64	-	51.48	36.50	7.96	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7906G	84.25	Inf	-Inf	7.96	3	Horizontal	198	2.57	-	76.29	35.82	6.77	34.63
AV	7.1578G	51.44	68.20	-16.76	9.74	3	Horizontal	198	2.57	-	41.70	36.62	7.88	34.76
PK	6.8514G	93.58	Inf	-Inf	8.31	3	Horizontal	198	2.57	-	85.27	35.80	7.17	34.66
PK	7.1402G	62.06	88.20	-26.14	9.72	3	Horizontal	198	2.57	-	52.34	36.54	7.94	34.76


802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX



802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.004G	98.25	Inf	-Inf	9.39	3	Vertical	253	2.47	-	88.86	35.72	8.41	34.74
AV	7.1445G	54.30	68.20	-13.90	9.73	3	Vertical	253	2.47	-	44.57	36.57	7.92	34.76
PK	6.964G	108.93	Inf	-Inf	9.10	3	Vertical	253	2.47	-	99.83	35.70	8.12	34.72
PK	7.144G	63.41	88.20	-24.79	9.72	3	Vertical	253	2.47	-	53.69	36.56	7.92	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9655G	83.00	Inf	-Inf	9.11	3	Horizontal	197	2.07	-	73.89	35.70	8.13	34.72
AV	7.143G	51.46	68.20	-16.74	9.73	3	Horizontal	197	2.07	-	41.73	36.56	7.93	34.76
PK	6.9645G	91.92	Inf	-Inf	9.10	3	Horizontal	197	2.07	-	82.82	35.70	8.12	34.72
PK	7.1315G	62.34	88.20	-25.86	9.70	3	Horizontal	197	2.07	-	52.64	36.49	7.97	34.76


802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



Antenna Gain (dBi)			
UNII 5	UNII 6	UNII 7	UNII 8
6	6	6	6

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-76.00	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-75.00	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-76.00	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-76.00	OFF	10	100	90	Pass

Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-75.00	OFF	10	100	90	Pass
				Center	6185	-71.00	OFF	10	100	90	Pass
				High edge	6260	-75.00	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-75.00	OFF	10	100	90	Pass
				Center	6505	-74.00	OFF	10	100	90	Pass
				High edge	6580	-75.00	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-76.00	OFF	10	100	90	Pass
				Center	6665	-71.00	OFF	10	100	90	Pass
				High edge	6740	-77.00	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-77.00	OFF	10	100	90	Pass
				Center	6985	-72.00	OFF	10	100	90	Pass
				High edge	7060	-74.00	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-70.00	6.00	-76.00	≤ -62
						Minimal	-71.00	6.00	-77.00	≤ -62
						ON	-72.00	6.00	-78.00	≤ -62
6	101		6455	Center	6455	OFF	-69.00	6.00	-75.00	≤ -62
						Minimal	-70.00	6.00	-76.00	≤ -62
						ON	-71.00	6.00	-77.00	≤ -62
7	149		6695	Center	6695	OFF	-70.00	6.00	-76.00	≤ -62
						Minimal	-71.00	6.00	-77.00	≤ -62
						ON	-72.00	6.00	-78.00	≤ -62
8	213		7015	Center	7015	OFF	-70.00	6.00	-76.00	≤ -62
						Minimal	-71.00	6.00	-77.00	≤ -62
						ON	-72.00	6.00	-78.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-69.00	6.00	-75.00	≤ -62
						Minimal	-70.00	6.00	-76.00	≤ -62
						ON	-71.00	6.00	-77.00	≤ -62
				Center	6185	OFF	-65.00	6.00	-71.00	≤ -62
						Minimal	-66.00	6.00	-72.00	≤ -62
						ON	-67.00	6.00	-73.00	≤ -62
				High edge	6260	OFF	-69.00	6.00	-75.00	≤ -62
						Minimal	-70.00	6.00	-76.00	≤ -62
						ON	-71.00	6.00	-77.00	≤ -62
6	111		6505	Low edge	6430	OFF	-69.00	6.00	-75.00	≤ -62
						Minimal	-70.00	6.00	-76.00	≤ -62
						ON	-71.00	6.00	-77.00	≤ -62
				Center	6505	OFF	-68.00	6.00	-74.00	≤ -62
						Minimal	-69.00	6.00	-75.00	≤ -62
						ON	-70.00	6.00	-76.00	≤ -62
				High edge	6580	OFF	-69.00	6.00	-75.00	≤ -62
						Minimal	-70.00	6.00	-76.00	≤ -62
						ON	-71.00	6.00	-77.00	≤ -62
7	143		6665	Low edge	6590	OFF	-70.00	6.00	-76.00	≤ -62
						Minimal	-71.00	6.00	-77.00	≤ -62
						ON	-72.00	6.00	-78.00	≤ -62
				Center	6665	OFF	-65.00	6.00	-71.00	≤ -62
						Minimal	-66.00	6.00	-72.00	≤ -62
						ON	-67.00	6.00	-73.00	≤ -62
				High edge	6740	OFF	-71.00	6.00	-77.00	≤ -62
						Minimal	-72.00	6.00	-78.00	≤ -62
						ON	-73.00	6.00	-79.00	≤ -62
8	207		6985	Low edge	6910	OFF	-71.00	6.00	-77.00	≤ -62
						Minimal	-72.00	6.00	-78.00	≤ -62
						ON	-73.00	6.00	-79.00	≤ -62
				Center	6985	OFF	-66.00	6.00	-72.00	≤ -62
						Minimal	-67.00	6.00	-73.00	≤ -62
						ON	-68.00	6.00	-74.00	≤ -62
				High edge	7060	OFF	-68.00	6.00	-74.00	≤ -62
						Minimal	-69.00	6.00	-75.00	≤ -62
						ON	-70.00	6.00	-76.00	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.3625ms

All TX Sample

7629

Duty Cycle

0.953506

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

5us

All TX Time

38.58ms

All TX Sample

7716

Duty Cycle

0.964379

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




Sample Time

5us
All TX Time
38.08ms
All TX Sample
7616
Duty Cycle
0.951881
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




Sample Time

5us
All TX Time
37.66ms
All TX Sample
7532
Duty Cycle
0.941382
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

5us

All TX Time

33.47ms

All TX Sample

6694

Duty Cycle

0.836645

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

5us

All TX Time

33.47ms

All TX Sample

6694

Duty Cycle

0.836645

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main




Sample Time

5us
All TX Time
34.07ms
All TX Sample
6814
Duty Cycle
0.851644
T1[s]
NaNs
T2[s]
NaNs
T3[s]
NaNs
T4[s]
NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis


Main




Sample Time

5us
All TX Time
33.195ms
All TX Sample
6639
Duty Cycle
0.829771
T1[s]
NaNs
T2[s]
NaNs
T3[s]
NaNs
T4[s]
NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz




Date: 28.DEC.2022 09:27:51
AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz




Date: 28.DEC.2022 09:25:48
AWGN Bandwidth: 10MHz

Frequency (MHz): 6110 MHz




Date: 28.DEC.2022 09:29:24
AWGN Bandwidth: 10MHz

Frequency (MHz): 6185 MHz




Date: 28.DEC.2022 09:30:19
AWGN Bandwidth: 10MHz

Frequency (MHz): 6260 MHz




Date: 28.DEC.2022 09:31:43
AWGN Bandwidth: 10MHz

Frequency (MHz): 6430 MHz




Date: 28.DEC.2022 09:32:51
AWGN Bandwidth: 10MHz

Frequency (MHz): 6505 MHz




Date: 28.DEC.2022 09:34:55
AWGN Bandwidth: 10MHz

Frequency (MHz): 6580 MHz




Date: 28.DEC.2022 09:36:38
AWGN Bandwidth: 10MHz

Frequency (MHz): 6590 MHz




Date: 28.DEC.2022 09:37:39
AWGN Bandwidth: 10MHz

Frequency (MHz): 6665 MHz




Date: 28.DEC.2022 09:40:44
AWGN Bandwidth: 10MHz

Frequency (MHz): 6740 MHz




Date: 28.DEC.2022 09:43:30
AWGN Bandwidth: 10MHz

Frequency (MHz): 6910 MHz




Date: 28.DEC.2022 09:44:43
AWGN Bandwidth: 10MHz

Frequency (MHz): 6985 MHz




Date: 28.DEC.2022 09:45:26
AWGN Bandwidth: 10MHz

Frequency (MHz): 7060 MHz




Date: 28.DEC.2022 09:46:18
AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -70 dBm)


Time Analysis



Sample Time	
1us	
All TX Time	
292.486ms	
All TX Sample	
292486	
Duty Cycle	
0.292486	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -71dBm)


Time Analysis



Sample Time	
1us	
All TX Time	
359.264ms	
All TX Sample	
359264	
Duty Cycle	
0.359264	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -72 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160


Frequency (MHz): 6110 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 6110 MHz (Threshold Level: -70dBm)

Time Analysis




Frequency (MHz): 6110 MHz (Threshold Level: -71dBm)

Time Analysis




Frequency (MHz): 6185 MHz (Threshold Level: -65dBm)

Time Analysis




Frequency (MHz): 6185 MHz (Threshold Level: -66dBm)

Time Analysis




Frequency (MHz): 6185 MHz (Threshold Level: -67dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis





Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.175G	6.174946G	8.8046	Inf	1	0 min

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.174953G	7.5901	Inf	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.174948G	8.501	Inf	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.174957G	6.9829	Inf	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174955G	7.2865	Inf	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.174946G	8.8046	Inf	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.174961G	6.3757	Inf	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.174966G	5.4649	Inf	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.174951G	7.8937	Inf	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.174949G	8.1974	Inf	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.174961G	6.3757	Inf	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.174949G	8.1974	Inf	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.174948G	8.501	Inf	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.174951G	7.8938	Inf	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.174951G	7.8938	Inf	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.174953G	7.5901	Inf	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.174955G	7.2865	Inf	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.174948G	8.501	Inf	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.174961G	6.3757	Inf	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.174955G	7.2865	Inf	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.174951G	7.8938	Inf	1	10 min




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	AV	2.78488G	43.38	54.00	-10.62	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.758G	42.96	68.20	-25.24	3	Vertical	0	1.13	-
Mode 1	Pass	AV	2.78488G	43.38	54.00	-10.62	3	Vertical	42	2.73	-
Mode 1	Pass	AV	3.26142G	31.30	54.00	-22.70	3	Vertical	342	1.50	-
Mode 1	Pass	PK	1.758G	47.28	68.20	-20.92	3	Vertical	0	1.13	-
Mode 1	Pass	PK	2.78722G	53.90	74.00	-20.10	3	Vertical	42	2.73	-
Mode 1	Pass	PK	3.261G	44.31	74.00	-29.69	3	Vertical	342	1.50	-
Mode 1	Pass	AV	1.27282G	27.14	68.20	-41.06	3	Horizontal	292	2.34	-
Mode 1	Pass	AV	1.75684G	35.42	68.20	-32.78	3	Horizontal	64	1.50	-
Mode 1	Pass	AV	3.23678G	31.54	68.20	-36.66	3	Horizontal	45	2.30	-
Mode 1	Pass	PK	1.272G	38.32	68.20	-29.88	3	Horizontal	292	2.34	-
Mode 1	Pass	PK	1.76G	49.33	68.20	-18.87	3	Horizontal	64	1.50	-
Mode 1	Pass	PK	3.236G	43.98	68.20	-24.22	3	Horizontal	45	2.30	-

Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.758G	42.96	68.20	-25.24	-6.03	3	Vertical	0	1.13	-	48.99	25.10	3.58	34.71
AV	2.78488G	43.38	54.00	-10.62	-1.99	3	Vertical	42	2.73	-	45.37	28.34	4.43	34.76
AV	3.26142G	31.30	54.00	-22.70	-0.06	3	Vertical	342	1.50	-	31.36	29.88	4.77	34.71
PK	1.758G	47.28	68.20	-20.92	-6.03	3	Vertical	0	1.13	-	53.31	25.10	3.58	34.71
PK	2.78722G	53.90	74.00	-20.10	-1.99	3	Vertical	42	2.73	-	55.89	28.34	4.43	34.76
PK	3.261G	44.31	74.00	-29.69	-0.06	3	Vertical	342	1.50	-	44.37	29.88	4.77	34.71

Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.27282G	27.14	68.20	-41.06	-6.50	3	Horizontal	292	2.34	-	33.64	25.74	2.97	35.21
AV	1.75684G	35.42	68.20	-32.78	-6.03	3	Horizontal	64	1.50	-	41.45	25.10	3.58	34.71
AV	3.23678G	31.54	68.20	-36.66	-0.03	3	Horizontal	45	2.30	-	31.57	29.93	4.76	34.72
PK	1.272G	38.32	68.20	-29.88	-6.52	3	Horizontal	292	2.34	-	44.84	25.72	2.97	35.21
PK	1.76G	49.33	68.20	-18.87	-6.03	3	Horizontal	64	1.50	-	55.36	25.10	3.58	34.71
PK	3.236G	43.98	68.20	-24.22	-0.03	3	Horizontal	45	2.30	-	44.01	29.93	4.76	34.72