

ATTACHMENT O – SAR TEST PLOTS (2 of 4)

TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR (1g): 0.370 mW/g, SAR (10g): 0.253 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.19 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: in

Mode: CDMA / Channel: 1013 (824.70MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR (1g): 0.352 mW/g, SAR (10g): 0.241 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.27 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: out

Mode: CDMA / Channel: 1013 (824.70MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$ 1.00 g/cm³

Cube 5x5x7: SAR(1g): 0.289 mW/g, SAR(10g): 0.197 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.27 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: in

Mode: CDMA / Channel: 363 (833.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR (1g): 0.325 mW/g, SAR (10g): 0.222 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.18 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: out

Mode: CDMA / Channel: 363 (853.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90 \text{ mho/m}$ $\epsilon_r = 43.2 \rho$ $= 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.419 mW/g, SAR (10g): 0.285 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.12 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: in

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR(1g): 0.414 mW/g, SAR(10g): 0.282 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.15 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: out

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR (1g): 0.416 mW/g, SAR (10g): 0.277 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.06 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: CDMA / Channel: 1013 (824.70MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.348 mW/g, SAR (10g): 0.233 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.02 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: CDMA / Channel: 1013 (824.70MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR (1g): 0.342 mW/g, SAR (10g): 0.228 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.26 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: CDMA / Channel: 363 (853.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.323 mW/g, SAR (10g): 0.217 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.07 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: CDMA / Channel: 363 (833.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.583 mW/g, SAR (10g): 0.387 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.10 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR(1g): 0.577 mW/g, SAR(10g): 0.381 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.08 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C (e-battery)

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR (1g): 0.569 mW/g, SAR (10g): 0.380 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.09 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ p $= 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.0809 mW/g, SAR (10g): 0.0580 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.21 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Tilt 15° / Antenna: in

Mode: CDMA / Channel: 363 (853.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.0808 mW/g, SAR (10g): 0.0581 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.12 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Tilt 15° / Antenna: out

Mode: CDMA / Channel: 363 (833.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 43.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR (1g): 0.0782 mW/g, SAR (10g): 0.0566 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.24 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Tilt 15° / Antenna: in

Mode: CDMA / Channel: 363 (853.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $\sigma = 0.90 \text{ mho/m}$ $\epsilon_r = 43.2 \rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.0777 mW/g, SAR (10g): 0.0564 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.07 dB

Comment :

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.

Test Position: Right Tilt 15° / Antenna: out

Mode: CDMA / Channel: 363 (833.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.3°C

Date Tested : September 7, 2004

