


Report No.: SUHR/2022/1001104

Rev.: 01

Page: 71 of 127

### 802.11n40 Channel 06



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4874.0000	51.45	-13.01	38.44	74.00	35.56	184	155	Vertical				
2	4874.0000	42.50	-13.01	29.49	54.00	24.51	150	329	Vertical				
3	7311.0000	47.23	-7.17	40.06	74.00	33.94	172	266	Vertical				
4	7311.0000	39.64	-7.17	32.47	54.00	21.53	148	76	Vertical				
5	9748.0000	34.28	-1.18	33.10	54.00	20.90	135	122	Vertical				
6	9748.0000	42.00	-1.18	40.82	74.00	33.18	265	294	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 72 of 127

### 802.11n40 Channel 07



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4884.0000	50.41	-12.98	37.43	74.00	36.57	142	330	Horizontal				
2	4884.0000	42.47	-12.98	29.49	54.00	24.51	235	15	Horizontal				
3	7326.0000	38.99	-7.13	31.86	54.00	22.14	184	330	Horizontal				
4	7326.0000	46.59	-7.13	39.46	74.00	34.54	199	50	Horizontal				
5	9768.0000	43.65	-1.21	42.44	74.00	31.56	142	50	Horizontal				
6	9768.0000	35.42	-1.21	34.21	54.00	19.79	172	178	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 73 of 127

### 802.11n40 Channel 07



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4884.0000	50.24	-12.98	37.26	74.00	36.74	128	24	Vertical				
2	4884.0000	42.31	-12.98	29.33	54.00	24.67	266	124	Vertical				
3	7326.0000	47.43	-7.13	40.30	74.00	33.70	194	201	Vertical				
4	7326.0000	39.72	-7.13	32.59	54.00	21.41	144	326	Vertical				
5	9768.0000	42.48	-1.21	41.27	74.00	32.73	173	348	Vertical				
6	9768.0000	34.18	-1.21	32.97	54.00	21.03	188	174	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 74 of 127

### 802.11n40 Channel 08



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4894.0000	42.42	-12.95	29.47	54.00	24.53	245	329	Horizontal				
2	4907	54.13	-12.92	41.21	74.00	32.79	188	50	Horizontal				
3	7341.0000	46.19	-7.09	39.10	74.00	34.90	199	269	Horizontal				
4	7341.0000	38.34	-7.09	31.25	54.00	22.75	288	142	Horizontal				
5	9788.0000	34.22	-1.24	32.98	54.00	21.02	134	28	Horizontal				
6	9788.0000	43.61	-1.24	42.37	74.00	31.63	265	33	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 75 of 127

### 802.11n40 Channel 08



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4894.0000	50.08	-12.95	37.13	74.00	36.87	148	253	Vertical				
2	4894.0000	41.82	-12.95	28.87	54.00	25.13	165	99	Vertical				
3	7341.0000	38.54	-7.09	31.45	54.00	22.55	299	127	Vertical				
4	7341.0000	46.71	-7.09	39.62	74.00	34.38	174	25	Vertical				
5	9788.0000	43.36	-1.24	42.12	74.00	31.88	253	358	Vertical				
6	9788.0000	34.03	-1.24	32.79	54.00	21.21	133	151	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 76 of 127

### 802.11n40 Channel 09



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4904.0000	50.00	-12.92	37.08	74.00	36.92	142	25	Horizontal				
2	4904.0000	41.98	-12.92	29.06	54.00	24.94	184	360	Horizontal				
3	7356.0000	47.09	-7.05	40.04	74.00	33.96	188	24	Horizontal				
4	7356.0000	39.97	-7.05	32.92	54.00	21.08	172	235	Horizontal				
5	9808.0000	44.02	-1.24	42.78	74.00	31.22	165	329	Horizontal				
6	9808.0000	35.75	-1.24	34.51	54.00	19.49	233	74	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 77 of 127

### 802.11n40 Channel 09



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4904.0000	48.92	-12.92	36.00	74.00	38.00	158	52	Vertical				
2	4904.0000	42.34	-12.92	29.42	54.00	24.58	205	26	Vertical				
3	7356.0000	47.53	-7.05	40.48	74.00	33.52	194	280	Vertical				
4	7356.0000	39.49	-7.05	32.44	54.00	21.56	166	153	Vertical				
5	9808.0000	42.40	-1.24	41.16	74.00	32.84	254	179	Vertical				
6	9808.0000	35.45	-1.24	34.21	54.00	19.79	194	360	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 78 of 127

# Restricted bands around fundamental frequency 802.11b Channel 01



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2344.97	39.47	3.09	42.56	74.00	31.44	125	329	Horizontal				
2	2350.69	27.93	3.08	31.01	54.00	22.99	125	329	Horizontal				
3	2387.6533	39.95	3.07	43.02	74.00	30.98	125	329	Horizontal				
4	2388.65	28.09	3.07	31.16	54.00	22.84	125	329	Horizontal				
5	2412.0000	92.61	3.15	95.76	-	1	125	329	Horizontal				
6	2412.0000	99.46	3.15	102.61	-	-	125	329	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 79 of 127

### 802.11b Channel 01



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2338.6433	27.86	3.09	30.95	54.00	23.05	155	207	Vertical				
2	2345.36	39.27	3.09	42.36	74.00	31.64	155	207	Vertical				
3	2385.8333	40.31	3.07	43.38	74.00	30.62	155	207	Vertical				
4	2388.9533	28.11	3.07	31.18	54.00	22.82	155	207	Vertical				
5	2412.0000	89.87	3.15	93.02		1	155	207	Vertical				
6	2412.0000	96.80	3.15	99.95	-	-	155	207	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 80 of 127

### 802.11b Channel 11



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2462.0000	97.20	3.46	100.66	-	-	266	246	Horizontal				
2	2462.0000	90.57	3.46	94.03	-	-	266	246	Horizontal				
3	2483.5000	28.81	3.60	32.41	54.00	21.59	266	246	Horizontal				
4	2483.5000	38.44	3.60	42.04	74.00	31.96	266	246	Horizontal				
5	2485.3525	41.83	3.61	45.44	74.00	28.56	266	246	Horizontal				
6	2485.645	29.27	3.61	32.88	54.00	21.12	266	246	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 81 of 127

### 802.11b Channel 11



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2462.0000	94.48	3.46	97.94	-	-	112	293	Vertical				
2	2462.0000	88.05	3.46	91.51	-	-	112	293	Vertical				
3	2483.5000	37.70	3.60	41.30	74.00	32.70	112	293	Vertical				
4	2483.5000	28.69	3.60	32.29	54.00	21.71	112	293	Vertical				
5	2484.6925	42.22	3.60	45.82	74.00	28.18	112	293	Vertical				
6	2485.99	29.10	3.61	32.71	54.00	21.29	112	293	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 82 of 127

### 802.11g\_Channel 01



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2356.7133	40.17	3.08	43.25	74.00	30.75	145	228	Horizontal				
2	2360.4833	27.95	3.08	31.03	54.00	22.97	145	228	Horizontal				
3	2389.56	44.12	3.07	47.19	74.00	26.81	145	228	Horizontal				
4	2389.82	32.33	3.07	35.40	54.00	18.60	145	228	Horizontal				
5	2412.0000	99.69	3.15	102.84	-	1	145	228	Horizontal				
6	2412.0000	91.93	3.15	95.08	-	-	145	238	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 83 of 127

### 802.11g\_Channel 01



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2348.22	39.58	3.09	42.67	74.00	31.33	122	306	Vertical			
2	2360.3967	28.10	3.08	31.18	54.00	22.82	122	306	Vertical			
3	2389.56	42.73	3.07	45.80	74.00	28.20	122	306	Vertical			
4	2389.82	31.25	3.07	34.32	54.00	19.68	122	306	Vertical			
5	2412.0000	89.01	3.15	92.16	-	-	122	306	Vertical			
6	2412.0000	96.47	3.15	99.62	-	-	122	306	Vertical			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 84 of 127

### 802.11g\_Channel 02



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2340.8533	28.04	3.09	31.13	54.00	22.87	154	30	Horizontal				
2	2351.6	40.50	3.08	43.58	74.00	30.42	154	30	Horizontal				
3	2389.56	42.46	3.07	45.53	74.00	28.47	154	30	Horizontal				
4	2389.8633	30.60	3.07	33.67	54.00	20.33	154	30	Horizontal				
5	2417.0000	93.30	3.18	96.48	-	1	154	30	Horizontal				
6	2417.0000	100.66	3.18	103.84	-	-	154	30	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 85 of 127

### 802.11g\_Channel 02



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2354.59	40.02	3.08	43.10	74.00	30.90	155	133	Vertical			
2	2359.3567	28.06	3.08	31.14	54.00	22.86	155	133	Vertical			
3	2389.5167	29.66	3.07	32.73	54.00	21.27	155	133	Vertical			
4	2389.56	40.84	3.07	43.91	74.00	30.09	155	133	Vertical			
5	2417.0000	91.92	3.18	95.10			155	133	Vertical			
6	2417.0000	99.74	3.18	102.92	-	-	155	133	Vertical			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 86 of 127

### 802.11g\_Channel 03



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2354.2433	40.07	3.08	43.15	74.00	30.85	105	326	Horizontal				
2	2361.0033	28.18	3.08	31.26	54.00	22.74	105	326	Horizontal				
3	2389.69	42.51	3.07	45.58	74.00	28.42	105	326	Horizontal				
4	2389.69	31.13	3.07	34.20	54.00	19.80	105	326	Horizontal				
5	2422.0000	93.84	3.21	97.05		-	105	326	Horizontal				
6	2422.0000	101.57	3.21	104.78	-	-	105	326	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 87 of 127

### 802.11g\_Channel 03



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2354.1133	40.25	3.08	43.33	74.00	30.67	188	152	Vertical				
2	2359.27	28.14	3.08	31.22	54.00	22.78	188	152	Vertical				
3	2389.6467	41.15	3.07	44.22	74.00	29.78	188	152	Vertical				
4	2389.8633	30.53	3.07	33.60	54.00	20.40	188	152	Vertical				
5	2422.0000	92.53	3.21	95.74		1	188	152	Vertical				
6	2422.0000	100.45	3.21	103.66	-	-	188	152	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 88 of 127

### 802.11g\_Channel 04



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2355.37	39.87	3.08	42.95	74.00	31.05	169	295	Horizontal				
2	2366.1167	28.42	3.08	31.50	54.00	22.50	169	295	Horizontal				
3	2388.3467	40.14	3.07	43.21	74.00	30.79	169	295	Horizontal				
4	2389.7333	29.99	3.07	33.06	54.00	20.94	169	295	Horizontal				
5	2427.0000	93.71	3.24	96.95		-	169	295	Horizontal				
6	2427.0000	101.73	3.24	104.97	-	-	169	295	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 89 of 127

### 802.11g\_Channel 04



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2353.94	40.22	3.08	43.30	74.00	30.70	158	305	Vertical				
2	2360.8733	28.03	3.08	31.11	54.00	22.89	158	305	Vertical				
3	2388.6933	40.43	3.07	43.50	74.00	30.50	158	305	Vertical				
4	2389.4733	30.10	3.07	33.17	54.00	20.83	158	305	Vertical				
5	2427.0000	93.31	3.24	96.55		1	158	305	Vertical				
6	2427.0000	101.07	3.24	104.31	-	-	158	305	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 90 of 127

### 802.11g\_Channel 08



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.91	40.11	3.07	43.18	74.00	30.82	162	322	Horizontal				
2	2389.43	29.02	3.07	32.09	54.00	21.91	162	322	Horizontal				
3	2447.0000	93.65	3.37	97.02	•	1	162	322	Horizontal				
4	2447.0000	101.34	3.37	104.71	-	-	162	322	Horizontal				
5	2484.34	34.45	3.60	38.05	54.00	15.95	162	322	Horizontal				
6	2485.42	47.28	3.61	50.89	74.00	23.11	162	322	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 91 of 127

### 802.11g\_Channel 08



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.1733	40.15	3.07	43.22	74.00	30.78	165	275	Vertical				
2	2388.8233	28.75	3.07	31.82	54.00	22.18	165	275	Vertical				
3	2447.0000	99.50	3.37	102.87	-	•	165	275	Vertical				
4	2447.0000	91.84	3.37	95.21	-	1	165	275	Vertical				
5	2483.86	32.75	3.60	36.35	54.00	17.65	165	275	Vertical				
6	2484.22	46.02	3.60	49.62	74.00	24.38	165	275	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 92 of 127

### 802.11g\_Channel 09



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2452.0000	100.06	3.40	103.46	-	-	233	148	Horizontal			
2	2452.0000	92.62	3.40	96.02	-	-	233	148	Horizontal			
3	2483.5000	49.26	3.60	52.86	74.00	21.14	233	148	Horizontal			
4	2483.5000	37.94	3.60	41.54	54.00	12.46	233	148	Horizontal			
5	2486.44	55.36	3.61	58.97	74.00	15.03	233	148	Horizontal			
6	2486.8525	36.13	3.62	39.75	54.00	14.25	233	148	Horizontal			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 93 of 127

### 802.11g\_Channel 09



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2452.0000	99.56	3.40	102.96	-	-	168	121	Vertical				
2	2452.0000	92.69	3.40	96.09	-	•	168	121	Vertical				
3	2483.5000	47.93	3.60	51.53	74.00	22.47	168	121	Vertical				
4	2483.5000	37.61	3.60	41.21	54.00	12.79	168	121	Vertical				
5	2485.6225	37.09	3.61	40.70	54.00	13.30	168	121	Vertical				
6	2486.6875	47.74	3.62	51.36	74.00	22.64	168	121	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 94 of 127

### 802.11g\_Channel 10



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2457.0000	98.22	3.43	101.65	-	-	241	232	Horizontal				
2	2457.0000	91.58	3.43	95.01	•	1	241	232	Horizontal				
3	2483.5000	34.53	3.60	38.13	54.00	15.87	241	232	Horizontal				
4	2483.5000	45.22	3.60	48.82	74.00	25.18	241	232	Horizontal				
5	2486.8075	48.99	3.62	52.61	74.00	21.39	241	232	Horizontal				
6	2488.1425	32.58	3.63	36.21	54.00	17.79	241	232	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 95 of 127

### 802.11g\_Channel 10



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2457.0000	95.92	3.43	99.35	-	-	156	266	Vertical			
2	2457.0000	89.13	3.43	92.56	-	-	156	266	Vertical			
3	2483.5000	32.45	3.60	36.05	54.00	17.95	156	266	Vertical			
4	2483.5000	42.82	3.60	46.42	74.00	27.58	156	266	Vertical			
5	2486.4325	50.20	3.61	53.81	74.00	20.19	156	266	Vertical			
6	2486.7775	31.74	3.62	35.36	54.00	18.64	156	266	Vertical			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 96 of 127

### 802.11g\_Channel 11



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2462.0000	94.45	3.46	97.91	-	-	115	189	Horizontal			
2	2462.0000	87.13	3.46	90.59	-	-	115	189	Horizontal			
3	2483.5000	44.46	3.60	48.06	74.00	25.94	115	189	Horizontal			
4	2483.5000	33.17	3.60	36.77	54.00	17.23	115	189	Horizontal			
5	2484.595	45.84	3.60	49.44	74.00	24.56	115	189	Horizontal			
6	2488.45	32.38	3.63	36.01	54.00	17.99	115	189	Horizontal			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 97 of 127

### 802.11g\_Channel 11



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2462.0000	93.32	3.46	96.78	-	-	184	80	Vertical			
2	2462.0000	85.75	3.46	89.21	-	-	184	80	Vertical			
3	2483.5000	41.81	3.60	45.41	74.00	28.59	184	80	Vertical			
4	2483.5000	32.59	3.60	36.19	54.00	17.81	184	80	Vertical			
5	2486.395	44.60	3.61	48.21	74.00	25.79	184	80	Vertical			
6	2487.61	31.54	3.62	35.16	54.00	18.84	184	80	Vertical			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 98 of 127

### 802.11n20 Channel 01



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2350.9933	39.69	3.08	42.77	74.00	31.23	128	142	Horizontal				
2	2362.8233	28.30	3.08	31.38	54.00	22.62	128	142	Horizontal				
3	2389.1267	31.05	3.07	34.12	54.00	19.88	128	142	Horizontal				
4	2389.7333	46.42	3.07	49.49	74.00	24.51	128	142	Horizontal				
5	2412.0000	89.96	3.15	93.11	-	-	128	142	Horizontal				
6	2412.0000	99.57	3.15	102.72	-	-	128	142	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 99 of 127

### 802.11n20 Channel 01



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2345.36	39.68	3.09	42.77	74.00	31.23	145	302	Vertical			
2	2352.38	28.14	3.08	31.22	54.00	22.78	145	302	Vertical			
3	2389.7333	46.59	3.07	49.66	74.00	24.34	145	302	Vertical			
4	2389.82	32.64	3.07	35.71	54.00	18.29	145	302	Vertical			
5	2412.0000	90.51	3.15	93.66	-	-	145	302	Vertical			
6	2412.0000	98.75	3.15	101.90	-	-	145	302	Vertical			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 100 of 127

### 802.11n20 Channel 02



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2342.5433	39.82	3.09	42.91	74.00	31.09	133	294	Horizontal			
2	2351.8167	28.37	3.08	31.45	54.00	22.55	133	294	Horizontal			
3	2388.91	40.19	3.07	43.26	74.00	30.74	133	294	Horizontal			
4	2389.2133	29.68	3.07	32.75	54.00	21.25	133	294	Horizontal			
5	2417.0000	91.37	3.18	94.55	-	-	133	294	Horizontal			
6	2417.0000	100.92	3.18	104.10	-	-	133	294	Horizontal			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 101 of 127

### 802.11n20 Channel 02



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2330.8867	28.05	3.09	31.14	54.00	22.86	239	284	Vertical			
2	2354.07	39.17	3.08	42.25	74.00	31.75	239	284	Vertical			
3	2389.3433	41.61	3.07	44.68	74.00	29.32	239	284	Vertical			
4	2389.7333	30.64	3.07	33.71	54.00	20.29	239	284	Vertical			
5	2417.0000	91.20	3.18	94.38		1	239	284	Vertical			
6	2417.0000	99.52	3.18	102.70	-	-	239	284	Vertical			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 102 of 127

### 802.11n20\_Channel 03



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2347.18	39.63	3.09	42.72	74.00	31.28	124	318	Horizontal				
2	2361.48	28.35	3.08	31.43	54.00	22.57	124	318	Horizontal				
3	2389.3433	41.03	3.07	44.10	74.00	29.90	124	318	Horizontal				
4	2389.43	30.14	3.07	33.21	54.00	20.79	124	318	Horizontal				
5	2422.0000	93.93	3.21	97.14	-	-	124	318	Horizontal				
6	2422.0000	101.92	3.21	105.13	-	-	124	318	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 103 of 127

### 802.11n20 Channel 03



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2337.7767	39.83	3.09	42.92	74.00	31.08	148	274	Vertical			
2	2350.4733	28.22	3.08	31.30	54.00	22.70	148	274	Vertical			
3	2388.9967	41.10	3.07	44.17	74.00	29.83	148	274	Vertical			
4	2389.8633	30.18	3.07	33.25	54.00	20.75	148	274	Vertical			
5	2422.0000	91.07	3.21	94.28	-	-	148	274	Vertical			
6	2422.0000	100.66	3.21	103.87	-	-	148	274	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for or frozery or falsification of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,

or email: CM\_Doccheck@sgs.com Sudni Mk. BFWH, N. (Inshire) mod. Sudnu Inkalshi Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号からF广房南部 邮第: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUHR/2022/1001104

Rev.: 01

Page: 104 of 127

### 802.11n20\_Channel 04



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2355.5867	40.19	3.08	43.27	74.00	30.73	125	296	Horizontal			
2	2363.3433	28.38	3.08	31.46	54.00	22.54	125	296	Horizontal			
3	2389.5167	40.93	3.07	44.00	74.00	30.00	125	296	Horizontal			
4	2389.6467	29.95	3.07	33.02	54.00	20.98	125	296	Horizontal			
5	2427.0000	93.94	3.24	97.18	-	-	125	296	Horizontal			
6	2427.0000	103.38	3.24	106.62	-	-	125	296	Horizontal			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 105 of 127

### 802.11n20 Channel 04



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2335.2633	28.19	3.09	31.28	54.00	22.72	155	230	Vertical			
2	2354.07	39.90	3.08	42.98	74.00	31.02	155	230	Vertical			
3	2389.0833	29.68	3.07	32.75	54.00	21.25	155	230	Vertical			
4	2389.6033	41.04	3.07	44.11	74.00	29.89	155	230	Vertical			
5	2427.0000	93.30	3.24	96.54	-	-	155	230	Vertical			
6	2427.0000	102.86	3.24	106.10	-	-	155	230	Vertical			






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 106 of 127

### 802.11n20 Channel 08



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.39	28.89	3.07	31.96	54.00	22.04	157	144	Horizontal				
2	2388.65	40.85	3.07	43.92	74.00	30.08	157	144	Horizontal				
3	2447.0000	93.00	3.37	96.37	-	-	157	144	Horizontal				
4	2447.0000	102.75	3.37	106.12	-	-	157	144	Horizontal				
5	2483.8	34.87	3.60	38.47	54.00	15.53	157	144	Horizontal				
6	2485.54	47.84	3.61	51.45	74.00	22.55	157	144	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 107 of 127

#### 802.11n20 Channel 08



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.3467	40.64	3.07	43.71	74.00	30.29	258	99	Vertical				
2	2389.2567	28.87	3.07	31.94	54.00	22.06	258	99	Vertical				
3	2447.0000	91.23	3.37	94.60	-	-	258	99	Vertical				
4	2447.0000	101.04	3.37	104.41	-	-	258	99	Vertical				
5	2484.46	33.36	3.60	36.96	54.00	17.04	258	99	Vertical				
6	2485.24	46.28	3.61	49.89	74.00	24.11	258	99	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 108 of 127

#### 802.11n20 Channel 09



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2452.0000	100.56	3.40	103.96	-	•	163	187	Horizontal				
2	2452.0000	92.99	3.40	96.39	•	1	163	187	Horizontal				
3	2483.5000	40.11	3.60	43.71	54.00	10.29	163	187	Horizontal				
4	2483.5000	49.77	3.60	53.37	74.00	20.63	163	187	Horizontal				
5	2484.685	59.31	3.60	62.91	74.00	11.09	163	187	Horizontal				
6	2486.9125	38.50	3.62	42.12	54.00	11.88	163	187	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 109 of 127

#### 802.11n20 Channel 09



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2452.0000	100.82	3.40	104.22	-	-	299	103	Vertical				
2	2452.0000	91.63	3.40	95.03	-	-	299	103	Vertical				
3	2483.5000	48.88	3.60	52.48	74.00	21.52	299	103	Vertical				
4	2483.5000	39.61	3.60	43.21	54.00	10.79	299	103	Vertical				
5	2486.4475	49.07	3.61	52.68	74.00	21.32	299	103	Vertical				
6	2486.65	37.07	3.62	40.69	54.00	13.31	299	103	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 110 of 127

#### 802.11n20 Channel 10



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2457.0000	98.32	3.43	101.75	-	•	258	128	Horizontal				
2	2457.0000	89.30	3.43	92.73	-	•	258	128	Horizontal				
3	2483.5000	45.41	3.60	49.01	74.00	24.99	258	128	Horizontal				
4	2483.5000	32.85	3.60	36.45	54.00	17.55	258	128	Horizontal				
5	2485.3825	48.19	3.61	51.80	74.00	22.20	258	128	Horizontal				
6	2486.7475	32.45	3.62	36.07	54.00	17.93	258	128	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 111 of 127

#### 802.11n20 Channel 10



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2457.0000	95.70	3.43	99.13	-	-	115	68	Vertical				
2	2457.0000	88.11	3.43	91.54	-	-	115	68	Vertical				
3	2483.5000	33.56	3.60	37.16	54.00	16.84	115	68	Vertical				
4	2483.5000	41.63	3.60	45.23	74.00	28.77	115	68	Vertical				
5	2487.55	32.27	3.62	35.89	54.00	18.11	115	68	Vertical				
6	2487.85	47.67	3.62	51.29	74.00	22.71	115	68	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 112 of 127

#### 802.11n20 Channel 11



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2462.0000	94.35	3.46	97.81	-	-	291	358	Horizontal				
2	2462.0000	86.78	3.46	90.24	-	-	291	358	Horizontal				
3	2483.5000	43.47	3.60	47.07	74.00	26.93	291	358	Horizontal				
4	2483.5000	34.71	3.60	38.31	54.00	15.69	291	358	Horizontal				
5	2484.7075	34.02	3.60	37.62	54.00	16.38	291	358	Horizontal				
6	2484.9175	46.77	3.60	50.37	74.00	23.63	291	358	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 113 of 127

#### 802.11n20 Channel 11



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2462.0000	93.16	3.46	96.62	-	-	126	103	Vertical				
2	2462.0000	85.42	3.46	88.88	-	-	126	103	Vertical				
3	2483.5000	42.93	3.60	46.53	74.00	27.47	126	103	Vertical				
4	2483.5000	32.96	3.60	36.56	54.00	17.44	126	103	Vertical				
5	2484.88	44.31	3.60	47.91	74.00	26.09	126	103	Vertical				
6	2486.02	32.28	3.61	35.89	54.00	18.11	126	103	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 114 of 127

#### 802.11n40 Channel 03



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2389.3867	43.06	3.07	46.13	74.00	27.87	253	146	Horizontal				
2	2389.43	33.13	3.07	36.20	54.00	17.80	253	146	Horizontal				
3	2422.0000	80.28	3.21	83.49	-	-	253	146	Horizontal				
4	2422.0000	91.46	3.21	94.67	-	-	253	146	Horizontal				
5	2483.74	31.26	3.60	34.86	54.00	19.14	253	146	Horizontal				
6	2485.78	43.43	3.61	47.04	74.00	26.96	253	146	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 115 of 127

#### 802.11n40 Channel 03



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2389.56	44.98	3.07	48.05	74.00	25.95	155	121	Vertical				
2	2389.69	33.48	3.07	36.55	54.00	17.45	155	121	Vertical				
3	2422.0000	79.30	3.21	82.51	-	-	155	121	Vertical				
4	2422.0000	90.66	3.21	93.87	-	-	155	121	Vertical				
5	2484.4	29.70	3.60	33.30	54.00	20.70	155	121	Vertical				
6	2486.38	41.40	3.61	45.01	74.00	28.99	155	121	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for or frozery or falsification of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,

or email: <u>CN.Doccheck@sgs.com</u> South f/No Firth, N. [nuthers] ends, Jardun lufstafi Park, Suzhou Jesa, China (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号からF/D商南部 邮第: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUHR/2022/1001104

Rev.: 01

Page: 116 of 127

#### 802.11n40 Channel 04



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2389.56	32.31	3.07	35.38	54.00	18.62	188	142	Horizontal				
2	2389.6033	43.42	3.07	46.49	74.00	27.51	188	142	Horizontal				
3	2427.0000	91.82	3.24	95.06	-	•	188	142	Horizontal				
4	2427.0000	80.01	3.24	83.25	-	-	188	142	Horizontal				
5	2484.28	30.85	3.60	34.45	54.00	19.55	188	142	Horizontal				
6	2484.64	44.52	3.60	48.12	74.00	25.88	188	142	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 117 of 127

#### 802.11n40 Channel 04



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2389.0833	30.68	3.07	33.75	54.00	20.25	146	121	Vertical				
2	2389.2567	42.72	3.07	45.79	74.00	28.21	146	121	Vertical				
3	2427.0000	90.72	3.24	93.96	-	-	146	121	Vertical				
4	2427.0000	78.72	3.24	81.96	-	-	146	121	Vertical				
5	2483.62	43.22	3.60	46.82	74.00	27.18	146	121	Vertical				
6	2484.4	29.79	3.60	33.39	54.00	20.61	146	121	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 118 of 127

#### 802.11n40 Channel 05



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2389.69	35.00	3.07	38.07	54.00	15.93	295	145	Horizontal				
2	2389.8633	47.47	3.07	50.54	74.00	23.46	295	145	Horizontal				
3	2432.0000	82.85	3.27	86.12	-	-	295	145	Horizontal				
4	2432.0000	93.14	3.27	96.41	-	-	295	145	Horizontal				
5	2484.1	34.62	3.60	38.22	54.00	15.78	295	145	Horizontal				
6	2486.14	46.18	3.61	49.79	74.00	24.21	295	145	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 119 of 127

#### 802.11n40 Channel 05



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2389.6467	34.67	3.07	37.74	54.00	16.26	149	119	Vertical				
2	2389.8633	46.36	3.07	49.43	74.00	24.57	149	119	Vertical				
3	2432.0000	92.41	3.27	95.68	-	•	149	119	Vertical				
4	2432.0000	80.90	3.27	84.17	-	-	149	119	Vertical				
5	2484.64	33.13	3.60	36.73	54.00	17.27	149	119	Vertical				
6	2486.32	44.51	3.61	48.12	74.00	25.88	149	119	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 120 of 127

#### 802.11n40 Channel 06



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.6933	29.99	3.07	33.06	54.00	20.94	122	158	Horizontal				
2	2389.3433	42.69	3.07	45.76	74.00	28.24	122	158	Horizontal				
3	2437.0000	91.13	3.30	94.43	-	-	122	158	Horizontal				
4	2437.0000	80.58	3.30	83.88	-	-	122	158	Horizontal				
5	2483.86	48.27	3.60	51.87	74.00	22.13	122	158	Horizontal				
6	2484.58	35.51	3.60	39.11	54.00	14.89	122	158	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 121 of 127

#### 802.11n40 Channel 06



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.9967	41.15	3.07	44.22	74.00	29.78	166	118	Vertical				
2	2389.2133	30.96	3.07	34.03	54.00	19.97	166	118	Vertical				
3	2437.0000	89.68	3.30	92.98	-	-	166	118	Vertical				
4	2437.0000	78.63	3.30	81.93	-	-	166	118	Vertical				
5	2483.86	46.19	3.60	49.79	74.00	24.21	166	118	Vertical				
6	2484.16	34.16	3.60	37.76	54.00	16.24	166	118	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 122 of 127

#### 802.11n40 Channel 07



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.7367	40.15	3.07	43.22	74.00	30.78	268	143	Horizontal				
2	2389.6033	30.41	3.07	33.48	54.00	20.52	268	143	Horizontal				
3	2442.0000	80.61	3.33	83.94	-	•	268	143	Horizontal				
4	2442.0000	92.40	3.33	95.73	-	-	268	143	Horizontal				
5	2484.22	37.63	3.60	41.23	54.00	12.77	268	143	Horizontal				
6	2485.66	49.38	3.61	52.99	74.00	21.01	268	143	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 123 of 127

#### 802.11n40 Channel 07



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.8233	29.07	3.07	32.14	54.00	21.86	184	116	Vertical				
2	2389.2567	40.80	3.07	43.87	74.00	30.13	184	116	Vertical				
3	2442.0000	78.66	3.33	81.99	-	-	184	116	Vertical				
4	2442.0000	90.88	3.33	94.21	-	-	184	116	Vertical				
5	2483.92	36.15	3.60	39.75	54.00	14.25	184	116	Vertical				
6	2486.86	47.41	3.62	51.03	74.00	22.97	184	116	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for or frozery or falsification of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,

or email: <u>CM\_Doccheck@segs.com</u> South がM.6 Pister M.6, Tughsrey pook\_subou Indatair Park, Suzhou Area, China (Jangsu) Pixt Free Trade Zone 中国・苏州・中国(江苏)自由贸易改革区苏州比区苏州工业国区园胜路1号的6号厂房南部 郵線: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUHR/2022/1001104

Rev.: 01

Page: 124 of 127

#### 802.11n40 Channel 08



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2386.57	40.35	3.07	43.42	74.00	30.58	287	153	Horizontal				
2	2389.1267	28.84	3.07	31.91	54.00	22.09	287	153	Horizontal				
3	2447.0000	90.52	3.37	93.89	-	-	287	153	Horizontal				
4	2447.0000	78.57	3.37	81.94	-	-	287	153	Horizontal				
5	2484.28	36.96	3.60	40.56	54.00	13.44	287	153	Horizontal				
6	2484.34	47.80	3.60	51.40	74.00	22.60	287	153	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 125 of 127

#### 802.11n40\_Channel 08



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2387.3933	44.99	3.07	48.06	74.00	25.94	119	129	Vertical				
2	2389.43	28.70	3.07	31.77	54.00	22.23	119	129	Vertical				
3	2447.0000	89.28	3.37	92.65	-	•	119	129	Vertical				
4	2447.0000	76.20	3.37	79.57	•	1	119	129	Vertical				
5	2484.04	47.07	3.60	50.67	74.00	23.33	119	129	Vertical				
6	2484.28	35.37	3.60	38.97	54.00	15.03	119	129	Vertical				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 126 of 127

#### 802.11n40 Channel 09



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2387.9133	40.19	3.07	43.26	74.00	30.74	269	147	Horizontal				
2	2389.43	28.46	3.07	31.53	54.00	22.47	269	147	Horizontal				
3	2452.0000	89.94	3.40	93.34	-	•	269	147	Horizontal				
4	2452.0000	77.53	3.40	80.93	•	1	269	147	Horizontal				
5	2483.86	47.81	3.60	51.41	74.00	22.59	269	147	Horizontal				
6	2484.22	34.11	3.60	37.71	54.00	16.29	269	147	Horizontal				






Report No.: SUHR/2022/1001104

Rev.: 01

Page: 127 of 127

#### 802.11n40\_Channel 09



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2388.13	40.21	3.07	43.28	74.00	30.72	159	118	Vertical				
2	2389.3433	28.70	3.07	31.77	54.00	22.23	159	118	Vertical				
3	2452.0000	88.20	3.40	91.60	-	1	159	118	Vertical				
4	2452.0000	76.18	3.40	79.58	-	1	159	118	Vertical				
5	2484.04	33.23	3.60	36.83	54.00	17.17	159	118	Vertical				
6	2484.94	43.14	3.61	46.75	74.00	27.25	159	118	Vertical				

The End

