

EUT Pol.:

Report No.: ER/2016/C0032

Page 292 of 399

Measurement Antenna Pol.: VERTICAL

Radiated Spurious Emission Measurement Result: WCDMA Band V Mode


E2 Plane

WCDMA B5 Operation Mode: Test Date: 12/23/2016 23:47:00


Fundamental Frequency: 826.4 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:





Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-41.79	-27.69	-13.11	-0.99	-13.00	-28.79
148.34	S	Peak	-67.13	-63.52	-2.19	-1.42	-13.00	-54.13
293.84	S	Peak	-61.54	-63.10	3.50	-1.94	-13.00	-48.54
411.21	S	Peak	-69.32	-70.71	3.78	-2.39	-13.00	-56.32
527.61	S	Peak	-64.18	-65.41	3.71	-2.47	-13.00	-51.18
631.40	S	Peak	-63.60	-64.32	3.18	-2.46	-13.00	-50.60
1652.80	S	Peak	-42.42	-45.31	7.12	-4.24	-13.00	-29.42






Operation Mode: WCDMA B5 Test Date: 12/23/2016 23:47:03

Fundamental Frequency: 826.4 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
31.94	S	Peak	-55.06	-39.78	-14.31	-0.96	-13.00	-42.06
139.61	S	Peak	-73.26	-69.17	-2.70	-1.39	-13.00	-60.26
284.14	S	Peak	-69.96	-71.49	3.43	-1.89	-13.00	-56.96
413.15	S	Peak	-69.81	-71.21	3.77	-2.38	-13.00	-56.81
517.91	S	Peak	-68.50	-69.89	3.76	-2.37	-13.00	-55.50
794.36	S	Peak	-63.75	-64.17	3.32	-2.90	-13.00	-50.75
1652.80	S	Peak	-45.23	-48.11	7.12	-4.24	-13.00	-32.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 294 of 399

Operation Mode: WCDMA B5 Test Date: 12/23/2016 23:47:06


Fundamental Frequency: 836.6 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-46.42	-32.31	-13.11	-0.99	-13.00	-33.42
140.58	S	Peak	-67.03	-62.97	-2.66	-1.40	-13.00	-54.03
294.81	S	Peak	-62.65	-64.23	3.52	-1.94	-13.00	-49.65
345.25	S	Peak	-67.55	-69.38	3.84	-2.01	-13.00	-54.55
527.61	S	Peak	-63.30	-64.53	3.71	-2.47	-13.00	-50.30
759.44	S	Peak	-63.15	-63.34	3.21	-3.02	-13.00	-50.15
1673.20	S	Peak	-43.63	-46.54	7.20	-4.29	-13.00	-30.63






Operation Mode: WCDMA B5 Test Date: 12/23/2016 23:47:08

Fundamental Frequency: 836.6 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
30.00	S	Peak	-53.97	-38.23	-14.78	-0.96	-13.00	-40.97
154.16	S	Peak	-73.87	-70.52	-1.90	-1.45	-13.00	-60.87
240.49	S	Peak	-69.55	-71.10	3.29	-1.74	-13.00	-56.55
413.15	S	Peak	-69.56	-70.96	3.77	-2.38	-13.00	-56.56
542.16	S	Peak	-69.06	-70.07	3.63	-2.62	-13.00	-56.06
796.30	S	Peak	-63.00	-63.43	3.33	-2.90	-13.00	-50.00
1673.20	S	Peak	-48.37	-51.28	7.20	-4.29	-13.00	-35.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode: WCDMA B5 Test Date: 12/23/2016 23:47:11

Fundamental Frequency: 846.6 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-46.15	-32.05	-13.11	-0.99	-13.00	-33.15
154.16	S	Peak	-67.00	-63.65	-1.90	-1.45	-13.00	-54.00
262.80	S	Peak	-62.61	-64.45	3.63	-1.79	-13.00	-49.61
366.59	S	Peak	-69.08	-70.75	3.85	-2.17	-13.00	-56.08
527.61	S	Peak	-62.94	-64.18	3.71	-2.47	-13.00	-49.94
629.46	S	Peak	-61.77	-62.48	3.18	-2.47	-13.00	-48.77
1693.20	S	Peak	-43.05	-46.02	7.27	-4.30	-13.00	-30.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode: WCDMA B5 Test Date: 12/23/2016 23:47:14 Fundamental Frequency: 846.6 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



	Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin	
			Mode	Level	Level	Gain	Loss	@3m		
	MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB	
_	31.94	S	Peak	-56.15	-40.87	-14.31	-0.96	-13.00	-43.15	-
	153.19	S	Peak	-73.40	-70.01	-1.95	-1.44	-13.00	-60.40	
	245.34	S	Peak	-68.67	-70.29	3.37	-1.75	-13.00	-55.67	
	406.36	S	Peak	-69.91	-71.29	3.80	-2.42	-13.00	-56.91	
	519.85	S	Peak	-68.06	-69.42	3.75	-2.39	-13.00	-55.06	
	755.56	S	Peak	-63.61	-63.76	3.20	-3.04	-13.00	-50.61	
	1693.20	S	Peak	-48.56	-51.53	7.27	-4.30	-13.00	-35.56	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms</a document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 298 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

Operation Mode: LTE B2 Test Date: 12/22/2016

Fundamental Frequency: 1852.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-52.00	-40.05	-10.96	-0.99	-13.00	-39.00
154.16	S	Peak	-68.88	-67.68	0.25	-1.45	-13.00	-55.88
255.04	S	Peak	-63.36	-67.31	5.71	-1.76	-13.00	-50.36
418.00	S	Peak	-67.53	-71.09	5.91	-2.35	-13.00	-54.53
527.61	S	Peak	-62.55	-65.93	5.86	-2.47	-13.00	-49.55
687.66	S	Peak	-60.41	-62.90	5.25	-2.76	-13.00	-47.41
3705.00	Н	Peak	-56.25	-62.11	12.44	-6.58	-13.00	-43.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 299 of 399

Operation Mode: LTE B2 Test Date: 12/22/2016

Fundamental Frequency: 1852.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
41.64	S	Peak	-58.76	-47.07	-10.68	-1.00	-13.00	-45.76
170.65	S	Peak	-71.33	-71.16	1.36	-1.52	-13.00	-58.33
257.95	S	Peak	-70.37	-74.38	5.78	-1.77	-13.00	-57.37
405.39	S	Peak	-68.79	-72.32	5.95	-2.41	-13.00	-55.79
521.79	S	Peak	-66.01	-69.48	5.89	-2.41	-13.00	-53.01
786.60	S	Peak	-62.54	-65.08	5.45	-2.90	-13.00	-49.54
3705.00	Н	Peak	-55.86	-61.72	12.44	-6.58	-13.00	-42.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 300 of 399

Operation Mode: LTE B2 Test Date: 12/22/2016

Fundamental Frequency: 1880.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor Mode	EIRP Level	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-58.10	-46.15	-10.96	-0.99	-13.00	-45.10
159.01	S	Peak	-68.88	-67.88	0.47	-1.47	-13.00	-55.88
255.04	S	Peak	-64.61	-68.56	5.71	-1.76	-13.00	-51.61
342.34	S	Peak	-66.03	-70.02	5.98	-1.99	-13.00	-53.03
527.61	S	Peak	-63.20	-66.58	5.86	-2.47	-13.00	-50.20
624.61	S	Peak	-60.47	-63.30	5.34	-2.51	-13.00	-47.47
3760.00	Н	Peak	-48.51	-54.37	12.45	-6.60	-13.00	-35.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms</a document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 301 of 399

Operation Mode: LTE B2 Test Date: 12/22/2016

Fundamental Frequency: 1880.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-62.73	-50.78	-10.96	-0.99	-13.00	-49.73
146.40	S	Peak	-71.61	-70.03	-0.16	-1.42	-13.00	-58.61
259.89	S	Peak	-70.47	-74.52	5.83	-1.77	-13.00	-57.47
403.45	S	Peak	-68.05	-71.61	5.96	-2.40	-13.00	-55.05
534.40	S	Peak	-65.73	-69.01	5.82	-2.54	-13.00	-52.73
788.54	S	Peak	-61.82	-64.37	5.46	-2.90	-13.00	-48.82
3760.00	Н	Peak	-47.19	-53.04	12.45	-6.60	-13.00	-34.19




Page 302 of 399

Operation Mode: LTE B2 Test Date: 12/22/2016

Fundamental Frequency: 1905.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-62.28	-50.33	-10.96	-0.99	-13.00	-49.28
160.95	S	Peak	-69.85	-68.95	0.58	-1.48	-13.00	-56.85
253.10	S	Peak	-63.44	-67.34	5.66	-1.76	-13.00	-50.44
416.06	S	Peak	-67.51	-71.06	5.91	-2.36	-13.00	-54.51
527.61	S	Peak	-62.94	-66.32	5.86	-2.47	-13.00	-49.94
621.70	S	Peak	-61.26	-64.07	5.35	-2.53	-13.00	-48.26
3810.00	Н	Peak	-47.84	-53.69	12.46	-6.62	-13.00	-34.84




Page 303 of 399

Operation Mode: LTE B2 Test Date: 12/22/2016

Fundamental Frequency: 1905.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-59.61	-47.66	-10.96	-0.99	-13.00	-46.61
151.25	S	Peak	-71.87	-70.55	0.11	-1.44	-13.00	-58.87
257.95	S	Peak	-71.16	-75.18	5.78	-1.77	-13.00	-58.16
382.11	S	Peak	-68.42	-72.13	5.98	-2.27	-13.00	-55.42
547.01	S	Peak	-66.04	-69.13	5.75	-2.67	-13.00	-53.04
796.30	S	Peak	-61.79	-64.37	5.48	-2.90	-13.00	-48.79
3810.00	Н	Peak	-47.29	-53.13	12.46	-6.62	-13.00	-34.29



Page 304 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)

Operation Mode: LTE B4 Test Date: 12/22/2016

Fundamental Frequency: 1711.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-62.31	-50.36	-10.96	-0.99	-13.00	-49.31
170.65	S	Peak	-68.62	-68.46	1.36	-1.52	-13.00	-55.62
255.04	S	Peak	-63.55	-67.50	5.71	-1.76	-13.00	-50.55
330.70	S	Peak	-68.05	-72.06	5.92	-1.91	-13.00	-55.05
527.61	S	Peak	-60.53	-63.91	5.86	-2.47	-13.00	-47.53
696.39	S	Peak	-61.18	-63.50	5.24	-2.91	-13.00	-48.18
3423.00	Н	Peak	-56.97	-63.01	12.27	-6.23	-13.00	-43.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 305 of 399

Operation Mode: LTE B4 Test Date: 12/22/2016

Fundamental Frequency: 1711.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
37.76	S	Peak	-64.35	-52.19	-11.17	-0.98	-13.00	-51.35
172.59	S	Peak	-72.58	-72.77	1.71	-1.53	-13.00	-59.58
256.01	S	Peak	-71.27	-75.24	5.73	-1.77	-13.00	-58.27
396.66	S	Peak	-68.19	-71.81	5.97	-2.36	-13.00	-55.19
544.10	S	Peak	-65.87	-69.00	5.77	-2.64	-13.00	-52.87
786.60	S	Peak	-60.91	-63.46	5.45	-2.90	-13.00	-47.91
3423.00	Н	Peak	-57.19	-63.23	12.27	-6.23	-13.00	-44.19




Page 306 of 399

Operation Mode: LTE B4 Test Date: 12/22/2016

Fundamental Frequency: 1732.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-54.65	-42.70	-10.96	-0.99	-13.00	-41.65
173.56	S	Peak	-68.93	-69.28	1.89	-1.53	-13.00	-55.93
257.95	S	Peak	-64.29	-68.30	5.78	-1.77	-13.00	-51.29
337.49	S	Peak	-66.63	-70.64	5.95	-1.95	-13.00	-53.63
527.61	S	Peak	-61.91	-65.29	5.86	-2.47	-13.00	-48.91
628.49	S	Peak	-60.63	-63.48	5.33	-2.47	-13.00	-47.63
3465.00	Н	Peak	-49.52	-55.61	12.34	-6.25	-13.00	-36.52




Page 307 of 399

Operation Mode: LTE B4 Test Date: 12/22/2016

Fundamental Frequency: 1732.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-60.65	-48.69	-10.96	-0.99	-13.00	-47.65
153.19	S	Peak	-71.81	-70.56	0.20	-1.44	-13.00	-58.81
257.95	S	Peak	-70.67	-74.68	5.78	-1.77	-13.00	-57.67
408.30	S	Peak	-66.92	-70.45	5.94	-2.41	-13.00	-53.92
519.85	S	Peak	-66.30	-69.80	5.90	-2.39	-13.00	-53.30
796.30	S	Peak	-61.82	-64.40	5.48	-2.90	-13.00	-48.82
3465.00	Н	Peak	-48.78	-54.88	12.34	-6.25	-13.00	-35.78




Page 308 of 399

Operation Mode: LTE B4 Test Date: 12/22/2016

Fundamental Frequency: 1753.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-55.22	-43.26	-10.96	-0.99	-13.00	-42.22
158.04	S	Peak	-68.75	-67.71	0.42	-1.47	-13.00	-55.75
253.10	S	Peak	-63.67	-67.57	5.66	-1.76	-13.00	-50.67
367.56	S	Peak	-67.92	-71.74	6.00	-2.18	-13.00	-54.92
528.58	S	Peak	-63.05	-66.42	5.85	-2.48	-13.00	-50.05
749.74	S	Peak	-61.08	-63.33	5.33	-3.08	-13.00	-48.08
3507.00	Н	Peak	-49.05	-54.97	12.40	-6.48	-13.00	-36.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 309 of 399

Operation Mode: LTE B4 Test Date: 12/22/2016

Fundamental Frequency: 1753.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
37.76	S	Peak	-65.14	-52.99	-11.17	-0.98	-13.00	-52.14
146.40	S	Peak	-71.52	-69.94	-0.16	-1.42	-13.00	-58.52
259.89	S	Peak	-70.31	-74.36	5.83	-1.77	-13.00	-57.31
388.90	S	Peak	-68.16	-71.83	5.98	-2.31	-13.00	-55.16
548.95	S	Peak	-66.83	-69.88	5.74	-2.69	-13.00	-53.83
799.21	S	Peak	-61.21	-63.80	5.49	-2.90	-13.00	-48.21
3507.00	Н	Peak	-49.13	-55.05	12.40	-6.48	-13.00	-36.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 310 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)

Operation Mode: LTE B5 Test Date: 12/22/2016

Fundamental Frequency: 825.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-45.11	-31.01	-13.11	-0.99	-13.00	-32.11
76.56	S	Peak	-56.99	-51.98	-3.87	-1.14	-13.00	-43.99
154.16	S	Peak	-67.00	-63.65	-1.90	-1.45	-13.00	-54.00
255.04	S	Peak	-61.59	-63.39	3.56	-1.76	-13.00	-48.59
587.75	S	Peak	-63.37	-63.90	3.32	-2.79	-13.00	-50.37
754.59	S	Peak	-62.19	-62.34	3.20	-3.05	-13.00	-49.19
1651.00	Н	Peak	-63.32	-68.36	9.27	-4.23	-13.00	-50.32




Page 311 of 399

Operation Mode: LTE B5 Test Date: 12/22/2016

Fundamental Frequency: 825.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.80	-42.70	-13.11	-0.99	-13.00	-43.80
259.89	S	Peak	-67.85	-69.76	3.68	-1.77	-13.00	-54.85
434.49	S	Peak	-69.71	-71.17	3.70	-2.24	-13.00	-56.71
590.66	S	Peak	-67.80	-68.31	3.31	-2.80	-13.00	-54.80
704.15	S	Peak	-66.61	-66.66	3.09	-3.03	-13.00	-53.61
741.01	S	Peak	-64.39	-64.42	3.16	-3.13	-13.00	-51.39
1651.00	Н	Peak	-62.61	-67.64	9.27	-4.23	-13.00	-49.61




Page 312 of 399

Operation Mode: LTE B5 Test Date: 12/22/2016

Fundamental Frequency: 836.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-45.51	-31.41	-13.11	-0.99	-13.00	-32.51
76.56	S	Peak	-57.18	-52.17	-3.87	-1.14	-13.00	-44.18
153.19	S	Peak	-68.37	-64.97	-1.95	-1.44	-13.00	-55.37
253.10	S	Peak	-59.83	-61.58	3.51	-1.76	-13.00	-46.83
468.44	S	Peak	-65.54	-67.05	3.73	-2.22	-13.00	-52.54
619.76	S	Peak	-63.01	-63.65	3.20	-2.55	-13.00	-50.01
1673.00	Н	Peak	-62.29	-67.35	9.35	-4.29	-13.00	-49.29




Page 313 of 399

Operation Mode: LTE B5 Test Date: 12/22/2016

Fundamental Frequency: 836.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.32	-42.22	-13.11	-0.99	-13.00	-43.32
259.89	S	Peak	-67.65	-69.55	3.68	-1.77	-13.00	-54.65
357.86	S	Peak	-70.06	-71.80	3.85	-2.11	-13.00	-57.06
527.61	S	Peak	-67.92	-69.15	3.71	-2.47	-13.00	-54.92
629.46	S	Peak	-66.83	-67.54	3.18	-2.47	-13.00	-53.83
736.16	S	Peak	-64.95	-64.98	3.15	-3.13	-13.00	-51.95
1673.00	Н	Peak	-62.28	-67.34	9.35	-4.29	-13.00	-49.28




Page 314 of 399

Operation Mode: LTE B5 Test Date: 12/22/2016

Fundamental Frequency: 847.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-45.07	-30.97	-13.11	-0.99	-13.00	-32.07
78.50	S	Peak	-58.07	-53.62	-3.29	-1.15	-13.00	-45.07
154.16	S	Peak	-67.51	-64.16	-1.90	-1.45	-13.00	-54.51
255.04	S	Peak	-61.26	-63.06	3.56	-1.76	-13.00	-48.26
527.61	S	Peak	-64.11	-65.34	3.71	-2.47	-13.00	-51.11
697.36	S	Peak	-62.18	-62.33	3.08	-2.93	-13.00	-49.18
1695.00	Н	Peak	-62.59	-67.71	9.42	-4.30	-13.00	-49.59




Page 315 of 399

Operation Mode: LTE B5 Test Date: 12/22/2016

Fundamental Frequency: 847.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.98	-42.88	-13.11	-0.99	-13.00	-43.98
76.56	S	Peak	-67.27	-62.26	-3.87	-1.14	-13.00	-54.27
119.24	S	Peak	-69.28	-65.52	-2.44	-1.32	-13.00	-56.28
255.04	S	Peak	-68.30	-70.10	3.56	-1.76	-13.00	-55.30
548.95	S	Peak	-66.81	-67.72	3.59	-2.69	-13.00	-53.81
750.71	S	Peak	-64.65	-64.76	3.18	-3.07	-13.00	-51.65
1695.00	Н	Peak	-62.92	-68.04	9.42	-4.30	-13.00	-49.92



Page 316 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 7 (The Worst Case)

Operation Mode: LTE B7 Test Date: 12/22/2016

Fundamental Frequency: 2507.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-41.15	-29.20	-10.96	-0.99	-25.00	-16.15
153.19	S	Peak	-65.56	-64.32	0.20	-1.44	-25.00	-40.56
259.89	S	Peak	-58.95	-63.00	5.83	-1.77	-25.00	-33.95
332.64	S	Peak	-66.53	-70.55	5.93	-1.91	-25.00	-41.53
527.61	S	Peak	-61.92	-65.30	5.86	-2.47	-25.00	-36.92
626.55	S	Peak	-60.17	-63.01	5.34	-2.49	-25.00	-35.17
5015.00	Н	Peak	-52.27	-57.17	12.71	-7.81	-25.00	-27.27




Page 317 of 399

Operation Mode: LTE B7 Test Date: 12/22/2016

Fundamental Frequency: 2507.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
37.76	S	Peak	-55.21	-43.06	-11.17	-0.98	-25.00	-30.21
149.31	S	Peak	-68.79	-67.38	0.01	-1.43	-25.00	-43.79
255.04	S	Peak	-65.84	-69.79	5.71	-1.76	-25.00	-40.84
342.34	S	Peak	-68.21	-72.20	5.98	-1.99	-25.00	-43.21
527.61	S	Peak	-65.31	-68.69	5.86	-2.47	-25.00	-40.31
765.26	S	Peak	-62.47	-64.86	5.38	-2.98	-25.00	-37.47
5015.00	Н	Peak	-51.62	-56.51	12.71	-7.81	-25.00	-26.62




Page 318 of 399

Operation Mode: LTE B7 Test Date: 12/22/2016

Fundamental Frequency: 2535 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
41.64	S	Peak	-43.04	-31.35	-10.68	-1.00	-25.00	-18.04
153.19	S	Peak	-65.43	-64.19	0.20	-1.44	-25.00	-40.43
259.89	S	Peak	-59.34	-63.39	5.83	-1.77	-25.00	-34.34
330.70	S	Peak	-65.15	-69.16	5.92	-1.91	-25.00	-40.15
527.61	S	Peak	-61.98	-65.36	5.86	-2.47	-25.00	-36.98
749.74	S	Peak	-61.11	-63.36	5.33	-3.08	-25.00	-36.11
5070.00	Н	Peak	-51.74	-56.61	12.73	-7.86	-25.00	-26.74




Page 319 of 399

Operation Mode: LTE B7 Test Date: 12/22/2016

Fundamental Frequency: 2535 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-55.11	-43.16	-10.96	-0.99	-25.00	-30.11
153.19	S	Peak	-69.04	-67.80	0.20	-1.44	-25.00	-44.04
260.86	S	Peak	-65.91	-69.94	5.81	-1.78	-25.00	-40.91
413.15	S	Peak	-68.06	-71.61	5.92	-2.38	-25.00	-43.06
527.61	S	Peak	-66.11	-69.50	5.86	-2.47	-25.00	-41.11
789.51	S	Peak	-61.85	-64.40	5.46	-2.90	-25.00	-36.85
5070.00	Н	Peak	-51.15	-56.01	12.73	-7.86	-25.00	-26.15




Page 320 of 399

Operation Mode: LTE B7 Test Date: 12/22/2016

Fundamental Frequency: 2562.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-43.75	-31.79	-10.96	-0.99	-25.00	-18.75
154.16	S	Peak	-65.82	-64.62	0.25	-1.45	-25.00	-40.82
253.10	S	Peak	-58.49	-62.40	5.66	-1.76	-25.00	-33.49
395.69	S	Peak	-67.07	-70.69	5.97	-2.35	-25.00	-42.07
527.61	S	Peak	-61.43	-64.81	5.86	-2.47	-25.00	-36.43
749.74	S	Peak	-60.69	-62.94	5.33	-3.08	-25.00	-35.69
5125.00	Н	Peak	-52.00	-56.85	12.75	-7.91	-25.00	-27.00




Page 321 of 399

Operation Mode: LTE B7 Test Date: 12/22/2016

Fundamental Frequency: 2562.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-53.71	-41.76	-10.96	-0.99	-25.00	-28.71
154.16	S	Peak	-68.58	-67.38	0.25	-1.45	-25.00	-43.58
259.89	S	Peak	-65.40	-69.46	5.83	-1.77	-25.00	-40.40
347.19	S	Peak	-67.66	-71.63	6.00	-2.02	-25.00	-42.66
544.10	S	Peak	-66.58	-69.71	5.77	-2.64	-25.00	-41.58
742.95	S	Peak	-62.25	-64.45	5.32	-3.12	-25.00	-37.25
5125.00	Н	Peak	-51.04	-55.88	12.75	-7.91	-25.00	-26.04



Page 322 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

Operation Mode: LTE B12 Test Date: 12/22/2016

Fundamental Frequency: 700.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
41.64	S	Peak	-43.19	-29.36	-12.83	-1.00	-13.00	-30.19
78.50	S	Peak	-57.05	-52.60	-3.29	-1.15	-13.00	-44.05
154.16	S	Peak	-67.66	-64.30	-1.90	-1.45	-13.00	-54.66
255.04	S	Peak	-60.79	-62.58	3.56	-1.76	-13.00	-47.79
296.75	S	Peak	-61.99	-63.60	3.56	-1.95	-13.00	-48.99
527.61	S	Peak	-64.20	-65.43	3.71	-2.47	-13.00	-51.20
1401.00	Н	Peak	-59.39	-63.77	8.28	-3.89	-13.00	-46.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 323 of 399

Operation Mode: LTE B12 Test Date: 12/22/2016

Fundamental Frequency: 700.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-57.03	-42.93	-13.11	-0.99	-13.00	-44.03
78.50	S	Peak	-67.53	-63.09	-3.29	-1.15	-13.00	-54.53
149.31	S	Peak	-71.26	-67.69	-2.14	-1.43	-13.00	-58.26
257.95	S	Peak	-68.87	-70.74	3.63	-1.77	-13.00	-55.87
474.26	S	Peak	-68.11	-69.63	3.75	-2.23	-13.00	-55.11
628.49	S	Peak	-67.69	-68.40	3.18	-2.47	-13.00	-54.69
1401.00	Н	Peak	-59.29	-63.68	8.28	-3.89	-13.00	-46.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 324 of 399

Operation Mode: LTE B12 Test Date: 12/22/2016

Fundamental Frequency: 707.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-45.31	-31.21	-13.11	-0.99	-13.00	-32.31
76.56	S	Peak	-57.33	-52.32	-3.87	-1.14	-13.00	-44.33
154.16	S	Peak	-68.22	-64.87	-1.90	-1.45	-13.00	-55.22
255.04	S	Peak	-60.35	-62.14	3.56	-1.76	-13.00	-47.35
468.44	S	Peak	-66.44	-67.95	3.73	-2.22	-13.00	-53.44
624.61	S	Peak	-63.69	-64.37	3.19	-2.51	-13.00	-50.69
1415.00	Н	Peak	-59.07	-63.49	8.34	-3.91	-13.00	-46.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode: LTE B12 Test Date: 12/22/2016

Fundamental Frequency: 707.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.84	-42.74	-13.11	-0.99	-13.00	-43.84
78.50	S	Peak	-66.71	-62.26	-3.29	-1.15	-13.00	-53.71
117.30	S	Peak	-70.78	-67.01	-2.45	-1.31	-13.00	-57.78
259.89	S	Peak	-68.42	-70.32	3.68	-1.77	-13.00	-55.42
435.46	S	Peak	-69.85	-71.31	3.69	-2.23	-13.00	-56.85
628.49	S	Peak	-66.48	-67.18	3.18	-2.47	-13.00	-53.48
1415.00	Н	Peak	-59.17	-63.59	8.34	-3.91	-13.00	-46.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode: LTE B12 Test Date: 12/22/2016


Fundamental Frequency: 714.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-45.04	-30.93	-13.11	-0.99	-13.00	-32.04
78.50	S	Peak	-57.73	-53.29	-3.29	-1.15	-13.00	-44.73
153.19	S	Peak	-68.44	-65.05	-1.95	-1.44	-13.00	-55.44
259.89	S	Peak	-61.22	-63.12	3.68	-1.77	-13.00	-48.22
527.61	S	Peak	-63.26	-64.49	3.71	-2.47	-13.00	-50.26
631.40	S	Peak	-63.08	-63.79	3.18	-2.46	-13.00	-50.08
1429.00	Н	Peak	-59.88	-64.35	8.40	-3.94	-13.00	-46.88






Operation Mode: LTE B12 Test Date: 12/22/2016

Fundamental Frequency: 714.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-55.84	-41.74	-13.11	-0.99	-13.00	-42.84
76.56	S	Peak	-66.41	-61.40	-3.87	-1.14	-13.00	-53.41
115.36	S	Peak	-71.80	-68.03	-2.46	-1.31	-13.00	-58.80
259.89	S	Peak	-67.50	-69.40	3.68	-1.77	-13.00	-54.50
527.61	S	Peak	-67.69	-68.93	3.71	-2.47	-13.00	-54.69
628.49	S	Peak	-67.15	-67.85	3.18	-2.47	-13.00	-54.15
1429.00	Н	Peak	-60.08	-64.54	8.40	-3.94	-13.00	-47.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page 328 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)

Operation Mode: LTE B₁₇ Test Date: 12/22/2016


Fundamental Frequency: 709.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-45.44	-31.34	-13.11	-0.99	-13.00	-32.44
76.56	S	Peak	-56.52	-51.51	-3.87	-1.14	-13.00	-43.52
153.19	S	Peak	-68.16	-64.76	-1.95	-1.44	-13.00	-55.16
257.95	S	Peak	-61.93	-63.79	3.63	-1.77	-13.00	-48.93
294.81	S	Peak	-63.80	-65.38	3.52	-1.94	-13.00	-50.80
629.46	S	Peak	-63.49	-64.20	3.18	-2.47	-13.00	-50.49
1418.00	Н	Peak	-59.77	-64.21	8.35	-3.92	-13.00	-46.77






Fundamental Frequency: 709.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.45	-42.35	-13.11	-0.99	-13.00	-43.45
78.50	S	Peak	-65.84	-61.40	-3.29	-1.15	-13.00	-52.84
115.36	S	Peak	-68.38	-64.61	-2.46	-1.31	-13.00	-55.38
282.20	S	Peak	-67.27	-68.81	3.42	-1.89	-13.00	-54.27
527.61	S	Peak	-67.41	-68.65	3.71	-2.47	-13.00	-54.41
633.34	S	Peak	-67.30	-68.01	3.17	-2.46	-13.00	-54.30
1418.00	Н	Peak	-58.67	-63.10	8.35	-3.92	-13.00	-45.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Fundamental Frequency: 710.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-45.17	-31.07	-13.11	-0.99	-13.00	-32.17
76.56	S	Peak	-57.17	-52.16	-3.87	-1.14	-13.00	-44.17
153.19	S	Peak	-67.05	-63.66	-1.95	-1.44	-13.00	-54.05
253.10	S	Peak	-61.32	-63.08	3.51	-1.76	-13.00	-48.32
303.54	S	Peak	-63.80	-65.50	3.64	-1.94	-13.00	-50.80
652.74	S	Peak	-63.47	-64.21	3.14	-2.40	-13.00	-50.47
1420.00	Н	Peak	-56.79	-61.22	8.36	-3.92	-13.00	-43.79




Page 331 of 399

Operation Mode: LTE B17 Test Date: 12/22/2016

Fundamental Frequency: 710.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
37.76	S	Peak	-56.54	-42.24	-13.32	-0.98	-13.00	-43.54
77.53	S	Peak	-66.03	-61.30	-3.58	-1.15	-13.00	-53.03
260.86	S	Peak	-67.93	-69.82	3.66	-1.78	-13.00	-54.93
296.75	S	Peak	-69.37	-70.98	3.56	-1.95	-13.00	-56.37
521.79	S	Peak	-66.98	-68.30	3.74	-2.41	-13.00	-53.98
618.79	S	Peak	-66.83	-67.48	3.20	-2.56	-13.00	-53.83
1420.00	Н	Peak	-58.90	-63.34	8.36	-3.92	-13.00	-45.90




Page 332 of 399

Operation Mode: LTE B17 Test Date: 12/22/2016

Fundamental Frequency: 711.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



	Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin	
			Mode	Level	Level	Gain	Loss	@3m		
	MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB	
_	39.70	S	Peak	-45.24	-31.14	-13.11	-0.99	-13.00	-32.24	
	78.50	S	Peak	-57.55	-53.10	-3.29	-1.15	-13.00	-44.55	
	153.19	S	Peak	-67.32	-63.93	-1.95	-1.44	-13.00	-54.32	
	259.89	S	Peak	-61.25	-63.15	3.68	-1.77	-13.00	-48.25	
	469.41	S	Peak	-65.19	-66.70	3.73	-2.22	-13.00	-52.19	
	691.54	S	Peak	-63.44	-63.71	3.09	-2.83	-13.00	-50.44	
	1422.00	Н	Peak	-60.16	-64.60	8.37	-3.93	-13.00	-47.16	




Page 333 of 399

Operation Mode: LTE B17 Test Date: 12/22/2016

Fundamental Frequency: 711.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.67	-42.57	-13.11	-0.99	-13.00	-43.67
76.56	S	Peak	-65.93	-60.92	-3.87	-1.14	-13.00	-52.93
298.69	S	Peak	-68.01	-69.66	3.60	-1.95	-13.00	-55.01
468.44	S	Peak	-69.27	-70.78	3.73	-2.22	-13.00	-56.27
595.51	S	Peak	-67.36	-67.86	3.27	-2.77	-13.00	-54.36
691.54	S	Peak	-66.33	-66.59	3.09	-2.83	-13.00	-53.33
1422.00	Н	Peak	-59.26	-63.70	8.37	-3.93	-13.00	-46.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 334 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 26 (The Worst Case)

Operation Mode: LTE B26 Test Date: 12/23/2016


Fundamental Frequency: 825.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin	
		Mode	Level	Level	Gain	Loss	@3m		
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB	
39.70	S	Peak	-44.96	-30.86	-13.11	-0.99	-13.00	-31.96	
76.56	S	Peak	-58.38	-53.38	-3.87	-1.14	-13.00	-45.38	
153.19	S	Peak	-67.80	-64.41	-1.95	-1.44	-13.00	-54.80	
259.89	S	Peak	-59.68	-61.58	3.68	-1.77	-13.00	-46.68	
301.60	S	Peak	-63.44	-65.12	3.63	-1.94	-13.00	-50.44	
527.61	S	Peak	-62.84	-64.07	3.71	-2.47	-13.00	-49.84	
1651.00	Н	Peak	-63.13	-68.16	9.27	-4.23	-13.00	-50.13	






Fundamental Frequency: 825.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-55.99	-41.89	-13.11	-0.99	-13.00	-42.99
78.50	S	Peak	-65.51	-61.07	-3.29	-1.15	-13.00	-52.51
115.36	S	Peak	-70.95	-67.18	-2.46	-1.31	-13.00	-57.95
259.89	S	Peak	-68.67	-70.57	3.68	-1.77	-13.00	-55.67
544.10	S	Peak	-68.32	-69.29	3.62	-2.64	-13.00	-55.32
689.60	S	Peak	-65.25	-65.55	3.09	-2.79	-13.00	-52.25
1651.00	Н	Peak	-62.96	-67.99	9.27	-4.23	-13.00	-49.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

www.tw.sgs.com







Fundamental Frequency: 836.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



	Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin	
			Mode	Level	Level	Gain	Loss	@3m		
	MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB	
_	39.70	S	Peak	-44.55	-30.45	-13.11	-0.99	-13.00	-31.55	
	80.44	S	Peak	-58.90	-54.99	-2.75	-1.16	-13.00	-45.90	
	154.16	S	Peak	-68.63	-65.28	-1.90	-1.45	-13.00	-55.63	
	259.89	S	Peak	-60.37	-62.28	3.68	-1.77	-13.00	-47.37	
	296.75	S	Peak	-61.93	-63.54	3.56	-1.95	-13.00	-48.93	
	527.61	S	Peak	-64.07	-65.30	3.71	-2.47	-13.00	-51.07	
	1673.00	Н	Peak	-63.08	-68.14	9.35	-4.29	-13.00	-50.08	






Fundamental Frequency: 836.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.43	-42.32	-13.11	-0.99	-13.00	-43.43
76.56	S	Peak	-65.40	-60.39	-3.87	-1.14	-13.00	-52.40
115.36	S	Peak	-70.60	-66.83	-2.46	-1.31	-13.00	-57.60
259.89	S	Peak	-68.80	-70.71	3.68	-1.77	-13.00	-55.80
524.70	S	Peak	-68.46	-69.74	3.72	-2.44	-13.00	-55.46
638.19	S	Peak	-66.08	-66.80	3.16	-2.44	-13.00	-53.08
1673.00	Н	Peak	-61.98	-67.04	9.35	-4.29	-13.00	-48.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Fundamental Frequency: 847.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-44.92	-30.82	-13.11	-0.99	-13.00	-31.92
76.56	S	Peak	-56.92	-51.91	-3.87	-1.14	-13.00	-43.92
151.25	S	Peak	-66.79	-63.31	-2.04	-1.44	-13.00	-53.79
255.04	S	Peak	-60.96	-62.76	3.56	-1.76	-13.00	-47.96
296.75	S	Peak	-63.15	-64.76	3.56	-1.95	-13.00	-50.15
527.61	S	Peak	-63.67	-64.91	3.71	-2.47	-13.00	-50.67
1695.00	Н	Peak	-63.81	-68.93	9.42	-4.30	-13.00	-50.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 339 of 399

Operation Mode: LTE B26 Test Date: 12/23/2016

Fundamental Frequency: 847.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.84	-42.74	-13.11	-0.99	-13.00	-43.84
75.59	S	Peak	-65.57	-60.27	-4.16	-1.14	-13.00	-52.57
117.30	S	Peak	-70.12	-66.35	-2.45	-1.31	-13.00	-57.12
293.84	S	Peak	-67.12	-68.68	3.50	-1.94	-13.00	-54.12
481.05	S	Peak	-69.04	-70.58	3.78	-2.24	-13.00	-56.04
563.50	S	Peak	-67.55	-68.28	3.49	-2.76	-13.00	-54.55
1695.00	Н	Peak	-63.29	-68.41	9.42	-4.30	-13.00	-50.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 340 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 41 (The Worst Case)

Operation Mode: LTE B41 Test Date: 12/23/2016

Fundamental Frequency: 2506.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
36.79	S	Peak	-49.43	-37.17	-11.28	-0.98	-25.00	-24.43
81.41	S	Peak	-60.03	-58.51	-0.35	-1.17	-25.00	-35.03
173.56	S	Peak	-68.49	-68.85	1.89	-1.53	-25.00	-43.49
268.62	S	Peak	-64.44	-68.30	5.68	-1.82	-25.00	-39.44
487.84	S	Peak	-66.91	-70.61	5.96	-2.26	-25.00	-41.91
632.37	S	Peak	-62.71	-65.57	5.32	-2.46	-25.00	-37.71
5012.00	Н	Peak	-55.80	-60.70	12.71	-7.81	-25.00	-30.80




Page 341 of 399

Operation Mode: LTE B41 Test Date: 12/23/2016

Fundamental Frequency: 2506.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

Measurement Antenna Pol.: HORIZONTAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
41.64	S	Peak	-55.37	-43.69	-10.68	-1.00	-25.00	-30.37
153.19	S	Peak	-70.01	-68.77	0.20	-1.44	-25.00	-45.01
259.89	S	Peak	-65.27	-69.32	5.83	-1.77	-25.00	-40.27
408.30	S	Peak	-68.06	-71.59	5.94	-2.41	-25.00	-43.06
474.26	S	Peak	-66.06	-69.74	5.90	-2.23	-25.00	-41.06
796.30	S	Peak	-61.75	-64.33	5.48	-2.90	-25.00	-36.75
5012.00	Н	Peak	-57.11	-62.00	12.71	-7.81	-25.00	-32.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 342 of 399

Operation Mode: LTE B41 Test Date: 12/23/2016

Fundamental Frequency: 2593.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
41.64	S	Peak	-43.26	-31.57	-10.68	-1.00	-25.00	-18.26
153.19	S	Peak	-63.92	-62.67	0.20	-1.44	-25.00	-38.92
259.89	S	Peak	-57.70	-61.75	5.83	-1.77	-25.00	-32.70
347.19	S	Peak	-66.45	-70.43	6.00	-2.02	-25.00	-41.45
527.61	S	Peak	-61.69	-65.07	5.86	-2.47	-25.00	-36.69
692.51	S	Peak	-60.32	-62.71	5.24	-2.84	-25.00	-35.32
5186.00	Н	Peak	-55.46	-60.29	12.78	-7.94	-25.00	-30.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 343 of 399

Operation Mode: LTE B41 Test Date: 12/23/2016

Fundamental Frequency: 2593.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

Measurement Antenna Pol.: HORIZONTAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
41.64	S	Peak	-55.37	-43.69	-10.68	-1.00	-25.00	-30.37
153.19	S	Peak	-70.01	-68.77	0.20	-1.44	-25.00	-45.01
259.89	S	Peak	-65.27	-69.32	5.83	-1.77	-25.00	-40.27
408.30	S	Peak	-68.06	-71.59	5.94	-2.41	-25.00	-43.06
474.26	S	Peak	-66.06	-69.74	5.90	-2.23	-25.00	-41.06
796.30	S	Peak	-61.75	-64.33	5.48	-2.90	-25.00	-36.75
5186.00	Н	Peak	-56.32	-61.16	12.78	-7.94	-25.00	-31.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 344 of 399

Operation Mode: LTE B41 Test Date: 12/23/2016

Fundamental Frequency: 2680.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
34.85	S	Peak	-53.78	-41.29	-11.52	-0.97	-25.00	-28.78
117.30	S	Peak	-68.88	-67.26	-0.30	-1.31	-25.00	-43.88
253.10	S	Peak	-58.38	-62.29	5.66	-1.76	-25.00	-33.38
334.58	S	Peak	-69.54	-73.56	5.94	-1.92	-25.00	-44.54
540.22	S	Peak	-64.99	-68.18	5.79	-2.60	-25.00	-39.99
670.20	S	Peak	-64.67	-67.50	5.27	-2.44	-25.00	-39.67
5360.00	Н	Peak	-56.48	-61.28	12.85	-8.05	-25.00	-31.48




Page 345 of 399

Operation Mode: LTE B41 Test Date: 12/23/2016

Fundamental Frequency: 2680.0 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

Measurement Antenna Pol.: HORIZONTAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
39.70	S	Peak	-55.46	-43.51	-10.96	-0.99	-25.00	-30.46
149.31	S	Peak	-70.36	-68.95	0.01	-1.43	-25.00	-45.36
261.83	S	Peak	-67.64	-71.65	5.80	-1.78	-25.00	-42.64
396.66	S	Peak	-68.89	-72.50	5.97	-2.36	-25.00	-43.89
480.08	S	Peak	-68.06	-71.75	5.93	-2.24	-25.00	-43.06
760.41	S	Peak	-63.89	-66.25	5.37	-3.01	-25.00	-38.89
5360.00	Н	Peak	-56.53	-61.32	12.85	-8.05	-25.00	-31.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



Page 346 of 399


Radiated Spurious Emission Measurement Result: LTE-Band 26 for Part 90S (The Worst Case)

Operation Mode: LTE B26 Test Date: 12/23/2016


Fundamental Frequency: 815.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
43.58	S	Peak	-51.78	-38.22	-12.55	-1.01	-13.00	-38.78
80.44	S	Peak	-59.92	-56.01	-2.75	-1.16	-13.00	-46.92
158.04	S	Peak	-70.04	-66.85	-1.73	-1.47	-13.00	-57.04
255.04	S	Peak	-61.09	-62.89	3.56	-1.76	-13.00	-48.09
305.48	S	Peak	-69.84	-71.55	3.65	-1.94	-13.00	-56.84
526.64	S	Peak	-64.03	-65.28	3.71	-2.46	-13.00	-51.03
1631.00	Н	Peak	-60.92	-65.95	9.19	-4.16	-13.00	-47.92






Fundamental Frequency: 815.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
42.61	S	Peak	-61.22	-47.53	-12.69	-1.01	-13.00	-48.22
74.62	S	Peak	-69.14	-63.55	-4.45	-1.13	-13.00	-56.14
123.12	S	Peak	-73.07	-69.24	-2.50	-1.34	-13.00	-60.07
253.10	S	Peak	-71.32	-73.07	3.51	-1.76	-13.00	-58.32
537.31	S	Peak	-71.38	-72.46	3.65	-2.57	-13.00	-58.38
693.48	S	Peak	-66.99	-67.22	3.09	-2.86	-13.00	-53.99
1631.00	Н	Peak	-61.86	-66.89	9.19	-4.16	-13.00	-48.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司




Page 348 of 399

Operation Mode: LTE B26 Test Date: 12/23/2016

Fundamental Frequency: 819 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
44.55	S	Peak	-53.89	-40.46	-12.42	-1.02	-13.00	-40.89
83.35	S	Peak	-63.24	-60.04	-2.01	-1.18	-13.00	-50.24
160.95	S	Peak	-68.93	-65.88	-1.57	-1.48	-13.00	-55.93
255.04	S	Peak	-62.39	-64.18	3.56	-1.76	-13.00	-49.39
301.60	S	Peak	-64.94	-66.63	3.63	-1.94	-13.00	-51.94
522.76	S	Peak	-67.34	-68.65	3.73	-2.42	-13.00	-54.34
1638.00	Н	Peak	-62.74	-67.78	9.22	-4.19	-13.00	-49.74




Page 349 of 399

Operation Mode: LTE B26 Test Date: 12/23/2016


Fundamental Frequency: 819 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH MID Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
43.58	S	Peak	-62.46	-48.90	-12.55	-1.01	-13.00	-49.46
79.47	S	Peak	-69.85	-65.68	-3.01	-1.16	-13.00	-56.85
124.09	S	Peak	-72.34	-68.48	-2.52	-1.34	-13.00	-59.34
256.01	S	Peak	-70.26	-72.08	3.58	-1.77	-13.00	-57.26
529.55	S	Peak	-69.44	-70.64	3.70	-2.49	-13.00	-56.44
636.25	S	Peak	-66.89	-67.61	3.17	-2.45	-13.00	-53.89
1638.00	Н	Peak	-61.72	-66.75	9.22	-4.19	-13.00	-48.72






Fundamental Frequency: 822.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
42.61	S	Peak	-48.36	-34.67	-12.69	-1.01	-13.00	-35.36
80.44	S	Peak	-59.72	-55.81	-2.75	-1.16	-13.00	-46.72
159.01	S	Peak	-68.23	-65.08	-1.68	-1.47	-13.00	-55.23
247.28	S	Peak	-63.61	-65.25	3.40	-1.75	-13.00	-50.61
307.42	S	Peak	-68.24	-69.96	3.66	-1.94	-13.00	-55.24
526.64	S	Peak	-64.27	-65.52	3.71	-2.46	-13.00	-51.27
1645.00	Н	Peak	-63.36	-68.39	9.25	-4.21	-13.00	-50.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unployed to the order formation to the full of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 351 of 399

Operation Mode: LTE B26 Test Date: 12/23/2016

Fundamental Frequency: 822.5 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-56.84	-42.74	-13.11	-0.99	-13.00	-43.84
75.59	S	Peak	-65.57	-60.27	-4.16	-1.14	-13.00	-52.57
117.30	S	Peak	-70.12	-66.35	-2.45	-1.31	-13.00	-57.12
293.84	S	Peak	-67.12	-68.68	3.50	-1.94	-13.00	-54.12
481.05	S	Peak	-69.04	-70.58	3.78	-2.24	-13.00	-56.04
563.50	S	Peak	-67.55	-68.28	3.49	-2.76	-13.00	-54.55
1695.00	Н	Peak	-63.29	-68.41	9.42	-4.30	-13.00	-50.29



Page 352 of 399

11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up:

Note: Measurement setup for testing on Antenna connector

11.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page 353 of 399

11.4. Measurement Equipment Used:

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/24/2016	09/23/2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page 354 of 399

11.5. Measurement Result:

FREQUENCY ERROR vs. VOLTAGE



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be presented to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page 355 of 399

FREQUENCY ERROR vs. VOLTAGE




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be presented to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 356 of 399

FREQUENCY ERROR vs. VOLTAGE



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be presented to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.tw.sgs.com



Page 357 of 399

FREQUENCY ERROR vs. VOLTAGE



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be presented to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 358 of 399

FREQUENCY ERROR vs. VOLTAGE



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be presented to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 359 of 399

FREQUENCY ERROR vs. VOLTAGE

Reference	Frequency:	LTE B2 Mid Channel	1880.0	MHz 20M QPSK CH 18900		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature	·	Delta (Hz)	Limit (Hz)		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms endocuments, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms endocument. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, Wukung District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



Page 360 of 399

FREQUENCY ERROR vs. VOLTAGE

I Reference Frequency:		LTE B4 Mid Channel	1732.5	MHz 20M QPSK CH 20175		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature (Delta (Hz)	Limit (Hz)		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms endocuments, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms endocument. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, Wukung District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 361 of 399

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B5 Mid Channel	836.5	MHz 10M QPSK CH 20525		
Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency				
Vdc	Temperature		Delta (Hz)	Limit (Hz)		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms endocuments, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms endocument. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, Wukung District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 362 of 399

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B7 Mid Channel	2535.0	MHz 10M QPSK CH 21100
		Limit: +/- 2	.5 ppm	
Power Supply	Environment	Frequency		
Vdc	Temperature		Delta (Hz)	Limit (Hz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms endocuments, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms endocument. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, Wukung District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 363 of 399

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B12 Mid Channel	707.5	MHz 10M QPSK CH 23095
		Limit: +/- 2	.5 ppm	
Power Sup- ply	Environment	Frequency		
Vdc	Temperature		Delta (Hz)	Limit (Hz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms endocuments, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms endocument. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, Wukung District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 364 of 399

FREQUENCY ERROR vs. VOLTAGE

Reference	Reference Frequency: LTE B17 Mid 710.0		710.0	MHz 10M QPSK CH 23790
		Limit: +/- 2	2.5 ppm	
Power Supply	Environment Frequency			
Vdc	Temperature		Delta (Hz)	Limit (Hz)



Page 365 of 399

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B26 Mid	836.5	MHz 15M QPSK CH
helefelice	e Frequency.	Channel	0.00.0	26915
		Limit: +/- 2	2.5 ppm	
Power Supply	Environment	Frequency		
Vdc	Temperature		Delta (Hz)	Limit (Hz)



Page 366 of 399

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B41 Mid Channel	2605.0	MHz 10M QPSK CH 40740
		Limit: +/- 2	2.5 ppm	
Power Supply	Power Environment Frequency			
Vdc	Temperature		Delta (Hz)	Limit (Hz)



Page 367 of 399

FREQUENCY ERROR vs. VOLTAGE (LTE B26 for Part 90S)

Reference	Reference Frequency: LTE B26 Mid 819.0 Channel		819.0	MHz 1.4M QPSK CH 26740
		Limit: +/- 2	5 ppm	
Power Supply	Environment	Frequency		
Vdc	Temperature (Delta (Hz)	Limit (Hz)




Page 368 of 399

12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.


12.4. Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site											
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.							
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017							
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017							
Coaxial Cable	HI IRER±SI IHNE		23670/2	01/02/2016	01/01/2017							
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017							
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017							
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






12.5. Measurement Result

Tabular Results:

Freq.		Peak-to-	-Average	Ratio
(MHz)	CH	GSM	GPRS	EDGE
(1411 12)		1900	1900	1900
1850.2	9296	9.11	9.05	11.71
1880.0	9400	9.82	9.02	11.04
1909.8	9538	10.54	11.22	11.7

Freq.		Peak-to-Average				
(MHz)	CH	WCDMA	HSDPA	HSUPA		
(IVII IZ)		II	II	II		
1850.2	9262	3.09	3.37	3.50		
1880.0	9400	3.39	3.47	3.79		
1909.8	9538	3.17	3.80	4.06		

Freq.		Peak-to-Average				
(MHz)	CH	CH WCDMA HS		HSUPA		
(IVIITIZ)		IV	IV	IV		
1712.4	1312	3.39	4.09	3.54		
1732.6	1413	3.26	4.05	3.23		
1752.6	1513	3.41	3.42	3.34		





LTE BAND 2										
Char	nnel band	width: 1.4	lMHz	Cha	nnel ban	dwidth: 31	ИНz			
Freq.	СН	Peak-to- Ratio	•	Freq.	СН	Peak-to-Averag				
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT			
1850.7	18607	5.7163	13	1851.5	18615	5.67	13			
1880.0	18900	5.7671	13	1880.0	18900	5.98	13			
1909.3	19193	5.58	13	1908.5	19185	5.84	13			


LTE BAND 2										
Cha	nnel ban	dwidth: 51	ИHz	Cha	nnel band	lwidth: 10	MHz			
Freq.	СН		Peak-to-Average Ratio (dB)		СН	Peak-to- Ratio	•			
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT			
1852.5	18625	5.5722	13	1855.0	18650	5.7	13			
1880.0	18900	5.77	13	1880.0	18900	5.9	13			
1907.5	19175	5.6911	13	1905.0	19150	5.78	13			

LTE BAND 2										
Cha	Channel bandwidth: 15MHz Channel bandwidth: 20I					MHz				
Freq.	СН	Peak-to- Ratio	Average (dB)			•				
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT			
1857.5	18675	6.08	13	1860.0	18700	6.6583	13			
1880.0	18900	6.2667	13	1880.0	18900	6.6917	13			
1902.5	19125	6.2067	13	1900.0	19100	6.7	13			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, New TaipeilndustrialPark, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group




Page 371 of 399

LTE BAND 4										
Char	Channel bandwidth: 1.4MHz C				nnel ban	dwidth: 3I	ИНz			
Freq.	СН	Peak-to- Ratio	•	Freq.	req. CH Peak-to-A		•			
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT			
1710.7	19957	5.7433	13	1711.5	19965	5.784	13			
1732.5	20175	5.6033	13	1732.5	20175	5.748	13			
1754.3	20393	5.595	13	1753.5	20385	5.85	13			

LTE BAND 4										
Cha	nnel ban	dwidth: 5l	ИНz	Channel bandwidth: 10MHz						
Freq.	СН		Peak-to-Average Ratio (dB)		СН	Peak-to- Ratio	J			
(MHz)		16QAM	16QAM LIMIT			16QAM	LIMIT			
1712.5	19957	5.696	13	1715.0	20000	5.78	13			
1732.5	20175	5.622 13		1732.5	20175	5.7975	13			
1752.5	20375	5.6429	13	1750.0	20350	5.7288	13			

LTE BAND 4										
Cha	nnel band	dwidth: 15	MHz	Channel bandwidth: 20MHz						
Freq.	СН		Peak-to-Average Ratio (dB)		СН	Peak-to-A				
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT			
1717.5	20025	6.0867	13	1720.0	20050	6.6775	13			
1732.5	20175	6.14 13		1732.5	20175	6.61	13			
1747.5	20325	6.1167	13	1745.0	20300	6.66	13			





LTE BAND 5 Channel bandwidth: 1.4MHz Channel bandwidth: 3MHz Peak-to-Average Peak-to-Average Freq. Freq. Ratio (dB) CH Ratio (dB) CH **16QAM** LIMIT (MHz) **16QAM** LIMIT (MHz) 824.7 20407 5.635 13 825.5 20415 5.751 13 20525 5.8617 13 20525 6.005 836.5 836.5 13 848.3 20643 5.5043 13 847.5 20635 5.886 13

LTE BAND 5										
Cha	nnel ban	dwidth: 5l	ИНz	Cha	nnel band	lwidth: 10	MHz			
Freq.	СН	Peak-to-Average Ratio (dB)		Freq.	Freq. CH Peak-to-Avo		•			
(MHz)		16QAM LIMIT		(MHz)		16QAM	LIMIT			
826.5	20425	5.502	13	829.0	20450	5.6833	13			
836.5	20525	5.78 13		836.5	20525	5.8633	13			
846.5	20625	5.375	13	844.0	20600	5.6617	13			

	LTE BAND 7										
Cha	nnel ban	dwidth: 5l	MHz	Cha	nnel band	lwidth: 10	MHz				
Freq.	СН		Peak-to-Average Ratio (dB)		Freq. CH Peak-to-A		•				
(MHz)		16QAM	16QAM LIMIT			16QAM	LIMIT				
2502.5	20775	5.91	13	2505.0	20800	5.87	13				
2535.0	21100	5.84 13		2535.0	21100	5.86	13				
2567.5	21425	5.83	13	2565.0	21400	5.79	13				

	LTE BAND 7										
Channel bandwidth: 15MHz				Cha	nnel band	lwidth: 20	MHz				
Freq.	СН		Peak-to-Average Ratio (dB)		СН	Peak-to- Ratio	U				
(MHz)		16QAM LIMIT		(MHz)		16QAM	LIMIT				
2507.5	20425	6.28	13	2510.0	20850	6.75	13				
2535.0	20525	6.26 13		2535.0	21100	6.7	13				
2562.5	20625	6.25	13	2560.0	21350	6.72	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be presented to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



LTE BAND 12										
Char	nnel band	lwidth: 1.4	MHz	Channel bandwidth: 3MHz						
Freq.	СН		Peak-to-Average Ratio (dB)		СН	Peak-to- Ratio	U			
(MHz)		16QAM	16QAM LIMIT			16QAM	LIMIT			
699.7	23017	5.6471	13	700.5	23025	5.6656	13			
707.5	23095	5.706	5.706 13		23095	5.9533	13			
715.3	23173	5.322	13	714.5	23165	5.8925	13			

	LTE BAND 12										
Cha	nnel ban	dwidth: 5l	ИНz	Cha	nnel band	lwidth: 10	MHz				
Freq.	СН		Peak-to-Average Ratio (dB)		СН	Peak-to- Ratio	•				
(MHz)		16QAM LIMIT		(MHz)		16QAM	LIMIT				
701.5	23035	5.4667	13	704.0	23060	5.67	13				
707.5	23095	5.6229 13		707.5	23095	5.7388	13				
713.5	23155	5.5283	13	711.0	23130	5.6975	13				

	LTE BAND 17										
Channel bandwidth: 5MHz Channel bandwidth: 10MHz											
Freq.	СН	Peak-to-	Peak-to-Average		СН	Peak-to-	Average				
(MHz)	СП	16QAM	LIMIT	(MHz)	СП	16QAM	LIMIT				
706.5	23755	5.51	13	709.0	23780	5.68	13				
710.0	23790	5.6	13	710.0	23790	5.66	13				
713.5	23825	5.58	13	711.0	23780	5.73	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, New TaipeilndustrialPark, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 374 of 399

LTE BAND 26										
Char	nnel band	width: 1.4	MHz	Cha	nnel ban	dwidth: 3I	ИНz			
Freq.	СН	Peak-to-Average Ratio		Freq. (MHz)	СН	Peak-to-Average Ratio				
(IVITIZ)		16QAM	Limit	(IVITIZ)		16QAM	Limit			
824.7	26797	5.46	13	825.5	26805	5.5	13			
836.5	26915	5.85	13	836.5	26915	5.86	13			
848.3	27033	5.38	13	847.5	27025	5.56	13			

LTE BAND 26											
Cha	nnel ban	dwidth: 5l	ИНz	Cha	nnel band	lwidth: 10	MHz				
Freq. (MHz)	СН	Peak-to-Average Ratio		Freq. (MHz)	СН	Peak-to-Average Ratio					
(IVITIZ)		16QAM	Limit	(IVITIZ)		16QAM	Limit				
826.5	26815	5.37	13	829.0	26840	5.55	13				
836.5	26915	5.73	13	836.5	26915	5.73	13				
846.5	27015	5.37	13	844.0	26990	5.55	13				

	LTE BAND 26										
Cha	nnel band	lwidth: 15	MHz								
Freq. CH Peak-to-Average											
(MHz)		16QAM	Limit								
831.5	26865	6.09	13								
836.5	26915	6.22	13								
841.5	26965	6.05	13								





	LTE BAND 41										
Cha	nnel ban	dwidth: 5l	ИНz	Channel bandwidth: 10MHz							
Freq.	СН	Peak-to-Average Ratio		Freq. (MHz)	СН	Peak-to-Averag Ratio					
(16QAM	Limit	(16QAM	Limit				
2498.5	39675	8.16	13	2501.0	39700	8.55	13				
2593.0	40620	8.91 13		2593.0	40620	9.69	13				
2687.5	41565	10.85	13	2685.0	41540	11.23	13				

LTE BAND 41								
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz				
Freq.	СН	Peak-to-Average Ratio (dB)		Freq. (MHz)	СН	Peak-to-Average Ratio (dB)		
		16QAM	Limit			16QAM	Limit	
2503.5	39725	10.6	13	2506.0	39750	10.63	13	
2593.0	40620	9.89	13	2593.0	40620	10.65	13	
2682.5	41515	8.06	13	2680.0	41490	11.4	13	

LTE BAND 26 for part 90S								
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz				
Freq. (MHz)	СН	Peak-to-Average Ratio		Freq. (MHz)	СН	Peak-to-Average Ratio		
,		16QAM	Limit	,		16QAM	Limit	
814.7	26697	5.39	13	815.5	26705	5.73	13	
819	26740	5.89	13	819	26740	5.92	13	
823.3	26783	5.64	13	822.5	26775	5.84	13	

LTE BAND 26 for part 90S								
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz				
Freq. (MHz)	СН	Peak-to-Average Ratio		Freq. (MHz)	СН	Peak-to-Average Ratio		
		16QAM	Limit	(1411 12)		16QAM	Limit	
816.5	26715	6.01	13	819.0	26740	5.73	13	
819	26740	5.75	13					
821.5	26765	5.74	13					

Measurement Results:

Please refer to next page.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms edocument. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488






GSM_1900MHz_LowCH512-1850.2




GPRS_1900MHz_LowCH512-1850.2



GSM 1900MHz MidCH661-1880




GPRS 1900MHz MidCH661-1880




GSM_1900MHz_HighCH810-1909.8



GPRS_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unplorted to a efforted prove the testers of the full the full to the full the total of the follows the follows the follows the follows the follows the full to the full the full to the full to the full to the full the full to document is unlawful and offenders may be prosecuted to the fullest extent of the law.







EDGE_1900MHz_LowCH512-1850.2




WCDMA_B2_LowCH9262-1852.4



EDGE 1900MHz MidCH661-1880



WCDMA B2 MidCH9400-1880




EDGE_1900MHz_HighCH810-1909.8



WCDMA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unplorted to a efforted prove the testers of the full the full to the full the total of the follows the follows the follows the follows the follows the full to the full the full to the full to the full to the full the full to document is unlawful and offenders may be prosecuted to the fullest extent of the law.






HSDPA_B2_LowCH9262-1852.4




HSUPA_B2_LowCH9262-1852.4



HSDPA B2 MidCH9400-1880



HSUPA_B2_MidCH9400-1880




HSDPA_B2_HighCH9538-1907.6



HSUPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unplorted to a efforted prove the testers of the full the full to the full the total of the follows the follows the follows the follows the follows the full to the full the full to the full to the full to the full the full to document is unlawful and offenders may be prosecuted to the fullest extent of the law.







WCDMA_B4_LowCH1312-1712.4




HSDPA_B4_LowCH1312-1712.4



WCDMA B4 MidCH1413-1732.6



HSDPA B4 MidCH1413-1732.6



WCDMA_B4_HighCH1513-1752.6



HSDPA_B4_HighCH1513-1752.6




t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unplorted to a efforted prove the testers of the full the full to the full the total of the follows the follows the follows the follows the follows the full to the full the full to the full to the full to the full the full to document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com







HSUPA_B4_LowCH1312-1712.4



LTE_Band2 1.4MHz_16-QAM 6 0_LowCH18607-1850.7




HSUPA B4 MidCH1413-1732.6



LTE_Band2 1.4MHz_16-QAM 6 0_MidCH18900-1880



HSUPA_B4_HighCH1513-1752.6




LTE_Band2 1.4MHz_16-QAM 6 0_HighCH19193-1909.3




t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unplorted to a efforted prove the testers of the full the full to the full the total of the follows the follows the follows the follows the follows the full to the full the full to the full to the full to the full the full to document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE_Band2 3MHz_16-QAM 15 0_LowCH18615-1851.5




LTE_Band2 5MHz_16-QAM 25 0_LowCH18625-1852.5




LTE Band2 3MHz 16-QAM 15 0 MidCH18900-1880



LTE Band2 5MHz 16-QAM 25 0 MidCH18900-1880



LTE_Band2 3MHz_16-QAM 15 0_HighCH19185-1908.5



LTE_Band2 5MHz_16-QAM 25 0_HighCH19175-1907.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE_Band2 10MHz_16-QAM 50 0_LowCH18650-1855




LTE_Band2 15MHz_16-QAM 75 0_LowCH18675-1857.5




LTE_Band2 10MHz_16-QAM 50 0_MidCH18900-1880



LTE Band2 15MHz 16-QAM 75 0 MidCH18900-1880



LTE_Band2 10MHz_16-QAM 50 0_HighCH19150-1905



LTE_Band2 15MHz_16-QAM 75 0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com






LTE_Band2 20MHz_16-QAM 100 0_LowCH18700-1860




LTE_Band4 1.4MHz_16-QAM 6 0_LowCH19957-1710.7




LTE_Band2 20MHz_16-QAM 100 0_MidCH18900-1880




LTE Band4 1.4MHz 16-QAM 6 0 MidCH20175-1732.5



LTE_Band2 20MHz_16-QAM 100 0_HighCH19100-1900



LTE Band4 1.4MHz_16-QAM 6 0_HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE_Band4 3MHz_16-QAM 15 0_LowCH19965-1711.5



LTE_Band4 5MHz_16-QAM 25 0_LowCH19975-1712.5




LTE Band4 3MHz 16-QAM 15 0 MidCH20175-1732.5



LTE Band4 5MHz 16-QAM 25 0 MidCH20175-1732.5



LTE_Band4 3MHz_16-QAM 15 0_HighCH20385-1753.5



LTE_Band4 5MHz_16-QAM 25 0_HighCH20375-1752.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE_Band4 10MHz_16-QAM 50 0_LowCH20000-1715



LTE_Band4 15MHz_16-QAM 75 0_LowCH20025-1717.5




LTE_Band4 10MHz_16-QAM 50 0_MidCH20175-1732.5



LTE Band4 15MHz 16-QAM 75 0 MidCH20175-1732.5



LTE_Band4 10MHz_16-QAM 50 0_HighCH20350-1750



LTE_Band4 15MHz_16-QAM 75 0_HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE_Band4 20MHz_16-QAM 100 0_LowCH20050-1720



LTE_Band5 1.4MHz_16-QAM 6 0_LowCH20407-824.7




LTE_Band4 20MHz_16-QAM 100 0_MidCH20175-1732.5



LTE_Band5 1.4MHz_16-QAM 6 0_MidCH20525-836.5



LTE_Band4 20MHz_16-QAM 100 0_HighCH20300-1745



LTE_Band5 1.4MHz_16-QAM 6 0_HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE_Band5 3MHz_16-QAM 15 0_LowCH20415-825.5



LTE_Band5 5MHz_16-QAM 25 0_LowCH20425-826.5



LTE_Band5 3MHz_16-QAM 15 0_MidCH20525-836.5



LTE_Band5 5MHz_16-QAM 25 0_MidCH20525-836.5



LTE_Band5 3MHz_16-QAM 15 0_HighCH20635-847.5



LTE_Band5 5MHz_16-QAM 25 0_HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE_Band5 10MHz_16-QAM 50 0_LowCH20450-829




LTE_Band7 5MHz_16-QAM 25 0_LowCH20775-2502.5




LTE_Band5 10MHz_16-QAM 50 0_MidCH20525-836.5



LTE Band7 5MHz 16-QAM 25 0 MidCH21100-2535



LTE_Band5 10MHz_16-QAM 50 0_HighCH20600-844



LTE_Band7 5MHz_16-QAM 25 0_HighCH21425-2567.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE_Band7 10MHz_16-QAM 50 0_LowCH20800-2505




LTE_Band7 15MHz_16-QAM 75 0_LowCH20825-2507.5




LTE_Band7 10MHz_16-QAM 50 0_MidCH21100-2535



LTE_Band7 15MHz_16-QAM 75 0_MidCH21100-2535



LTE_Band7 10MHz_16-QAM 50 0_HighCH21400-2565



LTE_Band7 15MHz_16-QAM 75 0_HighCH21375-2562.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE_Band7 20MHz_16-QAM 100 0_LowCH20850-2510




LTE_Band12 1.4MHz_16-QAM 6 0_LowCH23017-699.7




LTE_Band7 20MHz_16-QAM 100 0_MidCH21100-2535



LTE_Band12 1.4MHz_16-QAM 6 0_MidCH23095-707.5



LTE_Band7 20MHz_16-QAM 100 0_HighCH21350-2560



LTE_Band12 1.4MHz_16-QAM 6 0_HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE_Band12 3MHz_16-QAM 15 0_LowCH23025-700.5



LTE_Band12 5MHz_16-QAM 25 0_LowCH23035-701.5



LTE_Band12 3MHz_16-QAM 15 0_MidCH23095-707.5



LTE Band12 5MHz 16-QAM 25 0 MidCH23095-707.5



LTE_Band12 3MHz_16-QAM 15 0_HighCH23165-714.5



LTE_Band12 5MHz_16-QAM 25 0_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






LTE_Band12 10MHz_16-QAM 50 0_LowCH23060-704



LTE_Band17 5MHz_16-QAM 25 0_LowCH23755-706.5




LTE_Band12 10MHz_16-QAM 50 0_MidCH23095-707.5



LTE_Band17 5MHz_16-QAM 25 0_MidCH23790-710



LTE_Band12 10MHz_16-QAM 50 0_HighCH23130-711



LTE_Band17 5MHz_16-QAM 25 0_HighCH23825-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results smown in this test report retier only to the sample(s) tested and such carried for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this

document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE_Band17 10MHz_16-QAM 50 0_LowCH23780-709




LTE_Band17 10MHz_16-QAM 50 0_MidCH23790-710




LTE_Band17 10MHz_16-QAM 50 0_HighCH23800-711




1.4MHz BW LTE-Band 26(16QAM Number: 6 Offset: 0)




1.4MHz BW LTE-Band 26(16QAM Number: 6 Offset: 0) Channel Mid



1.4MHz BW LTE-Band 26(16QAM Number: 6 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unplorted to a efforted prove the testers of the full the full to the full the total of the follows the follows the follows the follows the follows the full to the full the full to the full to the full to the full the full to document is unlawful and offenders may be prosecuted to the fullest extent of the law.






3MHz BW LTE-Band 26(16QAM Number: 15 Offset: 0)



3MHz BW LTE-Band 26(16QAM Number: 15 Offset: 0) Channel Mid




3MHz BW LTE-Band 26(16QAM Number: 15 Offset: 0) Channel High




5MHz BW LTE-Band 26(16QAM Number: 25 Offset: 0) Channel Low




5MHz BW LTE-Band 26(16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 26(16QAM Number: 25 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sue sed fined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful to a fforeign may be presented to the fullest extent of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations are referred to the foreign and their rights and obligations are referred to the foreign and their rights and obligations are referred to the forei document is unlawful and offenders may be prosecuted to the fullest extent of the law.







10MHz BW LTE-Band 26(16QAM Number: 50 Offset: 0) Channel Low



10MHz BW LTE-Band 26(16QAM Number: 50 Offset: 0) Channel Mid



10MHz BW LTE-Band 26(16QAM Number: 50 Offset: 0) Channel High



15MHz BW LTE-Band 26(16QAM Number: 75 Offset: 0) Channel Low




15MHz BW LTE-Band 26(16QAM Number: 75 Offset: 0) Channel Mid



15MHz BW LTE-Band 26(16QAM Number: 75 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sue sed fined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful to a fforeign may be presented to the fullest extent of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations are referred to the foreign and their rights and obligations are referred to the foreign and their rights and obligations are referred to the forei document is unlawful and offenders may be prosecuted to the fullest extent of the law.







5MHz BW LTE-Band 41(16QAM Number: 25 Offset: 0) Channel Low



5MHz BW LTE-Band 41(16QAM Number: 25 Offset: 0) Channel Mid




5MHz BW LTE-Band 41(16QAM Number: 25 Offset: 0) Channel High




10MHz BW LTE-Band 41(16QAM Number: 50 Offset: 0) Channel Low




10MHz BW LTE-Band 41(16QAM Number: 50 Offset: 0) Channel Mid



10MHz BW LTE-Band 41(16QAM Number: 50 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sue sed fined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful to a fforeign may be presented to the fullest extent of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations under the transaction of the content of the foreign and their rights and obligations are referred to the foreign and their rights and obligations are referred to the foreign and their rights and obligations are referred to the forei document is unlawful and offenders may be prosecuted to the fullest extent of the law.






15MHz BW LTE-Band 41(16QAM Number: 75 Offset: 0) Channel Low




15MHz BW LTE-Band 41(16QAM Number: 75 Offset: 0) Channel Mid



15MHz BW LTE-Band 41(16QAM Number: 75 Offset: 0) Channel High




20MHz BW LTE-Band 41(16QAM Number: 100 Offset: 0) Channel Low



20MHz BW LTE-Band 41(16QAM Number: 100 Offset: 0) Channel Mid




20MHz BW LTE-Band 41(16QAM Number: 100 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明・近報告話未性質測域之樣品具質「同時配裝品性保留別元。本現古来陸本座本の音曲計引・不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





LTE-Band 26 for Part 90S 1.4MHz BW LTE-Band 26 (16QAM Number: 6 Offset: 0) Channel Low



1.4MHz BW LTE-Band 26 (16QAM Number: 6 Offset: 0) Channel Mid



1.4MHz BW LTE-Band 26 (16QAM Number: 6 Offset: 0) Channel High




3MHz BW LTE-Band 26 (16QAM Number: 15 Offset: 0) Channel Low




3MHz BW LTE-Band 26 (16QAM Number: 15 Offset: 0) Channel Mid



3MHz BW LTE-Band 26 (16QAM Number: 15 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unplorted to a efforted prove the testers of the full the full to the full the total of the follows the follows the follows the follows the follows the full to the full the full to the full to the full to the full the full to document is unlawful and offenders may be prosecuted to the fullest extent of the law.






5MHz BW LTE-Band 26 (16QAM Number: 25 Offset: 0) Channel Low



5MHz BW LTE-Band 26 (16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 26 (16QAM Number: 25 Offset: 0) Channel High



10MHz BW LTE-Band 26 (16QAM Number: 50 Offset: 0) Channel Mid



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prospected to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號