

承 认 书

SPECIFICATION FOR APPROVAL

客 户 名 称 : _____

CUSTOMER`S NAME

客 户 料 号 : _____

CUSTOMER`S P/N

产 品 规 格 : _____

PRODUCT SPEC

制 作 日 期 : 2022年9月1日

ISSUE DATE

拟制 PREPARED BY	审核 CHECKED BY	批准 APPROVED BY	客户承认 CUSTOMER APPROVE
李蓓	程杰	李博文	



东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

ADD: 533 Fumin Middle Road, Dalang Town, Dongguan City

TEL: 0769-82866410

FAX: 0769-82866409

本承认书请在首批下单生产此机种前回签，否则视为贵方默认此承认书内所有内容

SPECIFICATION FOR APPROVAL

ECN TECHNOLOGY CO., LTD.
FOR APPROVAL

CUSTOMER'S P/N	
PRODUCT SPEC	


东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

SPECIFICATION FOR APPROVAL

CUSTOMER	0	CUSTOMER'S P/N	0
ISSUE DATE	2022年9月1日	PRODUCT SPEC	0

2.DIMENSION:



注:

1. The coil is attached to the magnetic disc and cannot be lifted;
2. Coil surface clean, no dirt;
3. Back with double-sided tape, with handle;

ISSUE BY	李蓓	CHECK BY	程杰	APPROVAL BY	李博文
----------	----	----------	----	-------------	-----


东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO.,LTD

SPECIFICATION FOR APPROVAL

CUSTOMER	0	CUSTOMER'S P/N	0
ISSUE DATE	2022年9月1日	PRODUCT SPEC	0

4.CIRCUIT DIAGRAM



" • " : POLARITY/极性

5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*80P	10	/	CCW

6.CHARACTERISTIC

ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	6.3uH±7%	LCR1062 100KHz/1V AT 25℃±2℃
Q	S-F	42 Min	LCR1062 100KHz/1V AT 25℃±2℃
DCR	S-F	62mΩ Max	LCR1062 1KHz/0.3V AT 25℃±2℃


东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO.,LTD

SPECIFICATION FOR APPROVAL

CUSTOMER	0	CUSTOMER'S P/N	0
ISSUE DATE	2022年9月1日	PRODUCT SPEC	0

7.THE PACKING WAY



1. 珍珠棉规格: 355*235*65mm*20
2. 每格装15pcs, 每盘300pcs;
3. 每箱装5盘;
4. 每箱合计: 1500pcs;


1. Pearl cotton specifications:

355*235*65mm*20;

2. 15pcs per box, 300pcs per plate;

3. Each box contains 5 discs;

4. Total: 1500pcs per box;



东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO.,LTD

SPECIFICATION FOR APPROVAL

CUSTOMER	0	CUSTOMER'S P/N	0
ISSUE DATE	2022年9月1日	PRODUCT SPEC	0

备忘录

序号	内 容	处理方法	签 名	日 期
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				