


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10995.8000	40.20	15.84	56.04	74.00	-17.96	Peak	
2 *	10999.8250	26.02	15.84	41.86	54.00	-12.14	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5581.7000	89.30	18.90	108.20	68.30	39.90	Peak	No Limit
2 *	5581.8000	79.58	18.90	98.48	54.00	44.48	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11159.3500	20.17	16.25	36.42	54.00	-17.58	AVG	
2	11164.8650	32.66	16.26	48.92	74.00	-25.08	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5576.7000	82.08	18.88	100.96	68.30	32.66	Peak	No Limit
2 *	5578.9000	73.31	18.89	92.20	54.00	38.20	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11155.9750	36.93	16.24	53.17	74.00	-20.83	Peak	
2 *	11157.7750	23.00	16.24	39.24	54.00	-14.76	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5699.1000	90.09	19.26	109.35	68.30	41.05	Peak	No Limit
2 *	5701.6000	81.32	19.27	100.59	54.00	46.59	AVG	No Limit
3	5725.0000	37.95	19.34	57.29	68.30	-11.01	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11395.6050	32.85	16.85	49.70	74.00	-24.30	Peak	
2 *	11400.1600	20.17	16.86	37.03	54.00	-16.97	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5699.1000	82.12	19.26	101.38	68.30	33.08	Peak	No Limit
2 *	5699.2000	73.06	19.26	92.32	54.00	38.32	AVG	No Limit
3	5725.0000	35.41	19.34	54.75	68.30	-13.55	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11395.3500	33.05	16.85	49.90	74.00	-24.10	Peak	
2 *	11400.1500	21.51	16.86	38.37	54.00	-15.63	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	38.48	18.53	57.01	74.00	-16.99	Peak	
2	5460.0000	30.01	18.53	48.54	54.00	-5.46	AVG	
3	5470.0000	41.80	18.56	60.36	68.30	-7.94	Peak	
4 *	5511.5000	79.13	18.68	97.81	54.00	43.81	AVG	No Limit
5	5511.7000	88.70	18.68	107.38	68.30	39.08	Peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11015.9950	20.49	15.88	36.37	54.00	-17.63	AVG	
2	11020.2150	31.67	15.89	47.56	74.00	-26.44	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	35.98	18.53	54.51	74.00	-19.49	Peak	
2	5460.0000	28.46	18.53	46.99	54.00	-7.01	AVG	
3	5470.0000	37.79	18.56	56.35	68.30	-11.95	Peak	
4 *	5508.2000	72.34	18.67	91.01	54.00	37.01	AVG	No Limit
5	5508.3000	82.46	18.67	101.13	68.30	32.83	Peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11014.0500	35.07	15.88	50.95	74.00	-23.05	Peak	
2 *	11019.8500	24.89	15.89	40.78	54.00	-13.22	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5545.3000	86.56	18.79	105.35	68.30	37.05	Peak	No Limit
2 *	5546.2000	76.87	18.79	95.66	54.00	41.66	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11096.5800	20.34	16.09	36.43	54.00	-17.57	AVG	
2	11100.3900	31.73	16.10	47.83	74.00	-26.17	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5548.3000	80.95	18.80	99.75	68.30	31.45	Peak	No Limit
2 *	5548.8000	71.62	18.80	90.42	54.00	36.42	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11099.9000	23.94	16.10	40.04	54.00	-13.96	AVG	
2	11107.1500	36.17	16.11	52.28	74.00	-21.72	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5671.6000	79.00	19.18	98.18	54.00	44.18	AVG	No Limit
2	5671.8000	88.79	19.18	107.97	68.30	39.67	Peak	No Limit
3	5725.0000	37.58	19.34	56.92	68.30	-11.38	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.2550	32.17	16.71	48.88	74.00	-25.12	Peak	
2 *	11340.5450	20.18	16.71	36.89	54.00	-17.11	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5675.3000	71.74	19.19	90.93	54.00	36.93	AVG	No Limit
2	5683.9000	80.98	19.22	100.20	68.30	31.90	Peak	No Limit
3	5725.0000	37.48	19.34	56.82	68.30	-11.48	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11338.6500	35.24	16.71	51.95	74.00	-22.05	Peak	
2 *	11340.0000	23.34	16.71	40.05	54.00	-13.95	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5455.4000	41.50	18.52	60.02	74.00	-13.98	Peak	
2	5455.4000	31.86	18.52	50.38	54.00	-3.62	AVG	
3	5460.0000	40.21	18.53	58.74	74.00	-15.26	Peak	
4	5460.0000	30.69	18.53	49.22	54.00	-4.78	AVG	
5	5470.0000	39.85	18.56	58.41	68.30	-9.89	Peak	
6	5517.2000	81.51	18.70	100.21	68.30	31.91	Peak	No Limit
7 *	5524.0000	68.53	18.72	87.25	54.00	33.25	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11058.9450	32.47	15.99	48.46	74.00	-25.54	Peak	
2 *	11058.9450	19.59	15.99	35.58	54.00	-18.42	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.69	18.53	56.22	74.00	-17.78	Peak	
2	5460.0000	29.14	18.53	47.67	54.00	-6.33	AVG	
3	5470.0000	37.40	18.56	55.96	68.30	-12.34	Peak	
4	5509.0000	78.61	18.67	97.28	68.30	28.98	Peak	No Limit
5 *	5526.6000	65.53	18.73	84.26	54.00	30.26	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11040.6500	37.74	15.94	53.68	74.00	-20.32	Peak	
2 *	11060.4500	24.73	15.99	40.72	54.00	-13.28	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5607.2000	83.81	18.98	102.79	68.30	34.49	Peak	No Limit
2 *	5613.4000	70.58	19.00	89.58	54.00	35.58	AVG	No Limit
3	5725.0000	39.02	19.34	58.36	68.30	-9.94	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11216.6750	20.25	16.39	36.64	54.00	-17.36	AVG	
2	11219.5800	32.01	16.40	48.41	74.00	-25.59	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5607.2000	79.54	18.98	98.52	68.30	30.22	Peak	No Limit
2 *	5613.4000	66.16	19.00	85.16	54.00	31.16	AVG	No Limit
3	5725.0000	38.62	19.34	57.96	68.30	-10.34	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11218.9500	36.53	16.40	52.93	74.00	-21.07	Peak	
2 *	11220.3000	23.53	16.40	39.93	54.00	-14.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	36.24	19.32	55.56	109.40	-53.84	peak	
2		5725.000	37.55	19.35	56.90	122.20	-65.30	peak	
3	*	5742.700	89.37	19.40	108.77	122.20	-13.43	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11485.2650	20.58	17.08	37.66	54.00	-16.34	AVG	
2	11493.7850	32.45	17.10	49.55	74.00	-24.45	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	35.87	19.32	55.19	109.40	-54.21	peak	
2		5725.000	34.50	19.35	53.85	122.20	-68.35	peak	
3	*	5744.700	84.25	19.41	103.66	122.20	-18.54	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.0250	23.31	17.09	40.40	54.00	-13.60	AVG	
2	11491.0500	35.70	17.10	52.80	74.00	-21.20	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5783.500	90.69	19.53	110.22	122.20	-11.98	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11568.0300	32.49	17.22	49.71	74.00	-24.29	Peak	
2 *	11571.0500	20.34	17.22	37.56	54.00	-16.44	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5784.200	85.36	19.53	104.89	122.20	-17.31	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11570.4000	23.39	17.22	40.61	54.00	-13.39	AVG	
2	11571.4000	35.31	17.22	52.53	74.00	-21.47	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5822.400	88.81	19.64	108.45	122.20	-13.75	peak	No Limit
2		5850.000	38.48	19.73	58.21	122.20	-63.99	peak	
3		5860.000	36.08	19.76	55.84	109.40	-53.56	peak	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11646.3200	19.87	17.33	37.20	54.00	-16.80	AVG	
2	11654.2900	31.99	17.34	49.33	74.00	-24.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5826.200	83.49	19.66	103.15	122.20	-19.05	peak	No Limit
2		5850.000	38.90	19.73	58.63	122.20	-63.57	peak	
3		5860.000	35.94	19.76	55.70	109.40	-53.70	peak	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11646.9500	34.23	17.33	51.56	74.00	-22.44	Peak	
2 *	11650.0500	23.33	17.33	40.66	54.00	-13.34	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	41.77	19.32	61.09	109.40	-48.31	peak	
2		5725.000	41.52	19.35	60.87	122.20	-61.33	peak	
3	*	5752.200	89.29	19.44	108.73	122.20	-13.47	peak	No Limit

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11507.9650	20.35	17.13	37.48	54.00	-16.52	AVG	
2	11512.8650	32.93	17.14	50.07	74.00	-23.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5715.000	36.27	19.32	55.59	109.40	-53.81	peak	
2		5725.000	39.09	19.35	58.44	122.20	-63.76	peak	
3 *		5756.900	82.11	19.45	101.56	122.20	-20.64	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11505.1750	33.48	17.13	50.61	74.00	-23.39	Peak	
2 *	11509.9000	22.14	17.13	39.27	54.00	-14.73	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5792.600	86.60	19.55	106.15	122.20	-16.05	peak	No Limit
2		5850.000	39.89	19.73	59.62	122.20	-62.58	peak	
3		5860.000	37.93	19.76	57.69	109.40	-51.71	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11588.7600	20.37	17.25	37.62	54.00	-16.38	AVG	
2	11589.7500	32.59	17.25	49.84	74.00	-24.16	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5793.300	82.84	19.55	102.39	122.20	-19.81	peak	No Limit
2		5850.000	38.03	19.73	57.76	122.20	-64.44	peak	
3		5860.000	37.61	19.76	57.37	109.40	-52.03	peak	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.2500	22.75	17.25	40.00	54.00	-14.00	AVG	
2	11590.5000	33.54	17.25	50.79	74.00	-23.21	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	41.10	19.32	60.42	109.40	-48.98	peak	
2		5725.000	46.49	19.35	65.84	122.20	-56.36	peak	
3	*	5780.000	85.79	19.51	105.30	122.20	-16.90	peak	No Limit
4		5850.000	42.59	19.73	62.32	122.20	-59.88	peak	
5		5860.000	42.99	19.76	62.75	109.40	-46.65	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11518.7500	32.32	17.15	49.47	74.00	-24.53	Peak	
2 *	11538.7500	20.52	17.18	37.70	54.00	-16.30	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	39.41	19.32	58.73	109.40	-50.67	peak	
2		5725.000	37.12	19.35	56.47	122.20	-65.73	peak	
3	*	5778.600	81.24	19.51	100.75	122.20	-21.45	peak	No Limit
4		5850.000	37.64	19.73	57.37	122.20	-64.83	peak	
5		5860.000	38.41	19.76	58.17	109.40	-51.23	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.4500	21.98	17.19	39.17	54.00	-14.83	AVG	
2	11569.2500	34.50	17.22	51.72	74.00	-22.28	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.15	17.00
40	5200	20.25	17.00
48	5240	20.19	17.00

CH36




Date: 8.FEB.2021 15:21:18

CH40
26 dB Bandwidth




Date: 8.FEB.2021 15:23:09

CH48




Date: 8.FEB.2021 15:24:22


99 % Emission Bandwidth



Date: 8.FEB.2021 15:20:38



Date: 8.FEB.2021 15:22:29




Date: 8.FEB.2021 15:23:41

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.59	17.80
40	5200	20.59	17.80
48	5240	20.60	17.80

CH36




Date: 8.FEB.2021 15:48:57

CH40
26 dB Bandwidth




Date: 8.FEB.2021 15:52:24

CH48




Date: 8.FEB.2021 15:54:40


99 % Emission Bandwidth



Date: 8.FEB.2021 15:48:17



Date: 8.FEB.2021 15:51:43




Date: 8.FEB.2021 15:54:00

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.10	36.6
46	5230	39.90	36.8

CH38




Date: 30.JAN.2021 17:13:19

CH46
26 dB Bandwidth




Date: 30.JAN.2021 17:14:51

99 % Emission Bandwidth



Date: 30.JAN.2021 17:12:25




Date: 30.JAN.2021 17:14:10

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.09	16.90
60	5300	20.20	16.90
64	5320	20.16	16.90

CH52




Date: 8.FEB.2021 15:26:07

CH60
26 dB Bandwidth




Date: 8.FEB.2021 15:27:52

CH64




Date: 8.FEB.2021 15:29:28


99 % Emission Bandwidth



Date: 8.FEB.2021 15:25:25



Date: 8.FEB.2021 15:27:12




Date: 8.FEB.2021 15:28:48

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.50	17.80
60	5300	20.65	17.80
64	5320	20.55	17.80

CH52




Date: 8.FEB.2021 15:58:02

CH60
26 dB Bandwidth




Date: 8.FEB.2021 15:59:16

CH64




Date: 8.FEB.2021 16:00:48


99 % Emission Bandwidth



Date: 8.FEB.2021 15:57:21



Date: 8.FEB.2021 15:58:36




Date: 8.FEB.2021 16:00:07

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.80	36.40
62	5310	39.91	36.40

CH54




Date: 30.JAN.2021 17:19:08

CH62
26 dB Bandwidth




Date: 30.JAN.2021 17:21:09

99 % Emission Bandwidth



Date: 30.JAN.2021 17:18:14




Date: 30.JAN.2021 17:20:17

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.25	16.90
116	5580	20.15	16.90
140	5700	20.25	16.90

CH100




Date: 8.FEB.2021 15:31:30

CH116
26 dB Bandwidth




Date: 8.FEB.2021 15:34:52

CH140




Date: 8.FEB.2021 15:36:55


99 % Emission Bandwidth



Date: 8.FEB.2021 15:30:50



Date: 8.FEB.2021 15:34:11




Date: 8.FEB.2021 15:36:15

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.56	17.80
116	5580	20.59	17.80
140	5700	20.65	17.80

CH100




Date: 8.FEB.2021 16:02:23

CH116
26 dB Bandwidth




Date: 8.FEB.2021 16:03:51

CH140




Date: 8.FEB.2021 16:07:15


99 % Emission Bandwidth



Date: 8.FEB.2021 16:01:43



Date: 8.FEB.2021 16:03:11




Date: 8.FEB.2021 16:06:36

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.95	17.80	500	Complies
157	5785	17.09	17.80	500	Complies
165	5825	16.90	17.80	500	Complies

CH149




Date: 30.JAN.2021 15:35:15

CH157
6 dB Bandwidth




Date: 30.JAN.2021 15:37:58

CH165




Date: 30.JAN.2021 15:40:04


99 % Emission Bandwidth



Date: 30.JAN.2021 15:34:30



Date: 30.JAN.2021 15:37:14




Date: 30.JAN.2021 15:39:19

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.09	17.80	500	Complies
157	5785	17.05	17.80	500	Complies
165	5825	17.09	17.80	500	Complies

CH149




Date: 30.JAN.2021 16:20:43

CH157
6 dB Bandwidth




Date: 30.JAN.2021 16:27:35

CH165




Date: 30.JAN.2021 16:29:10


99 % Emission Bandwidth



Date: 30.JAN.2021 16:19:58



Date: 30.JAN.2021 16:26:51




Date: 30.JAN.2021 16:28:24

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.50	36.60	500	Complies
159	5795	35.40	36.40	500	Complies

CH151




Date: 30.JAN.2021 17:34:08

CH159
6 dB Bandwidth




Date: 30.JAN.2021 17:36:59

99 % Emission Bandwidth



Date: 30.JAN.2021 17:33:10




Date: 30.JAN.2021 17:36:00

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.10	36.40
46	5230	40.19	36.40

CH38




Date: 30.JAN.2021 17:39:12

CH46
26 dB Bandwidth




Date: 30.JAN.2021 17:41:22

99 % Emission Bandwidth



Date: 30.JAN.2021 17:38:18




Date: 30.JAN.2021 17:40:40

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.00	75.60

CH42 26 dB Bandwidth



Date: 30.JAN.2021 18:02:03

99 % Emission Bandwidth




Date: 30.JAN.2021 18:01:12

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.59	17.80
60	5300	20.60	17.80
64	5320	20.55	17.80

CH52




Date: 8.FEB.2021 16:20:34

CH60
26 dB Bandwidth




Date: 8.FEB.2021 16:21:57

CH64




Date: 8.FEB.2021 16:23:21


99 % Emission Bandwidth



Date: 8.FEB.2021 16:19:52



Date: 8.FEB.2021 16:21:18




Date: 8.FEB.2021 16:22:40

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	40.00	36.40
62	5310	40.10	36.40

CH54




Date: 30.JAN.2021 17:44:04

CH62
26 dB Bandwidth




Date: 30.JAN.2021 17:47:58

99 % Emission Bandwidth



Date: 30.JAN.2021 17:43:10




Date: 30.JAN.2021 17:47:07

Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.40	75.60

CH58
26 dB Bandwidth



Date: 30.JAN.2021 18:04:48

99 % Emission Bandwidth




Date: 30.JAN.2021 18:03:52

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.50	17.80
116	5580	20.55	17.80
140	5700	20.60	17.80

CH100




Date: 8.FEB.2021 16:24:56

CH116
26 dB Bandwidth




Date: 8.FEB.2021 16:26:41

CH140




Date: 8.FEB.2021 16:28:13


99 % Emission Bandwidth



Date: 8.FEB.2021 16:24:16



Date: 8.FEB.2021 16:26:00




Date: 8.FEB.2021 16:27:33

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.80	36.40
110	5550	39.90	36.40
134	5670	40.10	36.40

CH102




Date: 30.JAN.2021 17:49:45

CH110
26 dB Bandwidth




Date: 30.JAN.2021 17:52:21

CH134




Date: 30.JAN.2021 17:53:59


99 % Emission Bandwidth



Date: 30.JAN.2021 17:49:48



Date: 30.JAN.2021 17:52:26



Date: 30.JAN.2021 17:53:06