









Mode	35																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full RU_5825MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>56.07</td><td>38.49</td><td>16.23</td><td>65.37</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.42	74.00	-28.58	56.07	38.49	16.23	65.37	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>57.48</td><td>38.49</td><td>16.23</td><td>65.37</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.83	74.00	-27.17	57.48	38.49	16.23	65.37	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	45.42	74.00	-28.58	56.07	38.49	16.23	65.37	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	46.83	74.00	-27.17	57.48	38.49	16.23	65.37	0.00	100	0	PEAK																																																																																								






Mode	36																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full RU_5755MHz																																																																																																																																										
ANT	8																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.95</td><td>57.86</td><td>68.30</td><td>-10.44</td><td>41.81</td><td>34.62</td><td>11.20</td><td>29.77</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5650.92</td><td>56.43</td><td>68.99</td><td>-12.56</td><td>40.28</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>5705.02</td><td>68.87</td><td>106.71</td><td>-37.84</td><td>52.59</td><td>34.79</td><td>11.29</td><td>29.80</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>5722.53</td><td>71.56</td><td>116.68</td><td>-45.12</td><td>55.22</td><td>34.83</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5612.95	57.86	68.30	-10.44	41.81	34.62	11.20	29.77	0.00	100	244	PEAK	2	5650.92	56.43	68.99	-12.56	40.28	34.69	11.24	29.78	0.00	100	244	PEAK	3	5705.02	68.87	106.71	-37.84	52.59	34.79	11.29	29.80	0.00	100	244	PEAK	4	5722.53	71.56	116.68	-45.12	55.22	34.83	11.30	29.79	0.00	100	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.09</td><td>-----</td><td>-----</td><td>88.63</td><td>34.90</td><td>11.34</td><td>29.78</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.09	-----	-----	88.63	34.90	11.34	29.78	0.00	100	244	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5612.95	57.86	68.30	-10.44	41.81	34.62	11.20	29.77	0.00	100	244	PEAK																																																																																																																															
2	5650.92	56.43	68.99	-12.56	40.28	34.69	11.24	29.78	0.00	100	244	PEAK																																																																																																																															
3	5705.02	68.87	106.71	-37.84	52.59	34.79	11.29	29.80	0.00	100	244	PEAK																																																																																																																															
4	5722.53	71.56	116.68	-45.12	55.22	34.83	11.30	29.79	0.00	100	244	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	105.09	-----	-----	88.63	34.90	11.34	29.78	0.00	100	244	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.03</td><td>-----</td><td>-----</td><td>79.60</td><td>34.89</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	96.03	-----	-----	79.60	34.89	11.33	29.79	0.00	100	244	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	96.03	-----	-----	79.60	34.89	11.33	29.79	0.00	100	244	AVERAGE																																																																																																																															




Mode	36																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full RU_5755MHz																																																																																														
ANT	8																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.97</td><td>57.42</td><td>113.25</td><td>-55.83</td><td>40.70</td><td>35.00</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5874.83</td><td>57.66</td><td>105.35</td><td>-47.69</td><td>40.90</td><td>35.11</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>5924.56</td><td>56.47</td><td>68.62</td><td>-12.15</td><td>39.63</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>5944.04</td><td>57.54</td><td>68.30</td><td>-10.76</td><td>40.67</td><td>35.22</td><td>11.49</td><td>29.84</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.97	57.42	113.25	-55.83	40.70	35.00	11.43	29.79	0.00	100	244	PEAK	2	5874.83	57.66	105.35	-47.69	40.90	35.11	11.44	29.79	0.00	100	244	PEAK	3	5924.56	56.47	68.62	-12.15	39.63	35.19	11.47	29.82	0.00	100	244	PEAK	4	5944.04	57.54	68.30	-10.76	40.67	35.22	11.49	29.84	0.00	100	244	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5853.97	57.42	113.25	-55.83	40.70	35.00	11.43	29.79	0.00	100	244	PEAK																																																																																			
2	5874.83	57.66	105.35	-47.69	40.90	35.11	11.44	29.79	0.00	100	244	PEAK																																																																																			
3	5924.56	56.47	68.62	-12.15	39.63	35.19	11.47	29.82	0.00	100	244	PEAK																																																																																			
4	5944.04	57.54	68.30	-10.76	40.67	35.22	11.49	29.84	0.00	100	244	PEAK																																																																																			





Mode	36																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full RU_5755MHz																																																																																																																																			
ANT	8																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5755 MHz. The plot shows a rising red line for 5G BAND 4 and a blue line for the measured signal with four peaks marked by vertical blue lines. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5639.76</td><td>56.65</td><td>68.30</td><td>-11.65</td><td>40.53</td><td>34.67</td><td>11.23</td><td>29.78</td><td>0.00</td><td>300</td><td>89 PEAK</td></tr><tr><td>2 5650.15</td><td>52.95</td><td>68.41</td><td>-15.46</td><td>36.80</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>300</td><td>89 PEAK</td></tr><tr><td>3 5705.33</td><td>63.42</td><td>106.79</td><td>-43.37</td><td>47.14</td><td>34.79</td><td>11.29</td><td>29.80</td><td>0.00</td><td>300</td><td>89 PEAK</td></tr><tr><td>4 5720.05</td><td>62.93</td><td>111.02</td><td>-48.09</td><td>46.60</td><td>34.82</td><td>11.30</td><td>29.79</td><td>0.00</td><td>300</td><td>89 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5639.76	56.65	68.30	-11.65	40.53	34.67	11.23	29.78	0.00	300	89 PEAK	2 5650.15	52.95	68.41	-15.46	36.80	34.69	11.24	29.78	0.00	300	89 PEAK	3 5705.33	63.42	106.79	-43.37	47.14	34.79	11.29	29.80	0.00	300	89 PEAK	4 5720.05	62.93	111.02	-48.09	46.60	34.82	11.30	29.79	0.00	300	89 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for 5G BAND 4 and a blue line for the measured signal with a single sharp peak at 5800 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>100.64</td><td>-----</td><td>-----</td><td>84.21</td><td>34.89</td><td>11.33</td><td>29.79</td><td>0.00</td><td>300</td><td>89 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	100.64	-----	-----	84.21	34.89	11.33	29.79	0.00	300	89 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5639.76	56.65	68.30	-11.65	40.53	34.67	11.23	29.78	0.00	300	89 PEAK																																																																																																																										
2 5650.15	52.95	68.41	-15.46	36.80	34.69	11.24	29.78	0.00	300	89 PEAK																																																																																																																										
3 5705.33	63.42	106.79	-43.37	47.14	34.79	11.29	29.80	0.00	300	89 PEAK																																																																																																																										
4 5720.05	62.93	111.02	-48.09	46.60	34.82	11.30	29.79	0.00	300	89 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	100.64	-----	-----	84.21	34.89	11.33	29.79	0.00	300	89 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for 5G BAND 4(AVG) and a blue line for the averaged measured signal with a single sharp peak at 5800 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>91.71</td><td>-----</td><td>-----</td><td>75.28</td><td>34.89</td><td>11.33</td><td>29.79</td><td>0.00</td><td>300</td><td>89 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	91.71	-----	-----	75.28	34.89	11.33	29.79	0.00	300	89 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	91.71	-----	-----	75.28	34.89	11.33	29.79	0.00	300	89 AVERAGE																																																																																																																										






Mode	36																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full RU_5755MHz																																																																																													
ANT	8																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.55</td><td>55.82</td><td>111.92</td><td>-56.10</td><td>39.10</td><td>35.08</td><td>11.43</td><td>29.79</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr><tr><td>2</td><td>5873.66</td><td>57.16</td><td>105.67</td><td>-48.51</td><td>40.40</td><td>35.11</td><td>11.44</td><td>29.79</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>5924.17</td><td>55.00</td><td>68.91</td><td>-13.91</td><td>38.16</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr><tr><td>4</td><td>5926.51</td><td>58.13</td><td>68.30</td><td>-10.17</td><td>41.28</td><td>35.19</td><td>11.48</td><td>29.82</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.55	55.82	111.92	-56.10	39.10	35.08	11.43	29.79	0.00	300	89	PEAK	2	5873.66	57.16	105.67	-48.51	40.40	35.11	11.44	29.79	0.00	300	89	PEAK	3	5924.17	55.00	68.91	-13.91	38.16	35.19	11.47	29.82	0.00	300	89	PEAK	4	5926.51	58.13	68.30	-10.17	41.28	35.19	11.48	29.82	0.00	300	89	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.55	55.82	111.92	-56.10	39.10	35.08	11.43	29.79	0.00	300	89	PEAK																																																																																		
2	5873.66	57.16	105.67	-48.51	40.40	35.11	11.44	29.79	0.00	300	89	PEAK																																																																																		
3	5924.17	55.00	68.91	-13.91	38.16	35.19	11.47	29.82	0.00	300	89	PEAK																																																																																		
4	5926.51	58.13	68.30	-10.17	41.28	35.19	11.48	29.82	0.00	300	89	PEAK																																																																																		




Mode	36																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full RU_5755MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>56.80</td><td>38.41</td><td>16.15</td><td>65.44</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.92	74.00	-28.08	56.80	38.41	16.15	65.44	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>56.26</td><td>38.41</td><td>16.15</td><td>65.44</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.38	74.00	-28.62	56.26	38.41	16.15	65.44	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11510.00	45.92	74.00	-28.08	56.80	38.41	16.15	65.44	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11510.00	45.38	74.00	-28.62	56.26	38.41	16.15	65.44	0.00	100	0	PEAK																																																																																								






Mode	37																																																																																																																																											
	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz																																																																																																																																											
ANT	8																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.54</td><td>58.43</td><td>68.30</td><td>-9.87</td><td>42.32</td><td>34.67</td><td>11.22</td><td>29.78</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>55.98</td><td>69.04</td><td>-13.06</td><td>39.83</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5700.33</td><td>56.26</td><td>105.39</td><td>-49.13</td><td>40.00</td><td>34.78</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5720.81</td><td>60.85</td><td>112.75</td><td>-51.90</td><td>44.51</td><td>34.83</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.54	58.43	68.30	-9.87	42.32	34.67	11.22	29.78	0.00	100	242	PEAK	2	5651.00	55.98	69.04	-13.06	39.83	34.69	11.24	29.78	0.00	100	242	PEAK	3	5700.33	56.26	105.39	-49.13	40.00	34.78	11.28	29.80	0.00	100	242	PEAK	4	5720.81	60.85	112.75	-51.90	44.51	34.83	11.30	29.79	0.00	100	242	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.91</td><td>-----</td><td>-----</td><td>88.32</td><td>34.98</td><td>11.38</td><td>29.77</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.91	-----	-----	88.32	34.98	11.38	29.77	0.00	100	242	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5637.54	58.43	68.30	-9.87	42.32	34.67	11.22	29.78	0.00	100	242	PEAK																																																																																																																																
2	5651.00	55.98	69.04	-13.06	39.83	34.69	11.24	29.78	0.00	100	242	PEAK																																																																																																																																
3	5700.33	56.26	105.39	-49.13	40.00	34.78	11.28	29.80	0.00	100	242	PEAK																																																																																																																																
4	5720.81	60.85	112.75	-51.90	44.51	34.83	11.30	29.79	0.00	100	242	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	104.91	-----	-----	88.32	34.98	11.38	29.77	0.00	100	242	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.85</td><td>-----</td><td>-----</td><td>79.26</td><td>34.98</td><td>11.38</td><td>29.77</td><td>0.00</td><td>100</td><td>242</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.85	-----	-----	79.26	34.98	11.38	29.77	0.00	100	242	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	95.85	-----	-----	79.26	34.98	11.38	29.77	0.00	100	242	AVERAGE																																																																																																																																




Mode	37																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz																																																																																														
ANT	8																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.91</td><td>59.53</td><td>111.10</td><td>-51.57</td><td>42.81</td><td>35.08</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5864.68</td><td>63.28</td><td>108.19</td><td>-44.91</td><td>46.53</td><td>35.10</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5924.20</td><td>59.31</td><td>68.89</td><td>-9.58</td><td>42.47</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5926.06</td><td>57.66</td><td>68.30</td><td>-10.64</td><td>40.81</td><td>35.19</td><td>11.48</td><td>29.82</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.91	59.53	111.10	-51.57	42.81	35.08	11.43	29.79	0.00	100	242	PEAK	2	5864.68	63.28	108.19	-44.91	46.53	35.10	11.44	29.79	0.00	100	242	PEAK	3	5924.20	59.31	68.89	-9.58	42.47	35.19	11.47	29.82	0.00	100	242	PEAK	4	5926.06	57.66	68.30	-10.64	40.81	35.19	11.48	29.82	0.00	100	242	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.91	59.53	111.10	-51.57	42.81	35.08	11.43	29.79	0.00	100	242	PEAK																																																																																			
2	5864.68	63.28	108.19	-44.91	46.53	35.10	11.44	29.79	0.00	100	242	PEAK																																																																																			
3	5924.20	59.31	68.89	-9.58	42.47	35.19	11.47	29.82	0.00	100	242	PEAK																																																																																			
4	5926.06	57.66	68.30	-10.64	40.81	35.19	11.48	29.82	0.00	100	242	PEAK																																																																																			





Mode	37																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz																																																																																																																																			
ANT	8																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.98</td><td>56.83</td><td>68.30</td><td>-11.47</td><td>40.72</td><td>34.66</td><td>11.22</td><td>29.77</td><td>0.00</td><td>314 86 PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>54.90</td><td>68.75</td><td>-13.85</td><td>38.75</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>314 86 PEAK</td></tr><tr><td>3</td><td>5709.89</td><td>57.37</td><td>108.07</td><td>-50.70</td><td>41.08</td><td>34.80</td><td>11.29</td><td>29.80</td><td>0.00</td><td>314 86 PEAK</td></tr><tr><td>4</td><td>5720.03</td><td>55.63</td><td>110.97</td><td>-55.34</td><td>39.30</td><td>34.82</td><td>11.30</td><td>29.79</td><td>0.00</td><td>314 86 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.98	56.83	68.30	-11.47	40.72	34.66	11.22	29.77	0.00	314 86 PEAK	2	5650.61	54.90	68.75	-13.85	38.75	34.69	11.24	29.78	0.00	314 86 PEAK	3	5709.89	57.37	108.07	-50.70	41.08	34.80	11.29	29.80	0.00	314 86 PEAK	4	5720.03	55.63	110.97	-55.34	39.30	34.82	11.30	29.79	0.00	314 86 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.32</td><td>-----</td><td>-----</td><td>83.71</td><td>34.99</td><td>11.39</td><td>29.77</td><td>0.00</td><td>314 86 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.32	-----	-----	83.71	34.99	11.39	29.77	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5635.98	56.83	68.30	-11.47	40.72	34.66	11.22	29.77	0.00	314 86 PEAK																																																																																																																										
2	5650.61	54.90	68.75	-13.85	38.75	34.69	11.24	29.78	0.00	314 86 PEAK																																																																																																																										
3	5709.89	57.37	108.07	-50.70	41.08	34.80	11.29	29.80	0.00	314 86 PEAK																																																																																																																										
4	5720.03	55.63	110.97	-55.34	39.30	34.82	11.30	29.79	0.00	314 86 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5795.00	100.32	-----	-----	83.71	34.99	11.39	29.77	0.00	314 86 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>91.24</td><td>-----</td><td>-----</td><td>74.63</td><td>34.99</td><td>11.39</td><td>29.77</td><td>0.00</td><td>314 86 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	91.24	-----	-----	74.63	34.99	11.39	29.77	0.00	314 86 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5795.00	91.24	-----	-----	74.63	34.99	11.39	29.77	0.00	314 86 AVERAGE																																																																																																																										





Mode	37																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz																																																																																
ANT	8																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.91</td><td>56.00</td><td>111.10</td><td>-55.10</td><td>39.28</td><td>35.00</td><td>11.43</td><td>29.79</td><td>0.00</td><td>314</td><td>06 PEAK</td></tr><tr><td>2</td><td>5874.29</td><td>57.67</td><td>105.50</td><td>-47.83</td><td>40.91</td><td>35.11</td><td>11.44</td><td>29.79</td><td>0.00</td><td>314</td><td>06 PEAK</td></tr><tr><td>3</td><td>5924.04</td><td>55.97</td><td>69.01</td><td>-13.04</td><td>39.13</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>314</td><td>06 PEAK</td></tr><tr><td>4</td><td>5933.19</td><td>56.76</td><td>68.30</td><td>-11.54</td><td>39.91</td><td>35.20</td><td>11.48</td><td>29.83</td><td>0.00</td><td>314</td><td>06 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.91	56.00	111.10	-55.10	39.28	35.00	11.43	29.79	0.00	314	06 PEAK	2	5874.29	57.67	105.50	-47.83	40.91	35.11	11.44	29.79	0.00	314	06 PEAK	3	5924.04	55.97	69.01	-13.04	39.13	35.19	11.47	29.82	0.00	314	06 PEAK	4	5933.19	56.76	68.30	-11.54	39.91	35.20	11.48	29.83	0.00	314	06 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.91	56.00	111.10	-55.10	39.28	35.00	11.43	29.79	0.00	314	06 PEAK																																																																						
2	5874.29	57.67	105.50	-47.83	40.91	35.11	11.44	29.79	0.00	314	06 PEAK																																																																						
3	5924.04	55.97	69.01	-13.04	39.13	35.19	11.47	29.82	0.00	314	06 PEAK																																																																						
4	5933.19	56.76	68.30	-11.54	39.91	35.20	11.48	29.83	0.00	314	06 PEAK																																																																						




Mode	37																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>56.12</td><td>38.45</td><td>16.19</td><td>65.40</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.36	74.00	-28.64	56.12	38.45	16.19	65.40	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>56.11</td><td>38.45</td><td>16.19</td><td>65.40</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.35	74.00	-28.65	56.11	38.45	16.19	65.40	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	45.36	74.00	-28.64	56.12	38.45	16.19	65.40	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	45.35	74.00	-28.65	56.11	38.45	16.19	65.40	0.00	100	0	PEAK																																																																																								






Mode	38																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																											
ANT	8																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5627.92</td><td>57.08</td><td>68.30</td><td>-11.22</td><td>40.98</td><td>34.65</td><td>11.22</td><td>29.77</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>2</td><td>5650.14</td><td>54.86</td><td>68.41</td><td>-13.55</td><td>38.71</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>3</td><td>5700.54</td><td>59.82</td><td>105.45</td><td>-45.63</td><td>43.56</td><td>34.78</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>4</td><td>5720.14</td><td>57.53</td><td>111.23</td><td>-53.70</td><td>41.20</td><td>34.82</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.92	57.08	68.30	-11.22	40.98	34.65	11.22	29.77	0.00	100	202 PEAK	2	5650.14	54.86	68.41	-13.55	38.71	34.69	11.24	29.78	0.00	100	202 PEAK	3	5700.54	59.82	105.45	-45.63	43.56	34.78	11.28	29.80	0.00	100	202 PEAK	4	5720.14	57.53	111.23	-53.70	41.20	34.82	11.30	29.79	0.00	100	202 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5627.92	57.08	68.30	-11.22	40.98	34.65	11.22	29.77	0.00	100	202 PEAK																																																																																	
2	5650.14	54.86	68.41	-13.55	38.71	34.69	11.24	29.78	0.00	100	202 PEAK																																																																																	
3	5700.54	59.82	105.45	-45.63	43.56	34.78	11.28	29.80	0.00	100	202 PEAK																																																																																	
4	5720.14	57.53	111.23	-53.70	41.20	34.82	11.30	29.79	0.00	100	202 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>85.64</td><td>-----</td><td>-----</td><td>69.10</td><td>34.95</td><td>11.37</td><td>29.78</td><td>0.00</td><td>100</td><td>202 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	85.64	-----	-----	69.10	34.95	11.37	29.78	0.00	100	202 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5775.00	85.64	-----	-----	69.10	34.95	11.37	29.78	0.00	100	202 AVERAGE																																																																																	




Mode	38																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																														
ANT	8																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.89</td><td>56.45</td><td>111.14</td><td>-54.69</td><td>39.73</td><td>35.08</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>5873.79</td><td>57.69</td><td>105.64</td><td>-47.95</td><td>40.93</td><td>35.11</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr><tr><td>3</td><td>5924.19</td><td>55.70</td><td>68.89</td><td>-13.19</td><td>38.86</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr><tr><td>4</td><td>5932.59</td><td>58.15</td><td>68.30</td><td>-10.15</td><td>41.30</td><td>35.20</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.89	56.45	111.14	-54.69	39.73	35.08	11.43	29.79	0.00	100	202	PEAK	2	5873.79	57.69	105.64	-47.95	40.93	35.11	11.44	29.79	0.00	100	202	PEAK	3	5924.19	55.70	68.89	-13.19	38.86	35.19	11.47	29.82	0.00	100	202	PEAK	4	5932.59	58.15	68.30	-10.15	41.30	35.20	11.48	29.83	0.00	100	202	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.89	56.45	111.14	-54.69	39.73	35.08	11.43	29.79	0.00	100	202	PEAK																																																																																			
2	5873.79	57.69	105.64	-47.95	40.93	35.11	11.44	29.79	0.00	100	202	PEAK																																																																																			
3	5924.19	55.70	68.89	-13.19	38.86	35.19	11.47	29.82	0.00	100	202	PEAK																																																																																			
4	5932.59	58.15	68.30	-10.15	41.30	35.20	11.48	29.83	0.00	100	202	PEAK																																																																																			





Mode	38																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																																																																		
ANT	8																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.12</td><td>56.61</td><td>68.30</td><td>-11.69</td><td>40.50</td><td>34.66</td><td>11.22</td><td>29.77</td><td>0.00</td><td>112</td><td>144 PEAK</td></tr><tr><td>2 5651.19</td><td>55.08</td><td>69.19</td><td>-14.11</td><td>38.93</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>112</td><td>144 PEAK</td></tr><tr><td>3 5701.42</td><td>55.28</td><td>105.70</td><td>-50.42</td><td>39.02</td><td>34.78</td><td>11.28</td><td>29.80</td><td>0.00</td><td>112</td><td>144 PEAK</td></tr><tr><td>4 5720.00</td><td>55.43</td><td>110.91</td><td>-55.48</td><td>39.10</td><td>34.82</td><td>11.30</td><td>29.79</td><td>0.00</td><td>112</td><td>144 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.12	56.61	68.30	-11.69	40.50	34.66	11.22	29.77	0.00	112	144 PEAK	2 5651.19	55.08	69.19	-14.11	38.93	34.69	11.24	29.78	0.00	112	144 PEAK	3 5701.42	55.28	105.70	-50.42	39.02	34.78	11.28	29.80	0.00	112	144 PEAK	4 5720.00	55.43	110.91	-55.48	39.10	34.82	11.30	29.79	0.00	112	144 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>86.27</td><td>-----</td><td>-----</td><td>69.73</td><td>34.95</td><td>11.37</td><td>29.78</td><td>0.00</td><td>112</td><td>144 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	86.27	-----	-----	69.73	34.95	11.37	29.78	0.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5632.12	56.61	68.30	-11.69	40.50	34.66	11.22	29.77	0.00	112	144 PEAK																																																																																																																									
2 5651.19	55.08	69.19	-14.11	38.93	34.69	11.24	29.78	0.00	112	144 PEAK																																																																																																																									
3 5701.42	55.28	105.70	-50.42	39.02	34.78	11.28	29.80	0.00	112	144 PEAK																																																																																																																									
4 5720.00	55.43	110.91	-55.48	39.10	34.82	11.30	29.79	0.00	112	144 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	86.27	-----	-----	69.73	34.95	11.37	29.78	0.00	112	144 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>76.58</td><td>-----</td><td>-----</td><td>60.04</td><td>34.95</td><td>11.37</td><td>29.78</td><td>0.00</td><td>112</td><td>144 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	76.58	-----	-----	60.04	34.95	11.37	29.78	0.00	112	144 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	76.58	-----	-----	60.04	34.95	11.37	29.78	0.00	112	144 AVERAGE																																																																																																																									



Mode	38																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																														
ANT	8																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.88</td><td>54.69</td><td>111.17</td><td>-56.48</td><td>37.97</td><td>35.08</td><td>11.43</td><td>29.79</td><td>0.00</td><td>112</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>5871.17</td><td>56.95</td><td>106.37</td><td>-49.42</td><td>40.19</td><td>35.11</td><td>11.44</td><td>29.79</td><td>0.00</td><td>112</td><td>144</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.98</td><td>68.30</td><td>-12.32</td><td>39.13</td><td>35.19</td><td>11.48</td><td>29.82</td><td>0.00</td><td>112</td><td>144</td><td>PEAK</td></tr><tr><td>4</td><td>5931.72</td><td>57.37</td><td>68.30</td><td>-10.93</td><td>40.52</td><td>35.20</td><td>11.48</td><td>29.83</td><td>0.00</td><td>112</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	54.69	111.17	-56.48	37.97	35.08	11.43	29.79	0.00	112	144	PEAK	2	5871.17	56.95	106.37	-49.42	40.19	35.11	11.44	29.79	0.00	112	144	PEAK	3	5925.00	55.98	68.30	-12.32	39.13	35.19	11.48	29.82	0.00	112	144	PEAK	4	5931.72	57.37	68.30	-10.93	40.52	35.20	11.48	29.83	0.00	112	144	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.88	54.69	111.17	-56.48	37.97	35.08	11.43	29.79	0.00	112	144	PEAK																																																																																			
2	5871.17	56.95	106.37	-49.42	40.19	35.11	11.44	29.79	0.00	112	144	PEAK																																																																																			
3	5925.00	55.98	68.30	-12.32	39.13	35.19	11.48	29.82	0.00	112	144	PEAK																																																																																			
4	5931.72	57.37	68.30	-10.93	40.52	35.20	11.48	29.83	0.00	112	144	PEAK																																																																																			





Mode	38																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>55.80</td><td>38.43</td><td>16.17</td><td>65.42</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	44.98	74.00	-29.02	55.80	38.43	16.17	65.42	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>55.96</td><td>38.43</td><td>16.17</td><td>65.42</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.14	74.00	-28.86	55.96	38.43	16.17	65.42	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	44.98	74.00	-29.02	55.80	38.43	16.17	65.42	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	45.14	74.00	-28.86	55.96	38.43	16.17	65.42	0.00	100	0	PEAK																																																																																								







Mode	43																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																																																																																					
ANT	8																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5130.01</td><td>63.99</td><td>74.00</td><td>-10.01</td><td>48.31</td><td>34.36</td><td>10.61</td><td>29.29</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.01	63.99	74.00	-10.01	48.31	34.36	10.61	29.29	0.00	100	330	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>99.75</td><td>68.30</td><td>31.45</td><td>83.98</td><td>34.48</td><td>10.64</td><td>29.35</td><td>0.00</td><td>100</td><td>330</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	99.75	68.30	31.45	83.98	34.48	10.64	29.35	0.00	100	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5130.01	63.99	74.00	-10.01	48.31	34.36	10.61	29.29	0.00	100	330	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5190.00	99.75	68.30	31.45	83.98	34.48	10.64	29.35	0.00	100	330	Peak																																																																																										
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.31</td><td>50.45</td><td>54.00</td><td>-3.55</td><td>34.74</td><td>34.40</td><td>10.62</td><td>29.31</td><td>0.00</td><td>100</td><td>330</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.31	50.45	54.00	-3.55	34.74	34.40	10.62	29.31	0.00	100	330	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>91.24</td><td>68.30</td><td>22.94</td><td>75.47</td><td>34.48</td><td>10.64</td><td>29.35</td><td>0.00</td><td>100</td><td>330</td><td>Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	91.24	68.30	22.94	75.47	34.48	10.64	29.35	0.00	100	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5149.31	50.45	54.00	-3.55	34.74	34.40	10.62	29.31	0.00	100	330	AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5190.00	91.24	68.30	22.94	75.47	34.48	10.64	29.35	0.00	100	330	Average																																																																																										

Remark: The signals which are over limit are Fundamental signal come from Bluetooth LE & LTE Band 42, and which can be ignored.





Mode	43																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																																							
ANT	8																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5385.48</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>39.95</td><td>34.50</td><td>10.87</td><td>29.56</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.48	55.76	74.00	-18.24	39.95	34.50	10.87	29.56	0.00	100	330	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5385.48	55.76	74.00	-18.24	39.95	34.50	10.87	29.56	0.00	100	330	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5430.21</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>29.71</td><td>34.52</td><td>10.94</td><td>29.59</td><td>0.00</td><td>100</td><td>330</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.21	45.58	54.00	-8.42	29.71	34.52	10.94	29.59	0.00	100	330	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5430.21	45.58	54.00	-8.42	29.71	34.52	10.94	29.59	0.00	100	330	AVERAGE																																												





Mode	43																																																								
	Band Edge - L																																																								
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																																								
ANT	8																																																								
Pol.	Vertical						Fundamental																																																		
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.15</td><td>62.75</td><td>74.00</td><td>-11.25</td><td>47.07</td><td>34.37</td><td>10.61</td><td>29.30</td><td>0.00</td><td>327</td><td>81 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.15	62.75	74.00	-11.25	47.07	34.37	10.61	29.30	0.00	327	81 PEAK		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5135.15	62.75	74.00	-11.25	47.07	34.37	10.61	29.30	0.00	327	81 PEAK																																														
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>96.26</td><td>68.30</td><td>27.96</td><td>80.49</td><td>34.48</td><td>10.64</td><td>29.35</td><td>0.00</td><td>327</td><td>81 Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	96.26	68.30	27.96	80.49	34.48	10.64	29.35	0.00	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5190.00	96.26	68.30	27.96	80.49	34.48	10.64	29.35	0.00	327	81 Peak																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.45</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>32.54</td><td>34.40</td><td>10.62</td><td>29.31</td><td>0.00</td><td>327</td><td>81 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.45	48.25	54.00	-5.75	32.54	34.40	10.62	29.31	0.00	327	81 AVERAGE		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5148.45	48.25	54.00	-5.75	32.54	34.40	10.62	29.31	0.00	327	81 AVERAGE																																														
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>87.36</td><td>68.30</td><td>19.06</td><td>71.59</td><td>34.48</td><td>10.64</td><td>29.35</td><td>0.00</td><td>327</td><td>81 Average</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	87.36	68.30	19.06	71.59	34.48	10.64	29.35	0.00	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5190.00	87.36	68.30	19.06	71.59	34.48	10.64	29.35	0.00	327	81 Average																																														

Remark: The signals which are over limit are Fundamental signal come from Bluetooth LE & LTE Band 42, and which can be ignored.







Mode	43																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																																					
ANT	8																																																					
Pol.	Vertical										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.47</td><td>60.86</td><td>74.00</td><td>-13.14</td><td>45.17</td><td>34.37</td><td>10.61</td><td>29.29</td><td>0.00</td><td>327</td><td>81 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.47	60.86	74.00	-13.14	45.17	34.37	10.61	29.29	0.00	327	81 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5134.47	60.86	74.00	-13.14	45.17	34.37	10.61	29.29	0.00	327	81 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.04</td><td>48.27</td><td>54.00</td><td>-5.73</td><td>32.56</td><td>34.40</td><td>10.62</td><td>29.31</td><td>0.00</td><td>327</td><td>81 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.04	48.27	54.00	-5.73	32.56	34.40	10.62	29.31	0.00	327	81 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.04	48.27	54.00	-5.73	32.56	34.40	10.62	29.31	0.00	327	81 AVERAGE																																											



Mode	43																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																																																																																		
ANT	8																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10300.00</td><td>44.40</td><td>68.30</td><td>-23.90</td><td>57.87</td><td>37.42</td><td>15.57</td><td>66.46</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10300.00	44.40	68.30	-23.90	57.87	37.42	15.57	66.46	0.00	300	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10300.00</td><td>46.90</td><td>68.30</td><td>-21.40</td><td>60.37</td><td>37.42</td><td>15.57</td><td>66.46</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10300.00	46.90	68.30	-21.40	60.37	37.42	15.57	66.46	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10300.00	44.40	68.30	-23.90	57.87	37.42	15.57	66.46	0.00	300	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10300.00	46.90	68.30	-21.40	60.37	37.42	15.57	66.46	0.00	100	360	PEAK																																																																																							



Mode	43																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																
ANT	8																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.34</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>41.17</td><td>32.14</td><td>7.31</td><td>30.61</td><td>6.00</td><td>124</td><td>96 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.34	56.01	74.00	-17.99	41.17	32.14	7.31	30.61	6.00	124	96 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.92</td><td>74.00</td><td>27.92</td><td>87.16</td><td>32.12</td><td>7.29</td><td>30.65</td><td>6.00</td><td>124</td><td>96 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.92	74.00	27.92	87.16	32.12	7.29	30.65	6.00	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2476.34	56.01	74.00	-17.99	41.17	32.14	7.31	30.61	6.00	124	96 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	101.92	74.00	27.92	87.16	32.12	7.29	30.65	6.00	124	96 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.50</td><td>46.23</td><td>54.00</td><td>-7.77</td><td>31.46</td><td>32.13</td><td>7.29</td><td>30.65</td><td>6.00</td><td>124</td><td>96 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.50	46.23	54.00	-7.77	31.46	32.13	7.29	30.65	6.00	124	96 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.67</td><td>74.00</td><td>25.67</td><td>84.91</td><td>32.12</td><td>7.29</td><td>30.65</td><td>6.00</td><td>124</td><td>96 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.67	74.00	25.67	84.91	32.12	7.29	30.65	6.00	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2476.50	46.23	54.00	-7.77	31.46	32.13	7.29	30.65	6.00	124	96 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	99.67	74.00	25.67	84.91	32.12	7.29	30.65	6.00	124	96 AVERAGE																																																																																						



Mode	43																																																													
	Band Edge																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																													
ANT	8																																																													
Pol.	Vertical						Fundamental																																																							
Peak																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2492.98</td><td>56.09</td><td>74.00</td><td>-17.91</td><td>41.26</td><td>32.14</td><td>7.31</td><td>30.62</td><td>6.00</td><td>333</td><td>308</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2492.98	56.09	74.00	-17.91	41.26	32.14	7.31	30.62	6.00	333	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2492.98	56.09	74.00	-17.91	41.26	32.14	7.31	30.62	6.00	333	308	PEAK																																																		
Fundamental																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>87.98</td><td>-----</td><td>-----</td><td>73.24</td><td>32.12</td><td>7.28</td><td>30.66</td><td>6.00</td><td>333</td><td>308</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	87.98	-----	-----	73.24	32.12	7.28	30.66	6.00	333	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2480.00	87.98	-----	-----	73.24	32.12	7.28	30.66	6.00	333	308	PEAK																																																		
Avg																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2496.52</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>31.52</td><td>32.14</td><td>7.31</td><td>30.61</td><td>6.00</td><td>333</td><td>308</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2496.52	46.36	54.00	-7.64	31.52	32.14	7.31	30.61	6.00	333	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2496.52	46.36	54.00	-7.64	31.52	32.14	7.31	30.61	6.00	333	308	AVERAGE																																																		
Fundamental																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>85.75</td><td>-----</td><td>-----</td><td>70.99</td><td>32.12</td><td>7.29</td><td>30.65</td><td>6.00</td><td>333</td><td>308</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	85.75	-----	-----	70.99	32.12	7.29	30.65	6.00	333	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2480.00	85.75	-----	-----	70.99	32.12	7.29	30.65	6.00	333	308	AVERAGE																																																		




Mode	43																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																			
ANT	8																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																													
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with five peaks labeled 1 through 5. Two red horizontal lines represent FCC PART 15C limits: one at 65.0 dBuV/m (labeled 'FCC PART 15C') and another at 48.8 dBuV/m (labeled 'FCC PART 15C (AVG)'). The x-axis ranges from 3000 to 18000 MHz, and the y-axis ranges from 16.3 to 130 dBuV/m. <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3496.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>70.27</td><td>33.00</td><td>8.66</td><td>65.07</td><td>100</td><td></td><td>1 Peak</td></tr><tr><td>2</td><td>4960.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>63.61</td><td>34.10</td><td>10.50</td><td>65.45</td><td>300</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>5194.00</td><td>60.26</td><td>74.00</td><td>-13.74</td><td>80.69</td><td>34.49</td><td>10.64</td><td>65.56</td><td>100</td><td></td><td>328 Peak</td></tr><tr><td>4</td><td>6992.00</td><td>66.69</td><td>74.00</td><td>-7.31</td><td>83.34</td><td>35.80</td><td>12.58</td><td>65.03</td><td>100</td><td></td><td>92 Peak</td></tr><tr><td>5</td><td>7440.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>61.47</td><td>35.80</td><td>12.87</td><td>65.33</td><td>300</td><td>360</td><td>Peak</td></tr></table> Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with five peaks labeled 1 through 5. Two red horizontal lines represent FCC PART 15C limits: one at 65.0 dBuV/m (labeled 'FCC PART 15C') and another at 48.8 dBuV/m (labeled 'FCC PART 15C (AVG)'). The x-axis ranges from 3000 to 18000 MHz, and the y-axis ranges from 16.3 to 130 dBuV/m. <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3496.00</td><td>43.51</td><td>74.00</td><td>-30.49</td><td>66.92</td><td>33.00</td><td>8.66</td><td>65.07</td><td>100</td><td></td><td>0 Peak</td></tr><tr><td>2</td><td>4960.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>62.28</td><td>34.10</td><td>10.50</td><td>65.45</td><td>100</td><td></td><td>360 Peak</td></tr><tr><td>3</td><td>5192.00</td><td>56.17</td><td>74.00</td><td>-17.83</td><td>76.61</td><td>34.48</td><td>10.64</td><td>65.56</td><td>300</td><td></td><td>75 Peak</td></tr><tr><td>4</td><td>6992.00</td><td>64.58</td><td>74.00</td><td>-9.42</td><td>81.23</td><td>35.80</td><td>12.58</td><td>65.03</td><td>100</td><td></td><td>136 Peak</td></tr><tr><td>5</td><td>7440.00</td><td>44.22</td><td>74.00</td><td>-29.78</td><td>60.88</td><td>35.80</td><td>12.87</td><td>65.33</td><td>100</td><td></td><td>360 Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	3496.00	46.86	74.00	-27.14	70.27	33.00	8.66	65.07	100		1 Peak	2	4960.00	42.76	74.00	-31.24	63.61	34.10	10.50	65.45	300	360	Peak	3	5194.00	60.26	74.00	-13.74	80.69	34.49	10.64	65.56	100		328 Peak	4	6992.00	66.69	74.00	-7.31	83.34	35.80	12.58	65.03	100		92 Peak	5	7440.00	44.81	74.00	-29.19	61.47	35.80	12.87	65.33	300	360	Peak		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	3496.00	43.51	74.00	-30.49	66.92	33.00	8.66	65.07	100		0 Peak	2	4960.00	41.43	74.00	-32.57	62.28	34.10	10.50	65.45	100		360 Peak	3	5192.00	56.17	74.00	-17.83	76.61	34.48	10.64	65.56	300		75 Peak	4	6992.00	64.58	74.00	-9.42	81.23	35.80	12.58	65.03	100		136 Peak	5	7440.00	44.22	74.00	-29.78	60.88	35.80	12.87	65.33	100		360 Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																										
1	3496.00	46.86	74.00	-27.14	70.27	33.00	8.66	65.07	100		1 Peak																																																																																																																																																																									
2	4960.00	42.76	74.00	-31.24	63.61	34.10	10.50	65.45	300	360	Peak																																																																																																																																																																									
3	5194.00	60.26	74.00	-13.74	80.69	34.49	10.64	65.56	100		328 Peak																																																																																																																																																																									
4	6992.00	66.69	74.00	-7.31	83.34	35.80	12.58	65.03	100		92 Peak																																																																																																																																																																									
5	7440.00	44.81	74.00	-29.19	61.47	35.80	12.87	65.33	300	360	Peak																																																																																																																																																																									
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																										
1	3496.00	43.51	74.00	-30.49	66.92	33.00	8.66	65.07	100		0 Peak																																																																																																																																																																									
2	4960.00	41.43	74.00	-32.57	62.28	34.10	10.50	65.45	100		360 Peak																																																																																																																																																																									
3	5192.00	56.17	74.00	-17.83	76.61	34.48	10.64	65.56	300		75 Peak																																																																																																																																																																									
4	6992.00	64.58	74.00	-9.42	81.23	35.80	12.58	65.03	100		136 Peak																																																																																																																																																																									
5	7440.00	44.22	74.00	-29.78	60.88	35.80	12.87	65.33	100		360 Peak																																																																																																																																																																									


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.26	-	-	10hz
802.11n HT40	96.30	0.942	1.062	1.1kHz
802.11ac VHT20	98.15	-	-	10hz
802.11ac VHT80	92.17	0.461	2.170	2.2KHZ


802.11a



802.11n HT40



802.11ac VHT20



802.11ac VHT80

