





Product Service

802.11a, 5320 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11a, 5320 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11a, 5500 MHz, -10.0, 3.7 V DC, Frequency Band 3, Frequency Stability Plot




802.11a, 5500 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11a, 5500 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11a, 5500 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11a, 5700 MHz, -10.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11a, 5700 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11a, 5700 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11a, 5700 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot




FCC 47 CFR Part 15, Limit Clause 15.407 (g)

Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5180 MHz, -10.0, 3.7 V DC, Frequency Band 1,
Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5180 MHz, -10.0, 4.0 V DC, Frequency Band 1,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5180 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5180 MHz, +55.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5320 MHz, -10.0, 3.7 V DC Frequency Band 2,
Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5320 MHz, -10.0, 4.0 V DC, Frequency Band 2,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5320 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5320 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5500 MHz, -10.0, 3.7 V DC, Frequency Band 3,
Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5500 MHz, -10.0, 4.0 V DC, Frequency Band 3,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5500 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5500 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5700 MHz, -10.0, 3.7 V DC Frequency Band 3,
Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5700 MHz, -10.0, 4.0 V DC, Frequency Band 3,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5700 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11ac - 5 GHz 20 MHz Bandwidth, 5700 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot




FCC 47 CFR Part 15, Limit Clause 15.407 (g)

Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5190 MHz, -10.0, 3.7 V DC, Frequency Band 1,
Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5190 MHz, -10.0, 4.0 V DC, Frequency Band 1,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5190 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5190 MHz, +55.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5310 MHz, -10.0, 3.7 V DC Frequency Band 2,
Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5310 MHz, -10.0, 4.0 V DC, Frequency Band 2,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5310 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5310 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5510 MHz, -10.0, 3.7 V DC, Frequency Band 3,
Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5510 MHz, -10.0, 4.0 V DC, Frequency Band 3,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5510 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5510 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5670 MHz, -10.0, 3.7 V DC Frequency Band 3.
Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5670 MHz, -10.0, 4.0 V DC, Frequency Band 3.
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5670 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11ac - 5 GHz 40 MHz Bandwidth, 5670 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot




FCC 47 CFR Part 15, Limit Clause 15.407 (g)

Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5210 MHz, -10.0, 3.7 V DC, Frequency Band 1, Frequency Stability Plot




802.11ac - 5 GHz 80 MHz Bandwidth, 5210 MHz, -10.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5210 MHz, +55.0, 3.7 V DC Frequency Band 1,
Frequency Stability Plot




802.11ac - 5 GHz 80 MHz Bandwidth, 5210 MHz, +55.0, 4.0 V DC, Frequency Band 1,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5290 MHz, -10.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11ac - 5 GHz 80 MHz Bandwidth, 5290 MHz, -10.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5290 MHz, +55.0, 3.7 V DC Frequency Band 2,
Frequency Stability Plot




802.11ac - 5 GHz 80 MHz Bandwidth, 5290 MHz, +55.0, 4.0 V DC, Frequency Band 2,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5530 MHz, -10.0, 3.7 V DC, Frequency Band 3,
Frequency Stability Plot




802.11ac - 5 GHz 80 MHz Bandwidth, 5530 MHz, -10.0, 4.0 V DC, Frequency Band 3,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5530 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11ac - 5 GHz 80 MHz Bandwidth, 5530 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5610 MHz, -10.0, 3.7 V DC Frequency Band 3,
Frequency Stability Plot




802.11ac - 5 GHz 80 MHz Bandwidth, 5610 MHz, -10.0, 4.0 V DC, Frequency Band 3,
Frequency Stability Plot






Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5610 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11ac - 5 GHz 80 MHz Bandwidth, 5610 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot




FCC 47 CFR Part 15, Limit Clause 15.407 (g)

Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5180 MHz, -10.0, 3.7 V DC, Frequency Band 1,
Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5180 MHz, -10.0, 4.0 V DC, Frequency Band 1,
Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5180 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5180 MHz, +55.0, 4.0 V DC. Frequency Band 1, Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5320 MHz, -10.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5320 MHz, -10.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5320 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5320 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5500 MHz, -10.0, 3.7 V DC, Frequency Band 3, Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5500 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5500 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5500 MHz, +55.0, 4.0 V DC. Frequency Band 3, Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5700 MHz, -10.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5700 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5700 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11n - 5 GHz 20 MHz Bandwidth, 5700 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot




FCC 47 CFR Part 15, Limit Clause 15.407 (g)

Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5190 MHz, -10.0, 3.7 V DC, Frequency Band 1, Frequency Stability Plot




802.11n - 5 GHz 40 MHz Bandwidth, 5190 MHz, -10.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5190 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot




802.11n - 5 GHz 40 MHz Bandwidth, 5190 MHz, +55.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, -10.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, -10.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot





Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5510 MHz, -10.0, 3.7 V DC, Frequency Band 3, Frequency Stability Plot



802.11n - 5 GHz 40 MHz Bandwidth, 5510 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot

