

APPENDIX A: SAR TEST RESULTS FOR P_{Limit} CALCULATIONS

For some bands/modes, a lower P_{Limit} was selected as a more conservative evaluation.
Data highlighted in blue was tested and provided by the manufacturer.

Table A-1
DSI = 0 P_{Limit} Calculations – GPRS 850 Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0832M	1:2.76	-0.04	836.60	190	29.85	Back	0	0.911	29.8	29.8	29.8
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0832M	1:2.76	0.04	836.60	190	29.85	Front	0	0.679	31.0		
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0832M	1:2.76	0.00	836.60	190	29.85	Bottom	0	0.586	31.7		
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0832M	1:2.76	-0.01	836.60	190	29.85	Right	0	0.661	31.1		
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0832M	1:2.76	0.02	836.60	190	29.85	Left	0	0.166	37.1		
Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	GPRS 850	GPRS 3 Tx Slots	E	0832M	1:2.76	-0.06	836.60	190	29.77	Back	0	1.410	27.8	26.5	26.5
Phablet	GPRS 850	GPRS 3 Tx Slots	E	0832M	1:2.76	0.05	836.60	190	29.77	Front	0	1.840	26.6		
Phablet	GPRS 850	GPRS 3 Tx Slots	E	0832M	1:2.76	0.02	836.60	190	29.77	Top	0	1.570	27.3		
Phablet	GPRS 850	GPRS 3 Tx Slots	E	0832M	1:2.76	0.01	836.60	190	29.77	Right	0	1.880	26.5		

Table A-2
DSI = 0 P_{Limit} Calculations – GPRS 1900 Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0820M	1:2.076	-0.02	1909.80	810	21.75	Back	0	1.070	22.2	22.0	18.8
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0820M	1:2.076	0.04	1909.80	810	21.75	Front	0	0.798	23.5		
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0820M	1:2.076	0.00	1909.80	810	21.75	Bottom	0	1.110	22.0		
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0820M	1:2.076	0.03	1909.80	810	21.75	Right	0	0.078	33.6		
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0820M	1:2.076	0.04	1909.80	810	21.75	Left	0	0.065	34.4		

Table A-3
DSI = 0 P_{Limit} Calculations – UMTS 850 Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	UMTS 850	RMC	A	0832M	1:1	0.01	846.60	4233	24.61	Back	0	1.010	28.5	28.5	28.5
Phablet	UMTS 850	RMC	A	0832M	1:1	0.04	846.60	4233	24.61	Front	0	0.741	29.8		
Phablet	UMTS 850	RMC	A	0832M	1:1	0.00	846.60	4233	24.61	Bottom	0	0.774	29.7		
Phablet	UMTS 850	RMC	A	0832M	1:1	0.06	846.60	4233	24.61	Right	0	0.540	31.2		
Phablet	UMTS 850	RMC	A	0832M	1:1	0.00	846.60	4233	24.61	Left	0	0.141	37.0		
Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	UMTS 850	RMC	E	0832M	1:1	0.00	846.60	4233	24.78	Back	0	1.220	27.8	27.3	27.0
Phablet	UMTS 850	RMC	E	0832M	1:1	0.00	846.60	4233	24.78	Front	0	1.260	27.7		
Phablet	UMTS 850	RMC	E	0832M	1:1	0.01	846.60	4233	24.78	Top	0	1.250	27.7		
Phablet	UMTS 850	RMC	E	0832M	1:1	0.01	846.60	4233	24.78	Right	0	1.390	27.3		

Table A-4
DSI = 0 P_{Limit} Calculations – UMTS 1750 Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	UMTS 1750	RMC	A	0820M	1:1	0.01	1752.60	1513	19.58	Back	0	1.720	21.2	21.2	19.0
Phablet	UMTS 1750	RMC	A	0820M	1:1	0.02	1752.60	1513	19.58	Front	0	1.440	21.9		
Phablet	UMTS 1750	RMC	A	0820M	1:1	0.00	1752.60	1513	19.58	Bottom	0	1.500	21.7		
Phablet	UMTS 1750	RMC	A	0820M	1:1	-0.03	1752.60	1513	19.58	Right	0	0.182	30.9		
Phablet	UMTS 1750	RMC	A	0820M	1:1	0.04	1752.60	1513	19.58	Left	0	0.121	32.7		

.FCC ID: A3LSMS938B	RF EXPOSURE PRAT 0 TEST REPORT	Approved by: Technical Manager
Document S/N: 1M2408260069-27.A3L	DUT Type: Portable Handset	APPENDIX A: Page 1 of 5

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.

Table A-5
DSI = 0 P_{Limit} Calculations – UMTS 1900 Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	UMTS 1900	RMC	A	0820M	1:1	0.01	1907.60	9538	18.24	Back	0	1.310	21.0	20.7	18.0
Phablet	UMTS 1900	RMC	A	0820M	1:1	0.00	1907.60	9538	18.24	Front	0	1.160	21.5		
Phablet	UMTS 1900	RMC	A	0820M	1:1	0.06	1907.60	9538	18.24	Bottom	0	1.410	20.7		
Phablet	UMTS 1900	RMC	A	0820M	1:1	0.03	1907.60	9538	18.24	Right	0	0.114	31.6		
Phablet	UMTS 1900	RMC	A	0820M	1:1	0.06	1907.60	9538	18.24	Left	0	0.130	31.0		

Table A-6
DSI = 0 P_{Limit} Calculations – LTE Band 12 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 12	10	QPSK	A	0827M	1:1	-0.03	707.50	23095	0.0	24.27	1	25	Back	0	0.489	31.3	27.5	27.5
Phablet	LTE Band 12	10	QPSK	A	0827M	1:1	-0.07	707.50	23095	0.0	24.27	1	25	Front	0	0.543	30.9		
Phablet	LTE Band 12	10	QPSK	A	0827M	1:1	0.17	707.50	23095	0.0	24.27	1	25	Bottom	0	0.605	30.4		
Phablet	LTE Band 12	10	QPSK	A	0827M	1:1	0.12	707.50	23095	0.0	24.27	1	25	Right	0	1.180	27.5		
Phablet	LTE Band 12	10	QPSK	A	0827M	1:1	0.10	707.50	23095	0.0	24.27	1	25	Left	0	0.077	39.3		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 12	10	QPSK	E	0833M	1:1	0.02	707.50	23095	0.0	24.15	1	25	Back	0	0.950	28.3	26.0	26.0
Phablet	LTE Band 12	10	QPSK	E	0833M	1:1	-0.01	707.50	23095	0.0	24.15	1	25	Front	0	1.400	26.0		
Phablet	LTE Band 12	10	QPSK	E	0833M	1:1	-0.07	707.50	23095	0.0	24.15	1	25	Top	0	1.300	26.9		
Phablet	LTE Band 12	10	QPSK	E	0833M	1:1	0.07	707.50	23095	0.0	24.15	1	25	Right	0	1.320	26.9		

Table A-7
DSI = 0 P_{Limit} Calculations – LTE Band 13 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 13	10	QPSK	A	0827M	1:1	-0.01	782.00	23230	0.0	24.28	1	25	Back	0	0.957	28.4	27.2	27.2
Phablet	LTE Band 13	10	QPSK	A	0827M	1:1	0.04	782.00	23230	0.0	24.28	1	25	Front	0	0.921	28.6		
Phablet	LTE Band 13	10	QPSK	A	0827M	1:1	0.00	782.00	23230	0.0	24.28	1	25	Bottom	0	0.944	28.5		
Phablet	LTE Band 13	10	QPSK	A	0827M	1:1	0.02	782.00	23230	0.0	24.28	1	25	Right	0	1.360	27.2		
Phablet	LTE Band 13	10	QPSK	A	0827M	1:1	0.00	782.00	23230	0.0	24.28	1	25	Left	0	0.150	36.4		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 13	10	QPSK	E	0833M	1:1	-0.01	782.00	23230	0.0	24.52	1	25	Back	0	1.290	27.3	26.9	26.4
Phablet	LTE Band 13	10	QPSK	E	0833M	1:1	0.06	782.00	23230	0.0	24.52	1	25	Front	0	1.200	27.7		
Phablet	LTE Band 13	10	QPSK	E	0833M	1:1	-0.07	782.00	23230	0.0	24.52	1	25	Top	0	1.430	26.9		
Phablet	LTE Band 13	10	QPSK	E	0833M	1:1	0.00	782.00	23230	0.0	24.52	1	25	Right	0	1.190	27.7		

Table A-8
DSI = 0 P_{Limit} Calculations – LTE Band 26 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 26	15	QPSK	A	0827M	1:1	0.03	831.50	26865	0.0	24.33	1	36	Back	0	0.716	29.7	29.1	28.2
Phablet	LTE Band 26	15	QPSK	A	0827M	1:1	0.01	831.50	26865	0.0	24.33	1	36	Front	0	0.832	29.1		
Phablet	LTE Band 26	15	QPSK	A	0827M	1:1	0.00	831.50	26865	0.0	24.33	1	36	Bottom	0	0.698	29.9		
Phablet	LTE Band 26	15	QPSK	A	0827M	1:1	0.07	831.50	26865	0.0	24.33	1	36	Right	0	0.787	29.3		
Phablet	LTE Band 26	15	QPSK	A	0827M	1:1	0.04	831.50	26865	0.0	24.33	1	36	Left	0	0.141	36.8		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 26	15	QPSK	E	0833M	1:1	-0.06	831.50	26865	0.0	24.23	1	36	Back	0	1.340	26.9	26.5	26.5
Phablet	LTE Band 26	15	QPSK	E	0833M	1:1	0.10	831.50	26865	0.0	24.23	1	36	Front	0	1.450	26.5		
Phablet	LTE Band 26	15	QPSK	E	0833M	1:1	0.00	831.50	26865	0.0	24.23	1	36	Top	0	1.400	26.5		
Phablet	LTE Band 26	15	QPSK	E	0833M	1:1	0.06	831.50	26865	0.0	24.23	1	36	Right	0	1.440	26.4		

.FCC ID: A3LSMS938B	RF EXPOSURE PRAT 0 TEST REPORT										Approved by: Technical Manager								
Document S/N: 1M2408260069-27-A3L	DUT Type: Portable Handset										APPENDIX A: Page 2 of 5								

Table A-9
DSI = 0 P_{Limit} Calculations – LTE Band 66 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 66	20	QPSK	A	0738M	1:1	0.01	1770.00	132572	0.0	19.39	1	0	Back	0	0.969	23.5	21.1	19.0
Phablet	LTE Band 66	20	QPSK	A	0738M	1:1	0.05	1770.00	132572	0.0	19.39	1	0	Front	0	1.250	22.4		
Phablet	LTE Band 66	20	QPSK	A	0738M	1:1	0.00	1770.00	132572	0.0	19.39	1	0	Bottom	0	1.660	21.1		
Phablet	LTE Band 66	20	QPSK	A	0738M	1:1	0.11	1770.00	132572	0.0	19.39	1	0	Right	0	0.160	31.3		
Phablet	LTE Band 66	20	QPSK	A	0738M	1:1	-0.14	1770.00	132572	0.0	19.39	1	0	Left	0	0.081	34.2		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 66	20	QPSK	F	0827M	1:1	-0.04	1770.00	132572	0.0	20.93	1	0	Back	0	1.020	24.8	21.4	21.0
Phablet	LTE Band 66	20	QPSK	F	0827M	1:1	-0.17	1770.00	132572	0.0	20.93	1	0	Front	0	1.240	23.9		
Phablet	LTE Band 66	20	QPSK	F	0827M	1:1	0.02	1770.00	132572	0.0	20.93	1	0	Top	0	2.200	21.4		
Phablet	LTE Band 66	20	QPSK	F	0827M	1:1	-0.06	1770.00	132572	0.0	20.93	1	0	Left	0	0.419	28.6		

Table A-10
DSI = 0 P_{Limit} Calculations – LTE Band 25 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 25	20	QPSK	A	0738M	1:1	0.08	1905.00	26590	0.0	18.40	50	50	Back	0	0.914	22.7	21.1	18.0
Phablet	LTE Band 25	20	QPSK	A	0738M	1:1	0.01	1905.00	26590	0.0	18.40	50	50	Front	0	1.030	22.4		
Phablet	LTE Band 25	20	QPSK	A	0738M	1:1	-0.02	1905.00	26590	0.0	18.40	50	50	Bottom	0	1.120	21.1		
Phablet	LTE Band 25	20	QPSK	A	0738M	1:1	0.03	1905.00	26590	0.0	18.40	50	50	Right	0	0.139	30.9		
Phablet	LTE Band 25	20	QPSK	A	0738M	1:1	0.00	1905.00	26590	0.0	18.40	50	50	Left	0	0.111	31.9		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 25	20	QPSK	F	0827M	1:1	0.11	1882.50	26365	0.0	20.16	50	50	Back	0	0.836	24.9	21.2	20.0
Phablet	LTE Band 25	20	QPSK	F	0827M	1:1	0.09	1882.50	26365	0.0	20.16	50	50	Front	0	1.000	24.1		
Phablet	LTE Band 25	20	QPSK	F	0827M	1:1	0.01	1882.50	26365	0.0	20.16	50	50	Top	0	1.940	21.2		
Phablet	LTE Band 25	20	QPSK	F	0827M	1:1	-0.05	1882.50	26365	0.0	20.16	50	50	Left	0	0.182	31.5		

Table A-11
DSI = 0 P_{Limit} Calculations – LTE Band 41 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 41	20	QPSK	B	0829M	1:1.58	-0.03	2506.00	39750	0.0	21.67	1	99	Back	0	1.420	22.1	20.4	19.0
Phablet	LTE Band 41	20	QPSK	B	0829M	1:1.58	0.01	2506.00	39750	0.0	21.67	1	99	Front	0	1.608	21.5		
Phablet	LTE Band 41	20	QPSK	B	0829M	1:1.58	0.05	2506.00	39750	0.0	21.67	1	99	Bottom	0	2.110	20.4		
Phablet	LTE Band 41	20	QPSK	B	0829M	1:1.58	0.04	2506.00	39750	0.0	21.67	1	99	Right	0	1.480	21.9		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 41	20	QPSK	F	0829M	1:1.58	0.01	2506.00	39750	0.0	21.51	50	50	Back	0	0.538	26.1	19.4	19.0
Phablet	LTE Band 41	20	QPSK	F	0829M	1:1.58	0.00	2506.00	39750	0.0	21.51	50	50	Front	0	1.180	22.7		
Phablet	LTE Band 41	20	QPSK	F	0829M	1:1.58	-0.03	2506.00	39750	0.0	21.51	50	50	Top	0	2.550	19.4		
Phablet	LTE Band 41	20	QPSK	F	0829M	1:1.58	0.00	2506.00	39750	0.0	21.51	50	50	Left	0	0.182	30.9		

Table A-12
DSI = 0 P_{Limit} Calculations – NR Band n5 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n5	20	QPSK	A	0833M	1:1	0.02	836.50	167300	DFT-s-OFDM	0.0	23.93	1	53	Back	0	1.190	27.1	25.9	25.9
Phablet	NR Band n5	20	QPSK	A	0833M	1:1	-0.13	836.50	167300	DFT-s-OFDM	0.0	23.93	1	53	Front	0	0.761	28.0		
Phablet	NR Band n5	20	QPSK	A	0833M	1:1	0.04	836.50	167300	DFT-s-OFDM	0.0	23.93	1	53	Bottom	0	1.930	27.7		
Phablet	NR Band n5	20	QPSK	A	0833M	1:1	-0.20	836.50	167300	DFT-s-OFDM	0.0	23.93	1	53	Right	0	1.570	25.9		
Phablet	NR Band n5	20	QPSK	A	0833M	1:1	0.06	836.50	167300	DFT-s-OFDM	0.0	23.93	1	53	Left	0	0.081	38.8		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n5	20	QPSK	E	0833M	1:1	0.03	836.50	167300	DFT-s-OFDM	0.0	24.01	1	104	Back	0	1.210	27.1	26.7	26.5
Phablet	NR Band n5	20	QPSK	E	0833M	1:1	0.01	836.50	167300	DFT-s-OFDM	0.0	24.01	1	104	Front	0	1.930	26.7		
Phablet	NR Band n5	20	QPSK	E	0833M	1:1	-0.01	836.50	167300	DFT-s-OFDM	0.0	24.01	1	104	Top	0	1.210	27.1		
Phablet	NR Band n5	20	QPSK	E	0833M	1:1	0.04	836.50	167300	DFT-s-OFDM	0.0	24.01	1	104	Right	0	1.100	27.5		

.FCC ID: A3LSMS938B	RF EXPOSURE PRAT 0 TEST REPORT	Approved by: Technical Manager
Document S/N: 1M2408260069-27-A3L	DUT Type: Portable Handset	APPENDIX A: Page 3 of 5

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.

Table A-13
DSI = 0 P_{Limit} Calculations – NR Band n66 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n66	45	QPSK	A	0744M	1:1	0.02	1745.00	349000	CP-OFDM	0.0	19.19	1	1	Back	0	1.390	21.7	20.4	19.0
Phablet	NR Band n66	45	QPSK	A	0744M	1:1	-0.05	1745.00	349000	CP-OFDM	0.0	19.19	1	1	Front	0	1.110	22.7		
Phablet	NR Band n66	45	QPSK	A	0744M	1:1	-0.01	1745.00	349000	CP-OFDM	0.0	19.19	1	1	Bottom	0	1.890	20.4		
Phablet	NR Band n66	45	QPSK	A	0744M	1:1	-0.12	1745.00	349000	CP-OFDM	0.0	19.19	1	1	Right	0	0.122	32.3		
Phablet	NR Band n66	45	QPSK	A	0074M	1:1	-0.06	1745.00	349000	CP-OFDM	0.0	19.19	1	1	Left	0	0.095	33.3		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n66	45	QPSK	F	0824M	1:1	-0.03	1745.00	349000	DFT-s-OFDM	0.0	20.83	1	1	Back	0	0.577	27.1	21.3	21.0
Phablet	NR Band n66	45	QPSK	F	0824M	1:1	-0.03	1745.00	349000	DFT-s-OFDM	0.0	20.83	1	1	Front	0	1.260	23.8		
Phablet	NR Band n66	45	QPSK	F	0824M	1:1	0.01	1745.00	349000	DFT-s-OFDM	0.0	20.83	1	1	Top	0	2.210	21.3		
Phablet	NR Band n66	45	QPSK	F	0824M	1:1	-0.05	1745.00	349000	DFT-s-OFDM	0.0	20.83	1	1	Left	0	0.332	29.5		

Table A-14
DSI = 0 P_{Limit} Calculations – NR Band n25 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n25	40	QPSK	A	0744M	1:1	-0.04	1882.50	376500	CP-OFDM	0.0	18.28	1	1	Back	0	1.080	21.9	20.7	18.0
Phablet	NR Band n25	40	QPSK	A	0744M	1:1	0.00	1882.50	376500	CP-OFDM	0.0	18.28	1	1	Front	0	0.995	22.2		
Phablet	NR Band n25	40	QPSK	A	0744M	1:1	0.03	1882.50	376500	CP-OFDM	0.0	18.28	1	1	Bottom	0	1.430	20.7		
Phablet	NR Band n25	40	QPSK	A	0744M	1:1	-0.02	1882.50	376500	CP-OFDM	0.0	18.28	1	1	Right	0	0.109	31.8		
Phablet	NR Band n25	40	QPSK	A	0074M	1:1	0.07	1882.50	376500	CP-OFDM	0.0	18.28	1	1	Left	0	0.101	32.2		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n25	40	QPSK	F	0824M	1:1	-0.05	1882.50	376500	DFT-s-OFDM	0.0	19.85	1	214	Back	0	0.635	25.9	21.4	20.0
Phablet	NR Band n25	40	QPSK	F	0824M	1:1	-0.06	1882.50	376500	DFT-s-OFDM	0.0	19.85	1	214	Front	0	0.960	24.0		
Phablet	NR Band n25	40	QPSK	F	0824M	1:1	0.02	1882.50	376500	DFT-s-OFDM	0.0	19.85	1	214	Top	0	1.720	21.4		
Phablet	NR Band n25	40	QPSK	F	0824M	1:1	-0.01	1882.50	376500	DFT-s-OFDM	0.0	19.85	1	214	Left	0	0.141	32.3		

Table A-15
DSI = 0 P_{Limit} Calculations – NR Band n41 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Path	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n41	100	QPSK	F	1	0832M	1:1	0.04	2592.99	518598	DFT-s-OFDM	0.0	19.50	1	137	Back	0	0.619	25.5	19.3	18.5
Phablet	NR Band n41	100	QPSK	F	1	0832M	1:1	-0.07	2592.99	518598	DFT-s-OFDM	0.0	19.50	1	137	Front	0	1.220	22.6		
Phablet	NR Band n41	100	QPSK	F	1	0832M	1:1	-0.09	2592.99	518598	DFT-s-OFDM	0.0	19.50	1	137	Top	0	2.600	19.3		
Phablet	NR Band n41	100	QPSK	F	1	0832M	1:1	-0.05	2592.99	518598	DFT-s-OFDM	0.0	19.50	1	137	Left	0	0.188	30.7		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Path	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n41	100	QPSK	B	2	0829M	1:1	0.02	2592.99	518598	DFT-s-OFDM	0.0	20.95	1	137	Back	0	2.730	20.5	20.5	20.0
Phablet	NR Band n41	100	QPSK	B	2	0829M	1:1	0.00	2592.99	518598	DFT-s-OFDM	0.0	20.95	1	137	Front	0	1.320	23.7		
Phablet	NR Band n41	100	QPSK	B	2	0829M	1:1	0.00	2592.99	518598	DFT-s-OFDM	0.0	20.95	1	137	Bottom	0	2.400	21.1		
Phablet	NR Band n41	100	QPSK	B	2	0829M	1:1	-0.02	2592.99	518598	DFT-s-OFDM	0.0	20.95	1	137	Right	0	2.050	21.8		
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Path	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n41	100	D	2	0832M	1:1	0.05	2592.99	518598	CW/SRS	18.38	Back	0	0.583	24.7	24.7	18.0				
Phablet	NR Band n41	100	D	2	0832M	1:1	0.04	2592.99	518598	CW/SRS	18.38	Front	0	0.103	32.2						
Phablet	NR Band n41	100	D	2	0832M	1:1	0.01	2592.99	518598	CW/SRS	18.38	Bottom	0	0.351	26.9						
Phablet	NR Band n41	100	D	2	0832M	1:1	0.05	2592.99	518598	CW/SRS	18.38	Left	0	0.051	35.2						
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Path	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n41	100	E	2	0829M	1:1	0.03	2592.99	518598	CW/SRS	16.33	Back	0	0.325	25.1	20.9	16.0				
Phablet	NR Band n41	100	E	2	0829M	1:1	0.11	2592.99	518598	CW/SRS	16.33	Front	0	0.571	22.7						
Phablet	NR Band n41	100	E	2	0829M	1:1	-0.14	2592.99	518598	CW/SRS	16.33	Top	0	0.333	25.0						
Phablet	NR Band n41	100	E	2	0829M	1:1	-0.08	2592.99	518598	CW/SRS	16.33	Right	0	0.859	20.9						

.FCC ID: A3LSMS938B	RF EXPOSURE PRAT 0 TEST REPORT											Approved by: Technical Manager			
Document S/N: 1M2408260069-27-A3L	DUT Type: Portable Handset											APPENDIX A: Page 4 of 5			

Table A-16
DSI = 0 P_{Limit} Calculations – NR Band n77 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n77	100	QPSK	F	0820M	1:1	0.08	3930.00	662000	CP-OFDM	0.0	19.27	1	1	Back	0	0.915	23.6	20.7	18.5
Phablet	NR Band n77	100	QPSK	F	0820M	1:1	0.01	3930.00	662000	CP-OFDM	0.0	19.27	1	1	Front	0	0.850	23.9		
Phablet	NR Band n77 DoD	100	QPSK	F	0820M	1:1	-0.02	3500.01	633334	DFT-s-OFDM	0.0	19.31	1	271	Top	0	1.790	20.7		
Phablet	NR Band n77	100	QPSK	F	0820M	1:1	-0.08	3930.00	662000	CP-OFDM	0.0	19.27	1	1	Top	0	1.440	21.6		
Phablet	NR Band n77	100	QPSK	F	0820M	1:1	0.09	3930.00	662000	CP-OFDM	0.0	19.27	1	1	Left	0	0.215	29.9		
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n77	100	C	0820M	1:1	0.02	3930.00	662000	CW/SRS	13.69	Back	0	0.348	22.2	17.9	14.0				
Phablet	NR Band n77	100	C	0820M	1:1	0.00	3930.00	662000	CW/SRS	13.69	Front	0	0.266	23.4						
Phablet	NR Band n77	100	C	0820M	1:1	0.02	3930.00	662000	CW/SRS	13.69	Bottom	0	0.080	28.6						
Phablet	NR Band n77 DoD	100	C	0820M	1:1	0.00	3500.01	633334	CW/SRS	14.45	Right	0	0.801	19.3						
Phablet	NR Band n77	100	C	0820M	1:1	-0.05	3930.00	662000	CW/SRS	13.69	Right	0	0.941	17.9						
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n77	100	I	0820M	1:1	0.02	3930.00	662000	CW/SRS	19.34	Back	0	0.431	26.9	23.8	18.5				
Phablet	NR Band n77 DoD	100	I	0820M	1:1	-0.11	3500.01	633334	CW/SRS	18.49	Front	0	0.730	23.8						
Phablet	NR Band n77	100	I	0820M	1:1	0.01	3930.00	662000	CW/SRS	19.34	Front	0	0.764	24.4						
Phablet	NR Band n77	100	I	0820M	1:1	0.05	3930.00	662000	CW/SRS	19.34	Left	0	0.203	30.2						
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n77 DoD	100	D	0820M	1:1	-0.01	3500.01	633334	CW/SRS	14.76	Back	0	0.435	22.3	22.3	14.0				
Phablet	NR Band n77	100	D	0820M	1:1	-0.02	3750.00	650000	CW/SRS	14.34	Back	0	0.313	23.3						
Phablet	NR Band n77	100	D	0820M	1:1	0.03	3750.00	650000	CW/SRS	14.34	Front	0	0.015	36.5						
Phablet	NR Band n77	100	D	0820M	1:1	-0.01	3750.00	650000	CW/SRS	14.34	Bottom	0	0.041	32.1						
Phablet	NR Band n77	100	D	0820M	1:1	0.01	3750.00	650000	CW/SRS	14.34	Left	0	0.002	45.3						

Table A-17
DSI = 0 P_{Max} Calculations – Bluetooth MIMO Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle [%]	Power Drift [dB]	Frequency [MHz]	Channel #	Data Rate [Mbps]	Conducted Power [dBm]	Conducted Power (2nd ant) [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Duty Cycle Scaling Factor	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	2.4 GHz Bluetooth	FHSS	MIMO	0742M	77.07	-0.07	2441.00	39	1	13.70	12.72	Back	0	0.282	N/A	21.0	19.0	17.9
Phablet	2.4 GHz Bluetooth	FHSS	MIMO	0742M	77.07	0.00	2441.00	39	1	13.70	12.72	Front	0	0.257	N/A	21.4		
Phablet	2.4 GHz Bluetooth	FHSS	MIMO	0742M	77.07	-0.18	2441.00	39	1	13.70	12.72	Top	0	0.146	N/A	23.9		
Phablet	2.4 GHz Bluetooth	FHSS	MIMO	0742M	77.07	0.09	2441.00	39	1	13.70	12.72	Right	0	0.028	N/A	31.0		
Phablet	2.4 GHz Bluetooth	FHSS	MIMO	0742M	77.07	0.00	2441.00	39	1	13.70	12.72	Left	0	0.450	N/A	19.0		

.FCC ID: A3LSMS938B	RF EXPOSURE PRAT 0 TEST REPORT											Approved by: Technical Manager						
Document S/N: 1M2408260069-27-A3L	DUT Type: Portable Handset											APPENDIX A: Page 5 of 5						

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.