
















Min emission bandwidth


Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.32	5737.16	5752.48	0.5	PASS
		5785	14.12	5778.40	5792.52	0.5	PASS
		5825	15.32	5817.20	5832.52	0.5	PASS
11AC20SISO	Ant1	5745	15.12	5737.40	5752.52	0.5	PASS
		5785	15.96	5777.36	5793.32	0.5	PASS
		5825	15.72	5817.36	5833.08	0.5	PASS
11AC40SISO	Ant1	5755	35.28	5737.24	5772.52	0.5	PASS
		5795	35.12	5777.40	5812.52	0.5	PASS
11AC80SISO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS





Test Graphs B4













Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	6.23	≤11.00	PASS
		5220	5.09	≤11.00	PASS
		5240	6.02	≤11.00	PASS
		5260	5.57	≤11.00	PASS
		5300	6.16	≤11.00	PASS
		5320	7.03	≤11.00	PASS
		5500	7.13	≤11.00	PASS
		5580	6.79	≤11.00	PASS
		5700	6.91	≤11.00	PASS
		5720_UNII-2C	6.62	≤11.00	PASS
		5720_UNII-3	2.15	≤30.00	PASS
		5745	3.90	≤30.00	PASS
		5785	3.83	≤30.00	PASS
		5825	3.05	≤30.00	PASS
11AC20SISO	Ant1	5180	5.91	≤11.00	PASS
		5220	4.75	≤11.00	PASS
		5240	5.61	≤11.00	PASS
		5260	5.20	≤11.00	PASS
		5300	5.30	≤11.00	PASS
		5320	6.23	≤11.00	PASS
		5500	6.25	≤11.00	PASS
		5580	6.27	≤11.00	PASS
		5700	6.38	≤11.00	PASS
		5720_UNII-2C	6.44	≤11.00	PASS
		5720_UNII-3	2.08	≤30.00	PASS
		5745	3.38	≤30.00	PASS
		5785	3.34	≤30.00	PASS
		5825	2.56	≤30.00	PASS
11AC40SISO	Ant1	5190	2.47	≤11.00	PASS
		5230	1.69	≤11.00	PASS
		5270	1.71	≤11.00	PASS





		5310	2.15	≤ 11.00	PASS
		5510	3.00	≤ 11.00	PASS
		5550	2.78	≤ 11.00	PASS
		5670	3.25	≤ 11.00	PASS
		5710_UNII-2C	2.88	≤ 11.00	PASS
		5710_UNII-3	-1.89	≤ 30.00	PASS
		5755	-0.17	≤ 30.00	PASS
		5795	-0.23	≤ 30.00	PASS
11AC80SISO	Ant1	5210	-1.74	≤ 11.00	PASS
		5290	-1.96	≤ 11.00	PASS
		5530	-1.60	≤ 11.00	PASS
		5610	-0.71	≤ 11.00	PASS
		5690_UNII-2C	-0.75	≤ 11.00	PASS
		5690_UNII-3	-5.40	≤ 30.00	PASS
		5775	-3.78	≤ 30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs




































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.157	43.76	-21.84	65.60	33.20	0.11	10.45	QP
2	0.157	28.36	-27.24	55.60	17.80	0.11	10.45	Average
3	0.173	40.76	-24.05	64.81	30.21	0.10	10.45	QP
4	0.173	26.16	-28.65	54.81	15.61	0.10	10.45	Average
5	0.191	38.04	-25.94	63.98	27.49	0.09	10.46	QP
6	0.191	25.14	-28.84	53.98	14.59	0.09	10.46	Average
7	0.227	36.05	-26.52	62.57	25.50	0.08	10.47	QP
8	0.227	23.85	-28.72	52.57	13.30	0.08	10.47	Average
9	0.260	33.16	-28.26	61.42	22.60	0.09	10.47	QP
10	0.260	22.76	-28.66	51.42	12.20	0.09	10.47	Average
11	0.402	38.96	-18.85	57.81	28.49	-0.02	10.49	QP
12 *	0.402	33.56	-14.25	47.81	23.09	-0.02	10.49	Average



Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.166	37.18	-27.98	65.16	26.61	0.12	10.45	QP
2	0.166	22.78	-32.38	55.16	12.21	0.12	10.45	Average
3	0.198	37.79	-25.92	63.71	27.20	0.13	10.46	QP
4	0.198	22.79	-30.92	53.71	12.20	0.13	10.46	Average
5	0.224	33.03	-29.63	62.66	22.50	0.06	10.47	QP
6	0.224	21.03	-31.63	52.66	10.50	0.06	10.47	Average
7	0.277	30.00	-30.90	60.90	19.61	-0.08	10.47	QP
8	0.277	18.60	-32.30	50.90	8.21	-0.08	10.47	Average
9	0.396	34.95	-23.00	57.95	24.60	-0.14	10.49	QP
10 *	0.396	27.55	-20.40	47.95	17.20	-0.14	10.49	Average
11	15.718	22.68	-37.42	60.00	12.50	-0.20	10.28	QP
12	15.718	15.68	-34.32	50.00	5.60	-0.20	10.28	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jerry Xu	Relative Humidity :	51 ~ 53 %
		Temperature :	25.2 ~ 26.5 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5280	6Mbps	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-
Mode 8	U-NII-2C	5.47-5.725	1	802.11a	116	5580	6Mbps	-
Mode 9	U-NII-2C	5.47-5.725	1	802.11a	140	5700	6Mbps	-
Mode 10	U-NII-1	5.15-5.25	1	802.11ac VHT20	36	5180	MCS0	-
Mode 11	U-NII-1	5.15-5.25	1	802.11ac VHT20	44	5220	MCS0	-
Mode 12	U-NII-1	5.15-5.25	1	802.11ac VHT20	48	5240	MCS0	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11ac VHT20	52	5280	MCS0	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11ac VHT20	60	5300	MCS0	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11ac VHT20	64	5320	MCS0	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11ac VHT20	100	5500	MCS0	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11ac VHT20	116	5580	MCS0	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11ac VHT20	140	5700	MCS0	-
Mode 19	U-NII-1	5.15-5.25	1	802.11ac VHT40	38	5190	MCS0	-
Mode 20	U-NII-1	5.15-5.25	1	802.11ac VHT40	46	5230	MCS0	-
Mode 21	U-NII-2A	5.25-5.35	1	802.11ac VHT40	54	5270	MCS0	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11ac VHT40	62	5310	MCS0	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11ac VHT40	102	5510	MCS0	-
Mode 24	U-NII-2C	5.47-5.725	1	802.11ac VHT40	110	5550	MCS0	-
Mode 25	U-NII-2C	5.47-5.725	1	802.11ac VHT40	134	5670	MCS0	-
Mode 26	U-NII-1	5.15-5.25	1	802.11ac VHT80	42	5210	MCS0	-
Mode 27	U-NII-2A	5.25-5.35	1	802.11ac VHT80	58	5290	MCS0	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU
Mode 28	U-NII-2C	5.47-5.725	1	802.11ac VHT80	106	5530	MCS0	-
Mode 29	U-NII-2C	5.47-5.725	1	802.11ac VHT80	122	5610	MCS0	-
Mode 30	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-
Mode 31	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-
Mode 32	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-
Mode 33	U-NII-3	5.725-5.85	1	802.11ac VHT20	149	5745	MCS0	-
Mode 34	U-NII-3	5.725-5.85	1	802.11ac VHT20	157	5785	MCS0	-
Mode 35	U-NII-3	5.725-5.85	1	802.11ac VHT20	165	5825	MCS0	-
Mode 36	U-NII-3	5.725-5.85	1	802.11ac VHT40	151	5755	MCS0	-
Mode 37	U-NII-3	5.725-5.85	1	802.11ac VHT40	159	5795	MCS0	-
Mode 38	U-NII-3	5.725-5.85	1	802.11ac VHT80	155	5775	MCS0	-
Mode 39	U-NII-2C	5.47-5.725	1	802.11a	144	5720	6Mbps	-
Mode 40	U-NII-2C	5.47-5.725	1	802.11ac VHT20	144	5720	6Mbps	-
Mode 41	U-NII-2C	5.47-5.725	1	802.11ac VHT40	142	5710	6Mbps	-
Mode 42	U-NII-2C	5.47-5.725	1	802.11ac VHT80	138	5690	6Mbps	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.90	48.18	54.00	-5.82	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.35	68.20	-22.85	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	37.96	54.00	-16.04	V	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	38.37	54.00	-15.63	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15840.00	41.17	54.00	-12.83	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	42.66	54.00	-11.34	H	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	50.86	54.00	-3.14	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	46.89	54.00	-7.11	H	AVERAGE	Pass	Harmonic
7	802.11a	100	5466.96	63.65	68.20	-4.55	H	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	50.74	54.00	-3.26	H	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	49.40	54.00	-4.60	H	AVERAGE	Pass	Harmonic
9	802.11a	140	5726.92	64.25	68.20	-3.95	H	Peak	Pass	Band Edge
9	802.11a	140	7599.98	50.01	54.00	-3.99	H	AVERAGE	Pass	Harmonic
10	802.11ac VHT20	36	5149.80	49.91	54.00	-4.09	H	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	10360.00	45.89	68.20	-22.31	H	PEAK	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	10440.00	46.42	68.20	-21.78	H	PEAK	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	10480.00	46.13	68.20	-22.07	V	PEAK	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	10560.00	46.29	68.20	-21.91	V	PEAK	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	10600.00	43.44	54.00	-10.56	H	AVERAGE	Pass	Harmonic
15	802.11ac VHT20	64	5350.00	50.16	54.00	-3.84	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	15960.00	37.92	54.00	-16.08	V	AVERAGE	Pass	Harmonic
16	802.11ac VHT20	100	5467.60	64.74	68.20	-3.46	H	PEAK	Pass	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
16	802.11ac VHT20	100	11000.00	46.08	54.00	-7.92	H	AVERAGE	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ac VHT20	116	7439.81	48.57	54.00	-5.43	H	AVERAGE	Pass	Harmonic
18	802.11ac VHT20	140	5727.88	64.37	68.20	-3.83	H	Peak	Pass	Band Edge
18	802.11ac VHT20	140	7599.81	49.85	54.00	-4.15	H	AVERAGE	Pass	Harmonic
19	802.11ac VHT40	38	5149.12	50.54	54.00	-3.46	H	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	10380.00	46.17	68.20	-22.03	V	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11ac VHT40	46	15690.00	38.16	54.00	-15.84	V	AVERAGE	Pass	Harmonic
21	802.11ac VHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11ac VHT40	54	10540.00	45.96	68.20	-22.24	H	PEAK	Pass	Harmonic
22	802.11ac VHT40	62	5350.10	50.01	54.00	-3.99	H	AVERAGE	Pass	Band Edge
22	802.11ac VHT40	62	7079.82	45.02	68.20	-23.18	V	PEAK	Pass	Harmonic
23	802.11ac VHT40	102	5459.92	50.84	54.00	-3.16	H	AVERAGE	Pass	Band Edge
23	802.11ac VHT40	102	7346.48	48.25	54.00	-5.75	H	AVERAGE	Pass	Harmonic
24	802.11ac VHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ac VHT40	110	11100.00	43.08	54.00	-10.92	H	AVERAGE	Pass	Harmonic
25	802.11ac VHT40	134	5725.40	61.43	68.20	-6.77	H	PEAK	Pass	Band Edge
25	802.11ac VHT40	134	7559.98	50.56	54.00	-3.44	H	AVERAGE	Pass	Harmonic
26	802.11ac VHT80	42	5146.08	50.69	54.00	-3.31	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	10420.00	46.48	68.20	-21.72	V	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5350.20	50.16	54.00	-3.84	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	7053.16	48.08	68.20	-20.12	H	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5459.92	50.89	54.00	-3.11	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	7373.15	48.96	54.00	-5.04	H	AVERAGE	Pass	Harmonic
29	802.11ac VHT80	122	5727.08	61.61	68.20	-6.59	H	PEAK	Pass	Band Edge
29	802.11ac VHT80	122	7479.81	48.12	54.00	-5.88	H	AVERAGE	Pass	Harmonic
30	802.11a	149	5618.40	54.54	68.20	-13.66	V	PEAK	Pass	Band Edge
30	802.11a	149	7659.98	47.45	54.00	-6.55	H	AVERAGE	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
31	802.11a	157	7713.31	47.98	54.00	-6.02	H	AVERAGE	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
32	802.11a	165	5925.20	56.04	68.20	-12.16	V	PEAK	Pass	Band Edge
32	802.11a	165	11650.00	38.97	54.00	-15.03	H	AVERAGE	Pass	Harmonic
33	802.11ac VHT20	149	5642.40	54.29	68.20	-13.91	H	PEAK	Pass	Band Edge
33	802.11ac VHT20	149	7659.81	49.83	54.00	-4.17	H	AVERAGE	Pass	Harmonic
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
34	802.11ac VHT20	157	7713.14	49.46	54.00	-4.54	H	AVERAGE	Pass	Harmonic
35	802.11ac VHT20	165	5989.20	55.59	68.20	-12.61	H	PEAK	Pass	Band Edge
35	802.11ac VHT20	165	11650.00	42.52	54.00	-11.48	V	AVERAGE	Pass	Harmonic
36	802.11ac VHT40	151	5602.33	55.35	68.20	-12.85	H	PEAK	Pass	Band Edge
36	802.11ac VHT40	151	7673.14	49.22	54.00	-4.78	H	AVERAGE	Pass	Harmonic
37	802.11ac VHT40	159	5939.20	55.71	68.20	-12.49	V	PEAK	Pass	Band Edge
37	802.11ac VHT40	159	7726.47	49.28	54.00	-4.72	H	AVERAGE	Pass	Harmonic
38	802.11ac VHT80	155	5944.80	57.33	68.20	-10.87	V	PEAK	Pass	Band Edge
38	802.11ac VHT80	155	7699.81	49.47	54.00	-4.53	H	AVERAGE	Pass	Harmonic
39	802.11a	144	-	-	-	-	-	-	-	Band Edge
39	802.11a	144	7626.48	49.74	54.00	-4.26	H	AVERAGE	Pass	Harmonic
40	802.11ac VHT20	144	-	-	-	-	-	-	-	Band Edge
40	802.11ac VHT20	144	7626.48	49.67	54.00	-4.33	H	AVERAGE	Pass	Harmonic
41	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
41	802.11ac VHT40	142	7613.14	49.75	54.00	-4.25	H	AVERAGE	Pass	Harmonic
42	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
42	802.11ac VHT80	138	7586.48	50.23	54.00	-3.77	H	AVERAGE	Pass	Harmonic





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.70</td><td>59.67</td><td>74.00</td><td>-14.33</td><td>47.57</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>274 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	59.67	74.00	-14.33	47.57	34.20	9.79	31.89	0.00	274 360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.70	59.67	74.00	-14.33	47.57	34.20	9.79	31.89	0.00	274 360 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.90</td><td>48.18</td><td>54.00</td><td>-5.82</td><td>36.08</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>274 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	48.18	54.00	-5.82	36.08	34.20	9.79	31.89	0.00	274 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.90	48.18	54.00	-5.82	36.08	34.20	9.79	31.89	0.00	274 360 AVERAGE																																													
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.74</td><td>-----</td><td>-----</td><td>98.60</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>274 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.74	-----	-----	98.60	34.20	9.81	31.87	0.00	274 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	110.74	-----	-----	98.60	34.20	9.81	31.87	0.00	274 360 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.05</td><td>-----</td><td>-----</td><td>89.92</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>274 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.05	-----	-----	89.92	34.20	9.81	31.88	0.00	274 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	102.05	-----	-----	89.92	34.20	9.81	31.88	0.00	274 360 AVERAGE																																													



Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.40</td><td>55.98</td><td>74.00</td><td>-18.02</td><td>43.90</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>295 308 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.40	55.98	74.00	-18.02	43.90	34.19	9.78	31.89	0.00	295 308 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.70</td><td>-----</td><td>-----</td><td>92.56</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>295 308 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.70	-----	-----	92.56	34.20	9.81	31.87	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5147.40	55.98	74.00	-18.02	43.90	34.19	9.78	31.89	0.00	295 308 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	104.70	-----	-----	92.56	34.20	9.81	31.87	0.00	295 308 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.70</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>33.01</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>295 308 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	45.11	54.00	-8.89	33.01	34.20	9.79	31.89	0.00	295 308 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.98</td><td>-----</td><td>-----</td><td>84.84</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>295 308 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.98	-----	-----	84.84	34.20	9.81	31.87	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.70	45.11	54.00	-8.89	33.01	34.20	9.79	31.89	0.00	295 308 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	96.98	-----	-----	84.84	34.20	9.81	31.87	0.00	295 308 AVERAGE																																																																																								



Mode	1																																																																							
	Harmonic																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>59.23</td><td>37.43</td><td>14.13</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15539.30</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>55.97</td><td>40.08</td><td>17.51</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	10360.00	45.35	68.20	-22.85	59.23	37.43	14.13	65.44	0.00	---	---	PEAK	2	15539.30	49.26	74.00	-24.74	55.97	40.08	17.51	64.30	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																													
1	10360.00	45.35	68.20	-22.85	59.23	37.43	14.13	65.44	0.00	---	---	PEAK																																																												
2	15539.30	49.26	74.00	-24.74	55.97	40.08	17.51	64.30	0.00	---	---	Peak																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.82</td><td>68.20</td><td>-23.38</td><td>58.73</td><td>37.41</td><td>14.13</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	44.82	68.20	-23.38	58.73	37.41	14.13	65.45	0.00	---	---	PEAK														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	10360.00	44.82	68.20	-23.38	58.73	37.41	14.13	65.45	0.00	---	---	PEAK																																																												





Mode	2																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>46.57</td><td>68.20</td><td>-21.63</td><td>60.16</td><td>37.58</td><td>14.18</td><td>65.35</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>53.85</td><td>40.32</td><td>17.58</td><td>64.34</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>37.82</td><td>54.00</td><td>-16.18</td><td>44.25</td><td>40.33</td><td>17.58</td><td>64.34</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	46.57	68.20	-21.63	60.16	37.58	14.18	65.35	0.00	---	--- PEAK	2	15660.00	47.41	74.00	-26.59	53.85	40.32	17.58	64.34	0.00	100	0 PEAK	3	15660.00	37.82	54.00	-16.18	44.25	40.33	17.58	64.34	0.00	100	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	10440.00	46.57	68.20	-21.63	60.16	37.58	14.18	65.35	0.00	---	--- PEAK																																																																					
2	15660.00	47.41	74.00	-26.59	53.85	40.32	17.58	64.34	0.00	100	0 PEAK																																																																					
3	15660.00	37.82	54.00	-16.18	44.25	40.33	17.58	64.34	0.00	100	0 AVERAGE																																																																					
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.59</td><td>68.20</td><td>-22.61</td><td>59.18</td><td>37.58</td><td>14.18</td><td>65.35</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>54.07</td><td>40.32</td><td>17.58</td><td>64.34</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>37.96</td><td>54.00</td><td>-16.04</td><td>44.42</td><td>40.31</td><td>17.57</td><td>64.34</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	45.59	68.20	-22.61	59.18	37.58	14.18	65.35	0.00	---	--- PEAK	2	15660.00	47.63	74.00	-26.37	54.07	40.32	17.58	64.34	0.00	300	0 PEAK	3	15660.00	37.96	54.00	-16.04	44.42	40.31	17.57	64.34	0.00	300	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	10440.00	45.59	68.20	-22.61	59.18	37.58	14.18	65.35	0.00	---	--- PEAK																																																																					
2	15660.00	47.63	74.00	-26.37	54.07	40.32	17.58	64.34	0.00	300	0 PEAK																																																																					
3	15660.00	37.96	54.00	-16.04	44.42	40.31	17.57	64.34	0.00	300	0 AVERAGE																																																																					





Mode	3																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																				
ANT	1																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10480.00</td><td>46.15</td><td>68.20</td><td>-22.05</td><td>59.59</td><td>37.66</td><td>14.21</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>53.88</td><td>40.44</td><td>17.61</td><td>64.36</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>37.41</td><td>54.00</td><td>-16.59</td><td>43.72</td><td>40.44</td><td>17.61</td><td>64.36</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10480.00	46.15	68.20	-22.05	59.59	37.66	14.21	65.31	0.00	---	---	PEAK	2 15720.00	47.57	74.00	-26.43	53.88	40.44	17.61	64.36	0.00	100	0	PEAK	3 15720.00	37.41	54.00	-16.59	43.72	40.44	17.61	64.36	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10480.00</td><td>46.14</td><td>68.20</td><td>-22.06</td><td>59.58</td><td>37.66</td><td>14.21</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>55.70</td><td>40.44</td><td>17.61</td><td>64.36</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>38.37</td><td>54.00</td><td>-15.63</td><td>44.68</td><td>40.44</td><td>17.61</td><td>64.36</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10480.00	46.14	68.20	-22.06	59.58	37.66	14.21	65.31	0.00	---	---	PEAK	2 15720.00	49.39	74.00	-24.61	55.70	40.44	17.61	64.36	0.00	300	0	PEAK	3 15720.00	38.37	54.00	-15.63	44.68	40.44	17.61	64.36	0.00	300	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 10480.00	46.15	68.20	-22.05	59.59	37.66	14.21	65.31	0.00	---	---	PEAK																																																																																																																																										
2 15720.00	47.57	74.00	-26.43	53.88	40.44	17.61	64.36	0.00	100	0	PEAK																																																																																																																																										
3 15720.00	37.41	54.00	-16.59	43.72	40.44	17.61	64.36	0.00	100	0	AVERAGE																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 10480.00	46.14	68.20	-22.06	59.58	37.66	14.21	65.31	0.00	---	---	PEAK																																																																																																																																										
2 15720.00	49.39	74.00	-24.61	55.70	40.44	17.61	64.36	0.00	300	0	PEAK																																																																																																																																										
3 15720.00	38.37	54.00	-15.63	44.68	40.44	17.61	64.36	0.00	300	0	AVERAGE																																																																																																																																										







Mode	4																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1 7039.98</td><td>47.32</td><td>68.20</td><td>-20.88</td><td>64.54</td><td>35.60</td><td>11.52</td><td>64.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 10560.00</td><td>49.70</td><td>68.20</td><td>-18.50</td><td>62.83</td><td>37.82</td><td>14.26</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 15840.00</td><td>50.52</td><td>74.00</td><td>-23.48</td><td>56.53</td><td>40.72</td><td>17.67</td><td>64.40</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>4 15840.00</td><td>39.98</td><td>54.00</td><td>-14.02</td><td>45.99</td><td>40.72</td><td>17.67</td><td>64.40</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 7039.98	47.32	68.20	-20.88	64.54	35.60	11.52	64.34	0.00	---	---	PEAK	2 10560.00	49.70	68.20	-18.50	62.83	37.82	14.26	65.21	0.00	---	---	PEAK	3 15840.00	50.52	74.00	-23.48	56.53	40.72	17.67	64.40	0.00	100	0	PEAK	4 15840.00	39.98	54.00	-14.02	45.99	40.72	17.67	64.40	0.00	100	0
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
MHz	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
1 7039.98	47.32	68.20	-20.88	64.54	35.60	11.52	64.34	0.00	---	---	PEAK																																																																					
2 10560.00	49.70	68.20	-18.50	62.83	37.82	14.26	65.21	0.00	---	---	PEAK																																																																					
3 15840.00	50.52	74.00	-23.48	56.53	40.72	17.67	64.40	0.00	100	0	PEAK																																																																					
4 15840.00	39.98	54.00	-14.02	45.99	40.72	17.67	64.40	0.00	100	0	AVERAGE																																																																					
Peak Avg																																																																																
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1 7039.98</td><td>45.98</td><td>68.20</td><td>-22.22</td><td>63.20</td><td>35.60</td><td>11.52</td><td>64.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 10560.00</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>59.41</td><td>37.82</td><td>14.26</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 15840.00</td><td>51.28</td><td>74.00</td><td>-22.72</td><td>57.29</td><td>40.72</td><td>17.67</td><td>64.40</td><td>0.00</td><td>100</td><td>165</td><td>PEAK</td></tr><tr><td>4 15840.00</td><td>41.17</td><td>54.00</td><td>-12.83</td><td>47.18</td><td>40.72</td><td>17.67</td><td>64.40</td><td>0.00</td><td>100</td><td>165</td><td>AVERAGE</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 7039.98	45.98	68.20	-22.22	63.20	35.60	11.52	64.34	0.00	---	---	PEAK	2 10560.00	46.28	68.20	-21.92	59.41	37.82	14.26	65.21	0.00	---	---	PEAK	3 15840.00	51.28	74.00	-22.72	57.29	40.72	17.67	64.40	0.00	100	165	PEAK	4 15840.00	41.17	54.00	-12.83	47.18	40.72	17.67	64.40	0.00	100	165
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
MHz	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
1 7039.98	45.98	68.20	-22.22	63.20	35.60	11.52	64.34	0.00	---	---	PEAK																																																																					
2 10560.00	46.28	68.20	-21.92	59.41	37.82	14.26	65.21	0.00	---	---	PEAK																																																																					
3 15840.00	51.28	74.00	-22.72	57.29	40.72	17.67	64.40	0.00	100	165	PEAK																																																																					
4 15840.00	41.17	54.00	-12.83	47.18	40.72	17.67	64.40	0.00	100	165	AVERAGE																																																																					







Mode	5																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal					Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1 7066.65</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>63.24</td><td>35.60</td><td>11.54</td><td>64.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>60.38</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3 10600.00</td><td>36.55</td><td>54.00</td><td>-17.45</td><td>49.53</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr><tr><td>4 15900.00</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>59.21</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>5 15900.00</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>48.48</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>110 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 7066.65	45.96	68.20	-22.24	63.24	35.60	11.54	64.42	0.00	---	PEAK	2 10600.00	47.40	74.00	-26.60	60.38	37.90	14.29	65.17	0.00	300	0 PEAK	3 10600.00	36.55	54.00	-17.45	49.53	37.90	14.29	65.17	0.00	300	0 AVERAGE	4 15900.00	53.39	74.00	-20.61	59.21	40.90	17.70	64.42	0.00	100	110 PEAK	5 15900.00	42.66	54.00	-11.34	48.48	40.90	17.70	64.42	0.00	100	110 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1 7066.65</td><td>45.31</td><td>68.20</td><td>-22.89</td><td>62.59</td><td>35.60</td><td>11.54</td><td>64.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>59.94</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3 15900.00</td><td>49.61</td><td>74.00</td><td>-24.39</td><td>55.43</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>4 15900.00</td><td>38.78</td><td>54.00</td><td>-15.22</td><td>44.61</td><td>40.89</td><td>17.70</td><td>64.42</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 7066.65	45.31	68.20	-22.89	62.59	35.60	11.54	64.42	0.00	---	PEAK	2 10600.00	46.96	74.00	-27.04	59.94	37.90	14.29	65.17	0.00	---	PEAK	3 15900.00	49.61	74.00	-24.39	55.43	40.90	17.70	64.42	0.00	300	0 PEAK	4 15900.00	38.78	54.00	-15.22	44.61	40.89	17.70	64.42	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
1 7066.65	45.96	68.20	-22.24	63.24	35.60	11.54	64.42	0.00	---	PEAK																																																																																																																																														
2 10600.00	47.40	74.00	-26.60	60.38	37.90	14.29	65.17	0.00	300	0 PEAK																																																																																																																																														
3 10600.00	36.55	54.00	-17.45	49.53	37.90	14.29	65.17	0.00	300	0 AVERAGE																																																																																																																																														
4 15900.00	53.39	74.00	-20.61	59.21	40.90	17.70	64.42	0.00	100	110 PEAK																																																																																																																																														
5 15900.00	42.66	54.00	-11.34	48.48	40.90	17.70	64.42	0.00	100	110 AVERAGE																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
1 7066.65	45.31	68.20	-22.89	62.59	35.60	11.54	64.42	0.00	---	PEAK																																																																																																																																														
2 10600.00	46.96	74.00	-27.04	59.94	37.90	14.29	65.17	0.00	---	PEAK																																																																																																																																														
3 15900.00	49.61	74.00	-24.39	55.43	40.90	17.70	64.42	0.00	300	0 PEAK																																																																																																																																														
4 15900.00	38.78	54.00	-15.22	44.61	40.89	17.70	64.42	0.00	300	0 AVERAGE																																																																																																																																														





Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.70</td><td>60.13</td><td>74.00</td><td>-13.87</td><td>47.40</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.70	60.13	74.00	-13.87	47.40	34.60	9.91	31.78	0.00	261	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.16</td><td>-----</td><td>98.52</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.16	-----	98.52	34.54	9.90	31.80	0.00	261
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5351.70	60.13	74.00	-13.87	47.40	34.60	9.91	31.78	0.00	261	0 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	111.16	-----	98.52	34.54	9.90	31.80	0.00	261	0 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.86</td><td>54.00</td><td>-3.14</td><td>38.13</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>261</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.86	54.00	-3.14	38.13	34.60	9.91	31.78	0.00	261	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.54</td><td>-----</td><td>89.90</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>261</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.54	-----	89.90	34.54	9.90	31.80	0.00	261
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	50.86	54.00	-3.14	38.13	34.60	9.91	31.78	0.00	261	0 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	102.54	-----	89.90	34.54	9.90	31.80	0.00	261	0 AVERAGE																																																																																									







Mode	6																																																																																																				
	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.80</td><td>56.82</td><td>74.00</td><td>-17.18</td><td>44.08</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>307</td><td>314 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.80	56.82	74.00	-17.18	44.08	34.61	9.91	31.78	0.00	307	314 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.00</td><td>-----</td><td>-----</td><td>94.46</td><td>34.53</td><td>9.89</td><td>31.80</td><td>0.00</td><td>307</td><td>314 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.00	-----	-----	94.46	34.53	9.89	31.80	0.00	307
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5354.80	56.82	74.00	-17.18	44.08	34.61	9.91	31.78	0.00	307	314 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	107.00	-----	-----	94.46	34.53	9.89	31.80	0.00	307	314 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>34.36</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>307</td><td>314 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	47.09	54.00	-6.91	34.36	34.60	9.91	31.78	0.00	307	314 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>98.99</td><td>-----</td><td>-----</td><td>86.35</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>307</td><td>314 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	98.99	-----	-----	86.35	34.54	9.90	31.80	0.00	307
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.10	47.09	54.00	-6.91	34.36	34.60	9.91	31.78	0.00	307	314 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	98.99	-----	-----	86.35	34.54	9.90	31.80	0.00	307	314 AVERAGE																																																																																										







Mode	6																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal																																																																																																												
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.32</td><td>46.01</td><td>68.20</td><td>-22.19</td><td>63.36</td><td>35.60</td><td>11.56</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>58.72</td><td>74.00</td><td>-15.28</td><td>71.66</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>59.83</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>100</td><td>92</td><td>AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>54.54</td><td>74.00</td><td>-19.46</td><td>60.23</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>49.03</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>111</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.32	46.01	68.20	-22.19	63.36	35.60	11.56	64.51	0.00	---	---	PEAK	2	10640.00	58.72	74.00	-15.28	71.66	37.86	14.32	65.12	0.00	100	92	PEAK	3	10640.00	46.89	54.00	-7.11	59.83	37.86	14.32	65.12	0.00	100	92	AVERAGE	4	15960.00	54.54	74.00	-19.46	60.23	41.02	17.73	64.44	0.00	100	111	PEAK	5	15960.00	43.34	54.00	-10.66	49.03	41.02	17.73	64.44	0.00	100	111	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
	1	7093.32	46.01	68.20	-22.19	63.36	35.60	11.56	64.51	0.00	---	---	PEAK																																																																																																
2	10640.00	58.72	74.00	-15.28	71.66	37.86	14.32	65.12	0.00	100	92	PEAK																																																																																																	
3	10640.00	46.89	54.00	-7.11	59.83	37.86	14.32	65.12	0.00	100	92	AVERAGE																																																																																																	
4	15960.00	54.54	74.00	-19.46	60.23	41.02	17.73	64.44	0.00	100	111	PEAK																																																																																																	
5	15960.00	43.34	54.00	-10.66	49.03	41.02	17.73	64.44	0.00	100	111	AVERAGE																																																																																																	
Vertical																																																																																																													
																																																																																																													
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.32</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>63.03</td><td>35.60</td><td>11.56</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>62.98</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>39.82</td><td>54.00</td><td>-14.18</td><td>52.76</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>130</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>56.18</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>323</td><td>342</td><td>PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>41.45</td><td>54.00</td><td>-12.55</td><td>47.14</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>323</td><td>342</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.32	45.68	68.20	-22.52	63.03	35.60	11.56	64.51	0.00	---	---	PEAK	2	10640.00	50.04	74.00	-23.96	62.98	37.86	14.32	65.12	0.00	130	360	PEAK	3	10640.00	39.82	54.00	-14.18	52.76	37.86	14.32	65.12	0.00	130	360	AVERAGE	4	15960.00	50.49	74.00	-23.51	56.18	41.02	17.73	64.44	0.00	323	342	PEAK	5	15960.00	41.45	54.00	-12.55	47.14	41.02	17.73	64.44	0.00	323	342	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	7093.32	45.68	68.20	-22.52	63.03	35.60	11.56	64.51	0.00	---	---	PEAK																																																																																																	
2	10640.00	50.04	74.00	-23.96	62.98	37.86	14.32	65.12	0.00	130	360	PEAK																																																																																																	
3	10640.00	39.82	54.00	-14.18	52.76	37.86	14.32	65.12	0.00	130	360	AVERAGE																																																																																																	
4	15960.00	50.49	74.00	-23.51	56.18	41.02	17.73	64.44	0.00	323	342	PEAK																																																																																																	
5	15960.00	41.45	54.00	-12.55	47.14	41.02	17.73	64.44	0.00	323	342	AVERAGE																																																																																																	



Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>60.40</td><td>74.00</td><td>-13.60</td><td>47.32</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>248</td><td>26 PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>63.65</td><td>68.20</td><td>-4.55</td><td>50.56</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>248</td><td>26 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	60.40	74.00	-13.60	47.32	34.78	10.03	31.73	0.00	248	26 PEAK	2	5466.96	63.65	68.20	-4.55	50.56	34.77	10.04	31.72	0.00	248	26 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.37</td><td>-----</td><td>-----</td><td>98.28</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>248</td><td>26 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.37	-----	-----	98.28	34.70	10.09	31.70	0.00	248	26 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.96	60.40	74.00	-13.60	47.32	34.78	10.03	31.73	0.00	248	26 PEAK																																																																																																						
2	5466.96	63.65	68.20	-4.55	50.56	34.77	10.04	31.72	0.00	248	26 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	111.37	-----	-----	98.28	34.70	10.09	31.70	0.00	248	26 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>49.38</td><td>54.00</td><td>-4.62</td><td>36.30</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>248</td><td>26 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	49.38	54.00	-4.62	36.30	34.78	10.03	31.73	0.00	248	26 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.36</td><td>-----</td><td>-----</td><td>90.27</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>248</td><td>26 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.36	-----	-----	90.27	34.70	10.09	31.70	0.00	248	26 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.76	49.38	54.00	-4.62	36.30	34.78	10.03	31.73	0.00	248	26 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	103.36	-----	-----	90.27	34.70	10.09	31.70	0.00	248	26 AVERAGE																																																																																																						





Mode	7																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical					Fundamental																																																																																																									
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>55.71</td><td>74.00</td><td>-18.29</td><td>42.64</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>324</td><td>301 PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>58.31</td><td>68.20</td><td>-9.89</td><td>45.23</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>324</td><td>301 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	55.71	74.00	-18.29	42.64	34.78	10.02	31.73	0.00	324	301 PEAK	2	5469.04	58.31	68.20	-9.89	45.23	34.76	10.04	31.72	0.00	324	301 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.95</td><td>-----</td><td>-----</td><td>93.86</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>324</td><td>301 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.95	-----	-----	93.86	34.70	10.09	31.70	0.00	324
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5458.80	55.71	74.00	-18.29	42.64	34.78	10.02	31.73	0.00	324	301 PEAK																																																																																																				
2	5469.04	58.31	68.20	-9.89	45.23	34.76	10.04	31.72	0.00	324	301 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	106.95	-----	-----	93.86	34.70	10.09	31.70	0.00	324	301 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>32.67</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>324</td><td>301 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	45.75	54.00	-8.25	32.67	34.78	10.03	31.73	0.00	324	301 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.02</td><td>-----</td><td>-----</td><td>84.93</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>324</td><td>301 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.02	-----	-----	84.93	34.70	10.09	31.70	0.00	324	301 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5459.92	45.75	54.00	-8.25	32.67	34.78	10.03	31.73	0.00	324	301 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	98.02	-----	-----	84.93	34.70	10.09	31.70	0.00	324	301 AVERAGE																																																																																																				






Mode	7																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.32</td><td>49.73</td><td>74.00</td><td>-24.27</td><td>67.57</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr><tr><td>2</td><td>7333.32</td><td>47.04</td><td>54.00</td><td>-6.96</td><td>64.88</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>100</td><td>181 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>61.12</td><td>74.00</td><td>-12.88</td><td>73.26</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr><tr><td>4</td><td>11000.00</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>62.88</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>100</td><td>95 AVERAGE</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.32	49.73	74.00	-24.27	67.57	35.70	11.70	65.24	0.00	100	181 PEAK	2	7333.32	47.04	54.00	-6.96	64.88	35.70	11.70	65.24	0.00	100	181 AVERAGE	3	11000.00	61.12	74.00	-12.88	73.26	38.00	14.56	64.70	0.00	100	95 PEAK	4	11000.00	50.74	54.00	-3.26	62.88	38.00	14.56	64.70	0.00	100	95 AVERAGE	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.32</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>62.52</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>56.89</td><td>74.00</td><td>-17.11</td><td>69.03</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>315</td><td>212 PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>46.06</td><td>54.00</td><td>-7.94</td><td>58.20</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>315</td><td>212 AVERAGE</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.32	44.68	74.00	-29.32	62.52	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	56.89	74.00	-17.11	69.03	38.00	14.56	64.70	0.00	315	212 PEAK	3	11000.00	46.06	54.00	-7.94	58.20	38.00	14.56	64.70	0.00	315
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7333.32	49.73	74.00	-24.27	67.57	35.70	11.70	65.24	0.00	100	181 PEAK																																																																																																																																					
2	7333.32	47.04	54.00	-6.96	64.88	35.70	11.70	65.24	0.00	100	181 AVERAGE																																																																																																																																					
3	11000.00	61.12	74.00	-12.88	73.26	38.00	14.56	64.70	0.00	100	95 PEAK																																																																																																																																					
4	11000.00	50.74	54.00	-3.26	62.88	38.00	14.56	64.70	0.00	100	95 AVERAGE																																																																																																																																					
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7333.32	44.68	74.00	-29.32	62.52	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																																																																				
2	11000.00	56.89	74.00	-17.11	69.03	38.00	14.56	64.70	0.00	315	212 PEAK																																																																																																																																					
3	11000.00	46.06	54.00	-7.94	58.20	38.00	14.56	64.70	0.00	315	212 AVERAGE																																																																																																																																					






Mode	8																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7439.98</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>69.17</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>265</td><td>269</td><td>PEAK</td></tr><tr><td>2</td><td>7439.98</td><td>48.95</td><td>54.00</td><td>-5.05</td><td>67.05</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>265</td><td>269</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>60.20</td><td>74.00</td><td>-13.80</td><td>72.03</td><td>38.00</td><td>14.68</td><td>64.51</td><td>0.00</td><td>118</td><td>94</td><td>PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>49.40</td><td>54.00</td><td>-4.60</td><td>61.23</td><td>38.00</td><td>14.68</td><td>64.51</td><td>0.00</td><td>118</td><td>94</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7439.98	51.07	74.00	-22.93	69.17	35.70	11.77	65.57	0.00	265	269	PEAK	2	7439.98	48.95	54.00	-5.05	67.05	35.70	11.77	65.57	0.00	265	269	AVERAGE	3	11160.00	60.20	74.00	-13.80	72.03	38.00	14.68	64.51	0.00	118	94	PEAK	4	11160.00	49.40	54.00	-4.60	61.23	38.00	14.68	64.51	0.00	118	94	AVERAGE	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7439.98</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>61.50</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>57.81</td><td>74.00</td><td>-16.19</td><td>69.64</td><td>38.00</td><td>14.68</td><td>64.51</td><td>0.00</td><td>100</td><td>54</td><td>PEAK</td></tr><tr><td>3</td><td>11160.00</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>58.37</td><td>38.00</td><td>14.68</td><td>64.51</td><td>0.00</td><td>100</td><td>54</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7439.98	43.40	74.00	-30.60	61.50	35.70	11.77	65.57	0.00	---	---	PEAK	2	11160.00	57.81	74.00	-16.19	69.64	38.00	14.68	64.51	0.00	100	54	PEAK	3	11160.00	46.54	54.00	-7.46	58.37	38.00	14.68	64.51	0.00	100	54
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7439.98	51.07	74.00	-22.93	69.17	35.70	11.77	65.57	0.00	265	269	PEAK																																																																																																																																													
2	7439.98	48.95	54.00	-5.05	67.05	35.70	11.77	65.57	0.00	265	269	AVERAGE																																																																																																																																													
3	11160.00	60.20	74.00	-13.80	72.03	38.00	14.68	64.51	0.00	118	94	PEAK																																																																																																																																													
4	11160.00	49.40	54.00	-4.60	61.23	38.00	14.68	64.51	0.00	118	94	AVERAGE																																																																																																																																													
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7439.98	43.40	74.00	-30.60	61.50	35.70	11.77	65.57	0.00	---	---	PEAK																																																																																																																																													
2	11160.00	57.81	74.00	-16.19	69.64	38.00	14.68	64.51	0.00	100	54	PEAK																																																																																																																																													
3	11160.00	46.54	54.00	-7.46	58.37	38.00	14.68	64.51	0.00	100	54	AVERAGE																																																																																																																																													





Mode	9																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.92</td><td>64.25</td><td>68.20</td><td>-3.95</td><td>51.14</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>228</td><td>17 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.92	64.25	68.20	-3.95	51.14	34.60	10.35	31.84	0.00	228	17 Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.44</td><td>-----</td><td>-----</td><td>97.29</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>228</td><td>17 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	110.44	-----	-----	97.29	34.60	10.32	31.77	0.00	228
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5726.92	64.25	68.20	-3.95	51.14	34.60	10.35	31.84	0.00	228	17 Peak																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	110.44	-----	-----	97.29	34.60	10.32	31.77	0.00	228	17 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.95</td><td>-----</td><td>-----</td><td>88.80</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>228</td><td>17 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.95	-----	-----	88.80	34.60	10.32	31.77	0.00	228	17 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	101.95	-----	-----	88.80	34.60	10.32	31.77	0.00	228	17 AVERAGE																																																																																										







Mode	9																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.28</td><td>60.58</td><td>68.20</td><td>-7.62</td><td>47.47</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>303</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.28	60.58	68.20	-7.62	47.47	34.60	10.35	31.84	0.00	303	180	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.51</td><td>-----</td><td>-----</td><td>93.36</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>303</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.51	-----	-----	93.36	34.60	10.32	31.77	0.00	303	180
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5726.28	60.58	68.20	-7.62	47.47	34.60	10.35	31.84	0.00	303	180	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	106.51	-----	-----	93.36	34.60	10.32	31.77	0.00	303	180	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.90</td><td>-----</td><td>-----</td><td>84.75</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>303</td><td>180</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.90	-----	-----	84.75	34.60	10.32	31.77	0.00	303	180	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	97.90	-----	-----	84.75	34.60	10.32	31.77	0.00	303	180	AVERAGE																																																																																											







Mode	9																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.98</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>70.57</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>254</td><td>275 PEAK</td></tr><tr><td>2</td><td>7599.98</td><td>50.01</td><td>54.00</td><td>-3.99</td><td>68.28</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>254</td><td>275 AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>64.98</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>121</td><td>88 PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>55.52</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>121</td><td>88 AVERAGE</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.98	52.30	74.00	-21.70	70.57	35.70	11.95	65.92	0.00	254	275 PEAK	2	7599.98	50.01	54.00	-3.99	68.28	35.70	11.95	65.92	0.00	254	275 AVERAGE	3	11400.00	53.70	74.00	-20.30	64.98	38.10	14.85	64.23	0.00	121	88 PEAK	4	11400.00	44.24	54.00	-9.76	55.52	38.10	14.85	64.23	0.00	121	88 AVERAGE	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.98</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>66.33</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>300</td><td>325 PEAK</td></tr><tr><td>2</td><td>7599.98</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>63.73</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>300</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>63.86</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>121</td><td>94 PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>42.68</td><td>54.00</td><td>-11.32</td><td>53.96</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>121</td><td>94 AVERAGE</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.98	48.06	74.00	-25.94	66.33	35.70	11.95	65.92	0.00	300	325 PEAK	2	7599.98	45.46	54.00	-8.54	63.73	35.70	11.95	65.92	0.00	300	325 AVERAGE	3	11400.00	52.58	74.00	-21.42	63.86	38.10	14.85	64.23	0.00	121	94 PEAK	4	11400.00	42.68	54.00	-11.32	53.96	38.10	14.85	64.23	0.00	121
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7599.98	52.30	74.00	-21.70	70.57	35.70	11.95	65.92	0.00	254	275 PEAK																																																																																																																																																
2	7599.98	50.01	54.00	-3.99	68.28	35.70	11.95	65.92	0.00	254	275 AVERAGE																																																																																																																																																
3	11400.00	53.70	74.00	-20.30	64.98	38.10	14.85	64.23	0.00	121	88 PEAK																																																																																																																																																
4	11400.00	44.24	54.00	-9.76	55.52	38.10	14.85	64.23	0.00	121	88 AVERAGE																																																																																																																																																
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7599.98	48.06	74.00	-25.94	66.33	35.70	11.95	65.92	0.00	300	325 PEAK																																																																																																																																																
2	7599.98	45.46	54.00	-8.54	63.73	35.70	11.95	65.92	0.00	300	325 AVERAGE																																																																																																																																																
3	11400.00	52.58	74.00	-21.42	63.86	38.10	14.85	64.23	0.00	121	94 PEAK																																																																																																																																																
4	11400.00	42.68	54.00	-11.32	53.96	38.10	14.85	64.23	0.00	121	94 AVERAGE																																																																																																																																																





Mode	10																																																																																																
	Band Edge																																																																																																
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.30</td><td>60.68</td><td>74.00</td><td>-13.32</td><td>48.60</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>217 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.30	60.68	74.00	-13.32	48.60	34.19	9.78	31.89	0.00	217 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.72</td><td>-----</td><td>-----</td><td>98.59</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>217 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.72	-----	-----	98.59	34.20	9.81	31.88	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5146.30	60.68	74.00	-13.32	48.60	34.19	9.78	31.89	0.00	217 360 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	110.72	-----	-----	98.59	34.20	9.81	31.88	0.00	217 360 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.80</td><td>49.91</td><td>54.00</td><td>-4.09</td><td>37.81</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>217 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.80	49.91	54.00	-4.09	37.81	34.20	9.79	31.89	0.00	217 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.11</td><td>-----</td><td>-----</td><td>89.97</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>217 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.11	-----	-----	89.97	34.20	9.81	31.87	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5149.80	49.91	54.00	-4.09	37.81	34.20	9.79	31.89	0.00	217 360 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	102.11	-----	-----	89.97	34.20	9.81	31.87	0.00	217 360 AVERAGE																																																																																							





Mode	10																																																																																																
	Band Edge																																																																																																
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.70</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>42.86</td><td>34.20</td><td>9.78</td><td>31.89</td><td>0.00</td><td>288 307 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.70	54.95	74.00	-19.05	42.86	34.20	9.78	31.89	0.00	288 307 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.11</td><td>-----</td><td>-----</td><td>90.98</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>288 307 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.11	-----	-----	90.98	34.20	9.81	31.88	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5147.70	54.95	74.00	-19.05	42.86	34.20	9.78	31.89	0.00	288 307 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	103.11	-----	-----	90.98	34.20	9.81	31.88	0.00	288 307 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.70</td><td>44.92</td><td>54.00</td><td>-9.08</td><td>32.82</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>288 307 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	44.92	54.00	-9.08	32.82	34.20	9.79	31.89	0.00	288 307 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.33</td><td>-----</td><td>-----</td><td>83.20</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>288 307 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.33	-----	-----	83.20	34.20	9.81	31.88	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5149.70	44.92	54.00	-9.08	32.82	34.20	9.79	31.89	0.00	288 307 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	95.33	-----	-----	83.20	34.20	9.81	31.88	0.00	288 307 AVERAGE																																																																																							





Mode	10																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>59.85</td><td>37.50</td><td>13.99</td><td>65.45</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>54.18</td><td>40.10</td><td>17.61</td><td>64.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.89	68.20	-22.31	59.85	37.50	13.99	65.45	0.00	---	PEAK	2	15540.00	47.59	74.00	-26.41	54.18	40.10	17.61	64.30	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.74</td><td>68.20</td><td>-22.46</td><td>59.70</td><td>37.50</td><td>13.99</td><td>65.45</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>54.36</td><td>40.10</td><td>17.61</td><td>64.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.74	68.20	-22.46	59.70	37.50	13.99	65.45	0.00	---	PEAK	2	15540.00	47.77	74.00	-26.23	54.36	40.10	17.61	64.30	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	10360.00	45.89	68.20	-22.31	59.85	37.50	13.99	65.45	0.00	---	PEAK																																																																																																																				
2	15540.00	47.59	74.00	-26.41	54.18	40.10	17.61	64.30	0.00	---	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	10360.00	45.74	68.20	-22.46	59.70	37.50	13.99	65.45	0.00	---	PEAK																																																																																																																				
2	15540.00	47.77	74.00	-26.23	54.36	40.10	17.61	64.30	0.00	---	PEAK																																																																																																																				





Mode	11																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>46.42</td><td>68.20</td><td>-21.78</td><td>60.17</td><td>37.58</td><td>14.02</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>54.38</td><td>40.16</td><td>17.72</td><td>64.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	46.42	68.20	-21.78	60.17	37.58	14.02	65.35	0.00	---	---	PEAK	2	15660.00	47.92	74.00	-26.08	54.38	40.16	17.72	64.34	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>46.36</td><td>68.20</td><td>-21.84</td><td>60.11</td><td>37.58</td><td>14.02</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>53.91</td><td>40.16</td><td>17.72</td><td>64.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	46.36	68.20	-21.84	60.11	37.58	14.02	65.35	0.00	---	---	PEAK	2	15660.00	47.45	74.00	-26.55	53.91	40.16	17.72	64.34	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	10440.00	46.42	68.20	-21.78	60.17	37.58	14.02	65.35	0.00	---	---	PEAK																																																																																																																							
2	15660.00	47.92	74.00	-26.08	54.38	40.16	17.72	64.34	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	10440.00	46.36	68.20	-21.84	60.11	37.58	14.02	65.35	0.00	---	---	PEAK																																																																																																																							
2	15660.00	47.45	74.00	-26.55	53.91	40.16	17.72	64.34	0.00	---	---	PEAK																																																																																																																							





Mode	12																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.71</td><td>68.20</td><td>-22.49</td><td>59.32</td><td>37.66</td><td>14.04</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>53.58</td><td>40.24</td><td>17.77</td><td>64.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	45.71	68.20	-22.49	59.32	37.66	14.04	65.31	0.00	---	---	PEAK	2	15720.00	47.23	74.00	-26.77	53.58	40.24	17.77	64.36	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>46.13</td><td>68.20</td><td>-22.07</td><td>59.74</td><td>37.66</td><td>14.04</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>53.28</td><td>40.24</td><td>17.77</td><td>64.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	46.13	68.20	-22.07	59.74	37.66	14.04	65.31	0.00	---	---	PEAK	2	15720.00	46.93	74.00	-27.07	53.28	40.24	17.77	64.36	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10480.00	45.71	68.20	-22.49	59.32	37.66	14.04	65.31	0.00	---	---	PEAK																																																																																																																								
2	15720.00	47.23	74.00	-26.77	53.58	40.24	17.77	64.36	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10480.00	46.13	68.20	-22.07	59.74	37.66	14.04	65.31	0.00	---	---	PEAK																																																																																																																								
2	15720.00	46.93	74.00	-27.07	53.28	40.24	17.77	64.36	0.00	---	---	PEAK																																																																																																																								







Mode	13																																																																										
	Harmonic																																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5280MHz																																																																										
ANT	1																																																																										
Pol.	Horizontal																																																																										
Peak Avg																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10560.00</td><td>45.80</td><td>68.20</td><td>-22.40</td><td>59.30</td><td>37.64</td><td>14.07</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15840.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>53.07</td><td>40.32</td><td>17.87</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10560.00	45.80	68.20	-22.40	59.30	37.64	14.07	65.21	0.00	---	---	PEAK	2	15840.00	46.86	74.00	-27.14	53.07	40.32	17.87	64.40	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	10560.00	45.80	68.20	-22.40	59.30	37.64	14.07	65.21	0.00	---	---	PEAK																																																															
2	15840.00	46.86	74.00	-27.14	53.07	40.32	17.87	64.40	0.00	---	---	PEAK																																																															
Vertical																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10560.00</td><td>46.29</td><td>68.20</td><td>-21.91</td><td>59.79</td><td>37.64</td><td>14.07</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15840.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>53.68</td><td>40.32</td><td>17.87</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10560.00	46.29	68.20	-21.91	59.79	37.64	14.07	65.21	0.00	---	---	PEAK	2	15840.00	47.47	74.00	-26.53	53.68	40.32	17.87	64.40	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	10560.00	46.29	68.20	-21.91	59.79	37.64	14.07	65.21	0.00	---	---	PEAK																																																															
2	15840.00	47.47	74.00	-26.53	53.68	40.32	17.87	64.40	0.00	---	---	PEAK																																																															







Mode	14																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_5300MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7064.90</td><td>45.48</td><td>68.20</td><td>-22.72</td><td>62.56</td><td>35.73</td><td>11.61</td><td>64.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>67.52</td><td>37.60</td><td>14.08</td><td>65.17</td><td>0.00</td><td>100</td><td>38</td><td>PEAK</td></tr><tr><td>3 10600.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>56.93</td><td>37.60</td><td>14.08</td><td>65.17</td><td>0.00</td><td>100</td><td>38</td><td>AVERAGE</td></tr><tr><td>4 15900.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>52.91</td><td>40.20</td><td>17.92</td><td>64.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7064.90	45.48	68.20	-22.72	62.56	35.73	11.61	64.42	0.00	---	---	PEAK	2 10600.00	54.03	74.00	-19.97	67.52	37.60	14.08	65.17	0.00	100	38	PEAK	3 10600.00	43.44	54.00	-10.56	56.93	37.60	14.08	65.17	0.00	100	38	AVERAGE	4 15900.00	46.61	74.00	-27.39	52.91	40.20	17.92	64.42	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7064.90	45.48	68.20	-22.72	62.56	35.73	11.61	64.42	0.00	---	---	PEAK																																																																																	
2 10600.00	54.03	74.00	-19.97	67.52	37.60	14.08	65.17	0.00	100	38	PEAK																																																																																	
3 10600.00	43.44	54.00	-10.56	56.93	37.60	14.08	65.17	0.00	100	38	AVERAGE																																																																																	
4 15900.00	46.61	74.00	-27.39	52.91	40.20	17.92	64.42	0.00	---	---	PEAK																																																																																	
Vertical																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7064.90</td><td>43.23</td><td>68.20</td><td>-24.97</td><td>60.31</td><td>35.73</td><td>11.61</td><td>64.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>59.04</td><td>37.60</td><td>14.08</td><td>65.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 15900.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>52.70</td><td>40.20</td><td>17.92</td><td>64.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7064.90	43.23	68.20	-24.97	60.31	35.73	11.61	64.42	0.00	---	---	PEAK	2 10600.00	45.55	74.00	-28.45	59.04	37.60	14.08	65.17	0.00	---	---	PEAK	3 15900.00	46.40	74.00	-27.60	52.70	40.20	17.92	64.42	0.00	---	---	PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7064.90	43.23	68.20	-24.97	60.31	35.73	11.61	64.42	0.00	---	---	PEAK																																																																																	
2 10600.00	45.55	74.00	-28.45	59.04	37.60	14.08	65.17	0.00	---	---	PEAK																																																																																	
3 15900.00	46.40	74.00	-27.60	52.70	40.20	17.92	64.42	0.00	---	---	PEAK																																																																																	



Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.80</td><td>61.15</td><td>74.00</td><td>-12.85</td><td>48.36</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>100</td><td>334 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.80	61.15	74.00	-12.85	48.36	34.64	9.92	31.77	0.00	100	334 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.58</td><td>-----</td><td>98.94</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>334 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.58	-----	98.94	34.54	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5368.80	61.15	74.00	-12.85	48.36	34.64	9.92	31.77	0.00	100	334 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	111.58	-----	98.94	34.54	9.90	31.80	0.00	100	334 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.16</td><td>54.00</td><td>-3.84</td><td>37.43</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>334 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.16	54.00	-3.84	37.43	34.60	9.91	31.78	0.00	100	334 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.35</td><td>-----</td><td>90.71</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>334 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.35	-----	90.71	34.54	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	50.16	54.00	-3.84	37.43	34.60	9.91	31.78	0.00	100	334 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	103.35	-----	90.71	34.54	9.90	31.80	0.00	100	334 AVERAGE																																																																																									







Mode	15																																																																																																				
	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.30</td><td>55.44</td><td>74.00</td><td>-18.56</td><td>42.71</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>118</td><td>37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.30	55.44	74.00	-18.56	42.71	34.60	9.91	31.78	0.00	118	37 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>103.11</td><td>-----</td><td>-----</td><td>90.47</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>118</td><td>37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.11	-----	-----	90.47	34.54	9.90	31.80	0.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5352.30	55.44	74.00	-18.56	42.71	34.60	9.91	31.78	0.00	118	37 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	103.11	-----	-----	90.47	34.54	9.90	31.80	0.00	118	37 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>32.37</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>118</td><td>37 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	45.10	54.00	-8.90	32.37	34.60	9.91	31.78	0.00	118	37 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>95.56</td><td>-----</td><td>-----</td><td>82.92</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>118</td><td>37 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	95.56	-----	-----	82.92	34.54	9.90	31.80	0.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.00	45.10	54.00	-8.90	32.37	34.60	9.91	31.78	0.00	118	37 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	95.56	-----	-----	82.92	34.54	9.90	31.80	0.00	118	37 AVERAGE																																																																																										







Mode	15																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7091.56</td><td>43.49</td><td>68.20</td><td>-24.71</td><td>60.57</td><td>35.78</td><td>11.64</td><td>64.50</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>58.28</td><td>37.60</td><td>14.10</td><td>65.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>53.99</td><td>40.38</td><td>17.98</td><td>64.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7091.56	43.49	68.20	-24.71	60.57	35.78	11.64	64.50	0.00	---	---	PEAK	2	10640.00	44.86	74.00	-29.14	58.28	37.60	14.10	65.12	0.00	---	---	PEAK	3	15960.00	47.91	74.00	-26.09	53.99	40.38	17.98	64.44	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7091.56</td><td>44.42</td><td>68.20</td><td>-23.78</td><td>61.50</td><td>35.78</td><td>11.64</td><td>64.50</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>58.45</td><td>37.60</td><td>14.10</td><td>65.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>54.18</td><td>40.38</td><td>17.98</td><td>64.44</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>37.92</td><td>54.00</td><td>-16.08</td><td>44.02</td><td>40.37</td><td>17.97</td><td>64.44</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7091.56	44.42	68.20	-23.78	61.50	35.78	11.64	64.50	0.00	---	---	PEAK	2	10640.00	45.03	74.00	-28.97	58.45	37.60	14.10	65.12	0.00	---	---	PEAK	3	15960.00	48.10	74.00	-25.90	54.18	40.38	17.98	64.44	0.00	300	0	PEAK	4	15960.00	37.92	54.00	-16.08	44.02	40.37	17.97	64.44	0.00	300	0
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	7091.56	43.49	68.20	-24.71	60.57	35.78	11.64	64.50	0.00	---	---	PEAK																																																																																																																																																												
2	10640.00	44.86	74.00	-29.14	58.28	37.60	14.10	65.12	0.00	---	---	PEAK																																																																																																																																																												
3	15960.00	47.91	74.00	-26.09	53.99	40.38	17.98	64.44	0.00	---	---	PEAK																																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	7091.56	44.42	68.20	-23.78	61.50	35.78	11.64	64.50	0.00	---	---	PEAK																																																																																																																																																												
2	10640.00	45.03	74.00	-28.97	58.45	37.60	14.10	65.12	0.00	---	---	PEAK																																																																																																																																																												
3	15960.00	48.10	74.00	-25.90	54.18	40.38	17.98	64.44	0.00	300	0	PEAK																																																																																																																																																												
4	15960.00	37.92	54.00	-16.08	44.02	40.37	17.97	64.44	0.00	300	0	AVERAGE																																																																																																																																																												





Mode	16																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.96</td><td>62.51</td><td>74.00</td><td>-11.49</td><td>49.43</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>64.74</td><td>68.20</td><td>-3.46</td><td>51.66</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	62.51	74.00	-11.49	49.43	34.79	10.02	31.73	0.00	100	333	PEAK	2	5467.60	64.74	68.20	-3.46	51.66	34.76	10.04	31.72	0.00	100	333	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>112.59</td><td>-----</td><td>-----</td><td>99.50</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.59	-----	-----	99.50	34.70	10.09	31.70	0.00	100	333	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5454.96	62.51	74.00	-11.49	49.43	34.79	10.02	31.73	0.00	100	333	PEAK																																																																																																							
2	5467.60	64.74	68.20	-3.46	51.66	34.76	10.04	31.72	0.00	100	333	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5500.00	112.59	-----	-----	99.50	34.70	10.09	31.70	0.00	100	333	PEAK																																																																																																							
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>50.28</td><td>54.00</td><td>-3.72</td><td>37.20</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	50.28	54.00	-3.72	37.20	34.78	10.03	31.73	0.00	100	333	AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.91</td><td>-----</td><td>-----</td><td>90.82</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.91	-----	-----	90.82	34.70	10.09	31.70	0.00	100	333	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5459.76	50.28	54.00	-3.72	37.20	34.78	10.03	31.73	0.00	100	333	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5500.00	103.91	-----	-----	90.82	34.70	10.09	31.70	0.00	100	333	AVERAGE																																																																																																							





Mode	16																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5424.56</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>41.49</td><td>34.75</td><td>9.97</td><td>31.74</td><td>0.00</td><td>127 298 PEAK</td></tr><tr><td>2</td><td>5468.24</td><td>57.70</td><td>68.20</td><td>-10.50</td><td>44.62</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>127 298 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.56	54.47	74.00	-19.53	41.49	34.75	9.97	31.74	0.00	127 298 PEAK	2	5468.24	57.70	68.20	-10.50	44.62	34.76	10.04	31.72	0.00	127 298 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.79</td><td>-----</td><td>-----</td><td>91.70</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>127 298 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.79	-----	-----	91.70	34.69	10.10	31.70	0.00	127 298 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5424.56	54.47	74.00	-19.53	41.49	34.75	9.97	31.74	0.00	127 298 PEAK																																																																																																			
2	5468.24	57.70	68.20	-10.50	44.62	34.76	10.04	31.72	0.00	127 298 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	104.79	-----	-----	91.70	34.69	10.10	31.70	0.00	127 298 PEAK																																																																																																			
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>32.25</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>127 298 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	45.33	54.00	-8.67	32.25	34.78	10.03	31.73	0.00	127 298 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.26</td><td>-----</td><td>-----</td><td>84.17</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>127 298 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.26	-----	-----	84.17	34.70	10.09	31.70	0.00	127 298 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.60	45.33	54.00	-8.67	32.25	34.78	10.03	31.73	0.00	127 298 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	97.26	-----	-----	84.17	34.70	10.09	31.70	0.00	127 298 AVERAGE																																																																																																			






Mode	16																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7331.50</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>61.25</td><td>35.54</td><td>11.89</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>56.54</td><td>74.00</td><td>-17.46</td><td>69.20</td><td>37.00</td><td>14.24</td><td>64.70</td><td>0.00</td><td>230</td><td>00</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>58.74</td><td>37.00</td><td>14.24</td><td>64.70</td><td>0.00</td><td>230</td><td>00</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>49.34</td><td>68.20</td><td>-18.86</td><td>54.23</td><td>41.27</td><td>18.28</td><td>64.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7331.50	43.45	74.00	-30.55	61.25	35.54	11.89	65.23	0.00	---	---	PEAK	2	11000.00	56.54	74.00	-17.46	69.20	37.00	14.24	64.70	0.00	230	00	PEAK	3	11000.00	46.08	54.00	-7.92	58.74	37.00	14.24	64.70	0.00	230	00	AVERAGE	4	16500.00	49.34	68.20	-18.86	54.23	41.27	18.28	64.44	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7331.50	43.45	74.00	-30.55	61.25	35.54	11.89	65.23	0.00	---	---	PEAK																																																																																				
2	11000.00	56.54	74.00	-17.46	69.20	37.00	14.24	64.70	0.00	230	00	PEAK																																																																																				
3	11000.00	46.08	54.00	-7.92	58.74	37.00	14.24	64.70	0.00	230	00	AVERAGE																																																																																				
4	16500.00	49.34	68.20	-18.86	54.23	41.27	18.28	64.44	0.00	---	---	PEAK																																																																																				
Vertical																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7331.50</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>60.06</td><td>35.54</td><td>11.89</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>59.30</td><td>37.00</td><td>14.24</td><td>64.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>16500.00</td><td>48.30</td><td>68.20</td><td>-19.90</td><td>53.14</td><td>41.30</td><td>18.29</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7331.50	42.26	74.00	-31.74	60.06	35.54	11.89	65.23	0.00	---	---	PEAK	2	11000.00	46.64	74.00	-27.36	59.30	37.00	14.24	64.70	0.00	---	---	PEAK	3	16500.00	48.30	68.20	-19.90	53.14	41.30	18.29	64.43	0.00	---	---	PEAK													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7331.50	42.26	74.00	-31.74	60.06	35.54	11.89	65.23	0.00	---	---	PEAK																																																																																				
2	11000.00	46.64	74.00	-27.36	59.30	37.00	14.24	64.70	0.00	---	---	PEAK																																																																																				
3	16500.00	48.30	68.20	-19.90	53.14	41.30	18.29	64.43	0.00	---	---	PEAK																																																																																				







Mode	17																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7439.81</td><td>50.88</td><td>74.00</td><td>-23.12</td><td>68.87</td><td>35.62</td><td>11.96</td><td>65.57</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr><tr><td>2 7439.81</td><td>48.57</td><td>54.00</td><td>-5.43</td><td>66.56</td><td>35.62</td><td>11.96</td><td>65.57</td><td>0.00</td><td>100</td><td>174 AVERAGE</td></tr><tr><td>3 11160.00</td><td>58.30</td><td>74.00</td><td>-15.70</td><td>70.55</td><td>37.90</td><td>14.36</td><td>64.51</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>4 11160.00</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>59.83</td><td>37.90</td><td>14.36</td><td>64.51</td><td>0.00</td><td>100</td><td>302 AVERAGE</td></tr><tr><td>5 16740.00</td><td>48.29</td><td>68.20</td><td>-19.91</td><td>52.80</td><td>41.50</td><td>18.42</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7439.81	50.88	74.00	-23.12	68.87	35.62	11.96	65.57	0.00	100	174 PEAK	2 7439.81	48.57	54.00	-5.43	66.56	35.62	11.96	65.57	0.00	100	174 AVERAGE	3 11160.00	58.30	74.00	-15.70	70.55	37.90	14.36	64.51	0.00	100	302 PEAK	4 11160.00	47.58	54.00	-6.42	59.83	37.90	14.36	64.51	0.00	100	302 AVERAGE	5 16740.00	48.29	68.20	-19.91	52.80	41.50	18.42	64.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7439.81</td><td>42.37</td><td>74.00</td><td>-31.63</td><td>60.36</td><td>35.62</td><td>11.96</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 11160.00</td><td>53.22</td><td>74.00</td><td>-20.78</td><td>65.47</td><td>37.90</td><td>14.36</td><td>64.51</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>3 11160.00</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>55.70</td><td>37.90</td><td>14.36</td><td>64.51</td><td>0.00</td><td>100</td><td>48 AVERAGE</td></tr><tr><td>4 16740.00</td><td>47.30</td><td>68.20</td><td>-20.90</td><td>51.81</td><td>41.50</td><td>18.42</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7439.81	42.37	74.00	-31.63	60.36	35.62	11.96	65.57	0.00	---	---	PEAK	2 11160.00	53.22	74.00	-20.78	65.47	37.90	14.36	64.51	0.00	100	48 PEAK	3 11160.00	43.45	54.00	-10.55	55.70	37.90	14.36	64.51	0.00	100	48 AVERAGE	4 16740.00	47.30	68.20	-20.90	51.81	41.50	18.42	64.43	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1 7439.81	50.88	74.00	-23.12	68.87	35.62	11.96	65.57	0.00	100	174 PEAK																																																																																																																																																																								
2 7439.81	48.57	54.00	-5.43	66.56	35.62	11.96	65.57	0.00	100	174 AVERAGE																																																																																																																																																																								
3 11160.00	58.30	74.00	-15.70	70.55	37.90	14.36	64.51	0.00	100	302 PEAK																																																																																																																																																																								
4 11160.00	47.58	54.00	-6.42	59.83	37.90	14.36	64.51	0.00	100	302 AVERAGE																																																																																																																																																																								
5 16740.00	48.29	68.20	-19.91	52.80	41.50	18.42	64.43	0.00	---	---	PEAK																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1 7439.81	42.37	74.00	-31.63	60.36	35.62	11.96	65.57	0.00	---	---	PEAK																																																																																																																																																																							
2 11160.00	53.22	74.00	-20.78	65.47	37.90	14.36	64.51	0.00	100	48 PEAK																																																																																																																																																																								
3 11160.00	43.45	54.00	-10.55	55.70	37.90	14.36	64.51	0.00	100	48 AVERAGE																																																																																																																																																																								
4 16740.00	47.30	68.20	-20.90	51.81	41.50	18.42	64.43	0.00	---	---	PEAK																																																																																																																																																																							



Mode	18																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.88</td><td>64.37</td><td>68.20</td><td>-3.83</td><td>51.27</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>332 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.88	64.37	68.20	-3.83	51.27	34.60	10.35	31.85	0.00	100	332 Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.96</td><td>-----</td><td>-----</td><td>96.81</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>100</td><td>332 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.96	-----	-----	96.81	34.60	10.32	31.77	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5727.88	64.37	68.20	-3.83	51.27	34.60	10.35	31.85	0.00	100	332 Peak																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	109.96	-----	-----	96.81	34.60	10.32	31.77	0.00	100	332 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.78</td><td>-----</td><td>-----</td><td>88.63</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>100</td><td>332 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.78	-----	-----	88.63	34.60	10.32	31.77	0.00	100	332 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	101.78	-----	-----	88.63	34.60	10.32	31.77	0.00	100	332 AVERAGE																																																																																									







Mode	18																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.96</td><td>58.80</td><td>68.20</td><td>-9.40</td><td>45.70</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.96	58.80	68.20	-9.40	45.70	34.60	10.35	31.85	0.00	100	295 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.15</td><td>-----</td><td>-----</td><td>92.01</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.15	-----	-----	92.01	34.60	10.33	31.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5729.96	58.80	68.20	-9.40	45.70	34.60	10.35	31.85	0.00	100	295 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	105.15	-----	-----	92.01	34.60	10.33	31.79	0.00	100	295 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.96</td><td>58.80</td><td>68.20</td><td>-9.40</td><td>45.70</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.96	58.80	68.20	-9.40	45.70	34.60	10.35	31.85	0.00	100	295 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.15</td><td>-----</td><td>-----</td><td>92.01</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.15	-----	-----	92.01	34.60	10.33	31.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5729.96	58.80	68.20	-9.40	45.70	34.60	10.35	31.85	0.00	100	295 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	105.15	-----	-----	92.01	34.60	10.33	31.79	0.00	100	295 PEAK																																																																																									





Mode	18																																																																												
	Harmonic																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7599.81</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>69.87</td><td>35.60</td><td>12.00</td><td>65.92</td><td>0.00</td><td>251</td><td>272 PEAK</td></tr><tr><td>2 7599.81</td><td>49.85</td><td>54.00</td><td>-4.15</td><td>68.17</td><td>35.60</td><td>12.00</td><td>65.92</td><td>0.00</td><td>251</td><td>272 AVERAGE</td></tr><tr><td>3 11400.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>58.41</td><td>37.90</td><td>14.53</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>4 17100.00</td><td>49.03</td><td>68.20</td><td>-19.17</td><td>53.84</td><td>40.90</td><td>18.62</td><td>64.33</td><td>0.00</td><td>---</td><td>---</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7599.81	51.55	74.00	-22.45	69.87	35.60	12.00	65.92	0.00	251	272 PEAK	2 7599.81	49.85	54.00	-4.15	68.17	35.60	12.00	65.92	0.00	251	272 AVERAGE	3 11400.00	46.61	74.00	-27.39	58.41	37.90	14.53	64.23	0.00	---	---	4 17100.00	49.03	68.20	-19.17	53.84	40.90	18.62	64.33	0.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
	1 7599.81	51.55	74.00	-22.45	69.87	35.60	12.00	65.92	0.00	251	272 PEAK																																																																		
2 7599.81	49.85	54.00	-4.15	68.17	35.60	12.00	65.92	0.00	251	272 AVERAGE																																																																			
3 11400.00	46.61	74.00	-27.39	58.41	37.90	14.53	64.23	0.00	---	---																																																																			
4 17100.00	49.03	68.20	-19.17	53.84	40.90	18.62	64.33	0.00	---	---																																																																			
Vertical																																																																													
<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7599.81</td><td>42.19</td><td>74.00</td><td>-31.81</td><td>60.51</td><td>35.60</td><td>12.00</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2 11400.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>57.85</td><td>37.90</td><td>14.53</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>3 17100.00</td><td>49.06</td><td>68.20</td><td>-19.14</td><td>53.87</td><td>40.90</td><td>18.62</td><td>64.33</td><td>0.00</td><td>---</td><td>---</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7599.81	42.19	74.00	-31.81	60.51	35.60	12.00	65.92	0.00	---	---	2 11400.00	46.05	74.00	-27.95	57.85	37.90	14.53	64.23	0.00	---	---	3 17100.00	49.06	68.20	-19.14	53.87	40.90	18.62	64.33	0.00	---	---												
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 7599.81	42.19	74.00	-31.81	60.51	35.60	12.00	65.92	0.00	---	---																																																																			
2 11400.00	46.05	74.00	-27.95	57.85	37.90	14.53	64.23	0.00	---	---																																																																			
3 17100.00	49.06	68.20	-19.14	53.87	40.90	18.62	64.33	0.00	---	---																																																																			







Mode	19																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.48</td><td>59.41</td><td>74.00</td><td>-14.59</td><td>47.33</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>156</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.48	59.41	74.00	-14.59	47.33	34.19	9.78	31.89	0.00	156	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>105.37</td><td>-----</td><td>-----</td><td>93.22</td><td>34.20</td><td>9.82</td><td>31.87</td><td>0.00</td><td>156</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	105.37	-----	-----	93.22	34.20	9.82	31.87	0.00	156
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5144.48	59.41	74.00	-14.59	47.33	34.19	9.78	31.89	0.00	156	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	105.37	-----	-----	93.22	34.20	9.82	31.87	0.00	156	0 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.12</td><td>50.54</td><td>54.00</td><td>-3.46</td><td>38.44</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>156</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	50.54	54.00	-3.46	38.44	34.20	9.79	31.89	0.00	156	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>96.35</td><td>-----</td><td>-----</td><td>84.20</td><td>34.20</td><td>9.82</td><td>31.87</td><td>0.00</td><td>156</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	96.35	-----	-----	84.20	34.20	9.82	31.87	0.00	156
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.12	50.54	54.00	-3.46	38.44	34.20	9.79	31.89	0.00	156	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	96.35	-----	-----	84.20	34.20	9.82	31.87	0.00	156	0 AVERAGE																																																																																									





Mode	19																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																									
ANT	1																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.93</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>41.32</td><td>34.69</td><td>9.94</td><td>31.76</td><td>0.00</td><td>156</td><td>0</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5394.93	54.19	74.00	-19.81	41.32	34.69	9.94	31.76	0.00	156	0	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5394.93	54.19	74.00	-19.81	41.32	34.69	9.94	31.76	0.00	156	0	PEAK																																														
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.14</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>30.81</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>156</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5455.14	43.89	54.00	-10.11	30.81	34.79	10.02	31.73	0.00	156	0	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5455.14	43.89	54.00	-10.11	30.81	34.79	10.02	31.73	0.00	156	0	AVERAGE																																														





Mode	19																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5109.92</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>43.25</td><td>34.12</td><td>9.75</td><td>31.91</td><td>0.00</td><td>100</td><td>59 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.92	55.21	74.00	-18.79	43.25	34.12	9.75	31.91	0.00	100	59 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>92.72</td><td>-----</td><td>-----</td><td>80.57</td><td>34.20</td><td>9.82</td><td>31.87</td><td>0.00</td><td>100</td><td>59 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.72	-----	-----	80.57	34.20	9.82	31.87	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5109.92	55.21	74.00	-18.79	43.25	34.12	9.75	31.91	0.00	100	59 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	92.72	-----	-----	80.57	34.20	9.82	31.87	0.00	100	59 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>33.50</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>100</td><td>59 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	45.60	54.00	-8.40	33.50	34.20	9.79	31.89	0.00	100	59 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>84.48</td><td>-----</td><td>-----</td><td>72.33</td><td>34.20</td><td>9.82</td><td>31.87</td><td>0.00</td><td>100</td><td>59 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	84.48	-----	-----	72.33	34.20	9.82	31.87	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.92	45.60	54.00	-8.40	33.50	34.20	9.79	31.89	0.00	100	59 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	84.48	-----	-----	72.33	34.20	9.82	31.87	0.00	100	59 AVERAGE																																																																																									





Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.53</td><td>54.21</td><td>74.00</td><td>-19.79</td><td>41.27</td><td>34.73</td><td>9.96</td><td>31.75</td><td>0.00</td><td>100</td><td>59 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5416.53	54.21	74.00	-19.79	41.27	34.73	9.96	31.75	0.00	100	59 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5416.53	54.21	74.00	-19.79	41.27	34.73	9.96	31.75	0.00	100	59 PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.71</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>30.73</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>59 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.71	43.81	54.00	-10.19	30.73	34.79	10.02	31.73	0.00	100	59 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5452.71	43.81	54.00	-10.19	30.73	34.79	10.02	31.73	0.00	100	59 AVERAGE																																													



Mode	19																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>45.70</td><td>68.20</td><td>-22.50</td><td>59.62</td><td>37.50</td><td>14.00</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>54.26</td><td>40.10</td><td>17.64</td><td>64.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10380.00	45.70	68.20	-22.50	59.62	37.50	14.00	65.42	0.00	---	---	PEAK	2	15570.00	47.69	74.00	-26.31	54.26	40.10	17.64	64.31	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.17</td><td>68.20</td><td>-22.03</td><td>60.09</td><td>37.50</td><td>14.00</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>54.45</td><td>40.10</td><td>17.64</td><td>64.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10380.00	46.17	68.20	-22.03	60.09	37.50	14.00	65.42	0.00	---	---	PEAK	2	15570.00	47.88	74.00	-26.12	54.45	40.10	17.64	64.31	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10380.00	45.70	68.20	-22.50	59.62	37.50	14.00	65.42	0.00	---	---	PEAK																																																																																																																								
2	15570.00	47.69	74.00	-26.31	54.26	40.10	17.64	64.31	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10380.00	46.17	68.20	-22.03	60.09	37.50	14.00	65.42	0.00	---	---	PEAK																																																																																																																								
2	15570.00	47.88	74.00	-26.12	54.45	40.10	17.64	64.31	0.00	---	---	PEAK																																																																																																																								



Mode	20																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																													
Peak Avg																																																																																																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>59.64</td><td>37.62</td><td>14.03</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>54.35</td><td>40.19</td><td>17.74</td><td>64.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	45.96	68.20	-22.24	59.64	37.62	14.03	65.33	0.00	---	---	PEAK	2	15690.00	47.93	74.00	-26.07	54.35	40.19	17.74	64.35	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>59.96</td><td>37.62</td><td>14.03</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>54.75</td><td>40.19</td><td>17.74</td><td>64.35</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>38.16</td><td>54.00</td><td>-15.84</td><td>44.59</td><td>40.18</td><td>17.73</td><td>64.34</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	46.28	68.20	-21.92	59.96	37.62	14.03	65.33	0.00	---	---	PEAK	2	15690.00	48.33	74.00	-25.67	54.75	40.19	17.74	64.35	0.00	300	360	PEAK	3	15690.00	38.16	54.00	-15.84	44.59	40.18	17.73	64.34	0.00	300	360
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	10460.00	45.96	68.20	-22.24	59.64	37.62	14.03	65.33	0.00	---	---	PEAK																																																																																																																																								
2	15690.00	47.93	74.00	-26.07	54.35	40.19	17.74	64.35	0.00	---	---	PEAK																																																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	10460.00	46.28	68.20	-21.92	59.96	37.62	14.03	65.33	0.00	---	---	PEAK																																																																																																																																								
2	15690.00	48.33	74.00	-25.67	54.75	40.19	17.74	64.35	0.00	300	360	PEAK																																																																																																																																								
3	15690.00	38.16	54.00	-15.84	44.59	40.18	17.73	64.34	0.00	300	360	AVERAGE																																																																																																																																								



Mode	21																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.49</td><td>44.28</td><td>68.20</td><td>-23.92</td><td>61.32</td><td>35.70</td><td>11.56</td><td>64.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>59.48</td><td>37.66</td><td>14.06</td><td>65.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>53.52</td><td>40.38</td><td>17.85</td><td>64.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7026.49	44.28	68.20	-23.92	61.32	35.70	11.56	64.30	0.00	---	PEAK	2	10540.00	45.96	68.20	-22.24	59.48	37.66	14.06	65.24	0.00	---	PEAK	3	15810.00	47.36	74.00	-26.64	53.52	40.38	17.85	64.39	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	7026.49	44.28	68.20	-23.92	61.32	35.70	11.56	64.30	0.00	---	PEAK																																																																					
2	10540.00	45.96	68.20	-22.24	59.48	37.66	14.06	65.24	0.00	---	PEAK																																																																					
3	15810.00	47.36	74.00	-26.64	53.52	40.38	17.85	64.39	0.00	---	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.49</td><td>44.28</td><td>68.20</td><td>-23.92</td><td>61.32</td><td>35.70</td><td>11.56</td><td>64.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>59.48</td><td>37.66</td><td>14.06</td><td>65.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>53.52</td><td>40.38</td><td>17.85</td><td>64.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7026.49	44.28	68.20	-23.92	61.32	35.70	11.56	64.30	0.00	---	PEAK	2	10540.00	45.96	68.20	-22.24	59.48	37.66	14.06	65.24	0.00	---	PEAK	3	15810.00	47.36	74.00	-26.64	53.52	40.38	17.85	64.39	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	7026.49	44.28	68.20	-23.92	61.32	35.70	11.56	64.30	0.00	---	PEAK																																																																					
2	10540.00	45.96	68.20	-22.24	59.48	37.66	14.06	65.24	0.00	---	PEAK																																																																					
3	15810.00	47.36	74.00	-26.64	53.52	40.38	17.85	64.39	0.00	---	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.49</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>61.88</td><td>35.70</td><td>11.56</td><td>64.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>45.80</td><td>68.20</td><td>-22.40</td><td>59.32</td><td>37.66</td><td>14.06</td><td>65.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>53.18</td><td>40.38</td><td>17.85</td><td>64.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7026.49	44.84	68.20	-23.36	61.88	35.70	11.56	64.30	0.00	---	PEAK	2	10540.00	45.80	68.20	-22.40	59.32	37.66	14.06	65.24	0.00	---	PEAK	3	15810.00	47.02	74.00	-26.98	53.18	40.38	17.85	64.39	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	7026.49	44.84	68.20	-23.36	61.88	35.70	11.56	64.30	0.00	---	PEAK																																																																					
2	10540.00	45.80	68.20	-22.40	59.32	37.66	14.06	65.24	0.00	---	PEAK																																																																					
3	15810.00	47.02	74.00	-26.98	53.18	40.38	17.85	64.39	0.00	---	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.49</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>61.88</td><td>35.70</td><td>11.56</td><td>64.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>45.80</td><td>68.20</td><td>-22.40</td><td>59.32</td><td>37.66</td><td>14.06</td><td>65.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>53.18</td><td>40.38</td><td>17.85</td><td>64.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7026.49	44.84	68.20	-23.36	61.88	35.70	11.56	64.30	0.00	---	PEAK	2	10540.00	45.80	68.20	-22.40	59.32	37.66	14.06	65.24	0.00	---	PEAK	3	15810.00	47.02	74.00	-26.98	53.18	40.38	17.85	64.39	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	7026.49	44.84	68.20	-23.36	61.88	35.70	11.56	64.30	0.00	---	PEAK																																																																					
2	10540.00	45.80	68.20	-22.40	59.32	37.66	14.06	65.24	0.00	---	PEAK																																																																					
3	15810.00	47.02	74.00	-26.98	53.18	40.38	17.85	64.39	0.00	---	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.49</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>61.88</td><td>35.70</td><td>11.56</td><td>64.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>45.80</td><td>68.20</td><td>-22.40</td><td>59.32</td><td>37.66</td><td>14.06</td><td>65.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>53.18</td><td>40.38</td><td>17.85</td><td>64.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7026.49	44.84	68.20	-23.36	61.88	35.70	11.56	64.30	0.00	---	PEAK	2	10540.00	45.80	68.20	-22.40	59.32	37.66	14.06	65.24	0.00	---	PEAK	3	15810.00	47.02	74.00	-26.98	53.18	40.38	17.85	64.39	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	7026.49	44.84	68.20	-23.36	61.88	35.70	11.56	64.30	0.00	---	PEAK																																																																					
2	10540.00	45.80	68.20	-22.40	59.32	37.66	14.06	65.24	0.00	---	PEAK																																																																					
3	15810.00	47.02	74.00	-26.98	53.18	40.38	17.85	64.39	0.00	---	PEAK																																																																					