

# **TEST REPORT**

FCC SAR Test for NX-5200-K3 **Class II Permissive Change** 

APPLICANT JVCKENWOOD Corporation

**REPORT NO.** HCT-SR-2502-FC005

DATE OF ISSUE February 10, 2025

> Tested by Hae Sun Park

**Technical Manager** Yun Jeang Heo

Rt-yins



F-TP22-03(Rev.06)

The report shall not be (partly) reproduced except in full without approval of the laboratory. HCT CO., LTD. 2-6, 73, 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea Tel. +82 31 645 6300 Fax. +82 31 645 6401



HCT CO.,LTD. 2-6, 73, 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea Tel. +82 31 645 6300 Fax. +82 31 645 6401

TEST REPORT FCC SAR Test for C2PC certification	REPORT NO. HCT-SR-2502-FC005 DATE OF ISSUE Feb. 10, 2025 FCC ID: K44431400
Applicant	JVCKENWOOD Corporation 3-12, Moriyacho, Kanagawa-ku, Yokohama-shi, Kanagawa, 221-0022, Japan
Equipment Type Model Name	VHF DIGITAL TRANSCEIVER NX-5200-K2, NX-5200-K3, NX-5200-F2, NX-5200-F3, TK-5230-F2, TK-5230-F3, VP5230-F2, VP5230-F3, VP6230-F2, VP6230-F3, NX-5200S-K2, NX-5200S-K3
Application Type	Class II Permissive Change
Date of Test	Jan. 17, 2025
Location of Test	■ Permanent Testing Lab On Site Testing Lab (Address: 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea)
Test Standard Used	47CFR § 2.1093
Test Results	PASS (SAR Limit: 8.0 W/kg) Refer to the clause 3.3 Test Result
	The result shown in this test report refer only to the sample(s) tested unless otherwise stated. This test results were applied only to the test methods required by the standard.



## **REVISION HISTORY**

The revision history for this test report is shown in table.

Revision No.	evision No. Date of Issue Description	
0	Feb. 10, 2025	Initial Release

## Notice

Content

The results shown in this test report only apply to the sample(s), as received, provided by the applicant, unless otherwise stated.

The test results have only been applied with the test methods required by the standard(s).

The laboratory is not accredited for the test results marked \*.

Information provided by the applicant is marked \*\*.

Test results provided by external providers are marked \*\*\*.

When confirmation of authenticity of this test report is required, please contact  $\underline{www.hct.co.kr}$ 

The test results in this test report are not associated with the ((KS Q) ISO/IEC 17025) accreditation by KOLAS (Korea Laboratory Accreditation Scheme) / A2LA (American Association for Laboratory Accreditation) that are under the ILAC (International Laboratory Accreditation Cooperation) Mutual Recognition Agreement (MRA).



# CONTENTS

1. Test Regulations	5
2. Test Location	5
3. Information of the EUT	6
4. Output Power Specifications	7
5. Manufacturer's Accessory List	9
6. Introduction	13
7. Description of test equipment	14
8. SAR Measurement Procedure	
9. Description of Test Position	20
10. RF Exposure Limits	22
11. System Verification	23
12. SAR Test Data Summary	24
13. Simultaneous SAR Analysis	26
14. Measurement Uncertainty	27
15. SAR Test Equipment	28
16. Conclusion	29
17. References	30
Appendix A. – Test Setup Photo	32
Appendix B. – SAR Test Plots	33
Appendix C. – Dipole Verification Plots	36
Appendix D. – SAR Tissue Characterization	38
Appendix E. – SAR System Validation	39
Appendix F. – Probe Calibration Data	40
Appendix G. – Dipole Calibration Data	62



# 1. Test Regulations

The tests were performed according to the following regulations:

Test Standard	IEEE Standard 1528-2013 & KDB procedures			
Test Method	<ul> <li>FCC KDB Publication 447498 D01 General SAR Guidance v06</li> <li>FCC KDB Publication 865664 D01 SAR measurement 100 M½ to 6 GHz v01r04</li> <li>FCC KDB 248227 D01 802.11 Wi-Fi SAR v02r02</li> <li>FCC KDB Publication 865664 D02 SAR Reporting v01r02</li> <li>FCC KDB Publication 643646 D01 SAR Test for PTT Radios v01r03</li> </ul>			

## 2. Test Location

#### 2.1 Test Laboratory

Company Name HCT Co., Ltd.	
Address	74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea
Telephone	031-645-6300
Fax.	031-645-6401



## 3. Information of the EUT

#### 3.1 General Information of the EUT

Model Name	NX-5200-K2, NX-5200-K3, NX-5200-F2, NX-5200-F3, TK-5230-F2, TK-5230-F3, VP5230-F2, VP5230-F3, VP6230-F2, VP6230-F3, NX-5200S-K2, NX-5200S-K3
Equipment Type	VHF DIGITAL TRANSCEIVER
FCC ID	K44431400
Application Type	Class II Permissive Change
Applicant	JVCKENWOOD Corporation

#### 3.2 Attestation of test result of device under test

			Reported 1	g SAR (W/kg)
Band	Tx. Frequency (M粒)	Equipment Class	Hand-held to face	Body-Worn Belt clip
			SAR	SAR
VHF	150 ~ 174	TNF	1.44	4.20
Simultaneous transmission analysis			1.46	4.31
Date(s) of Tests:	Jan. 17, 2025			

Note

1. The Duty Cycle of PTT was 50% applied.(VHF)

The report contains the C2PC test results for the addition of battery models KNB-L13 and KNB-L12



## 4. Output Power Specifications

This device operates using the following maximum output power specifications. SAR values were scaled to the maximum allowed power to determine compliance per KDB publication 447498 D01v06.

#### 4.1 Maximum Output Power

Band	Frequency	Maximum Power
VHF	150 MHz ~174 MHz	6 W(±0.2W)
Bluetooth / LE	2 402 MHz ~ 2480 MHz	2.5 mW

#### 4.2 Output Average Conducted Power

#### 4.2.1 VHF Conducted Power

Model	Frequency (MHz)	Channel	Power (dBm)
	150.05	1	37.56
NX-5200-K3	158.00	2	37.53
NA-5200-R5	166.00	3	37.45
	173.95	4	37.50
	150.05	1	37.56
NX 5000 K2	158.00	2	37.51
NX-5200-K2	166.00	3	37.40
	173.95	4	37.42

For FCC Band:

Per KDB 447498 D01v06 Page 7 section 6) pages 7-8, the number of channels required to be tested is as follows.

 $\begin{array}{l} F_{high} = 174 \ \mbox{MHz} \\ F_c \ = 162 \ \mbox{MHz} \\ F_{Low} = 150 \ \mbox{MHz} \\ N_c = Round \left\{ \left[ 100(f_{high} - f_{low}) \, / \, f_c \right]^{0.5} \, X \, (f_c \, / \, 100)^{0.2} \right\} = Round \left\{ \left[ 100(174 - 150) \, / \, 162 \right]^{0.5} \, X \, (162 / 100)^{0.2} \right\} = 4 \\ Therefore, for the frequency band from 150 \ \mbox{MHz} to 174 \ \mbox{MHz}, 4 \ channels are required for testing.} \end{array}$ 



## 5. SAR Test Exclusion Applied

#### **Bluetooth for FCC**

Per FCC KDB 447498 D01v06, The SAR exclusion threshold for distance < 50mm is defined by the following equation:

$\frac{Max Power of Channel(mW)}{Test Separation Distance (mm)} * \sqrt{Frequency(GHz)} \le 3.0 \text{ for } 1 - g \text{ SAR}$				
Erequency Maximum Separation				$\leq$ 3.0 for 1g SAR
[MHz] [mW] [mm]				
Bluetooth	2 480	2.5	5	0.8

Based on the maximum conducted power of Bluetooth and antenna to use separation distance, Bluetooth SAR was not required [ $(2.5/5)^*\sqrt{2.480}$ ] = 0.8 < 3.0.

This device contains transmitters that may operate simultaneously. Therefore simultaneous transmission analysis is required. Per FCC KDB 447498 D01v06 IV.C.1iii, simultaneous transmission SAR test exclusion may be applied when the sum of the 1-g SAR for all the simultaneous transmitting antennas in a specific a physical test configuration is  $\leq$  1.6W/kg. When standalone SAR is not required to be measured per FCC KDB 447498 D01v06 4.3.22, the following equation must be used to estimate the standalone 1-g SAR and 10g SAR for simultaneous transmission assessment involving that transmitter.

Estimated SAR = 
$$\frac{\sqrt{f(GHZ)}}{7.5} * \frac{(Max Power of channel mW)}{Min Seperation Distance}$$
.

	Frequency	Maximum	Separation Distance	Estimated 1g SAR
Mode		Allowed Power	(Head)	(Head)
	[MHz]	[mW]	[mm]	[W/kg]
Bluetooth	2 480	2.5	25	0.021

Mode	Frequency	Maximum Allowed Power	Separation Distance (Body)	Estimated 1g SAR (Body)
	[MHz]	[mW]	[mm]	[W/kg]
Bluetooth	2 480	2.5	5	0.105

Note:

Held-to ear configurations are not applicable to Bluetooth operations and therefore were not considered for simultaneous transmission. The Estimated SAR results were determined according to FCC KDB447498 D01v06.



# 5. Manufacturer's Accessory List

Part Nol.	Description	Accessory Type	Accessory
KRA-26(M)	VHF Herilal Antenna(146-162MHz)		1
KRA-26(M2)	VHF Herilal Antenna(162-174MHz)		2
KRA-26(M3)	VHF Herilal Antenna (136-150MHz)		3
KRA-22(M)	VHF low-profile helicalantenna(146-162MHz)		4
KRA-22(M2)	VHF low-profile helicalantenna(162-174MHz)		5
KRA-22(M3)	VHF low-profile helicalantenna(136-150MHz)	Antenna	6
KRA-41(M)	VHF stubbyantenna(146-162MHz)		7
KRA-41(M2)	VHF stubbyantenna (162-174MHz)		8
KRA-41(M3)	VHF stubbyantenna (136-150MHz)		9
KRA-25	High gain VHF helically loaded whip antenna 148-162MHz		10
KRA-28	Broad-band VHF helically loaded whip antenna 140-170MHz		11
KNB-L1	2000 mAh Li-ion Intelligent Battery(S)		1
KNB-L2	2600 mAh Li-ion Intelligent Battery(M)		2
KNB-L3	3400 mAh Li-ion Intelligent Battery(L)		3
KNB-LS7	3800 mAh Li-ion Intelligent Battery	Battery	4
KNB-L37 KNB-L11	3900 mAh Li-ion Intelligent Battery	Dattery	5
KNB-L11 KNB-L12			6
KNB-L12 KNB-L13	3000mAh Li-ion Battery 4000mAh Li-ion Battery		6 7
KBH-11	Spring action belt clip (2.5")		1
KBH-8DS	Leather swivel belt loop with portable D-Ring attachment		2
KLH-6SW	Leather swivel belt loop / detachable swivel D-Ring back		3
KLH-137ST	Firemen's heavy-Duty Leather Shoulder Strap for a heavy-Duty		4
	Leather Case	Carrying	
KLH-201(K3)	Nylon Case_Cordura Nylon	Accessories	5
KLH-37BT	Universal "48" Leather Belt	1000001100	6
KLH-38ST	Shoulder Strap		7
KLH-3SW	Swivel Belt Loop		8
KLH-202(P/P2)	Leather Case (Standard/Full key)		9
KLH-200(K2/K3)	Leather Case (Standard/Full key)		10
KMC-25	MIL-SPEC, Noise canceling Speaker Mic		1
KMC-41	MIL-SPEC, IP54/55 Noise- canceling Speaker Mic		2
KMC-41D	MIL-SPEC, IP54/55 Noise- canceling Speaker Mic		3
KMC-42W	MIL-SPEC, IP67 (immersion) Noise-canceling Speaker Mic		4
KMC-42WD	MIL-SPEC, IP67 (immersion) Noise-canceling Speaker Mic		5
KMC-47GPS	GPS Speaker Microphone		6
KMC-47GPSD	GPS Speaker Microphone		7
KMC-54WD	Speaker Microphone		8
KMC-49	MIL-SPEC, Speaker Mic. With Antenna Connector		9
KEP-1	3.5mm earphone kit for KMC-25/26/41M/42WM Speaker Mics		10
KEP-2	2.5mm earphone kit for KMC-17/45 Speaker Mic		11
KEP-3	30"Earphone kit w / 2.5mm plug for KCT-30	Microphones	12
KEP-4	48"Earphone kit w / 2.5mm pluf for KCT-30	& Audio	13
KCT-30	2.5mm Audio Accessory Adapter for KEP-3/4	Accessories	14
	Hirose 6-pin Adapter(adapts KVL/aftermarket audio acc.to portable		
KCT-51	connector)		15
KHS-12BE	3-wire mini lapel Mic w/earphone, universal connector(Beige)		16
KHS-12BL	3-wire mini lapel Mic w/earphone, universal connector(Black)		17
KHS-11BE	2-wire palm Mic w/earphone, universal connector(Beige)		18
KHS-11BL	2-wire palm Mic w/earphone, universal connector(Black)		19
KHS-14	Lt. Wt. Single muff headset w/boom Mic & in-line PTT		20
KHS-15-BH	Hvy-duty noise reduction behind-the-headset w/noise cancelling boom Mic & in-line PTT		21
KHS-15-OH	Hvy-duty noise reduction over-the-headset w/noise cancelling boom Mic & in-line PTT		22



No.	description	Size (mm)
KNB-L1	2000mAh Li-ion Battery	WHD 58 x 116.4 x 17.5
KNB-L2	2600mAh Li-ion Battery	WHD 58 x 116.4 x 20.5
KNB-L3	3400mAh Li-ion Battery	WHD 58 x 116.4 x 25.9
KNB-LS7	3800mAh Li-ion Battery	WHD 58 x 116.4 x 26.9
KNB-L11	3900mAh Li-ion Battery	WHD 58 x 116.4 x 27.9
KNB-L12	3000mAh Li-ion Battery	WHD 58 x 116.4 x 19.4
KNB-L13	4000mAh Li-ion Battery	WHD 58 x 116.4 x 23.5

#### \* Note: Battery Dimensions

This SAR report is the result of a change test for the addition of a battery Since the additional battery has the biggest capacity of the battery, the Head Face SAR test were performed the Full SAR test and the body worn SAR were evaluated under the thinnest battery.

The additional battery KNB-L13 was tested in Hand -held to Face because it is the Highest capacity. The body worn tests for additional batteries KNB-L12 and KNB-L13 were performed in the worst case of the original report[Report No: HCT-A-1410-F003-1].



	Battery 6												
Ant.1	Ant.2	Ant.3	Ant.4	Ant.5	Ant.6	Ant.7	Ant.8	Ant. 9	Ant.10	Ant. 11			
Yes	Yes	No	Yes	Yes	No	Yes	Yes	No	Yes	Yes			
					Battery 7								
Ant.1	Ant.2	Ant.3	Ant.4	Ant.5	Ant.6	Ant.7	Ant.8	Ant. 9	Ant.10	Ant. 11			
Yes	Yes	No	Yes	Yes	No	Yes	Yes	No	Yes	Yes			

## \* Radio Face Test (Hand-held to Face)



Mircophones & Audio				Battery			
Accessory	1	2	3	4	5	6	7
1	No	No	No	No	No	No	No
2	No	No	No	No	No	No	No
3	No	No	No	No	No	No	No
4	No	No	No	No	No	No	No
5	No	No	No	No	No	No	No
6	No	No	No	No	No	No	No
7	No	No	No	No	No	No	No
8	Yes	Yes	Yes	Yes	Yes	Yes	Yes
9	No	No	No	No	No	No	No
10	No	No	No	No	No	No	No
11	No	No	No	No	No	No	No
12	No	No	No	No	No	No	No
13	No	No	No	No	No	No	No
14	No	No	No	No	No	No	No
15	No	No	No	No	No	No	No
16	No	No	No	No	No	No	No
17	No	No	No	No	No	No	No
18	No	No	No	No	No	No	No
19	No	No	No	No	No	No	No
20	No	No	No	No	No	No	No
21	No	No	No	No	No	No	No
22	No	No	No	No	No	No	No

## \* Radio Body Test (Body-Worn)

\* Manufacture's disclosed accessory listing information provided by Kenwood corporation.



## 6. Introduction

The FCC has adopted the guidelines for evaluating the environmental effects of radio frequency radiation in ET Docket 93-62 on Aug. 6, 1996 to protect the public and workers from the potential hazards of RF emissions due to FCC-regulated portable devices.

The safety limits used for the environmental evaluation measurements are based on the criteria published by the American National Standards Institute (ANSI) for localized specific absorption rate (SAR) in IEEE/ANSI C95.1-1992 Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz. 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York 10017. The measurement procedure described in IEEE/ANSI C95.3-1992 Recommended Practice for the Measurement of Potentially Hazardous Electromagnetic Fields - RF and Microwave is used for guidance in measuring SAR due to the RF radiation exposure from the Equipment Under Test (EUT). These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in Biological Effects and Exposure Criteria for Radio Frequency Electromagnetic Fields," NCRP Report No. 86 NCRP, 1986, Bethesda, MD 20814. SAR is a measure of the rate of energy absorption due to exposure to an RF transmitting source. SAR values have been related to threshold levels for potential biological hazards.

#### SAR Definition

Specific Absorption Rate (SAR) is defined as the time derivative of the incremental electromagnetic energy (dW) absorbed by (dissipated in) an incremental mass (dm) contained in a volume element (dV) of a given density (r). It is also defined as the rate of RF energy absorption per unit mass at a point in an absorbing body.

$$SAR = \frac{d}{dt} \left( \frac{d U}{dm} \right)$$

Figure 1. SAR Mathematical Equation SAR is expressed in units of Watts per Kilogram (W/kg)  $SAR = \sigma E^2 / \rho$ 

Where:

 $\sigma$  = conductivity of the tissue-simulant material (S/m)  $\rho$  = mass density of the tissue-simulant material (kg/m<sup>3</sup>) E = Total RMS electric field strength (V/m)

NOTE: The primary factors that control rate of energy absorption were found to be the wavelength of the incident field in relations to the dimensions and geometry of the irradiated organism, the orientation of the organism in relation to the polarity of field vectors, the presence of reflecting surfaces, and whether conductive contact is made by the organism with a ground plane.



## 7. Description of test equipment

#### 7.1 SAR MEASUREMENT SETUP

These measurements are performed using the DASY5 automated dosimetric assessment system. It is made by Schmid & Partner Engineering AG (SPEAG) in Zurich, Switzerland. It consists of high precision robotics system (Staubli), robot controller, Pentium III computer, near-field probe, probe alignment sensor, and the generic twin phantom containing the brain equivalent material. The robot is a six-axis industrial robot performing precise movements to position the probe to the location (points) of maximum electromagnetic field (EMF) (see Figure.2).

A cell controller system contains the power supply, robot controller, teach pendant (Joystick), and remote control, is used to drive the robot motors. The PC with Windows XP or Windows 7 is working with SAR Measurement system DASY5, A/D interface card, monitor, mouse, and keyboard. The Staubli Robot is connected to the cell controller to allow software manipulation of the robot. A data acquisition electronic (DAE) circuit performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. is connected to the Electro-optical coupler (EOC). The EOC performs the conversion from the optical into digital electric signal of the DAE and transfers data to the PC plug-in card.




Figure 2. HCT SAR Lab. Test Measurement Set-up

The DAE consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the PC-card is accomplished through an optical downlink for data and status information and an optical uplink for commands and clock lines. The mechanical probe mounting device includes two different sensor systems for frontal and sidewise probe contacts. They are also used for mechanical surface detection and probe collision detection. The robot uses its own controller with a built in VME-bus computer. The system is described in detail in.



#### 7.2 ELI Phantom

Phantom for compliance testing of handheld and body-mounted wireless devices in the frequency range

of 30 Mtz to 6 GHz. ELI is fully compatible with the IEC 62209-1528 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG diametric probes and dipoles.



Figure 6.1 ELI Phantom

Shell Thickness Filling Volume Dimensions  $2.0 \pm 0.2$ mm approx. 30 liters Major axis: 600 mm, Minor axis: 400 mm

#### 7.3 Device Holder for Transmitters

#### Device Holder - Mounting Device

In combination with the SAM Phantom, the Mounting Device enables the rotation of the mounted transmitter in spherical coordinates whereby the rotation points is the ear opening. The devices can be easily, accurately, and repeatable positioned according to the EN 50360:2001/A:2001 and FCC KDB specifications. The device holder can be locked at different phantom locations (left head, right head, flat phantom).

Note: A simulating human hand is not used due to the complex anatomical and geometrical structure of the hand that may produced infinite number of configurations. To produce the Worst-case condition (the hand absorbs antenna output power), the hand is omitted during the tests.





## 7.4 Validation Dipole

The reference dipole should have a return loss better than -20 dB (measured in the setup) at the resonant frequency to reduce the uncertainty in the power measurement.

#### CLA

	System Validation Dipole									
Description	Narrowband antenna is used to simulate the 30-220 Mz range and calculates the SAR antenna system calibration value. A resonant loop antenna is integrated in a metal structure from the environment of the resonant structure.	anno								
Frequency	150 MHz									
Return Loss	> 10 dB at specified validation position									
Power Capability	>10 W continuous	and the								
Dimension	CLA150: dipole length : 222.0 mm; overall height : 95.0 mm									





#### 7.5 Brain & Muscle Tissue Simulating Mixture Characterization

The brain and muscle mixtures consist of a viscous gel using hydrox-ethyl cellulose (HEC) gelling agent and

saline solution (see Table 1). Preservation with a bactericide is added and visual inspection is made to make sure air bubbles are not trapped during the mixing process. The mixture is calibrated to obtain proper dielectric constant (permittivity) and conductivity of the desired tissue. The mixture characterizations used for

the brain and muscle tissue simulating liquids are according to the data by C. Gabriel and G. Hartsgrove.

Frequency (MHz)	30	5	0	1	44	4	50	835	90	00
Recipe source number	3	3	2	2	3	2	4	2	2	4
Ingredients (% by weight)									•	
Deionised water	48,30	48,30	53,53	55,12	48,30	48,53	56	50,36	50,31	56
Tween			44,70	43,31		49,51		48,39	48,34	
Oxidised mineral oil							44			44
Diethylenglycol monohexylether										
Triton X-100										
Diacetin	50,00	50,00			50,00					
DGBE										
NaCl	1,60	1,60	1,77	1,57	1,60	1,96		1,25	1,35	
Additives and salt	0,10	0,10			0,10					
Measured dielectric paramete	rs								•	
٤,'	54,2	53,1	54,54	52,81	51,0	43,29	42,3	41,6	41.0	40,6
σ (S/m)	0,75	0,75	0,76	0,76	0,77	0,88	0,84	0,90	0,98	0,98
Temp. (*C)			21	21		21	20	21	21	20
c_temp_liquid <sub>uncertainty</sub> (%)	0,8	0,1			0,1	0,1		0,04	0,04	
σ_temp_liquid <sub>uncertainty</sub> (%)	2,8	2,8			2,6	4,2		1,6	1,6	
Target values (from Table 1)		•	•	•	•		•	-		
¢,'	55,0	54	1,5	5	2,4	43,5		41,5 41		,5
σ (S/m)	0,75	0,	75	0,	76	C	,87	0,90	0,1	97



#### 8. SAR Measurement Procedure

The evaluation was performed using the following procedure compliant to FCC KDB Publication 865664 D01v01r04 and IEEE 1528-2013.

- 1. The SAR distribution at the exposed side of the head or body was measured at a distance no more than 5.0 mm from the inner surface of the shell. The area covered the entire dimension of the DUT's head and body area and the horizontal grid resolution was depending on the FCC KDB 865664 D01v01r04 table 4-1 & IEEE 1528-2013.
- 2. Based on step, the area of the maximum absorption was determined by sophisticated interpolations routines implemented in DASY software. When an Area Scan has measured all reachable point. DASY system computes the field maximal found in the scanned are, within a range of the maximum. SAR at this fixed point was measured and used as a reference value.
- 3. Around this point, a volume was assessed according to the measurement resolution and volume size requirements of FCC KDB 865664 D01v01r04 table 4-1 and IEEE 1528-2013. On the basis of this data set, the spatial peak SAR value was evaluated with the following procedure (reference from the DASY manual.)

a. The data at the surface were extrapolated, since the center of the dipoles is no more than 2.7 mm away from the tip of the probe (it is different from the probe type) and the distance between the surface and the lowest measuring point is 1.2 mm. The extrapolation was based on a least square algorithm. A polynomial of the fourth order was calculated through the points in z-axes. This polynomial was then used to evaluate the points between the surface and the probe tip.

b. The maximum interpolated value was searched with a straight-forward algorithm. Around this maximum the SAR values averaged over the spatial volumes (1 g or 10 g) were computed using the 3D-Spline interpolation algorithm. The 3D-spline is composed of three one-dimensional splines with the "Not a knot" condition (in x, y, and z directions. The volume was integrated with the trapezoidal algorithm. One thousand points (10 x 10 x 10) were interpolated to calculate the average.

c. All neighboring volumes were evaluated until no neighboring volume with a higher average value was found.

3. The SAR reference value, at the same location as step 2, was re-measured after the zoom scan. If the value changed by more than 5 %, the SAR evaluation and drift measurements were repeated.



			$\leq$ 3 GHz	> 3 GHz	
Maximum distance fro point (geometric center of p surface			5±1mm	$\cdot \delta \cdot \ln(2) \pm 0.5 \text{ mm}$	
Maximum probe angle surface normal at the			30° <b>±1</b> °	20° <b>±1</b> °	
			≤ 2 GHz: ≤15 mm 2-3 GHz: ≤12 mm	3-4 GHz: ≤12 mm 4-6 GHz: ≤10 mm	
Maximum area scan S	patial re	solution: <b>Δx</b> area <b>, Δy</b> area	the measurement plathan the above, the r		
Maximum zoom scan <b>Ду<sub>zoom</sub></b>	Spatial re	esolution: <b>Δx<sub>zoom</sub>,</b>	≤2 Gtz: ≤8mm 2-3 Gtz: ≤5mm*	3-4 GHz: ≤5 mm* 4-6 GHz: ≤4 mm*	
	uniform	n grid: <b>Δz<sub>zoom</sub>(n)</b>	≤ 5 mm	3-4 애z: ≤4 mm 4-5 애z: ≤3 mm 5-6 애z: ≤2 mm	
Maximum zoom scan Spatial resolution normal to phantom surface	graded grid	∆z <sub>zoom</sub> (1): between1 <sup>st</sup> two Points closest to phantom surface	≤4mm	3-4 GHz: ≤3 mm 4-5 GHz: ≤2.5 mm 5-6 GHz: ≤2 mm	
	gnu	Δz <sub>zoom</sub> (n>1): between subsequent Points	≤1.5•Δz <sub>zoom</sub> (n-1)		
Minimum zoom scan	x, y, z	·	≥ 30 mm	3-4 Gtz: ≥28 mm 4-5 Gtz: ≥25 mm	

#### Area scan and zoom scan resolution setting follow KDB 865664 D01v01r04 quoted below.

Note:  $\delta$  is the penetration depth of a plane-wave at normal incidence to the tissue medium; see draft standard IEEE P1528-2011 for details.

\* When zoom scan is required and the reported SAR from the area scan based 1-g SAR estimation procedures of KDB 447498 is  $\leq$  1.4 W/kg,  $\leq$  8 mm,  $\leq$  7 mm and  $\leq$  5 mm zoom scan resolution may be applied, respectively, for 2 GHz to 3 GHz, 3 GHz to 4 GHz and 4 GHz to 6 GHz.



## 9. Description of Test Position

#### 9.1 Body Holster/Belt Clip Configurations

Body-worn operating configurations are tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in a normal use configuration. A device with a headset output is tested with a headset connected to the device. Body dielectric parameters are used.

Accessories for Body-worn operation configurations are divided into two categories: those that do not contain metallic components and those that contain metallic components. When multiple accessories that do not contain metallic components are supplied with the device, the device is tested with only the accessory that dictates the closest spacing to the body. Then multiple accessories that contain metallic components are tested with each accessory. If multiple accessory share an identical metallic component (i.e. the same metallic belt-clip used with different holsters with no other metallic components) only the accessory that dictates the closest spacing to the body is tested.

Body-worn accessories may not always be supplied or available as options for some Devices intended to be authorized for body-worn use. In this case, a test configuration with a separation distance between the back of the device and the flat phantom is used.

Since this EUT does not supply any body worn accessory to the end user a distance of 0 cm from the EUT back surface to the liquid interface is configured for the generic test.

"See the Test SET-UP Photo"


Transmitters that are designed to operate in front of a person's face, as in push-to-talk configurations, are tested for SAR compliance with the front of the device positioned to face the flat phantom. For devices that are carried next to the body such as a shoulder, waist or chest-worn transmitters, SAR compliance is tested with the accessory(ies), Including headsets and microphones, attached to the device and positioned against a flat phantom in a normal use configuration.

In all cases SAR measurements are performed to investigate the worst-case positioning. Worst case positioning is then documented and used to perform Body SAR testing.



#### 9.2 Hand-held to Face device

A typical example of a front-of-face device is a two-way radio that is held at a distance from the face of the user when transmitting. In these cases the device under test shall be positioned at the distance to the phantom surface that corresponds to the intended use as specified by the manufacturer in the user instructions. If the intended use is not specified, a separation distance of 25 mm<sup>5</sup> between the phantom surface and the device shall be used.





## **10. RF Exposure Limits**

HUMAN EXPOSURE	UNCONTROLLED ENVIRONMENT General Population (W/kg)	CONTROLLED ENVIRONMENT Occupational (W/kg)
SPATIAL PEAK SAR * (Brain)	1.60	8.00
SPATIAL AVERAGE SAR ** (Whole Body)	0.08	0.40
SPATIAL PEAK SAR *** (Hands / Feet / Ankle / Wrist)	4.00	20.00

Table 10.1 Safety Limits for Partial Body Exposure

NOTES:

- \* The Spatial Peak value of the SAR averaged over any 1 g of tissue (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time.
  - \*\* The Spatial Average value of the SAR averaged over the whole-body.
- \*\*\* The Spatial Peak value of the SAR averaged over any 10 g of tissue (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time.

**Uncontrolled Environments** are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure. The general population/uncontrolled exposure limits are applicable to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be mad fully aware of the potential for exposure or cannot exercise control over their exposure. Members of the general public would come under this category when exposure is not employment-related; for example, in the case of a wireless transmitter that exposes persons in its vicinity.

**Controlled Environments** are defined as locations where there is exposure that may be incurred by persons who are aware of the potential for exposure, (i.e.as a result of employment or occupation). In general, occupational/controlled exposure limits are applicable to situations in which persons are exposed as a consequence of their employment, who have been made fully aware of the potential for exposure and can exercise control over their exposure. This exposure category is also applicable when the exposure is of a transient nature due to incidental passage through a location where the exposure levels may be higher than the general population/uncontrolled limits, but the exposed person is fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.



## **11. System Verification**

#### **11.1 Tissue Verification**

The Head simulating material is calibrated by HCT using the DAKS 12 to determine the conductivity and permittivity.

	Table for Head Tissue Verification													
Date of Tests	Tissue Temp. (°C)	Tissue Type	Freq. (MHz)	Measured Conductivity σ (S/m)	Measured Dielectric Constant, ε	Target Conductivity σ (S/m)	Target Dielectric Constant, ε	% dev σ	% dev ε					
			100	0.725	55.500	0.756	54.630	-4.10	1.59					
01/17/2025	19.9	150H	150	0.771	52.300	0.760	52.300	1.45	0.00					
			200	0.820	49.800	0.797	49.970	2.89	-0.34					

#### **11.2 System Verification**

\* Input Power: 50 mW

Freq. [MHz]	Date	Probe (S/N)	Dipole (S/N)	Liquid	Amb. Temp. [°C]	Liquid Temp. [°C]	1 W Target SAR <sub>1g</sub> (SPEAG) [W/kg]	50 mW Measured SAR <sub>1g</sub> [W/kg]	1 W Normalized SAR <sub>1g</sub> [W/kg]	Deviation [%]	Limit [%]
150	01/17/2025	7655	4014	Head	20.0	19.9	3.72	0.189	3.78	1.61	± 10

#### **11.3 System Verification Procedure**

SAR measurement was prior to assessment, the system is verified to the  $\pm$  10 % of the specifications at each frequency band by using the system verification kit. (Graphic Plots Attached)

- Cabling the system, using the verification kit equipment.
- Generate about 50 mW Input level from the signal generator to the Dipole Antenna.
- Dipole antenna was placed below the flat phantom.
- The measured one-gram SAR at the surface of the phantom above the dipole feed-point should be within 10 % of the target reference value.
- The results are normalized to 1 W input power.

Note;

SAR Verification was performed according to the FCC KDB 865664 D01v01r04.



## 12. SAR Test Data Summary

## 12.1 Hand-held to Face SAR Results (with NX-5200-K3)

				VHF	Hand-held to	Face SAR					
Frequency (MHz)	Ch.	Tune-Up Limit (dBm)	Measured Power (dBm)	Power Drift (dB)	Battery	Antenna	Separation Distance (mm)	Measured SAR (W/Kg)	50% Duty	Reported SAR (W/Kg)	Plot No.
150.05	1	37.92	37.56	-0.01	KNB-L13	KRA-22M	25	1.12	0.560	0.610	-
173.95	4	37.92	37.50	-0.1	KNB-L13	KRA-22M2	25	1.36	0.680	0.766	-
150.05	1	37.92	37.56	0.38	KNB-L13	KRA-26M	25	1.88	0.940	0.936	-
173.95	4	37.92	37.50	-0.76	KNB-L13	KRA-26M2	25	2.19	1.095	1.437	1
150.05	1	37.92	37.56	-0.07	KNB-L13	KRA-41M	25	0.618	0.309	0.341	-
173.95	4	37.92	37.5	-0.73	KNB-L13	KRA-41M2	25	0.358	0.179	0.233	-
150.05	1	37.92	37.56	-0.03	KNB-L13	KRA-25	25	1.49	0.745	0.815	-
150.05	1	37.92	37.56	0.01	KNB-L13	KRA-28	25	0.718	0.359	0.389	-
173.95	4	37.92	37.5	-0.69	KNB-L12	KRA-26M2	25	1.44	0.72	0.930	-
173.95	4	37.92	37.5	0.01	KNB-L13	KRA-26M2	25	1.84	0.92	1.011	#
		ANSI/ IEEE		Н	ead						
				8 \	N/kg						
		Controlle	d Exposure	e/ Occupat	ional			Averaged	over 1 g	ram	

# Note : NX-5200-K2

#### 12.2 Body-worn Belt clip SAR Results (with NX-5200-K3)

					VHF Bo	ody-worn B	elt clip SAR					
Frequency (MHz)	Ch.	Tune-Up Limit (dBm)	Measured Power (dBm)	Power Drift (dB)	Battery	Antenna	Belt Clip	Separation Distance (mm)	Measured SAR (W/Kg)	50% Duty	Reported SAR (W/Kg)	Plot No.
150.05	1	37.92	37.56	0.35	KNB-L12	KRA-26M	KBH-11	0	6.56	3.280	3.29	-
150.05	1	37.92	37.56	0.35	KNB-L13	KRA-26M	KBH-11	0	6.65	3.325	3.33	-
150.05	1	37.92	37.56	0.02	KNB-L12	KRA-25	KBH-11	0	7.77	3.885	4.20	2
150.05	1	37.92	37.56	0.31	KNB-L13	KRA-25	KBH-11	0	6.66	3.330	3.37	-
150.05	1	37.92	37.56	-0.01	KNB-L12	KRA-25	KBH-11	0	7.01	3.505	3.82	#
		ANSI/	IEEE C95.	1 - 2005	– Safety Lim	it			E	Body		
			Spa		8	W/kg						
		Conti	rolled Exp	osure/ (	Occupationa	l			Averaged	l over 1 gr	am	

F-TP22-03 (Rev. 06)



#### Note: Speaker Microphone (KMC-54WD)

#### # Note : NX-5200-K2

#### 12.3 SAR Test Notes

#### General Notes:

- 1. The test data reported are the worst-case SAR values according to test procedures specified in IEEE 1528-2013, FCC KDB Procedure.
- 2. Batteries are fully charged at the beginning of the SAR measurements. A standard battery was used for all SAR measurements.
- 3. Liquid tissue depth was at least 15.0 cm for all frequencies.
- 4. The manufacturer has confirmed that the device(s) tested have the same physical, mechanical and thermal characteristics and are within operational tolerances expected for production units.
- 5. SAR results were scaled to the maximum allowed power to demonstrate compliance per FCC KDB 447498 D01v06.
- 6. Test signal call mode is Manual test cord.
- 7. The EUT was tested for face-held SAR with a 2.5 cm separation distance between the front of the EUT and the outer surface of the planer phantom
- 8. The Body-worn SAR evaluation was performed with the Balt-clip body-worn accessory and audio accessory attached to the DUT and touching the outer surface of the planar phantom.
- 9. The adjusted SAR value was calculated by first scaling the SAR value up by the drift. This value was then scaled up based on the difference of the upper end the tolerance and the measured conducted power. The resultant value is then multiplied by 0.5 to give the SAR value at 50% duty cycle.
- 10. SAR results were scaled to the maximum allowed power to demonstrate compliance per FCC KDB 447498 D01v06. Test Procedures applied in accordance with FCC KDB 643646 D01v01r03.
- 11. Measurement was reduced per KDB 643646 D01v01r03.
- 12. When the SAR for all antennas tested using the default battery is  $\leq$  3.5 W/kg, testing of all other required channels is not necessary.
- 13. When the SAR of an antenna tested on the highest output power using the default battery is >3.5 W/Kg and ≤4.0 W/Kg, testing of the immediately adjacent channel(s) is not necessary, but testing of other required channels may still be required.
- 14. When the SAR for all antennas tested using the default battery  $\leq$  4.0 W/kg, test additional batteries using the antenna and channel configuration that resulted in the highest SAR.
- 15. When the SAR of an antenna tested on the highest output power channel using the default battery is > 4.0 W/kg and  $\leq$  6.0 W/kg, testing of the required immediately adjacent channel(s) is necessary. For the remaining channels that cannot be excluded, this rule may be applied recursively with respect to the highest output power channel among the remaining channels.
- 16. Based on the SAR measured in the body-worn test sequence with default audio accessory, if the SAR for the antenna, body-worn accessory and battery combination(s) applicable to an audio accessory is/are >4.0 W/kg and <6.0 W/kg, test that audio accessory using the highest body-worn SAR combination (antenna, battery and body-worn accessory) and channel configuration previously identified that is applicable to the audio accessory.
- 17. When the SAR of an antenna tested is > 6.0 W/kg, test that battery and antenna combination with the default body-worn and audio accessory on the required immediately adjacent channels.
- 18. If the SAR measured >7.0 W/kg, test that battery, antenna, body-worn and audio accessory combination on all required channels.
- 19. Refer to original Body-worn SAR Data in [Report No:HCT-A-1410-F003-1].



## **13. Simultaneous SAR Analysis**

This device is containing transmitters that may operate simultaneously. Therefore, simultaneous transmission analysis is required. Per KDB Publication 447498 D01v06 4.3.2, simultaneous transmission SAR test exclusion may be applied when the sum of 1g SAR and 10g SAR for all the simultaneous transmitting antennas in a specific a physical test configuration is  $\leq$  8W/kg for 1g SAR and  $\leq$  20 W/kg for 10g SAR. The different test positions in an exposure condition may be considered collectively to determine SAR exclusion according to the sum of 1g or 10g SAR.

The Bluetooth and WLAN can transmit simultaneously with the PTT Radio.

Simultaneous Transmission Summation Scenario								
		Main SAR	Main SAR Estimated Bluetooth/LE					
	Band	(W/kg) (W/kg)		(W/kg)				
		1	2	1+2				
VHF	Hand-held to Face	1.437	0.021	1.458				
VHF	Body-Worn Belt clip	4.20	0.105	4.305				

#### 13.1 Body-Worn Belt clip SAR Simultaneous Transmission Analysis

Note: Bluetooth SAR was not required to be measured per FCC KDB 447498 D01v06. Estimated SAR results were used for SAR summation for body-worn back side at 5 mm to determine simultaneous transmission SAR test exclusion.

The simultaneous transmission summation is applied only for body-worn case according to user condition. Bluetooth transmission is using for Bluetooth headset when DUT is on the body-worn case.

#### **13.2 Simultaneous Transmission Conclusion**

The above numerical summed TER results for all the worst-case simultaneous transmission conditions were below the TER limit. Therefore, the above analysis is sufficient to determine that simultaneous transmission cases will not exceed the TER limit. And therefore no measured volumetric simultaneous SAR summation is required per FCC KDB Publication 447498 D01v06 and IEEE 1528-2013.



# 14. Measurement Uncertainty

According to KDB Publication 865664 D01 and IEEE Std 1528-2013 (100 MHz - 6 GHz range )										
а	b	с	d	е	f	g	h= cxf/e	i= cxg/e	k	
Source of uncertainty	Description	Uncertainty ± %	Probability distribution	Div.	Ci	Ci	Standard Uncertainty	Standard Uncertainty	Vi Or Veff	
		1 /0	distribution		(1 g)	(10 g)	± % (1 g)	± % (10 g)		
Measurement system										
Probe calibration	7.2.2.1	6.55	Ν	1	1	1	6.55	6.55	00	
Axial isotropy	7.2.2.2	4.70	R	1.73	0.71	0.71	1.92	1.92	00	
Hemispherical isotropy	7.2.2.2	9.60	R	1.73	0.71	0.71	3.92	3.92	8	
Boundary effect	7.2.2.6	2.00	R	1.73	1	1	1.15	1.15	8	
Linearity	7.2.2.3	4.70	R	1.73	1	1	2.71	2.71	00	
Detection limits	7.2.2.5	1.00	R	1.73	1	1	0.58	0.58	8	
Modulation response	7.2.2.4	2.40	R	1.73	1	1	1.39	1.39	8	
Readout electronics	7.2.2.7	0.30	N	1	1	1	0.30	0.30	8	
Response time	7.2.2.8	0.80	R	1.73	1	1	0.46	0.46	8	
Integration time	7.2.2.9	2.60	R	1.73	1	1	1.50	1.50	8	
RF ambient conditions - noise	7.2.4.5	3.00	R	1.73	1	1	1.73	1.73	8	
RF ambient conditions - reflections	7.2.4.5	3.00	R	1.73	1	1	1.73	1.73	8	
Probe positioner mechanical tolerance	7.2.3.1	0.80	R	1.73	1	1	0.46	0.46	80	
Probe positioning with respect to phantom shell	7.2.3.3	6.70	R	1.73	1	1	3.87	3.87	00	
Post-processing	7.2.5	4.00	R	1.73	1	1	2.31	2.31	00	
Test sample related						•	4	1		
Test sample positioning	7.2.3.4.3	6.15	Ν	1	1	1	6.15	6.15	00	
Device holder uncertainity	7.2.3.4.2	2.71	N	1	1	1	2.71	2.71	00	
SAR drift measurement	7.2.2.10	5.00	R	1.73	1	1	2.89	2.89	00	
SAR scaling	L.3	0.00	R	1.73	1	1	0.00	0.00	00	
Phantom and set-up										
Phantom uncertainty (shape and thickness uncertainty)	7.2.3.2	7.60	R	1.73	1	1	4.39	4.39	00	
Jncertainty in SAR correction for deviations in permittivity and conductivity	7.2.4.3	1.90	Ν	1	1	0.84	1.90	1.60	00	
Liquid conductivity (temperature uncertainty)	7.2.4.4	0.25	R	1.73	0.78	0.71	0.11	0.10	00	
iquid conductivity (measured)	7.2.4.3	1.51	Ν	1	0.78	0.71	1.18	1.07	8	
iquid permittivity (temperature uncertainty)	7.2.4.4	0.52	R	1.73	0.23	0.26	0.07	0.08	8	
iquid permittivity (measured)	7.2.4.3	1.17	Ν	1	0.23	0.26	0.27	0.30	8	
Combined standard uncertainty			RSS				13.41	13.36	8	
Expanded uncertainty (95% confidence interval)			k = 2			ł	26.82	26.72		





## **15. SAR Test Equipment**

All measurements were performed within the valid calibration period of the specific equipment.

Manufacturer	Type / Model	S/N	Calib. Date	Calib.Interval	Calib.Due
SPEAG	ELI Phantom	-	N/A	N/A	N/A
Staubli	CS8Cspeag-TX60	F/20/0018446/C/001	N/A	N/A	N/A
Staubli	TX-60 Lspeag	F/20/0018446/A/001	N/A	N/A	N/A
Staubli	Teach Pendant (Joystick)	020885	N/A	N/A	N/A
Staubli	Light Alignment Sensor	1159	N/A	N/A	N/A
TESTO	175-H1/Thermometer	44606611906	03/20/2024	Annual	03/20/2025
SPEAG	DAE4	1686	06/19/2024	Annual	06/19/2025
SPEAG	E-Field Probe EX3DV4	7655	05/27/2024	Annual	05/27/2025
SPEAG	Dipole CLA150	4014	08/19/2024	Annual	08/19/2025
Agilent	Power Meter E4419B	MY41291386	09/11/2024	Annual	09/11/2025
Agilent	Power Meter N1911A	MY45101406	05/21/2024	Annual	05/21/2025
EMPOWER	<b>RF Power Amplifier</b>	1084	05/21/2024	Annual	05/21/2025
Agilent	Wideband Power Sensor N1921A	MY55220026	07/30/2024	Annual	07/30/2025
Agilent	Power Sensor 8481A	SG1091286	09/12/2024	Annual	09/12/2025
SPEAG	DAKS 12	1048	03/20/2024	Annual	03/20/2025
SPEAG	Vector Reflectometer	21393001	03/21/2024	Annual	03/21/2025
Agilent	Directional Bridge 86205A	3140A04581	04/22/2024	Annual	04/22/2025
Agilent	SIGNAL GENERATOR N5182A	MY47070230	03/19/2024	Annual	03/19/2025
Agilent	MXA Signal Analyzer N9020A	MY50510407	06/04/2024	Annual	06/04/2025
Agilent	Attenuator (3dB) 8693B	MY39260298	08/20/2024	Annual	08/20/2025
HP	Attenuator (20dB) 8493C	09271	08/20/2024	Annual	08/20/2025
Aeroflex/Weinschel	Fixed Coaxial Attenuator (30 dB)	CE6106	11/13/2024	Annual	11/13/2025
MICRO LAB	LP Filter / LA-15N	10453	09/11/2024	Annual	09/11/2025

1. The E-field probe was calibrated by SPEAG, by the waveguide technique procedure. Dipole Verification measurement is performed by HCT Lab. before each test. The brain/body simulating material is calibrated by HCT using the DAK-12 to determine the conductivity and permittivity (dielectric constant) of the brain/body-equivalent material.



## 16. Conclusion

The SAR measurement indicates that the EUT complies with the RF radiation exposure limits of the ANSI/IEEE C95.1-2005.

These measurements are taken to simulate the RF effects exposure under worst-case conditions. Precise laboratory measures were taken to assure repeatability of the tests.

The SAR measurement indicates that the EUT complies with the RF radiation exposure limits of the FCC and Industry Canada. These measurements were taken to simulate the RF effects of RF exposure under worst-case conditions. Precise laboratory measures were taken to assure repeatability of the tests. The results and statements relate only to the item(s) tested.



### 17. References

[1] Federal Communications Commission, ET Docket 93-62, Guidelines for Evaluating the Environmental Effects of Radio frequency Radiation, Aug. 1996.

[2] ANSI/IEEE C95.1 - 2005, American National Standard safety levels with respect to human exposure to radio frequency electromagnetic fields, 300 kHz to 300 GHz, New York: IEEE, Sept. 1992

[3] ANSI/IEEE C 95.1 - 2005, American National Standard safety levels with respect to human exposure to radio frequency electromagnetic fields, 3 kHz to 300 GHz, New York: IEEE, 2006

[4 ANSI/IEEE C95.3 - 2002, IEEE Recommended Practice for the Measurement of Potentially Hazardous Electromagnetic Fields - RF and Microwave, New York: December 2002.

[5] IEEE Standards Coordinating Committee 34 – IEEE Std. 1528-2013, IEEE Recommended Practice or Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Body from Wireless Communications Devices

[6] NCRP, National Council on Radiation Protection and Measurements, Biological Effects and Exposure Criteria for Radio Frequency Electromagnetic Fields, NCRP Report No. 86, 1986. Reprinted Feb. 1995.

[7] T. Schmid, O. Egger, N. Kuster, Automated E-field scanning system for dosimetric assessments, IEEE Transaction on Microwave Theory and Techniques, vol. 44, Jan. 1996, pp. 105-113.

[8] K. Pokovic, T. Schmid, N. Kuster, Robust setup for precise calibration of E-field probes in tissue simulating liquids at mobile communications frequencies, ICECOM97, Oct. 1997, pp. 120-124.

[9] K. Pokovic, T. Schmid, and N. Kuster, E-field Probe with improved isotropy in brain simulating liquids, Proceedings of the ELMAR, Zadar, Croatia, June 23-25, 1996, pp. 172-175.

[10] Schmid & Partner Engineering AG, Application Note: Data Storage and Evaluation, June 1998, p2.

[11] V. Hombach, K. Meier, M. Burkhardt, E. Kuhn, N. Kuster, The Dependence of EM Energy Absorption upon Human Head Modeling at 900 Mt, IEEE Transaction on Microwave Theory and Techniques, vol. 44 no. 10, Oct. 1996, pp. 1865-1873.

[12] N. Kuster and Q. Balzano, Energy absorption mechanism by biological bodies in the near field of dipole antennas above 300 Mb, IEEE Transaction on Vehicular Technology, vol. 41, no. 1, Feb. 1992, pp. 17-23.

[13] G. Hartsgrove, A. Kraszewski, A. Surowiec, Simulated Biological Materials for Electromagnetic Radiation Absorption Studies, University of Ottawa, Bioelectro magnetics, Canada: 1987, pp. 29-36.



[14] Q. Balzano, O. Garay, T. Manning Jr., Electromagnetic Energy Exposure of Simulated Users of Portable Cellular Telephones, IEEE Transactions on Vehicular Technology, vol. 44, no.3, Aug. 1995.

[15] W. Gander, Computer mathematick, Birkhaeuser, Basel, 1992.

[16] W.H. Press, S.A. Teukolsky, W.T. Vetterling, and B.P. Flannery, Numerical Recepies in C, The Art of Scientific Computing, Second edition, Cambridge University Press, 1992.

[17] N. Kuster, R. Kastle, T. Schmid, Dosimetric evaluation of mobile communications equipment with known precision, IEEE Transaction on Communications, vol. E80-B, no. 5, May 1997, pp. 645-652.

[18] CENELEC CLC/SC111B, European Prestandard (prENV 50166-2), Human Exposure to Electromagnetic Fields High-frequency: 10 kHz-300 GHz, Jan. 1995.

[19] Prof. Dr. Niels Kuster, ETH, EidgenØssische Technische Hoschschule Zòrich, Dosimetric Evaluation of the Cellular Phone.

[20] IEC 62209-1, Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation and procedures – Part 1:Procedure to determine the specific absorption rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz), July. 2016.

[21] IEC 62209-2, Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation, and procedures – Part 2: Procedure to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz) Mar. 2010.

[22] Industry Canada RSS-102 Radio Frequency Exposure Compliance of Radio Communication Apparatus (All Frequency Band) Issue 5, March 2015.

[23] Health Canada Safety Code 6 Limits of Human Exposure to Radio Frequency Electromagnetic Fields in the Frequency Rage from 3 kHz – 300 GHz, 2009

[24] FCC SAR Test procedures for 2G-3G Devices, Mobile Hotspot and UMPC Device KDB 941225 D01.

[25] SAR Measurement Guidance for IEEE 802.11 transmitters, KDB 248227 D01v02r02

[26] SAR Evaluation of Handsets with Multiple Transmitters and Antennas KDB 648474 D03, D04.

[27] SAR Evaluation for Laptop, Notebook, Netbook and Tablet computers KDB 616217 D04.

[28] SAR Measurement and Reporting Requirements for 100 Mtz – 6 GHz, KDB 865664 D01, D02.

[29] FCC General RF Exposure Guidance and SAR procedures for Dongles, KDB 447498 D01,D02.



# Appendix A. – Test Setup Photo

Please refer to test DUT Ant. Information & setup photo file no. as follows:

Report No. HCT-SR-2502-FC005-P






Appendix B. – SAR Test Plots



Test Laboratory:	HCT CO., LTD
Liquid Temperature:	19.9 °C
Ambient Temperature:	20.0 °C
Test Date:	01/17/2025
Plot No.:	1

## Measurement Report for Device, FRONT, Custom Band, CW, Channel 174000 (174.000 MHz)

Exposure Conditions										
Phantom Section, TSL	Position, Phantom Test Section, TSL Distance [mm]		Group, UID	Frequency [MHz], Channel Number	Conversion Factor		TSL Conductivity [S/m]	TSL Permittivity		
Flat, Head Simulating Liquid	FRONT, 25.00	Custom Band	CW, 0	174.000, 174000	12.35		0.795	51.1		
Hardware Se	tup									
Phantom			Prot	be, Calibratior	ו Date		DAE, Calibration Date			
ELI V6.0 (20c	leg probe til	lt) - xxxx	EX3	DV4 - SN7655,	2024-	05-28	DAE4 Sn1686, 2024-06-19			
Scans Setup										
			Area Scan Zoor			Zoom	າ Scan			
Grid Extents	[mm]	120.0 x 360.0			30.0 x	30.0 x 30.0 x 30.0				
Grid Steps [r	nm]		15.0 x 15.0 6.0			6.0 x 6	0 x 6.0 x 1.5			
Sensor Surfa	ace [mm]		3.0 1.4			1.4	1			
Measuremen	t Results									
				Area Scan	Zoom Scan					
psSAR1g [W/	/Kg]	2.10			2.19					
psSAR10g [V	V/Kg]	1.62			1.53					
Power Drift	[dB]	0.30			-0	-0.76				
M2/M1 [%]			8			80	80.8			
Dist 3dB Pea	ık [mm]					19	9.4			




F-TP22-03 (Rev. 06)



Measurement Report for Device, BACK, Custom Band, CW, Channel 150100 (150.100 MHz)							
Plot No.:	2						
Test Date:	01/17/2025						
Ambient Temperature:	20.0 °C						
Liquid Temperature:	19.9 °C						
Test Laboratory:	HCT CO., LTD						

#### **Exposure Conditions**

Phantom Section, TSL	Position, Test Distance [mm]	Band	I Group, [MHz]		Frequency [MHz], Cha Number		Conversion Factor		TSL Conductivity [S/m]	TSL Permittivity	
Flat, Head Simulating Liquid	BACK, 0.00	Custo Band		<sup>m</sup> CW, 0 150.100, 150100		50100	0 12.35		0.771	52.3	
Hardware Setup	ס										
Phantom			Pro	obe, Calik	oration Date	5		DAE, Cal	ibration Date		
ELI V6.0 (20deg	probe tilt) - xxx	κx	EX.	3DV4 - SN	17655, 2024	-05-28	3	DAE4 Sn	1686, 2024-06-1	9	
Scans Setup											
				Area Scan			Zoom Scan				
Grid Extents [mm]			120.0 x 420.0 3			30.0	0.0 x 30.0 x 30.0				
Grid Steps [mm	1]		15.0 x 15.0 6		6.0 x	6.0 x 6.0 x 1.5					
Sensor Surface	[mm]		3.0 1.4		1.4	1.4					
Measurement R	esults										
			Area Scan			Zoom Scan					
psSAR1g [W/Kg]			6.44		7.77						
psSAR10g [W/Kg]			4.46		4.14						
Power Drift [dB]			0.36		0.02						
M2/M1 [%]							51.9				
Dist 3dB Peak [mm]							6.6				







Appendix C. – Dipole Verification Plots






# ■ Verification Data (150 MHz Head)


Test Laboratory:	HCT CO., LTD
Input Power	50 mW
Liquid Temp:	19.9 °C
Test Date:	01/17/2025

# Measurement Report for Device, , , CW, Channel 0 (150.000 MHz)

# **Exposure Conditions**

· Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversio Factor	n TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	,		CW, 0	150.000, 0	12.35	0.771	52.3
Hardware Se	tup						
Phantom			Probe	e, Calibration Da	te	DAE, Calibratior	n Date
ELI V6.0 (20d	eg probe tilt) -	хххх	EX3D	V4 - SN7655, 202	4-05-28	DAE4 Sn1686, 20	024-06-19
Scans Setup							
			Are	ea Scan	Zoom Sca	n	
Grid Extents	[mm]		40.	.0 x 90.0	30.0 x 30.0	0 x 30.0	
Grid Steps [n	nm]		10	.0 x 15.0	6.0 x 6.0 x	1.5	
Sensor Surfa	ce [mm]		3.0	)	1.4		
Measuremen	t Results						
				Area Scan	Zoc	om Scan	
psSAR1g [W/	Kg]			0.189	0.18	89	
psSAR10g [W	I/Kg]			0.136	0.12	22	
Power Drift [	dB]			-0.01	-0.0	)1	
Dist 3dB Pea	k [mm]				17.4	4	







# Appendix D. - SAR Tissue Characterization

The brain and muscle mixtures consist of a viscous gel using hydrox-ethyl cellulose (HEC) gelling agent and

saline solution (see Table 3.1). Preservation with a bacteriacide is added and visual inspection is made to make sure air bubbles are not trapped during the mixing process. The mixture is calibrated to obtain proper dielectric constant (permittivity) and conductivity of the desired tissue. The mixture characterizations used for

the brain and muscle tissue simulating liquids are according to the data by C. Gabriel and G. Harts grove.

Ingredients	Frequency (Mtz)
(% by weight)	150 (MHz)
Tissue Type	Head
Water	38.35 %
Salt (NaCl)	5.15 %
Sugar	55.5 %
HEC	0.9 %
Bactericide	0.1 %
Triton X-100	-
DGBE	-
Diethylene glycol hexyl ether	-

Salt:	99 % Pure Sodium Chloride	Sugar:	98 % Pure Sucrose		
Water:	De-ionized, 16M resistivity	HEC:	Hydroxyethyl Cellulose		
DGBE:	99 % Di(ethylene glycol) butyl ether,[2-(2-butoxyethoxy) ethanol]				
Triton X-100(ultra-pure):	Polyethylene glycol mono[4-(1,1,3,3-tetramethylbutyl)phenyl] ether				

Composition of the Tissue Equivalent Matter





# Appendix E. - SAR System Validation

Per IEC/IEEE 62209-1528:2020, SAR system validation status should be document to confirm measurement accuracy. The SAR systems (including SAR probes, system components and software versions) used for this device were validated against its performance specifications prior to the SAR measurements. Reference dipoles were used with the required tissue- equivalent media for system validation, according to the procedures outlined in IEC/IEEE 62209-1528:2020. Since SAR probe calibrations are frequency dependent, each probe calibration point was validated at a frequency within the valid frequency range of the probe calibration point, using the system that normally operates with the probe for routine SAR measurements and according to the required tissue-equivalent media.

A tabulated summary of the system validation status including the validation date(s), measurement frequencies, SAR probes and tissue dielectric parameters has been included.

Γ	SAR												Dielectric Parameters		CW Validation			Modulation Validation		
	System No.	Probe	Probe Type		be ration bint	Dipole	Date	Measured Permittivity	Measured Conductivity	Sensitivity	Probe Linearity	Probe Isotropy	MOD. Type	Duty Factor	PAR					
	11	7655	EX3DV4	Head	150	4014	2024-09-02	52.4	0.77	PASS	PASS	PASS	N/A	N/A	N/A					

SAR System Validation	Summary 1g
-----------------------	------------

### Note;

All measurement were performed using probes calibrated for CW signal only. Modulations in the table above represent test configurations for which the measurement system has been validated per IEC/IEEE 62209-1528:2020. SAR system were validated for modulated signals with a periodic duty cycle, such as GMSK, or with a high peak to average ratio (>5 dB), such as OFDM according to IEC/IEEE 62209-1528:2020.





Appendix F. – Probe Calibration Data



chmid nginee ughaus	tion Laborator & Partner ering AG strasse 43, 8004 Zur	ilac m		S Schweizerischer Kalibrierdier C Service suisse d'étalonnage Servizio svizzero di taratura S Swiss Calibration Service
e Swis	s Accreditation Ser	vice is one of the signatories to the E e recognition of calibration certificate		
lient	HCT Gyeonggi-do, Re	epublic of Kores	Certificate No.	EX-7655_May24
CAL	IBRATION C	ERTIFICATE	절	anal A
Object		EX3DV4 - SN:7655	- 741 - C 14/141 - St 17 - A - 22	~ 434 by 1492
		QA CAL-01.v10, QA CAL- QA CAL-25.v8 Calibration procedure for d		
Calibrat	tion date	May 28, 2024		
		cuments the traceability to national stand uncertainties with confidence probability a		
All calib	vations have been co	inducted in the closed laboratory facility: e	environment temperature	(22 ± 3)*C and humidity < 70%.
Carl Particip				

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP2	SN: 104778	26-Mar-24 (No. 217-04036/04037)	Mar-25
Power sensor NRP-Z91	SN: 103244	26-Mar-24 (No. 217-04036)	Mar-25
OCP DAK-3.5 (weighted)	SN: 1249	05-Oct-23 (OCP-DAK3.5-1249_Oct23)	Oct-24
OCP DAK-12	SN: 1016	05-Oct-23 (OCP-DAK12-1016_Oct23)	Oct-24
Reference 20 dB Attenuator	SN: CC2552 (20x)	26-Mar-24 (No. 217-04046)	Mar-25
DAE4	SN: 660	23-Feb-24 (No. DAE4-660_Feb24)	Feb-25
Reference Probe EX3DV4	SN: 7349	03-Nov-23 (No. EX3-7349_Nov23)	Nov-24
Secondary Standards	ID	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB41293874	06-Apr-16 (in house check Jun-22)	In house check: Jun-24
Power sensor E4412A	SN: MY41498087	06-Apr-16 (in house check Jun-22)	In house check: Jun-24
Power sensor E4412A	SN: 000110210	06-Apr-16 (in house check Jun-22)	In house check: Jun-24
RF generator HP 8648C	SN: US3642U01700	04-Aug-99 (in house check Jun-22)	In house check: Jun-24
Network Analyzer E8358A	SN: US41080477	31-Mar-14 (in house check Oct-22)	In house check: Oct-24

	Name	Function	Signature
Calibrated by	Joanna Lleshaj	Laboratory Technician	Appllies
Approved by	Sven Kühn	Technical Manager	an
This calibration certifica	te shall not be reproduced except in	full without written approval of the lab	Issued: May 28, 2024 oratory.

Certificate No: EX-7655\_May24

Page 1 of 21



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schwa C Servic S Swiss

Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura

Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

#### Glossary

TSL	tissue simulating liquid
NORMx,y,z	sensitivity in free space
ConvF	sensitivity in TSL / NORMx,y,z
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization @	@ rotation around probe axis
Polarization 8	or orbition around an axis that is in the plane normal to probe axis (at measurement center), i.e., <i>θ</i> = 0 is normal to probe axis
Contractory of the second	intermeting used in DADV system is align make segrery V to the subst exercitiests system.

Connector Angle information used in DASY system to align probe sensor X to the robot coordinate system

### Calibration is Performed According to the Following Standards: "

- a) IEC/IEEE 62209-1528, "Measurement Procedure For The Assessment Of Specific Absorption Rate Of Human Exposure To Radio Frequency Fields From Hand-Heid And Body-Worn Wireless Communication Devices – Part 1528: Human Models, Instrumentation And Procedures (Frequency Range of 4 MHz to 10 GHz)\*, October 2020.
- b) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

#### Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization ∂ = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E<sup>2</sup>-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z \* frequency\_response (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal. DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z; A, B, C, D are numerical linearization parameters assessed based on the data of
  power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum
  calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z \* ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY4 version 4.4 and higher which allows extending the validity from ±50 MHz to ±100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: EX-7655\_May24

Page 2 of 21



#### May 28, 2024

#### Parameters of Probe: EX3DV4 - SN:7655

#### **Basic Calibration Parameters**

	Sensor X	Sensor Y	Sensor Z	Unc (k = 2)
Norm (µV/(V/m) <sup>2</sup> ) A	0.50	0.62	0.51	±10.1%
DCP (mV) B	105.9	105.4	107.8	±4.7%

#### **Calibration Results for Modulation Response**

UID	Communication System Name		A dB	B dBõV	с	D dB	VR mV	Max dev.	Max Unc <sup>E</sup> k = 2
0	CW	X	0.00	0.00	1.00	0.00	123.6	±2.8%	±4,7%
		Y	0.00	0.00	1.00	1 3	149.0		
		Z	0.00	0.00	1.00		150.0		
10352	Pulse Waveform (200Hz, 10%)	X	1.77	61.96	7.33	10.00	60.0	±2.6%	±9.6%
		Y	1.53	60.72	6.50	1220228	60.0		
		Z	1.67	61.53	7.27		60.0		
10353	Pulse Waveform (200Hz, 20%)	X	0.84	60.02	5.27	6.99	80.0	±2.0%	±9.6%
	Commentation and a construction of the second	Y	46.00	80.00	11.00		80.0		001003475
		Z	0.81	60.00	5.46		80.0		
10354	Pulse Waveform (200Hz, 40%)	X	0.03	118.22	0.35	3.98	95.0	±2.7%	±9.6%
		Y	0.51	159.02	10.78		95.0		
		Z	68.00	78.00	9.00		95.0		
10355	Pulse Waveform (200Hz, 60%)	X	11.59	154.19	7.09	2.22	120.0	±1.6%	±9.6%
Conserve.	A wave the second second second	Y	10.49	157.44	14.13	16800781	120.0		
		Z	11.11	154.69	15.41		120.0	1	
10387	QPSK Waveform, 1 MHz	X	0.60	63.80	11.98	1.00	150.0	±4.3%	±9.6%
		Y	0.57	63.21	12.13		150.0		
		Z	0.54	62.15	11.23		150.0	1	
10388	QPSK Waveform, 10 MHz	X	1.35	65.40	13.61	0.00	150.0	±1.3%	±9.6%
19925		Y	1.33	65.35	13.68		150.0	0.000	
		Z	1.28	64.34	13.18		150.0		
10396	64-QAM Waveform, 100 kHz	X	1.74	64.88	15.91	3.01	150.0	±1.2%	±9.69
		Y	1.55	63.16	15.32		150.0	1	
		Z	1.63	63.71	15.32		150.0		
10399	64-QAM Waveform, 40 MHz	X	2.85	66.13	14.92	0.00	150.0	±1.7%	±9.6%
Neurine.		Y	2.82	66.06	14.95	10000	150.0		
		Z	2.75	65.46	14.60	1	150.0	1	
10414	WLAN CCDF, 64-QAM, 40 MHz	X	3.88	65.85	15.16	0.00	150.0	±3.3%	±9.6%
	no en el construir de la constru	Y	3.81	65.73	15.12	11100355	150.0		
		Z	3.96	66.00	15.25	10 10	150.0		

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

A The uncertainties of Norm X,Y,Z do not affect the E<sup>2</sup>-field uncertainty inside TSL (see Page 5). <sup>II</sup> Linearization parameter uncertainty for maximum specified field strength. <sup>II</sup> Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX-7655\_May24

Page 3 of 21

May 28, 2024



#### EX3DV4 - SN:7655

# Parameters of Probe: EX3DV4 - SN:7655

#### Sensor Model Parameters

	C1 fF	C2 fF	а V <sup>-1</sup>	T1 msV <sup>-2</sup>	T2 ms V <sup>-1</sup>	T3 ms	T4 V-2	T5 V <sup>-1</sup>	Т6
×	10.8	77.70	33.08	4.16	0.00	4.94	0.56	0.00	1.00
v	10.1	72.75	33.10	3.11	0.00	4.90	0.05	0.01	1.00
z	11.4	81.54	33.00	3.57	0.00	4.95	0.51	0.00	1.00

#### Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle	86.5°
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Note: Measurement distance from surface can be increased to 3-4 mm for an Area Scan job.

Certificate No: EX-7655\_May24

Page 4 of 21



#### May 28, 2024

# Parameters of Probe: EX3DV4 - SN:7655

#### Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) <sup>C</sup>	Relative Permittivity <sup>F</sup>	Conductivity <sup>F</sup> (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha <sup>G</sup>	Depth <sup>G</sup> (mm)	Unc <sup>H</sup> (k = 2)
150	52.3	0.76	12.35	12.35	12.35	0.00	1.25	±13.3%
450	43.5	0.87	11.07	11.07	11.07	0.16	1.30	±13,3%
750	41.9	0.89	9.12	9.70	9.50	0.41	1.27	±11.0%
835	41.5	0.90	9.18	9.32	9.14	0.40	1.27	±11.0%
900	41.5	0.97	8.64	9.28	8.95	0.40	1.27	±11.0%
1450	40.5	1.20	7.90	8.31	7.99	0.38	1.27	±11.0%
1750	40.1	1.37	7.69	8.16	7.84	0.27	1.27	±11.0%
1900	40.0	1.40	7.55	8.06	7.74	0.30	1.27	±11.0%
2300	39.5	1.67	7.33	7.85	7.52	0.31	1.27	±11.0%
2450	39.2	1.80	7.25	7.78	7.45	0.31	1.27	±11.0%
2600	39.0	1.96	7.11	7,65	7.32	0.30	1,27	±11.0%
4400	36.9	3.84	6.01	6,51	6.27	0.40	1.27	±13.1%
4600	36.7	4.04	5.96	6:44	6.17	0.38	1.27	±13.1%
4800	36.4	4.25	5.89	6.37	6.08	0.39	1.27	±13.1%
4950	36.3	4.40	5.53	6.02	5.83	0.43	1.36	±13.1%

<sup>C</sup> Frequency validity above 300 MHz of ±100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ±50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ±10, 25, 40, 50 and 70 MHz tor ConvF assessments at 30, 84, 128, 150 and 220 MHz respectively. Validity of ConvF assessment at 6 MHz is 4–9 MHz, and ConvF assessed at 13 MHz to 5–19 MHz. Above 5 GHz frequency validity can be extended to ±10 MHz. <sup>F</sup> The probes are calibrated using itsue simulating liquids (TSL) that deviate for *c* and *o* by less than ±5% from the target values (typically better than ±3%) and are valid for TSL, with deviations of up to ±10% if SAR connection is applied. <sup>G</sup> Apha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ±5% from the factors before. SOM and the set for the target frequency before than ±3%.

than ±1% for frequencies below 3 GHz and below ±2% for frequencies between 3–6 GHz at any distance larger than half the probe tip diameter from the boundary.

H The stated uncertainty is the total calibration uncertainty (k = 2) of Norm-ConvF. Therefore, The uncertainty stated is equivalent to the uncertainty component with the symbol CF in Table 9 of IEC/IEEE 62209-1528:2020.


Certificate No: EX-7655\_May24

Page 5 of 21





May 28, 2024



# **Frequency Response of E-Field**

Uncertainty of Frequency Response of E-field: ±6.3% (k=2)


Certificate No: EX-7655\_May24

Page 6 of 21



May 28, 2024

EX3DV4 - SN:7655



# Receiving Pattern ( $\phi$ ), $\vartheta = 0^{\circ}$

60 120 180 240 300 Roll [\*] -+ 100 MHz -+ 600 MHz -+ 2500 MHz


Uncertainty of Axial Isotropy Assessment: ±0.5% (k=2)

Certificate No: EX-7655\_May24

Page 7 of 21



May 28, 2024




Certificate No: EX-7655\_May24

Page 8 of 21



May 28, 2024

### **Conversion Factor Assessment**



Certificate No: EX-7655\_May24

Page 9 of 21



# May 28, 2024

# Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> k =
0	1000	CW	CW	0.00	±4.7
0010	CAB	SAR Validation (Square, 100 ms, 10 ms)	Test	10.00	±9.6
10011	CAC	UMTS-FDD (WCDMA)	WCDMA	2.91	±9.6
0012	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	±9.6
0013	CAB	IEEE 802.11g WIFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	±9.6
10021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	±9.6
0023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.57	±9.6
0024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.55	±9.6
0025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	GSM	12.62	±9.6
10026	DAC	EDGE-FDO (TDMA, 8PSK, TN 0-1)	GSM	9.55	±9.6
0.027	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4,80	±9.6
0.028	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3.55	±9.6
10029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	±9.6
10030	CAA	IEEE 802 15.1 Bluetooth (GFSK, DH1)	Bluetpoth	5.30	±9.6
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluetocth	1.87	+9.6
0.032	CAA	IEEE 802.15.1 Bluetoath (GFSK, DH5)	Bluetooth	1.16	±9.6
	CAA	IEEE 802.15.1 Blastoath (PV4-DQPSK, DH1)	Bluetooth	7.74	±9.6
0033	and the part of the	IEEE 802.15.1 Bluetoath (Pi/4-DQPSK, DH3)	Blueloath	4.53	±9.6
10:034	CAA		Bluetooth	3.83	±9.6
0.035	CAA	IEEE 802.15.1 Bluetooth (PV4-DQPSK, DH5)	Bluetoch	8.01	±9.6
10036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	Bluetooth	4.77	±9.6
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)		4.10	19.6
10038	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	Bluetooth	4.10	and the second se
10039	CAB	CDMA2000 (txRTT, RC1)	CDMA2000	4.57	±9.6 ±9.6
10042	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Hallrate)	AMPS		and the second se
10044	CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	AMPS	0.00	29.6
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Stot, 24)	DECT	13.80	±9.6
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Stot, 12)	DECT	10.79	±9.6
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mops)	TD-SCDMA	11.01	±9.6
10058	DAC	EDGE-FDD (TDMA, 6PSK, TN 0-1-2-3)	GISM	8.52	19.6
10059	CAB	IEEE 802.11b WIFi 2.4 GHz (DSSS, 2 Mbps)	WLAN	2.12	±9.6
10060	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	2.83	±9.6
10061	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps)	WLAN	3.60	±9.6
10062	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mbps)	WLAN	8.68	±9.6
10063	CAE	IEEE 802.11a/h WiFI 5 GHz (OFDM, 9 Mops)	WLAN	8,63	±9,6
10064	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mbps)	WLAN	9.09	±9.6
10065	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	±9.6
10066	CAE	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	WLAN	9.38	±9.6
10067	CAE	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	WLAN	10.12	±9.6
10068	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 48 Mbps)	WLAN	10.24	±9.6
10069	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps)	WLAN	10.56	19.6
10071	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	±9.6
10072	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 12 Mbps)	WLAN	9.82	±9.5
10073	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 18 Mbps)	WLAN	9.94	±9.6
10074	CAB	IEEE 802.11g WFI 2.4 GHz (DSSS/OFDM, 24 Mbps)	WLAN	10.30	19.5
10075	CAB	IEEE 802.11g WFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	WLAN	10.77	±9.6
10076	CAB	IEEE 802.11g WFI 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.94	19.6
10077	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	11.00	±9.6
10081	CAB	CDMA2000 (1xRTT, RC3)	CDMA2000	3.97	19.6
10082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, Pl/4-DQPSK, Fullrate)	AMPS	4.77	±9.6
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	6.56	19.6
10097	CAC	UMTS-FDD (HSDPA)	WCDMA	3.98	19.6
10096	CAC	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	19.6
10099	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	19.6
10100	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-FDD	5.67	±9.6
10100	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	±9.6
and the state of t	CAF				-
10102	Sec. 1	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	±9.6
10103	CAH	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-TOD	9.29	±9.6
10104	CAH	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-TDD	9.97	±9.6
10105	CAH	LTE-TDO (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-TOD	10.01	±9.6
10108	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-FDD	5.80	±9.6
10109	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-FDD	8,43	±9.6
10110	CAH	LTE-FDO (SC-FDMA, 100% RB, 5MHz, QPSK)	LTE-FDD	5.75	±9.6
10111	CAH	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-FDD	6.44	±9.6

Certificate No: EX-7655\_May24

Page 10 of 21



#### May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>®</sup> k =
0112	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-FDD	6.59	±9.6
0113	CAH	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-FDD	6.62	±9.6
0114	CAE	IEEE 802.11n (HT Greenfield, 13.5Mbps, BPSK)	WEAN	8.10	±9.6
0115	CAE	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	WLAN	8.45	±9.6
0116	CAE	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	WLAN	a.15	±9.6
0117	CAE	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	WLAN	8.07	±9.6
0118	CAE	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	WLAN	8.59	±9.6
0119	CAE	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	WLAN	8,13	±9.6
0140	CAF	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-GAM)	LTE-FDD	6.49	±9.6
0141	CAF	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-FDD	6.53	±9.6
0142	CAF	LTE-FDD (SC-FDMA, 100% HB, 3MHz, QPSK)	LTE-FDD	5.73	±9.6
10143	CAF	LTE-FDD (SC-FDMA, 100% R8, 3 MHz, 16-QAM)	LTE-FDD	6.35	±9.8
10144	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, 64-QAM)	LTE-FDO	6.65	±9.6
10145	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	±9.6
10146	CAG	LTE-FDD (SC-FDMA, 100% R8, 1.4 MHz, 16-QAM)	LTE-FDD	6.41	±9.8
10147	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.72	19.8
10149	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-FOD	6.42	±9.6
10150	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	±9.8
10151	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-TOD	9.28	±9.6
10152	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-TOD	9.92	±9.6
10153	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-TDD	10.05	±9.6
10154	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-FDD	5.75	±9.6
10155	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	±9.6
10156	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-FDD	5,79	±9.6
10157	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16 QAM)	LTE-FDD	6.49	±9.6
10158	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-FDD	6.62	19.6
10159	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDD	6.56	±9.6
10160	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, QPSK)	LTE-FDO	5.82	±9.6
10161	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, 16-QAM)	LTE-FDD	6.43	±9.6 ±9.6
10162	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, 64-QAM)	LTE-FDO	6.58	±9.6
10166	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FDD LTE-FDD	6.21	19.6
10167	CAG	LTE-FOD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	a logical design of the second	6.21	±9.6
10168	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-FDD	5.73	±9.6
10169	CAF	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-FOD	8.52	19.6
10170	CAF	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-FOD	6,49	±9.6
10171	AAF	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-TDD	9.21	±9.6
10172	CAH	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-TOD	9.48	±9.6
10173	CAH	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-TOD	10.25	±9.6
10174	CAH	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-FDD	5.72	±9.6
10175	CAH	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-FDD	6.52	±9.6
10176	CAH	LTE-FDD (SC-FDMA, 1 R8, 10 MHz, 16-QAM)	LTE-FDD	5.73	19.6
10177	CAJ	LTE-FDD (SC-FDMA, 1 RB, 5MHz, QPSK)	LTE-FDD	6.52	±9.6
10178	CAH	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 16-QAM) LTE-FDD (SC-FDMA, 1 RB, 10MHz, 64-QAM)	LTE-FDD	6.50	19.6
	CAH		LTE-FDD	6.50	±9.6
10180	CAF	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 64-QAM) LTE-FDD (SC-FDMA, 1 RB, 15MHz, QPSK)	LTE-FDD	5.72	19.6
10181	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 0PSK) LTE-FDD (SC-FDMA, 1 RB, 15MHz, 16-QAM)	LTE-FDD	6.52	19.6
10182	AAE	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 10-0AM) LTE-FDD (SC-FDMA, 1 RB, 15MHz, 64-QAM)	LTE-FDD	6.50	±9.6
10183	CAF	LTE-FDD (SC-FDMA, 1 R8, 3MHz, QPSK)	LTE-FDD	5.73	19.6
10185	CAF	LTE-FDD (SC-FDMA, 1 R8, 3MHz, 16-QAM)	LTE-FDD	8.51	±9.6
10186	AAF	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16 QAM)	LTE-FDD	6.50	19.6
10187	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-FDD	5.73	±9.6
10188	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.52	29.6
10189	AAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.50	19.6
10193		IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	WLAN	8.09	19.6
10194	in the second second	IEEE 802.11n (HT Groenfield, 39 Mbps, 16-QAM)	WLAN	8.12	19.6
10195	ALC: NO. OF	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	WLAN	8.21	19.6
10196		IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	WLAN	8.10	±9.6
10197		IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	WLAN	8.13	±9.6
10198	TO PARTY	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	WLAN	8.27	±9.6
10219		IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	WLAN	8.03	±9.8
10220	and the second s	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	±9.6
10221	and the second se	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	WLAN	8.27	19.6
10222	and the second second	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	WLAN	8.06	±9.0
		IEEE 002.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	8.48	19.6
10223					

Certificate No: EX-7655\_May24

Page 11 of 21




### May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> # =
0225	CAC	UMTS-FDD (HSPA+)	WCDMA.	5.97	±9.6
0226	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TDD	9,49	±9.6
0227	CAC	LTE-TDD (SC-FDMA, 1 HB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	±9.6
0228	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9,22	±9.6
0229	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TDD	9.48	±9.6
0230	CAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 64-QAM)	LTE-TDD	10.25	±9.6
0.231	CAE	LTE-TDO (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TDO	9.19	±9.6
1232	CAH	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 16-QAM)	LTE-TDD	9.48	±9.8
0233	CAH	LTE-YDD (SC-FDMA, 1 RB, 5MHz, 64-QAM)	LTE-TOD	10.25	±9.8
0234	CAH	LTE-TOD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-TOD	9.21	±9.6
0235	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-TOD	9.48	±9.6
0236	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-TOD	10.25	±9.6
0237	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	±9.6
0238	CAG	LTE-TDD (SC-FDMA, 1 R8, 15MHz, 16-QAM)	LTE-TDD	9.48	±9.6
0239	CAG	LTE-TDD (SC-FDMA, 1 R8, 15 MHz, 64-QAM)	LTE-TDD	10.25	±9.6
0240	CAG	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-TDD	9.21	19.5
0.241	CAC	LTE-TDD (SC-FDMA, 50% R8, 1.4 MHz, 16-QAM)	LTE-TDD	9.82	±9.6
0242	GAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-TDD	9.86	±9.6
0243	CAC	LTE-TDD (SC-FDMA, 50% R8, 1.4 MHz, QPSK)	LTE-TDD	9.46	±9.6
0244	CAE	LTE-TOD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	±9.6
0245	CAE	LTE-TOD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TOD	10.06	±9.6
0246	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TOD	9.30	±9.6
0247	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-TDD	9.91	±9.6
10248	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	±9.6
10249	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	9.29	±9.6
10250	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.81	±9.6
10,251	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	±9.6
10252	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.24	±9.6
10253	CAG	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 16-QAM)	LTE-TOD	9,90	±9.6
10254	CAG	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 64-QAM)	L'TE-TOD	10.14	19.6
10255	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-TDD	9.20	±9.6
10256	CAC	LTE-TOD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.96	±9.6
10257	- Contraine	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	±9.6
10258	CAC	LTE-TOD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	±9.5
10259	CAE	LTE-TOD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-TOD	9.98	±9.6
10260	CAE	LTE-TOD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-TDD	9.97	±9.6
10261	CAE	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-TDD	9.24	±9.6
10262	CAH	LTE-TDD (SC-FOMA, 100% RB, 5MHz, 16-QAM)	LTE-TOD	9.83	±9.6
10283	and the local division of	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 64-QAM)	LTE-TDD	10.16	±9.6
10264		LTE-TDD (SC-FDMA, 100% RB, 5MHz, QPSK)	LTE-TDD	9.23	±9.8
10285	and the state of t	LTE-TDD (SC-FDMA, 100% FB, 10 MHz, 16-QAM)	LTE-TDD	9.92	19.6
10266	-	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDO	10.07	±9.6
10267	and the second states	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDO	9.30	19.8
10268		LTE-TDD (SC-FDMA, 100% R8, 15 MHz, 16-QAM)	LTE-TDO	10.06	±9.6
10269	والمام المائي أشباب	LTE-TDD (SC-FDMA, 100% R8, 15 MHz, 64-QAM)	LTE-TDD	10.13	±9.6
10270	-	LTE-TOD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-TDD	9.58	±9.5
10274		UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	±9.6
10275		UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	±9.6
10277		PHS (QPSK)	PHS	11.81	±9.6
10278	and the second second	PHS (QPSK, BW 884 MHz, Rolloff 0.5)	PHS	11.81	±9.6
10279	and the second second	PHS (QPSK, BW 884 MHz, Rollott 0.38)	PHS	12,18	±9.6
10290		CDMA2000, RC1, SO55, Full Rate	CDMA2000	3.91	±9.6
10291	a designed and the second	CDMA2000, RC3, SO55, Full Rate	CDMA2000	3.46	±9.6
10292		CDMA2000, RC3, SO32, Full Rate	CDMA2000	3.39	±9.6
10293	and the second second	CDMA2000, RC3, SO3, Full Rate	CDMA2000	3.50	±9.6
10295		CDMA2000, RC1, SO3, 1/8th Rate 25 fr	COMA2000	12.49	±9.6
10297	and the party of t	LTE FDD (SC FDMA, 50% RB, 20 MHz, QPSK)	LTE-FDD	5.81	±9.6
10298		LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-FDD	5.72	±9.6
10299	All advantages in the lower	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-FDD	6.39	±9.6
10300	and the second second	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-FOD	6.60	19.6
10301		IEEE 802.16e WMAX (29:18, 5 ms, 10 MHz, QPSK, PUSC)	WIMAX	12.03	±9.6
10302	- Andrews	IEEE 802 16e WIMAX (29:18, 5ms, 10 MHz, QPSK, PUSC, 3 CTAL symbols)	WIMAX	12.57	±9.6
10303		IEEE 802.16e WIMAX (31:15, 5 ms, 10 MHz, 64QAM, PUSC)	WIMAX	12.52	19.6
10304		IEEE 802 16e WIMAX (29:18, 5ms, 10 MHz, 64QAM, PUSC)	WIMAX	11.86	±9.6
10:305	- Andrewski and the state of th	IEEE 802.16e WIMAX (31:15, 10 ms, 10 MHz, 64QAM, PUSC, 15 symbols)	WIMAX	15.24	±9.6
10306			WIMAX	14.67	±9.6
1.00.0000	- Farmer	I have see the summer best of the second standing to the second to a second second.			

Certificate No: EX-7655\_May24

Page 12 of 21






#### May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> k =
0.307	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, QPSK, PUSC, 18 symbols)	WIMAX	14.49	±9.6
0308	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 16QAM, PUSC)	WIMAX	14,46	±9.6
0309	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 16QAM, AMC 2x3, 18 symbols)	WIMAX	14.58	±9.6
0310	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, QPSK, AMC 2x3, 18 symbols)	WIMAX	14.57	±9.6
0311	AAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-FDD	6.06	±9.6
0313	AAA	IDEN 1:3	IDEN	10.51	±9.6
0314	AAA	DEN 1-6	IDEN	13.48	±9.6
0315	AAB	IEEE 802 11b WFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	WILAN	1.71	±9.6
0318	AAB	IEEE 802.11g WIFI 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	WEAN	8.36	±9.6
0317	AAE	IEEE 802.11a WIFI 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	WEAN	8.36	±9.6
0352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	±9.6
0353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	±9.6
0354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.98	£9.8
0.355	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	±9.6
0356	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	±9.6
0387	AAA	OPSK Waveform, 1 MHz	Generic	5.10	±9.6
0368	AAA	OPSK Waveform, 10 MHz	Generic	5.22	±9.6
0396	AAA	64-QAM Waveform, 100 kHz	Generic	6.27	±9.6
0399	AAA	64-QAM Waveform, 40 MHz	Generic	6.27	19.6
0.399	AAF	IEEE 802 11ac WIFI (20 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.37	19.6
0400	AAF	IEEE 802 11ac WiFi (40 MHz, 64 QAM, 99pc duty cycle)	WLAN	8.60	±9.6
0401	AAF	IEEE 802,1180 WH (NO MHz, 64-CANA, sajd duty cycle)	WLAN	8.53	19.5
0402	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	±9.6
	and the second in	COMA2000 (1xEV-DO, Rev. A)	CDMA2000	3.77	±9.6
0404	AAB	The a second state of the	CDMA2000	5.22	19.6
0406	AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	LTE-TOD	7.82	±9.8
0410	AAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,6,9, Subframe Conto-4)	Generic	8:54	19.6
0414	AAA	WLAN CCDF, 64-QAM, 40 MHz	WLAN	1.54	3.8.0 £9.6
0.415	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)			and the second sec
0416	AAA	IEEE 802.11g WIFI 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	±9.6
0417	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	±9.6
0418	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preambule)	WLAN	8.14	±9.6
10419	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 8 Mbps, 99pc duty cycle, Short preambule)	WLAN	8.19	±9.6
0.422	AAD	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8.32	±9.6
10.423	CAA.	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	±9.6
10424	AAD	IEEE 802 11n (HT Greenfield, 72.2 Mbps. 64-QAM)	WLAN	8.40	±9.6
10425	AAD	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	#9.6
0426	AAD	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8.45	±9.6
10427	AAD	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	±9.6
10430	AAE	LTE-FDD (OFDMA, 5MHz, E-TM 3.1)	LTE-FDO	8.28	±9.6
10431	AAE	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	19.6
10432	AAD	LTE-FDD (OFDMA, 15MHz, E-TM 3.1)	LTE-FDD	8.34	±9.6
10433	AAD	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	±9.6
0434	AAB	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	±9.6
10435	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	LTE-TDD	7,82	±9.6
10447	AAE	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-FOD	7.56	±9.6
10.448	AAE	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clippin 44%)	LTE-FDD	7.53	±9.6
10.449	AAD	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Cliping 44%)	LTE-FDD	7.51	±9.5
10450	AAD	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.48	±9.6
10451	AAB	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA.	7.59	±9.6
10453	AAE	Validation (Square, 10 ms, 1 ms)	Test	10.00	±9.6
10456	AAD	IEEE 802.11ac WFI (160 MHz, 64-QAM, 99pc duty cycle)	WLAN	8,63	±9.6
10457	BAA	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	±9.6
10.458	AAA	CDMA2000 (1xEV-DD, Rev. 8, 2 carriers)	CDMA2008	6.55	±9.6
10459	AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	CDMA2000	8.25	±9.6
0460	AAB	UMTS-FDD (WCDMA, AMFI)	WCDMA	2.39	±9.6
0.451	AAC	LTE-TDD (SC-FDMA, 1 R8, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.82	±9.6
10462	AAC	LTE-TOD (SC-FDMA, 1 R8, 1.4 MHz, 16-QAM, UL Subframe=2.3.4,7,8,9)	LTE-TOD	8.30	±9.6
10.406	AAG	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.56	±9.6
	AAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7,82	±9.6
10.463		LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.32	±9.6
10.463 10.464	AAD		the second second second second	10100	±9.6
10.463 10.464 10.465	-	LTE-TOD (SC-FDMA, 1 R8, 3 MHz, 64-QAM, UL Subframe=2.3.4,7.8.9)	LTE-TOD	8.57	
10.463 10.464 10.465 10.466	AAD	LTE-TDD (SC-FDMA, 1 R8, 3 MHz, 64-QAM, UL Subframe=2.3,4,7,8,9) LTE-TDD (SC-FDMA, 1 R8, 5 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	LTE-TOD	7.82	
10463 10464 10466 10466 10467	AAD AAD AAG	LTE-TDD (SC-FDMA, 1 RB, 5MHz, QPSK, UL Subframe+2,3,4,7,8,9)	LTE-TOD	7.82	±9.6
10463 10464 10466 10466 10467 10468	AAD AAD AAG AAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe+2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe+2,3,4,7,8,9)	LTE-TOD LTE-TOD	7.82 8.32	±9.6 ±9.6
10.463 10.464 10.465 10.466	AAD AAD AAG	LTE-TDD (SC-FDMA, 1 RB, 5MHz, QPSK, UL Subframe+2,3,4,7,8,9)	LTE-TOD	7.82	±9.6

Certificate No: EX-7655\_May24

Page 13 of 21





#### May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> k =
0472	AAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.57	土9.6
0473	AAF	LTE-TOD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	±9.6
0474	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 16-QAM, UL Subhame=2,3,4,7,8,9)	LTE-TDD	8.32	±9.6
0475	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 64-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	8.57	±9,6
0470	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	±9.6
10 C C C C		LTE-TOD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subhame-2,3,4,7.8,9)	LTE-TDD	8.57	±9.6
0478	AAG	LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2.3,4,7.8.9)	LTE-TOD	7.74	±9.6
0479	AAC	LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, GFSR, 0L Subfame=2,3,4,7,8,9) LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, 18-QAM, UL Subfame=2,3,4,7,8,9)	LTE-TOD	8.18	±9.6
0480	AAC	LTE-TDD (SC-FDMA, 50% RB, 14 MHz, 54 QAM, UL Subhame=2,3,4,7,8,9)	LTE-TOD	8.45	±9.6
0481	AAC		LTE-TOD	7.71	±9.6
0482	AAD	LTE-TDD (SC-FDMA, 50% RB, 3MHz, QPSK, UI, Subframe=2,3,4,7,8,9)	LTE-TOD	8.39	±9.6
0483	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Sublrame=2,3,4,7,8,9)	LTE-TDD	8.47	±9.6
0.484	AAD	LTE-TDD (SC-FDMA, 50% R8, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.59	19.6
0485	AAG	LTE-TDD (SC FDMA, 50% RB, 5MHz, QPSK, UL Subtrame+2,3,4,7.8,9)	LTE-TOD	8.38	19.6
0486	AAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	the second se	8.60	19.6
0.487	AAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	and the second second	in the last
0.488	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	LTE-TDD	7.70	±9.6
0.489	AAG	LTE-TOD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	±9.8
0490	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	±9.6
0.491	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subltame=2,3,4,7,8,9)	LTE-TDD	7.74	±9.6
0492	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.41	±9.8
0493	AAF	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 64-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TOD	8.55	±9.6
0494	AAG	LTE-TDD (SC-FOMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.74	±9.6
0.495	AAG	LTE-TDD (SC-FDMA, 50% R8, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.37	±9.6
0496	AAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	±9.6
0.497	AAC	LTE-TOD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	LTE-TDD	7.67	±9.6
0498	AAC	LTE-TDD (SC-FDMA, 100% R8, 1.4 MHz, 15-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.40	±9.6
0499	AAC	LTE-TOD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2.3,4,7,8,9)	LTE-TDD	8.68	±9.6
0500	AAD	LTE-TOD (SC-FDMA, 100% RB, 3MHz, QPSK, UL Subframe=2.3,4,7,8,9)	LTE-TDD	7.67	19.6
0501	AAD	LTE-TOD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.44	±9.6
0502	AAD	LTE-TOD (SC-FDMA, 100% RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.52	±9.5
and a state of the		LTE-TOD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.72	19.6
0503	AAG	LTE-TOD (SC-FDMA, 100% RB, 5MHz, 16-QAM, UL Subfame=2,3,4,7,8,9)	LTE-TOD	8.31	19.6
0504	AAG	LTE-TOD (SC-FDMA, 100% RB, 5MHz, 16 GAM, GL Subhame+2,3,4,7,6,9) LTE-TOD (SC-FDMA, 100% RB, 5MHz, 64-QAM, UL Subhame+2,3,4,7,8,9)	LTE-TOD	8.54	19.6
0505	AAG		LTE-TOD	7.74	19.6
0508	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subtrame=2,3,4,7,8,9)	LTE-TOD	8.36	±9.6
0507	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subtrame=2,3,4,7,8,9)	and the second sec	8.55	±9.6
0508	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64 QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	100 million (100 million)	19.5
0.509	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.99	
10510	and the state of the state	LTE-TDD (SC-FDMA, 100% RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8,49	29.6
10511		LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.51	±9.6
0512	and the second se	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.74	±9.6
0513	DAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2.3.4.7.8,9)	LTE-TDD	8.42	±9.6
0514	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2.3,4,7,8.9)	LTE-TOD	8.45	±9.6
10515	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	WLAN	1.58	±9.6
0516	AAA.	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	WLAN	1.57	±9.6
0517	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps, 98pc duty cycle)	WLAN	1,58	±9.6
0518	AAD	IEEE 802.11a/h WIFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.23	19.6
0519	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	WEAN	8.39	±9.6
0.520	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.12	<b>土泉市</b>
10521	and the second states in the s	IEEE 802.11a/h WIFI 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	WLAN	7.97	±9.6
10522		IEEE 802.11a/h WIFi 5 GHz (OFDM, 36 Mbps, 98pc duty cycle)	WLAN	8.45	±9.6
10523	and the state of the	IEEE 802.11a/h WIFI 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.08	±9.6
10524	_	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.27	±9.6
10525	and the latest	IEEE 802 11ac WIFI (20 MHz, MCS0, 99pc duty cycle)	WLAN	8.36	±9.6
0526		IEEE 802 11ac WIFi (20 MHz, MCS1, 99pc duty cycle)	WLAN	8.42	±9.6
10527	and the state of the	IEEE 802.11ac WFI (20 MHz, MCS2, 99pc duty cycle)	WLAN	8.21	±9.6
0.528		IEEE 802.11ac WFI (20 MHz, MCS3, 99pc duty cycle)	WLAN	8.36	±9.6
0529	and a first of the second	IEEE 802.11ac WFI (20 MHz, MCSA) salp: duty cycle)	WLAN	8.36	±9.6
and the spin of	-	IEEE 802.11ac WFI (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.43	±9.6
10531	the state of the state of		WLAN	8.29	29.6
10532				8.38	
10533	the second product on Aus	IEEE 802 11ac WFI (20 MHz, MCS8, 99pc duty cycle)	WLAN		±9.6
10.534	and the second second	IEEE 802.11 ac WFi (40 MHz, MCS0, 99pc duty cycle)	WLAN	8.45	±9.6
10535		IEEE 602.11ec WFi (40 MHz, MCS1, 99pc duty cycle)	WLAN	8.45	±9.6
10.536		IEEE 802.11ac WIFI (40 MHz, MCS2, 99pc duty cycle)	WLAN	8.32	±9.6
10537		IEEE 802.11ac WFI (40 MHz, MCS3, 99pc duty cycle)	WLAN	8.44	±9.6
10538		IEEE 802.11ac WIFI (40 MHz, MCS4, 99pc duty cycle)	WLAN	8.54	±9.6
10540	CAA	IEEE 802.11ac WIFI (40 MHz, MCS6, 99pc duty cycle)	WLAN	8.39	19.6

Certificate No: EX-7655\_May24

Page 14 of 21





### May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> k =
0541	AAD	IEEE 802.11ac WFI (40 MHz, MCS7, 99pc duty cycle)	WLAN	8.46	±9.6
0542	AAD	IEEE 802.11ac WFI (40 MHz, MCS8, 99pc duty cycle)	WLAN	8.65	±9.6
0543	AAD	IEEE 802 11ac WIFI (40 MHz, MCS9, 99pc duty cycle)	WLAN	8.65	±9.6
0544	AAD	IEEE 802.11ac WFI (80 MHz, MCS0, 99pc duty cycle)	WLAN	8.47	±9.6
0545	AAD	IEEE 802.11ac WFI (80 MHz, MCS1, 99pc duty cycle)	WLAN	8.55	#9.6
0546	AAD	IEEE 802.11ac WFI (80 MHz, MCS2, 99pc duty cycle)	WLAN	8.35	±9.6
0547	AAD	IEEE 802.11ac WFI (80 MHz, MCS3, 99pc duty cycle)	WLAN	8.49	:9.6
and the second	AAD	IEEE 802.11ac WFI (80 MHz, MCS4, 95pc duty cycle)	WLAN	8.37	29.6
0548		IEEE 802.11ac WIF1 (80 MHz, MCS4, 39ac duty cycle)	WLAN	6.38	19.6
0550	AAD		WLAN	8.50	±9.6
10.551	AAD	IEEE 802.11ac WFI (80 MHz, MCS7, 99pc duty cycle)	WLAN	8.42	19.6
10552	AAD	IEEE 802.11 ac WIFI (60 MHz, MCS8, 99pc duty cycle)	WLAN	8.45	±9.6
10553	AAD	IEEE 802.11ac WiFi (80 MHz, MCS9, 99pc duty cycle)	WLAN	8.48	19.6
10554	AAE	IEEE 802.11ac WiFi (160 MHz, MCS0, 99pc duty cycle)	WLAN	8.47	19.6
10555	AAE	IEEE 802.11ac WIFI (160 MHz, MCS1, 99pc duty cycle)	and the second se		
10556	AAE	IEEE 802.11ac WiFi (160 MHz, MCS2, 99pc duty cycle)	WLAN	8.50	±9.6
10557	AAE	IEEE 802.11ac WiFi (160 MHz, MCS3, 99pc duty cycle)	WLAN	8.52	±9.8
0558	AAE	IEEE 802.11ac WiFI (160 MHz, MC54, 99pc duty cycle)	WLAN	8.61	±9.6
10560	AAE	IEEE 802.11ac WIFI (160 MHz, MCS6, 99pc duty cycle)	WLAN	8.73	19.6
10561	AAE	IEEE 802.11ac WIFI (160 MHz, MCS7, 99pc duty cycle)	WLAN	8.56	±9.6
0562	AAE	IEEE 802.11ac WIFi (160 MHz, MCS8, 99pc duty cycle)	WLAN	8.69	±9.8
0563	AAE	IEEE 802.11ac WIFI (180 MHz, MCS9, 99pc duty cycle)	WLAN	8.77	±9.6
0564	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.25	±9.6
10565	AAA	IEEE 802 11g WIFI 2.4 GHz (DSISS-OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.45	±9.6
10566	AAA	IEEE 802 11g WIFI 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8,13	±9.6
10567	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS OFDM, 24 Mbps, 99pc duty cycle)	WLAN	8.00	±9.6
10568	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.37	±9.6
10569	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.10	±9.6
10570	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.30	±9.6
10571	AAA	IEEE 802.11b WIFI 2 4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	WLAN	1.99	19.6
10572	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	WLAN	1.99	29.6
10573	AAA	IEEE 802 11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	WLAN	1.98	±9.6
10374	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	WLAN	1.98	±9.6
	AAA	IEEE 802,11g WFI 2.4 GHz (DSSS-OFDM, 6Mbps, 90pc duty cycle)	WLAN	8.59	±9.6
10575	AAA		WLAN	8.60	19.6
10576	and the second s	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.70	19.6
10577	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	A Set Daniel States	2000	
10578	AAA	IEEE 802.11g WIFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	±9.6
10579	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mops, 90pc duty cycle)	WLAN	8.36	±9.6
10580	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	±9.6
10581	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WEAN	8.35	±9.6
10582	AAA	IEEE 802.11g WIFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	±9.6
10583	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	±9.6
10584	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	±9.6
10585	AAD	IEEE 832.11a/h WIFI 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	±9:6
10586	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	±9.6
10587	AAD	IEEE 802.11a/h WIFi 5 GHz (OFDM, 24 Mbps, 80pc duty cycle)	WLAN	8,36	±9.6
10.588	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	主9.6
10589	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	±9.6
10590	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	±9.6
10591	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS0, 90pc duty cycle)	WLAN	8.63	±9.6
10592	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS1, 90pc duty cycle)	WLAN	8.79	19.6
10593	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS2, 90pc duty cycle)	WLAN	8.64	:19.6
10584	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS3, 90pc duty cycle)	WLAN	8.74	±9.8
0595	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS4, 90pc duty cycle)	WLAN	8.74	±9.6
10596	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS5, 90pc duty cycle)	WLAN	8.71	±9.6
10597	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS6, 90pc duty cycle)	WLAN	8.72	±9.6
0598	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS7, 90pc duty cycle)	WLAN	8.50	±9.6
0599	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS0, 90pc duty cycle)	WLAN	8.79	19.6
10600	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS1, 90pc duty cycle)	WLAN	8.88	19.6
10601	AAD	IEEE Sde. 7111 (HT Mixed, 40 MHz, MCS2, 90pc duty cycle)	WLAN	8.82	
and so that we have a second	AAD		the second se	and the second data is a second data in the second data is a second data in the second data is a second data is	19.6
10602		IEEE 802.11n (HT Mixed, 40 MHz, MCS3, 90pc duty cycle)	WLAN IN AN	8.94	±9.5
10603	DAA	IEEE 802.11n (HT Mixed, 40 MHz, MCS4, 90pc duty cycle)	WLAN	9.03	±9.6
10604	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCSS, 90pc duty cycle)	WLAN	8.76	±9.6
10605	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS6, 90pc duty cycle)	WLAN	8.97	±9,6
10606	AAD	IEEE 802.11n (HT Mored, 40 MHz, MCS7, 90pc duty cycle)	WLAN	8.82	±9.6
10607	AAD	IEEE 802.11ac WIFI (20 MHz; MCS0, 90pc duty cycle)	WLAN	8.64	±9.6
10608	AAD	IEEE 802.11ac WIFI (20.MHz, MCS1, 90pc duty cycle)	WLAN	8.77	±9.6

Certificate No: EX-7655\_May24

Page 15 of 21



#### May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> & =
0609	AAD	IEEE 802.11ac WIFI (20 MHz, MCS2, 90pc duty cycle)	WLAN	8.57	±9.6
0610	AAD	IEEE 802.11ac WIFI (20 MHz, MCS3, 90pc duty cycle)	WLAN	8.78	±9.6
0611	AAD	IEEE 802.11 ac WIFI (20 MHz, MCS4, 90pc duty cycle)	WLAN	8.70	±9.6
0612	AAD	IEEE 802.11ac WIFI (20 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
0613	AAD	IEEE 802.11ac WIFI (20 MHz, MCS6, 90pc duty cycle)	WLAN	8.94	±9.5
0614	AAD	IEEE 802.11ac WIFI (20 MHz, MCS7, 90pc duty cycle)	WLAN	8.59	±9.6
0615	AAD	IEEE 802.11ac WIFI (20 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	±9.6
0616	AAD	IEEE 802,11ac WIFI (40 MHz, MCS0, 90pc duty cycle)	WLAN	8.82	±9.5
0617	AAD	IEEE 802.11ac WIFI (40 MHz, MCS1, 90pc duty cycle)	WLAN	8.81	±9.8
0618	AAD	IEEE 802.11ac WiFi (40 MHz, MCS2, 90pc duly cycle)	WLAN	8.58	±9.6
0619	(AAD	IEEE 802.11ac WIFI (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.86	±9.6
0620	AAD	IEEE 802.11ac WFI (40 MHz, MCS4, 90pc duty cycle)	WEAN	8.87	±9.6
0621	(AAD	IEEE 802.11ac WIFI (40 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
0.625	(AAC)	IEEE 802.11ac WiFi (40 MHz, MCS6, 90pc duty cycle)	WLAN	8.68	#9.6
0623	AAD	IEEE 802.11ac WIFI (40 MHz, MCS7, 90pc duty cycle)	WLAN	8.82	±9.6
0.624	(AAD	IEEE 802.11ac WiFi (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.96	±9.6
0625	(AAD	IEEE 802.11ac WiFi (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.96	±9.6
0626	AAD	IEEE 802.11 ac WIFI (80 MHz, MCS0, 90pc duty cycle)	WLAN	8.83	±9.6
0627	AAD	IEEE 802.11ac WIFI (80 MHz, MCS1, 90pc duty cycle)	WLAN	8.88	±9.6
0628	AAD	IEEE 802.11ac WIFI (80 MHz, MCS2, 90pc duty cycle)	WLAN	8.71	19.6
0629	AAD	IEEE 802.11ac WIFI (80 MHz, MCS3, 90pc duty cycle)	WI,AN	8.85	±9.6 ±9.6
0630	AAD	IEEE 802.11ac WIFI (80 MHz, MCS4, 90pc duty cycle)	WLAN	8.81	±9.6
0-631	DAA	IEEE 802.11ac WIFi (80 MHz, MCS5, 90pc duty cycle)	WLAN	8,74	19.6
0.635	AAD	IEEE 802.11ac WFI (80 MHz, MCS6, 90pc duty cycle)	WLAN	8.83	±9.6
0633	AAD	IEEE 802.11ac WIFI (80 MHz, MCS7, 90pc duty cycle)	WLAN	8.80	±9.6
0634	AAO	IEEE 802.11ac WFI (80 MHz, MCS8, 90pc duty cycle)	WLAN	8.81	±9.6
0635	AAD	IEEE 802 11ac WIFI (80 MHz, MCS9, 90pc duty cycle) IEEE 802 11ac WIFI (160 MHz, MCS0, 90pc duty cycle)	WLAN	8.83	±9.6
10636	AAE	IEEE 802.11ac WF1160 MHz, MC80, 90pc duty cycle)	WLAN	8.79	19.6
0637	AAE	IEEE 802.11ac WiFI (160 MHz, MCS1, 500c duty cycle)	WLAN	8.86	19.6
0639	AAE	IEEE 802.11ac WiFi (160 MHz, MCS3, 90pc duty cycle)	WLAN	8.85	±9.6
10640	AAE	IEEE 802.11ac WIFI (160 MHz, MCS4, 90pc duty cycle)	WLAN	8.98	±9.8
0641	AAE	IEEE 802 11ac WIFI (160 MHz, MCS5, 90pc duty cycle)	WLAN	9.05	±9.6
0642	AAE	IEEE 802.11ac WIFI (160 MHz, MCS6, 90pc duty cycle)	WLAN	9.06	±9.6
10643	AAE	IEEE 802.11ac WIFI (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.89	±9.6
10644	AAE	IEEE 802.11ac WFI (160 MHz, MCS8, 90pc duty cycle)	WLAN	9.05	±9.6
10645	AAE	IEEE 802 11ac WFI (160 MHz, MCS9, 90pc duty cycle)	WLAN	9.11	±9.6
10646	AAH	LTE-TDD (SC-FDMA, 1 R8, 5 MHz, QPSK, UL Subframe+2,7)	LTE-TDD	11.96	±9.6
10647	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	LTE-TDO	11.96	±9.6
0648	AAA	CDMA2000 (1x Advanced)	CDMA2000	3.45	±9.6
0652	AAF	LTE-TOD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	8.91	主9.6
0.653	AAF	LTE-TOD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	±9.6
0654	AAE	LTE-TDD (OFDMA, 15MHz, E-TM 3.1, Clipping 44%)	LTE-TDO	6.96	土9.6
0655	AAF	LTE-TDD (OFDMA, 20MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	±9.6
10658	AAB	Pulse Waveform (200Hz, 10%)	Test	10,00	±9.6
10659	AAB	Pulse Waveform (200Hz, 20%)	Test	6.99	±9.6
10660	AAB	Puise Waveform (200Hz, 40%)	Test	3.98	29.6
10661	AAB	Pulse Waveform (200Hz, 60%)	Test	2.22	#9.6
10662	AAB	Pulse Waveform (200Hz, 80%)	Test	0.97	19.6
10670	AAA.	Bluetooth Low Energy	Bluetooth	2.19	:+9.6
10671	AAC	IEEE 802.11ax (20 MHz, MCS0, 90pc duty cycle)	WLAN	9.09	19.6
10672	AAC	IEEE 802.11ax (20 MHz, MCS1, 90pc duty cycle)	WLAN	8.57	19.6
10673	AAC	IEEE 802.11ax (20 MHz, MCS2, 90pc duty cycle)	WLAN	8.78	19.6
10674	AAC	IEEE 802.11ax (20 MHz, MCS3, 90pc duty cycle)		8.74	±9.6 ±9.6
10675		IEEE 802.11ax (20 MHz, MCS4, 90pc duty cycle)	WLAN	8.90	19.6
10676	AAC	IEEE 802.11ax (20 MHz, MCS5, 90pc duty cycle)	WLAN	8.73	19.6
10677		IEEE 802.11ax (20 MHz, MCS6, 90pc duty cycle) IEEE 802.11ax (20 MHz, MCS7, 90pc duty cycle)	WLAN	8.78	±9.6
10679	AAC	IEEE 802.118x (20 MHz, MCS/, suppl duty cycle)	WLAN	8.89	±9.6
10679		IEEE 802.11ax (20 MHz, MCS8, Sopc duty cycle)	WLAN	8.80	±9.6
10680	AAC	IEEE 802.11ax (20 MHz, MC38, 8/pc duty cycle)	WLAN	8.62	19.6
10682		IEEE 802.11ax (20 MHz, MCS10, 90pc duty cycle)	WLAN	9.83	±9.6
and and and a first state	AAC	IEEE 802.11ax (20 MHz, MCS11, Mpc duty cycle)	WLAN	8.42	19.6
	1	IEEE 802.11ax (20 MHz, MC30, 95pc duty cycle)	WLAN	8.26	±9.6
10683	0.00				
10683 10684 10685		IEEE 802.11ax (20 MHz, MCS2, 99pc duty cycle)	WLAN	8.33	±9.6

Certificate No: EX-7655\_May24

Page 16 of 21



# May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> k =
10687	AAC	IEEE 802.11ax (20 MHz, MCS4, 99pc duty cycle)	WLAN	8.45	±9.6
0688	AAC	IEEE 802.11ax (20 MHz, MCS5, 96pc duty cycle)	WLAN	8.29	±9.6
0.689	AAC	IEEE 802.11ax (20 MHz, MCS6, 99pc duty cycle)	WLAN	8.55	±9.6
0690	AAC	IEEE 802.11ax (20 MHz, MCS7, 99pc duty cycle)	WLAN	8.29	19.6
0.691	AAC	IEEE 802.11ax (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.25	±9.6
0.692	AAC	IEEE 802.11ax (20 MHz, MCS9, 99pc duty cycle)	WLAN	8.29	±9.6
0 693	AAC	IEEE 802.11ax (20 MHz, MCS10, 99pc duty cycle)	WLAN	8.25	59.6
0694	AAC	IEEE 802 11ax (20 MHz, MCS11, 99pc duty cycle)	WLAN	8.57	±9.6
0.695	AAC	IEEE 802 11ax (40 MHz, MCS0, 80pc duty cycle)	WLAN	8.78	±9.6
0.696	AAC	IEEE 802.11ax (40 MHz, MCS1, 90pc duty cycle)	WLAN	8.91	±9.6
i la de la dela de	AAC		WLAN	8.61	±9.6
0697		IEEE 802 11ax (40 MHz, MCS2, 90pc duty cycle)	WLAN	8.89	±9.6
0.698	AAC	IEEE 802.11ax (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.82	±9.6
0.699	AAC	IEEE 802.11ax (40 MHz, MCS4, 90pc duty cycle)			
0.700	AAC	IEEE 802.11ax (40 MHz, MCS5, 90pc duty cycle)	WLAN	8.73	±9.6
0701	AAC	IEEE 802.11ax (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.86	\$9.6
0702	AAC	IEEE 802.11ax (40 MHz, MCS7, 90pc duty cycle)	WLAN	8.70	±9.6
0703	AAC	IEEE 802.11ax (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	±9.6
0704	AAC	IEEE 802.11ax (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.56	29.6
0705	AAC	IEEE 802.11ax (40 MHz, MCS10, 90pc duty cycle)	WLAN	8.69	:+9.6
0706	AAC	IEEE 802.11ax (40 MHz, MCS11, 90pc duty cycle)	WLAN	8.66	±9.6
0707	AAC	IEEE 802.11ax (40 MHz, MCS0, 99pc duty cycle)	WLAN	8.32	π9.6
10708	AAC	IEEE 802.11ax (40 MHz, MCS1, 99pc duty cycle)	WLAN	8.55	±9.6
10709	AAC	IEEE 802.11ax (40 MHz, MCS2, 99pc duty cycle)	WLAN	8.33	±9,6
10710	AAC	IEEE 802.11ax (40 MHz, MCS3, 99pc duty cycle)	WLAN	8.29	±9.6
10711	AAC	IEEE 802.11ax (40 MHz, MCS4, 99pc duty cycle)	WLAN	8.39	±9.6
10712	AAC	IEEE 802.11ax (40 MHz, MCS5, 99pc duty cycle)	WLAN	8.67	±9.6
10713	AAC	IEEE 802.11ax (40 MHz; MCS6, 99pc duty cycle)	WLAN	8.33	±9.6
10714	AAC	IEEE 802.11ax (40 MHz, MCS7, 99pc duty cycle)	WLAN	8.26	±9.6
10715	AAC	IEEE 802.11ax (40 MHz, MCS8, 99pc duty cycle)	WLAN	8.45	19.6
10716	AAC	IEEE 802.11ax (40 MHz, MCS9, 99pc duty cycle)	WLAN	8.30	±9.6
10717	AAC	IEEE 802.11ax (40 MHz, MCS10, 99pc duty cycle)	WLAN	8.48	±9.6
10718	AAC	IEEE 802.11ax (40 MHz, MCS10, 99pc duty cycle)	WLAN	8.24	±9.6
	and the second second				
10719	AAC	IEEE 802.11ax (80 MHz, MCS0, 90pc duty cycle)	WLAN	8.81	19.6
10720	AAC	IEEE 802.11ax (80 MHz, MCS1, 90pc duty cycle)	WLAN	8.87	±9.6
10721	AAC	IEEE 802.11ax (80 MHz, MCS2, 90pc duty cycle)	WLAN	8.76	19.6
10722	AAC	IEEE 802.11ax (80 MHz, MCS3, 90pc duty cycle)	WLAN	8.55	±9.6
10723	AAC	IEEE 802.11ax (80 MHz, MCS4, 90pc duty cycle)	WLAN	8.70	19.6
10724	AAC	IEEE 802.11ax (80 MHz, MCS5, 90pc duty cycle)	WLAN	8.90	±9.6
10725	AAC	IEEE 802.11ax (80 MHz, MCS6, 90pc duty cycle)	WLAN	8.74	±9.5
10726	AAC	IEEE 802.11ax (80 MHz, MCS7, 90pc duty cycle)	WLAN	8.72	±9.8
10727	AAC	IEEE 802.11ax (80 MHz, MCS8, 90pc duty cycle)	WLAN	8.65	19.6
10728	AAC	IEEE 802.11ax (80 MHz, MCS9, 90pc duty cycle)	WLAN	8.65	±9.6
10729	AAC	IEEE 802.11ax (80 MHz, MCS10, 90pc duty cycle)	WLAN	8.64	±9.6
10730	AAC	IEEE 802.11ax (80 MHz, MCS11, 90pc duty cycle)	WLAN	8.67	19.6
10731	AAC	IEEE 802.11ax (80 MHz, MCS0, 99pc duty cycle)	WLAN	8.42	19.6
10732	AAC	IEEE 802.11ax (80 MHz, MCS1, 99pc duty cycle)	WLAN	8.46	±9.6
10733	AAC	IEEE 802.11ax (80 MHz, MCS2, 99pc duty cycle)	WLAN	8.40	±9.6
10734	AAC	IEEE 802.11ax (80 MHz, MCS3, 99pc duty cycle)	WLAN	8.25	±9.6
10735	AAC	IEEE 802.11ax (80 MHz, MCS4, 99pc duty cycle)	WLAW	8.33	19.6
10736	AAC	IEEE 802.11ax (80 MHz, MCS5, 99pc duty cycle)	WLAN	8.27	19.6
10737	AAC	IEEE 802.11ax (80 MHz, MCS6, 99pc duty cycle)	WLAN	8.36	19.6
10738	AAC	IEEE 802.11ax (80 MHz, MCS3, 99c duty cycle)	WLAN	8.42	
10739	AAG	IEEE 802.11ax (80 MHz, MCS8, 99pc duty cycle)	10171010		29.6
10730	AAC	IEEE 802.11ax (80 MHz, MCS8, 99pc duty cycle)	WLAN	8.29	19.6
	and the second second		WLAN	8.48	±9.6
10741	AAC	IEEE 802.11ax (80 MHz, MCS10, 99pc duty cycle)	WLAN	8.40	19.6
10742	and state in the state is a	IEEE 802.11ax (80 MHz, MCS11, 99pc duty cycle)	WLAN	8.43	±9.6
10743	AAC	IEEE 802.11ax (160 MHz, MCS0, 90pc duty cycle)	WLAN	8.94	19.6
10744	AAC	IEEE 802.11ax (160 MHz, MCS1, 90pc duty cycle)	WLAN	9.16	±9.6
10745	AAC	IEEE 802.11ax (160 MHz, MCS2, 90pc duty cycle)	WLAN	8.93	±9.6
10746	AAC	IEEE 802.11ax (160 MHz, MCS3, 90pc duty cycle)	WLAN	9.11	±9.6
10747	AAC	IEEE 802.11ax (160 MHz, MCS4, 90pc duty cycle)	WLAN	9.04	±9.6
10748	AAC	IEEE 802.11ax (160 MHz, MCS5, 90pc duty cycle)	WLAN	6.93	±9.6
10749	AAC	IEEE 802.11ax (160 MHz, MCS6, 90pc duty cycle)	WLAN	8.90	±9.6
10750	AAC	IEEE 802.11ax (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.79	±9.6
10751	AAC	IEEE 802.11ax (160 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	19.6
10752	AAC.	IEEE 802.11ax (160 MHz, MCS9, 90pc duty cycle)	WLAN	8.81	+9.6

Certificate No: EX-7655\_May24

Page 17 of 21





### May 28, 2024

UID	Bey	Communication System Name	Group	PAR (d8)	Unc <sup>E</sup> k =
0753	AAC	IEEE 802.11ax (160 MHz, MCS10, 90pc duty cycle)	WEAN	9:00	±9.6
0.754	AAC	IEEE 802.11ax (160 MHz, MCS11, 90pc duty cycle)	WLAN	8.94	±9.6
0765	AAC	IEEE 802.11ax (160 MHz. MCS0, 99pc duty cycle)	WLAN	8.64	±9.6
0756	AAC	IEEE 802.11ax (160 MHz. MCS1, 99pc duty cycle)	WLAN	8.77	±9.6
0757	AAC	IEEE 802.11 az (160 MHz, MCS2, 99pc duty cycle)	WLAN	8.77	±9.6
0758	AAC	IEEE 802 11ax (160 MHz, MCS3, 99pc duty cycle)	WEAN	8.69	19.6
0759	AAC	IEEE 802.11ax (160 MHz, MCS4, 99pc duty cycle)	WEAN	8.58	±9.6
0760	AAC	IEEE 802.11ax (160 MHz, MCSS, 99pc duty cycle)	WLAN	8.49	19.6
0761	AAC	IEEE 802.11ax (160 MHz, MCS6, 98pc duty cycle)	WLAN	8.55	±9.6
	AAC	IEEE 802.11ax (160 MHz, MCS7, 99pc duty cycle)	WLAN	8.49	±9.6
0762		IEEE 802.11ax (160 MHz, MCS8, 95pc duty cycle)	WLAN	8.53	±9.6
0763	AAC	the second s	WLAN	8.54	±9.6
0764	AAC	IEEE 802.11ax (160 MHz, MCS9, 99pc duty cycle)	WLAN	8.54	±9.6
0.765	AAC	EEE 802.11ax (160 MHz, MCS10, 99pc duty cycle)	WLAN	8.51	29.6
0766	AAC	IEEE 802 11ax (160 MHz, MC511, 99pc duty cycle)	5G NR FR1 TOD	7.99	±9.6
0767	AAG	5G NR (CP-OFDM, 1 RB, 5 MHz, OPSK, 15 kHz)	SG NR FR1 TDD	8.01	19.6
0768	AAE	SG NR (CP-OFDM, 1 RB, 10 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.01	19.6
0769	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, OPSK, 15 kHz)		8.02	19.6
0770	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	and the second se	
0771	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	19.6
0772	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.23	19.8
0773	AAF	5G NR (CP-OFDM, 1 R8, 40 MHz, QPSK, 15 kHz)	SG NR FR1 TDD	8.03	19.6
0774	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	±9.6.
0775	AAF	5G NR (CP-OFDM, 50% RB, 5MHz, QPSK, 15kHz)	SG NR FR1 TOD	8.31	±9.6
0.776	AAE	SG NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	±9.6
0777	AAC	5G NR (CP-OFOM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.30	19.6
0778	AAE	5G NR (CP-OFOM, 50% RB, 20 MHz, QPSK, 15 kHz)	50 NR FR1 TDD	8.34	±9.6
0779	AAC	5G NR (CP-OFOM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	±9.6
0780	AAE	SG NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	±9.6
10781	AAF	5G NR (CP-OFOM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	8.9.8
10782	AAE	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	主9.6
10783	DAA	5G NR (CP-OFDM, 100% RB, 5MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.31	±9.6
10784	AAE	5G NR (CP-OFDM, 100% R8, 10 MHz, QP5K, 15 kHz)	5G NR FR1 TDD	8.29	±9.6
10785	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	±9.6
10786	AAE	56 NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.35	19.6
10787	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	±9.6
10788	AAE	50 NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15kHz)	5G NR FR1 TOD	8.39	29.6
10789	AAF	5G NR (CP-OFDM, 100% R8, 40 MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.37	:±9.6
10790	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.39	±9.6
10791	AAG	5G NR (CP-OFDM, 1 RB, 5MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.83	±9.6
10792	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, QP5K, 30 kHz)	5G NR FR1 TDD	7.92	±9.6
10793	AAD	5G NR (CP-OFDM, 1 RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.95	19.6
10794	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	7.82	±0.8
10795	AAD	SG NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	±9.6
10796	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	±9.6
10797	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	19.6
10798	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	±9.6
10799		5G NR (CP-OFDM, 1 R8, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	19.6
10801	AAF	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	7.89	±9.6
10802	AAE	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	50 NR FR1 TDD	7.87	±9.5
10803	AAF	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	±9.6
10905	AAE	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	19.6
10806	AAD	5G NR (CP-OFDM, 50% RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TD0	8.37	19.6
10809	AAE	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	50 NR FR1 TDD	8.54	±9.6
10810	AAF	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 MHz)	56 NR FR1 T00	8.34	±9.6
10812		In the last of the second sec second second sec	5G NR FR1 TDD	8.35	£9.6
10812	فتجام لمرما والم	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz) 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	±9.6
			5G NR FR1 TDD	8.34	19.6
10818	dar Branks (Status and St	5G NR (CP-OFDM, 100% R8, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD		
10819		5G NR (CP-OFDM, 100% R8, 15MHz, QPSK, 30 KHz)		8.33	\$9.6
10820		5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	29.6
10821	and the second se	5G NR (CP-OFDM, 100% R8, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	±9.6
10822		5G NR (CP-OFDM, 100% R8, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	29.6
10823	and the second second	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	±9.6
10.824	the state of the second second	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	±9.6
10825	the second second	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	B.41	±9.6
10827		5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	±9.6
10828	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	±9.6

Certificate No: EX-7655\_May24

Page 18 of 21





#### May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> # =
0829	AAF	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	±9.6
0830	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	±9.5
0831	AAD	5G NR (CP-OFDM, 1 RB, 15MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	±9.6
0832	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QP5K, 60 kHz)	5G NR FR1 TDD	7.74	±9.6
0833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	±9.6
	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	50 NR FRI TDD	7.75	±9.6
0834	and the second second	SG NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	SG NR FR1 TDD	7.70	±9.6
0835	AAF	5G NR (CP-OFDM, 1 HB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	±9.6
0836	AAE		50 NR FR1 TDD	7:68	±9.6
0837	AAF	5G NR (CP-OFDM, 1 RB. 60 MHz, QPSK, 80 kHz)	5G NR FR1 TDD	7.70	19.6
0839	AAF	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	±9.6
0.840	AAE	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	±9.6
0841	AAF	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	19.0
0843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)		8.34	±9.6
0844	AAE	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD 5G NR FR1 TDD	8.41	and the second se
0.846	AAE	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	17 YEAR OLD THE STORE ST		±9.6
0854	AAE	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	3.9±
0855	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	±9.6
0856	AAE	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	±9.8
0857	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QP5K, 60 kHz)	5G NR FR1 TDD	8.35	±9.6
0858	AAE	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	±9.6
0859	AAF	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 80 kHz)	5G NR FR1 TDD	8.34	±9.6
0860	AAE	5G NR (CP-OFDM, 100% R8, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
0.861	AAF	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	±9.6
0.863	AAF	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 80 kHz)	5G NR FR1 TDD	8.41	±9.6
0864	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	±9.6
0865	AAF	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
0866	AAF	5G NR (DFTs-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5,68	±9.6
0.868	AAF	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	±9.6
0869	AAE	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
0870	AAE	5G NR (DFTs-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	±9.6
10871	AAE	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
0872	AAE	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	±9.6
10873	AAE	5G NR (DFT-9-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	±9.6
10874	AAE	5G NR (DFT-s-OFDM, 100% R8, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	±9.6
10875	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TOD	7.78	±9.6
10876	AAE	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	±9.6
10877	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	±9.6
10878	AAE	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	±9.6
10879	AAE	5G NR (CP-OFDM, 100 x H5, 100 MHz, 64QAM, 120 KHz)	5G NR FR2 TDD	E.12	19.6
10880	AAE	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 T00	8.38	19.6
And Address	AAE	Construction of the second s	5G NR FR2 TOD	6.30	19.6
10881		5G NR (DFT-s-OFDM, 1 RB, 50 MHz, OPSK, 120 kHz)	the second se		
10882	AAE	5G NR (DFTs-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TOD	5.96	±9.6
10883	AAE	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	±9.6
10884	AAE	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 18QAM, 120 kHz)	5G NR FR2 TDD	6.53	±9.6
10885	AAE	5G NR (DFT-9-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	±9.6
10886	AAE	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	±9.6
10887	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	±9.6
10888	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	±9.6
10889	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	SG NR FR2 TDD	8.02	±9.6
10890	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	±9.6
10891	AAE	5G NR (CP-OFDM, 1 R8, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TOD	8.13	±9.8
10892	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	±9.6
10897	AAE	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	±9.6
10898	AAC	5G NR (DFTs-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	±9.8
10899	AAB	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	±9.6
10900	AAC	5G NR (DFTs-OFDM, 1 R8, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10901	AAB	5G NR (DFT-s-OFOM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10902	AAC	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	19.6
10903	AAD	5G NR (DFT-6-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.8
10904	AAC	5G NR (DFTs-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10905	AAD	5G NR (DFT-8-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10906	AAD	5G NR (DFTs-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	19.6
10907	AAE	5G NR (DFT-8-OFDM, 50% RB, 5MHz, QPSK, 33 kHz)	5G NR FR1 TDD	5.78	±9.6
10908	AAC	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	±9.6
	and stated and a	5G NR (DFTs-OFDM, 50% R8, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.96	±9.6
10909	AAB				

Certificate No: EX-7655\_May24

Page 19 of 21





#### May 28, 2024

UID	Bev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> k =
0911	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	±9.6
0912	AAC	5G NR (DFTs-OFDM, 50% RB, 30 MHz, QPSK, 30 KHz)	5G NR FR1 TOD	5.84	19.6
0915	AAD	5G NR (DFTs-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
	AAC	SG NR (DFTs-OFDM, 50% RB, 50MHz, QPSK, 30KHz)	5G NR FR1 TDD	5.85	±9.6
0914	and the second second	The second se	5G NR FR1 TDD	5.83	±9.0
0915	(AAD	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	19.6
0916	AAD	53 NR (DFTs-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	and the state of t		
0917	AAD	5G NR (DFT+s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	+9.6
0918	AAE	5G NR (DFT:s-OFDM, 100% R8, 5 MHz, QPSK, 30 KHz)	5G NR FR1 TDD	5.86	39.6
0919	AAC	5G NR (DFTs-OFDM, 100% RB, 10 MHz, QP5K, 30 kHz)	56 NR FR1 T00	5.86	±9.6.
0920	AAB	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	±9.6
0921	AAC	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
0922	AAB	5G NR (DFT-8-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	±9.6
0923	AAC	5G NR (DFT:s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	50 NR FR1 TDD	5.84	±9.6
0924	AAD	5G NR (DFT-s-OFOM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
0925	AAC	5G NR (DFT-p-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	±9.6
and the second se	AAD	5G NR (DFTs-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	5.84	±9.6
0926		the second s	SG NR FR1 TDO	5.94	±9.6
0927	AAD	5G NR (DFT-6-OFDM, 100% RB; 80 MHz, QPSK, 30 kHz)	and the second s		
0.958	DAA,	5G NR (DFT-s-OFDM, 1 RB, 5MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.52	±9.6
0929	AAD	5G NR (DFT-8-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	±9.6
0930	AAC	5G NR (DFTs-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	±9.6
0931	AAC	5G NR (DFT-II-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5,51	±9.6
0932	AAC	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	±9.6
0933	AAC	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	±9.6
0934	AAG	5G NR (DFTs-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	29.6
0935	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.51	+9.6
0936	AAD	5G NR (DFTs-OFDM, 50% RB, 5MHz, QPSK, 15kHz)	5G NR FR1 EDD	5.90	19.6
0937	AAD	5G NR (DFT-a-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	±9.6
-	AAG	SG NR (DFTe-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	±9.6
0938	and a ball of a real			5.82	19.6
0939	AAC	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	1	and the second s
0940	AAC	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	19.6
0941	AAC	5G NR (DFT@-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	±9.6
0942	AAC	5G NR (DFT-e-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	±9.6
0943	AAD	SG NR (DFT/s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	±9.6
0944	AAD	5G NR (DFT-s-OFDM, 100% RB, 5MHz, QPSK, 15kHz)	5G NR FR† FDD	5.81	±9.6
0945	AAD	5G NR (DFT-s-OFOM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	±9.6
0.946	AAC	5G NR (DFT-8-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	±9.8
0.947	AAC	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	±9.5
0948	AAC	5G NR (DFT-8-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDO	5.94	±9.6
0949	AAC	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.87	±9.6
0950	AAG	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	19.6
0951	AAD	5G NR (DFT-8-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	±9.6
	and standing in suffrage		the life of a state of a local state of the	8.25	
0962	AAA	5G NB DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	The state of the	±9.6
0953	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	±9.6
0954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	50 NR FR1 FDD	8.23	29.6
0955	,A,A,A	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	\$9,6
0956	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	±9.6
0957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	±9.6
0958	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	±9.6
0.959	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	±9.6
10960	AAE	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	±9.6
10961	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	±9.6
0962		5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	±9.6
10963	and a state processory	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	19.6
10964	AAE	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-GAM, 30kHz)	5G NR FR1 TDD	9.29	19.6
0985	and the state of t		5G NR FR1 TDD	9.29	-
		5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)			19.6
0966		56 NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-GAM, 30 kHz)	50 NR FR1 TDD	9.55	19.6
0967	and the second second	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-GAM, 30 kHz)	SG NR FR1 TDD	9.42	±9.6
0968		5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	±9.6
0972	in the second second	5G NR (CP-OFDM, 1 RB, 20 MHz, GPSK, 15 kHz)	5G NR FR1 TDD	11.59	±9.8
10973	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	19.6
10974	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 258-QAM, 30 kHz)	5G NR FR1 TDD	10.28	±9.6
10978	and the state of the state of the	ULLA BOR	ULLA	1.16	±9.6
10978		ULLA HDR4	ULLA	8.58	±9.0
0980	the state of the s	ULLA HDR8	ULLA	10.32	19.5
10981	AAA	ULLA HDRp4	ULLA	3.19	±9.6
0982	And and the state of the state			and the second se	
	AAA	ULLA HDRp8	ULLA	3.43	19.6

Certificate No: EX-7655\_May24

Page 20 of 21





#### May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc <sup>E</sup> $k = 2$
10983	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.31	19.6
10984	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64 QAM, 15 kHz)	5G NR FR1 TDO	9.42	±9.6
10985	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 54-QAM, 30 kHz)	5G NR FR1 TDD	9.54	±9.6
10988	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.50	±9.6
10987	AAC	5G NR DL (CP-OFDM, TM 3.1, 60 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.53	±9.6
10988	AAB	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 64-QAM, 30 kHz)	50 NR FR1 TDD	9.38	±9.6
10989	AAG	5G NR DL (CP-OFDM, TM 3.1, 80 MHz, 54 QAM, 30 kHz)	5G NR FR1 TDD	9.33	±9.6
10990	AAB	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDO	9.52	±9.6
11003	AAA	5G NR DL (CP-OFDM, TM 3 1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	10.24	±9.6
11004	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	10.73	19.6
11005	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.70	±9.6
11006	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.55	±9.6
11007	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.45	±9.6
11008	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 54-QAM, 15 kHz)	5G NR FR1 FDD	8.51	±9.6
11009	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.76	19.6
11010	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.95	±9,6
11011	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.96	±9.6
11012	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 84-QAM, 30 kHz)	5G NR FR1 FDD	8.68	±9.6
11013	BAA	IEEE 802.11be (320 MHz, MCS1, 99pc duty cycle)	WLAN	8.47	±9.6
11014	AAB	IEEE 802.11be (320 MHz, MCS2, 99pc duty cycle)	WLAN	8.45	±9.6
11015	AAB	IEEE 802.11be (320 MHz, MCS3, 99pc duty cycle)	WLAN	8.44	±9.6
11016	AAB	IEEE 802.11be (320 MHz, MCS4, 99pc duty cycle)	WLAN	8.44	±9.6
11017	AAB	IEEE 802.11be (320 MHz, MCS5, 99pc duty cycle)	WLAN	8.41	±9.6
11018	AAB	IEEE 802.11be (320 MHz, MCS6, 99pc duty cycle)	WLAN	8.40	±9.6
11019	AAB.	IEEE 802.11be (320 MHz, MCS7, 99pc duty cycle)	WLAN	8.29	±9.6
11020	AAB	IEEE 802.11be (320 MHz, MCS8, 99pc duty cycle)	WLAN	8.27	±9.6
11021	AAB	IEEE 802.11be (320 MHz, MCS9, 99pc duty cycle)	WLAN	8.46	±9.6
11022	AAB	IEEE 802.11be (320 MHz, MCS10, 99pc duty cycle)	WLAN	8.36	±9.6
11023	AAB	IEEE 802.11be (320 MHz, MCS11, 99pc duty cycle)	WLAN	8.09	±9.6
11024	AAB	IEEE 802.11be (320 MHz, MCS12, 99pc duty cycle)	WLAN	8.42	±9.6
11025	AAB.	IEEE 802.11be (320 MHz, MCS13, 99pc duty cycle)	WLAN	8.37	±9.6
11026	AAB	IEEE 802.11be (320 MHz, MCS0, 99pc duty cycle)	WLAN	8.39	±9.6

<sup>E</sup> Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX-7655\_May24

Page 21 of 21





Appendix G. – Dipole Calibration Data



Schmid & Partner Engineering AG eughausstrasse 43, 8004 Zurich,	of		Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service
ccredited by the Swiss Accreditation he Swiss Accreditation Service i fulfilateral Agreement for the rec	is one of the signatories		Accreditation No.: SCS 0108
lient HCT		Certificate No.	CLA150-4014_Aug24
Gyeonggi-do, Republi	c of Korea		
CALIBRATION C	ERTIFICATE	21 57 58	자 파 및 자
Dbject	CLA150 - SN: 40	441/19 Sm /	July 15 1438
Calibration procedure(s)	QA CAL-15,v11	1 1 20200	non 2020/02
		dure for SAR Validation Sources	below 700 MHz
Salibration date:	August 19, 2024		
All calibrations have been conducte	ed in the closed laborator	obability are given on the following pages an y facility: environment temperature (22 ± 3)°C	
VI calibrations have been conducts	ed in the closed laborator		
ill calibrations have been conducts calibration Equipment used (M&TE trimary Standards lower meter NRP2	ed in the closed laborator critical for calibration) ID # SN: 104778	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037)	C and humidity < 70%. Scheduled Calibration Mar-25
il calibrations have been conducts alibration Equipment used (M&TE trimary Standards lower meter NRP:2 lower sensor NRP-Z91	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25
il calibrations have been conducts alibration Equipment used (M&TE trimary Standards lower meter NRP2 lower sensor NRP-Z91 lower sensor NRP-Z91	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25
Il calibrations have been conducts Calibration Equipment used (M&TE 'rimary Standards 'ower meter NRP2 'ower sensor NRP-291 'ower sensor NRP-291 Seference 20 dB Attenuator	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: CC2552 (20x)	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04046)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25
Il calibrations have been conducts Calibration Equipment used (M&TE "rimary Standards "ower meter NRP2 "ower sensor NRP-291 Forer sensor NRP-291 Reference 20 dB Attenuator Type-N mismatch combination	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 002552 (20x) SN: 310962 / 06327	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04046) 26-Mar-24 (No. 217-04047)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Mar-25
al calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Vower meter NRP2 Vower sensor NRP-291 Vower sensor VRP-291 Vower senso	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: CC2552 (20x) SN: 310962 / 06327 SN: 3877	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04046) 26-Mar-24 (No. 217-04047) 10-Jan-24 (No. EX5-3877_Jan24)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25
ul calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power sensor NRP-291 Power sensor NRP-291 Jeference 20 dB Attanuator Ype-N mismatch combination Reference Probe EX3DV4	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 002552 (20x) SN: 310962 / 06327	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04046) 26-Mar-24 (No. 217-04047)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Mar-25
VII calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 03245 SN: 032552 (20x) SN: 310962 / 06327 SN: 654 ID #	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04047) 26-Mar-24 (No. 217-04047) 10-Jan-24 (No. DAE4-654_Jan24) 15-Jan-24 (No. DAE4-654_Jan24)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Jan-25 Scheduled Check
VI calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Spe-N mismatch combination teterence Probe EX3DV4 SAE4 Secondary Standards Power meter NRP2	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 03245 SN: C2552 (20x) SN: 310962 / 06327 SN: 3677 SN: 654 ID # SN: 107193	25-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04046) 26-Mar-24 (No. 217-04047) 10-Jan-24 (No. DAE4-654_Jan24) 15-Jan-24 (No. DAE4-654_Jan24) Check Date (in house) 08-Nov-21 (in house check Dec-22)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24.
All calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291 Partenece 20 dB Attenuator Pype-N mismatch combination Partenece Probe EX3DV4 DAE4 Secondary Standards Power meter NRP2 Power sensor NRP-291	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 03245 SN: 02552 (20x) SN: 310962 / 06327 SN: 3677 SN: 3677 SN: 654 ID # SN: 107193 SN: 100922	Cal Date (Certificate No.)         26-Mar-24 (No. 217-04036/04037)         26-Mar-24 (No. 217-04036)         26-Mar-24 (No. 217-04036)         26-Mar-24 (No. 217-04037)         26-Mar-24 (No. 217-04046)         26-Mar-24 (No. 217-04046)         26-Mar-24 (No. 217-04047)         10-Jan-24 (No. 217-04047)         15-Jan-24 (No. DAE4-654_Jan24)         Check Date (in house)         08-Nov-21 (in house check Dec-22)         15-Dec-09 (in house check Dec-22)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house check: Dec-24
VII calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 003245 SN: 02552 (20x) SN: 310962 / 06327 SN: 3877 SN: 654 ID # SN: 107193 SN: 100922 SN: 100922 SN: 100418	Cal Date (Certificate No.)           26-Mar-24 (No. 217-04036/04037)           26-Mar-24 (No. 217-04036)           26-Mar-24 (No. 217-04036)           26-Mar-24 (No. 217-04036)           26-Mar-24 (No. 217-04037)           26-Mar-24 (No. 217-04046)           26-Mar-24 (No. 217-04047)           10-Jan-24 (No. 217-04047)           10-Jan-24 (No. 217-04047)           15-Jan-24 (No. DAE4-654_Jan24)           Check Date (in house)           08-Nov-21 (in house check Dec-22)           15-Dac-09 (in house check Dec-22)           01-Jan-04 (in house check Dec-22)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house check: Dec-24 In house check: Dec-24
VII calibrations have been conducts Calibration Equipment used (M&TE *rimary Standards *ower meter NRP-291 *ower sensor NRP-291 *ower sensor NRP-291 Reference 20 dB Attenuator *ype-N mismatch combination Reference Probe EX3DV4 AAE4 Secondary Standards *ower meter NRP2 *ower sensor NRP-291 *ower sensor NRP-291 *F generator HP 8648C	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 02552 (20x) SN: 310962 / 06327 SN: 3877 SN: 654 ID # SN: 107193 SN: 100922 SN: 100922 SN: 100418 SN: US3642U01700	Cal Date (Certificate No.)         26-Mar-24 (No. 217-04036/04037)         26-Mar-24 (No. 217-04036)         26-Mar-24 (No. 217-04036)         26-Mar-24 (No. 217-04036)         26-Mar-24 (No. 217-04046)         26-Mar-24 (No. 217-04046)         26-Mar-24 (No. 217-04047)         10-Jan-24 (No. 217-04047)         10-Jan-24 (No. 217-04047)         15-Jan-24 (No. 221-04047)         15-Jan-24 (No. 222-0414)         Check Date (in house)         08-Nov-21 (in house check Dec-22)         15-Dac-09 (in house check Dec-22)         01-Jan-04 (in house check Dec-22)         04-Aug-99 (in house check Jun-24)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house check: Dec-24
VII calibrations have been conducts Calibration Equipment used (M&TE *rimary Standards *ower meter NRP-291 *ower sensor NRP-291 *ower sensor NRP-291 Reference 20 dB Attenuator *ype-N mismatch combination Reference Probe EX3DV4 AAE4 Secondary Standards *ower meter NRP2 *ower sensor NRP-291 *ower sensor NRP-291 *F generator HP 8648C	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 003245 SN: 02552 (20x) SN: 310962 / 06327 SN: 3877 SN: 654 ID # SN: 107193 SN: 100922 SN: 100922 SN: 100418	Cal Date (Certificate No.)           26-Mar-24 (No. 217-04036/04037)           26-Mar-24 (No. 217-04036)           26-Mar-24 (No. 217-04036)           26-Mar-24 (No. 217-04036)           26-Mar-24 (No. 217-04037)           26-Mar-24 (No. 217-04046)           26-Mar-24 (No. 217-04047)           10-Jan-24 (No. 217-04047)           10-Jan-24 (No. 217-04047)           15-Jan-24 (No. DAE4-654_Jan24)           Check Date (in house)           08-Nov-21 (in house check Dec-22)           15-Dac-09 (in house check Dec-22)           01-Jan-04 (in house check Dec-22)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house check: Dec-24 In house check: Dec-24
VII calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attanuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Bit generator HP 8648C Network Analyzer Agilent E8358A	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 103245 SN: 06552 (20x) SN: 3877 SN: 654 ID # SN: 107193 SN: 100418 SN: 103642/001700 SN: US3642001700 SN: US3642001700 SN: US3642001700	Cal Date (Certificate No.)         26-Mar-24 (No. 217-04036/04037)         26-Mar-24 (No. 217-04036)         26-Mar-24 (No. 217-04036)         26-Mar-24 (No. 217-04036)         26-Mar-24 (No. 217-04046)         26-Mar-24 (No. 217-04046)         26-Mar-24 (No. 217-04047)         10-Jan-24 (No. 217-04047)         10-Jan-24 (No. 217-04047)         15-Jan-24 (No. 221-04047)         15-Jan-24 (No. 222-0414)         Check Date (in house)         08-Nov-21 (in house check Dec-22)         15-Dac-09 (in house check Dec-22)         01-Jan-04 (in house check Dec-22)         04-Aug-99 (in house check Jun-24)	C and humidity < 70%. Scheduled Calibration Mar-25 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house check: Dec-24 In house check: Dec-24 In house check: Jun-26
All calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attanuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 R generator HP 8848C Network Analyzer Agilent E8358A	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 103245 SN: 103245 SN: 310962 / 06327 SN: 3877 SN: 654 ID # SN: 107193 SN: 100922 SN: 100418 SN: US3642001700 SN: US41080477	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04047) 10-Jan-24 (No. 217-04047) 10-Jan-24 (No. EX3-3877 Jan24) 15-Jan-24 (No. DAE4-654 Jan24) Check Date (in house) 08-Nov-21 (in house check Dec-22) 01-Jan-04 (in house check Dec-22) 01-Jan-04 (in house check Dec-22) 01-Jan-04 (in house check Jun-24) 31-Mar-14 (in house check Oct-22)	C and humidity < 70%.  Scheduled Calibration Mar-26 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house ch
All calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Type-N mismatch combination Reference 20 dB Attenuator Type-N Probe EX3DV4 DAE4 Secondary Standards Power sensor NRP-291 Power sensor NRP-291 RF generator HP 8648C Network Analyzer Agilent E8358A Calibrated by:	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103244 SN: 103245 SN: 103245 SN: 06552 (20x) SN: 3877 SN: 654 ID # SN: 107193 SN: 100418 SN: 103642/001700 SN: US3642001700 SN: US3642001700 SN: US3642001700 SN: US3642001700	y facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04047) 26-Mar-24 (No. 217-04047) 10-Jan-24 (No. EX3-3877 Jan24) 15-Jan-24 (No. DAE4-654 Jan24) Check Date (in house) 08-Nov-21 (in house check Dec-22) 01-Jan-04 (in house check Dec-22) 01-Jan-04 (in house check Dec-22) 04-Aug-69 (in house check Oct-22) 31-Mar-14 (in house check Oct-22) Function	C and humidity < 70%.  Scheduled Calibration Mar-26 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house ch
All calibrations have been conducts Calibration Equipment used (M&TE Primary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Type-N mismatch combination Aeforence Probe EX3DV4 DAE4 Secondary Standards Power meter NRP2 Power sensor NRP-291 Power sensor NRP-291 RF generator HP 8648C Network Analyzer Agilent E8358A Calibrated by:	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103245 SN: 103245 SN: 02552 (20x) SN: 310962 / 06327 SN: 554 ID # SN: 107193 SN: 1007193 SN: 1007193 SN: 100922 SN: 100418 SN: US3642U01700 SN: US41080477 Name Krešimir Franjić	24 facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04047) 10-Jan-24 (No. 217-04047) 10-Jan-24 (No. DAE4-654_Jan24) Check Date (in house) 08-Nov-21 (in house check Dec-22) 15-Dec-09 (in house check Dec-22) 01-Jan-04 (in house check Dec-22) 04-Aug-99 (in house check Dec-22) 04-Aug-99 (in house check Oct-22) Function Liaboratory Technician	C and humidity < 70%.  Scheduled Calibration Mar-26 Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house ch
	ed in the closed laborator critical for calibration) ID # SN: 104778 SN: 103245 SN: 103245 SN: 02552 (20x) SN: 310962 / 06327 SN: 554 ID # SN: 107193 SN: 1007193 SN: 1007193 SN: 100922 SN: 100418 SN: US3642U01700 SN: US41080477 Name Krešimir Franjić	24 facility: environment temperature (22 ± 3)*C Cal Date (Certificate No.) 26-Mar-24 (No. 217-04036/04037) 26-Mar-24 (No. 217-04036) 26-Mar-24 (No. 217-04037) 26-Mar-24 (No. 217-04047) 10-Jan-24 (No. 217-04047) 10-Jan-24 (No. DAE4-654_Jan24) Check Date (in house) 08-Nov-21 (in house check Dec-22) 15-Dec-09 (in house check Dec-22) 01-Jan-04 (in house check Dec-22) 04-Aug-99 (in house check Dec-22) 04-Aug-99 (in house check Oct-22) Function Liaboratory Technician	C and humidity < 70%.  Scheduled Calibration Mar-25 Mar-25 Mar-25 Jan-25 Jan-25 Scheduled Check In house check: Dec-24 In house check: De

Certificate No: CLA150-4014\_Aug24

Page 1 of 6



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst C Service suisse d'étalonnage Servizio svizzero di taratura

S Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

### Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

#### Calibration is Performed According to the Following Standards:

- a) IEC/IEEE 62209-1528, "Measurement Procedure For The Assessment Of Specific Absorption Rate Of Human Exposure To Radio Frequency Fields From Hand-Held And Body-Worn Wireless Communication Devices - Part 1528: Human Models, Instrumentation And Procedures (Frequency Range of 4 MHz to 10 GHz)", October 2020.
- b) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

#### Additional Documentation:

c) DASY System Handbook

#### Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
  of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The source is mounted in a touch configuration below the center marking of the flat phantom.
- Return Loss: This parameter is measured with the source positioned under the liquid filled phantom (as described in the measurement condition clause). The Return Loss ensures low reflected power. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: CLA150-4014\_Aug24

Page 2 of 6

F-TP22-03 (Rev. 06)



#### Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10,4
Extrapolation	Advanced Extrapolation	
Phantom	ELI4 Flat Phantom	Shell thickness: 2 ± 0.2 mm
EUT Positioning	Touch Position	
Zoom Scan Resolution	dx, dy = 4.0 mm, dz = 1.4 mm	Graded Ratio = 1.4 (Z direction)
Frequency	150 MHz ± 1 MHz	

# Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	52.3	0.76 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	50.5 ± 6 %	0.78 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		

### SAR result with Head TSL

SAR averaged over 1 cm <sup>3</sup> (1 g) of Head TSL	Condition	
SAR measured	1 W input power	3.82 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	3.72 W/kg ± 18.4 % (k=2)
CAD assessed areas 10 am2 (10 a) al Used TOI	accellitors	
SAR averaged over 10 cm <sup>3</sup> (10 g) of Head TSL	condition	
SAR averaged over 10 cm <sup>3</sup> (10 g) of Head TSL SAR measured	condition 1 W input power	2.53 W/kg

Certificate No: CLA150-4014\_Aug24

Page 3 of 6



# Appendix (Additional assessments outside the scope of SCS 0108)

### Antenna Parameters with Head TSL

Impedance, transformed to feed point	48.2 Ω + 5.8 jΩ
Return Loss	- 24.2 dB

### Additional EUT Data

	00540
Manufactured by	SPEAG

Certificate No: CLA150-4014\_Aug24

Page 4 of 6



### **DASY5 Validation Report for Head TSL**

Date: 19.08.2024

Test Laboratory: SPEAG, Zurich, Switzerland

#### DUT: CLA150; Type: CLA150; Serial: CLA150 - SN: 4014


Communication System: UID 0 - CW; Frequency: 150 MHz Medium parameters used: f = 150 MHz;  $\sigma = 0.78$  S/m;  $\epsilon_r = 50.5$ ; p = 1000 kg/m<sup>3</sup> Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN3877; ConvF(12.11, 12.11, 12.11) @ 150 MHz; Calibrated: 10.01.2024
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn654; Calibrated: 15.01.2024
- Phantom: ELI v6.0; Type: QDOVA003AA; Serial: TP:2034
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7501)

CLA Calibration for HSL-LF Tissue/CLA150, touch configuration, Pin=1W/Zoom Scan, dist=1.4mm (8x10x8)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm Reference Value = 83.15 V/m; Power Drift = 0.00 dB Peak SAR (extrapolated) = 7.29 W/kg SAR(1 g) = 3.82 W/kg; SAR(10 g) = 2.53 W/kg Smallest distance from peaks to all points 3 dB below: Larger than measurement grid (> 14 mm) Ratio of SAR at M2 to SAR at M1 = 80.1%

Maximum value of SAR (measured) = 5.37 W/kg



0 dB = 5.37 W/kg = 7.30 dBW/kg

Certificate No: CLA150-4014\_Aug24

Page 5 of 6

F-TP22-03 (Rev. 06)



# Impedance Measurement Plot for Head TSL

				/	R	Q	150		10 MHz 839 nH		8.239 C 8282 C
				K	X		J				
Chili	Ch 1 Avg = Start 100.800	- 20 MH2 -	- )							Stop 1	100.000 MH
Ch1: 6	Ch 1 Avg = Start 100.000	- 20 MH2	-			21	1. 160	doood	00 MHz	_	юо аво мин 1.171 dE
5.00 2.00 -1.00	Start 100.000	- 20 MH2	-			01	1 160	1.0000	00 MHz	_	
5.00 2.00 -1.00 -4.00	Start 100.000	20 MH2	-			>1	1 150	.00000	00 MHz	_	
8.00 2.00 -1.00	Start 100.000	- 20 MH2 -	-			>1 /	1. 150		00 MHz	_	
5.00 2.00 -1.00 -4.00 -7.00	Start 100.000	- 20 MH2 -					150	.0000	00 MHz	_	
5.00 2.00 -1.00 -4.00 -7.00 -10.00	Start 100.000	- 20 MH2	-				1 150	.0000	00 MHz	_	
8.00 2.00 -1.00 -4.00 -7.00 -10.00 -16.00 -19.00	Start 100.000	- 20 MH2					150	1.0000	00 MHz	_	
5.00 2.00 -1.00 -4.00 -7.00 -10.00 -13.00 -10.00	Start 100.000	MH2					150	1.0000	00 MHz	_	

Certificate No: CLA150-4014\_Aug24

Page 6 of 6