


5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5310MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.07G       | 5.43G      | 1M      | PK   | 5.11986G | -39.60    | -21.20     | -18.40     | 6.15   | 0.00     | -45.75    | -50.96  | -52.17  | -51.66  | -52.46  |
| 5.07G       | 5.43G      | 1M      | PK   | 5.35116G | -30.73    | -21.20     | -9.53      | 6.15   | 0.00     | -36.88    | -41.57  | -47.96  | -40.09  | -46.65  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

5310MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.07G       | 5.43G      | 1M      | AV   | 5.1339G  | -50.28    | -41.20     | -9.08      | 6.15   | 0.00     | -56.43    | -61.01  | -62.49  | -63.76  | -63.04  |
| 5.07G       | 5.43G      | 1M      | AV   | 5.35008G | -42.48    | -41.20     | -1.28      | 6.15   | 0.00     | -48.63    | -54.03  | -57.67  | -52.23  | -56.84  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1\_(MCS0)\_4TX

CSE Bandedge [PK]

5510MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.39G       | 5.805G     | 1M      | PK   | 5.45889G | -32.99    | -21.20     | -11.79     | 6.87   | 0.00     | -39.86    | -46.49  | -46.66  | -43.64  | -47.93  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.46802G | -29.82    | -27.00     | -2.82      | 6.87   | 0.00     | -36.69    | -43.65  | -45.22  | -39.70  | -44.71  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.75997G | -38.50    | -27.00     | -11.50     | 6.87   | 0.00     | -45.37    | -50.47  | -52.78  | -51.72  | -50.95  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1\_(MCS0)\_4TX

CSE Bandedge [AV]

5510MHz

13/06/2023





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.39G       | 5.805G     | 1M      | AV   | 5.45993G | -43.58    | -41.20     | -2.38      | 6.87   | 0.00     | -50.45    | -57.22  | -56.72  | -54.84  | -57.67  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1\_(MCS0)\_4TX

CSE Bandedge [PK]

5550MHz

13/06/2023





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.39G       | 5.805G     | 1M      | PK   | 5.4286G  | -35.24    | -21.20     | -12.04     | 6.87   | 0.00     | -40.11    | -41.34  | -50.62  | -50.25  | -52.24  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.46553G | -34.94    | -27.00     | -7.94      | 6.87   | 0.00     | -41.71    | -48.32  | -48.41  | -46.50  | -47.96  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.76016G | -37.32    | -27.00     | -10.32     | 6.87   | 0.00     | -44.19    | -50.24  | -50.91  | -50.34  | -49.46  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1\_(MCS0)\_4TX

CSE Bandedge [AV]

5550MHz

13/06/2023





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.39G       | 5.805G     | 1M      | AV   | 5.44769G | -45.25    | -41.20     | -4.05      | 6.87   | 0.00     | -52.12    | -58.92  | -57.00  | -57.90  | -59.07  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1\_(MCS0)\_4TX

CSE Bandedge [PK]

5670MHz

13/06/2023





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.39G       | 5.805G     | 1M      | PK   | 5.45972G | -37.36    | -21.20     | -16.16     | 6.87   | 0.00     | -44.23    | -49.99  | -49.62  | -50.44  | -51.11  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.46387G | -36.21    | -27.00     | -9.21      | 6.87   | 0.00     | -43.08    | -48.78  | -48.09  | -48.64  | -51.78  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.72657G | -33.02    | -27.00     | -6.02      | 6.87   | 0.00     | -39.89    | -44.60  | -47.44  | -44.69  | -47.96  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1\_(MCS0)\_4TX

CSE Bandedge [AV]

5670MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.39G       | 5.805G     | 1M      | AV   | 5.45931G | -47.33    | -41.20     | -6.13      | 6.87   | 0.00     | -54.20    | -59.78  | -59.78  | -60.31  | -61.16  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.39G       | 5.93G      | 1M      | PK   | 5.45561G | -37.45    | -21.20     | -16.25     | 6.87   | 0.00     | -44.32    | -52.00  | -47.80  | -50.77  | -52.42  |
| 5.39G       | 5.93G      | 1M      | PK   | 5.46452G | -37.82    | -27.00     | -10.82     | 6.87   | 0.00     | -44.69    | -50.13  | -51.61  | -50.79  | -50.44  |
| 5.39G       | 5.93G      | 1M      | PK   | 5.85602G | -39.14    | -27.00     | -12.14     | 6.87   | 0.00     | -46.01    | -52.17  | -52.89  | -51.20  | -52.04  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.39G       | 5.93G      | 1M      | AV   | 5.45507G | -48.33    | -41.20     | -7.13      | 6.87   | 0.00     | -55.20    | -61.57  | -60.49  | -61.07  | -61.89  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5755MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 5.645G      | 5.93G      | 1M      | PK   | 5.64714G | -28.48    | -27.00     | -1.48      | 7.35   | 0.00    | -35.83    | -41.29  | -41.58  | -43.35  | -41.46  |
| 5.645G      | 5.93G      | 1M      | PK   | 5.9263G  | -44.67    | -27.00     | -17.67     | 7.35   | 0.00    | -52.02    | -56.66  | -58.25  | -58.91  | -58.74  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5795MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 5.645G      | 5.93G      | 1M      | PK   | 5.64757G | -30.37    | -27.00     | -3.37      | 7.35   | 0.00    | -37.72    | -43.74  | -42.92  | -45.31  | -43.33  |
| 5.645G      | 5.93G      | 1M      | PK   | 5.92858G | -44.45    | -27.00     | -17.45     | 7.35   | 0.00    | -51.80    | -55.55  | -58.92  | -58.50  | -59.46  |

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5210MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref1(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 4.99G       | 5.51G      | 1M      | PK   | 5.09062G | -31.34    | -21.20     | -10.14     | 6.58   | 0.00     | -37.92    | -38.52  | -52.22  | -51.91  | -50.72  |
| 4.99G       | 5.51G      | 1M      | PK   | 5.37584G | -35.92    | -21.20     | -14.72     | 6.58   | 0.00     | -42.50    | -46.90  | -49.09  | -50.19  | -48.57  |
| 4.99G       | 5.51G      | 1M      | PK   | 5.47932G | -38.03    | -27.00     | -11.03     | 6.58   | 0.00     | -44.61    | -46.16  | -51.05  | -53.31  | -51.70  |

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

5210MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref1(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 4.99G       | 5.51G      | 1M      | AV   | 5.1499G  | -42.59    | -41.20     | -1.39      | 6.58   | 0.00     | -49.17    | -53.97  | -56.93  | -54.26  | -56.32  |
| 4.99G       | 5.51G      | 1M      | AV   | 5.37584G | -44.67    | -41.20     | -3.47      | 6.58   | 0.00     | -51.25    | -54.67  | -59.25  | -59.64  | -57.42  |

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5290MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref1(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 4.99G       | 5.51G      | 1M      | PK   | 5.14574G | -38.82    | -21.20     | -17.62     | 6.15   | 0.00     | -44.97    | -48.69  | -51.75  | -52.74  | -51.97  |
| 4.99G       | 5.51G      | 1M      | PK   | 5.35244G | -31.14    | -21.20     | -9.94      | 6.15   | 0.00     | -37.29    | -45.95  | -48.28  | -49.31  | -46.90  |
| 4.99G       | 5.51G      | 1M      | PK   | 5.47048G | -37.29    | -27.00     | -10.29     | 6.15   | 0.00     | -43.44    | -50.34  | -50.70  | -46.97  | -51.28  |

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

5290MHz

13/06/2023



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref1(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 4.99G       | 5.51G      | 1M      | AV   | 5.14574G | -48.06    | -41.20     | -6.86      | 6.15   | 0.00     | -54.21    | -57.58  | -60.98  | -62.35  | -61.74  |
| 4.99G       | 5.51G      | 1M      | AV   | 5.35296G | -42.23    | -41.20     | -1.03      | 6.15   | 0.00     | -48.38    | -55.62  | -55.00  | -51.54  | -57.97  |




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5530MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.31G       | 5.885G     | 1M      | PK   | 5.33933G | -37.33    | -27.00     | -10.33     | 6.87   | 0.00     | -44.20    | -50.20  | -49.38  | -50.30  | -51.19  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.41034G | -30.68    | -21.20     | -9.48      | 6.87   | 0.00     | -37.55    | -38.50  | -48.44  | -49.08  | -51.12  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.46698G | -30.02    | -27.00     | -3.02      | 6.87   | 0.00     | -36.89    | -45.30  | -43.39  | -41.69  | -42.11  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.72975G | -37.19    | -27.00     | -10.19     | 6.87   | 0.00     | -44.06    | -49.88  | -50.00  | -49.04  | -51.86  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

5530MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.31G       | 5.885G     | 1M      | AV   | 5.4595G  | -41.61    | -41.20     | -0.41      | 6.87   | 0.00     | -48.48    | -56.14  | -56.14  | -53.06  | -53.59  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5610MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.31G       | 5.885G     | 1M      | PK   | 5.34048G | -38.73    | -27.00     | -11.73     | 6.87   | 0.00     | -45.60    | -51.83  | -52.72  | -50.28  | -52.02  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.45203G | -35.65    | -21.20     | -14.45     | 6.87   | 0.00     | -42.52    | -48.04  | -49.27  | -48.80  | -48.15  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.46295G | -35.49    | -27.00     | -8.49      | 6.87   | 0.00     | -42.36    | -49.67  | -49.10  | -46.58  | -48.86  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.72946G | -31.60    | -27.00     | -4.60      | 6.87   | 0.00     | -38.47    | -39.75  | -49.21  | -49.33  | -48.97  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

5610MHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.31G       | 5.885G     | 1M      | AV   | 5.37584G | -44.85    | -41.20     | -3.65      | 6.87   | 0.00     | -51.72    | -56.01  | -61.48  | -60.21  | -55.91  |

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.31G       | 6.01G      | 1M      | PK   | 5.31805G | -38.57    | -27.00     | -11.57     | 6.87   | 0.00     | -45.44    | -51.96  | -51.99  | -49.73  | -52.79  |
| 5.31G       | 6.01G      | 1M      | PK   | 5.4451G  | -37.23    | -21.20     | -16.03     | 6.87   | 0.00     | -44.10    | -50.38  | -50.15  | -50.49  | -49.53  |
| 5.31G       | 6.01G      | 1M      | PK   | 5.46925G | -36.74    | -27.00     | -9.74      | 6.87   | 0.00     | -43.61    | -50.04  | -49.17  | -48.90  | -50.64  |
| 5.31G       | 6.01G      | 1M      | PK   | 5.85635G | -38.39    | -27.00     | -11.39     | 6.87   | 0.00     | -45.26    | -50.46  | -51.85  | -51.27  | -51.69  |

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

13/06/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|---------|---------|---------|
| 5.31G       | 6.01G      | 1M      | AV   | 5.3758G  | -44.62    | -41.20     | -3.42      | 6.87   | 0.00     | -51.49    | -55.31  | -60.73  | -60.82  | -56.06  |

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

5775MHz

13/06/2023



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 5.565G      | 6.01G      | 1M      | PK   | 5.64666G | -27.40    | -27.00     | -0.40      | 7.35   | 0.00    | -34.75    | -39.89  | -43.61  | -38.19  | -44.27  |
| 5.565G      | 6.01G      | 1M      | PK   | 5.93012G | -45.07    | -27.00     | -18.07     | 7.35   | 0.00    | -52.42    | -57.51  | -59.46  | -58.51  | -58.51  |

## Summary

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5.15-5.25GHz                   | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 802.11a_Nss1(6Mbps)_1TX        | Pass   | 5.11G           | 5.39G          | AV   | 5.1499G      | 3.21        | -45.83      | -45.83        | -42.62        | -41.2          | -1.42          |
| 802.11ax HEW20_Nss1(MCS0)_1TX  | Pass   | 5.11G           | 5.39G          | AV   | 5.1499G      | 3.21        | -46.02      | -46.02        | -42.81        | -41.2          | -1.61          |
| 802.11ax HEW40_Nss1(MCS0)_1TX  | Pass   | 5.07G           | 5.43G          | AV   | 5.14974G     | 3.21        | -44.95      | -44.95        | -41.74        | -41.2          | -0.54          |
| 802.11ax HEW80_Nss1(MCS0)_1TX  | Pass   | 4.99G           | 5.51G          | AV   | 5.14964G     | 3.21        | -46.55      | -46.55        | -43.34        | -41.2          | -2.14          |
| 802.11ax HEW160_Nss1(MCS0)_1TX | Pass   | 4.83G           | 5.67G          | AV   | 5.13534G     | 3.21        | -48.31      | -48.31        | -45.10        | -41.2          | -3.90          |
| 5.25-5.35GHz                   | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 802.11a_Nss1(6Mbps)_1TX        | Pass   | 5.11G           | 5.39G          | AV   | 5.3501G      | 2.86        | -44.4       | -44.4         | -41.54        | -41.2          | -0.34          |
| 802.11ax HEW20_Nss1(MCS0)_1TX  | Pass   | 5.11G           | 5.39G          | AV   | 5.3501G      | 2.86        | -44.84      | -44.84        | -41.98        | -41.2          | -0.78          |
| 802.11ax HEW40_Nss1(MCS0)_1TX  | Pass   | 5.07G           | 5.43G          | AV   | 5.35026G     | 2.86        | -45.37      | -45.37        | -42.51        | -41.2          | -1.31          |
| 802.11ax HEW80_Nss1(MCS0)_1TX  | Pass   | 4.99G           | 5.51G          | AV   | 5.3501G      | 2.86        | -44.77      | -44.77        | -41.91        | -41.2          | -0.71          |
| 802.11ax HEW160_Nss1(MCS0)_1TX | Pass   | 4.83G           | 5.67G          | AV   | 5.13744G     | 2.86        | -44.56      | -44.56        | -41.70        | -41.2          | -0.50          |
| 5.47-5.725GHz                  | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 802.11a_Nss1(6Mbps)_1TX        | Pass   | 5.43G           | 5.765G         | PK   | 5.46987G     | 3.11        | -31.01      | -31.01        | -27.90        | -27            | -0.90          |
| 802.11ax HEW20_Nss1(MCS0)_1TX  | Pass   | 5.43G           | 5.765G         | PK   | 5.46953G     | 3.11        | -30.16      | -30.16        | -27.05        | -27            | -0.05          |
| 802.11ax HEW40_Nss1(MCS0)_1TX  | Pass   | 5.39G           | 5.805G         | PK   | 5.72885G     | 3.11        | -30.59      | -30.59        | -27.48        | -27            | -0.48          |
| 802.11ax HEW80_Nss1(MCS0)_1TX  | Pass   | 5.31G           | 5.885G         | PK   | 5.7263G      | 3.11        | -30.27      | -30.27        | -27.16        | -27            | -0.16          |
| 802.11ax HEW160_Nss1(MCS0)_1TX | Pass   | 5.15G           | 6.045G         | PK   | 5.46504G     | 3.11        | -30.89      | -30.89        | -27.78        | -27            | -0.78          |
| 5.725-5.85GHz                  | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 802.11a_Nss1(6Mbps)_1TX        | Pass   | 5.685G          | 5.89G          | PK   | 5.71842G     | 3.78        | -23.89      | -23.89        | -20.11        | 15.16          | -35.27         |
| 802.11ax HEW20_Nss1(MCS0)_1TX  | Pass   | 5.685G          | 5.89G          | PK   | 5.71647G     | 3.78        | -21.81      | -21.81        | -18.03        | 14.61          | -32.64         |
| 802.11ax HEW40_Nss1(MCS0)_1TX  | Pass   | 5.645G          | 5.93G          | PK   | 5.64685G     | 3.78        | -39.55      | -39.55        | -35.77        | -27            | -8.77          |
| 802.11ax HEW80_Nss1(MCS0)_1TX  | Pass   | 5.565G          | 6.01G          | PK   | 5.65044G     | 3.78        | -30.86      | -30.86        | -27.08        | -26.67         | -0.41          |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



## CSE Bandedge (wo Filter)\_Radio 3

## Appendix E.7

### Result

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 802.11a_Nss1(6Mbps)_1TX        | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5180MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.1499G      | 3.21        | -45.83      | -45.83        | -42.62        | -41.2          | -1.42          |
| 5180MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.3515G      | 3.21        | -58.44      | -58.44        | -55.23        | -41.2          | -14.03         |
| 5180MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.1499G      | 3.21        | -33.35      | -33.35        | -30.14        | -21.2          | -8.94          |
| 5180MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.36032G     | 3.21        | -46.97      | -46.97        | -43.76        | -21.2          | -22.56         |
| 5200MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.14948G     | 3.21        | -56.87      | -56.87        | -53.66        | -41.2          | -12.46         |
| 5200MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.35108G     | 3.21        | -56.56      | -56.56        | -53.35        | -41.2          | -12.15         |
| 5200MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.14934G     | 3.21        | -43.87      | -43.87        | -40.66        | -21.2          | -19.46         |
| 5200MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.35472G     | 3.21        | -44.35      | -44.35        | -41.14        | -21.2          | -19.94         |
| 5240MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.11728G     | 3.21        | -50.1       | -50.1         | -46.89        | -41.2          | -5.69          |
| 5240MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.37992G     | 3.21        | -49.35      | -49.35        | -46.14        | -41.2          | -4.94          |
| 5240MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.1107G      | 3.21        | -44.1       | -44.1         | -40.89        | -21.2          | -19.69         |
| 5240MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.38174G     | 3.21        | -41.95      | -41.95        | -38.74        | -21.2          | -17.54         |
| 5260MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.11882G     | 2.86        | -57.84      | -57.84        | -54.98        | -41.2          | -13.78         |
| 5260MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.38706G     | 2.86        | -56.55      | -56.55        | -53.69        | -41.2          | -12.49         |
| 5260MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.11462G     | 2.86        | -46.59      | -46.59        | -43.73        | -21.2          | -22.53         |
| 5260MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.37754G     | 2.86        | -44.92      | -44.92        | -42.06        | -21.2          | -20.86         |
| 5300MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.14696G     | 2.86        | -50.29      | -50.29        | -47.43        | -41.2          | -6.23          |
| 5300MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.38104G     | 2.86        | -50.1       | -50.1         | -47.24        | -41.2          | -6.04          |
| 5300MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.14332G     | 2.86        | -43.79      | -43.79        | -40.93        | -21.2          | -19.73         |
| 5300MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.3522G      | 2.86        | -43.16      | -43.16        | -40.30        | -21.2          | -19.10         |
| 5320MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.1499G      | 2.86        | -60.62      | -60.62        | -57.76        | -41.2          | -16.56         |
| 5320MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.3501G      | 2.86        | -44.4       | -44.4         | -41.54        | -41.2          | -0.34          |
| 5320MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.1359G      | 2.86        | -49.33      | -49.33        | -46.47        | -21.2          | -25.27         |
| 5320MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.35066G     | 2.86        | -31.76      | -31.76        | -28.90        | -21.2          | -7.70          |
| 5500MHz                        | Pass   | 5.43G           | 5.765G         | AV   | 5.45998G     | 3.11        | -52.64      | -52.64        | -49.53        | -41.2          | -8.33          |
| 5500MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.45982G     | 3.11        | -37.03      | -37.03        | -33.92        | -21.2          | -12.72         |
| 5500MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.46987G     | 3.11        | -31.01      | -31.01        | -27.90        | -27            | -0.90          |
| 5500MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.75663G     | 3.11        | -50.49      | -50.49        | -47.38        | -27            | -20.38         |
| 5580MHz                        | Pass   | 5.43G           | 5.765G         | AV   | 5.44139G     | 3.11        | -49.69      | -49.69        | -46.58        | -41.2          | -5.38          |
| 5580MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.45295G     | 3.11        | -45.2       | -45.2         | -42.09        | -21.2          | -20.89         |
| 5580MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.46953G     | 3.11        | -45.08      | -45.08        | -41.97        | -27            | -14.97         |
| 5580MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.73753G     | 3.11        | -44.73      | -44.73        | -41.62        | -27            | -14.62         |
| 5700MHz                        | Pass   | 5.43G           | 5.765G         | AV   | 5.45111G     | 3.11        | -63.7       | -63.7         | -60.59        | -41.2          | -19.39         |
| 5700MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.45412G     | 3.11        | -52.39      | -52.39        | -49.28        | -21.2          | -28.08         |
| 5700MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.46769G     | 3.11        | -52.7       | -52.7         | -49.59        | -27            | -22.59         |
| 5700MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.72631G     | 3.11        | -32.65      | -32.65        | -29.54        | -27            | -2.54          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 5.43G           | 5.89G          | AV   | 5.45162G     | 3.11        | -49.89      | -49.89        | -46.78        | -41.2          | -5.58          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 5.43G           | 5.89G          | PK   | 5.43391G     | 3.11        | -46.85      | -46.85        | -43.74        | -21.2          | -22.54         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 5.43G           | 5.89G          | PK   | 5.46013G     | 3.11        | -46.79      | -46.79        | -43.68        | -27            | -16.68         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 5.43G           | 5.89G          | PK   | 5.86447G     | 3.11        | -44.78      | -44.78        | -41.67        | -27            | -14.67         |
| 5745MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.71842G     | 3.78        | -23.89      | -23.89        | -20.11        | 15.16          | -35.27         |
| 5745MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.8898G      | 3.78        | -45.3       | -45.3         | -41.52        | -0.95          | -40.57         |
| 5785MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.68541G     | 3.78        | -45.67      | -45.67        | -41.89        | -0.8           | -41.09         |
| 5785MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.8898G      | 3.78        | -46.79      | -46.79        | -43.01        | -0.95          | -42.06         |
| 5825MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.685G       | 3.78        | -44.53      | -44.53        | -40.75        | -1.1           | -39.65         |
| 5825MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.85413G     | 3.78        | -24.61      | -24.61        | -20.83        | 17.6           | -38.43         |
| 802.11ax HEW20_Nss1(MCS0)_1TX  | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5180MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.1499G      | 3.21        | -46.02      | -46.02        | -42.81        | -41.2          | -1.61          |
| 5180MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.3501G      | 3.21        | -58.25      | -58.25        | -55.04        | -41.2          | -13.84         |
| 5180MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.14976G     | 3.21        | -32.15      | -32.15        | -28.94        | -21.2          | -7.74          |
| 5180MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.35262G     | 3.21        | -46.83      | -46.83        | -43.62        | -21.2          | -22.42         |
| 5200MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.1499G      | 3.21        | -49.53      | -49.53        | -46.32        | -41.2          | -5.12          |
| 5200MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.35024G     | 3.21        | -49.76      | -49.76        | -46.55        | -41.2          | -5.35          |
| 5200MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.14962G     | 3.21        | -41.44      | -41.44        | -38.23        | -21.2          | -17.03         |
| 5200MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.36858G     | 3.21        | -43.59      | -43.59        | -40.38        | -21.2          | -19.18         |
| 5240MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.12008G     | 3.21        | -50.09      | -50.09        | -46.88        | -41.2          | -5.68          |
| 5240MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.38776G     | 3.21        | -49.56      | -49.56        | -46.35        | -41.2          | -5.15          |
| 5240MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.11854G     | 3.21        | -43.85      | -43.85        | -40.64        | -21.2          | -19.44         |
| 5240MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.37208G     | 3.21        | -42.26      | -42.26        | -39.05        | -21.2          | -17.85         |
| 5260MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.11672G     | 2.86        | -57.9       | -57.9         | -55.04        | -41.2          | -13.84         |
| 5260MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.38958G     | 2.86        | -56.82      | -56.82        | -53.96        | -41.2          | -12.76         |
| 5260MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.12708G     | 2.86        | -45.4       | -45.4         | -42.54        | -21.2          | -21.34         |
| 5260MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.38636G     | 2.86        | -44.95      | -44.95        | -42.09        | -21.2          | -20.89         |
| 5300MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.14962G     | 2.86        | -58.82      | -58.82        | -55.96        | -41.2          | -14.76         |
| 5300MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.35024G     | 2.86        | -55.49      | -55.49        | -52.63        | -41.2          | -11.43         |
| 5300MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.14528G     | 2.86        | -46.51      | -46.51        | -43.65        | -21.2          | -22.45         |
| 5300MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.3536G      | 2.86        | -43.71      | -43.71        | -40.85        | -21.2          | -19.65         |
| 5320MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.14906G     | 2.86        | -60.62      | -60.62        | -57.76        | -41.2          | -16.56         |

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5320MHz                        | Pass   | 5.11G           | 5.39G          | AV   | 5.3501G      | 2.86        | -44.84      | -44.84        | -41.98        | -41.2          | -0.78          |
| 5320MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.14584G     | 2.86        | -49.16      | -49.16        | -46.30        | -21.2          | -25.10         |
| 5320MHz                        | Pass   | 5.11G           | 5.39G          | PK   | 5.35038G     | 2.86        | -31.57      | -31.57        | -28.71        | -21.2          | -7.51          |
| 5500MHz                        | Pass   | 5.43G           | 5.765G         | AV   | 5.45948G     | 3.11        | -48.16      | -48.16        | -45.05        | -41.2          | -3.85          |
| 5500MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.45965G     | 3.11        | -39.1       | -39.1         | -35.99        | -21.2          | -14.79         |
| 5500MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.46953G     | 3.11        | -30.16      | -30.16        | -27.05        | -27            | -0.05          |
| 5500MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.75328G     | 3.11        | -45.9       | -45.9         | -42.79        | -27            | -15.79         |
| 5580MHz                        | Pass   | 5.43G           | 5.765G         | AV   | 5.4491G      | 3.11        | -49.63      | -49.63        | -46.52        | -41.2          | -5.32          |
| 5580MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.44742G     | 3.11        | -44.36      | -44.36        | -41.25        | -21.2          | -20.05         |
| 5580MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.46099G     | 3.11        | -44.89      | -44.89        | -41.78        | -27            | -14.78         |
| 5580MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.73401G     | 3.11        | -44.51      | -44.51        | -41.40        | -27            | -14.40         |
| 5700MHz                        | Pass   | 5.43G           | 5.765G         | AV   | 5.44173G     | 3.11        | -49.95      | -49.95        | -46.84        | -41.2          | -5.64          |
| 5700MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.45479G     | 3.11        | -47.55      | -47.55        | -44.44        | -21.2          | -23.24         |
| 5700MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.46149G     | 3.11        | -47.03      | -47.03        | -43.92        | -27            | -16.92         |
| 5700MHz                        | Pass   | 5.43G           | 5.765G         | PK   | 5.72631G     | 3.11        | -30.66      | -30.66        | -27.55        | -27            | -0.55          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 5.43G           | 5.89G          | AV   | 5.44219G     | 3.11        | -49.95      | -49.95        | -46.84        | -41.2          | -5.64          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 5.43G           | 5.89G          | PK   | 5.4576G      | 3.11        | -47.03      | -47.03        | -43.92        | -21.2          | -22.72         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 5.43G           | 5.89G          | PK   | 5.46197G     | 3.11        | -47.34      | -47.34        | -44.23        | -27            | -17.23         |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | 5.43G           | 5.89G          | PK   | 5.86493G     | 3.11        | -44.35      | -44.35        | -41.24        | -27            | -14.24         |
| 5745MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.71647G     | 3.78        | -21.81      | -21.81        | -18.03        | 14.61          | -32.64         |
| 5745MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.88959G     | 3.78        | -45.24      | -45.24        | -41.46        | -0.8           | -40.66         |
| 5785MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.68562G     | 3.78        | -45.89      | -45.89        | -42.11        | -0.64          | -41.47         |
| 5785MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.8898G      | 3.78        | -46.33      | -46.33        | -42.55        | -0.95          | -41.60         |
| 5825MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.68531G     | 3.78        | -44.43      | -44.43        | -40.65        | -0.87          | -39.78         |
| 5825MHz                        | Pass   | 5.685G          | 5.89G          | PK   | 5.85413G     | 3.78        | -20.93      | -20.93        | -17.15        | 17.6           | -34.75         |
| 802.11ax HEW40_Nss1(MCS0)_1TX  | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5190MHz                        | Pass   | 5.07G           | 5.43G          | AV   | 5.14974G     | 3.21        | -44.95      | -44.95        | -41.74        | -41.2          | -0.54          |
| 5190MHz                        | Pass   | 5.07G           | 5.43G          | AV   | 5.36124G     | 3.21        | -49.95      | -49.95        | -46.74        | -41.2          | -5.54          |
| 5190MHz                        | Pass   | 5.07G           | 5.43G          | PK   | 5.14902G     | 3.21        | -34.22      | -34.22        | -31.01        | -21.2          | -9.81          |
| 5190MHz                        | Pass   | 5.07G           | 5.43G          | PK   | 5.35224G     | 3.21        | -44.06      | -44.06        | -40.85        | -21.2          | -19.65         |
| 5230MHz                        | Pass   | 5.07G           | 5.43G          | AV   | 5.14992G     | 3.21        | -51.93      | -51.93        | -48.72        | -41.2          | -7.52          |
| 5230MHz                        | Pass   | 5.07G           | 5.43G          | AV   | 5.37384G     | 3.21        | -53.79      | -53.79        | -50.58        | -41.2          | -9.38          |
| 5230MHz                        | Pass   | 5.07G           | 5.43G          | PK   | 5.14704G     | 3.21        | -39.15      | -39.15        | -35.94        | -21.2          | -14.74         |
| 5230MHz                        | Pass   | 5.07G           | 5.43G          | PK   | 5.38032G     | 3.21        | -41.74      | -41.74        | -38.53        | -21.2          | -17.33         |
| 5270MHz                        | Pass   | 5.07G           | 5.43G          | AV   | 5.14362G     | 2.86        | -49.79      | -49.79        | -46.93        | -41.2          | -5.73          |
| 5270MHz                        | Pass   | 5.07G           | 5.43G          | AV   | 5.35026G     | 2.86        | -48.39      | -48.39        | -45.53        | -41.2          | -4.33          |
| 5270MHz                        | Pass   | 5.07G           | 5.43G          | PK   | 5.13156G     | 2.86        | -42.07      | -42.07        | -39.21        | -21.2          | -18.01         |
| 5270MHz                        | Pass   | 5.07G           | 5.43G          | PK   | 5.3589G      | 2.86        | -37.82      | -37.82        | -34.96        | -21.2          | -13.76         |
| 5310MHz                        | Pass   | 5.07G           | 5.43G          | AV   | 5.14488G     | 2.86        | -50.3       | -50.3         | -47.44        | -41.2          | -6.24          |
| 5310MHz                        | Pass   | 5.07G           | 5.43G          | AV   | 5.35026G     | 2.86        | -45.37      | -45.37        | -42.51        | -41.2          | -1.31          |
| 5310MHz                        | Pass   | 5.07G           | 5.43G          | PK   | 5.12832G     | 2.86        | -45.71      | -45.71        | -42.85        | -21.2          | -21.65         |
| 5310MHz                        | Pass   | 5.07G           | 5.43G          | PK   | 5.35026G     | 2.86        | -31.94      | -31.94        | -29.08        | -21.2          | -7.88          |
| 5510MHz                        | Pass   | 5.39G           | 5.805G         | AV   | 5.45993G     | 3.11        | -52.91      | -52.91        | -49.80        | -41.2          | -8.60          |
| 5510MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.45806G     | 3.11        | -35.12      | -35.12        | -32.01        | -21.2          | -10.81         |
| 5510MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.46512G     | 3.11        | -32.4       | -32.4         | -29.29        | -27            | -2.29          |
| 5510MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.73445G     | 3.11        | -50.03      | -50.03        | -46.92        | -27            | -19.92         |
| 5550MHz                        | Pass   | 5.39G           | 5.805G         | AV   | 5.45848G     | 3.11        | -49.1       | -49.1         | -45.99        | -41.2          | -4.79          |
| 5550MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.45993G     | 3.11        | -42.57      | -42.57        | -39.46        | -21.2          | -18.26         |
| 5550MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.46906G     | 3.11        | -38.26      | -38.26        | -35.15        | -27            | -8.15          |
| 5550MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.72532G     | 3.11        | -44.97      | -44.97        | -41.86        | -27            | -14.86         |
| 5670MHz                        | Pass   | 5.39G           | 5.805G         | AV   | 5.45972G     | 3.11        | -61.26      | -61.26        | -58.15        | -41.2          | -16.95         |
| 5670MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.45785G     | 3.11        | -49.49      | -49.49        | -46.38        | -21.2          | -25.18         |
| 5670MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.46885G     | 3.11        | -50.32      | -50.32        | -47.21        | -27            | -20.21         |
| 5670MHz                        | Pass   | 5.39G           | 5.805G         | PK   | 5.72885G     | 3.11        | -30.59      | -30.59        | -27.48        | -27            | -0.48          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 5.39G           | 5.93G          | AV   | 5.44373G     | 3.11        | -62.17      | -62.17        | -59.06        | -41.2          | -17.86         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 5.39G           | 5.93G          | PK   | 5.42861G     | 3.11        | -50.14      | -50.14        | -47.03        | -21.2          | -25.83         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 5.39G           | 5.93G          | PK   | 5.4629G      | 3.11        | -50.67      | -50.67        | -47.56        | -27            | -20.56         |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | 5.39G           | 5.93G          | PK   | 5.8571G      | 3.11        | -46.42      | -46.42        | -43.31        | -27            | -16.31         |
| 5755MHz                        | Pass   | 5.645G          | 5.93G          | PK   | 5.64685G     | 3.78        | -39.55      | -39.55        | -35.77        | -27            | -8.77          |
| 5755MHz                        | Pass   | 5.645G          | 5.93G          | PK   | 5.92858G     | 3.78        | -44.87      | -44.87        | -41.09        | -27            | -14.09         |
| 5795MHz                        | Pass   | 5.645G          | 5.93G          | PK   | 5.64928G     | 3.78        | -43.39      | -43.39        | -39.61        | -27            | -12.61         |
| 5795MHz                        | Pass   | 5.645G          | 5.93G          | PK   | 5.9253G      | 3.78        | -43.62      | -43.62        | -39.84        | -27            | -12.84         |
| 802.11ax HEW80_Nss1(MCS0)_1TX  | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5210MHz                        | Pass   | 4.99G           | 5.51G          | AV   | 5.14964G     | 3.21        | -46.55      | -46.55        | -43.34        | -41.2          | -2.14          |
| 5210MHz                        | Pass   | 4.99G           | 5.51G          | AV   | 5.35244G     | 3.21        | -54.22      | -54.22        | -51.01        | -41.2          | -9.81          |
| 5210MHz                        | Pass   | 4.99G           | 5.51G          | PK   | 5.14054G     | 3.21        | -30.45      | -30.45        | -27.24        | -21.2          | -6.04          |
| 5210MHz                        | Pass   | 4.99G           | 5.51G          | PK   | 5.3514G      | 3.21        | -41.8       | -41.8         | -38.59        | -21.2          | -17.39         |
| 5210MHz                        | Pass   | 4.99G           | 5.51G          | PK   | 5.47854G     | 3.21        | -50.33      | -50.33        | -47.12        | -27            | -20.12         |
| 5290MHz                        | Pass   | 4.99G           | 5.51G          | AV   | 5.14964G     | 2.86        | -59.11      | -59.11        | -56.25        | -41.2          | -15.05         |
| 5290MHz                        | Pass   | 4.99G           | 5.51G          | AV   | 5.3501G      | 2.86        | -44.77      | -44.77        | -41.91        | -41.2          | -0.71          |



## CSE Bandedge (wo Filter)\_Radio 3

## Appendix E.7

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5290MHz                        | Pass   | 4.99G           | 5.51G          | PK   | 5.14522G     | 2.86        | -46.7       | -46.7         | -43.84        | -21.2          | -22.64         |
| 5290MHz                        | Pass   | 4.99G           | 5.51G          | PK   | 5.35478G     | 2.86        | -31.28      | -31.28        | -28.42        | -21.2          | -7.22          |
| 5290MHz                        | Pass   | 4.99G           | 5.51G          | PK   | 5.46164G     | 2.86        | -47         | -47           | -44.14        | -27            | -17.14         |
| 5530MHz                        | Pass   | 5.31G           | 5.885G         | AV   | 5.45979G     | 3.11        | -45.01      | -45.01        | -41.90        | -41.2          | -0.70          |
| 5530MHz                        | Pass   | 5.31G           | 5.885G         | PK   | 5.34364G     | 3.11        | -46.43      | -46.43        | -43.32        | -27            | -16.32         |
| 5530MHz                        | Pass   | 5.31G           | 5.885G         | PK   | 5.45749G     | 3.11        | -31.48      | -31.48        | -28.37        | -21.2          | -7.17          |
| 5530MHz                        | Pass   | 5.31G           | 5.885G         | PK   | 5.46899G     | 3.11        | -30.88      | -30.88        | -27.77        | -27            | -0.77          |
| 5530MHz                        | Pass   | 5.31G           | 5.885G         | PK   | 5.72745G     | 3.11        | -45.8       | -45.8         | -42.69        | -27            | -15.69         |
| 5610MHz                        | Pass   | 5.31G           | 5.885G         | AV   | 5.45979G     | 3.11        | -52.42      | -52.42        | -49.31        | -41.2          | -8.11          |
| 5610MHz                        | Pass   | 5.31G           | 5.885G         | PK   | 5.32639G     | 3.11        | -51.91      | -51.91        | -48.80        | -27            | -21.80         |
| 5610MHz                        | Pass   | 5.31G           | 5.885G         | PK   | 5.45921G     | 3.11        | -38.45      | -38.45        | -35.34        | -21.2          | -14.14         |
| 5610MHz                        | Pass   | 5.31G           | 5.885G         | PK   | 5.46381G     | 3.11        | -36.8       | -36.8         | -33.69        | -27            | -6.69          |
| 5610MHz                        | Pass   | 5.31G           | 5.885G         | PK   | 5.7263G      | 3.11        | -30.27      | -30.27        | -27.16        | -27            | -0.16          |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 5.31G           | 6.01G          | AV   | 5.45945G     | 3.11        | -60.4       | -60.4         | -57.29        | -41.2          | -16.09         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 5.31G           | 6.01G          | PK   | 5.34115G     | 3.11        | -52.18      | -52.18        | -49.07        | -27            | -22.07         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 5.31G           | 6.01G          | PK   | 5.4192G      | 3.11        | -49.08      | -49.08        | -45.97        | -21.2          | -24.77         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 5.31G           | 6.01G          | PK   | 5.4619G      | 3.11        | -48.55      | -48.55        | -45.44        | -27            | -18.44         |
| 5690MHz Straddle 5.47-5.725GHz | Pass   | 5.31G           | 6.01G          | PK   | 5.85495G     | 3.11        | -40.95      | -40.95        | -37.84        | -27            | -10.84         |
| 5775MHz                        | Pass   | 5.565G          | 6.01G          | PK   | 5.65044G     | 3.78        | -30.86      | -30.86        | -27.08        | -26.67         | -0.41          |
| 5775MHz                        | Pass   | 5.565G          | 6.01G          | PK   | 5.92901G     | 3.78        | -37.08      | -37.08        | -33.30        | -27            | -6.30          |
| 802.11ax HEW160_Nss1(MCS0)_1TX | -      | -               | -              | -    | -            | -           | -           | -             | -             | -              | -              |
| 5250MHz Straddle 5.25-5.35GHz  | Pass   | 4.83G           | 5.67G          | AV   | 5.13744G     | 2.86        | -44.56      | -44.56        | -41.70        | -41.2          | -0.50          |
| 5250MHz Straddle 5.25-5.35GHz  | Pass   | 4.83G           | 5.67G          | AV   | 5.13912G     | 2.86        | -44.56      | -44.56        | -41.70        | -41.2          | -0.50          |
| 5250MHz Straddle 5.25-5.35GHz  | Pass   | 4.83G           | 5.67G          | AV   | 5.39616G     | 2.86        | -44.83      | -44.83        | -41.97        | -41.2          | -0.77          |
| 5250MHz Straddle 5.25-5.35GHz  | Pass   | 4.83G           | 5.67G          | PK   | 5.1429G      | 2.86        | -29.98      | -29.98        | -27.12        | -21.2          | -5.92          |
| 5250MHz Straddle 5.25-5.35GHz  | Pass   | 4.83G           | 5.67G          | PK   | 5.41422G     | 2.86        | -32.78      | -32.78        | -29.92        | -21.2          | -8.72          |
| 5250MHz Straddle 5.25-5.35GHz  | Pass   | 4.83G           | 5.67G          | PK   | 5.46756G     | 2.86        | -39.66      | -39.66        | -36.80        | -27            | -9.80          |
| 5570MHz                        | Pass   | 5.15G           | 6.045G         | AV   | 5.15G        | 3.11        | -65.66      | -65.66        | -62.55        | -41.2          | -21.35         |
| 5570MHz                        | Pass   | 5.15G           | 6.045G         | AV   | 5.44401G     | 3.11        | -47.16      | -47.16        | -44.05        | -41.2          | -2.85          |
| 5570MHz                        | Pass   | 5.15G           | 6.045G         | PK   | 5.34869G     | 3.11        | -44.55      | -44.55        | -41.44        | -27            | -14.44         |
| 5570MHz                        | Pass   | 5.15G           | 6.045G         | PK   | 5.45654G     | 3.11        | -33.56      | -33.56        | -30.45        | -21.2          | -9.25          |
| 5570MHz                        | Pass   | 5.15G           | 6.045G         | PK   | 5.46504G     | 3.11        | -30.89      | -30.89        | -27.78        | -27            | -0.78          |
| 5570MHz                        | Pass   | 5.15G           | 6.045G         | PK   | 5.72728G     | 3.11        | -34.46      | -34.46        | -31.35        | -27            | -4.35          |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5180MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.1499G  | -30.14    | -21.20     | -8.94      | 3.21   | 0.00     | -33.35    | -33.35  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.36032G | -43.76    | -21.20     | -22.56     | 3.21   | 0.00     | -46.97    | -46.97  |

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5180MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.1499G  | -42.62    | -41.20     | -1.42      | 3.21   | 0.00     | -45.83    | -45.83  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.3515G  | -55.23    | -41.20     | -14.03     | 3.21   | 0.00     | -58.44    | -58.44  |

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5200MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.14934G | -40.66    | -21.20     | -19.46     | 3.21   | 0.00    | -43.87    | -43.87  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.35472G | -41.14    | -21.20     | -19.94     | 3.21   | 0.00    | -44.35    | -44.35  |

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5200MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.14948G | -53.66    | -41.20     | -12.46     | 3.21   | 0.00    | -56.87    | -56.87  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.35108G | -53.35    | -41.20     | -12.15     | 3.21   | 0.00    | -56.56    | -56.56  |

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5240MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.1107G  | -40.89    | -21.20     | -19.69     | 3.21   | 0.00    | -44.10    | -44.10  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.38174G | -38.74    | -21.20     | -17.54     | 3.21   | 0.00    | -41.95    | -41.95  |

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5240MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.11728G | -46.89    | -41.20     | -5.69      | 3.21   | 0.00    | -50.10    | -50.10  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.37992G | -46.14    | -41.20     | -4.94      | 3.21   | 0.00    | -49.35    | -49.35  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5260MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.11462G | -43.73    | -21.20     | -22.53     | 2.86   | 0.00    | -46.59    | -46.59  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.37754G | -42.06    | -21.20     | -20.86     | 2.86   | 0.00    | -44.92    | -44.92  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5260MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.11882G | -54.98    | -41.20     | -13.78     | 2.86   | 0.00    | -57.84    | -57.84  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.38706G | -53.69    | -41.20     | -12.49     | 2.86   | 0.00    | -56.55    | -56.55  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5300MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.14332G | -40.93    | -21.20     | -19.73     | 2.86   | 0.00     | -43.79    | -43.79  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.3522G  | -40.30    | -21.20     | -19.10     | 2.86   | 0.00     | -43.16    | -43.16  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5300MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.14696G | -47.43    | -41.20     | -6.23      | 2.86   | 0.00     | -50.29    | -50.29  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.38104G | -47.24    | -41.20     | -6.04      | 2.86   | 0.00     | -50.10    | -50.10  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5320MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.1359G  | -46.47    | -21.20     | -25.27     | 2.86   | 0.00     | -49.33    | -49.33  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.3506G  | -28.90    | -21.20     | -7.70      | 2.86   | 0.00     | -31.76    | -31.76  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5320MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.1499G  | -57.76    | -41.20     | -16.56     | 2.86   | 0.00     | -60.62    | -60.62  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.3501G  | -41.54    | -41.20     | -0.34      | 2.86   | 0.00     | -44.40    | -44.40  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5500MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | PK   | 5.45982G | -33.92    | -21.20     | -12.72     | 3.11   | 0.00     | -37.03    | -37.03  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.46987G | -27.90    | -27.00     | -0.90      | 3.11   | 0.00     | -31.01    | -31.01  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.75663G | -47.38    | -27.00     | -20.38     | 3.11   | 0.00     | -50.49    | -50.49  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5500MHz

22/03/2023





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | AV   | 5.45988G | -49.53    | -41.20     | -8.33      | 3.11   | 0.00     | -52.64    | -52.64  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5580MHz

22/03/2023





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | PK   | 5.45295G | -42.09    | -21.20     | -20.89     | 3.11   | 0.00     | -45.20    | -45.20  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.46953G | -41.97    | -27.00     | -14.97     | 3.11   | 0.00     | -45.08    | -45.08  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.73753G | -41.62    | -27.00     | -14.62     | 3.11   | 0.00     | -44.73    | -44.73  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5580MHz

22/03/2023



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | AV   | 5.44139G | -46.58    | -41.20     | -5.38      | 3.11   | 0.00     | -49.69    | -49.69  |




5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5700MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | PK   | 5.45412G | -49.28    | -21.20     | -28.08     | 3.11   | 0.00     | -52.39    | -52.39  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.46789G | -49.59    | -27.00     | -22.59     | 3.11   | 0.00     | -52.70    | -52.70  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.72631G | -29.54    | -27.00     | -2.54      | 3.11   | 0.00     | -32.65    | -32.65  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5700MHz

22/03/2023





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | AV   | 5.45111G | -60.59    | -41.20     | -19.39     | 3.11   | 0.00     | -63.70    | -63.70  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

22/03/2023





| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.89G      | 1M      | PK   | 5.43391G | -43.74    | -21.20     | -22.54     | 3.11   | 0.00     | -46.85    | -46.85  |
| 5.43G       | 5.89G      | 1M      | PK   | 5.46013G | -43.68    | -27.00     | -16.68     | 3.11   | 0.00     | -46.79    | -46.79  |
| 5.43G       | 5.89G      | 1M      | PK   | 5.86447G | -41.67    | -27.00     | -14.67     | 3.11   | 0.00     | -44.78    | -44.78  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.89G      | 1M      | AV   | 5.45162G | -46.78    | -41.20     | -5.58      | 3.11   | 0.00     | -49.89    | -49.89  |

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5745MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.685G      | 5.89G      | 1M      | PK   | 5.71842G | -20.11    | 15.16      | -35.27     | 3.78   | 0.00     | -23.89    | -23.89  |
| 5.685G      | 5.89G      | 1M      | PK   | 5.8898G  | -41.52    | -0.95      | -40.57     | 3.78   | 0.00     | -45.30    | -45.30  |

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5785MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.685G      | 5.89G      | 1M      | PK   | 5.68541G | -41.89    | -0.80      | -41.09     | 3.78   | 0.00     | -45.67    | -45.67  |
| 5.685G      | 5.89G      | 1M      | PK   | 5.8898G  | -43.01    | -0.95      | -42.06     | 3.78   | 0.00     | -46.79    | -46.79  |

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

5825MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.685G      | 5.89G      | 1M      | PK   | 5.685G   | -40.75    | -1.10      | -39.65     | 3.78   | 0.00    | -44.53    | -44.53  |
| 5.685G      | 5.89G      | 1M      | PK   | 5.85413G | -20.83    | 17.60      | -38.43     | 3.78   | 0.00    | -24.61    | -24.61  |

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5180MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.14976G | -28.94    | -21.20     | -7.74      | 3.21   | 0.00    | -32.15    | -32.15  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.35262G | -43.62    | -21.20     | -22.42     | 3.21   | 0.00    | -46.83    | -46.83  |

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5180MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.1499G  | -42.81    | -41.20     | -1.61      | 3.21   | 0.00    | -46.02    | -46.02  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.3501G  | -55.04    | -41.20     | -13.84     | 3.21   | 0.00    | -58.25    | -58.25  |

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5200MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.14962G | -38.23    | -21.20     | -17.03     | 3.21   | 0.00    | -41.44    | -41.44  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.36858G | -40.38    | -21.20     | -19.18     | 3.21   | 0.00    | -43.59    | -43.59  |

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5200MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.1499G  | -46.32    | -41.20     | -5.12      | 3.21   | 0.00    | -49.53    | -49.53  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.35024G | -46.55    | -41.20     | -5.35      | 3.21   | 0.00    | -49.76    | -49.76  |

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5240MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.11854G | -40.64    | -21.20     | -19.44     | 3.21   | 0.00    | -43.85    | -43.85  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.37208G | -39.05    | -21.20     | -17.85     | 3.21   | 0.00    | -42.26    | -42.26  |

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5240MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref1(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.12008G | -46.88    | -41.20     | -5.68      | 3.21   | 0.00     | -50.09    | -50.09  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.38776G | -46.35    | -41.20     | -5.15      | 3.21   | 0.00     | -49.56    | -49.56  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5260MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref1(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.12708G | -42.54    | -21.20     | -21.34     | 2.86   | 0.00     | -45.40    | -45.40  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.38636G | -42.09    | -21.20     | -20.89     | 2.86   | 0.00     | -44.95    | -44.95  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5260MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.11672G | -55.04    | -41.20     | -13.84     | 2.86   | 0.00     | -57.90    | -57.90  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.38958G | -53.96    | -41.20     | -12.76     | 2.86   | 0.00     | -56.82    | -56.82  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5300MHz

22/03/2023



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | PK   | 5.14528G | -43.65    | -21.20     | -22.45     | 2.86   | 0.00     | -46.51    | -46.51  |
| 5.11G       | 5.39G      | 1M      | PK   | 5.3536G  | -40.85    | -21.20     | -19.65     | 2.86   | 0.00     | -43.71    | -43.71  |




5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5300MHz

22/03/2023




5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5320MHz

22/03/2023




5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5320MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.11G       | 5.39G      | 1M      | AV   | 5.14906G | -57.76    | -41.20     | -16.56     | 2.86   | 0.00     | -60.62    | -60.62  |
| 5.11G       | 5.39G      | 1M      | AV   | 5.3501G  | -41.98    | -41.20     | -0.78      | 2.86   | 0.00     | -44.84    | -44.84  |

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5500MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | PK   | 5.45965G | -35.99    | -21.20     | -14.79     | 3.11   | 0.00     | -39.10    | -39.10  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.46953G | -27.05    | -27.00     | -0.05      | 3.11   | 0.00     | -30.16    | -30.16  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.75328G | -42.79    | -27.00     | -15.79     | 3.11   | 0.00     | -45.90    | -45.90  |

5.47-5.725GHz 802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5500MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | AV   | 5.45948G | -45.05    | -41.20     | -3.85      | 3.11   | 0.00     | -48.16    | -48.16  |

5.47-5.725GHz 802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5580MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | PK   | 5.44742G | -41.25    | -21.20     | -20.05     | 3.11   | 0.00     | -44.36    | -44.36  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.46099G | -41.78    | -27.00     | -14.78     | 3.11   | 0.00     | -44.89    | -44.89  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.73401G | -41.40    | -27.00     | -14.40     | 3.11   | 0.00     | -44.51    | -44.51  |

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5580MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | AV   | 5.4491G  | -46.52    | -41.20     | -5.32      | 3.11   | 0.00     | -49.63    | -49.63  |

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5700MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | PK   | 5.45479G | -44.44    | -21.20     | -23.24     | 3.11   | 0.00     | -47.55    | -47.55  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.46149G | -43.92    | -27.00     | -16.92     | 3.11   | 0.00     | -47.03    | -47.03  |
| 5.43G       | 5.765G     | 1M      | PK   | 5.72631G | -27.55    | -27.00     | -0.55      | 3.11   | 0.00     | -30.66    | -30.66  |

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5700MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.765G     | 1M      | AV   | 5.44173G | -46.84    | -41.20     | -5.64      | 3.11   | 0.00     | -49.95    | -49.95  |

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.43G       | 5.89G      | 1M      | PK   | 5.4576G  | -43.92    | -21.20     | -22.72     | 3.11   | 0.00     | -47.03    | -47.03  |
| 5.43G       | 5.89G      | 1M      | PK   | 5.46197G | -44.23    | -27.00     | -17.23     | 3.11   | 0.00     | -47.34    | -47.34  |
| 5.43G       | 5.89G      | 1M      | PK   | 5.86493G | -41.24    | -27.00     | -14.24     | 3.11   | 0.00     | -44.35    | -44.35  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

22/03/2023



Limit:AV  
EIRP:AV  
Port 1


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.43G       | 5.89G      | 1M      | AV   | 5.44219G | -46.84    | -41.20     | -5.64      | 3.11   | 0.00    | -49.95    | -49.95  |

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5745MHz

22/03/2023



Limit:PK  
EIRP:PK  
Port 1


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.685G      | 5.89G      | 1M      | PK   | 5.71647G | -18.03    | 14.61      | -32.64     | 3.78   | 0.00    | -21.81    | -21.81  |
| 5.685G      | 5.89G      | 1M      | PK   | 5.88959G | -41.46    | -0.80      | -40.66     | 3.78   | 0.00    | -45.24    | -45.24  |

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5785MHz

22/03/2023




5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5825MHz

22/03/2023




5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5190MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.07G       | 5.43G      | 1M      | PK   | 5.14902G | -31.01    | -21.20     | -9.81      | 3.21   | 0.00    | -34.22    | -34.22  |
| 5.07G       | 5.43G      | 1M      | PK   | 5.35224G | -40.85    | -21.20     | -19.65     | 3.21   | 0.00    | -44.06    | -44.06  |

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5190MHz

22/03/2023



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.07G       | 5.43G      | 1M      | AV   | 5.14974G | -41.74    | -41.20     | -0.54      | 3.21   | 0.00    | -44.95    | -44.95  |
| 5.07G       | 5.43G      | 1M      | AV   | 5.36124G | -46.74    | -41.20     | -5.54      | 3.21   | 0.00    | -49.95    | -49.95  |




5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5230MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.07G       | 5.43G      | 1M      | PK   | 5.14704G | -35.94    | -21.20     | -14.74     | 3.21   | 0.00    | -39.15    | -39.15  |
| 5.07G       | 5.43G      | 1M      | PK   | 5.38032G | -38.53    | -21.20     | -17.33     | 3.21   | 0.00    | -41.74    | -41.74  |

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5230MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.07G       | 5.43G      | 1M      | AV   | 5.14992G | -48.72    | -41.20     | -7.52      | 3.21   | 0.00    | -51.93    | -51.93  |
| 5.07G       | 5.43G      | 1M      | AV   | 5.37384G | -50.58    | -41.20     | -9.38      | 3.21   | 0.00    | -53.79    | -53.79  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5270MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.07G       | 5.43G      | 1M      | PK   | 5.13156G | -39.21    | -21.20     | -18.01     | 2.86   | 0.00    | -42.07    | -42.07  |
| 5.07G       | 5.43G      | 1M      | PK   | 5.3589G  | -34.96    | -21.20     | -13.76     | 2.86   | 0.00    | -37.82    | -37.82  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5270MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.07G       | 5.43G      | 1M      | AV   | 5.14362G | -46.93    | -41.20     | -5.73      | 2.86   | 0.00    | -49.79    | -49.79  |
| 5.07G       | 5.43G      | 1M      | AV   | 5.35026G | -45.53    | -41.20     | -4.33      | 2.86   | 0.00    | -48.39    | -48.39  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5310MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.07G       | 5.43G      | 1M      | PK   | 5.12832G | -42.85    | -21.20     | -21.65     | 2.86   | 0.00    | -45.71    | -45.71  |
| 5.07G       | 5.43G      | 1M      | PK   | 5.35026G | -29.08    | -21.20     | -7.88      | 2.86   | 0.00    | -31.94    | -31.94  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5310MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.07G       | 5.43G      | 1M      | AV   | 5.14488G | -47.44    | -41.20     | -6.24      | 2.86   | 0.00    | -50.30    | -50.30  |
| 5.07G       | 5.43G      | 1M      | AV   | 5.35026G | -42.51    | -41.20     | -1.31      | 2.86   | 0.00    | -45.37    | -45.37  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5510MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.39G       | 5.805G     | 1M      | PK   | 5.45806G | -32.01    | -21.20     | -10.81     | 3.11   | 0.00     | -35.12    | -35.12  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.46512G | -29.29    | -27.00     | -2.29      | 3.11   | 0.00     | -32.40    | -32.40  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.73445G | -46.92    | -27.00     | -19.92     | 3.11   | 0.00     | -50.03    | -50.03  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5510MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.39G       | 5.805G     | 1M      | AV   | 5.45993G | -49.80    | -41.20     | -8.60      | 3.11   | 0.00     | -52.91    | -52.91  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5550MHz

22/03/2023




5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5550MHz

22/03/2023




5.47-5.725GHz\_802.11ax\_HEW40\_Nss1\_(MCS0)\_1TX

CSE Bandedge [PK]

5670MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.39G       | 5.805G     | 1M      | PK   | 5.45785G | -46.38    | -21.20     | -25.18     | 3.11   | 0.00     | -49.49    | -49.49  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.46885G | -47.21    | -27.00     | -20.21     | 3.11   | 0.00     | -50.32    | -50.32  |
| 5.39G       | 5.805G     | 1M      | PK   | 5.72885G | -27.48    | -27.00     | -0.48      | 3.11   | 0.00     | -30.59    | -30.59  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1\_(MCS0)\_1TX

CSE Bandedge [AV]

5670MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.39G       | 5.805G     | 1M      | AV   | 5.45972G | -58.15    | -41.20     | -16.95     | 3.11   | 0.00     | -61.26    | -61.26  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.39G       | 5.93G      | 1M      | PK   | 5.42861G | -47.03    | -21.20     | -25.83     | 3.11   | 0.00    | -50.14    | -50.14  |
| 5.39G       | 5.93G      | 1M      | PK   | 5.4629G  | -47.56    | -27.00     | -20.56     | 3.11   | 0.00    | -50.67    | -50.67  |
| 5.39G       | 5.93G      | 1M      | PK   | 5.8571G  | -43.31    | -27.00     | -16.31     | 3.11   | 0.00    | -46.42    | -46.42  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.39G       | 5.93G      | 1M      | AV   | 5.44373G | -59.06    | -41.20     | -17.86     | 3.11   | 0.00    | -62.17    | -62.17  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5755MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.645G      | 5.93G      | 1M      | PK   | 5.64685G | -35.77    | -27.00     | -8.77      | 3.78   | 0.00    | -39.55    | -39.55  |
| 5.645G      | 5.93G      | 1M      | PK   | 5.92858G | -41.09    | -27.00     | -14.09     | 3.78   | 0.00    | -44.87    | -44.87  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5795MHz

22/03/2023



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.645G      | 5.93G      | 1M      | PK   | 5.64928G | -39.61    | -27.00     | -12.61     | 3.78   | 0.00    | -43.39    | -43.39  |
| 5.645G      | 5.93G      | 1M      | PK   | 5.9253G  | -39.84    | -27.00     | -12.84     | 3.78   | 0.00    | -43.62    | -43.62  |




5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5210MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 4.99G       | 5.51G      | 1M      | PK   | 5.14054G | -27.24    | -21.20     | -6.04      | 3.21   | 0.00    | -30.45    | -30.45  |
| 4.99G       | 5.51G      | 1M      | PK   | 5.3514G  | -38.59    | -21.20     | -17.39     | 3.21   | 0.00    | -41.80    | -41.80  |
| 4.99G       | 5.51G      | 1M      | PK   | 5.47854G | -41.12    | -27.00     | -20.12     | 3.21   | 0.00    | -50.33    | -50.33  |

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5210MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 4.99G       | 5.51G      | 1M      | AV   | 5.14964G | -43.34    | -41.20     | -2.14      | 3.21   | 0.00    | -46.55    | -46.55  |
| 4.99G       | 5.51G      | 1M      | AV   | 5.35244G | -51.01    | -41.20     | -9.81      | 3.21   | 0.00    | -54.22    | -54.22  |

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5290MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 4.99G       | 5.51G      | 1M      | PK   | 5.14522G | -43.84    | -21.20     | -22.64     | 2.86   | 0.00    | -46.70    | -46.70  |
| 4.99G       | 5.51G      | 1M      | PK   | 5.35478G | -28.42    | -21.20     | -7.22      | 2.86   | 0.00    | -31.28    | -31.28  |
| 4.99G       | 5.51G      | 1M      | PK   | 5.46164G | -44.14    | -27.00     | -17.14     | 2.86   | 0.00    | -47.00    | -47.00  |

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5290MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 4.99G       | 5.51G      | 1M      | AV   | 5.14964G | -56.25    | -41.20     | -15.05     | 2.86   | 0.00    | -59.11    | -59.11  |
| 4.99G       | 5.51G      | 1M      | AV   | 5.3501G  | -41.91    | -41.20     | -0.71      | 2.86   | 0.00    | -44.77    | -44.77  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5530MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.31G       | 5.885G     | 1M      | PK   | 5.34364G | -43.32    | -27.00     | -16.32     | 3.11   | 0.00     | -46.43    | -46.43  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.45749G | -28.37    | -21.20     | -7.17      | 3.11   | 0.00     | -31.48    | -31.48  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.46899G | -27.77    | -27.00     | -0.77      | 3.11   | 0.00     | -30.88    | -30.88  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.72745G | -42.69    | -27.00     | -15.69     | 3.11   | 0.00     | -45.80    | -45.80  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5530MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.31G       | 5.885G     | 1M      | AV   | 5.45979G | -41.90    | -41.20     | -0.70      | 3.11   | 0.00     | -45.01    | -45.01  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5610MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.31G       | 5.885G     | 1M      | PK   | 5.32639G | -48.80    | -27.00     | -21.80     | 3.11   | 0.00     | -51.91    | -51.91  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.45921G | -35.34    | -21.20     | -14.14     | 3.11   | 0.00     | -38.45    | -38.45  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.46381G | -33.69    | -27.00     | -6.69      | 3.11   | 0.00     | -36.80    | -36.80  |
| 5.31G       | 5.885G     | 1M      | PK   | 5.7263G  | -27.16    | -27.00     | -0.16      | 3.11   | 0.00     | -30.27    | -30.27  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5610MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.31G       | 5.885G     | 1M      | AV   | 5.45979G | -49.31    | -41.20     | -8.11      | 3.11   | 0.00     | -52.42    | -52.42  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.31G       | 6.01G      | 1M      | PK   | 5.34115G | -49.07    | -27.00     | -22.07     | 3.11   | 0.00     | -52.18    | -52.18  |
| 5.31G       | 6.01G      | 1M      | PK   | 5.4192G  | -45.97    | -21.20     | -24.77     | 3.11   | 0.00     | -49.08    | -49.08  |
| 5.31G       | 6.01G      | 1M      | PK   | 5.4619G  | -45.44    | -27.00     | -18.44     | 3.11   | 0.00     | -48.55    | -48.55  |
| 5.31G       | 6.01G      | 1M      | PK   | 5.85495G | -37.84    | -27.00     | -10.84     | 3.11   | 0.00     | -40.95    | -40.95  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | RefI(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.31G       | 6.01G      | 1M      | AV   | 5.45945G | -57.29    | -41.20     | -16.09     | 3.11   | 0.00     | -60.40    | -60.40  |

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5775MHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.565G      | 6.01G      | 1M      | PK   | 5.65044G | -27.08    | -26.67     | -0.41      | 3.78   | 0.00    | -30.86    | -30.86  |
| 5.565G      | 6.01G      | 1M      | PK   | 5.92901G | -33.30    | -27.00     | -6.30      | 3.78   | 0.00    | -37.08    | -37.08  |

5.15-5.25GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 4.83G       | 5.67G      | 1M      | PK   | 5.14626G | -28.16    | -21.20     | -6.96      | 3.21   | 0.00    | -31.37    | -31.37  |
| 4.83G       | 5.67G      | 1M      | PK   | 5.36634G | -29.87    | -21.20     | -8.67      | 3.21   | 0.00    | -33.08    | -33.08  |
| 4.83G       | 5.67G      | 1M      | PK   | 5.46042G | -37.77    | -27.00     | -10.77     | 3.21   | 0.00    | -40.98    | -40.98  |

5.15-5.25GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

22/03/2023




5.25-5.35GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

22/03/2023




5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

22/03/2023




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 4.83G       | 5.67G      | 1M      | AV   | 5.13744G | -41.70    | -41.20     | -0.50      | 2.86   | 0.00    | -44.56    | -44.56  |
| 4.83G       | 5.67G      | 1M      | AV   | 5.13912G | -41.70    | -41.20     | -0.50      | 2.86   | 0.00    | -44.56    | -44.56  |
| 4.83G       | 5.67G      | 1M      | AV   | 5.39616G | -41.97    | -41.20     | -0.77      | 2.86   | 0.00    | -44.83    | -44.83  |

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5570MHz

22/03/2023



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.15G       | 6.045G     | 1M      | PK   | 5.34869G | -41.44    | -27.00     | -14.44     | 3.11   | 0.00    | -44.55    | -44.55  |
| 5.15G       | 6.045G     | 1M      | PK   | 5.45654G | -30.45    | -21.20     | -9.25      | 3.11   | 0.00    | -33.56    | -33.56  |
| 5.15G       | 6.045G     | 1M      | PK   | 5.46504G | -27.78    | -27.00     | -0.78      | 3.11   | 0.00    | -30.89    | -30.89  |
| 5.15G       | 6.045G     | 1M      | PK   | 5.72728G | -31.35    | -27.00     | -4.35      | 3.11   | 0.00    | -34.46    | -34.46  |




5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5570MHz

22/03/2023



Limit:AV  
ERP:AV  
Port 1


| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref1(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|----------|-----------|---------|
| 5.15G       | 6.045G     | 1M      | AV   | 5.44401G | -44.05    | -41.20     | -2.85      | 3.11   | 0.00     | -47.16    | -47.16  |

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.15-5.25GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass   | AV   | 15.59586G    | 48.63             | 54.00             | -5.37          | 3           | Horizontal | 130            | 2.74          | -        |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass   | AV   | 15.70458G    | 48.46             | 54.00             | -5.54          | 3           | Horizontal | 220            | 1.89          | -        |
| 5.725-5.85GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass   | PK   | 17.22834G    | 65.19             | 68.20             | -3.01          | 3           | Vertical   | 108            | 1.04          | -        |

# 5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 5230MHz\_TX




EUT Y\_1TX  
Setting 24  
01-I-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.45478G    | 56.95             | 68.20             | -11.25         | 41.36         | 3           | Vertical  | 55             | 2.15          | -       | 38.80      | 8.48       | 31.69      |
| PK   | 15.705G      | 60.40             | 74.00             | -13.60         | 42.18         | 3           | Vertical  | 0              | 2.51          | -       | 38.31      | 10.58      | 30.67      |
| AV   | 15.70116G    | 48.22             | 54.00             | -5.78          | 30.01         | 3           | Vertical  | 0              | 2.51          | -       | 38.30      | 10.58      | 30.67      |

# 5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 5230MHz\_TX




EUT\_Y\_1TX  
Setting 24  
01-I-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.45976G    | 57.37             | 68.20             | -10.83         | 41.77         | 3           | Horizontal | 164            | 1.52          | -       | 38.80      | 8.48       | 31.68      |
| PK   | 15.68706G    | 60.83             | 74.00             | -13.17         | 42.62         | 3           | Horizontal | 220            | 1.89          | -       | 38.31      | 10.57      | 30.67      |
| AV   | 15.70458G    | 48.46             | 54.00             | -5.54          | 30.24         | 3           | Horizontal | 220            | 1.89          | -       | 38.31      | 10.58      | 30.67      |

# 5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 5200MHz\_TX




EUT Y\_2TX  
Setting 24  
01-I-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.40738G    | 56.82             | 68.20             | -11.38         | 41.30         | 3           | Vertical  | 360            | 1.80          | -       | 38.80      | 8.46       | 31.74      |
| PK   | 15.60126G    | 60.71             | 74.00             | -13.29         | 42.47         | 3           | Vertical  | 144            | 1.80          | -       | 38.40      | 10.54      | 30.70      |
| AV   | 15.58674G    | 48.30             | 54.00             | -5.70          | 30.04         | 3           | Vertical  | 144            | 1.80          | -       | 38.43      | 10.53      | 30.70      |

# 5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 5200MHz\_TX




EUT Y\_2TX  
Setting 24  
01-I-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.38836G    | 57.34             | 68.20             | -10.86         | 41.86         | 3           | Horizontal | 270            | 1.80          | -       | 38.78      | 8.46       | 31.76      |
| PK   | 15.58584G    | 60.43             | 74.00             | -13.57         | 42.17         | 3           | Horizontal | 130            | 2.74          | -       | 38.43      | 10.53      | 30.70      |
| AV   | 15.59586G    | 48.63             | 54.00             | -5.37          | 30.38         | 3           | Horizontal | 130            | 2.74          | -       | 38.41      | 10.54      | 30.70      |

# 5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5745MHz\_TX




EUT\_Y\_4TX  
Setting 24  
01-I-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.49828G    | 57.70             | 74.00             | -16.30         | 41.74         | 3           | Vertical  | 101            | 1.94          | -       | 38.80      | 8.90       | 31.74      |
| AV   | 11.49882G    | 45.03             | 54.00             | -8.97          | 29.07         | 3           | Vertical  | 101            | 1.94          | -       | 38.80      | 8.90       | 31.74      |
| PK   | 17.22834G    | 65.19             | 68.20             | -3.01          | 42.16         | 3           | Vertical  | 108            | 1.04          | -       | 42.01      | 11.19      | 30.17      |

# 5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5745MHz\_TX



EUT\_Y\_4TX  
Setting 24  
01-I-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.4849G     | 57.02             | 74.00             | -16.98         | 41.08         | 3           | Horizontal | 358            | 1.07          | -       | 38.80      | 8.89       | 31.75      |
| AV   | 11.49996G    | 44.89             | 54.00             | -9.11          | 28.93         | 3           | Horizontal | 358            | 1.07          | -       | 38.80      | 8.90       | 31.74      |
| PK   | 17.23758G    | 64.29             | 68.20             | -3.91          | 41.22         | 3           | Horizontal | 143            | 1.95          | -       | 42.05      | 11.20      | 30.18      |






**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.15-5.25GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass   | AV   | 15.67974G    | 48.27             | 54.00             | -5.73          | 3           | Vertical  | 182            | 1.80          | -        |

# 5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 5230MHz\_TX




EUT Y\_1TX  
Setting 24  
01-I-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.4525G     | 56.93             | 68.20             | -11.27         | 41.34         | 3           | Vertical  | 341            | 1.14          | -       | 38.80      | 8.48       | 31.69      |
| PK   | 15.69252G    | 60.50             | 74.00             | -13.50         | 42.28         | 3           | Vertical  | 182            | 1.80          | -       | 38.31      | 10.58      | 30.67      |
| AV   | 15.67974G    | 48.27             | 54.00             | -5.73          | 30.06         | 3           | Vertical  | 182            | 1.80          | -       | 38.32      | 10.57      | 30.68      |

# 5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 5230MHz\_TX



EUT Y\_1TX  
Setting 24  
01-I-J-8


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.4639G     | 57.29             | 68.20             | -10.91         | 41.68         | 3           | Horizontal | 189            | 2.12          | -       | 38.80      | 8.49       | 31.68      |
| PK   | 15.6834G     | 61.05             | 74.00             | -12.95         | 42.83         | 3           | Horizontal | 222            | 1.80          | -       | 38.32      | 10.57      | 30.67      |
| AV   | 15.68676G    | 48.17             | 54.00             | -5.83          | 29.96         | 3           | Horizontal | 222            | 1.80          | -       | 38.31      | 10.57      | 30.67      |



**Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 1 | Pass   | AV   | 1.71335G     | 42.08             | 54.00             | -11.92         | Vertical  |

## Mode 1



| Type | Freq     | Level    | Limit    | Margin | Factor | Dist | Condition | Azimuth | Height | Comment | Raw      | AF     | CL   | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|----------|--------|------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dB/m) | (m)  |           | (°)     | (m)    |         | (dBuV/m) | (dB/m) | (dB) | (dB)  |
| PK   | 1.71335G | 47.27    | 74.00    | -26.73 | -7.79  | 3    | Vertical  | 326     | 1.56   | -       | 55.06    | 24.91  | 3.71 | 36.41 |
| AV   | 1.71335G | 42.08    | 54.00    | -11.92 | -7.79  | 3    | Vertical  | 326     | 1.56   | "Worst" | 49.87    | 24.91  | 3.71 | 36.41 |

### Mode 1



| Type | Freq     | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Comment | Raw      | AF     | CL   | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|----------|--------|------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dB/m) | (m)  |            | (°)     | (m)    |         | (dBuV/m) | (dB/m) | (dB) | (dB)  |
| PK   | 1.71227G | 53.69    | 74.00    | -20.31 | -7.80  | 3    | Horizontal | 310     | 1.63   | -       | 61.49    | 24.90  | 3.71 | 36.41 |
| AV   | 1.71227G | 39.61    | 54.00    | -14.39 | -7.80  | 3    | Horizontal | 310     | 1.63   | "Worst" | 47.41    | 24.90  | 3.71 | 36.41 |