

DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx
FREQUENCY TESTED	310MHz (8 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 775kHz)



23:15:03 17.11.2020




DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Тх
FREQUENCY TESTED	310MHz (8 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 294.71kHz
	Max allowed BW = (0.25% BW = 775kHz)



23:14:32 17.11.2020


DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx
FREQUENCY TESTED	315MHz (9 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 787.5kHz)



22:51:37 17.11.2020




DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Тх
FREQUENCY TESTED	315MHz (9 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 298.03kHz
	Max allowed BW = (0.25% BW = 787.5kHz)



22:51:04 17.11.2020


DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx
FREQUENCY TESTED	310MHz (10 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 775kHz)



23:18:41 17.11.2020




DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Тх
FREQUENCY TESTED	310MHz (10 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 298.63kHz
	Max allowed BW = (0.25% BW = 775kHz)



23:17:56 17.11.2020




DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Тх
FREQUENCY TESTED	390MHz (12 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 975kHz)



22:17:55 17.11.2020




DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Тх
FREQUENCY TESTED	390MHz (12 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 313.8kHz
	Max allowed BW = $(0.25\% \text{ BW} = 975 \text{ kHz})$



22:17:13 17.11.2020


DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx
FREQUENCY TESTED	390MHz (7 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 975kHz)



22:23:49 17.11.2020




DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Тх
FREQUENCY TESTED	390MHz (7 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 300.81kHz
	Max allowed BW = $(0.25\% \text{ BW} = 975 \text{ kHz})$



22:23:17 17.11.2020


DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx
FREQUENCY TESTED	390MHz (8 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 975kHz)



22:29:17 17.11.2020




DATA PAGE	
MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Тх
FREQUENCY TESTED	390MHz (8 DIP Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 300.49kHz
	Max allowed BW = $(0.25\% \text{ BW} = 975 \text{ kHz})$



22:28:46 17.11.2020


DATA PAGE		
MANUFACTURER	The Chamberlain Group, Inc.	
EUT	Automotive Transceiver for Garage Door Control	
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)	
TEST	FCC §15.231, RSS-210 20dB Bandwidth	
MODE	Тх	
FREQUENCY TESTED	300MHz (10 DIP Code)	
DATE TESTED	November 17, 2020	
TEST PERFORMED BY	Tylar Jozefczyk	
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 750kHz)	



23:44:18 17.11.2020




DATA PAGE		
MANUFACTURER	The Chamberlain Group, Inc.	
EUT	Automotive Transceiver for Garage Door Control	
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)	
TEST	FCC §15.231, RSS-210 99% Bandwidth	
MODE	Тх	
FREQUENCY TESTED	300MHz (10 DIP Code)	
DATE TESTED	November 17, 2020	
TEST PERFORMED BY	Tylar Jozefczyk	
NOTES	99% BW = 296.62kHz	
	Max allowed BW = $(0.25\% \text{ BW} = 750 \text{ kHz})$	



23:43:21 17.11.2020




DATA PAGE		
MANUFACTURER	The Chamberlain Group, Inc.	
EUT	Automotive Transceiver for Garage Door Control	
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)	
TEST	FCC §15.231, RSS-210 20dB Bandwidth	
MODE	Тх	
FREQUENCY TESTED	390MHz (9 DIP Code - Chamberlain)	
DATE TESTED	November 17, 2020	
TEST PERFORMED BY	Tylar Jozefczyk	
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 975kHz)	



22:43:25 17.11.2020




DATA PAGE		
MANUFACTURER	The Chamberlain Group, Inc.	
EUT	Automotive Transceiver for Garage Door Control	
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)	
TEST	FCC §15.231, RSS-210 99% Bandwidth	
MODE	Тх	
FREQUENCY TESTED	390MHz (9 DIP Code - Chamberlain)	
DATE TESTED	November 17, 2020	
TEST PERFORMED BY	Tylar Jozefczyk	
NOTES	99% BW = 299.07kHz	
	Max allowed BW = $(0.25\% \text{ BW} = 975 \text{ kHz})$	



22:43:04 17.11.2020




DATA PAGE		
MANUFACTURER	The Chamberlain Group, Inc.	
EUT	Automotive Transceiver for Garage Door Control	
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)	
TEST	FCC §15.231, RSS-210 20dB Bandwidth	
MODE	Tx	
FREQUENCY TESTED	390MHz (9 DIP Code - Genie)	
DATE TESTED	November 17, 2020	
TEST PERFORMED BY	Tylar Jozefczyk	
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 975kHz)	



22:33:54 17.11.2020




DATA PAGE		
MANUFACTURER	The Chamberlain Group, Inc.	
EUT	Automotive Transceiver for Garage Door Control	
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)	
TEST	FCC §15.231, RSS-210 99% Bandwidth	
MODE	Тх	
FREQUENCY TESTED	390MHz (9 DIP Code - Genie)	
DATE TESTED	November 17, 2020	
TEST PERFORMED BY	Tylar Jozefczyk	
NOTES	99% BW = 314.27kHz	
	Max allowed BW = $(0.25\% \text{ BW} = 975 \text{ kHz})$	



22:33:32 17.11.2020



DATA PAGE		
MANUFACTURER	The Chamberlain Group, Inc.	
EUT	Automotive Transceiver for Garage Door Control	
MODEL NO.	CDMRAA0101E3 (ARQ2-UGDO)	
TEST	FCC §15.231, RSS-210 20dB Bandwidth	
MODE	Тх	
FREQUENCY TESTED	303MHz (Fixed Long Code)	
DATE TESTED	November 17, 2020	
TEST PERFORMED BY	Tylar Jozefczyk	
NOTES	Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier Max allowed BW = (0.25% BW = 757.5kHz)	



23:49:24 17.11.2020