



Appendix C

RF Test Data for 5.3GWIFI (Conducted Measurement)

Product Name: AC1200 Gigabit Router

Test Model: J8301

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Can Kun
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant3	28.845	---	Pass
NVNT	a	5300	Ant3	27.809	---	Pass
NVNT	a	5320	Ant3	26.56	---	Pass
NVNT	n20	5260	Ant3	26.596	---	Pass
NVNT	n20	5300	Ant3	27.766	---	Pass
NVNT	n20	5320	Ant3	28.1	---	Pass
NVNT	n40	5270	Ant3	43.291	---	Pass
NVNT	n40	5310	Ant3	41.738	---	Pass
NVNT	ac20	5260	Ant3	28.781	---	Pass
NVNT	ac20	5300	Ant3	28.102	---	Pass
NVNT	ac20	5320	Ant3	28.989	---	Pass
NVNT	ac40	5270	Ant3	47.938	---	Pass
NVNT	ac40	5310	Ant3	49.788	---	Pass
NVNT	ac80	5290	Ant3	78.376	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant3




-26dB Bandwidth NVNT a 5300MHz Ant3






-26dB Bandwidth NVNT a 5320MHz Ant3




-26dB Bandwidth NVNT n20 5260MHz Ant3






-26dB Bandwidth NVNT n20 5300MHz Ant3




-26dB Bandwidth NVNT n20 5320MHz Ant3






-26dB Bandwidth NVNT n40 5270MHz Ant3




-26dB Bandwidth NVNT n40 5310MHz Ant3






-26dB Bandwidth NVNT ac20 5260MHz Ant3




-26dB Bandwidth NVNT ac20 5300MHz Ant3






-26dB Bandwidth NVNT ac20 5320MHz Ant3




-26dB Bandwidth NVNT ac40 5270MHz Ant3






-26dB Bandwidth NVNT ac40 5310MHz Ant3



-26dB Bandwidth NVNT ac80 5290MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant4	25.785	---	Pass
NVNT	a	5300	Ant4	25.767	---	Pass
NVNT	a	5320	Ant4	29.146	---	Pass
NVNT	n20	5260	Ant4	28.053	---	Pass
NVNT	n20	5300	Ant4	27.713	---	Pass
NVNT	n20	5320	Ant4	29.344	---	Pass
NVNT	n40	5270	Ant4	39.763	---	Pass
NVNT	n40	5310	Ant4	46.129	---	Pass
NVNT	ac20	5260	Ant4	28.773	---	Pass
NVNT	ac20	5300	Ant4	27.256	---	Pass
NVNT	ac20	5320	Ant4	29.098	---	Pass
NVNT	ac40	5270	Ant4	46.149	---	Pass
NVNT	ac40	5310	Ant4	42.643	---	Pass
NVNT	ac80	5290	Ant4	78.183	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant4




-26dB Bandwidth NVNT a 5300MHz Ant4






-26dB Bandwidth NVNT a 5320MHz Ant4




-26dB Bandwidth NVNT n20 5260MHz Ant4






-26dB Bandwidth NVNT n20 5300MHz Ant4




-26dB Bandwidth NVNT n20 5320MHz Ant4






-26dB Bandwidth NVNT n40 5270MHz Ant4




-26dB Bandwidth NVNT n40 5310MHz Ant4






-26dB Bandwidth NVNT ac20 5260MHz Ant4




-26dB Bandwidth NVNT ac20 5300MHz Ant4






-26dB Bandwidth NVNT ac20 5320MHz Ant4




-26dB Bandwidth NVNT ac40 5270MHz Ant4






-26dB Bandwidth NVNT ac40 5310MHz Ant4



-26dB Bandwidth NVNT ac80 5290MHz Ant4





C.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant3	12.64	0.24	12.88	24	Pass
NVNT	a	5300	Ant3	12.46	0.24	12.7	24	Pass
NVNT	a	5320	Ant3	12.32	0.24	12.56	24	Pass
NVNT	n20	5260	Ant3	11.77	0.12	11.89	24	Pass
NVNT	n20	5300	Ant3	11.42	0.12	11.54	24	Pass
NVNT	n20	5320	Ant3	11.44	0.12	11.56	24	Pass
NVNT	n40	5270	Ant3	10.41	0.24	10.65	24	Pass
NVNT	n40	5310	Ant3	9.98	0.24	10.22	24	Pass
NVNT	ac20	5260	Ant3	10.86	0.12	10.98	24	Pass
NVNT	ac20	5300	Ant3	11.76	0.12	11.88	24	Pass
NVNT	ac20	5320	Ant3	11.39	0.12	11.51	24	Pass
NVNT	ac40	5270	Ant3	10.31	0.24	10.55	24	Pass
NVNT	ac40	5310	Ant3	9.96	0.23	10.19	24	Pass
NVNT	ac80	5290	Ant3	9.83	0.25	10.08	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant4	11.26	0.24	11.5	24	Pass
NVNT	a	5300	Ant4	10.9	0.24	11.14	24	Pass
NVNT	a	5320	Ant4	11.82	0.24	12.06	24	Pass
NVNT	n20	5260	Ant4	10.76	0.12	10.88	24	Pass
NVNT	n20	5300	Ant4	10.21	0.12	10.33	24	Pass
NVNT	n20	5320	Ant4	10.18	0.12	10.3	24	Pass
NVNT	n40	5270	Ant4	9.12	0.23	9.35	24	Pass
NVNT	n40	5310	Ant4	8.9	0.24	9.14	24	Pass
NVNT	ac20	5260	Ant4	10.82	0.12	10.94	24	Pass
NVNT	ac20	5300	Ant4	10.29	0.12	10.41	24	Pass
NVNT	ac20	5320	Ant4	10.21	0.12	10.33	24	Pass
NVNT	ac40	5270	Ant4	9.15	0.24	9.39	24	Pass
NVNT	ac40	5310	Ant4	8.94	0.24	9.18	24	Pass
NVNT	ac80	5290	Ant4	8.84	0.25	9.09	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant3	Ant4	Ant3+Ant4		
NVNT	n20	5260	11.89	10.88	14.42	24	Pass
NVNT	n20	5300	11.54	10.33	13.99	24	Pass
NVNT	n20	5320	11.56	10.3	13.99	24	Pass
NVNT	n40	5270	10.65	9.35	13.06	24	Pass
NVNT	n40	5310	10.22	9.14	12.72	24	Pass
NVNT	ac20	5260	10.98	10.94	13.97	24	Pass
NVNT	ac20	5300	11.88	10.41	14.22	24	Pass
NVNT	ac20	5320	11.51	10.33	13.97	24	Pass
NVNT	ac40	5270	10.55	9.39	13.02	24	Pass
NVNT	ac40	5310	10.19	9.18	12.72	24	Pass
NVNT	ac80	5290	10.08	9.09	12.62	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant3	1.99	0.24	2.23	11	Pass
NVNT	a	5300	Ant3	1.88	0.24	2.12	11	Pass
NVNT	a	5320	Ant3	1.88	0.24	2.12	11	Pass
NVNT	n20	5260	Ant3	1.06	0.12	1.18	11	Pass
NVNT	n20	5300	Ant3	0.67	0.12	0.79	11	Pass
NVNT	n20	5320	Ant3	0.81	0.12	0.93	11	Pass
NVNT	n40	5270	Ant3	-2.84	0.24	-2.6	11	Pass
NVNT	n40	5310	Ant3	-3.75	0.24	-3.51	11	Pass
NVNT	ac20	5260	Ant3	0.02	0.12	0.14	11	Pass
NVNT	ac20	5300	Ant3	0.92	0.12	1.04	11	Pass
NVNT	ac20	5320	Ant3	0.56	0.12	0.68	11	Pass
NVNT	ac40	5270	Ant3	-2.74	0.24	-2.5	11	Pass
NVNT	ac40	5310	Ant3	-4.07	0.23	-3.84	11	Pass
NVNT	ac80	5290	Ant3	-6.78	0.25	-6.53	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant4	0.53	0.24	0.77	11	Pass
NVNT	a	5300	Ant4	0.13	0.24	0.37	11	Pass
NVNT	a	5320	Ant4	1.24	0.24	1.48	11	Pass
NVNT	n20	5260	Ant4	-0.03	0.12	0.09	11	Pass
NVNT	n20	5300	Ant4	-0.29	0.12	-0.17	11	Pass
NVNT	n20	5320	Ant4	-0.7	0.12	-0.58	11	Pass
NVNT	n40	5270	Ant4	-4.08	0.23	-3.85	11	Pass
NVNT	n40	5310	Ant4	-4.49	0.24	-4.25	11	Pass
NVNT	ac20	5260	Ant4	0.11	0.12	0.23	11	Pass
NVNT	ac20	5300	Ant4	-0.49	0.12	-0.37	11	Pass
NVNT	ac20	5320	Ant4	-0.79	0.12	-0.67	11	Pass
NVNT	ac40	5270	Ant4	-3.91	0.24	-3.67	11	Pass
NVNT	ac40	5310	Ant4	-4.45	0.24	-4.21	11	Pass
NVNT	ac80	5290	Ant4	-7.8	0.25	-7.55	11	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant3	Ant4	Ant3+Ant4		
NVNT	n20	5260	1.18	0.09	1.18	10.02	Pass
NVNT	n20	5300	0.79	-0.17	0.79	10.02	Pass
NVNT	n20	5320	0.93	-0.58	0.93	10.02	Pass
NVNT	n40	5270	-2.6	-3.85	-2.6	10.02	Pass
NVNT	n40	5310	-3.51	-4.25	-3.51	10.02	Pass
NVNT	ac20	5260	0.14	0.23	0.14	10.02	Pass
NVNT	ac20	5300	1.04	-0.37	3.40	10.02	Pass
NVNT	ac20	5320	0.68	-0.67	3.07	10.02	Pass
NVNT	ac40	5270	-2.5	-3.67	-0.04	10.02	Pass
NVNT	ac40	5310	-3.84	-4.21	-1.01	10.02	Pass
NVNT	ac80	5290	-6.53	-7.55	-4.00	10.02	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT a 5260MHz Ant1




PSD NVNT a 5300MHz Ant1










PSD NVNT a 5320MHz Ant1







PSD NVNT n20 5260MHz Ant1















PSD NVNT ac40 5310MHz Ant1




PSD NVNT ac80 5290MHz Ant1






Test Graphs

PSD NVNT a 5260MHz Ant2




PSD NVNT a 5300MHz Ant2










PSD NVNT a 5320MHz Ant2







PSD NVNT n20 5260MHz Ant2















PSD NVNT ac40 5310MHz Ant2




PSD NVNT ac80 5290MHz Ant2






Test Graphs

PSD NVNT a 5260MHz Ant3




PSD NVNT a 5300MHz Ant3










PSD NVNT a 5320MHz Ant3



PSD NVNT n20 5260MHz Ant3













PSD NVNT ac20 5260MHz Ant3




PSD NVNT ac20 5300MHz Ant3








PSD NVNT ac40 5310MHz Ant3




PSD NVNT ac80 5290MHz Ant3






Test Graphs

PSD NVNT a 5260MHz Ant4




PSD NVNT a 5300MHz Ant4










PSD NVNT a 5320MHz Ant4





PSD NVNT n20 5260MHz Ant4













PSD NVNT ac20 5320MHz Ant4




PSD NVNT ac40 5270MHz Ant4






PSD NVNT ac40 5310MHz Ant4



PSD NVNT ac80 5290MHz Ant4





C.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant3	4500	-50.26	3.98	-	48.95	Peak	68.2	Pass
NVNT	a	5260	Ant3	4500	-59.21	3.98	0.24	40.24	Average	54	Pass
NVNT	a	5260	Ant3	5081.1	-46.66	3.98	-	52.55	Peak	68.2	Pass
NVNT	a	5260	Ant3	5124	-57	3.98	0.24	42.45	Average	54	Pass
NVNT	a	5260	Ant3	5150	-47.04	3.98	-	52.17	Peak	68.2	Pass
NVNT	a	5260	Ant3	5150	-57.85	3.98	0.24	41.60	Average	54	Pass
NVNT	a	5320	Ant3	5350	-47.39	3.98	-	51.82	Peak	68.2	Pass
NVNT	a	5320	Ant3	5350	-56.53	3.98	0.24	42.92	Average	54	Pass
NVNT	a	5320	Ant3	5352	-44.68	3.98	-	54.53	Peak	68.2	Pass
NVNT	a	5320	Ant3	5350.2	-56.32	3.98	0.24	43.13	Average	54	Pass
NVNT	a	5320	Ant3	5460	-51.06	3.98	-	48.15	Peak	68.2	Pass
NVNT	a	5320	Ant3	5460	-58.08	3.98	0.24	41.37	Average	54	Pass
NVNT	n20	5260	Ant3	4500	-51	3.98	-	48.21	Peak	68.2	Pass
NVNT	n20	5260	Ant3	4500	-59.14	3.98	0.12	40.19	Average	54	Pass
NVNT	n20	5260	Ant3	5014.8	-46.64	3.98	-	52.57	Peak	68.2	Pass
NVNT	n20	5260	Ant3	5125.56	-57.06	3.98	0.12	42.27	Average	54	Pass
NVNT	n20	5260	Ant3	5150	-49.74	3.98	-	49.47	Peak	68.2	Pass
NVNT	n20	5260	Ant3	5150	-57.49	3.98	0.12	41.84	Average	54	Pass
NVNT	n20	5320	Ant3	5350	-46.42	3.98	-	52.79	Peak	68.2	Pass
NVNT	n20	5320	Ant3	5350	-55.78	3.98	0.12	43.55	Average	54	Pass
NVNT	n20	5320	Ant3	5351.6	-43.49	3.98	-	55.72	Peak	68.2	Pass
NVNT	n20	5320	Ant3	5350	-55.78	3.98	0.12	43.55	Average	54	Pass
NVNT	n20	5320	Ant3	5460	-48.03	3.98	-	51.18	Peak	68.2	Pass
NVNT	n20	5320	Ant3	5460	-58.23	3.98	0.12	41.10	Average	54	Pass
NVNT	n40	5270	Ant3	4500	-50.37	3.98	-	48.84	Peak	68.2	Pass
NVNT	n40	5270	Ant3	4500	-59.25	3.98	0.24	40.20	Average	54	Pass
NVNT	n40	5270	Ant3	5007.87	-46.49	3.98	-	52.72	Peak	68.2	Pass
NVNT	n40	5270	Ant3	4806.18	-56.68	3.98	0.24	42.77	Average	54	Pass
NVNT	n40	5270	Ant3	5150	-48.53	3.98	-	50.68	Peak	68.2	Pass
NVNT	n40	5270	Ant3	5150	-57.7	3.98	0.24	41.75	Average	54	Pass
NVNT	n40	5310	Ant3	5350	-41.55	3.98	-	57.66	Peak	68.2	Pass
NVNT	n40	5310	Ant3	5350	-55.24	3.98	0.24	44.21	Average	54	Pass
NVNT	n40	5310	Ant3	5460	-48	3.98	-	51.21	Peak	68.2	Pass
NVNT	n40	5310	Ant3	5460	-57.96	3.98	0.24	41.49	Average	54	Pass
NVNT	n40	5310	Ant3	5460	-48	3.98	-	51.21	Peak	68.2	Pass
NVNT	n40	5310	Ant3	5460	-57.96	3.98	0.24	41.49	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	ac20	5260	Ant3	4500	-50.75	3.98	-	48.46	Peak	68.2	Pass
NVNT	ac20	5260	Ant3	4500	-58.69	3.98	0.12	40.64	Average	54	Pass
NVNT	ac20	5260	Ant3	5021.04	-46.75	3.98	-	52.46	Peak	68.2	Pass
NVNT	ac20	5260	Ant3	5075.64	-56.86	3.98	0.12	42.47	Average	54	Pass
NVNT	ac20	5260	Ant3	5150	-49.46	3.98	-	49.75	Peak	68.2	Pass
NVNT	ac20	5260	Ant3	5150	-58.54	3.98	0.12	40.79	Average	54	Pass
NVNT	ac20	5320	Ant3	5350	-45.66	3.98	-	53.55	Peak	68.2	Pass
NVNT	ac20	5320	Ant3	5350	-55.15	3.98	0.12	44.18	Average	54	Pass
NVNT	ac20	5320	Ant3	5350.6	-43.68	3.98	-	55.53	Peak	68.2	Pass
NVNT	ac20	5320	Ant3	5350	-55.15	3.98	0.12	44.18	Average	54	Pass
NVNT	ac20	5320	Ant3	5460	-50.32	3.98	-	48.89	Peak	68.2	Pass
NVNT	ac20	5320	Ant3	5460	-57.39	3.98	0.12	41.94	Average	54	Pass
NVNT	ac40	5270	Ant3	4500	-50.37	3.98	-	48.84	Peak	68.2	Pass
NVNT	ac40	5270	Ant3	4500	-59.22	3.98	0.24	40.23	Average	54	Pass
NVNT	ac40	5270	Ant3	4742.19	-46.83	3.98	-	52.38	Peak	68.2	Pass
NVNT	ac40	5270	Ant3	4806.18	-56.87	3.98	0.24	42.58	Average	54	Pass
NVNT	ac40	5270	Ant3	5150	-48.86	3.98	-	50.35	Peak	68.2	Pass
NVNT	ac40	5270	Ant3	5150	-57.72	3.98	0.24	41.73	Average	54	Pass
NVNT	ac40	5310	Ant3	5350	-46.99	3.98	-	52.22	Peak	68.2	Pass
NVNT	ac40	5310	Ant3	5350	-55.72	3.98	0.23	43.72	Average	54	Pass
NVNT	ac40	5310	Ant3	5352.2	-42.94	3.98	-	56.27	Peak	68.2	Pass
NVNT	ac40	5310	Ant3	5350.6	-54.87	3.98	0.23	44.57	Average	54	Pass
NVNT	ac40	5310	Ant3	5460	-50.73	3.98	-	48.48	Peak	68.2	Pass
NVNT	ac40	5310	Ant3	5460	-57.9	3.98	0.23	41.54	Average	54	Pass
NVNT	ac80	5290	Ant3	4500	-49.83	3.98	-	49.38	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	4500	-58.77	3.98	0.25	40.69	Average	54	Pass
NVNT	ac80	5290	Ant3	5146.41	-46.41	3.98	-	52.80	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5148.15	-56.38	3.98	0.25	43.08	Average	54	Pass
NVNT	ac80	5290	Ant3	5150	-49.15	3.98	-	50.06	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5150	-56.89	3.98	0.25	42.57	Average	54	Pass
NVNT	ac80	5290	Ant3	5350	-44.17	3.98	-	55.04	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5350	-56.09	3.98	0.25	43.37	Average	54	Pass
NVNT	ac80	5290	Ant3	5352.25	-42.76	3.98	-	56.45	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5350.75	-55.36	3.98	0.25	44.10	Average	54	Pass
NVNT	ac80	5290	Ant3	5460	-49.37	3.98	-	49.84	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5460	-58.28	3.98	0.25	41.18	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant3 Peak




Restrict Band NVNT a 5260MHz Ant3 Average






Restrict Band NVNT a 5320MHz Ant3 Peak




Restrict Band NVNT a 5320MHz Ant3 Average






Restrict Band NVNT n20 5260MHz Ant3 Peak




Restrict Band NVNT n20 5260MHz Ant3 Average






Restrict Band NVNT n20 5320MHz Ant3 Peak




Restrict Band NVNT n20 5320MHz Ant3 Average






Restrict Band NVNT n40 5270MHz Ant3 Peak




Restrict Band NVNT n40 5270MHz Ant3 Average






Restrict Band NVNT n40 5310MHz Ant3 Peak




Restrict Band NVNT n40 5310MHz Ant3 Average






Restrict Band NVNT ac20 5260MHz Ant3 Peak




Restrict Band NVNT ac20 5260MHz Ant3 Average






Restrict Band NVNT ac20 5320MHz Ant3 Peak




Restrict Band NVNT ac20 5320MHz Ant3 Average





Restrict Band NVNT ac40 5270MHz Ant3 Peak



Restrict Band NVNT ac40 5270MHz Ant3 Average

