

APPENDIX F: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

All conducted power measurements for 4G/5G Sub6 WWAN technologies and bands in this section were performed by setting *Reserve_power_margin* (Qualcomm® Smart Transmit EFS entry) to 0 dB, so that the EUT transmits continuously at minimum (P_{Limit} , maximum tune up output power P_{max}).

F.1 LTE Lower Bandwidth RF Conducted Powers

F.1.1 LTE Band 71

Table F-1
LTE Band 71 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	17.49	0	0
	1	36	17.62		0
	1	74	17.43		0
	36	0	17.55	0-1	0
	36	18	17.65		0
	36	37	17.59		0
	75	0	17.57		0
16QAM	1	0	18.00	0-1	0
	1	36	18.17		0
	1	74	18.04		0
	36	0	17.59	0-2	0
	36	18	17.68		0
	36	37	17.61		0
	75	0	17.59		0
64QAM	1	0	18.00	0-2	0
	1	36	18.00		0
	1	74	18.00		0
	36	0	17.60	0-3	0
	36	18	17.68		0
	36	37	17.61		0
	75	0	17.61		0
256QAM	1	0	17.90	0-5	0
	1	36	18.05		0
	1	74	17.82		0
	36	0	17.59		0
	36	18	17.66		0
	36	37	17.62		0
	75	0	17.64		0

Table F-2
LTE Band 71 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.70	17.65	17.73	0	0
	1	25	17.67	17.63	17.67		0
	1	49	17.58	17.58	17.61		0
	25	0	17.70	17.69	17.71	0-1	0
	25	12	17.75	17.78	17.71		0
	25	25	17.71	17.73	17.72		0
	50	0	17.69	17.74	17.64		0
16QAM	1	0	18.20	18.15	18.25	0-1	0
	1	25	18.24	18.27	18.20		0
	1	49	18.19	18.27	18.16		0
	25	0	17.72	17.74	17.75	0-2	0
	25	12	17.77	17.82	17.74		0
	25	25	17.76	17.78	17.73		0
	50	0	17.70	17.75	17.63		0
64QAM	1	0	18.10	18.28	18.20	0-2	0
	1	25	18.20	18.29	18.24		0
	1	49	18.19	18.24	18.10		0
	25	0	17.72	17.78	17.72	0-3	0
	25	12	17.80	17.82	17.70		0
	25	25	17.77	17.80	17.75		0
	50	0	17.74	17.77	17.65		0
256QAM	1	0	18.00	18.07	18.00	0-5	0
	1	25	18.10	18.10	18.10		0
	1	49	17.97	18.06	18.00		0
	25	0	17.64	17.75	17.70		0
	25	12	17.75	17.82	17.68		0
	25	25	17.74	17.79	17.71		0
	50	0	17.73	17.76	17.65		0

Table F-3
LTE Band 71 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.62	17.61	17.55	0	0
	1	12	17.64	17.74	17.66		0
	1	24	17.58	17.65	17.57		0
	12	0	17.65	17.66	17.64	0-1	0
	12	6	17.73	17.72	17.67		0
	12	13	17.69	17.70	17.65		0
	25	0	17.70	17.73	17.63		0
16QAM	1	0	18.10	17.77	18.00	0-1	0
	1	12	18.20	18.17	18.10		0
	1	24	18.01	18.13	17.98		0
	12	0	17.73	17.84	17.79	0-2	0
	12	6	17.80	17.94	17.80		0
	12	13	17.77	17.88	17.77		0
	25	0	17.69	17.76	17.64		0
64QAM	1	0	18.06	18.19	18.12	0-2	0
	1	12	18.10	18.09	18.17		0
	1	24	18.00	18.22	18.10		0
	12	0	17.76	17.88	17.73	0-3	0
	12	6	17.84	18.00	17.74		0
	12	13	17.78	17.98	17.71		0
	25	0	17.73	17.70	17.68		0
256QAM	1	0	18.00	18.09	18.15	0-5	0
	1	12	18.11	18.19	18.10		0
	1	24	18.05	18.13	18.06		0
	12	0	17.69	17.71	17.75		0
	12	6	17.77	17.82	17.73		0
	12	13	17.75	17.77	17.66		0
	25	0	17.73	17.76	17.70		0

Table F-4
LTE Band 71 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.50	0	0
	1	36	20.77		0
	1	74	20.47		0
	36	0	20.67	0-1	0
	36	18	20.68		0
	36	37	20.64		0
	75	0	20.62		0
16QAM	1	0	21.10	0-1	0
	1	36	21.01		0
	1	74	21.04		0
	36	0	20.45	0-2	0
	36	18	20.47		0
	36	37	20.40		0
	75	0	20.43		0
64QAM	1	0	20.95	0-2	0
	1	36	21.05		0
	1	74	20.80		0
	36	0	20.48	0-3	0
	36	18	20.44		0
	36	37	20.20		0
	75	0	20.20		0
256QAM	1	0	20.22	0-5	0.6
	1	36	20.25		0.6
	1	74	20.16		0.6
	36	0	20.00		0.6
	36	18	19.98		0.6
	36	37	19.97		0.6
	75	0	19.96		0.6

Table F-5
LTE Band 71 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.75	20.83	20.69	0	0
	1	25	20.72	20.82	20.65		0
	1	49	20.67	20.71	20.57		0
	25	0	20.80	20.81	20.70	0-1	0
	25	12	20.84	20.89	20.68		0
	25	25	20.80	20.79	20.69		0
	50	0	20.83	20.77	20.64		0
16QAM	1	0	21.30	21.10	21.29	0-1	0
	1	25	21.28	21.05	21.22		0
	1	49	21.25	21.28	21.14		0
	25	0	20.83	20.60	20.72	0-2	0
	25	12	20.89	20.70	20.71		0
	25	25	20.83	20.55	20.74		0
	50	0	20.87	20.52	20.68		0
64QAM	1	0	21.30	21.15	21.18	0-2	0
	1	25	21.30	21.11	21.14		0
	1	49	21.29	21.26	21.08		0
	25	0	20.82	20.84	20.70	0-3	0
	25	12	20.90	20.91	20.69		0
	25	25	20.82	20.81	20.69		0
	50	0	20.88	20.75	20.65		0
256QAM	1	0	20.31	20.40	20.38	0-5	0.6
	1	25	20.40	20.22	20.32		0.6
	1	49	20.37	20.38	20.29		0.6
	25	0	20.10	20.12	20.00		0.6
	25	12	20.18	20.19	20.00		0.6
	25	25	20.12	20.10	20.02		0.6
	50	0	20.10	20.07	19.97		0.6

Table F-6
LTE Band 71 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.92	20.64	20.51	0	0
	1	12	20.67	20.73	20.60		0
	1	24	20.63	20.60	20.52		0
	12	0	20.66	20.66	20.63	0-1	0
	12	6	20.78	20.74	20.67		0
	12	13	20.73	20.72	20.60		0
	25	0	20.73	20.72	20.62		0
16QAM	1	0	21.10	21.10	20.92	0-1	0
	1	12	21.18	21.20	21.10		0
	1	24	21.05	21.10	20.95		0
	12	0	20.81	20.70	20.64	0-2	0
	12	6	20.89	20.80	20.65		0
	12	13	20.85	20.75	20.60		0
	25	0	20.73	20.78	20.67		0
64QAM	1	0	21.30	21.27	21.10	0-2	0
	1	12	21.25	21.25	21.13		0
	1	24	21.27	21.28	21.08		0
	12	0	20.76	20.83	20.81	0-3	0
	12	6	20.86	20.97	20.80		0
	12	13	20.79	20.90	20.77		0
	25	0	20.80	20.81	20.62		0
256QAM	1	0	20.20	19.90	20.38	0-5	0.6
	1	12	20.32	20.32	20.34		0.6
	1	24	20.40	20.40	20.24		0.6
	12	0	20.04	20.07	19.97		0.6
	12	6	20.17	20.17	20.00		0.6
	12	13	20.13	20.09	19.96		0.6
	25	0	20.14	20.10	20.01		0.6

F.1.2 LTE Band 12

Table F-7
LTE Band 12 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.10	17.10	17.17	0	0
	1	12	17.20	17.15	17.21		0
	1	24	17.07	17.12	17.18		0
	12	0	17.20	17.17	17.13	0-1	0
	12	6	17.28	17.20	17.24		0
	12	13	17.23	17.22	17.20		0
	25	0	17.24	17.24	17.22		0
16QAM	1	0	17.10	17.15	17.24	0-1	0
	1	12	17.13	17.28	17.21		0
	1	24	17.19	17.14	17.17		0
	12	0	16.92	16.90	16.90	0-2	0
	12	6	17.00	16.98	16.97		0
	12	13	17.00	16.95	16.95		0
	25	0	16.94	16.98	17.01		0
64QAM	1	0	17.21	17.17	17.26	0-2	0
	1	12	17.30	17.28	17.31		0
	1	24	17.24	17.19	17.25		0
	12	0	16.91	16.86	17.00	0-3	0
	12	6	17.02	16.97	17.10		0
	12	13	16.97	16.94	17.09		0
	25	0	17.00	16.83	16.99		0
256QAM	1	0	17.18	16.93	17.21	0-5	0
	1	12	17.22	17.12	17.20		0
	1	24	17.16	17.11	17.17		0
	12	0	16.92	16.91	16.95		0
	12	6	17.02	16.94	17.07		0
	12	13	17.04	16.92	17.05		0
	25	0	17.00	17.00	16.98		0

Table F-8
LTE Band 12 Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.14	17.04	17.05	0	0
	1	7	17.13	17.06	17.04		0
	1	14	17.05	17.00	17.08		0
	8	0	17.14	17.07	17.03	0-1	0
	8	4	17.03	17.02	17.00		0
	8	7	17.20	17.10	17.10		0
	15	0	17.21	17.12	17.14		0
16QAM	1	0	17.15	17.10	17.15	0-1	0
	1	7	17.15	17.15	17.18		0
	1	14	17.16	17.13	17.17		0
	8	0	17.06	16.97	17.05	0-2	0
	8	4	17.18	17.01	17.07		0
	8	7	17.10	17.07	17.05		0
	15	0	17.09	17.00	17.03		0
64QAM	1	0	17.16	17.15	17.15	0-2	0
	1	7	17.20	17.21	17.20		0
	1	14	17.20	17.17	17.15		0
	8	0	17.05	17.00	17.09	0-3	0
	8	4	17.07	17.01	17.11		0
	8	7	17.02	17.00	17.05		0
	15	0	17.00	17.05	17.01		0
256QAM	1	0	17.10	17.02	17.15	0-5	0
	1	7	17.09	17.07	17.04		0
	1	14	17.25	17.10	17.15		0
	8	0	17.07	17.05	17.00		0
	8	4	17.07	17.01	17.09		0
	8	7	17.05	17.04	17.09		0
	15	0	17.00	17.02	17.07		0

Table F-9
LTE Band 12 Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.18	17.03	17.12	0	0
	1	2	17.15	17.08	17.15		0
	1	5	17.10	17.05	17.12		0
	3	0	17.17	17.14	17.24		0
	3	2	17.15	17.15	17.22		0
	3	3	17.12	17.05	17.20		0
	6	0	17.15	17.04	17.12	0-1	0
16QAM	1	0	17.15	17.15	17.24	0-1	0
	1	2	17.20	17.23	17.25		0
	1	5	17.14	17.19	17.41		0
	3	0	17.21	17.16	17.18		0
	3	2	17.15	17.21	17.28		0
	3	3	17.16	17.17	17.21		0
	6	0	17.04	17.14	17.07	0-2	0
64QAM	1	0	17.36	17.43	17.44	0-2	0
	1	2	17.41	17.37	17.44		0
	1	5	17.21	17.18	17.25		0
	3	0	17.17	17.15	17.19		0
	3	2	17.18	17.21	17.19		0
	3	3	17.17	17.16	17.20		0
	6	0	17.05	17.18	17.00	0-3	0
256QAM	1	0	17.20	17.20	17.21	0-5	0
	1	2	17.34	17.29	17.32		0
	1	5	17.21	17.11	17.18		0
	3	0	17.19	17.09	17.00		0
	3	2	17.06	17.17	17.16		0
	3	3	17.05	17.10	17.16		0
	6	0	17.03	17.01	17.11		0

Table F-10
LTE Band 12 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.29	19.10	19.07	0	0
	1	12	19.38	19.16	19.11		0
	1	24	19.28	19.08	19.02		0
	12	0	19.07	19.07	19.08	0-1	0
	12	6	19.20	19.20	19.15		0
	12	13	19.13	19.14	19.12		0
	25	0	19.14	19.16	19.10		0
16QAM	1	0	19.10	19.21	19.32	0-1	0
	1	12	19.14	19.38	19.26		0
	1	24	19.35	19.24	19.30		0
	12	0	19.09	19.15	19.24	0-2	0
	12	6	19.21	19.26	19.31		0
	12	13	19.15	19.21	19.25		0
	25	0	19.13	19.23	19.19		0
64QAM	1	0	19.34	19.39	19.30	0-2	0
	1	12	19.24	19.30	19.20		0
	1	24	19.20	19.20	19.34		0
	12	0	19.20	19.16	19.14	0-3	0
	12	6	19.09	19.27	19.22		0
	12	13	19.24	19.20	19.19		0
	25	0	19.14	19.19	19.18		0
256QAM	1	0	19.25	19.24	19.30	0-5	0
	1	12	19.28	19.23	19.20		0
	1	24	19.24	19.34	19.25		0
	12	0	19.11	19.14	19.09		0
	12	6	19.22	19.23	19.15		0
	12	13	19.18	19.17	19.15		0
	25	0	19.14	19.19	19.10		0

Table F-11
LTE Band 12 Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.00	19.04	19.05	0	0
	1	7	19.01	19.14	19.13		0
	1	14	19.15	19.03	19.02		0
	8	0	19.00	19.11	19.08	0-1	0
	8	4	19.13	19.22	19.18		0
	8	7	19.10	19.16	19.17		0
	15	0	19.06	19.16	19.16		0
16QAM	1	0	19.40	19.27	19.40	0-1	0
	1	7	19.30	19.24	19.25		0
	1	14	19.40	19.37	19.24		0
	8	0	19.14	19.13	19.12	0-2	0
	8	4	19.25	19.26	19.27		0
	8	7	19.20	19.21	19.20		0
	15	0	19.18	19.25	19.17		0
64QAM	1	0	19.40	19.37	19.21	0-2	0
	1	7	19.30	19.29	19.29		0
	1	14	19.24	19.25	19.38		0
	8	0	19.17	19.09	19.09	0-3	0
	8	4	19.24	19.30	19.21		0
	8	7	19.22	19.27	19.18		0
	15	0	19.15	19.21	19.18		0
256QAM	1	0	19.30	19.33	19.24	0-5	0
	1	7	19.24	19.28	19.28		0
	1	14	19.28	19.23	19.34		0
	8	0	19.11	19.14	19.10		0
	8	4	19.20	19.22	19.18		0
	8	7	19.17	19.18	19.16		0
	15	0	19.17	19.22	19.16		0

Table F-12
LTE Band 12 Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.10	19.13	19.10	0	0
	1	2	19.13	19.17	19.10		0
	1	5	19.08	19.13	19.04		0
	3	0	19.25	19.20	19.17		0
	3	2	19.28	19.22	19.15		0
	3	3	19.10	19.20	19.12		0
	6	0	19.14	19.20	19.17	0-1	0
16QAM	1	0	19.13	19.19	19.27	0-1	0
	1	2	19.19	19.14	19.24		0
	1	5	19.18	19.13	19.22		0
	3	0	19.10	19.21	19.14		0
	3	2	19.13	19.18	19.16		0
	3	3	19.17	19.05	19.14		0
	6	0	19.02	19.07	19.00	0-2	0
64QAM	1	0	19.18	19.10	19.27	0-2	0
	1	2	19.17	19.09	19.12		0
	1	5	19.18	19.20	19.14		0
	3	0	19.09	19.12	19.00		0
	3	2	19.14	19.06	19.01		0
	3	3	19.11	19.09	18.99		0
	6	0	19.18	19.10	18.97	0-3	0
256QAM	1	0	19.17	19.20	19.18	0-5	0
	1	2	19.14	19.12	19.20		0
	1	5	19.23	19.24	19.19		0
	3	0	19.15	18.91	19.01		0
	3	2	19.14	18.95	19.04		0
	3	3	19.17	18.92	19.01		0
	6	0	19.21	18.94	18.96		0

F.1.3 LTE Band 13

Table F-13
LTE Band 13 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	16.60	0	0
	1	12	16.65		0
	1	24	16.56		0
	12	0	16.57	0-1	0
	12	6	16.69		0
	12	13	16.66		0
	25	0	16.64		0
16QAM	1	0	17.00	0-1	0
	1	12	17.04		0
	1	24	17.00		0
	12	0	16.66	0-2	0
	12	6	16.72		0
	12	13	16.70		0
	25	0	16.73		0
64QAM	1	0	17.16	0-2	0
	1	12	17.15		0
	1	24	17.10		0
	12	0	16.70	0-3	0
	12	6	16.75		0
	12	13	16.72		0
	25	0	16.71		0
256QAM	1	0	16.97	0-5	0
	1	12	17.00		0
	1	24	16.93		0
	12	0	16.61		0
	12	6	16.77		0
	12	13	16.70		0
	25	0	16.65		0

Table F-14
LTE Band 13 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	18.04	0	0
	1	12	18.10		0
	1	24	18.00		0
	12	0	18.04	0-1	0
	12	6	18.12		0
	12	13	18.08		0
	25	0	18.03		0
16QAM	1	0	18.19	0-1	0
	1	12	18.24		0
	1	24	18.19		0
	12	0	18.09	0-2	0
	12	6	18.18		0
	12	13	18.13		0
	25	0	18.00		0
64QAM	1	0	18.29	0-2	0
	1	12	18.32		0
	1	24	18.27		0
	12	0	18.11	0-3	0
	12	6	18.21		0
	12	13	18.18		0
	25	0	18.09		0
256QAM	1	0	18.28	0-5	0
	1	12	18.26		0
	1	24	18.20		0
	12	0	18.12		0
	12	6	18.17		0
	12	13	18.15		0
	25	0	18.11		0

F.1.4 LTE Band 14

Table F-15
LTE Band 14 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	16.55	0	0
	1	12	16.68		0
	1	24	16.59		0
	12	0	16.62	0-1	0
	12	6	16.72		0
	12	13	16.66		0
	25	0	16.73		0
16QAM	1	0	17.10	0-1	0
	1	12	17.07		0
	1	24	17.03		0
	12	0	16.62	0-2	0
	12	6	16.69		0
	12	13	16.66		0
	25	0	16.70		0
64QAM	1	0	17.09	0-2	0
	1	12	17.08		0
	1	24	17.00		0
	12	0	16.59	0-3	0
	12	6	16.64		0
	12	13	16.63		0
	25	0	16.71		0
256QAM	1	0	16.98	0-5	0
	1	12	17.03		0
	1	24	17.04		0
	12	0	16.68		0
	12	6	16.77		0
	12	13	16.73		0
	25	0	16.75		0

Table F-16
LTE Band 14 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	17.76	0	0
	1	12	17.84		0
	1	24	17.76		0
	12	0	17.83	0-1	0
	12	6	17.91		0
	12	13	17.85		0
	25	0	17.89		0
16QAM	1	0	18.20	0-1	0
	1	12	18.36		0
	1	24	18.20		0
	12	0	17.93	0-2	0
	12	6	18.00		0
	12	13	17.96		0
	25	0	17.90		0
64QAM	1	0	18.40	0-2	0
	1	12	18.42		0
	1	24	18.37		0
	12	0	18.09	0-3	0
	12	6	18.14		0
	12	13	18.13		0
	25	0	17.95		0
256QAM	1	0	18.29	0-5	0
	1	12	18.33		0
	1	24	18.27		0
	12	0	17.91		0
	12	6	18.00		0
	12	13	17.93		0
	25	0	17.97		0

F.1.5 LTE Band 26

Table F-17
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.00	16.00	16.02	0	0
	1	12	16.07	16.11	16.10		0
	1	24	16.00	16.08	16.00		0
	12	0	16.04	16.19	16.01	0-1	0
	12	6	16.17	16.12	16.12		0
	12	13	16.11	16.14	16.10		0
	25	0	16.14	16.15	16.00		0
16QAM	1	0	16.46	16.46	16.46	0-1	0
	1	12	16.53	16.52	16.60		0
	1	24	16.47	16.45	16.40		0
	12	0	16.10	16.12	16.10	0-2	0
	12	6	16.20	16.21	16.20		0
	12	13	16.17	16.17	16.16		0
	25	0	16.19	16.18	16.10		0
64QAM	1	0	16.60	16.60	16.57	0-2	0
	1	12	16.63	16.67	16.58		0
	1	24	16.60	16.59	16.50		0
	12	0	16.08	16.20	16.11	0-3	0
	12	6	16.17	16.33	16.22		0
	12	13	16.15	16.32	16.14		0
	25	0	16.16	16.16	16.03		0
256QAM	1	0	16.40	16.30	16.38	0-5	0
	1	12	16.65	16.44	16.50		0
	1	24	16.42	16.50	16.39		0
	12	0	16.12	16.07	16.05		0
	12	6	16.20	16.20	16.10		0
	12	13	16.18	16.13	16.07		0
	25	0	16.13	16.12	16.02		0

Table F-18
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.00	16.03	16.00	0	0
	1	7	16.04	16.11	16.05		0
	1	14	16.00	16.03	16.04		0
	8	0	16.10	16.07	16.07	0-1	0
	8	4	16.11	16.17	16.09		0
	8	7	16.10	16.14	16.02		0
16QAM	15	0	16.10	16.11	16.05	0	
	1	0	16.49	16.58	16.59	0-1	0
	1	7	16.60	16.70	16.68		0
	1	14	16.53	16.61	16.45		0
	8	0	16.15	16.15	16.20	0-2	0
	8	4	16.18	16.22	16.20		0
8	7	16.20	16.24	16.10	0		
64QAM	15	0	16.11	16.23	16.09	0	
	1	0	16.56	16.52	16.55	0-2	0
	1	7	16.60	16.55	16.60		0
	1	14	16.56	16.54	16.50		0
	8	0	16.18	16.15	16.09	0-3	0
	8	4	16.22	16.29	16.11		0
8	7	16.19	16.22	16.04	0		
256QAM	15	0	16.09	16.22	16.08	0	
	1	0	16.37	16.33	16.43	0-5	0
	1	7	16.55	16.54	16.36		0
	1	14	16.44	16.48	16.33		0
	8	0	16.15	16.10	16.10		0
	8	4	16.20	16.19	16.14		0
8	7	16.13	16.18	16.15	0		
15	0	16.20	16.18	16.12	0		

Table F-19
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.02	16.04	16.05	0	0
	1	2	16.13	16.06	16.07		0
	1	5	16.12	16.02	16.08		0
	3	0	16.09	16.12	16.01		0
	3	2	16.05	16.11	16.02		0
	3	3	16.10	16.12	16.00		0
	6	0	16.09	16.12	16.05	0-1	0
16QAM	1	0	16.47	16.65	16.60	0-1	0
	1	2	16.59	16.50	16.54		0
	1	5	16.58	16.55	16.50		0
	3	0	16.30	16.40	16.22		0
	3	2	16.31	16.40	16.21		0
	3	3	16.29	16.37	16.22		0
	6	0	16.18	16.28	16.06	0-2	0
64QAM	1	0	16.44	16.52	16.54	0-2	0
	1	2	16.60	16.60	16.55		0
	1	5	16.51	16.60	16.43		0
	3	0	16.19	16.25	16.22		0
	3	2	16.20	16.28	16.17		0
	3	3	16.26	16.26	16.18		0
	6	0	16.17	16.22	16.09	0-3	0
256QAM	1	0	16.33	16.14	16.39	0-5	0
	1	2	16.50	16.52	16.40		0
	1	5	16.48	16.44	16.30		0
	3	0	16.23	16.19	16.23		0
	3	2	16.22	16.29	16.25		0
	3	3	16.22	16.25	16.26		0
	6	0	16.12	16.17	16.13		0

Table F-20
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.00	18.04	18.09	0	0
	1	12	18.11	18.11	18.19		0
	1	24	18.02	18.05	18.11		0
	12	0	18.05	18.07	18.11	0-1	0
	12	6	18.15	18.17	18.21		0
	12	13	18.10	18.12	18.18		0
	25	0	18.12	18.11	18.09		0
16QAM	1	0	18.44	18.52	18.11	0-1	0
	1	12	18.55	18.60	18.57		0
	1	24	18.45	18.51	18.54		0
	12	0	18.10	18.03	18.27	0-2	0
	12	6	18.20	18.11	18.36		0
	12	13	18.17	18.10	18.34		0
	25	0	18.14	18.15	18.13		0
64QAM	1	0	18.61	18.61	18.45	0-2	0
	1	12	18.45	18.60	18.45		0
	1	24	18.56	18.64	18.69		0
	12	0	18.13	18.22	18.16	0-3	0
	12	6	18.22	18.31	18.23		0
	12	13	18.21	18.29	18.20		0
	25	0	18.15	18.20	18.16		0
256QAM	1	0	18.30	18.30	18.50	0-5	0
	1	12	18.57	18.42	18.60		0
	1	24	18.41	18.40	18.57		0
	12	0	18.09	18.11	18.18		0
	12	6	18.22	18.17	18.30		0
	12	13	18.15	18.19	18.21		0
	25	0	18.17	18.17	18.19		0

Table F-21
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.00	18.04	18.02	0	0
	1	7	18.11	18.11	18.08		0
	1	14	18.15	18.01	18.12		0
	8	0	18.12	18.15	18.22	0-1	0
	8	4	18.14	18.15	18.23		0
	8	7	18.10	18.14	18.20		0
	15	0	18.14	18.11	18.20		0
16QAM	1	0	18.50	18.51	18.70	0-1	0
	1	7	18.58	18.60	18.70		0
	1	14	18.60	18.65	18.66		0
	8	0	18.20	18.19	18.25	0-2	0
	8	4	18.23	18.22	18.28		0
	8	7	18.19	18.24	18.26		0
	15	0	18.17	18.16	18.22		0
64QAM	1	0	18.60	18.55	18.70	0-2	0
	1	7	18.63	18.60	18.68		0
	1	14	18.64	18.61	18.62		0
	8	0	18.17	18.23	18.29	0-3	0
	8	4	18.19	18.27	18.33		0
	8	7	18.16	18.29	18.30		0
	15	0	18.19	18.16	18.23		0
256QAM	1	0	18.30	18.40	18.53	0-5	0
	1	7	18.50	18.46	18.54		0
	1	14	18.48	18.41	18.50		0
	8	0	18.20	18.21	18.27		0
	8	4	18.19	18.25	18.29		0
	8	7	18.20	18.23	18.21		0
	15	0	18.18	18.15	18.26		0

Table F-22
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.03	18.03	18.13	0	0
	1	2	18.11	18.14	18.15		0
	1	5	18.12	18.08	18.10		0
	3	0	18.06	18.07	18.15		0
	3	2	18.08	18.05	18.18		0
	3	3	18.07	18.07	18.15		0
	6	0	18.09	18.13	18.18		0-1
16QAM	1	0	18.51	18.48	18.66	0-1	0
	1	2	18.62	18.58	18.69		0
	1	5	18.60	18.65	18.70		0
	3	0	18.33	18.37	18.40		0
	3	2	18.27	18.32	18.36		0
	3	3	18.31	18.30	18.44		0
	6	0	18.16	18.16	18.27		0-2
64QAM	1	0	18.55	18.51	18.65	0-2	0
	1	2	18.60	18.60	18.67		0
	1	5	18.59	18.55	18.60		0
	3	0	18.29	18.31	18.33		0
	3	2	18.25	18.30	18.35		0
	3	3	18.19	18.33	18.33		0
	6	0	18.09	18.18	18.35		0-3
256QAM	1	0	18.40	18.41	18.60	0-5	0
	1	2	18.52	18.48	18.59		0
	1	5	18.58	18.49	18.60		0
	3	0	18.32	18.17	18.25		0
	3	2	18.13	18.34	18.28		0
	3	3	18.31	18.32	18.25		0
	6	0	18.07	18.23	18.22		0

F.1.6 LTE Band 5

Table F-23
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.90	16.04	16.00	0	0
	1	12	16.03	16.00	16.04		0
	1	24	16.00	16.10	16.10		0
	12	0	16.00	16.15	16.15	0-1	0
	12	6	16.05	16.04	16.00		0
	12	13	16.03	16.02	16.01		0
	25	0	16.01	16.02	16.00		0
16QAM	1	0	16.33	16.40	16.38	0-1	0
	1	12	16.50	16.50	16.56		0
	1	24	16.38	16.40	16.33		0
	12	0	15.94	16.00	16.00	0-2	0
	12	6	16.07	16.06	16.08		0
	12	13	16.08	16.04	16.04		0
	25	0	16.09	16.00	16.00		0
64QAM	1	0	16.55	16.50	16.46	0-2	0
	1	12	16.20	16.60	16.55		0
	1	24	16.46	16.49	16.47		0
	12	0	16.15	16.00	16.04	0-3	0
	12	6	16.02	16.02	16.05		0
	12	13	16.00	16.00	16.08		0
	25	0	16.07	16.04	16.04		0
256QAM	1	0	16.31	16.47	16.33	0-5	0
	1	12	16.51	16.50	16.48		0
	1	24	16.40	16.30	16.40		0
	12	0	16.00	16.50	16.03		0
	12	6	16.10	16.10	16.05		0
	12	13	16.10	16.04	16.09		0
	25	0	16.05	16.07	16.00		0

Table F-24
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.10	16.08	16.00	0	0
	1	7	16.02	16.09	16.10		0
	1	14	16.13	16.08	16.07		0
	8	0	16.00	16.02	16.10	0-1	0
	8	4	16.04	16.03	16.02		0
	8	7	16.05	16.04	16.10		0
	15	0	16.04	16.00	16.01		0
16QAM	1	0	16.30	16.45	16.49	0-1	0
	1	7	16.46	16.50	16.40		0
	1	14	16.27	16.42	16.49		0
	8	0	16.05	16.06	16.03	0-2	0
	8	4	16.16	16.09	16.14		0
	8	7	16.11	16.10	16.09		0
	15	0	16.14	16.04	16.07		0
64QAM	1	0	16.47	16.47	16.50	0-2	0
	1	7	16.55	16.50	16.48		0
	1	14	16.54	16.42	16.45		0
	8	0	16.02	16.16	16.05	0-3	0
	8	4	16.12	16.05	16.11		0
	8	7	16.01	16.01	16.12		0
	15	0	16.09	16.05	16.08		0
256QAM	1	0	16.33	16.24	16.35	0-5	0
	1	7	16.44	16.41	16.47		0
	1	14	16.29	16.33	16.32		0
	8	0	16.03	16.06	16.00		0
	8	4	16.11	16.14	16.09		0
	8	7	16.08	16.08	16.10		0
	15	0	16.09	16.06	16.05		0

Table F-25
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.09	16.09	16.09	0	0
	1	2	16.05	16.00	16.07		0
	1	5	16.02	16.10	16.06		0
	3	0	16.00	16.00	16.01		0
	3	2	16.00	16.02	16.01		0
	3	3	16.10	16.00	16.00		0
	6	0	16.04	16.00	16.00	0-1	0
16QAM	1	0	16.50	16.44	16.50	0-1	0
	1	2	16.54	16.54	16.59		0
	1	5	16.50	16.49	16.52		0
	3	0	16.19	16.16	16.22		0
	3	2	16.23	16.21	16.21		0
	3	3	16.20	16.19	16.22		0
	6	0	16.14	16.10	16.11	0-2	0
64QAM	1	0	16.46	16.39	16.50	0-2	0
	1	2	16.48	16.44	16.50		0
	1	5	16.54	16.39	16.44		0
	3	0	16.17	16.20	16.12		0
	3	2	16.17	16.13	16.12		0
	3	3	16.11	16.14	16.12		0
	6	0	16.03	16.22	16.11	0-3	0
256QAM	1	0	16.26	16.28	16.33	0-5	0
	1	2	16.44	16.40	16.37		0
	1	5	16.35	16.32	16.26		0
	3	0	16.20	16.27	16.22		0
	3	2	16.16	16.20	16.27		0
	3	3	16.22	16.22	16.30		0
	6	0	16.07	16.05	16.03		0

Table F-26
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.04	18.02	18.08	0	0
	1	12	18.05	18.10	18.19		0
	1	24	18.10	18.03	18.13		0
	12	0	17.96	18.01	18.09	0-1	0
	12	6	18.05	18.12	18.18		0
	12	13	18.05	18.06	18.18		0
	25	0	18.07	18.07	18.15		0
16QAM	1	0	18.31	18.50	18.50	0-1	0
	1	12	18.46	18.55	18.57		0
	1	24	18.31	18.44	18.47		0
	12	0	18.01	18.03	18.17	0-2	0
	12	6	18.15	18.15	18.27		0
	12	13	18.08	18.12	18.24		0
	25	0	18.09	18.09	18.26		0
64QAM	1	0	18.50	18.51	18.58	0-2	0
	1	12	18.57	18.46	18.48		0
	1	24	18.50	18.55	18.54		0
	12	0	18.13	18.06	18.18	0-3	0
	12	6	18.09	18.17	18.28		0
	12	13	18.00	18.12	18.21		0
	25	0	18.10	18.11	18.22		0
256QAM	1	0	18.27	18.44	18.47	0-5	0
	1	12	18.35	18.50	18.40		0
	1	24	18.32	18.41	18.51		0
	12	0	18.00	18.06	18.12		0
	12	6	18.10	18.16	18.20		0
	12	13	18.04	18.14	18.21		0
	25	0	18.08	18.14	18.17		0

Table F-27
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.09	18.05	18.00	0	0
	1	7	18.00	18.04	18.09		0
	1	14	18.10	18.02	18.02		0
	8	0	18.05	18.05	18.11	0-1	0
	8	4	18.02	18.11	18.20		0
	8	7	18.00	18.09	18.14		0
	15	0	18.01	18.08	18.11		0
16QAM	1	0	18.40	18.51	18.46	0-1	0
	1	7	18.50	18.40	18.58		0
	1	14	18.47	18.50	18.53		0
	8	0	18.03	18.12	18.18	0-2	0
	8	4	18.09	18.21	18.29		0
	8	7	18.07	18.17	18.28		0
	15	0	18.09	18.14	18.15		0
64QAM	1	0	18.42	18.50	18.47	0-2	0
	1	7	18.55	18.56	18.55		0
	1	14	18.45	18.48	18.49		0
	8	0	18.05	18.12	18.21	0-3	0
	8	4	18.16	18.22	18.33		0
	8	7	18.06	18.15	18.26		0
	15	0	18.06	18.16	18.15		0
256QAM	1	0	18.24	18.36	18.40	0-5	0
	1	7	18.40	18.49	18.50		0
	1	14	18.40	18.44	18.45		0
	8	0	18.10	18.06	18.20		0
	8	4	18.13	18.16	18.26		0
	8	7	18.11	18.16	18.28		0
	15	0	18.11	18.11	18.11		0

Table F-28
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.13	18.02	18.05	0	0
	1	2	18.01	18.01	18.03		0
	1	5	18.01	18.10	18.02		0
	3	0	18.06	18.07	18.10		0
	3	2	18.00	18.09	18.10		0
	3	3	18.07	18.07	18.15		0
	6	0	18.00	18.05	18.06	0-1	0
16QAM	1	0	18.46	18.50	18.45	0-1	0
	1	2	18.50	18.46	18.49		0
	1	5	18.40	18.45	18.48		0
	3	0	18.20	18.25	18.31		0
	3	2	18.22	18.28	18.38		0
	3	3	18.18	18.29	18.35		0
	6	0	18.05	18.17	18.17	0-2	0
64QAM	1	0	18.48	18.46	18.50	0-2	0
	1	2	18.43	18.45	18.40		0
	1	5	18.47	18.50	18.44		0
	3	0	18.18	18.23	18.27		0
	3	2	18.20	18.23	18.29		0
	3	3	18.22	18.20	18.26		0
	6	0	18.33	18.25	18.14	0-3	0
256QAM	1	0	18.27	18.41	18.31	0-5	0
	1	2	18.37	18.44	18.48		0
	1	5	18.35	18.38	18.41		0
	3	0	18.20	18.23	18.31		0
	3	2	18.20	18.26	18.43		0
	3	3	18.19	18.19	18.34		0
	6	0	18.14	18.18	18.14		0

F.1.7 LTE Band 66

Table F-29
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.92	12.21	12.18	0	0
	1	36	12.00	12.16	12.28		0
	1	74	11.78	12.30	12.14		0
	36	0	11.90	12.18	12.20	0-1	0
	36	18	12.01	12.27	12.14		0
	36	37	12.02	12.24	12.13		0
	75	0	11.83	12.22	12.14		0
16QAM	1	0	11.74	12.04	12.03	0-1	0
	1	36	11.82	12.11	12.11		0
	1	74	11.84	12.05	12.05		0
	36	0	11.67	11.89	11.80	0-2	0
	36	18	11.72	11.98	11.85		0
	36	37	11.70	11.95	11.84		0
	75	0	11.67	11.97	11.83		0
64QAM	1	0	11.94	12.08	11.91	0-2	0
	1	36	12.10	12.18	12.04		0
	1	74	12.05	12.20	11.81		0
	36	0	11.90	11.87	11.83	0-3	0
	36	18	12.00	11.98	11.82		0
	36	37	12.02	11.96	11.91		0
	75	0	11.99	11.95	11.84		0
256QAM	1	0	11.95	11.90	11.98	0-5	0
	1	36	12.11	12.05	12.14		0
	1	74	12.10	12.01	12.10		0
	36	0	11.91	11.89	11.85		0
	36	18	12.00	12.00	11.90		0
	36	37	12.00	11.97	11.91		0
	75	0	11.97	11.96	11.86		0

Table F-30
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.03	11.95	11.90	0	0
	1	25	12.11	12.01	11.94		0
	1	49	12.04	11.96	11.86		0
	25	0	12.00	12.04	11.84	0-1	0
	25	12	12.13	12.06	12.01		0
	25	25	12.11	12.04	12.03		0
	50	0	12.13	12.00	11.84		0
16QAM	1	0	11.83	12.30	12.16	0-1	0
	1	25	12.30	12.14	12.21		0
	1	49	12.25	12.13	12.20		0
	25	0	12.06	12.10	11.94	0-2	0
	25	12	12.12	12.10	11.95		0
	25	25	12.13	12.07	12.00		0
	50	0	12.15	12.08	11.87		0
64QAM	1	0	12.18	12.16	12.01	0-2	0
	1	25	12.26	12.11	12.00		0
	1	49	12.20	12.18	12.30		0
	25	0	12.00	12.02	11.95	0-3	0
	25	12	12.09	12.05	11.95		0
	25	25	12.09	12.07	12.01		0
	50	0	12.08	12.06	11.96		0
256QAM	1	0	12.12	12.11	12.03	0-5	0
	1	25	12.20	12.24	12.17		0
	1	49	12.17	12.11	12.06		0
	25	0	12.02	12.12	11.94		0
	25	12	12.10	12.10	11.98		0
	25	25	12.09	12.04	12.01		0
	50	0	12.06	12.08	11.95		0

Table F-31
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.00	11.92	11.86	0	0
	1	12	12.11	12.01	11.91		0
	1	24	12.04	11.94	11.89		0
	12	0	12.06	12.01	11.90	0-1	0
	12	6	12.11	12.03	11.97		0
	12	13	12.10	11.97	11.98		0
	25	0	12.06	12.02	11.89		0
16QAM	1	0	12.20	12.30	12.22	0-1	0
	1	12	12.20	12.23	12.20		0
	1	24	12.29	12.12	12.23		0
	12	0	12.04	12.00	11.99	0-2	0
	12	6	12.07	12.06	12.00		0
	12	13	12.03	12.02	12.01		0
	25	0	12.07	12.03	12.00		0
64QAM	1	0	12.19	12.25	12.18	0-2	0
	1	12	12.29	12.13	12.30		0
	1	24	12.22	12.23	12.22		0
	12	0	12.05	11.95	11.97	0-3	0
	12	6	12.11	11.99	11.98		0
	12	13	12.05	11.94	11.95		0
	25	0	12.04	12.04	12.00		0
256QAM	1	0	12.11	11.98	12.12	0-5	0
	1	12	12.24	12.07	12.20		0
	1	24	12.16	12.04	12.15		0
	12	0	12.08	12.08	12.01		0
	12	6	12.09	12.10	12.03		0
	12	13	12.06	12.06	12.02		0
	25	0	12.02	12.04	11.98		0

Table F-32
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.97	11.94	11.93	0	0
	1	7	12.05	12.02	11.94		0
	1	14	11.97	11.95	11.94		0
	8	0	12.06	12.00	11.88	0-1	0
	8	4	12.10	12.03	11.90		0
	8	7	12.08	12.00	12.02		0
	15	0	12.07	11.98	11.86		0
16QAM	1	0	12.20	12.20	12.08	0-1	0
	1	7	12.24	12.30	12.18		0
	1	14	12.20	12.23	12.09		0
	8	0	12.19	12.04	12.00	0-2	0
	8	4	12.11	12.01	12.02		0
	8	7	12.16	12.00	11.97		0
	15	0	12.12	12.09	11.95		0
64QAM	1	0	12.04	12.03	12.11	0-2	0
	1	7	12.26	12.11	12.22		0
	1	14	12.11	12.03	12.18		0
	8	0	12.09	12.04	11.99	0-3	0
	8	4	12.09	12.08	12.03		0
	8	7	12.11	12.02	12.00		0
	15	0	12.00	12.01	12.00		0
256QAM	1	0	12.10	12.18	12.15	0-5	0
	1	7	12.20	12.20	12.20		0
	1	14	12.17	12.20	12.10		0
	8	0	12.07	12.04	12.01		0
	8	4	12.08	12.05	12.05		0
	8	7	12.09	12.05	12.01		0
	15	0	12.07	12.06	12.02		0

Table F-33
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.99	11.93	11.88	0	0
	1	2	12.07	11.94	11.89		0
	1	5	12.03	11.97	11.87		0
	3	0	12.03	11.97	11.82		0
	3	2	12.04	12.02	11.85		0
	3	3	12.03	11.98	11.86		0
	6	0	12.04	11.98	11.84		0
16QAM	1	0	12.11	12.26	12.10	0-1	0
	1	2	12.22	12.29	12.18		0
	1	5	12.12	12.23	12.16		0
	3	0	12.21	12.11	12.11		0
	3	2	12.20	12.11	12.07		0
	3	3	12.24	12.14	12.06		0
	6	0	12.14	12.07	12.00		0
64QAM	1	0	12.14	12.09	12.22	0-2	0
	1	2	12.12	12.14	12.20		0
	1	5	12.21	12.10	12.22		0
	3	0	12.12	12.20	12.08		0
	3	2	12.11	12.16	12.04		0
	3	3	12.09	12.12	12.08		0
	6	0	12.07	12.03	12.01		0
256QAM	1	0	12.10	12.12	12.17	0-5	0
	1	2	12.19	12.19	12.14		0
	1	5	12.09	12.22	12.26		0
	3	0	12.13	12.17	12.04		0
	3	2	12.13	12.15	12.03		0
	3	3	12.11	12.17	12.04		0
	6	0	12.07	11.93	12.00		0

Table F-34
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.02	11.97	11.98	0	0
	1	36	12.10	12.09	12.24		0
	1	74	12.05	12.02	11.83		0
	36	0	12.12	12.05	12.01	0-1	0
	36	18	12.19	12.24	12.12		0
	36	37	12.19	12.14	12.02		0
	75	0	12.15	12.14	12.16		0
16QAM	1	0	12.12	12.13	11.93	0-1	0
	1	36	12.27	12.33	12.12		0
	1	74	12.22	12.19	11.72		0
	36	0	11.67	11.70	11.52	0-2	0
	36	18	11.74	11.71	11.69		0
	36	37	11.71	11.68	11.55		0
	75	0	11.68	11.67	11.50		0
64QAM	1	0	12.00	12.47	12.11	0-2	0
	1	36	12.20	12.60	12.12		0
	1	74	12.23	12.52	11.85		0
	36	0	12.03	12.25	11.96	0-3	0
	36	18	12.14	12.29	11.93		0
	36	37	12.09	12.26	11.90		0
	75	0	12.11	12.25	11.89		0
256QAM	1	0	12.11	12.21	12.12	0-5	0
	1	36	12.17	12.28	12.11		0
	1	74	12.25	12.20	12.04		0
	36	0	12.00	12.30	11.96		0
	36	18	12.07	12.33	11.97		0
	36	37	12.15	12.31	11.91		0
	75	0	12.02	12.24	11.93		0

Table F-35
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.84	11.76	11.64	0	0
	1	25	11.92	11.84	11.62		0
	1	49	11.89	11.74	11.52		0
	25	0	11.89	11.91	11.60	0-1	0
	25	12	12.00	12.08	11.83		0
	25	25	11.89	11.88	11.64		0
16QAM	50	0	11.88	12.14	11.61	0-1	0
	1	0	12.29	12.14	12.17		0
	1	25	12.30	12.19	12.19		0
	1	49	12.32	12.17	12.08	0-2	0
	25	0	11.89	11.89	11.61		0
	25	12	11.89	11.90	11.61		0
64QAM	25	25	11.88	11.85	11.62	0-2	0
	50	0	11.86	11.89	11.58		0
	1	0	12.23	12.31	12.18		0-2
	1	25	12.31	12.44	12.22	0	
	1	49	12.43	12.33	12.11	0	
	256QAM	25	0	11.82	11.88	11.61	0-3
25		12	11.88	11.91	11.66	0	
25		25	11.88	11.89	11.66	0	
50		0	11.83	11.89	11.60	0-5	0
1		0	11.97	12.12	12.02		0
1		25	12.22	12.33	11.91		0
1	49	12.18	12.22	11.83	0		
25	0	11.79	11.80	11.65	0		
25	12	11.81	11.88	11.61	0		
	25	25	11.81	11.85	11.58		0
	50	0	11.79	11.87	11.61		0

Table F-36
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.89	11.79	11.57	0	0
	1	12	11.97	11.87	11.56		0
	1	24	11.89	11.77	11.52		0
	12	0	11.84	11.87	11.63	0-1	0
	12	6	12.01	11.90	11.88		0
	12	13	11.83	11.87	11.59		0
16QAM	25	0	11.85	11.85	11.60	0	
	1	0	12.22	12.22	11.94	0-1	0
	1	12	12.26	12.31	12.00		0
	1	24	12.30	12.11	11.99		0
	12	0	11.86	11.88	11.64	0-2	0
	12	6	11.90	11.88	11.71		0
12	13	11.84	11.87	11.62	0		
64QAM	25	0	11.84	11.88	11.61	0	
	1	0	12.24	12.19	12.17	0-2	0
	1	12	12.37	12.43	12.21		0
	1	24	12.33	12.20	12.00		0
	12	0	11.83	11.89	11.66	0-3	0
	12	6	11.89	11.91	11.68		0
12	13	11.82	11.89	11.63	0		
256QAM	25	0	11.86	11.87	11.58	0	
	1	0	12.09	12.13	11.89	0-5	0
	1	12	12.17	12.30	11.86		0
	1	24	12.19	12.28	11.77		0
	12	0	11.79	11.89	11.61		0
	12	6	11.80	11.88	11.60		0
12	13	11.76	11.83	11.57	0		
	25	0	11.77	11.83	11.55	0	

Table F-37
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	11.76	11.73	11.56	0	0	
	1	7	11.83	11.81	11.68		0	
	1	14	11.94	11.73	11.80		0	
	8	0	11.83	11.90	11.64	0-1	0	
	8	4	11.91	11.89	11.91		0	
	8	7	11.91	11.88	11.62		0	
16QAM	15	0	11.83	11.89	11.60	0-1	0	
	1	0	12.11	12.41	12.05		0	
	1	7	12.21	12.41	12.12		0	
	1	14	12.21	12.27	12.15	0-2	0	
	8	0	11.84	11.88	11.62		0	
	8	4	11.92	11.92	11.66		0	
64QAM	8	7	11.88	11.86	11.62	0-2	0	
	15	0	11.90	11.92	11.58		0	
	1	0	12.30	12.29	12.09		0-2	0
	1	7	12.31	12.42	11.98	0		
	1	14	12.25	12.36	12.00	0		
	8	0	11.89	11.98	11.64	0-3	0	
8	4	12.00	11.98	11.67	0			
8	7	11.90	11.94	11.64	0			
256QAM	15	0	11.89	11.91	11.61	0-3	0	
	1	0	11.90	12.10	11.85		0-5	0
	1	7	12.09	12.19	11.90			0
	1	14	12.07	12.21	11.88	0		
	8	0	11.75	11.89	11.55	0		
	8	4	11.80	11.95	11.58	0		
8	7	11.75	11.91	11.51	0			
	15	0	11.78	11.84	11.60		0	

Table F-38
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.79	11.73	11.60	0	0
	1	2	11.83	11.78	11.61		0
	1	5	11.80	11.75	11.58		0
	3	0	11.85	11.81	11.67		0
	3	2	11.87	11.85	11.70		0
	3	3	11.84	11.81	11.60		0
	6	0	11.86	11.86	11.56		0-1
16QAM	1	0	12.30	12.35	11.98	0-1	0
	1	2	12.32	12.29	12.06		0
	1	5	12.28	12.37	12.15		0
	3	0	11.92	12.01	11.78		0
	3	2	11.91	12.03	11.78		0
	3	3	12.00	12.05	11.72		0
	6	0	11.88	11.97	11.59		0-2
64QAM	1	0	12.43	12.32	12.07	0-2	0
	1	2	12.28	12.26	12.11		0
	1	5	12.19	12.40	12.07		0
	3	0	11.88	12.04	11.73		0
	3	2	11.98	12.01	11.69		0
	3	3	12.02	12.01	11.78		0
	6	0	11.91	11.88	11.69		0-3
256QAM	1	0	12.11	12.16	11.97	0-5	0
	1	2	12.18	12.15	11.96		0
	1	5	12.11	12.08	11.99		0
	3	0	11.95	11.97	11.52		0
	3	2	11.88	11.90	11.57		0
	3	3	11.82	12.01	11.51		0
	6	0	11.68	11.84	11.56		0

Table F-39
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.48	12.42	12.33	0	0
	1	36	12.60	12.57	12.31		0
	1	74	12.51	12.40	12.27		0
	36	0	12.47	12.44	12.40	0-1	0
	36	18	12.54	12.53	12.47		0
	36	37	12.54	12.50	12.48		0
16QAM	75	0	12.52	12.51	12.38	0	
	1	0	12.72	12.65	12.49	0-1	0
	1	36	12.68	12.74	12.69		0
	1	74	12.79	12.62	12.72		0
	36	0	12.48	12.51	12.45	0-2	0
	36	18	12.58	12.54	12.52		0
36	37	12.54	12.50	12.50	0		
64QAM	75	0	12.52	12.52	12.38	0	
	1	0	12.69	12.64	12.58	0-2	0
	1	36	12.63	12.67	12.60		0
	1	74	12.67	12.61	12.37		0
	36	0	12.47	12.40	12.39	0-3	0
	36	18	12.54	12.51	12.43		0
36	37	12.51	12.45	12.44	0		
256QAM	75	0	12.49	12.46	12.38	0	
	1	0	12.60	12.47	12.56	0-5	0
	1	36	12.53	12.69	12.67		0
	1	74	12.52	12.54	12.64		0
	36	0	12.46	12.43	12.34		0
	36	18	12.51	12.52	12.33		0
36	37	12.51	12.44	12.43	0		
75	0	12.52	12.50	12.36	0		

Table F-40
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.44	12.58	12.47	0	0
	1	25	12.53	12.61	12.56		0
	1	49	12.48	12.54	12.52		0
	25	0	12.52	12.56	12.50	0-1	0
	25	12	12.66	12.65	12.53		0
	25	25	12.65	12.60	12.59		0
16QAM	50	0	12.66	12.64	12.51	0-1	0
	1	0	12.84	12.81	12.82		0
	1	25	12.79	12.90	12.86		0
	1	49	12.88	12.83	12.82	0-2	0
	25	0	12.59	12.57	12.54		0
	25	12	12.74	12.65	12.55		0
64QAM	25	25	12.67	12.60	12.63	0-2	0
	50	0	12.71	12.63	12.53		0
	1	0	12.90	12.74	12.65		0-3
	1	25	12.83	12.97	12.84	0	
	1	49	12.86	12.76	12.92	0	
	25	0	12.61	12.53	12.52	0	
256QAM	25	12	12.70	12.62	12.57	0-3	0
	25	25	12.66	12.64	12.61		0
	50	0	12.68	12.65	12.52		0
	1	0	12.86	12.80	12.84	0-5	0
	1	25	12.81	12.89	12.80		0
	1	49	12.82	12.72	12.82		0
25	0	12.59	12.57	12.55	0		
25	12	12.67	12.69	12.58	0		
25	25	12.68	12.60	12.64	0		
	50	0	12.62	12.63	12.53	0	

Table F-41
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.49	12.56	12.39	0	0
	1	12	12.61	12.69	12.51		0
	1	24	12.50	12.59	12.41		0
	12	0	12.52	12.62	12.59	0-1	0
	12	6	12.63	12.67	12.59		0
	12	13	12.61	12.60	12.55		0
	25	0	12.61	12.58	12.58		0
16QAM	1	0	12.77	12.91	12.72	0-1	0
	1	12	12.93	13.02	12.89		0
	1	24	12.79	12.86	12.67		0
	12	0	12.57	12.64	12.61	0-2	0
	12	6	12.69	12.71	12.62		0
	12	13	12.68	12.63	12.53		0
	25	0	12.63	12.57	12.58		0
64QAM	1	0	12.73	12.90	12.87	0-2	0
	1	12	12.95	12.89	12.99		0
	1	24	12.82	12.82	12.85		0
	12	0	12.56	12.66	12.62	0-3	0
	12	6	12.65	12.69	12.65		0
	12	13	12.67	12.65	12.60		0
	25	0	12.63	12.62	12.61		0
256QAM	1	0	12.80	12.91	12.85	0-5	0
	1	12	12.87	12.95	12.99		0
	1	24	12.73	12.90	12.80		0
	12	0	12.56	12.67	12.61		0
	12	6	12.68	12.65	12.66		0
	12	13	12.65	12.62	12.64		0
	25	0	12.60	12.60	12.61		0

Table F-42
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.45	12.50	12.37	0	0
	1	7	12.57	12.58	12.47		0
	1	14	12.45	12.47	12.37		0
	8	0	12.59	12.64	12.54	0-1	0
	8	4	12.61	12.64	12.58		0
	8	7	12.60	12.60	12.55		0
16QAM	15	0	12.60	12.59	12.56	0-1	0
	1	0	12.59	12.82	12.73		0
	1	7	12.81	13.02	12.76		0
	1	14	12.79	12.79	12.61	0-2	0
	8	0	12.65	12.66	12.62		0
	8	4	12.68	12.68	12.58		0
64QAM	8	7	12.66	12.69	12.64	0-2	0
	15	0	12.63	12.62	12.57		0
	1	0	12.70	12.77	12.80		0-2
	1	7	12.82	12.92	12.85	0	
	1	14	12.61	12.76	12.72	0-3	
	8	0	12.68	12.65	12.63		0
8	4	12.68	12.68	12.68	0-3		0
8	7	12.65	12.66	12.60		0	
15	0	12.66	12.60	12.58		0	
256QAM	1	0	12.74	12.80	12.67	0-5	0
	1	7	12.90	12.90	12.89		0
	1	14	12.81	12.78	12.63		0
	8	0	12.69	12.63	12.64		0
	8	4	12.69	12.68	12.66		0
	8	7	12.68	12.67	12.57		0
15	0	12.64	12.57	12.64	0		

Table F-43
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.63	12.55	12.46	0	0
	1	2	12.64	12.56	12.51		0
	1	5	12.63	12.57	12.41		0
	3	0	12.56	12.58	12.51		0
	3	2	12.58	12.58	12.51		0
	3	3	12.57	12.58	12.49		0
	6	0	12.53	12.57	12.47		0-1
16QAM	1	0	12.68	12.82	12.78	0-1	0
	1	2	12.77	12.77	12.72		0
	1	5	12.84	12.84	12.71		0
	3	0	12.61	12.69	12.67		0
	3	2	12.71	12.69	12.72		0
	3	3	12.77	12.66	12.61		0
	6	0	12.67	12.58	12.71		0-2
64QAM	1	0	12.76	12.78	12.65	0-2	0
	1	2	12.79	12.85	12.74		0
	1	5	12.74	12.83	12.71		0
	3	0	12.68	12.71	12.65		0
	3	2	12.66	12.79	12.64		0
	3	3	12.62	12.71	12.67		0
	6	0	12.61	12.65	12.71		0-3
256QAM	1	0	12.80	12.86	12.84	0-5	0
	1	2	12.82	12.84	12.80		0
	1	5	12.82	12.83	12.80		0
	3	0	12.76	12.78	12.70		0
	3	2	12.71	12.71	12.63		0
	3	3	12.75	12.77	12.64		0
	6	0	12.70	12.74	12.72		0

Table F-44
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.09	14.07	14.00	0	0
	1	36	14.10	13.95	13.94		0
	1	74	14.15	13.94	13.82		0
	36	0	14.08	14.04	13.99	0-1	0
	36	18	14.16	14.08	13.96		0
	36	37	14.16	14.07	14.02		0
16QAM	75	0	14.14	14.05	13.94	0	
	1	0	14.21	14.10	13.88	0-1	0
	1	36	14.32	14.09	13.95		0
	1	74	14.26	14.12	13.79		0
	36	0	13.79	13.74	13.66	0-2	0
	36	18	13.89	13.82	13.65		0
36	37	13.86	13.77	13.71	0		
64QAM	75	0	13.87	13.80	13.64	0	
	1	0	14.13	14.04	13.79	0-2	0
	1	36	14.13	13.95	13.86		0
	1	74	14.13	13.91	13.83		0
	36	0	13.88	13.65	13.55	0-3	0
	36	18	13.80	13.63	13.55		0
36	37	13.79	13.59	13.59	0		
256QAM	75	0	13.78	13.64	13.54	0	
	1	0	14.08	13.83	13.71	0-5	0
	1	36	14.08	13.79	13.64		0
	1	74	14.01	13.75	13.69		0
	36	0	13.89	13.66	13.56		0
	36	18	13.80	13.66	13.54		0
36	37	13.76	13.65	13.59	0		
	75	0	13.79	13.63	13.54		0

Table F-45
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.12	14.14	14.07	0	0
	1	25	14.19	14.21	14.15		0
	1	49	14.14	14.13	14.06		0
	25	0	14.17	14.19	14.11	0-1	0
	25	12	14.27	14.20	14.12		0
	25	25	14.25	14.19	14.18		0
16QAM	50	0	14.18	14.19	14.09	0	
	1	0	14.30	14.23	14.02	0-1	0
	1	25	14.31	14.27	14.05		0
	1	49	14.26	14.21	14.02		0
	25	0	13.91	13.94	13.84	0-2	0
	25	12	14.03	13.98	13.85		0
25	25	14.01	13.91	13.89	0		
64QAM	50	0	13.96	13.92	13.81	0	
	1	0	14.30	14.08	13.97	0-2	0
	1	25	14.32	14.01	14.01		0
	1	49	14.26	14.04	13.99		0
	25	0	14.01	13.79	13.69	0-3	0
	25	12	14.11	13.79	13.74		0
25	25	13.90	13.82	13.76	0		
256QAM	50	0	13.99	13.79	13.66	0	
	1	0	14.12	13.97	13.94	0-5	0
	1	25	14.30	13.95	13.97		0
	1	49	14.17	13.87	13.84		0
	25	0	14.01	13.84	13.70		0
	25	12	14.05	13.84	13.75		0
25	25	13.96	13.79	13.78	0		
	50	0	14.01	13.81	13.72	0	

Table F-46
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.07	14.10	14.00	0	0
	1	12	14.20	14.21	14.11		0
	1	24	14.09	14.11	13.99		0
	12	0	14.26	14.20	14.17	0-1	0
	12	6	14.27	14.20	14.18		0
	12	13	14.24	14.19	14.13		0
	25	0	14.18	14.17	14.10		0
16QAM	1	0	14.17	14.05	14.04	0-1	0
	1	12	14.32	14.20	14.15		0
	1	24	14.26	14.11	14.12		0
	12	0	13.94	13.95	13.92	0-2	0
	12	6	13.98	13.99	13.95		0
	12	13	13.93	13.94	13.89		0
	25	0	13.92	13.93	13.84		0
64QAM	1	0	14.20	14.00	14.16	0-2	0
	1	12	14.27	14.05	14.15		0
	1	24	14.18	14.05	14.01		0
	12	0	14.00	13.88	13.80	0-3	0
	12	6	13.96	13.89	13.82		0
	12	13	13.92	13.87	13.78		0
	25	0	13.91	13.77	13.74		0
256QAM	1	0	14.22	14.00	13.89	0-5	0
	1	12	14.22	14.08	13.87		0
	1	24	14.06	13.99	13.80		0
	12	0	14.03	13.79	13.80		0
	12	6	13.98	13.85	13.83		0
	12	13	13.95	13.77	13.75		0
	25	0	13.93	13.79	13.76		0

Table F-47
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	14.13	14.04	13.98	0	0	
	1	7	14.24	14.18	14.12		0	
	1	14	14.16	14.03	14.01		0	
	8	0	14.25	14.17	14.13	0-1	0	
	8	4	14.25	14.24	14.14		0	
	8	7	14.22	14.21	14.09		0	
16QAM	15	0	14.22	14.16	14.11	0-1	0	
	1	0	14.19	14.17	13.95		0-1	0
	1	7	14.34	14.28	14.09			0
	1	14	14.25	14.19	13.99	0-2		0
	8	0	14.01	13.96	13.90		0	
	8	4	14.03	13.96	13.95		0	
64QAM	8	7	13.99	13.93	13.90	0-2	0	
	15	0	14.00	13.91	13.90		0	
	1	0	14.35	14.01	13.89		0-2	0
	1	7	14.40	14.05	13.95	0		
	1	14	14.30	13.99	13.85	0-3		0
	8	0	13.96	13.79	13.74		0	
256QAM	8	4	13.99	13.82	13.74		0-3	0
	8	7	14.01	13.79	13.71	0		
	15	0	14.00	13.76	13.73	0		
	1	0	14.30	13.98	13.82	0-5	0	
	1	7	14.31	14.07	13.94		0	
	1	14	14.21	13.93	13.84		0	
	8	0	14.04	13.80	13.79		0	
	8	4	14.08	13.83	13.80		0	
8	7	14.06	13.81	13.76	0			
15	0	14.02	13.78	13.74	0			

Table F-48
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.19	14.07	14.05	0	0
	1	2	14.25	14.16	14.11		0
	1	5	14.21	14.08	14.05		0
	3	0	14.18	14.16	14.12		0
	3	2	14.20	14.18	14.11		0
	3	3	14.18	14.18	14.09		0
	6	0	14.19	14.14	14.07	0-1	0
16QAM	1	0	14.29	14.19	14.11	0-1	0
	1	2	14.34	14.24	14.19		0
	1	5	14.25	14.25	14.13		0
	3	0	13.96	14.01	13.93		0
	3	2	14.01	14.02	13.93		0
	3	3	13.98	13.97	13.93		0
	6	0	13.95	13.87	13.90	0-2	0
64QAM	1	0	14.28	14.02	13.91	0-2	0
	1	2	14.38	14.06	13.97		0
	1	5	14.37	13.95	14.04		0
	3	0	14.05	13.75	13.81		0
	3	2	14.07	13.78	13.88		0
	3	3	14.03	13.77	13.85		0
	6	0	13.99	13.77	13.73	0-3	0
256QAM	1	0	14.19	13.89	13.82	0-5	0
	1	2	14.22	13.90	13.92		0
	1	5	14.20	13.83	13.81		0
	3	0	13.93	13.73	13.78		0
	3	2	13.99	13.79	13.78		0
	3	3	14.10	13.82	13.76		0
	6	0	13.99	13.78	13.67		0

F.1.8 LTE Band 25

Table F-49
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.68	11.71	11.72	0	0
	1	36	11.77	11.82	11.77		0
	1	74	11.80	11.77	11.71		0
	36	0	11.81	11.83	11.81	0-1	0
	36	18	11.89	11.81	11.83		0
	36	37	11.85	11.87	11.88		0
	75	0	11.82	11.88	11.82		0
16QAM	1	0	12.00	11.90	11.94	0-1	0
	1	36	12.06	12.06	11.90		0
	1	74	12.09	12.10	11.86		0
	36	0	11.79	11.87	11.80	0-2	0
	36	18	11.82	11.90	11.77		0
	36	37	11.83	11.92	11.82		0
	75	0	11.79	11.82	11.77		0
64QAM	1	0	11.77	11.81	11.83	0-2	0
	1	36	11.86	11.93	12.03		0
	1	74	11.95	11.82	12.05		0
	36	0	11.75	11.83	11.78	0-3	0
	36	18	11.77	11.83	11.74		0
	36	37	11.82	11.88	11.80		0
	75	0	11.81	11.82	11.75		0
256QAM	1	0	11.82	11.82	11.80	0-5	0
	1	36	12.00	11.97	11.85		0
	1	74	11.99	12.04	11.92		0
	36	0	11.72	11.80	11.74		0
	36	18	11.80	11.84	11.76		0
	36	37	11.82	11.92	11.81		0
	75	0	11.81	11.84	11.76		0

Table F-50
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.90	11.93	11.88	0	0
	1	25	11.98	12.01	11.94		0
	1	49	11.91	11.95	11.89		0
	25	0	11.87	11.94	11.88	0-1	0
	25	12	12.01	12.00	11.91		0
	25	25	11.95	11.99	11.95		0
16QAM	50	0	11.97	11.96	11.89	0	
	1	0	12.07	12.17	12.22	0-1	0
	1	25	12.22	12.28	12.20		0
	1	49	12.17	12.17	12.17		0-2
	25	0	11.80	11.92	11.86	0	
	25	12	11.93	11.94	11.98	0	
25	25	11.92	12.02	11.94	0		
64QAM	50	0	11.91	11.94	11.89	0	
	1	0	12.00	12.21	12.00	0-2	0
	1	25	12.04	12.28	12.03		0
	1	49	12.02	12.20	12.10		0
	25	0	11.82	11.91	11.85	0-3	0
	25	12	11.95	12.00	11.92		0
25	25	11.90	12.04	11.91	0		
256QAM	50	0	11.87	11.99	11.89	0	
	1	0	11.96	11.99	12.14	0-5	0
	1	25	12.22	12.12	12.20		0
	1	49	12.07	12.20	12.04		0
	25	0	11.82	11.89	11.82		0
	25	12	11.93	11.94	11.94		0
25	25	11.91	12.00	11.90	0		
	50	0	11.92	11.90	11.90	0	

Table F-51
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.81	11.84	11.83	0	0
	1	12	11.92	11.92	11.98		0
	1	24	11.88	11.89	11.87		0
	12	0	11.94	11.91	11.91	0-1	0
	12	6	11.99	12.00	12.01		0
	12	13	11.95	11.96	11.98		0
	25	0	11.96	11.95	11.94		0
16QAM	1	0	12.10	12.21	12.18	0-1	0
	1	12	12.26	12.22	12.30		0
	1	24	12.29	12.28	12.20		0
	12	0	11.74	12.02	11.94	0-2	0
	12	6	11.85	12.05	12.00		0
	12	13	11.86	12.07	12.03		0
	25	0	11.91	11.92	11.95		0
64QAM	1	0	12.10	12.20	12.15	0-2	0
	1	12	12.18	12.28	12.30		0
	1	24	12.22	12.12	12.21		0
	12	0	11.78	12.12	11.95	0-3	0
	12	6	11.86	12.11	11.99		0
	12	13	11.85	12.17	12.02		0
	25	0	11.85	12.00	11.96		0
256QAM	1	0	11.97	11.86	12.00	0-5	0
	1	12	12.07	12.10	12.27		0
	1	24	12.03	12.04	12.19		0
	12	0	11.84	11.90	11.93		0
	12	6	11.94	11.98	11.98		0
	12	13	11.92	11.99	12.00		0
	25	0	11.85	11.91	11.96		0

Table F-52
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.93	12.06	12.05	0	0
	1	7	12.06	12.15	12.03		0
	1	14	11.99	12.10	12.02		0
	8	0	12.07	12.18	12.06	0-1	0
	8	4	12.12	12.20	12.10		0
	8	7	12.11	12.16	12.07		0
	15	0	12.11	12.18	12.06		0
16QAM	1	0	12.29	12.26	12.28	0-1	0
	1	7	12.27	12.30	12.17		0
	1	14	12.28	12.23	12.13		0
	8	0	12.21	12.28	12.18	0-2	0
	8	4	12.21	12.27	12.12		0
	8	7	12.20	12.25	12.16		0
	15	0	12.17	12.21	12.07		0
64QAM	1	0	12.01	12.28	12.27	0-2	0
	1	7	12.13	12.30	12.28		0
	1	14	12.12	12.21	12.23		0
	8	0	11.99	12.20	12.16	0-3	0
	8	4	12.03	12.21	12.04		0
	8	7	12.10	12.04	12.18		0
	15	0	11.98	12.21	12.00		0
256QAM	1	0	11.87	12.21	11.96	0-5	0
	1	7	12.17	12.22	12.09		0
	1	14	12.11	12.22	12.21		0
	8	0	11.99	12.17	11.97		0
	8	4	12.07	12.18	12.01		0
	8	7	12.01	12.17	11.97		0
	15	0	11.98	12.19	11.98		0

Table F-53
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.01	12.11	11.99	0	0
	1	2	12.10	12.13	12.01		0
	1	5	11.96	12.11	12.01		0
	3	0	12.02	12.13	11.99		0
	3	2	12.04	12.14	11.99		0
	3	3	12.03	12.14	11.98		0
	6	0	12.00	12.13	11.99		0-1
16QAM	1	0	12.22	12.28	12.24	0-1	0
	1	2	12.19	12.22	12.22		0
	1	5	12.03	12.22	12.21		0
	3	0	12.16	12.21	12.13		0
	3	2	12.18	12.22	12.18		0
	3	3	12.18	12.13	12.24		0
	6	0	12.17	12.20	12.12		0-2
64QAM	1	0	12.00	12.18	12.20	0-2	0
	1	2	12.10	12.27	12.29		0
	1	5	12.10	12.22	12.22		0
	3	0	12.03	12.20	12.03		0
	3	2	12.01	12.29	12.04		0
	3	3	11.99	12.25	11.97		0
	6	0	11.98	12.12	11.95		0-3
256QAM	1	0	11.98	12.30	12.22	0-5	0
	1	2	12.06	12.30	12.27		0
	1	5	12.02	12.24	12.22		0
	3	0	11.96	12.12	12.01		0
	3	2	11.96	12.17	11.96		0
	3	3	11.99	12.10	11.97		0
	6	0	12.00	12.12	12.02		0

Table F-54
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.21	13.00	12.90	0	0
	1	36	13.39	13.02	12.99		0
	1	74	13.29	12.86	12.88		0
	36	0	13.32	13.06	12.98	0-1	0
	36	18	13.34	13.06	13.01		0
	36	37	13.31	13.10	13.08		0
	75	0	13.31	13.11	13.02		0
16QAM	1	0	13.45	13.23	13.17	0-1	0
	1	36	13.54	13.29	13.31		0
	1	74	13.55	13.10	13.27		0
	36	0	13.29	13.05	12.96	0-2	0
	36	18	13.31	13.11	12.96		0
	36	37	13.34	13.13	12.96		0
	75	0	13.28	13.09	12.95		0
64QAM	1	0	13.28	13.33	12.99	0-2	0
	1	36	13.31	13.47	13.19		0
	1	74	13.30	13.26	13.08		0
	36	0	13.30	13.06	12.94	0-3	0
	36	18	13.33	13.13	12.95		0
	36	37	13.28	13.09	13.00		0
	75	0	13.30	13.11	12.96		0
256QAM	1	0	13.22	13.04	13.00	0-5	0
	1	36	13.40	13.10	13.22		0
	1	74	13.37	13.10	13.13		0
	36	0	13.26	13.04	12.95		0
	36	18	13.29	13.11	12.92		0
	36	37	13.25	13.11	12.99		0
	75	0	13.25	13.09	12.92		0

Table F-55
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.20	13.20	13.10	0	0
	1	25	13.35	13.25	13.15		0
	1	49	13.41	13.14	13.15		0
	25	0	13.45	13.20	13.12	0-1	0
	25	12	13.44	13.18	13.14		0
	25	25	13.47	13.21	13.18		0
	50	0	13.42	13.15	13.12		0
16QAM	1	0	13.60	13.54	13.51	0-1	0
	1	25	13.67	13.47	13.50		0
	1	49	13.65	13.44	13.50		0
	25	0	13.39	13.17	13.09	0-2	0
	25	12	13.41	13.26	13.19		0
	25	25	13.37	13.23	13.20		0
	50	0	13.38	13.22	13.15		0
64QAM	1	0	13.52	13.33	13.28	0-2	0
	1	25	13.55	13.43	13.40		0
	1	49	13.64	13.48	13.22		0
	25	0	13.40	13.13	13.04	0-3	0
	25	12	13.44	13.23	13.14		0
	25	25	13.40	13.18	13.11		0
	50	0	13.39	13.20	13.15		0
256QAM	1	0	13.34	13.18	13.09	0-5	0
	1	25	13.66	13.37	13.36		0
	1	49	13.45	13.26	13.18		0
	25	0	13.36	13.14	13.05		0
	25	12	13.45	13.22	13.14		0
	25	25	13.40	13.20	13.11		0
	50	0	13.38	13.18	13.11		0

Table F-56
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.34	13.36	13.12	0	0
	1	12	13.47	13.44	13.21		0
	1	24	13.40	13.35	13.15		0
	12	0	13.43	13.42	13.09	0-1	0
	12	6	13.46	13.44	13.18		0
	12	13	13.43	13.43	13.21		0
25	0	13.38	13.39	13.18	0		
16QAM	1	0	13.57	13.66	13.50	0-1	0
	1	12	13.67	13.67	13.54		0
	1	24	13.49	13.61	13.54		0
	12	0	13.43	13.30	13.19	0-2	0
	12	6	13.49	13.33	13.23		0
	12	13	13.45	13.31	13.28		0
25	0	13.42	13.35	13.07	0		
64QAM	1	0	13.46	13.50	13.31	0-2	0
	1	12	13.60	13.50	13.47		0
	1	24	13.47	13.51	13.32		0
	12	0	13.38	13.38	13.04	0-3	0
	12	6	13.43	13.44	13.05		0
	12	13	13.43	13.40	13.08		0
25	0	13.42	13.38	13.04	0		
256QAM	1	0	13.36	13.37	13.14	0-5	0
	1	12	13.50	13.48	13.27		0
	1	24	13.55	13.42	13.15		0
	12	0	13.39	13.37	13.02		0
	12	6	13.44	13.44	13.08		0
	12	13	13.37	13.37	13.11		0
25	0	13.36	13.36	13.05	0		

Table F-57
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.36	13.20	13.03	0	0
	1	7	13.44	13.29	13.19		0
	1	14	13.38	13.21	13.12		0
	8	0	13.41	13.25	13.09	0-1	0
	8	4	13.47	13.30	13.21		0
	8	7	13.40	13.30	13.17		0
	15	0	13.43	13.29	13.19		0
16QAM	1	0	13.57	13.42	13.33	0-1	0
	1	7	13.62	13.37	13.44		0
	1	14	13.66	13.44	13.45		0
	8	0	13.42	13.29	13.27	0-2	0
	8	4	13.49	13.33	13.28		0
	8	7	13.43	13.30	13.27		0
	15	0	13.42	13.22	13.17		0
64QAM	1	0	13.40	13.29	13.15	0-2	0
	1	7	13.57	13.30	13.28		0
	1	14	13.49	13.37	13.28		0
	8	0	13.44	13.29	13.17	0-3	0
	8	4	13.44	13.35	13.18		0
	8	7	13.42	13.31	13.16		0
	15	0	13.36	13.24	13.15		0
256QAM	1	0	13.49	13.28	13.36	0-5	0
	1	7	13.62	13.32	13.24		0
	1	14	13.55	13.45	13.36		0
	8	0	13.36	13.19	13.14		0
	8	4	13.41	13.27	13.15		0
	8	7	13.34	13.23	13.13		0
	15	0	13.38	13.21	13.15		0

Table F-58
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.34	13.17	13.14	0	0
	1	2	13.37	13.22	13.24		0
	1	5	13.36	13.20	13.20		0
	3	0	13.40	13.14	13.15		0
	3	2	13.41	13.22	13.15		0
	3	3	13.40	13.21	13.13		0
	6	0	13.37	13.12	13.08	0-1	0
16QAM	1	0	13.42	13.44	13.39	0-1	0
	1	2	13.45	13.55	13.35		0
	1	5	13.52	13.53	13.36		0
	3	0	13.48	13.35	13.19		0
	3	2	13.47	13.33	13.26		0
	3	3	13.44	13.41	13.27		0
	6	0	13.44	13.28	13.17	0-2	0
64QAM	1	0	13.50	13.16	13.37	0-2	0
	1	2	13.61	13.33	13.41		0
	1	5	13.47	13.22	13.31		0
	3	0	13.46	13.32	13.11		0
	3	2	13.52	13.35	13.15		0
	3	3	13.46	13.33	13.22		0
	6	0	13.40	13.24	13.12	0-3	0
256QAM	1	0	13.52	13.44	13.21	0-5	0
	1	2	13.50	13.34	13.10		0
	1	5	13.45	13.25	13.22		0
	3	0	13.39	13.25	13.06		0
	3	2	13.41	13.22	13.06		0
	3	3	13.44	13.22	13.05		0
	6	0	13.40	13.22	13.01		0

Table F-59
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.71	13.67	13.67	0	0
	1	36	13.79	13.72	13.71		0
	1	74	13.77	13.61	13.55		0
	36	0	13.70	13.67	13.67	0-1	0
	36	18	13.80	13.69	13.79		0
	36	37	13.76	13.75	13.78		0
	75	0	13.77	13.67	13.77		0
16QAM	1	0	13.80	13.88	13.92	0-1	0
	1	36	14.02	13.92	13.99		0
	1	74	14.04	13.86	13.97		0
	36	0	13.69	13.67	13.65	0-2	0
	36	18	13.79	13.72	13.79		0
	36	37	13.76	13.75	13.75		0
	75	0	13.77	13.66	13.75		0
64QAM	1	0	13.94	13.76	13.82	0-2	0
	1	36	14.05	14.01	13.75		0
	1	74	13.95	13.73	13.98		0
	36	0	13.70	13.73	13.66	0-3	0
	36	18	13.76	13.72	13.81		0
	36	37	13.75	13.78	13.80		0
	75	0	13.72	13.68	13.78		0
256QAM	1	0	13.74	13.79	13.62	0-5	0
	1	36	13.91	13.91	13.80		0
	1	74	13.80	13.97	13.79		0
	36	0	13.69	13.66	13.60		0
	36	18	13.78	13.68	13.77		0
	36	37	13.71	13.71	13.75		0
	75	0	13.72	13.65	13.74		0

Table F-60
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.76	13.87	13.71	0	0
	1	25	13.82	13.81	13.74		0
	1	49	13.75	13.84	13.77		0
	25	0	13.87	13.77	13.75	0-1	0
	25	12	13.92	13.81	13.82		0
	25	25	13.86	13.87	13.86		0
	50	0	13.90	13.79	13.81		0
16QAM	1	0	14.00	14.07	14.01	0-1	0
	1	25	14.12	14.14	14.13		0
	1	49	13.99	14.07	13.94		0
	25	0	13.89	13.76	13.79	0-2	0
	25	12	13.96	13.79	13.80		0
	25	25	13.90	13.86	13.91		0
	50	0	13.92	13.79	13.78		0
64QAM	1	0	14.01	14.01	13.99	0-2	0
	1	25	14.14	14.02	14.00		0
	1	49	14.12	14.04	14.12		0
	25	0	13.94	13.75	13.76	0-3	0
	25	12	13.90	13.84	13.84		0
	25	25	13.88	13.88	13.90		0
	50	0	13.88	13.81	13.80		0
256QAM	1	0	13.88	13.89	13.90	0-5	0
	1	25	14.01	14.13	14.10		0
	1	49	14.01	13.96	14.00		0
	25	0	13.87	13.78	13.72		0
	25	12	13.92	13.79	13.78		0
	25	25	13.87	13.85	13.84		0
	50	0	13.85	13.75	13.79		0

Table F-61
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.80	13.75	13.73	0	0
	1	12	13.94	13.92	13.82		0
	1	24	13.85	13.85	13.79		0
	12	0	13.90	13.75	13.89	0-1	0
	12	6	13.91	13.79	13.86		0
	12	13	13.85	13.84	13.86		0
	25	0	13.91	13.76	13.87		0
16QAM	1	0	14.03	14.04	13.98	0-1	0
	1	12	14.09	14.11	14.21		0
	1	24	14.09	14.08	14.09		0
	12	0	13.89	13.77	13.92	0-2	0
	12	6	13.94	13.83	13.92		0
	12	13	13.89	13.88	13.87		0
	25	0	13.88	13.73	13.88		0
64QAM	1	0	14.13	13.93	13.90	0-2	0
	1	12	14.28	14.00	14.15		0
	1	24	14.16	13.99	13.91		0
	12	0	13.90	13.83	13.94	0-3	0
	12	6	13.94	13.85	13.96		0
	12	13	13.87	13.88	13.92		0
	25	0	13.91	13.75	13.87		0
256QAM	1	0	13.98	13.91	13.99	0-5	0
	1	12	14.13	14.03	14.01		0
	1	24	13.99	13.89	13.91		0
	12	0	13.87	13.75	13.85		0
	12	6	13.91	13.74	13.91		0
	12	13	13.84	13.83	13.86		0
	25	0	13.85	13.76	13.85		0

Table F-62
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.75	13.74	13.69	0	0
	1	7	13.88	13.88	13.84		0
	1	14	13.74	13.75	13.73		0
	8	0	13.88	13.75	13.82	0-1	0
	8	4	13.91	13.85	13.84		0
	8	7	13.89	13.87	13.89		0
	15	0	13.88	13.75	13.80		0
16QAM	1	0	13.95	14.01	14.11	0-1	0
	1	7	14.01	14.16	14.14		0
	1	14	13.90	14.00	14.02		0
	8	0	13.93	13.80	13.83	0-2	0
	8	4	13.91	13.88	13.85		0
	8	7	13.91	13.90	13.97		0
	15	0	13.86	13.73	13.79		0
64QAM	1	0	14.06	13.94	13.97	0-2	0
	1	7	14.18	14.05	14.01		0
	1	14	14.24	14.05	13.96		0
	8	0	13.91	13.78	13.83	0-3	0
	8	4	13.95	13.89	13.90		0
	8	7	13.94	13.83	13.91		0
	15	0	13.86	13.79	13.80		0
256QAM	1	0	13.69	13.86	13.88	0-5	0
	1	7	14.00	14.06	14.10		0
	1	14	13.77	13.95	13.91		0
	8	0	13.89	13.68	13.79		0
	8	4	13.95	13.90	13.76		0
	8	7	13.96	13.82	13.87		0
	15	0	13.85	13.76	13.79		0

Table F-63
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.92	14.00	13.81	0	0
	1	2	13.96	13.78	13.82		0
	1	5	13.87	13.74	13.72		0
	3	0	13.87	13.79	13.88		0
	3	2	13.88	13.85	13.88		0
	3	3	13.88	13.78	13.87		0
	6	0	13.82	13.79	13.83	0-1	0
16QAM	1	0	13.89	13.96	13.95	0-1	0
	1	2	14.03	14.09	13.96		0
	1	5	13.92	14.05	13.84		0
	3	0	13.92	13.92	13.99		0
	3	2	13.98	13.92	13.96		0
	3	3	13.97	13.97	13.95		0
	6	0	13.99	13.81	14.00	0-2	0
64QAM	1	0	14.08	13.88	14.08	0-2	0
	1	2	14.15	13.93	14.17		0
	1	5	14.06	14.02	14.08		0
	3	0	14.13	13.85	13.96		0
	3	2	14.04	13.91	14.01		0
	3	3	13.99	13.89	14.04		0
	6	0	13.92	13.84	13.90	0-3	0
256QAM	1	0	13.94	13.91	13.93	0-5	0
	1	2	13.89	13.84	13.91		0
	1	5	14.02	13.89	13.92		0
	3	0	13.76	13.88	14.02		0
	3	2	13.80	13.88	14.01		0
	3	3	13.74	13.96	14.03		0
	6	0	13.89	13.86	13.82		0

Table F-64
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.75	13.80	13.48	0	0
	1	36	13.86	13.73	13.58		0
	1	74	13.86	13.68	13.58		0
	36	0	13.74	13.74	13.67	0-1	0
	36	18	13.85	13.75	13.68		0
	36	37	13.82	13.78	13.75		0
	75	0	13.83	13.71	13.64		0
16QAM	1	0	14.04	13.88	13.74	0-1	0
	1	36	14.15	14.06	13.87		0
	1	74	14.02	13.91	13.77		0
	36	0	13.70	13.73	13.62	0-2	0
	36	18	13.82	13.84	13.72		0
	36	37	13.80	13.80	13.73		0
	75	0	13.78	13.81	13.70		0
64QAM	1	0	13.94	14.05	13.78	0-2	0
	1	36	14.06	13.94	13.80		0
	1	74	13.97	13.82	13.62		0
	36	0	13.74	13.72	13.62	0-3	0
	36	18	13.79	13.83	13.71		0
	36	37	13.79	13.77	13.67		0
	75	0	13.79	13.77	13.67		0
256QAM	1	0	13.64	13.73	13.80	0-5	0
	1	36	13.90	13.87	13.95		0
	1	74	14.04	13.90	13.89		0
	36	0	13.72	13.72	13.62		0
	36	18	13.83	13.81	13.70		0
	36	37	13.81	13.75	13.69		0
	75	0	13.79	13.78	13.68		0

Table F-65
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.75	13.89	13.75	0	0
	1	25	13.81	13.89	13.79		0
	1	49	13.75	13.83	13.71		0
	25	0	13.86	13.82	13.74	0-1	0
	25	12	13.95	13.84	13.84		0
	25	25	13.92	13.88	13.80		0
	50	0	13.94	13.82	13.84		0
16QAM	1	0	14.09	14.14	13.90	0-1	0
	1	25	14.06	14.20	14.03		0
	1	49	14.10	14.09	13.99		0
	25	0	13.93	13.86	13.69	0-2	0
	25	12	13.94	13.89	13.82		0
	25	25	13.95	13.90	13.79		0
	50	0	13.89	13.89	13.79		0
64QAM	1	0	14.06	14.02	14.01	0-2	0
	1	25	14.18	14.12	13.84		0
	1	49	14.19	14.14	13.93		0
	25	0	13.91	13.86	13.70	0-3	0
	25	12	13.95	13.97	13.85		0
	25	25	13.92	13.96	13.79		0
	50	0	13.91	13.91	13.81		0
256QAM	1	0	13.77	14.03	13.89	0-5	0
	1	25	13.91	14.02	14.07		0
	1	49	13.89	14.02	13.96		0
	25	0	13.84	13.83	13.68		0
	25	12	13.93	13.91	13.82		0
	25	25	13.89	13.83	13.73		0
	50	0	13.89	13.87	13.77		0

Table F-66
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.84	13.79	13.66	0	0
	1	12	14.00	13.97	13.77		0
	1	24	13.94	13.90	13.71		0
	12	0	13.91	13.80	13.72	0-1	0
	12	6	13.97	13.82	13.80		0
	12	13	13.89	13.90	13.84		0
	25	0	13.91	13.80	13.74		0
16QAM	1	0	14.08	14.17	14.03	0-1	0
	1	12	14.26	14.25	14.17		0
	1	24	14.07	14.11	14.14		0
	12	0	13.92	13.85	13.65	0-2	0
	12	6	13.97	13.95	13.76		0
	12	13	13.96	13.92	13.76		0
	25	0	13.92	13.87	13.68		0
64QAM	1	0	14.16	14.04	13.96	0-2	0
	1	12	14.29	13.98	14.10		0
	1	24	14.10	13.93	13.89		0
	12	0	13.93	13.93	13.75	0-3	0
	12	6	13.99	14.03	13.77		0
	12	13	13.92	13.98	13.87		0
	25	0	13.97	13.95	13.75		0
256QAM	1	0	13.81	13.84	13.68	0-5	0
	1	12	14.16	14.10	13.93		0
	1	24	14.00	13.96	13.84		0
	12	0	13.82	13.76	13.69		0
	12	6	13.97	13.94	13.76		0
	12	13	13.91	13.84	13.84		0
	25	0	13.86	13.86	13.69		0

Table F-67
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.72	13.85	13.62	0	0
	1	7	13.90	13.93	13.77		0
	1	14	13.79	13.79	13.65		0
	8	0	13.88	13.79	13.75	0-1	0
	8	4	13.93	13.85	13.85		0
	8	7	13.89	13.87	13.79		0
	15	0	13.87	13.78	13.84		0
16QAM	1	0	13.90	13.96	14.09	0-1	0
	1	7	14.20	14.18	14.07		0
	1	14	13.97	14.02	13.84		0
	8	0	13.90	13.96	13.83	0-2	0
	8	4	13.94	13.97	13.83		0
	8	7	13.90	13.95	13.92		0
	15	0	13.88	13.94	13.78		0
64QAM	1	0	13.99	14.04	13.88	0-2	0
	1	7	14.01	14.00	13.97		0
	1	14	14.21	14.07	13.84		0
	8	0	13.93	13.88	13.83	0-3	0
	8	4	13.99	13.92	13.87		0
	8	7	13.93	13.93	13.81		0
	15	0	13.92	13.93	13.76		0
256QAM	1	0	13.79	13.91	13.84	0-5	0
	1	7	13.98	13.97	13.94		0
	1	14	13.91	13.99	13.86		0
	8	0	13.90	13.89	13.79		0
	8	4	13.89	13.94	13.89		0
	8	7	13.89	13.86	13.81		0
	15	0	13.86	13.87	13.79		0

Table F-68
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.98	13.83	13.77	0	0
	1	2	13.95	13.79	13.79		0
	1	5	13.92	13.93	13.76		0
	3	0	13.86	13.85	13.78		0
	3	2	13.91	13.88	13.82		0
	3	3	13.88	13.88	13.79		0
	6	0	13.82	13.74	13.68	0-1	0
16QAM	1	0	14.05	14.02	13.73	0-1	0
	1	2	13.96	14.15	13.93		0
	1	5	13.99	13.98	13.81		0
	3	0	13.95	14.04	13.83		0
	3	2	14.01	13.99	13.93		0
	3	3	14.00	14.00	13.84		0
	6	0	13.99	13.93	13.79	0-2	0
64QAM	1	0	13.97	14.01	13.97	0-2	0
	1	2	13.94	14.05	14.03		0
	1	5	14.01	14.16	13.94		0
	3	0	14.06	13.94	13.69		0
	3	2	14.04	13.98	13.87		0
	3	3	14.06	13.98	13.74		0
	6	0	13.88	13.88	13.76	0-3	0
256QAM	1	0	14.04	14.02	13.79	0-5	0
	1	2	14.10	14.02	13.84		0
	1	5	13.97	13.87	13.84		0
	3	0	13.97	13.95	13.70		0
	3	2	13.86	13.76	13.76		0
	3	3	13.88	13.90	13.84		0
	6	0	13.79	13.81	13.64		0

F.1.9 LTE Band 30

Table F-69
LTE Band 30 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	12.53	0	0
	1	12	12.56		0
	1	24	12.57		0
	12	0	12.56	0-1	0
	12	6	12.60		0
	12	13	12.56		0
	25	0	12.38		0
16QAM	1	0	12.86	0-1	0
	1	12	12.83		0
	1	24	12.78		0
	12	0	12.68	0-2	0
	12	6	12.71		0
	12	13	12.71		0
	25	0	12.66		0
64QAM	1	0	12.83	0-2	0
	1	12	12.86		0
	1	24	12.88		0
	12	0	12.59	0-3	0
	12	6	12.60		0
	12	13	12.60		0
	25	0	12.55		0
256QAM	1	0	12.66	0-5	0
	1	12	12.72		0
	1	24	12.62		0
	12	0	12.53		0
	12	6	12.56		0
	12	13	12.57		0
	25	0	12.55		0

Table F-70
LTE Band 30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	13.08	0	0
	1	12	13.14		0
	1	24	13.08		0
	12	0	13.12	0-1	0
	12	6	13.14		0
	12	13	13.13		0
	25	0	13.14		0
16QAM	1	0	13.33	0-1	0
	1	12	13.48		0
	1	24	13.40		0
	12	0	13.26	0-2	0
	12	6	13.29		0
	12	13	13.26		0
	25	0	13.16		0
64QAM	1	0	13.42	0-2	0
	1	12	13.37		0
	1	24	13.42		0
	12	0	13.05	0-3	0
	12	6	13.09		0
	12	13	13.05		0
	25	0	13.09		0
256QAM	1	0	13.18	0-5	0
	1	12	13.22		0
	1	24	13.20		0
	12	0	13.08		0
	12	6	13.13		0
	12	13	13.11		0
	25	0	13.07		0

Table F-71
LTE Band 30 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	11.09	0	0
	1	12	11.11		0
	1	24	11.08		0
	12	0	11.05	0-1	0
	12	6	11.10		0
	12	13	11.08		0
	25	0	11.07		0
16QAM	1	0	11.33	0-1	0
	1	12	11.33		0
	1	24	11.22		0
	12	0	11.09	0-2	0
	12	6	11.11		0
	12	13	11.05		0
	25	0	11.11		0
64QAM	1	0	11.36	0-2	0
	1	12	11.41		0
	1	24	11.31		0
	12	0	11.10	0-3	0
	12	6	11.12		0
	12	13	11.10		0
	25	0	11.08		0
256QAM	1	0	11.01	0-5	0
	1	12	11.24		0
	1	24	11.12		0
	12	0	11.07		0
	12	6	11.07		0
	12	13	11.08		0
	25	0	11.06		0

Table F-72
LTE Band 30 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	10.28	0	0
	1	12	10.33		0
	1	24	10.29		0
	12	0	10.23	0-1	0
	12	6	10.29		0
	12	13	10.23		0
	25	0	10.26		0
16QAM	1	0	10.49	0-1	0
	1	12	10.62		0
	1	24	10.58		0
	12	0	10.30	0-2	0
	12	6	10.34		0
	12	13	10.29		0
	25	0	10.29		0
64QAM	1	0	10.41	0-2	0
	1	12	10.42		0
	1	24	10.39		0
	12	0	10.26	0-3	0
	12	6	10.31		0
	12	13	10.27		0
	25	0	10.24		0
256QAM	1	0	10.46	0-5	0
	1	12	10.46		0
	1	24	10.45		0
	12	0	10.28		0
	12	6	10.32		0
	12	13	10.31		0
	25	0	10.29		0

F.1.10 LTE Band 7

Table F-73
LTE Band 7 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.91	12.95	12.68	0	0
	1	36	12.92	12.87	12.74		0
	1	74	12.82	12.84	12.66		0
	36	0	12.89	12.93	12.84	0-1	0
	36	18	12.93	12.91	12.88		0
	36	37	12.86	12.86	12.81		0
	75	0	12.85	12.93	12.84		0
16QAM	1	0	13.09	13.07	12.99	0-1	0
	1	36	13.20	13.13	13.18		0
	1	74	13.09	13.05	12.99		0
	36	0	12.93	12.94	12.86	0-2	0
	36	18	12.95	12.92	12.89		0
	36	37	12.85	12.85	12.81		0
	75	0	12.87	12.93	12.87		0
64QAM	1	0	12.94	12.82	12.86	0-2	0
	1	36	13.03	12.95	12.92		0
	1	74	12.90	12.91	12.93		0
	36	0	12.85	12.79	12.82	0-3	0
	36	18	12.86	12.77	12.88		0
	36	37	12.79	12.76	12.86		0
	75	0	12.77	12.79	12.84		0
256QAM	1	0	12.87	12.80	12.82	0-5	0
	1	36	12.97	12.74	12.85		0
	1	74	12.98	12.81	12.95		0
	36	0	12.81	12.74	12.82		0
	36	18	12.84	12.77	12.84		0
	36	37	12.75	12.76	12.87		0
	75	0	12.78	12.76	12.83		0

Table F-74
LTE Band 7 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.02	13.07	13.01	0	0
	1	25	13.12	13.11	12.99		0
	1	49	13.04	13.03	12.91		0
	25	0	13.10	13.09	13.03	0-1	0
	25	12	13.08	13.09	13.08		0
	25	25	13.07	13.07	13.00		0
	50	0	13.03	13.10	13.03		0
16QAM	1	0	13.24	13.31	13.31	0-1	0
	1	25	13.26	13.33	13.27		0
	1	49	13.24	13.25	13.25		0
	25	0	13.15	13.13	13.08	0-2	0
	25	12	13.06	13.12	13.06		0
	25	25	13.07	13.07	12.98		0
	50	0	13.02	13.10	13.05		0
64QAM	1	0	13.24	13.06	13.16	0-2	0
	1	25	13.19	13.12	13.15		0
	1	49	13.15	13.11	13.19		0
	25	0	13.04	12.94	13.04	0-3	0
	25	12	13.01	12.94	13.06		0
	25	25	12.98	12.93	13.02		0
	50	0	12.96	12.88	13.01		0
256QAM	1	0	13.07	13.04	13.12	0-5	0
	1	25	13.09	13.09	13.01		0
	1	49	12.97	13.03	13.03		0
	25	0	12.99	12.90	12.96		0
	25	12	12.97	12.92	13.06		0
	25	25	12.92	12.93	13.04		0
	50	0	12.96	12.92	13.01		0

Table F-75
LTE Band 7 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.10	13.04	12.91	0	0
	1	12	13.15	13.13	13.01		0
	1	24	13.09	13.03	12.97		0
	12	0	13.08	13.06	12.98	0-1	0
	12	6	13.10	13.13	13.07		0
	12	13	13.07	13.09	13.00		0
	25	0	13.10	13.04	12.98		0
16QAM	1	0	13.37	13.37	13.30	0-1	0
	1	12	13.35	13.35	13.29		0
	1	24	13.31	13.28	13.35		0
	12	0	13.11	13.08	13.04	0-2	0
	12	6	13.16	13.12	13.10		0
	12	13	13.16	13.11	13.05		0
	25	0	13.13	13.10	13.05		0
64QAM	1	0	13.22	12.97	13.12	0-2	0
	1	12	13.25	13.03	13.25		0
	1	24	13.26	12.95	13.19		0
	12	0	13.00	12.94	13.02	0-3	0
	12	6	13.06	13.01	13.06		0
	12	13	12.99	12.97	13.06		0
	25	0	13.02	12.92	12.99		0
256QAM	1	0	13.16	12.94	13.06	0-5	0
	1	12	13.21	13.10	13.20		0
	1	24	13.10	12.99	13.09		0
	12	0	12.99	12.90	12.97		0
	12	6	13.06	12.94	13.03		0
	12	13	13.03	12.90	13.02		0
	25	0	13.00	12.91	13.00		0

Table F-76
LTE Band 7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.33	12.68	12.28	0	0
	1	36	12.41	12.67	12.33		0
	1	74	12.36	12.60	12.32		0
	36	0	12.53	12.44	12.43	0-1	0
	36	18	12.56	12.47	12.47		0
	36	37	12.50	12.43	12.41		0
	75	0	12.46	12.42	12.41		0
16QAM	1	0	12.60	12.50	12.64	0-1	0
	1	36	12.67	12.43	12.77		0
	1	74	12.72	12.39	12.69		0
	36	0	12.54	12.41	12.44	0-2	0
	36	18	12.59	12.46	12.49		0
	36	37	12.53	12.44	12.39		0
	75	0	12.45	12.46	12.42		0
64QAM	1	0	12.70	12.50	12.36	0-2	0
	1	36	12.65	12.60	12.54		0
	1	74	12.69	12.55	12.39		0
	36	0	12.55	12.44	12.47	0-3	0
	36	18	12.57	12.49	12.48		0
	36	37	12.50	12.47	12.42		0
	75	0	12.48	12.44	12.41		0
256QAM	1	0	12.50	12.46	12.65	0-5	0
	1	36	12.74	12.68	12.71		0
	1	74	12.67	12.51	12.73		0
	36	0	12.53	12.45	12.46		0
	36	18	12.54	12.49	12.44		0
	36	37	12.47	12.42	12.44		0
	75	0	12.50	12.44	12.44		0

Table F-77
LTE Band 7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.63	12.62	12.56	0	0
	1	25	12.66	12.64	12.60		0
	1	49	12.59	12.57	12.55		0
	25	0	12.71	12.61	12.60	0-1	0
	25	12	12.68	12.67	12.65		0
	25	25	12.66	12.58	12.64		0
	50	0	12.64	12.61	12.60		0
16QAM	1	0	12.70	12.74	12.70	0-1	0
	1	25	12.71	12.61	12.68		0
	1	49	12.69	12.68	12.66		0
	25	0	12.73	12.61	12.66	0-2	0
	25	12	12.69	12.66	12.70		0
	25	25	12.65	12.58	12.68		0
	50	0	12.68	12.65	12.62		0
64QAM	1	0	12.71	12.70	12.75	0-2	0
	1	25	12.80	12.65	12.76		0
	1	49	12.63	12.58	12.78		0
	25	0	12.75	12.71	12.68	0-3	0
	25	12	12.70	12.70	12.66		0
	25	25	12.69	12.64	12.67		0
	50	0	12.64	12.65	12.61		0
256QAM	1	0	12.68	12.69	12.67	0-5	0
	1	25	12.75	12.83	12.70		0
	1	49	12.80	12.66	12.60		0
	25	0	12.65	12.62	12.61		0
	25	12	12.65	12.70	12.62		0
	25	25	12.66	12.58	12.60		0
	50	0	12.66	12.61	12.64		0

Table F-78
LTE Band 7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.68	12.57	12.48	0	0
	1	12	12.70	12.62	12.58		0
	1	24	12.69	12.58	12.48		0
	12	0	12.70	12.61	12.55	0-1	0
	12	6	12.72	12.63	12.60		0
	12	13	12.71	12.63	12.57		0
	25	0	12.68	12.63	12.58		0
16QAM	1	0	12.75	12.73	12.70	0-1	0
	1	12	12.73	12.60	12.70		0
	1	24	12.70	12.77	12.68		0
	12	0	12.76	12.61	12.66	0-2	0
	12	6	12.76	12.59	12.67		0
	12	13	12.71	12.59	12.67		0
	25	0	12.75	12.64	12.61		0
64QAM	1	0	12.70	12.70	12.73	0-2	0
	1	12	12.75	12.70	12.67		0
	1	24	12.70	12.80	12.82		0
	12	0	12.71	12.73	12.70	0-3	0
	12	6	12.71	12.58	12.62		0
	12	13	12.73	12.57	12.71		0
	25	0	12.70	12.65	12.65		0
256QAM	1	0	12.80	12.70	12.70	0-5	0
	1	12	12.79	12.68	12.68		0
	1	24	12.74	12.65	12.60		0
	12	0	12.72	12.64	12.62		0
	12	6	12.70	12.65	12.61		0
	12	13	12.77	12.65	12.62		0
	25	0	12.73	12.63	12.58		0

Table F-79
LTE Band 7 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	9.66	9.87	9.72	0	0
	1	36	9.89	9.84	9.68		0
	1	74	9.83	9.76	9.60		0
	36	0	9.88	9.88	9.78	0-1	0
	36	18	10.00	9.85	9.80		0
	36	37	9.94	9.86	9.79		0
	75	0	9.91	9.82	9.76		0
16QAM	1	0	9.91	9.94	9.83	0-1	0
	1	36	10.20	9.86	9.95		0
	1	74	10.05	9.83	9.84		0
	36	0	9.93	9.79	9.74	0-2	0
	36	18	9.97	9.83	9.82		0
	36	37	9.96	9.77	9.81		0
	75	0	9.90	9.79	9.80		0
64QAM	1	0	9.91	9.97	9.92	0-2	0
	1	36	10.09	9.94	9.87		0
	1	74	10.13	9.86	9.83		0
	36	0	9.92	9.79	9.71	0-3	0
	36	18	10.00	9.79	9.76		0
	36	37	9.96	9.74	9.77		0
	75	0	9.90	9.79	9.75		0
256QAM	1	0	9.93	9.84	9.72	0-5	0
	1	36	10.10	9.85	9.86		0
	1	74	10.04	9.79	9.87		0
	36	0	9.87	9.79	9.69		0
	36	18	9.95	9.78	9.78		0
	36	37	9.94	9.77	9.77		0
	75	0	9.87	9.78	9.75		0

Table F-80
LTE Band 7 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	10.03	9.93	9.85	0	0
	1	25	10.18	9.94	9.88		0
	1	49	10.19	9.88	9.85		0
	25	0	10.09	9.99	9.90	0-1	0
	25	12	10.08	9.96	9.96		0
	25	25	10.08	9.92	9.97		0
50	0	10.01	9.95	9.96	0		
16QAM	1	0	10.25	10.12	9.94	0-1	0
	1	25	10.25	10.10	9.93		0
	1	49	10.24	10.12	10.01		0
	25	0	10.08	9.97	9.89	0-2	0
	25	12	10.07	9.98	9.95		0
	25	25	10.09	9.97	9.99		0
50	0	10.02	9.94	9.92	0		
64QAM	1	0	10.10	10.20	10.11	0-2	0
	1	25	10.32	10.28	10.26		0
	1	49	10.10	10.16	10.21		0
	25	0	10.06	10.03	9.89	0-3	0
	25	12	10.09	9.98	10.03		0
	25	25	10.07	9.96	9.94		0
50	0	10.00	9.92	9.93	0		
256QAM	1	0	10.00	10.07	9.92	0-5	0
	1	25	10.32	9.92	10.08		0
	1	49	10.25	10.02	9.99		0
	25	0	10.00	9.90	9.84		0
	25	12	10.04	9.93	9.93		0
	25	25	10.06	9.90	9.93		0
	50	0	10.00	9.90	9.93		0

Table F-81
LTE Band 7 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	9.89	9.88	9.94	0	0
	1	12	10.11	9.90	10.02		0
	1	24	10.08	9.84	9.95		0
	12	0	9.96	9.91	9.84	0-1	0
	12	6	10.04	9.95	9.96		0
	12	13	10.04	9.93	9.89		0
	25	0	10.01	9.91	9.96		0
16QAM	1	0	10.17	10.20	10.14	0-1	0
	1	12	10.32	10.14	10.32		0
	1	24	10.20	10.14	10.21		0
	12	0	10.01	9.92	9.92	0-2	0
	12	6	10.09	10.01	10.01		0
	12	13	10.12	9.95	9.96		0
	25	0	10.01	9.90	9.96		0
64QAM	1	0	10.18	10.21	10.07	0-2	0
	1	12	10.26	10.18	10.11		0
	1	24	10.24	10.13	10.07		0
	12	0	9.98	9.97	9.90	0-3	0
	12	6	10.04	9.99	9.99		0
	12	13	10.04	9.98	9.97		0
	25	0	10.02	9.93	9.94		0
256QAM	1	0	9.98	9.96	9.98	0-5	0
	1	12	10.16	10.02	10.09		0
	1	24	10.19	9.98	10.06		0
	12	0	9.93	9.90	9.85		0
	12	6	10.05	9.95	9.98		0
	12	13	10.05	9.92	9.88		0
	25	0	10.00	9.92	9.94		0

Table F-82
LTE Band 7 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	10.93	10.95	10.84	0	0
	1	36	10.96	10.93	10.98		0
	1	74	10.87	10.84	10.78		0
	36	0	11.02	10.97	10.91	0-1	0
	36	18	10.97	10.97	10.90		0
	36	37	10.97	10.94	10.88		0
	75	0	10.92	10.94	10.85		0
16QAM	1	0	11.11	11.11	10.73	0-1	0
	1	36	11.22	11.19	10.77		0
	1	74	11.24	11.18	10.72		0
	36	0	10.95	11.00	10.77	0-2	0
	36	18	10.97	11.01	10.86		0
	36	37	11.00	10.95	10.84		0
	75	0	10.97	10.99	10.84		0
64QAM	1	0	11.14	11.04	10.92	0-2	0
	1	36	11.08	11.09	10.92		0
	1	74	11.25	11.00	10.92		0
	36	0	10.97	10.93	10.84	0-3	0
	36	18	10.95	10.96	10.90		0
	36	37	10.93	10.96	10.87		0
	75	0	10.91	10.95	10.82		0
256QAM	1	0	11.00	11.05	10.88	0-5	0
	1	36	11.10	11.03	10.90		0
	1	74	11.12	11.02	10.87		0
	36	0	10.95	10.98	10.80		0
	36	18	10.92	10.95	10.85		0
	36	37	10.96	10.98	10.83		0
	75	0	10.95	10.95	10.83		0

Table F-83
LTE Band 7 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.02	11.00	10.87	0	0
	1	25	11.07	11.04	10.91		0
	1	49	11.04	11.02	10.84		0
	25	0	11.11	11.10	10.96	0-1	0
	25	12	11.13	11.03	10.98		0
	25	25	11.12	11.11	10.95		0
	50	0	11.11	10.99	10.94		0
16QAM	1	0	11.33	11.30	11.09	0-1	0
	1	25	11.28	11.34	11.23		0
	1	49	11.32	11.35	11.12		0
	25	0	11.11	11.12	11.00	0-2	0
	25	12	11.12	11.02	11.00		0
	25	25	11.09	11.13	10.98		0
	50	0	11.09	11.00	10.93		0
64QAM	1	0	11.24	11.09	11.09	0-2	0
	1	25	11.15	11.11	11.09		0
	1	49	11.22	11.10	11.03		0
	25	0	11.07	11.08	10.98	0-3	0
	25	12	11.11	11.10	10.98		0
	25	25	11.08	11.02	10.99		0
	50	0	11.08	11.06	10.96		0
256QAM	1	0	11.20	11.23	11.06	0-5	0
	1	25	11.33	11.29	11.14		0
	1	49	11.25	11.12	11.06		0
	25	0	11.05	11.07	10.96		0
	25	12	11.12	11.01	10.96		0
	25	25	11.09	11.00	10.95		0
	50	0	11.07	11.08	10.95		0

Table F-84
LTE Band 7 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.07	11.11	10.89	0	0
	1	12	11.15	11.23	10.91		0
	1	24	11.12	11.09	10.81		0
	12	0	11.05	11.06	10.92	0-1	0
	12	6	11.09	11.09	10.94		0
	12	13	11.10	11.07	10.95		0
	25	0	11.08	11.10	10.90		0
16QAM	1	0	11.22	11.25	11.04	0-1	0
	1	12	11.30	11.46	11.07		0
	1	24	10.90	11.38	11.08		0
	12	0	11.11	11.09	11.09	0-2	0
	12	6	11.14	11.11	11.11		0
	12	13	11.12	11.07	11.09		0
	25	0	11.08	11.05	11.05		0
64QAM	1	0	11.13	11.34	11.14	0-2	0
	1	12	11.20	11.34	11.19		0
	1	24	11.17	11.27	11.10		0
	12	0	11.13	11.10	10.93	0-3	0
	12	6	11.09	11.12	10.93		0
	12	13	11.10	11.08	10.90		0
	25	0	11.09	11.06	10.89		0
256QAM	1	0	11.01	11.17	11.01	0-5	0
	1	12	11.28	11.32	11.08		0
	1	24	11.20	11.27	11.00		0
	12	0	11.10	11.07	10.92		0
	12	6	11.10	11.12	10.95		0
	12	13	11.09	11.11	10.97		0
	25	0	11.07	11.07	10.94		0

F.1.1.11 LTE Band 48

Table F-85
LTE Band 48 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.27	12.28	12.32	12.22	0	0
	1	36	12.44	12.40	12.39	12.28		0
	1	74	12.36	12.31	12.26	12.21		0
	36	0	12.43	12.43	12.48	12.36	0-1	0
	36	18	12.49	12.47	12.50	12.39		0
	36	37	12.47	12.48	12.47	12.35		0
	75	0	12.46	12.45	12.47	12.35		0
16QAM	1	0	11.96	12.27	12.44	12.06	0-1	0
	1	36	12.06	12.42	12.56	12.21		0
	1	74	11.99	12.39	12.46	12.08		0
	36	0	12.31	12.34	12.39	12.35	0-2	0
	36	18	12.35	12.39	12.40	12.45		0
	36	37	12.34	12.41	12.44	12.43		0
	75	0	12.33	12.40	12.38	12.45		0
64QAM	1	0	12.09	12.28	12.41	12.22	0-2	0
	1	36	12.30	12.43	12.49	12.28		0
	1	74	12.22	12.38	12.43	12.21		0
	36	0	12.30	12.37	12.35	12.35	0-3	0
	36	18	12.36	12.40	12.39	12.44		0
	36	37	12.34	12.42	12.44	12.42		0
	75	0	12.34	12.41	12.38	12.45		0
256QAM	1	0	12.11	12.18	12.19	12.24	0-5	0
	1	36	12.25	12.32	12.32	12.39		0
	1	74	12.31	12.35	12.31	12.38		0
	36	0	12.25	12.34	12.33	12.33		0
	36	18	12.31	12.38	12.34	12.39		0
	36	37	12.32	12.39	12.41	12.41		0
	75	0	12.31	12.37	12.32	12.39		0

Table F-86
LTE Band 48 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.66	12.51	12.54	12.44	0	0
	1	25	12.71	12.55	12.55	12.46		0
	1	49	12.68	12.54	12.49	12.40		0
	25	0	12.54	12.54	12.57	12.46	0-1	0
	25	12	12.59	12.58	12.59	12.47		0
	25	25	12.57	12.56	12.57	12.45		0
	50	0	12.56	12.56	12.57	12.45		0
16QAM	1	0	12.48	12.52	12.63	12.61	0-1	0
	1	25	12.54	12.49	12.69	12.64		0
	1	49	12.51	12.52	12.64	12.60		0
	25	0	12.44	12.47	12.46	12.47	0-2	0
	25	12	12.47	12.53	12.50	12.51		0
	25	25	12.48	12.51	12.57	12.56		0
	50	0	12.46	12.48	12.49	12.49		0
64QAM	1	0	12.36	12.48	12.54	12.44	0-2	0
	1	25	12.42	12.53	12.61	12.47		0
	1	49	12.41	12.51	12.56	12.41		0
	25	0	12.44	12.45	12.48	12.47	0-3	0
	25	12	12.49	12.49	12.50	12.49		0
	25	25	12.46	12.48	12.57	12.56		0
	50	0	12.45	12.47	12.47	12.48		0
256QAM	1	0	12.37	12.33	12.41	12.43	0-5	0
	1	25	12.51	12.38	12.54	12.56		0
	1	49	12.47	12.36	12.49	12.47		0
	25	0	12.46	12.47	12.46	12.47		0
	25	12	12.49	12.52	12.50	12.51		0
	25	25	12.48	12.51	12.56	12.54		0
	50	0	12.47	12.51	12.49	12.50		0

Table F-87
LTE Band 48 Measured P_{Limit} Antenna 1a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.51	12.48	12.49	12.41	0	0
	1	12	12.56	12.55	12.55	12.46		0
	1	24	12.52	12.51	12.51	12.42		0
	12	0	12.55	12.54	12.56	12.44	0-1	0
	12	6	12.59	12.57	12.58	12.46		0
	12	13	12.57	12.56	12.57	12.45		0
	25	0	12.58	12.55	12.56	12.45		0
16QAM	1	0	12.27	12.38	12.51	12.48	0-1	0
	1	12	12.32	12.49	12.66	12.54		0
	1	24	12.30	12.43	12.54	12.49		0
	12	0	12.48	12.50	12.61	12.58	0-2	0
	12	6	12.50	12.53	12.59	12.59		0
	12	13	12.49	12.52	12.59	12.57		0
	25	0	12.46	12.48	12.53	12.55		0
64QAM	1	0	12.41	12.48	12.56	12.57	0-2	0
	1	12	12.48	12.51	12.58	12.64		0
	1	24	12.44	12.47	12.54	12.59		0
	12	0	12.56	12.56	12.57	12.57	0-3	0
	12	6	12.61	12.58	12.60	12.58		0
	12	13	12.57	12.57	12.57	12.56		0
	25	0	12.46	12.47	12.56	12.57		0
256QAM	1	0	12.43	12.46	12.52	12.62	0-5	0
	1	12	12.46	12.48	12.61	12.68		0
	1	24	12.44	12.46	12.54	12.61		0
	12	0	12.44	12.44	12.58	12.59		0
	12	6	12.49	12.49	12.58	12.60		0
	12	13	12.47	12.45	12.57	12.58		0
	25	0	12.46	12.47	12.54	12.56		0

Table F-88
LTE Band 48 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	9.03	9.12	9.15	9.10	0	0
	1	36	9.14	9.25	9.23	9.24		0
	1	74	9.09	9.21	9.16	9.08		0
	36	0	9.19	9.26	9.22	9.19	0-1	0
	36	18	9.20	9.30	9.23	9.26		0
	36	37	9.22	9.32	9.29	9.29		0
	75	0	9.18	9.29	9.24	9.19		0
16QAM	1	0	9.43	9.38	9.44	9.34	0-1	0
	1	36	9.54	9.57	9.58	9.52		0
	1	74	9.44	9.47	9.33	9.39		0
	36	0	9.23	9.31	9.26	9.24	0-2	0
	36	18	9.25	9.32	9.31	9.24		0
	36	37	9.27	9.33	9.33	9.30		0
	75	0	9.24	9.32	9.27	9.22		0
64QAM	1	0	9.25	9.41	9.32	9.28	0-2	0
	1	36	9.35	9.50	9.55	9.51		0
	1	74	9.30	9.44	9.30	9.41		0
	36	0	9.21	9.32	9.24	9.20	0-3	0
	36	18	9.22	9.32	9.26	9.29		0
	36	37	9.22	9.36	9.34	9.27		0
	75	0	9.20	9.31	9.24	9.21		0
256QAM	1	0	9.22	9.31	9.35	9.23	0-5	0
	1	36	9.27	9.54	9.41	9.32		0
	1	74	9.34	9.57	9.39	9.27		0
	36	0	9.09	9.18	9.31	9.19		0
	36	18	9.11	9.30	9.32	9.21		0
	36	37	9.14	9.30	9.28	9.16		0
	75	0	9.11	9.28	9.32	9.17		0

Table F-89
LTE Band 48 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	9.22	9.36	9.28	9.28	0	0
	1	25	9.31	9.41	9.35	9.37		0
	1	49	9.27	9.37	9.31	9.30		0
	25	0	9.30	9.38	9.33	9.36	0-1	0
	25	12	9.34	9.43	9.37	9.40		0
	25	25	9.33	9.41	9.41	9.37		0
50	0	9.33	9.39	9.35	9.36	0		
16QAM	1	0	9.58	9.34	9.50	9.38	0-1	0
	1	25	9.55	9.41	9.46	9.50		0
	1	49	9.47	9.37	9.44	9.65		0
	25	0	9.36	9.38	9.39	9.39	0-2	0
	25	12	9.42	9.39	9.42	9.39		0
	25	25	9.37	9.38	9.45	9.37		0
	50	0	9.31	9.37	9.38	9.40		0
64QAM	1	0	9.49	9.32	9.57	9.44	0-2	0
	1	25	9.54	9.40	9.50	9.34		0
	1	49	9.46	9.34	9.50	9.30		0
	25	0	9.36	9.37	9.36	9.39	0-3	0
	25	12	9.40	9.42	9.39	9.44		0
	25	25	9.39	9.44	9.44	9.38		0
	50	0	9.35	9.38	9.38	9.41		0
256QAM	1	0	9.22	9.50	9.55	9.34	0-5	0
	1	25	9.39	9.52	9.44	9.30		0
	1	49	9.37	9.48	9.62	9.32		0
	25	0	9.16	9.33	9.43	9.31		0
	25	12	9.28	9.44	9.44	9.31		0
	25	25	9.29	9.43	9.43	9.25		0
	50	0	9.25	9.39	9.44	9.27		0

Table F-90
LTE Band 48 Measured P_{Limit} Antenna 2a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	9.23	9.27	9.34	9.31	0	0
	1	12	9.29	9.33	9.40	9.35		0
	1	24	9.27	9.33	9.33	9.33		0
	12	0	9.29	9.38	9.41	9.35	0-1	0
	12	6	9.32	9.43	9.45	9.40		0
	12	13	9.29	9.39	9.44	9.39		0
	25	0	9.30	9.40	9.42	9.38		0
16QAM	1	0	9.43	9.53	9.41	9.50	0-1	0
	1	12	9.54	9.55	9.54	9.55		0
	1	24	9.55	9.50	9.43	9.50		0
	12	0	9.27	9.47	9.40	9.40	0-2	0
	12	6	9.29	9.45	9.43	9.42		0
	12	13	9.29	9.48	9.44	9.39		0
	25	0	9.32	9.44	9.42	9.41		0
64QAM	1	0	9.44	9.44	9.43	9.54	0-2	0
	1	12	9.51	9.46	9.50	9.50		0
	1	24	9.59	9.42	9.63	9.49		0
	12	0	9.32	9.40	9.42	9.48	0-3	0
	12	6	9.35	9.45	9.44	9.50		0
	12	13	9.38	9.42	9.44	9.47		0
	25	0	9.32	9.44	9.47	9.41		0
256QAM	1	0	9.22	9.32	9.50	9.41	0-5	0
	1	12	9.36	9.42	9.45	9.59		0
	1	24	9.47	9.45	9.48	9.54		0
	12	0	9.22	9.38	9.47	9.33		0
	12	6	9.25	9.41	9.48	9.34		0
	12	13	9.23	9.39	9.47	9.33		0
	25	0	9.25	9.37	9.46	9.32		0

Table F-91
LTE Band 48 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.64	13.74	13.63	13.70	0	0
	1	36	13.72	13.80	13.70	13.76		0
	1	74	13.72	13.78	13.66	13.72		0
	36	0	13.80	13.92	13.79	13.86	0-1	0
	36	18	13.82	13.90	13.78	13.86		0
	36	37	13.86	13.92	13.76	13.85		0
	75	0	13.81	13.93	13.79	13.87		0
16QAM	1	0	13.64	13.76	13.69	13.80	0-1	0
	1	36	13.71	13.90	13.84	13.83		0
	1	74	13.81	13.91	13.80	13.81		0
	36	0	13.79	13.90	13.78	13.82	0-2	0
	36	18	13.83	13.92	13.78	13.85		0
	36	37	13.87	13.92	13.80	13.88		0
	75	0	13.82	13.93	13.77	13.87		0
64QAM	1	0	13.41	13.57	13.49	13.56	0-2	0
	1	36	13.44	13.59	13.53	13.75		0
	1	74	13.45	13.63	13.50	13.62		0
	36	0	13.57	13.68	13.61	13.67	0-3	0
	36	18	13.62	13.73	13.62	13.71		0
	36	37	13.62	13.75	13.61	13.74		0
	75	0	13.61	13.75	13.62	13.74		0
256QAM	1	0	13.36	13.62	13.57	13.54	0-5	0.7
	1	36	13.45	13.69	13.59	13.62		0.7
	1	74	13.51	13.76	13.55	13.64		0.7
	36	0	13.54	13.62	13.58	13.66		0.7
	36	18	13.59	13.69	13.60	13.70		0.7
	36	37	13.60	13.68	13.59	13.71		0.7
	75	0	13.58	13.69	13.58	13.59		0.7

Table F-92
LTE Band 48 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.67	13.79	13.72	13.68	0	0
	1	25	13.73	13.83	13.74	13.70		0
	1	49	13.74	13.82	13.69	13.67		0
	25	0	13.71	13.82	13.72	13.69	0-1	0
	25	12	13.73	13.85	13.75	13.71		0
	25	25	13.74	13.84	13.73	13.72		0
	50	0	13.75	13.83	13.73	13.70		0
16QAM	1	0	13.45	13.56	13.36	13.42	0-1	0
	1	25	13.57	13.70	13.36	13.53		0
	1	49	13.50	13.62	13.31	13.42		0
	25	0	13.79	13.90	13.78	13.76	0-2	0
	25	12	13.81	13.90	13.80	13.78		0
	25	25	13.81	13.89	13.79	13.77		0
	50	0	13.76	13.86	13.77	13.71		0
64QAM	1	0	13.27	13.41	13.32	13.37	0-2	0
	1	25	13.36	13.43	13.32	13.43		0
	1	49	13.51	13.52	13.31	13.34		0
	25	0	13.53	13.66	13.59	13.55	0-3	0
	25	12	13.56	13.67	13.60	13.56		0
	25	25	13.54	13.67	13.58	13.55		0
	50	0	13.53	13.68	13.58	13.55		0
256QAM	1	0	13.01	13.32	13.38	13.25	0-5	0.7
	1	25	13.22	13.55	13.39	13.33		0.7
	1	49	13.22	13.52	13.33	13.28		0.7
	25	0	13.51	13.66	13.56	13.54		0.7
	25	12	13.52	13.69	13.59	13.57		0.7
	25	25	13.53	13.67	13.57	13.58		0.7
	50	0	13.50	13.69	13.56	13.55		0.7

Table F-93
LTE Band 48 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.86	13.93	13.78	13.96	0	0
	1	12	13.92	14.01	13.83	14.06		0
	1	24	13.87	13.93	13.78	14.00		0
	12	0	13.91	14.02	13.89	14.01	0-1	0
	12	6	13.97	14.08	13.94	14.06		0
	12	13	13.93	14.04	13.90	14.02		0
	25	0	13.92	14.04	13.89	14.00		0
16QAM	1	0	13.81	13.96	13.68	13.98	0-1	0
	1	12	13.91	13.99	13.80	14.06		0
	1	24	13.92	13.92	13.83	13.93		0
	12	0	13.90	13.99	13.90	14.02	0-2	0
	12	6	13.94	14.04	13.95	14.07		0
	12	13	13.95	14.03	13.91	14.07		0
	25	0	13.94	14.05	13.94	14.05		0
64QAM	1	0	13.49	13.64	13.65	13.76	0-2	0
	1	12	13.64	13.86	13.76	13.78		0
	1	24	13.65	13.68	13.66	13.84		0
	12	0	13.67	13.88	13.73	13.88	0-3	0
	12	6	13.70	13.92	13.75	13.93		0
	12	13	13.70	13.87	13.76	13.90		0
	25	0	13.71	13.87	13.77	13.86		0
256QAM	1	0	13.37	13.79	13.62	13.73	0-5	0.7
	1	12	13.62	13.89	13.64	13.86		0.7
	1	24	13.56	13.73	13.61	13.78		0.7
	12	0	13.66	13.81	13.76	13.84		0.7
	12	6	13.73	13.89	13.77	13.87		0.7
	12	13	13.69	13.85	13.77	13.82		0.7
	25	0	13.69	13.84	13.76	13.91		0.7

Table F-94
LTE Band 48 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.69	12.82	12.77	12.77	0	0
	1	36	12.84	12.99	12.80	12.88		0
	1	74	12.76	12.84	12.72	12.81		0
	36	0	12.94	12.97	12.91	12.96	0-1	0
	36	18	12.99	13.00	12.95	12.99		0
	36	37	12.98	12.99	12.93	12.98		0
	75	0	12.96	12.98	12.93	12.94		0
16QAM	1	0	12.53	12.66	12.63	12.68	0-1	0
	1	36	12.64	12.82	12.76	12.79		0
	1	74	12.73	12.76	12.70	12.75		0
	36	0	12.71	12.59	12.55	12.55	0-2	0
	36	18	12.52	12.63	12.62	12.57		0
	36	37	12.54	12.66	12.63	12.65		0
	75	0	12.52	12.65	12.61	12.62		0
64QAM	1	0	12.55	12.65	12.61	12.70	0-2	0
	1	36	12.73	12.72	12.71	12.79		0
	1	74	12.56	12.70	12.67	12.76		0
	36	0	12.57	12.55	12.54	12.52	0-3	0
	36	18	12.58	12.55	12.59	12.60		0
	36	37	12.51	12.65	12.61	12.62		0
	75	0	12.67	12.58	12.60	12.61		0
256QAM	1	0	12.55	12.65	12.60	12.63	0-5	0
	1	36	12.63	12.74	12.70	12.68		0
	1	74	12.73	12.78	12.80	12.79		0
	36	0	12.68	12.55	12.53	12.52		0
	36	18	12.64	12.60	12.60	12.60		0
	36	37	12.68	12.64	12.62	12.63		0
	75	0	12.63	12.63	12.60	12.61		0

Table F-95
LTE Band 48 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.89	12.99	12.80	13.07	0	0
	1	25	12.95	13.04	12.86	13.11		0
	1	49	12.95	12.97	12.78	13.09		0
	25	0	12.95	13.04	12.92	13.07	0-1	0
	25	12	12.99	13.07	12.94	13.09		0
	25	25	12.97	13.07	12.89	13.07		0
	50	0	12.96	13.06	12.89	13.06		0
16QAM	1	0	12.77	12.91	12.77	12.94	0-1	0
	1	25	12.80	13.09	12.78	12.99		0
	1	49	12.77	13.09	12.81	12.98		0
	25	0	12.55	12.78	12.62	12.77	0-2	0
	25	12	12.58	12.79	12.64	12.82		0
	25	25	12.60	12.77	12.63	12.84		0
	50	0	12.60	12.75	12.60	12.72		0
64QAM	1	0	12.68	12.93	12.71	12.83	0-2	0
	1	25	12.80	12.99	12.70	12.84		0
	1	49	12.76	12.93	12.78	12.77		0
	25	0	12.54	12.77	12.61	12.65	0-3	0
	25	12	12.57	12.78	12.63	12.68		0
	25	25	12.61	12.75	12.59	12.66		0
	50	0	12.58	12.74	12.57	12.66		0
256QAM	1	0	12.67	12.76	12.84	12.74	0-5	0
	1	25	12.80	12.95	12.81	12.92		0
	1	49	12.82	12.91	12.87	12.89		0
	25	0	12.54	12.73	12.58	12.63		0
	25	12	12.60	12.77	12.59	12.71		0
	25	25	12.60	12.75	12.58	12.66		0
	50	0	12.57	12.73	12.57	12.66		0

Table F-96
LTE Band 48 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.92	12.97	12.80	12.98	0	0
	1	12	12.97	12.99	12.89	13.04		0
	1	24	12.95	12.99	12.82	13.04		0
	12	0	12.91	13.03	12.91	13.09	0-1	0
	12	6	12.99	13.06	12.94	13.11		0
	12	13	12.97	13.05	12.90	13.11		0
	25	0	12.96	13.03	12.88	13.09		0
16QAM	1	0	12.71	13.03	12.73	13.10	0-1	0
	1	12	12.78	13.16	12.88	13.10		0
	1	24	12.93	12.80	12.83	12.69		0
	12	0	12.62	12.67	12.62	12.71	0-2	0
	12	6	12.65	12.75	12.64	12.74		0
	12	13	12.65	12.73	12.66	12.74		0
	25	0	12.51	12.74	12.61	12.70		0
64QAM	1	0	12.58	12.90	12.72	12.76	0-2	0
	1	12	12.66	12.96	12.77	12.91		0
	1	24	12.68	12.94	12.83	12.82		0
	12	0	12.57	12.71	12.66	12.82	0-3	0
	12	6	12.59	12.76	12.68	12.86		0
	12	13	12.60	12.80	12.68	12.85		0
	25	0	12.57	12.77	12.57	12.71		0
256QAM	1	0	12.60	12.84	12.72	12.71	0-5	0
	1	12	12.71	12.90	12.84	12.81		0
	1	24	12.75	12.88	12.81	12.78		0
	12	0	12.57	12.66	12.60	12.74		0
	12	6	12.60	12.77	12.62	12.75		0
	12	13	12.58	12.70	12.59	12.74		0
	25	0	12.54	12.70	12.58	12.67		0

F.1.12 LTE Band 41

Table F-97
LTE Band 41 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.53	14.25	14.29	14.20	14.26	0	0
	1	36	14.61	14.36	14.36	14.30	14.36		0
	1	74	14.42	14.34	14.33	14.30	14.33		0
	36	0	14.49	14.43	14.43	14.36	14.41	0-1	0
	36	18	14.50	14.44	14.51	14.42	14.47		0
	36	37	14.47	14.39	14.40	14.34	14.38		0
	75	0	14.41	14.44	14.43	14.41	14.40		0
16QAM	1	0	14.35	14.34	14.06	14.05	14.30	0-1	0
	1	36	14.41	14.49	14.18	14.20	14.34		0
	1	74	14.26	14.34	14.12	14.20	14.41		0
	36	0	14.53	14.42	14.45	14.35	14.46	0-2	0
	36	18	14.50	14.49	14.48	14.42	14.48		0
	36	37	14.44	14.38	14.34	14.33	14.40		0
	75	0	14.42	14.43	14.47	14.40	14.43		0
64QAM	1	0	14.28	14.27	14.07	14.09	14.22	0-2	0
	1	36	14.42	14.45	14.21	14.11	14.34		0
	1	74	14.33	14.25	14.15	14.13	14.35		0
	36	0	14.52	14.40	14.44	14.69	14.45	0-3	0
	36	18	14.50	14.47	14.45	14.41	14.47		0
	36	37	14.43	14.36	14.38	14.36	14.36		0
	75	0	14.43	14.42	14.47	14.41	14.43		0
256QAM	1	0	14.28	14.33	14.11	14.14	14.20	0-5	0
	1	36	14.33	14.23	14.16	14.25	14.44		0
	1	74	14.29	14.29	14.27	14.30	14.40		0
	36	0	14.53	14.42	14.44	14.39	14.45		0
	36	18	14.49	14.45	14.48	14.43	14.47		0
	36	37	14.43	14.36	14.37	14.32	14.37		0
	75	0	14.40	14.44	14.45	14.42	14.43		0

Table F-98
LTE Band 41 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.58	14.38	14.51	14.38	14.38	0	0
	1	25	14.66	14.46	14.59	14.51	14.42		0
	1	49	14.49	14.33	14.47	14.43	14.35		0
	25	0	14.61	14.55	14.56	14.48	14.54	0-1	0
	25	12	14.60	14.55	14.62	14.57	14.57		0
	25	25	14.56	14.49	14.53	14.43	14.49		0
16QAM	50	0	14.54	14.53	14.59	14.50	14.54	0-1	0
	1	0	14.84	14.44	14.44	14.52	14.40		0
	1	25	14.67	14.50	14.42	14.62	14.62		0
	1	49	14.63	14.46	14.33	14.53	14.55	0-2	0
	25	0	14.70	14.56	14.62	14.48	14.54		0
	25	12	14.65	14.59	14.67	14.52	14.60		0
64QAM	25	25	14.55	14.53	14.51	14.41	14.48	0-2	0
	50	0	14.56	14.60	14.61	14.48	14.55		0
	1	0	14.72	14.52	14.30	14.56	14.40		0
	1	25	14.69	14.62	14.56	14.53	14.62	0-3	0
	1	49	14.62	14.46	14.25	14.45	14.46		0
	25	0	14.64	14.59	14.56	14.46	14.54		0
256QAM	25	12	14.64	14.63	14.61	14.49	14.58	0-5	0
	25	25	14.57	14.51	14.53	14.42	14.49		0
	50	0	14.51	14.58	14.60	14.46	14.56		0
	1	0	14.78	14.44	14.46	14.49	14.42	0-5	0
	1	25	14.74	14.54	14.40	14.67	14.63		0
	1	49	14.73	14.48	14.44	14.61	14.51		0
256QAM	25	0	14.70	14.56	14.59	14.47	14.55	0-5	0
	25	12	14.66	14.61	14.65	14.52	14.56		0
	25	25	14.58	14.50	14.51	14.45	14.51		0
	50	0	14.57	14.58	14.60	14.48	14.55	0	

Table F-99
LTE Band 41 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.63	14.44	14.43	14.44	14.41	0	0
	1	12	14.68	14.51	14.51	14.51	14.46		0
	1	24	14.58	14.45	14.41	14.42	14.43		0
	12	0	14.63	14.55	14.53	14.48	14.54	0-1	0
	12	6	14.57	14.61	14.60	14.53	14.55		0
	12	13	14.56	14.48	14.54	14.52	14.54		0
16QAM	25	0	14.56	14.57	14.57	14.49	14.55	0	
	1	0	14.72	14.50	14.49	14.48	14.52	0-1	0
	1	12	14.62	14.56	14.50	14.54	14.57		0
	1	24	14.70	14.57	14.45	14.42	14.49		0-2
	12	0	14.65	14.57	14.57	14.49	14.49	0	
	12	6	14.63	14.59	14.63	14.51	14.51	0	
64QAM	12	13	14.65	14.51	14.62	14.51	14.50	0-2	0
	25	0	14.59	14.60	14.55	14.47	14.57		0
	1	0	14.79	14.57	14.53	14.41	14.53	0-2	0
	1	12	14.71	14.54	14.58	14.53	14.58		0
	1	24	14.68	14.50	14.41	14.32	14.51		0-3
	12	0	14.66	14.57	14.59	14.47	14.51	0	
12	6	14.62	14.62	14.66	14.53	14.54	0		
256QAM	12	13	14.62	14.50	14.61	14.51	14.53	0-3	0
	25	0	14.60	14.59	14.58	14.52	14.55		0
	1	0	14.75	14.47	14.53	14.46	14.48	0-5	0
	1	12	14.73	14.61	14.55	14.42	14.59		0
	1	24	14.66	14.44	14.44	14.50	14.53		0
	12	0	14.66	14.53	14.57	14.53	14.50		0
12	6	14.65	14.57	14.61	14.52	14.58	0		
12	13	14.61	14.46	14.61	14.49	14.58	0		
	25	0	14.61	14.58	14.55	14.48	14.55	0	

Table F-100
LTE Band 41 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39765 (2507.5 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.41	15.30	15.31	15.09	15.03	0	0
	1	36	15.50	15.39	15.44	15.28	15.20		0
	1	74	15.38	15.40	15.38	15.16	15.19		0
	36	0	15.57	15.50	15.44	15.29	15.23	0-1	0
	36	18	15.62	15.50	15.43	15.35	15.28		0
	36	37	15.50	15.42	15.36	15.26	15.20		0
	75	0	15.61	15.47	15.44	15.29	15.22		0
16QAM	1	0	15.56	15.28	15.30	15.26	14.97	0-1	0
	1	36	15.69	15.33	15.19	15.37	15.23		0
	1	74	15.46	15.18	15.25	15.28	15.20		0
	36	0	15.58	15.49	15.42	15.31	15.25	0-2	0
	36	18	15.59	15.50	15.46	15.33	15.27		0
	36	37	15.50	15.45	15.39	15.29	15.15		0
	75	0	15.59	15.52	15.44	15.32	15.24		0
64QAM	1	0	15.51	15.32	15.13	15.30	15.08	0-2	0
	1	36	15.68	15.49	15.19	15.33	15.08		0
	1	74	15.49	15.37	15.27	15.22	15.18		0
	36	0	15.60	15.50	15.44	15.34	15.26	0-3	0
	36	18	15.61	15.53	15.45	15.34	15.26		0
	36	37	15.53	15.45	15.37	15.24	15.24		0
	75	0	15.61	15.52	15.41	15.33	15.27		0
256QAM	1	0	15.46	15.23	15.01	15.14	15.06	0-5	0
	1	36	15.65	15.32	15.17	15.42	14.99		0
	1	74	15.37	15.35	15.16	15.19	15.03		0
	36	0	15.57	15.50	15.38	15.33	15.20		0
	36	18	15.61	15.52	15.45	15.35	15.25		0
	36	37	15.51	15.44	15.34	15.25	15.18		0
	75	0	15.63	15.52	15.40	15.34	15.26		0

Table F-101
LTE Band 41 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39740 (2505 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.69	15.52	15.55	15.48	15.26	0	0
	1	25	15.74	15.59	15.60	15.55	15.39		0
	1	49	15.72	15.52	15.53	15.42	15.26		0
	25	0	15.74	15.64	15.59	15.44	15.39	0-1	0
	25	12	15.79	15.63	15.62	15.49	15.38		0
	25	25	15.64	15.54	15.52	15.41	15.34		0
	50	0	15.76	15.61	15.61	15.49	15.43		0
16QAM	1	0	15.62	15.49	15.38	15.45	15.20	0-1	0
	1	25	15.77	15.67	15.65	15.50	15.43		0
	1	49	15.70	15.53	15.52	15.42	15.21		0
	25	0	15.74	15.64	15.59	15.47	15.43	0-2	0
	25	12	15.78	15.67	15.62	15.54	15.47		0
	25	25	15.63	15.58	15.52	15.43	15.41		0
	50	0	15.76	15.59	15.62	15.47	15.40		0
64QAM	1	0	15.68	15.54	15.45	15.33	15.24	0-2	0
	1	25	15.75	15.64	15.54	15.49	15.34		0
	1	49	15.65	15.28	15.60	15.37	15.28		0
	25	0	15.77	15.63	15.63	15.49	15.41	0-3	0
	25	12	15.80	15.68	15.65	15.55	15.44		0
	25	25	15.63	15.57	15.51	15.43	15.36		0
	50	0	15.74	15.63	15.61	15.50	15.41		0
256QAM	1	0	15.71	15.43	15.40	15.27	15.13	0-5	0
	1	25	15.77	15.54	15.51	15.45	15.35		0
	1	49	15.59	15.48	15.45	15.41	15.30		0
	25	0	15.76	15.67	15.59	15.48	15.44		0
	25	12	15.80	15.67	15.62	15.55	15.46		0
	25	25	15.62	15.58	15.54	15.42	15.38		0
	50	0	15.73	15.62	15.61	15.49	15.43		0

Table F-102
LTE Band 41 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39715 (2502.5 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.69	15.50	15.55	15.50	15.19	0	0
	1	12	15.74	15.54	15.58	15.54	15.33		0
	1	24	15.71	15.46	15.52	15.46	15.21		0
	12	0	15.75	15.66	15.55	15.45	15.39	0-1	0
	12	6	15.77	15.67	15.61	15.47	15.43		0
	12	13	15.65	15.58	15.55	15.44	15.31		0
	25	0	15.72	15.61	15.63	15.46	15.40		0
16QAM	1	0	15.80	15.43	15.47	15.43	15.26	0-1	0
	1	12	15.86	15.68	15.64	15.47	15.45		0
	1	24	15.69	15.54	15.49	15.43	15.34		0
	12	0	15.73	15.60	15.59	15.47	15.44	0-2	0
	12	6	15.76	15.62	15.59	15.56	15.42		0
	12	13	15.59	15.61	15.60	15.49	15.34		0
	25	0	15.75	15.63	15.61	15.49	15.43		0
64QAM	1	0	15.68	15.49	15.43	15.45	15.30	0-2	0
	1	12	15.78	15.69	15.51	15.46	15.37		0
	1	24	15.65	15.45	15.37	15.48	15.13		0
	12	0	15.79	15.58	15.60	15.43	15.44	0-3	0
	12	6	15.76	15.63	15.62	15.52	15.43		0
	12	13	15.69	15.55	15.62	15.44	15.34		0
	25	0	15.77	15.65	15.63	15.41	15.40		0
256QAM	1	0	15.81	15.45	15.41	15.37	15.32	0-5	0
	1	12	15.80	15.57	15.61	15.45	15.33		0
	1	24	15.78	15.48	15.53	15.40	15.26		0
	12	0	15.78	15.62	15.63	15.48	15.39		0
	12	6	15.80	15.70	15.60	15.55	15.44		0
	12	13	15.69	15.64	15.63	15.49	15.37		0
	25	0	15.74	15.68	15.60	15.48	15.43		0

Table F-103
LTE Band 41 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	12.57	12.64	12.26	12.40	12.11	0	0
	1	36	12.84	12.71	12.28	12.40	12.19		0
	1	74	12.92	12.60	12.25	12.29	12.19		0
	36	0	12.80	12.84	12.40	12.30	12.27	0-1	0
	36	18	12.92	12.81	12.38	12.32	12.26		0
	36	37	12.96	12.69	12.43	12.37	12.32		0
	75	0	12.93	12.79	12.38	12.29	12.24		0
16QAM	1	0	12.10	12.31	12.02	12.05	11.92	0-1	0
	1	36	12.96	12.87	12.20	12.35	12.30		0
	1	74	12.54	12.24	11.87	12.23	11.88		0
	36	0	12.38	12.49	12.15	12.08	11.89	0-2	0
	36	18	12.47	12.50	12.14	12.09	11.93		0
	36	37	12.46	12.38	12.12	12.16	11.98		0
	75	0	12.47	12.43	12.08	12.16	11.98		0
64QAM	1	0	12.21	12.66	12.36	12.29	12.08	0-2	0
	1	36	12.76	12.78	12.28	12.21	12.28		0
	1	74	12.62	12.65	12.14	12.22	12.28		0
	36	0	12.33	12.46	12.14	12.05	11.95	0-3	0
	36	18	12.45	12.51	12.15	12.12	11.95		0
	36	37	12.47	12.35	12.13	12.12	11.96		0
	75	0	12.48	12.44	12.13	12.09	12.00		0
256QAM	1	0	12.12	12.24	12.08	12.10	11.92	0-5	0
	1	36	12.49	12.27	11.88	12.20	12.00		0
	1	74	12.57	12.15	12.13	12.21	11.99		0
	36	0	12.36	12.46	12.14	12.07	11.92		0
	36	18	12.47	12.47	12.13	12.05	11.93		0
	36	37	12.44	12.32	12.12	12.12	11.92		0
	75	0	12.45	12.48	12.15	12.13	12.02		0

Table F-104
LTE Band 41 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.15	13.03	12.65	12.63	12.48	0	0
	1	25	13.31	13.05	12.69	12.73	12.54		0
	1	49	13.35	12.94	12.66	12.67	12.46		0
	25	0	13.21	13.09	12.66	12.57	12.52	0-1	0
	25	12	13.26	13.13	12.66	12.59	12.54		0
	25	25	13.25	13.01	12.63	12.67	12.56		0
	50	0	13.25	13.09	12.67	12.58	12.51		0
16QAM	1	0	12.37	12.41	12.08	12.13	11.97	0-1	0
	1	25	12.51	12.45	12.09	12.20	11.96		0
	1	49	12.72	12.43	12.18	12.17	11.94		0
	25	0	12.51	12.63	12.31	12.18	12.04	0-2	0
	25	12	12.57	12.63	12.35	12.19	12.09		0
	25	25	12.53	12.55	12.32	12.26	12.12		0
	50	0	12.57	12.61	12.30	12.22	12.03		0
64QAM	1	0	12.37	12.49	12.15	12.24	12.01	0-2	0
	1	25	12.62	12.84	12.13	12.28	12.47		0
	1	49	12.46	12.30	12.11	12.14	11.97		0
	25	0	12.58	12.67	12.35	12.19	12.05	0-3	0
	25	12	12.56	12.67	12.37	12.22	12.06		0
	25	25	12.61	12.57	12.36	12.27	12.10		0
	50	0	12.59	12.63	12.27	12.18	12.03		0
256QAM	1	0	12.36	12.40	12.08	12.29	11.97	0-5	0
	1	25	12.48	12.55	12.19	12.23	11.98		0
	1	49	12.61	12.41	12.12	12.19	11.95		0
	25	0	12.55	12.63	12.33	12.18	12.03		0
	25	12	12.62	12.64	12.38	12.21	12.07		0
	25	25	12.57	12.55	12.32	12.29	12.08		0
	50	0	12.59	12.64	12.27	12.25	12.01		0

Table F-105
LTE Band 41 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.27	12.98	12.64	12.65	12.48	0	0
	1	12	13.33	13.06	12.66	12.78	12.55		0
	1	24	13.34	12.94	12.62	12.70	12.45		0
	12	0	13.26	13.07	12.67	12.60	12.54	0-1	0
	12	6	13.27	13.15	12.70	12.61	12.54		0
	12	13	13.26	13.04	12.66	12.69	12.60		0
	25	0	13.28	13.10	12.66	12.60	12.53		0
16QAM	1	0	12.61	12.51	12.20	12.20	11.95	0-1	0
	1	12	12.54	12.63	12.22	12.43	12.09		0
	1	24	12.54	12.51	12.15	12.28	12.07		0
	12	0	12.55	12.62	12.31	12.20	12.04	0-2	0
	12	6	12.59	12.66	12.31	12.23	12.07		0
	12	13	12.60	12.51	12.30	12.29	12.11		0
	25	0	12.61	12.58	12.30	12.30	12.08		0
64QAM	1	0	12.42	12.54	12.27	12.26	12.03	0-2	0
	1	12	12.60	12.68	12.17	12.26	12.14		0
	1	24	12.61	12.51	12.07	12.26	11.99		0
	12	0	12.55	12.65	12.29	12.19	12.07	0-3	0
	12	6	12.56	12.62	12.32	12.26	12.01		0
	12	13	12.51	12.55	12.29	12.30	12.08		0
	25	0	12.56	12.57	12.27	12.25	12.08		0
256QAM	1	0	12.57	12.57	12.14	12.22	12.11	0-5	0
	1	12	12.76	12.60	12.30	12.33	12.05		0
	1	24	12.53	12.42	12.22	12.29	12.07		0
	12	0	12.52	12.61	12.27	12.22	12.04		0
	12	6	12.59	12.62	12.31	12.22	12.01		0
	12	13	12.55	12.52	12.30	12.27	12.09		0
	25	0	12.59	12.60	12.28	12.25	12.11		0

Table F-106
LTE Band 41 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.92	13.84	13.83	13.76	13.68	0	0
	1	36	13.99	13.88	13.78	13.88	13.72		0
	1	74	13.86	13.80	13.70	13.81	13.66		0
	36	0	14.07	13.92	13.86	13.88	13.74	0-1	0
	36	18	14.05	13.85	13.89	13.90	13.77		0
	36	37	14.00	13.86	13.89	13.90	13.75		0
	75	0	13.96	13.83	13.85	13.89	13.69		0
16QAM	1	0	13.84	13.58	13.78	13.55	13.43	0-1	0
	1	36	14.03	13.82	13.90	13.76	13.46		0
	1	74	13.86	13.80	13.82	13.56	13.43		0
	36	0	14.04	13.88	13.87	13.85	13.71	0-2	0
	36	18	14.05	13.81	13.88	13.87	13.72		0
	36	37	14.02	13.79	13.88	13.86	13.70		0
	75	0	13.97	13.79	13.86	13.86	13.71		0
64QAM	1	0	13.73	13.60	13.60	13.70	13.45	0-2	0
	1	36	13.84	13.86	13.80	13.82	13.64		0
	1	74	13.64	13.72	13.72	13.72	13.59		0
	36	0	13.93	13.78	13.72	13.64	13.61	0-3	0
	36	18	13.96	13.67	13.71	13.65	13.63		0
	36	37	13.91	13.68	13.72	13.74	13.61		0
	75	0	13.94	13.66	13.71	13.66	13.60		0
256QAM	1	0	13.91	13.66	13.73	13.58	13.67	0-5	0
	1	36	13.83	13.86	13.72	13.53	13.57		0
	1	74	13.69	13.61	13.71	13.71	13.71		0
	36	0	13.91	13.75	13.67	13.70	13.64		0
	36	18	13.92	13.66	13.74	13.70	13.65		0
	36	37	13.92	13.60	13.73	13.75	13.63		0
	75	0	13.95	13.68	13.72	13.64	13.60		0

Table F-107
LTE Band 41 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.22	13.88	13.84	13.92	13.64	0	0
	1	25	14.26	13.95	13.93	13.95	13.73		0
	1	49	14.21	13.87	13.88	13.95	13.67		0
	25	0	14.21	14.00	13.93	13.93	13.74	0-1	0
	25	12	14.19	13.95	13.95	13.98	13.79		0
	25	25	14.11	13.95	13.97	13.95	13.77		0
	50	0	14.13	13.97	13.95	13.93	13.77		0
16QAM	1	0	14.24	13.79	13.75	13.87	13.75	0-1	0
	1	25	14.11	13.86	13.79	13.94	13.74		0
	1	49	14.16	13.70	13.75	13.82	13.63		0
	25	0	14.20	14.00	13.91	13.96	13.80	0-2	0
	25	12	14.19	13.97	13.91	13.96	13.85		0
	25	25	14.16	13.93	13.91	13.94	13.78		0
	50	0	14.11	13.93	13.94	13.98	13.79		0
64QAM	1	0	14.00	13.71	13.77	13.68	13.60	0-2	0
	1	25	14.01	13.82	13.83	13.89	13.70		0
	1	49	13.95	13.70	13.80	13.90	13.59		0
	25	0	14.05	13.83	13.78	13.73	13.67	0-3	0
	25	12	14.06	13.87	13.83	13.87	13.74		0
	25	25	14.01	13.79	13.83	13.82	13.68		0
	50	0	14.05	13.79	13.79	13.75	13.73		0
256QAM	1	0	14.06	13.82	13.81	13.89	13.49	0-5	0
	1	25	14.17	13.87	13.89	13.96	13.48		0
	1	49	13.91	13.74	13.87	13.82	13.52		0
	25	0	14.04	13.87	13.77	13.77	13.64		0
	25	12	14.06	13.90	13.85	13.88	13.74		0
	25	25	14.05	13.79	13.79	13.86	13.72		0
	50	0	14.06	13.77	13.83	13.77	13.72		0

Table F-108
LTE Band 41 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	14.19	13.80	13.87	13.94	13.60	0	0	
	1	12	14.21	13.92	13.96	14.01	13.68		0-1	0
	1	24	14.18	13.80	13.92	13.94	13.62			0
	12	0	14.16	14.00	13.94	13.93	13.76	0		
	12	6	14.51	14.02	13.98	13.97	13.79	0-1		0
	12	13	14.08	13.90	13.95	13.96	13.77		0	
	25	0	14.09	13.92	13.98	13.93	13.78		0	
16QAM	1	0	14.17	13.90	13.85	13.91	13.60	0-1	0	
	1	12	14.21	13.99	13.87	14.10	13.75		0-2	0
	1	24	14.12	13.84	13.88	13.94	13.65			0
	12	0	14.18	13.97	13.99	13.99	13.80	0		
	12	6	14.18	14.01	13.99	14.02	13.84	0-2		0
	12	13	14.09	13.87	13.96	13.99	13.72		0	
	25	0	14.09	13.91	14.00	14.00	13.75		0	
64QAM	1	0	13.90	13.81	13.81	13.79	13.64	0-2	0	
	1	12	13.97	13.72	13.92	13.89	13.60		0-3	0
	1	24	13.87	13.70	13.70	13.81	13.62			0
	12	0	14.02	13.87	13.83	13.87	13.65	0		
	12	6	14.04	13.89	13.85	13.87	13.66	0-3		0
	12	13	13.98	13.83	13.81	13.82	13.66		0	
	25	0	13.97	13.87	13.81	13.81	13.68		0	
256QAM	1	0	14.06	13.87	13.86	13.66	13.68	0-5	0	
	1	12	14.09	13.94	13.77	13.71	13.75		0	
	1	24	14.03	13.81	13.78	13.64	13.64		0	
	12	0	14.01	13.85	13.76	13.86	13.71		0	
	12	6	14.01	13.90	13.80	13.89	13.66		0	
	12	13	13.97	13.85	13.81	13.87	13.69		0	
	25	0	13.98	13.89	13.77	13.87	13.70		0	

F.2 NR Lower Bandwidth RF Conducted Powers

F.2.1 NR Band n71

Table F-109
NR Band n71 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.61	0	0.0
	1	40	17.65		0.0
	1	77	17.54		0.0
	36	0	17.70	0-1	0.0
	36	22	17.67	0	0.0
	36	43	17.69	0-1	0.0
	75	0	17.66		0.0
DFT-s-OFDM 16QAM	1	1	17.74	0-1	0.0
CP-OFDM QPSK	1	1	17.76	0-1.5	0.0

Table F-110
NR Band n71 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.59	17.62	17.57	0	0.0
	1	26	17.61	17.56	17.52		0.0
	1	50	17.44	17.53	17.49		0.0
	25	0	17.56	17.49	17.58	0-1	0.0
	25	14	17.54	17.55	17.52	0	0.0
	25	27	17.48	17.46	17.45	0-1	0.0
	50	0	17.58	17.52	17.54		0.0
DFT-s-OFDM 16QAM	1	1	17.54	17.47	17.73	0-1	0.0
CP-OFDM QPSK	1	1	17.53	17.65	17.82	0-1.5	0.0

Table F-111
NR Band n71 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.75	17.59	17.69	0	0.0
	1	13	17.72	17.70	17.66		0.0
	1	23	17.69	17.68	17.43		0.0
	12	0	17.72	17.63	17.61	0-1	0.0
	12	7	17.71	17.69	17.68	0	0.0
	12	13	17.68	17.64	17.59	0-1	0.0
	25	0	17.71	17.65	17.64		0.0
DFT-s-OFDM 16QAM	1	1	17.81	17.51	17.69	0-1	0.0
CP-OFDM QPSK	1	1	17.65	17.59	17.72	0-1.5	0.0

Table F-112
NR Band n71 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.53	0	0.0
	1	40	20.56		0.0
	1	77	20.52		0.0
	36	0	20.55	0-1	0.0
	36	22	20.54	0	0.0
	36	43	20.49	0-1	0.0
	75	0	20.50		0.0
DFT-s-OFDM 16QAM	1	1	20.84	0-1	0.0
CP-OFDM QPSK	1	1	20.78	0-1.5	0.0

Table F-113
NR Band n71 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n71
10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.43	20.38	20.54	0	0.0
	1	26	20.60	20.47	20.42		0.0
	1	50	20.32	20.44	20.25		0.0
	25	0	20.41	20.42	20.39	0-1	0.0
	25	14	20.49	20.37	20.36	0	0.0
	25	27	20.33	20.39	20.29	0-1	0.0
	50	0	20.40	20.37	20.30		0.0
DFT-s-OFDM 16QAM	1	1	20.62	20.23	20.45	0-1	0.0
CP-OFDM QPSK	1	1	20.48	20.55	20.49	0-1.5	0.0

Table F-114
NR Band n71 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.53	20.44	20.33	0	0.0
	1	13	20.48	20.58	20.23		0.0
	1	23	20.52	20.41	20.13		0.0
	12	0	20.49	20.40	20.30	0-1	0.0
	12	7	20.41	20.44	20.43	0	0.0
	12	13	20.54	20.40	20.14	0-1	0.0
	25	0	20.41	20.34	20.28		0.0
DFT-s-OFDM 16QAM	1	1	20.28	20.46	20.61	0-1	0.0
CP-OFDM QPSK	1	1	20.44	20.58	20.42	0-1.5	0.0

F.2.2 NR Band n12

Table F-115
NR Band n12 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.87	0	0.0
	1	26	16.93		0.0
	1	50	16.86		0.0
	25	0	16.91	0-1	0.0
	25	14	17.02	0	0.0
	25	27	16.90	0-1	0.0
	50	0	16.88		0.0
DFT-s-OFDM 16QAM	1	1	16.81	0-1	0.0
CP-OFDM QPSK	1	1	16.75	0-1.5	0.0

Table F-116
NR Band n12 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth
NR Band n12
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.94	17.04	16.91	0	0.0
	1	13	17.05	17.19	17.11		0.0
	1	23	17.01	17.16	16.93		0.0
	12	0	16.99	16.96	16.91	0-1	0.0
	12	7	17.02	17.11	17.00	0	0.0
	12	13	16.91	17.06	16.92	0-1	0.0
	25	0	17.01	17.09	16.99		0.0
DFT-s-OFDM 16QAM	1	1	17.03	17.08	17.11	0-1	0.0
CP-OFDM QPSK	1	1	17.10	17.13	17.02	0-1.5	0.0

Table F-117
NR Band n12 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.69	0	0.0
	1	26	18.77		0.0
	1	50	18.47		0.0
	25	0	18.59	0-1	0.0
	25	14	18.62	0	0.0
	25	27	18.58	0-1	0.0
	50	0	18.61		0.0
DFT-s-OFDM 16QAM	1	1	18.92	0-1	0.0
CP-OFDM QPSK	1	1	18.68	0-1.5	0.0

Table F-118
NR Band n12 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.72	18.61	18.71	0	0.0
	1	13	18.69	18.79	18.59		0.0
	1	23	18.72	18.60	18.53		0.0
	12	0	18.65	18.66	18.62	0-1	0.0
	12	7	18.68	18.75	18.57	0	0.0
	12	13	18.63	18.60	18.47	0-1	0.0
	25	0	18.64	18.63	18.49		0.0
DFT-s-OFDM 16QAM	1	1	18.65	18.91	18.47	0-1	0.0
CP-OFDM QPSK	1	1	18.77	18.56	18.43	0-1.5	0.0

F.2.3 NR Band n14

Table F-119
NR Band n14 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.18	17.20	0	0.0
	1	13	17.14	17.10		0.0
	1	23	17.06	17.16		0.0
	12	0	17.05	17.03	0-1	0.0
	12	7	17.04	17.09	0	0.0
	12	13	17.07	17.11	0-1	0.0
	25	0	17.08	17.06		0.0
DFT-s-OFDM 16QAM	1	1	17.16	17.12	0-1	0.0
CP-OFDM QPSK	1	1	17.20	17.17	0-1.5	0.0

Table F-120
NR Band n14 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.25	18.24	0	0.0
	1	13	18.23	18.22		0.0
	1	23	18.17	18.19		0.0
	12	0	18.35	18.25	0-1	0.0
	12	7	18.27	18.23	0	0.0
	12	13	18.23	18.21	0-1	0.0
	25	0	18.19	18.18		0.0
DFT-s-OFDM 16QAM	1	1	18.34	18.26	0-1	0.0
CP-OFDM QPSK	1	1	18.15	18.33	0-1.5	0.0

F.2.4 NR Band n26

Table F-121
NR Band n26 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.44	16.40	0	0.0
	1	40	16.35	16.37		0.0
	1	77	16.39	16.27		0.0
	36	0	16.40	16.34	0-1	0.0
	36	22	16.35	16.27	0	0.0
	36	43	16.31	16.25	0-1	0.0
	75	0	16.40	16.24		0.0
DFT-s-OFDM 16QAM	1	1	16.21	16.32	0-1	0.0
CP-OFDM QPSK	1	1	16.48	16.44	0-1.5	0.0

Table F-122
NR Band n26 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth
NR Band n26
10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.45	16.34	16.44	0	0.0
	1	26	16.38	16.47	16.32		0.0
	1	50	16.40	16.31	16.35		0.0
	25	0	16.33	16.38	16.29	0-1	0.0
	25	14	16.35	16.29	16.21	0	0.0
	25	27	16.31	16.31	16.27	0-1	0.0
	50	0	16.41	16.33	16.35		0.0
DFT-s-OFDM 16QAM	1	1	16.44	16.35	16.34	0-1	0.0
CP-OFDM QPSK	1	1	16.32	16.27	16.22	0-1.5	0.0

Table F-123
NR Band n26 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.33	16.22	16.31	0	0.0
	1	13	16.44	16.36	16.35		0.0
	1	23	16.22	16.31	16.28		0.0
	12	0	16.19	16.27	16.25	0-1	0.0
	12	7	16.26	16.37	16.31	0	0.0
	12	13	16.28	16.34	16.30	0-1	0.0
	25	0	16.29	16.25	16.27		0.0
DFT-s-OFDM 16QAM	1	1	16.32	16.36	16.35	0-1	0.0
CP-OFDM QPSK	1	1	16.36	16.31	16.35	0-1.5	0.0

Table F-124
NR Band n26 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.51	18.44	0	0.0
	1	40	18.47	18.36		0.0
	1	77	18.57	18.41		0.0
	36	0	18.49	18.45	0-1	0.0
	36	22	18.44	18.37	0	0.0
	36	43	18.38	18.42	0-1	0.0
	75	0	18.43	18.48		0.0
DFT-s-OFDM 16QAM	1	1	18.47	18.58	0-1	0.0
CP-OFDM QPSK	1	1	18.59	18.71	0-1.5	0.0

Table F-125
NR Band n26 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.55	18.37	18.43	0	0.0
	1	26	18.39	18.28	18.32		0.0
	1	50	18.26	18.32	18.22		0.0
	25	0	18.43	18.35	18.20	0-1	0.0
	25	14	18.32	18.27	18.16	0	0.0
	25	27	18.29	18.36	18.10	0-1	0.0
	50	0	18.28	18.32	18.18		0.0
DFT-s-OFDM 16QAM	1	1	18.22	18.32	18.27	0-1	0.0
CP-OFDM QPSK	1	1	18.33	18.44	18.32	0-1.5	0.0

Table F-126
NR Band n26 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.20	18.40	18.24	0	0.0
	1	13	18.32	18.47	18.29		0.0
	1	23	18.35	18.33	18.26		0.0
	12	0	18.28	18.25	18.18	0-1	0.0
	12	7	18.32	18.26	18.16	0	0.0
	12	13	18.25	18.24	18.15	0-1	0.0
	25	0	18.27	18.29	18.13		0.0
DFT-s-OFDM 16QAM	1	1	18.39	18.40	18.37	0-1	0.0
CP-OFDM QPSK	1	1	18.21	18.33	18.25	0-1.5	0.0

F.2.5 NR Band n5

Table F-127
NR Band n5 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.38	0	0.0
	1	40	16.27		0.0
	1	77	16.23		0.0
	36	0	16.27	0-1	0.0
	36	22	16.19	0	0.0
	36	43	16.24	0-1	0.0
	75	0	16.29		0.0
DFT-s-OFDM 16QAM	1	1	16.30	0-1	0.0
CP-OFDM QPSK	1	1	16.48	0-1.5	0.0

Table F-128
NR Band n5 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.42	0	0.0
	1	26	16.35		0.0
	1	50	16.43		0.0
	25	0	16.36	0-1	0.0
	25	14	16.42	0	0.0
	25	27	16.39	0-1	0.0
	50	0	16.45		0.0
DFT-s-OFDM 16QAM	1	1	16.33	0-1	0.0
CP-OFDM QPSK	1	1	16.54	0-1.5	0.0

Table F-129
NR Band n5 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.61	16.48	16.52	0	0.0
	1	13	16.58	16.44	16.47		0.0
	1	23	16.44	16.46	16.43		0.0
	12	0	16.45	16.32	16.33	0-1	0.0
	12	7	16.42	16.34	16.36	0	0.0
	12	13	16.39	16.41	16.33	0-1	0.0
	25	0	16.44	16.39	16.36		0.0
DFT-s-OFDM 16QAM	1	1	16.57	16.51	16.69	0-1	0.0
CP-OFDM QPSK	1	1	16.62	16.47	16.58	0-1.5	0.0

Table F-130
NR Band n5 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.26	0	0.0
	1	40	18.15		0.0
	1	77	18.21		0.0
	36	0	18.17	0-1	0.0
	36	22	18.22	0	0.0
	36	43	18.18	0-1	0.0
	75	0	18.21		0.0
DFT-s-OFDM 16QAM	1	1	18.36	0-1	0.0
CP-OFDM QPSK	1	1	18.34	0-1.5	0.0

Table F-131
NR Band n5 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.51	0	0.0
	1	26	18.60		0.0
	1	50	18.36		0.0
	25	0	18.48	0-1	0.0
	25	14	18.44	0	0.0
	25	27	18.42	0-1	0.0
	50	0	18.47		0.0
DFT-s-OFDM 16QAM	1	1	18.65	0-1	0.0
CP-OFDM QPSK	1	1	18.49	0-1.5	0.0

Table F-132
NR Band n5 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n5
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.43	18.32	18.30	0	0.0
	1	13	18.31	18.28	18.14		0.0
	1	23	18.39	18.31	18.28		0.0
	12	0	18.29	18.25	18.16	0-1	0.0
	12	7	18.25	18.15	18.11	0	0.0
	12	13	18.24	18.27	18.14	0-1	0.0
	25	0	18.33	18.21	18.10		0.0
DFT-s-OFDM 16QAM	1	1	18.53	18.28	18.07	0-1	0.0
CP-OFDM QPSK	1	1	18.65	18.42	18.39	0-1.5	0.0

F.2.6 NR Band n70

Table F-133
NR Band n70 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.03	0	0.0
	1	26	12.12		0.0
	1	50	11.97		0.0
	25	0	12.06	0-1	0.0
	25	14	12.07	0	0.0
	25	27	12.03	0-1	0.0
	50	0	12.05		0.0
DFT-s-OFDM 16QAM	1	1	12.14	0-1	0.0
CP-OFDM QPSK	1	1	11.94	0-1.5	0.0

Table F-134
NR Band n70 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.17	12.18	0	0.0
	1	13	12.13	12.12		0.0
	1	23	12.09	12.07		0.0
	12	0	12.22	12.17	0-1	0.0
	12	7	12.13	12.14	0	0.0
	12	13	12.11	12.10	0-1	0.0
	25	0	12.17	12.20		0.0
DFT-s-OFDM 16QAM	1	1	12.21	12.25	0-1	0.0
CP-OFDM QPSK	1	1	12.14	12.17	0-1.5	0.0

Table F-135
NR Band n70 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.53	0	0.0
	1	26	12.36		0.0
	1	50	12.29		0.0
	25	0	12.47	0-1	0.0
	25	14	12.46	0	0.0
	25	27	12.45	0-1	0.0
	50	0	12.47		0.0
DFT-s-OFDM 16QAM	1	1	12.53	0-1	0.0
CP-OFDM QPSK	1	1	12.62	0-1.5	0.0

Table F-136
NR Band n70 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.53	12.51	0	0.0
	1	13	12.56	12.46		0.0
	1	23	12.48	12.44		0.0
	12	0	12.51	12.43	0-1	0.0
	12	7	12.46	12.46	0	0.0
	12	13	12.49	12.47	0-1	0.0
	25	0	12.48	12.46		0.0
DFT-s-OFDM 16QAM	1	1	12.58	12.45	0-1	0.0
CP-OFDM QPSK	1	1	12.43	12.39	0-1.5	0.0

Table F-137
NR Band n70 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.13	0	0.0
	1	26	12.10		0.0
	1	50	12.07		0.0
	25	0	12.04	0-1	0.0
	25	14	12.02	0	0.0
	25	27	12.08	0-1	0.0
	50	0	12.01		0.0
DFT-s-OFDM 16QAM	1	1	11.92	0-1	0.0
CP-OFDM QPSK	1	1	12.18	0-1.5	0.0

Table F-138
NR Band n70 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.18	12.15	0	0.0
	1	13	12.16	12.13		0.0
	1	23	12.05	12.09		0.0
	12	0	12.04	12.11	0-1	0.0
	12	7	12.08	12.08	0	0.0
	12	13	12.15	12.08	0-1	0.0
	25	0	12.07	12.03		0.0
DFT-s-OFDM 16QAM	1	1	12.35	12.25	0-1	0.0
CP-OFDM QPSK	1	1	12.27	12.30	0-1.5	0.0

Table F-139
NR Band n70 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.63	0	0.0
	1	26	13.65		0.0
	1	50	13.76		0.0
	25	0	13.62	0-1	0.0
	25	14	13.64	0	0.0
	25	27	13.61	0-1	0.0
	50	0	13.56		0.0
DFT-s-OFDM 16QAM	1	1	13.67	0-1	0.0
CP-OFDM QPSK	1	1	13.83	0-1.5	0.0

Table F-140
NR Band n70 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	13.67	13.58	0	0.0
	1	13	13.72	13.69		0.0
	1	23	13.81	13.73		0.0
	12	0	13.69	13.64	0-1	0.0
	12	7	13.67	13.71	0	0.0
	12	13	13.80	13.68	0-1	0.0
	25	0	13.77	13.67		0.0
DFT-s-OFDM 16QAM	1	1	13.69	13.90	0-1	0.0
CP-OFDM QPSK	1	1	13.61	13.72	0-1.5	0.0

F.2.7 NR Band n66

Table F-141
NR Band n66 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.18	0	0.0
	1	94	12.04		0.0
	1	186	12.01		0.0
	90	0	12.11	0-1	0.0
	90	49	12.03	0	0.0
	90	98	12.10	0-1	0.0
	180	0	12.07		0.0
DFT-s-OFDM 16QAM	1	1	11.92	0-1	0.0
CP-OFDM QPSK	1	1	12.21	0-1.5	0.0

Table F-142
NR Band n66 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.90	0	0.0
	1	80	11.80		0.0
	1	158	11.85		0.0
	80	0	11.90	0-1	0.0
	80	40	11.88	0	0.0
	80	80	11.85	0-1	0.0
	160	0	11.84		0.0
DFT-s-OFDM 16QAM	1	1	11.95	0-1	0.0
CP-OFDM QPSK	1	1	11.85	0-1.5	0.0

Table F-143
NR Band n66 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.88	0	0.0
	1	67	11.81		0.0
	1	131	11.86		0.0
	64	0	11.91	0-1	0.0
	64	35	11.87	0	0.0
	64	69	11.84	0-1	0.0
	128	0	11.86		0.0
DFT-s-OFDM 16QAM	1	1	12.00	0-1	0.0
CP-OFDM QPSK	1	1	11.87	0-1.5	0.0

Table F-144
NR Band n66 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.98	11.87	11.78	0	0.0
	1	53	11.88	11.84	11.75		0.0
	1	104	11.95	11.82	11.78		0.0
	50	0	11.87	11.80	11.80	0-1	0.0
	50	28	11.81	11.74	11.76	0	0.0
	50	56	11.85	11.75	11.72	0-1	0.0
	100	0	11.86	11.79	11.74		0.0
DFT-s-OFDM 16QAM	1	1	11.90	12.02	12.18	0-1	0.0
CP-OFDM QPSK	1	1	11.81	11.75	11.88	0-1.5	0.0

Table F-145
NR Band n66 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.97	11.89	11.79	0	0.0
	1	40	11.85	11.83	11.76		0.0
	1	77	11.91	11.84	11.79		0.0
	36	0	11.89	11.79	11.81	0-1	0.0
	36	22	11.82	11.75	11.77	0	0.0
	36	43	11.86	11.76	11.73	0-1	0.0
	75	0	11.84	11.81	11.76		0.0
DFT-s-OFDM 16QAM	1	1	11.93	12.01	12.03	0-1	0.0
CP-OFDM QPSK	1	1	11.85	11.76	11.96	0-1.5	0.0

Table F-146
NR Band n66 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.07	11.99	11.89	0	0.0
	1	26	11.95	11.93	11.86		0.0
	1	50	12.01	11.94	11.89		0.0
	25	0	11.99	11.89	11.91	0-1	0.0
	25	14	11.92	11.85	11.87	0	0.0
	25	27	11.96	11.86	11.83	0-1	0.0
	50	0	11.94	11.91	11.86		0.0
DFT-s-OFDM 16QAM	1	1	12.03	12.11	12.13	0-1	0.0
CP-OFDM QPSK	1	1	11.95	11.86	12.06	0-1.5	0.0

Table F-147
NR Band n66 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.02	11.94	11.86	0	0.0
	1	13	11.90	11.88	11.84		0.0
	1	23	11.97	11.89	11.85		0.0
	12	0	11.94	11.84	11.87	0-1	0.0
	12	7	11.87	11.80	11.82	0	0.0
	12	13	11.91	11.81	11.78	0-1	0.0
	25	0	11.89	11.87	11.81		0.0
DFT-s-OFDM 16QAM	1	1	11.97	12.06	12.07	0-1	0.0
CP-OFDM QPSK	1	1	11.90	11.86	12.01	0-1.5	0.0

Table F-148
NR Band n66 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.62	0	0.0
	1	94	12.32		0.0
	1	186	12.34		0.0
	90	0	12.40	0-1	0.0
	90	49	12.28	0	0.0
	90	98	12.18	0-1	0.0
	180	0	12.30		0.0
DFT-s-OFDM 16QAM	1	1	12.67	0-1	0.0
CP-OFDM QPSK	1	1	12.47	0-1.5	0.0

Table F-149
NR Band n66 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.63	0	0.0
	1	80	12.49		0.0
	1	158	12.52		0.0
	80	0	12.73	0-1	0.0
	80	40	12.56	0	0.0
	80	80	12.60	0-1	0.0
	160	0	12.61		0.0
DFT-s-OFDM 16QAM	1	1	12.71	0-1	0.0
CP-OFDM QPSK	1	1	12.45	0-1.5	0.0

Table F-150
NR Band n66 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.43	0	0.0
	1	67	12.29		0.0
	1	131	12.32		0.0
	64	0	12.53	0-1	0.0
	64	35	12.36	0	0.0
	64	69	12.40	0-1	0.0
	128	0	12.41		0.0
DFT-s-OFDM 16QAM	1	1	12.51	0-1	0.0
CP-OFDM QPSK	1	1	12.25	0-1.5	0.0

Table F-151
NR Band n66 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.49	12.49	12.22	0	0.0
	1	53	12.58	12.40	12.24		0.0
	1	104	12.51	12.31	12.20		0.0
	50	0	12.53	12.45	12.23	0-1	0.0
	50	28	12.49	12.32	12.15	0	0.0
	50	56	12.52	12.34	12.14	0-1	0.0
	100	0	12.51	12.41	12.12		0.0
DFT-s-OFDM 16QAM	1	1	12.65	12.61	12.50	0-1	0.0
CP-OFDM QPSK	1	1	12.38	12.47	12.21	0-1.5	0.0

Table F-152
NR Band n66 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.37	12.50	12.19	0	0.0
	1	40	12.40	12.41	12.25		0.0
	1	77	12.38	12.37	12.17		0.0
	36	0	12.25	12.45	12.30	0-1	0.0
	36	22	12.38	12.35	12.17	0	0.0
	36	43	12.30	12.37	12.14	0-1	0.0
	75	0	12.60	12.49	12.23		0.0
DFT-s-OFDM 16QAM	1	1	12.65	12.63	12.60	0-1	0.0
CP-OFDM QPSK	1	1	12.38	12.42	12.25	0-1.5	0.0

Table F-153
NR Band n66 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.47	12.47	12.23	0	0.0
	1	26	12.51	12.50	12.22		0.0
	1	50	12.58	12.35	12.21		0.0
	25	0	12.56	12.43	12.19	0-1	0.0
	25	14	12.45	12.30	12.13	0	0.0
	25	27	12.44	12.33	12.15	0-1	0.0
	50	0	12.52	12.42	12.16		0.0
DFT-s-OFDM 16QAM	1	1	12.66	12.62	12.52	0-1	0.0
CP-OFDM QPSK	1	1	12.38	12.47	12.32	0-1.5	0.0

Table F-154
NR Band n66 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.39	12.51	12.18	0	0.0
	1	13	12.41	12.42	12.15		0.0
	1	23	12.35	12.38	12.17		0.0
	12	0	12.35	12.44	12.36	0-1	0.0
	12	7	12.42	12.36	12.18	0	0.0
	12	13	12.36	12.38	12.15	0-1	0.0
	25	0	12.50	12.49	12.22		0.0
DFT-s-OFDM 16QAM	1	1	12.70	12.64	12.63	0-1	0.0
CP-OFDM QPSK	1	1	12.48	12.43	12.32	0-1.5	0.0

Table F-155
NR Band n66 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.01	0	0.0
	1	94	11.81		0.0
	1	186	11.91		0.0
	90	0	11.82	0-1	0.0
	90	49	11.84	0	0.0
	90	98	11.81	0-1	0.0
	180	0	11.86		0.0
DFT-s-OFDM 16QAM	1	1	12.22	0-1	0.0
CP-OFDM QPSK	1	1	11.80	0-1.5	0.0

Table F-156
NR Band n66 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.50	0	0.0
	1	80	12.60		0.0
	1	158	12.68		0.0
	80	0	12.66	0-1	0.0
	80	40	12.62	0	0.0
	80	80	12.64	0-1	0.0
	160	0	12.61		0.0
DFT-s-OFDM 16QAM	1	1	12.37	0-1	0.0
CP-OFDM QPSK	1	1	12.46	0-1.5	0.0

Table F-157
NR Band n66 Measured P_{Limit} Antenna 3a - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.49	0	0.0
	1	67	12.56		0.0
	1	131	12.59		0.0
	64	0	12.50	0-1	0.0
	64	35	12.43	0	0.0
	64	69	12.41	0-1	0.0
	128	0	12.41		0.0
DFT-s-OFDM 16QAM	1	1	12.47	0-1	0.0
CP-OFDM QPSK	1	1	12.54	0-1.5	0.0

Table F-158
NR Band n66 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.38	12.43	12.51	0	0.0
	1	53	12.42	12.55	12.46		0.0
	1	104	12.36	12.57	12.35		0.0
	50	0	12.45	12.51	12.45	0-1	0.0
	50	28	12.37	12.41	12.38	0	0.0
	50	56	12.38	12.43	12.35	0-1	0.0
	100	0	12.41	12.42	12.39		0.0
DFT-s-OFDM 16QAM	1	1	12.44	12.47	12.43	0-1	0.0
CP-OFDM QPSK	1	1	12.67	12.60	12.37	0-1.5	0.0

Table F-159
NR Band n66 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.40	12.34	12.62	0	0.0
	1	40	12.39	12.56	12.56		0.0
	1	77	12.35	12.34	12.30		0.0
	36	0	12.43	12.52	12.40	0-1	0.0
	36	22	12.35	12.48	12.37	0	0.0
	36	43	12.39	12.41	12.34	0-1	0.0
	75	0	12.42	12.43	12.42		0.0
DFT-s-OFDM 16QAM	1	1	12.50	12.50	12.45	0-1	0.0
CP-OFDM QPSK	1	1	12.70	12.63	12.60	0-1.5	0.0

Table F-160
NR Band n66 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.38	12.44	12.43	0	0.0
	1	26	12.34	12.46	12.46		0.0
	1	50	12.29	12.32	12.36		0.0
	25	0	12.23	12.42	12.42	0-1	0.0
	25	14	12.45	12.52	12.38	0	0.0
	25	27	12.42	12.47	12.46	0-1	0.0
	50	0	12.44	12.44	12.43		0.0
DFT-s-OFDM 16QAM	1	1	12.48	12.43	12.47	0-1	0.0
CP-OFDM QPSK	1	1	12.67	12.61	12.62	0-1.5	0.0

Table F-161
NR Band n66 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.28	12.43	12.33	0	0.0
	1	13	12.24	12.47	12.36		0.0
	1	23	12.30	12.50	12.40		0.0
	12	0	12.36	12.46	12.32	0-1	0.0
	12	7	12.41	12.29	12.28	0	0.0
	12	13	12.49	12.39	12.37	0-1	0.0
	25	0	12.47	12.34	12.33		0.0
DFT-s-OFDM 16QAM	1	1	12.52	12.46	12.37	0-1	0.0
CP-OFDM QPSK	1	1	12.61	12.65	12.45	0-1.5	0.0

Table F-162
NR Band n66 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.03	0	0.0
	1	94	13.69		0.0
	1	186	13.73		0.0
	90	0	13.85	0-1	0.0
	90	49	13.70	0	0.0
	90	98	13.74	0-1	0.0
	180	0	13.85		0.0
DFT-s-OFDM 16QAM	1	1	14.08	0-1	0.0
CP-OFDM QPSK	1	1	13.94	0-1.5	0.0

Table F-163
NR Band n66 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.47	0	0.0
	1	80	14.39		0.0
	1	158	14.43		0.0
	80	0	14.53	0-1	0.0
	80	40	14.38	0	0.0
	80	80	14.42	0-1	0.0
	160	0	14.46		0.0
DFT-s-OFDM 16QAM	1	1	14.34	0-1	0.0
CP-OFDM QPSK	1	1	14.57	0-1.5	0.0

Table F-164
NR Band n66 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.47	0	0.0
	1	67	14.42		0.0
	1	131	14.51		0.0
	64	0	14.52	0-1	0.0
	64	35	14.44	0	0.0
	64	69	14.45	0-1	0.0
	128	0	14.49		0.0
DFT-s-OFDM 16QAM	1	1	14.50	0-1	0.0
CP-OFDM QPSK	1	1	14.52	0-1.5	0.0

Table F-165
NR Band n66 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.96	13.77	13.84	0	0.0
	1	53	13.86	13.76	13.72		0.0
	1	104	13.76	13.67	13.70		0.0
	50	0	13.82	13.68	13.67	0-1	0.0
	50	28	13.79	13.71	13.72	0	0.0
	50	56	13.72	13.73	13.73	0-1	0.0
	100	0	13.81	13.70	13.63		0.0
DFT-s-OFDM 16QAM	1	1	14.02	14.05	14.09	0-1	0.0
CP-OFDM QPSK	1	1	13.96	14.01	14.01	0-1.5	0.0

Table F-166
NR Band n66 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.86	13.79	13.63	0	0.0
	1	40	13.91	13.66	13.64		0.0
	1	77	13.81	13.62	13.78		0.0
	36	0	13.80	13.64	13.65	0-1	0.0
	36	22	13.78	13.58	13.64	0	0.0
	36	43	13.76	13.67	13.71	0-1	0.0
	75	0	13.79	13.61	13.70		0.0
DFT-s-OFDM 16QAM	1	1	13.54	13.64	13.96	0-1	0.0
CP-OFDM QPSK	1	1	13.98	13.77	13.88	0-1.5	0.0

Table F-167
NR Band n66 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n66
10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.24	14.17	13.98	0	0.0
	1	26	14.19	13.96	14.11		0.0
	1	50	14.17	14.04	14.02		0.0
	25	0	14.10	14.07	13.99	0-1	0.0
	25	14	14.06	14.05	13.97	0	0.0
	25	27	14.02	14.03	13.96	0-1	0.0
	50	0	14.04	14.01	13.95		0.0
DFT-s-OFDM 16QAM	1	1	14.37	14.43	14.22	0-1	0.0
CP-OFDM QPSK	1	1	14.28	14.22	14.11	0-1.5	0.0

Table F-168
NR Band n66 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.13	14.14	13.98	0	0.0
	1	13	14.07	14.05	14.05		0.0
	1	23	14.06	14.04	13.92		0.0
	12	0	14.11	14.04	13.97	0-1	0.0
	12	7	14.08	14.03	13.95	0	0.0
	12	13	14.10	13.99	13.96	0-1	0.0
	25	0	14.11	13.97	14.01		0.0
DFT-s-OFDM 16QAM	1	1	14.26	14.20	13.93	0-1	0.0
CP-OFDM QPSK	1	1	14.14	14.11	13.97	0-1.5	0.0

F.2.8 NR Band n25

Table F-169
NR Band n25 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.91	0	0.0
	1	94	11.87		0.0
	1	186	11.94		0.0
	90	0	11.87	0-1	0.0
	90	49	11.85	0	0.0
	90	98	11.83	0-1	0.0
	180	0	11.89		0.0
DFT-s-OFDM 16QAM	1	1	11.67	0-1	0.0
CP-OFDM QPSK	1	1	11.95	0-1.5	0.0

Table F-170
NR Band n25 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.95	0	0.0
	1	80	11.91		0.0
	1	158	11.98		0.0
	80	0	11.91	0-1	0.0
	80	40	11.89	0	0.0
	80	80	11.87	0-1	0.0
	160	0	11.90		0.0
DFT-s-OFDM 16QAM	1	1	11.64	0-1	0.0
CP-OFDM QPSK	1	1	11.80	0-1.5	0.0

Table F-171
NR Band n25 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.94	11.85	11.89	0	0.0
	1	53	11.84	11.81	11.68		0.0
	1	104	11.85	11.88	11.75		0.0
	50	0	11.83	11.81	11.79	0-1	0.0
	50	28	11.90	11.79	11.77	0	0.0
	50	56	11.80	11.77	11.73	0-1	0.0
	100	0	11.80	11.80	11.75		0.0
DFT-s-OFDM 16QAM	1	1	11.75	11.64	11.63	0-1	0.0
CP-OFDM QPSK	1	1	12.00	11.80	11.78	0-1.5	0.0

Table F-172
NR Band n25 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.93	11.87	11.85	0	0.0
	1	40	11.86	11.83	11.70		0.0
	1	77	11.87	11.90	11.77		0.0
	36	0	11.50	11.83	11.81	0-1	0.0
	36	22	11.92	11.81	11.79	0	0.0
	36	43	11.82	11.79	11.75	0-1	0.0
	75	0	11.81	11.82	11.78		0.0
DFT-s-OFDM 16QAM	1	1	11.76	11.62	11.65	0-1	0.0
CP-OFDM QPSK	1	1	11.98	11.78	11.81	0-1.5	0.0

Table F-173
NR Band n25 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.83	11.89	11.83	0	0.0
	1	26	11.76	11.86	11.73		0.0
	1	50	11.77	11.93	11.80		0.0
	25	0	11.60	11.86	11.74	0-1	0.0
	25	14	11.72	11.85	11.75	0	0.0
	25	27	11.73	11.77	11.79	0-1	0.0
	50	0	11.80	11.85	11.73		0.0
DFT-s-OFDM 16QAM	1	1	11.86	11.80	11.68	0-1	0.0
CP-OFDM QPSK	1	1	11.88	11.71	11.73	0-1.5	0.0

Table F-174
NR Band n25 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.76	11.82	11.89	0	0.0
	1	13	11.76	11.80	11.70		0.0
	1	23	11.77	11.95	11.78		0.0
	12	0	11.75	11.77	11.76	0-1	0.0
	12	7	11.72	11.75	11.83	0	0.0
	12	13	11.73	11.87	11.75	0-1	0.0
	25	0	11.70	11.95	11.77		0.0
DFT-s-OFDM 16QAM	1	1	11.76	11.70	11.78	0-1	0.0
CP-OFDM QPSK	1	1	11.72	11.79	11.84	0-1.5	0.0

Table F-175
NR Band n25 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.13	0	0.0
	1	94	12.94		0.0
	1	186	12.85		0.0
	90	0	13.02	0-1	0.0
	90	49	12.98	0	0.0
	90	98	12.91	0-1	0.0
	180	0	13.03		0.0
DFT-s-OFDM 16QAM	1	1	12.82	0-1	0.0
CP-OFDM QPSK	1	1	12.95	0-1.5	0.0

Table F-176
NR Band n25 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.15	0	0.0
	1	80	12.90		0.0
	1	158	12.87		0.0
	80	0	13.00	0-1	0.0
	80	40	12.99	0	0.0
	80	80	12.95	0-1	0.0
	160	0	13.05		0.0
DFT-s-OFDM 16QAM	1	1	12.87	0-1	0.0
CP-OFDM QPSK	1	1	12.97	0-1.5	0.0

Table F-177
NR Band n25 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.99	13.10	12.87	0	0.0
	1	53	13.00	13.00	12.89		0.0
	1	104	12.92	12.89	12.84		0.0
	50	0	12.96	13.02	12.85	0-1	0.0
	50	28	12.97	12.97	12.86	0	0.0
	50	56	12.90	12.92	12.87	0-1	0.0
	100	0	12.97	13.01	12.86		0.0
DFT-s-OFDM 16QAM	1	1	13.18	12.84	12.84	0-1	0.0
CP-OFDM QPSK	1	1	12.98	12.94	12.90	0-1.5	0.0

Table F-178
NR Band n25 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.97	13.08	12.85	0	0.0
	1	40	12.98	12.98	12.87		0.0
	1	77	13.01	12.87	12.82		0.0
	36	0	12.94	13.00	12.83	0-1	0.0
	36	22	12.94	12.99	12.84	0	0.0
	36	43	12.88	12.94	12.85	0-1	0.0
	75	0	12.95	13.05	12.84		0.0
DFT-s-OFDM 16QAM	1	1	13.16	12.86	12.80	0-1	0.0
CP-OFDM QPSK	1	1	12.96	12.96	12.95	0-1.5	0.0

Table F-179
NR Band n25 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.95	13.06	12.90	0	0.0
	1	26	12.96	12.96	12.91		0.0
	1	50	12.99	12.85	12.87		0.0
	25	0	12.92	12.97	12.88	0-1	0.0
	25	14	12.96	12.94	12.89	0	0.0
	25	27	12.86	12.96	12.87	0-1	0.0
	50	0	12.78	13.02	12.89		0.0
DFT-s-OFDM 16QAM	1	1	13.00	12.88	12.85	0-1	0.0
CP-OFDM QPSK	1	1	12.94	12.92	12.90	0-1.5	0.0

Table F-180
NR Band n25 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.87	13.08	12.80	0	0.0
	1	13	12.84	12.98	12.81		0.0
	1	23	12.89	12.87	12.77		0.0
	12	0	12.82	12.99	12.78	0-1	0.0
	12	7	12.86	12.92	12.79	0	0.0
	12	13	12.76	12.94	12.77	0-1	0.0
	25	0	12.78	13.00	12.79		0.0
DFT-s-OFDM 16QAM	1	1	12.90	13.01	12.78	0-1	0.0
CP-OFDM QPSK	1	1	12.94	12.88	12.90	0-1.5	0.0

Table F-181
NR Band n25 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.78	0	0.0
	1	94	13.79		0.0
	1	186	13.97		0.0
	90	0	13.75	0-1	0.0
	90	49	13.78	0	0.0
	90	98	13.77	0-1	0.0
	180	0	13.72		0.0
DFT-s-OFDM 16QAM	1	1	13.80	0-1	0.0
CP-OFDM QPSK	1	1	13.78	0-1.5	0.0

Table F-182
NR Band n25 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.77	0	0.0
	1	80	13.81		0.0
	1	158	13.99		0.0
	80	0	13.85	0-1	0.0
	80	40	13.88	0	0.0
	80	80	13.76	0-1	0.0
	160	0	13.75		0.0
DFT-s-OFDM 16QAM	1	1	13.86	0-1	0.0
CP-OFDM QPSK	1	1	13.88	0-1.5	0.0

Table F-183
NR Band n25 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.69	13.75	13.85	0	0.0
	1	53	13.81	13.79	13.91		0.0
	1	104	13.65	13.97	13.80		0.0
	50	0	13.72	13.83	13.72	0-1	0.0
	50	28	13.66	13.86	13.86	0	0.0
	50	56	13.64	13.74	13.82	0-1	0.0
	100	0	13.72	13.73	13.84		0.0
DFT-s-OFDM 16QAM	1	1	13.88	13.88	14.04	0-1	0.0
CP-OFDM QPSK	1	1	13.76	13.86	13.90	0-1.5	0.0

Table F-184
NR Band n25 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.72	13.79	13.87	0	0.0
	1	40	13.84	13.83	13.93		0.0
	1	77	13.68	13.97	13.87		0.0
	36	0	13.75	13.87	13.74	0-1	0.0
	36	22	13.69	13.86	13.88	0	0.0
	36	43	13.67	13.78	13.84	0-1	0.0
	75	0	13.75	13.77	13.84		0.0
DFT-s-OFDM 16QAM	1	1	13.91	13.80	14.00	0-1	0.0
CP-OFDM QPSK	1	1	13.79	13.90	13.85	0-1.5	0.0

Table F-185
NR Band n25 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.74	13.82	13.88	0	0.0
	1	26	13.86	13.85	13.94		0.0
	1	50	13.70	13.99	13.88		0.0
	25	0	13.73	13.88	13.85	0-1	0.0
	25	14	13.71	13.88	13.75	0	0.0
	25	27	13.79	13.80	13.90	0-1	0.0
	50	0	13.77	13.79	13.91		0.0
DFT-s-OFDM 16QAM	1	1	13.89	13.82	14.01	0-1	0.0
CP-OFDM QPSK	1	1	13.77	13.90	13.95	0-1.5	0.0

Table F-186
NR Band n25 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.76	13.84	13.85	0	0.0
	1	13	13.88	13.83	13.92		0.0
	1	23	13.72	13.96	13.85		0.0
	12	0	13.71	13.91	13.82	0-1	0.0
	12	7	13.67	13.80	13.79	0	0.0
	12	13	13.77	13.86	13.86	0-1	0.0
	25	0	13.78	13.74	13.85		0.0
DFT-s-OFDM 16QAM	1	1	13.82	13.85	14.03	0-1	0.0
CP-OFDM QPSK	1	1	13.73	13.84	13.91	0-1.5	0.0

Table F-187
NR Band n25 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.06	0	0.0
	1	94	13.12		0.0
	1	186	13.02		0.0
	90	0	13.11	0-1	0.0
	90	49	13.07	0	0.0
	90	98	13.09	0-1	0.0
	180	0	13.13		0.0
DFT-s-OFDM 16QAM	1	1	13.26	0-1	0.0
CP-OFDM QPSK	1	1	13.18	0-1.5	0.0

Table F-188
NR Band n25 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.87	0	0.0
	1	80	12.93		0.0
	1	158	12.85		0.0
	80	0	12.87	0-1	0.0
	80	40	12.83	0	0.0
	80	80	12.85	0-1	0.0
	160	0	12.90		0.0
DFT-s-OFDM 16QAM	1	1	13.01	0-1	0.0
CP-OFDM QPSK	1	1	13.13	0-1.5	0.0

Table F-189
NR Band n25 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.10	13.08	13.22	0	0.0
	1	53	13.13	13.06	13.16		0.0
	1	104	12.98	12.96	13.20		0.0
	50	0	13.11	13.05	13.26	0-1	0.0
	50	28	13.09	13.12	13.24	0	0.0
	50	56	13.03	12.97	13.22	0-1	0.0
	100	0	13.05	13.03	13.28		0.0
DFT-s-OFDM 16QAM	1	1	13.35	13.37	13.32	0-1	0.0
CP-OFDM QPSK	1	1	13.26	13.18	13.16	0-1.5	0.0

Table F-190
NR Band n25 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.59	13.52	13.49	0	0.0
	1	40	13.55	13.45	13.30		0.0
	1	77	13.40	13.44	13.32		0.0
	36	0	13.53	13.42	13.42	0-1	0.0
	36	22	13.51	13.35	13.38	0	0.0
	36	43	13.46	13.37	13.40	0-1	0.0
	75	0	13.48	13.38	13.32		0.0
DFT-s-OFDM 16QAM	1	1	13.66	13.52	13.69	0-1	0.0
CP-OFDM QPSK	1	1	13.71	13.57	13.66	0-1.5	0.0

Table F-191
NR Band n25 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.13	13.16	13.17	0	0.0
	1	26	13.10	13.18	13.12		0.0
	1	50	13.06	13.15	13.11		0.0
	25	0	13.15	13.14	13.08	0-1	0.0
	25	14	13.11	13.09	13.04	0	0.0
	25	27	13.10	13.06	13.08	0-1	0.0
	50	0	13.09	13.07	12.96		0.0
DFT-s-OFDM 16QAM	1	1	12.98	12.96	12.94	0-1	0.0
CP-OFDM QPSK	1	1	13.15	13.13	13.20	0-1.5	0.0

Table F-192
NR Band n25 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.13	13.15	13.08	0	0.0
	1	13	13.12	13.14	13.05		0.0
	1	23	13.17	13.21	13.12		0.0
	12	0	13.10	13.09	13.04	0-1	0.0
	12	7	13.08	13.07	12.98	0	0.0
	12	13	13.07	13.04	13.02	0-1	0.0
	25	0	13.12	13.11	13.08		0.0
DFT-s-OFDM 16QAM	1	1	12.95	13.04	13.14	0-1	0.0
CP-OFDM QPSK	1	1	13.14	13.23	13.11	0-1.5	0.0

F.2.9 NR Band n30

Table F-193
NR Band n30 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.03	0	0.0
	1	13	12.98		0.0
	1	23	12.96		0.0
	12	0	13.09	0-1	0.0
	12	7	12.94	0	0.0
	12	13	12.88	0-1	0.0
	25	0	12.93		0.0
DFT-s-OFDM 16QAM	1	1	13.20	0-1	0.0
CP-OFDM QPSK	1	1	13.02	0-1.5	0.0

Table F-194
NR Band n30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.40	0	0.0
	1	13	13.45		0.0
	1	23	13.44		0.0
	12	0	13.40	0-1	0.0
	12	7	13.53	0	0.0
	12	13	13.50	0-1	0.0
	25	0	13.44		0.0
DFT-s-OFDM 16QAM	1	1	13.53	0-1	0.0
CP-OFDM QPSK	1	1	13.58	0-1.5	0.0

Table F-195
NR Band n30 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.50	0	0.0
	1	13	11.46		0.0
	1	23	11.56		0.0
	12	0	11.40	0-1	0.0
	12	7	11.32	0	0.0
	12	13	11.34	0-1	0.0
	25	0	11.39		0.0
DFT-s-OFDM 16QAM	1	1	11.50	0-1	0.0
CP-OFDM QPSK	1	1	11.49	0-1.5	0.0

Table F-196
NR Band n30 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.50	0	0.0
	1	13	10.67		0.0
	1	23	10.70		0.0
	12	0	10.65	0-1	0.0
	12	7	10.64	0	0.0
	12	13	10.71	0-1	0.0
	25	0	10.65		0.0
DFT-s-OFDM 16QAM	1	1	10.98	0-1	0.0
CP-OFDM QPSK	1	1	10.65	0-1.5	0.0

F.2.10 NR Band n7

Table F-197
NR Band n7 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.71	0	0.0
	1	94	12.60		0.0
	1	186	12.66		0.0
	90	0	12.61	0-1	0.0
	90	49	12.63	0	0.0
	90	98	12.67	0-1	0.0
	180	0	12.68		0.0
DFT-s-OFDM 16QAM	1	1	12.54	0-1	0.0
CP-OFDM QPSK	1	1	12.56	0-1.5	0.0

Table F-198
NR Band n7 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.73	0	0.0
	1	80	12.65		0.0
	1	158	12.69		0.0
	80	0	12.66	0-1	0.0
	80	40	12.68	0	0.0
	80	80	12.72	0-1	0.0
	160	0	12.73		0.0
DFT-s-OFDM 16QAM	1	1	12.60	0-1	0.0
CP-OFDM QPSK	1	1	12.66	0-1.5	0.0

Table F-199
NR Band n7 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.71	0	0.0
	1	67	12.65		0.0
	1	131	12.69		0.0
	64	0	12.62	0-1	0.0
	64	35	12.64	0	0.0
	64	69	12.63	0-1	0.0
	128	0	12.61		0.0
DFT-s-OFDM 16QAM	1	1	12.70	0-1	0.0
CP-OFDM QPSK	1	1	12.79	0-1.5	0.0

Table F-200
NR Band n7 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.69	12.75	12.61	0	0.0
	1	53	12.63	12.67	12.66		0.0
	1	104	12.61	12.71	12.86		0.0
	50	0	12.63	12.68	12.69	0-1	0.0
	50	28	12.64	12.70	12.70	0	0.0
	50	56	12.63	12.74	12.72	0-1	0.0
	100	0	12.61	12.75	12.74		0.0
DFT-s-OFDM 16QAM	1	1	12.80	12.65	12.88	0-1	0.0
CP-OFDM QPSK	1	1	12.59	12.68	12.72	0-1.5	0.0

Table F-201
NR Band n7 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth
NR Band n7
15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.65	12.72	12.60	0	0.0
	1	40	12.61	12.68	12.67		0.0
	1	77	12.63	12.70	12.80		0.0
	36	0	12.59	12.69	12.70	0-1	0.0
	36	22	12.60	12.65	12.64	0	0.0
	36	43	12.58	12.67	12.71	0-1	0.0
	75	0	12.67	12.68	12.70		0.0
DFT-s-OFDM 16QAM	1	1	12.79	12.66	12.80	0-1	0.0
CP-OFDM QPSK	1	1	12.63	12.67	12.65	0-1.5	0.0

Table F-202
NR Band n7 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.75	12.71	12.61	0	0.0
	1	26	12.71	12.67	12.68		0.0
	1	50	12.73	12.69	12.81		0.0
	25	0	12.69	12.68	12.72	0-1	0.0
	25	14	12.70	12.67	12.66	0	0.0
	25	27	12.68	12.68	12.68	0-1	0.0
	50	0	12.67	12.69	12.66		0.0
DFT-s-OFDM 16QAM	1	1	12.80	12.68	12.77	0-1	0.0
CP-OFDM QPSK	1	1	12.69	12.65	12.75	0-1.5	0.0

Table F-203
NR Band n7 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.72	12.70	12.80	0	0.0
	1	13	12.70	12.66	12.66		0.0
	1	23	12.72	12.67	12.76		0.0
	12	0	12.67	12.66	12.70	0-1	0.0
	12	7	12.68	12.68	12.68	0	0.0
	12	13	12.69	12.67	12.69	0-1	0.0
	25	0	12.66	12.65	12.70		0.0
DFT-s-OFDM 16QAM	1	1	12.75	12.69	12.75	0-1	0.0
CP-OFDM QPSK	1	1	12.65	12.68	12.72	0-1.5	0.0

Table F-204
NR Band n7 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.00	0	0.0
	1	94	12.91		0.0
	1	186	13.00		0.0
	90	0	12.94	0-1	0.0
	90	49	12.86	0	0.0
	90	98	12.94	0-1	0.0
	180	0	12.88		0.0
DFT-s-OFDM 16QAM	1	1	13.03	0-1	0.0
CP-OFDM QPSK	1	1	12.86	0-1.5	0.0

Table F-205
NR Band n7 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.01	0	0.0
	1	80	12.88		0.0
	1	158	12.95		0.0
	80	0	12.96	0-1	0.0
	80	40	12.87	0	0.0
	80	80	12.93	0-1	0.0
	160	0	12.87		0.0
DFT-s-OFDM 16QAM	1	1	13.01	0-1	0.0
CP-OFDM QPSK	1	1	12.88	0-1.5	0.0

Table F-206
NR Band n7 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.05	0	0.0
	1	67	13.00		0.0
	1	131	12.96		0.0
	64	0	12.95	0-1	0.0
	64	35	12.88	0	0.0
	64	69	12.94	0-1	0.0
	128	0	12.89		0.0
DFT-s-OFDM 16QAM	1	1	13.02	0-1	0.0
CP-OFDM QPSK	1	1	12.80	0-1.5	0.0

Table F-207
NR Band n7 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth
NR Band n7
20 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.90	13.06	12.83	0	0.0
	1	53	12.81	13.01	13.01		0.0
	1	104	12.78	12.95	12.98		0.0
	50	0	12.83	12.90	12.88	0-1	0.0
	50	28	12.80	12.87	12.89	0	0.0
	50	56	12.83	12.93	12.97	0-1	0.0
	100	0	12.76	12.88	12.94		0.0
DFT-s-OFDM 16QAM	1	1	12.93	13.00	12.84	0-1	0.0
CP-OFDM QPSK	1	1	12.80	12.82	13.00	0-1.5	0.0

Table F-208
NR Band n7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.89	13.04	12.73	0	0.0
	1	40	12.82	12.91	12.92		0.0
	1	77	12.79	12.85	12.88		0.0
	36	0	12.85	12.80	12.78	0-1	0.0
	36	22	12.81	12.79	12.79	0	0.0
	36	43	12.85	12.83	12.87	0-1	0.0
	75	0	12.77	12.78	12.83		0.0
DFT-s-OFDM 16QAM	1	1	12.90	12.90	12.86	0-1	0.0
CP-OFDM QPSK	1	1	12.82	12.72	12.90	0-1.5	0.0

Table F-209
NR Band n7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.87	13.01	12.90	0	0.0
	1	26	12.83	12.87	12.83		0.0
	1	50	12.81	12.86	12.90		0.0
	25	0	12.86	12.88	12.82	0-1	0.0
	25	14	12.82	12.89	12.82	0	0.0
	25	27	12.87	12.93	12.85	0-1	0.0
	50	0	12.79	12.88	12.84		0.0
DFT-s-OFDM 16QAM	1	1	12.91	12.91	12.85	0-1	0.0
CP-OFDM QPSK	1	1	12.83	12.82	12.78	0-1.5	0.0

Table F-210
NR Band n7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.85	12.96	12.85	0	0.0
	1	13	12.81	12.82	12.88		0.0
	1	23	12.78	12.84	12.85		0.0
	12	0	12.81	12.83	12.86	0-1	0.0
	12	7	12.79	12.84	12.90	0	0.0
	12	13	12.82	12.89	12.80	0-1	0.0
	25	0	12.74	12.90	12.79		0.0
DFT-s-OFDM 16QAM	1	1	12.88	12.87	12.80	0-1	0.0
CP-OFDM QPSK	1	1	12.78	12.79	12.72	0-1.5	0.0

Table F-211
NR Band n7 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.21	0	0.0
	1	94	10.18		0.0
	1	186	10.26		0.0
	90	0	10.13	0-1	0.0
	90	49	10.10	0	0.0
	90	98	10.15	0-1	0.0
	180	0	10.16		0.0
DFT-s-OFDM 16QAM	1	1	10.26	0-1	0.0
CP-OFDM QPSK	1	1	10.42	0-1.5	0.0

Table F-212
NR Band n7 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.25	0	0.0
	1	80	10.18		0.0
	1	158	10.16		0.0
	80	0	10.14	0-1	0.0
	80	40	10.11	0	0.0
	80	80	10.16	0-1	0.0
	160	0	10.14		0.0
DFT-s-OFDM 16QAM	1	1	10.18	0-1	0.0
CP-OFDM QPSK	1	1	10.22	0-1.5	0.0

Table F-213
NR Band n7 Measured P_{Limit} Antenna 3a - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.29	0	0.0
	1	67	10.12		0.0
	1	131	10.16		0.0
	64	0	10.15	0-1	0.0
	64	35	10.11	0	0.0
	64	69	10.08	0-1	0.0
	128	0	10.05		0.0
DFT-s-OFDM 16QAM	1	1	10.52	0-1	0.0
CP-OFDM QPSK	1	1	10.22	0-1.5	0.0

Table F-214
NR Band n7 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.15	10.10	10.20	0	0.0
	1	53	10.21	10.18	10.16		0.0
	1	104	10.15	10.17	9.98		0.0
	50	0	10.12	10.08	10.06	0-1	0.0
	50	28	10.09	10.03	10.09	0	0.0
	50	56	10.10	10.05	10.04	0-1	0.0
	100	0	9.98	10.00	9.98		0.0
DFT-s-OFDM 16QAM	1	1	9.87	9.96	9.98	0-1	0.0
CP-OFDM QPSK	1	1	10.12	10.22	10.16	0-1.5	0.0

Table F-215
NR Band n7 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.11	10.09	10.18	0	0.0
	1	40	10.15	10.20	10.11		0.0
	1	77	10.13	10.08	9.95		0.0
	36	0	9.98	10.01	10.02	0-1	0.0
	36	22	9.95	9.99	9.98	0	0.0
	36	43	10.05	10.06	9.97	0-1	0.0
	75	0	9.98	10.01	9.97		0.0
DFT-s-OFDM 16QAM	1	1	9.93	9.88	9.92	0-1	0.0
CP-OFDM QPSK	1	1	10.18	10.22	10.16	0-1.5	0.0

Table F-216
NR Band n7 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.13	10.10	10.05	0	0.0
	1	26	10.06	10.05	10.01		0.0
	1	50	10.05	10.01	9.98		0.0
	25	0	10.11	10.04	9.92	0-1	0.0
	25	14	10.09	10.00	9.96	0	0.0
	25	27	10.02	9.98	9.91	0-1	0.0
	50	0	10.05	9.87	9.84		0.0
DFT-s-OFDM 16QAM	1	1	10.07	9.90	9.86	0-1	0.0
CP-OFDM QPSK	1	1	10.02	10.05	9.87	0-1.5	0.0

Table F-217
NR Band n7 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	9.87	10.00	9.90	0	0.0
	1	13	9.80	9.98	9.84		0.0
	1	23	9.74	10.06	9.78		0.0
	12	0	9.89	9.85	9.90	0-1	0.0
	12	7	9.82	9.81	9.84	0	0.0
	12	13	9.84	9.79	9.81	0-1	0.0
	25	0	9.80	9.75	9.78		0.0
DFT-s-OFDM 16QAM	1	1	9.94	9.88	9.76	0-1	0.0
CP-OFDM QPSK	1	1	10.10	10.07	9.86	0-1.5	0.0

Table F-218
NR Band n7 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.10	0	0.0
	1	94	11.05		0.0
	1	186	11.06		0.0
	90	0	11.15	0-1	0.0
	90	49	11.11	0	0.0
	90	98	11.09	0-1	0.0
	180	0	11.07		0.0
DFT-s-OFDM 16QAM	1	1	11.20	0-1	0.0
CP-OFDM QPSK	1	1	11.13	0-1.5	0.0

Table F-219
NR Band n7 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.09	0	0.0
	1	80	11.06		0.0
	1	158	11.11		0.0
	80	0	11.08	0-1	0.0
	80	40	11.05	0	0.0
	80	80	10.98	0-1	0.0
	160	0	11.01		0.0
DFT-s-OFDM 16QAM	1	1	11.24	0-1	0.0
CP-OFDM QPSK	1	1	11.15	0-1.5	0.0

Table F-220
NR Band n7 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.13	0	0.0
	1	67	11.10		0.0
	1	131	11.06		0.0
	64	0	10.99	0-1	0.0
	64	35	10.96	0	0.0
	64	69	10.95	0-1	0.0
	128	0	11.01		0.0
DFT-s-OFDM 16QAM	1	1	11.25	0-1	0.0
CP-OFDM QPSK	1	1	11.18	0-1.5	0.0

Table F-221
NR Band n7 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.25	11.14	11.16	0	0.0
	1	53	11.17	11.12	11.11		0.0
	1	104	11.15	11.10	11.08		0.0
	50	0	11.07	10.99	11.00	0-1	0.0
	50	28	11.09	11.00	11.03	0	0.0
	50	56	11.08	11.02	10.98	0-1	0.0
	100	0	11.05	11.04	10.97		0.0
DFT-s-OFDM 16QAM	1	1	11.16	11.12	11.21	0-1	0.0
CP-OFDM QPSK	1	1	11.22	11.32	11.35	0-1.5	0.0

Table F-222
NR Band n7 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.25	11.19	11.07	0	0.0
	1	40	11.18	11.11	11.05		0.0
	1	77	11.17	11.14	11.14		0.0
	36	0	11.14	11.10	10.98	0-1	0.0
	36	22	11.12	11.09	11.00	0	0.0
	36	43	11.13	11.07	10.98	0-1	0.0
	75	0	11.08	11.03	10.95		0.0
DFT-s-OFDM 16QAM	1	1	11.18	11.27	11.19	0-1	0.0
CP-OFDM QPSK	1	1	11.22	11.29	11.23	0-1.5	0.0

Table F-223
NR Band n7 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.09	11.07	11.06	0	0.0
	1	26	11.12	11.14	11.15		0.0
	1	50	11.07	11.02	11.00		0.0
	25	0	11.03	10.99	10.96	0-1	0.0
	25	14	11.02	10.95	10.96	0	0.0
	25	27	10.99	10.96	10.94	0-1	0.0
	50	0	11.02	10.99	10.98		0.0
DFT-s-OFDM 16QAM	1	1	11.13	11.15	11.26	0-1	0.0
CP-OFDM QPSK	1	1	11.07	11.09	11.21	0-1.5	0.0

Table F-224
NR Band n7 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n7
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.12	11.06	11.05	0	0.0
	1	13	11.10	11.03	10.98		0.0
	1	23	11.08	10.95	10.97		0.0
	12	0	10.95	10.93	10.89	0-1	0.0
	12	7	10.98	10.96	10.93	0	0.0
	12	13	11.05	10.93	10.92	0-1	0.0
	25	0	11.01	10.97	10.96		0.0
DFT-s-OFDM 16QAM	1	1	10.95	11.08	11.10	0-1	0.0
CP-OFDM QPSK	1	1	11.02	11.05	10.93	0-1.5	0.0

F.2.11 NR Band n41

Table F-225
NR Band n41 Measured P_{Limit} Antenna 1b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.37	12.45	0	0.0
	1	123	12.61	12.53		0.0
	1	243	12.54	12.51		0.0
	120	0	12.61	12.51	0-1	0.0
	120	63	12.45	12.55	0	0.0
	120	125	12.53	12.50	0-1	0.0
	243	0	12.54	12.48		0.0
DFT-s-OFDM 16QAM	1	1	12.53	12.32	0-1	0.0
CP-OFDM QPSK	1	1	12.45	12.47	0-1.5	0.0

Table F-226
NR Band n41 Measured P_{Limit} Antenna 1b - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.58	12.49	0	0.0
	1	109	12.55	12.32		0.0
	1	215	12.48	12.47		0.0
	108	0	12.62	12.43	0-1	0.0
	108	55	12.51	12.33	0	0.0
	108	109	12.47	12.39	0-1	0.0
	216	0	12.52	12.44		0.0
DFT-s-OFDM 16QAM	1	1	12.56	12.38	0-1	0.0
CP-OFDM QPSK	1	1	12.55	12.43	0-1.5	0.0

Table F-227
NR Band n41 Measured P_{Limit} Antenna 1b - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.67	12.50	0	0.0
	1	95	12.54	12.42		0.0
	1	187	12.52	12.48		0.0
	90	0	12.58	12.44	0-1	0.0
	90	50	12.55	12.37	0	0.0
	90	99	12.49	12.40	0-1	0.0
	180	0	12.53	12.45		0.0
DFT-s-OFDM 16QAM	1	1	12.54	12.39	0-1	0.0
CP-OFDM QPSK	1	1	12.70	12.44	0-1.5	0.0

Table F-228
NR Band n41 Measured P_{Limit} Antenna 1b - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.65	12.66	12.54	0	0.0
	1	81	12.55	12.52	12.61		0.0
	1	160	12.70	12.74	12.69		0.0
	81	0	12.71	12.53	12.61	0-1	0.0
	81	41	12.51	12.53	12.58	0	0.0
	81	81	12.64	12.61	12.66	0-1	0.0
	162	0	12.63	12.56	12.56		0.0
DFT-s-OFDM 16QAM	1	1	12.80	12.61	12.45	0-1	0.0
CP-OFDM QPSK	1	1	12.63	12.58	12.60	0-1.5	0.0

Table F-229
NR Band n41 Measured P_{Limit} Antenna 1b - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.66	12.78	12.65	0	0.0
	1	67	12.59	12.56	12.60		0.0
	1	131	12.73	12.77	12.71		0.0
	64	0	12.74	12.53	12.59	0-1	0.0
	64	35	12.55	12.54	12.57	0	0.0
	64	69	12.65	12.63	12.67	0-1	0.0
	128	0	12.64	12.56	12.65		0.0
DFT-s-OFDM 16QAM	1	1	12.81	12.62	12.45	0-1	0.0
CP-OFDM QPSK	1	1	12.65	12.59	12.62	0-1.5	0.0

Table F-230
NR Band n41 Measured P_{Limit} Antenna 1b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.68	12.66	12.47	12.59	0	0.0
	1	53	12.59	12.53	12.61	12.68		0.0
	1	104	12.76	12.77	12.66	12.64		0.0
	50	0	12.73	12.57	12.63	12.51	0-1	0.0
	50	28	12.61	12.51	12.54	12.53	0	0.0
	50	56	12.64	12.61	12.63	12.54	0-1	0.0
	100	0	12.66	12.56	12.52	12.55		0.0
DFT-s-OFDM 16QAM	1	1	12.80	12.61	12.40	12.70	0-1	0.0
CP-OFDM QPSK	1	1	12.60	12.58	12.63	12.65	0-1.5	0.0

Table F-231
NR Band n41 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.69	12.65	12.57	12.58	12.53	0	0.0
	1	39	12.59	12.51	12.62	12.67	12.47		0.0
	1	76	12.75	12.78	12.67	12.66	12.73		0.0
	36	0	12.72	12.56	12.60	12.50	12.51	0-1	0.0
	36	21	12.59	12.50	12.57	12.52	12.50	0	0.0
	36	42	12.65	12.60	12.65	12.53	12.64	0-1	0.0
	75	0	12.62	12.55	12.57	12.52	12.49		0.0
DFT-s-OFDM 16QAM	1	1	12.83	12.60	12.44	12.70	12.43	0-1	0.0
CP-OFDM QPSK	1	1	12.62	12.57	12.61	12.64	12.55	0-1.5	0.0

Table F-232
NR Band n41 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.66	12.64	12.58	12.59	12.32	0	0.0
	1	26	12.58	12.53	12.63	12.68	12.47		0.0
	1	49	12.85	12.70	12.64	12.67	12.80		0.0
	25	0	12.82	12.54	12.61	12.51	12.50	0-1	0.0
	25	13	12.75	12.60	12.58	12.53	12.52	0	0.0
	25	26	12.69	12.61	12.66	12.54	12.60	0-1	0.0
	50	0	12.60	12.57	12.67	12.55	12.47		0.0
DFT-s-OFDM 16QAM	1	1	12.81	12.59	12.45	12.69	12.44	0-1	0.0
CP-OFDM QPSK	1	1	12.85	12.58	12.66	12.65	12.54	0-1.5	0.0

Table F-233
NR Band n41 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.67	12.74	12.62	12.61	12.40	0	0.0
	1	19	12.59	12.63	12.68	12.68	12.49		0.0
	1	36	12.81	12.80	12.69	12.68	12.77		0.0
	18	0	12.75	12.64	12.66	12.63	12.60	0-1	0.0
	18	10	12.76	12.70	12.63	12.63	12.62	0	0.0
	18	20	12.65	12.71	12.71	12.64	12.70	0-1	0.0
	36	0	12.64	12.67	12.73	12.65	12.47		0.0
DFT-s-OFDM 16QAM	1	1	12.78	12.69	12.65	12.69	12.54	0-1	0.0
CP-OFDM QPSK	1	1	12.54	12.68	12.71	12.66	12.64	0-1.5	0.0

Table F-234
NR Band n41 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.69	12.73	12.66	12.65	12.41	0	0.0
	1	12	12.65	12.63	12.69	12.67	12.50		0.0
	1	22	12.77	12.80	12.70	12.66	12.71		0.0
	12	0	12.78	12.66	12.64	12.65	12.65	0-1	0.0
	12	6	12.77	12.72	12.65	12.64	12.63	0	0.0
	12	12	12.68	12.69	12.73	12.65	12.69	0-1	0.0
	24	0	12.69	12.68	12.75	12.66	12.50		0.0
DFT-s-OFDM 16QAM	1	1	12.71	12.70	12.66	12.70	12.64	0-1	0.0
CP-OFDM QPSK	1	1	12.64	12.69	12.80	12.67	12.65	0-1.5	0.0

Table F-235
NR Band n41 Measured P_{Limit} Antenna 2b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.59	12.64	0	0.0
	1	123	12.65	12.55		0.0
	1	243	12.74	12.70		0.0
	120	0	12.71	12.64	0-1	0.0
	120	63	12.70	12.56	0	0.0
	120	125	12.67	12.53	0-1	0.0
	243	0	12.68	12.53		0.0
DFT-s-OFDM 16QAM	1	1	12.73	12.60	0-1	0.0
CP-OFDM QPSK	1	1	12.70	12.50	0-1.5	0.0

Table F-236
NR Band n41 Measured P_{Limit} Antenna 2b - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.57	12.65	0	0.0
	1	109	12.66	12.56		0.0
	1	215	12.73	12.71		0.0
	108	0	12.70	12.65	0-1	0.0
	108	55	12.68	12.55	0	0.0
	108	109	12.70	12.55	0-1	0.0
	216	0	12.69	12.54		0.0
DFT-s-OFDM 16QAM	1	1	12.70	12.63	0-1	0.0
CP-OFDM QPSK	1	1	12.68	12.53	0-1.5	0.0

Table F-237
NR Band n41 Measured P_{Limit} Antenna 2b - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.57	12.67	0	0.0
	1	95	12.60	12.55		0.0
	1	187	12.74	12.70		0.0
	90	0	12.71	12.68	0-1	0.0
	90	50	12.67	12.56	0	0.0
	90	99	12.69	12.57	0-1	0.0
	180	0	12.65	12.54		0.0
DFT-s-OFDM 16QAM	1	1	12.63	12.67	0-1	0.0
CP-OFDM QPSK	1	1	12.71	12.55	0-1.5	0.0

Table F-238
NR Band n41 Measured P_{Limit} Antenna 2b - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.66	12.65	12.54	0	0.0
	1	81	12.54	12.68	12.53		0.0
	1	160	12.44	12.66	12.62		0.0
	81	0	12.58	12.52	12.56	0-1	0.0
	81	41	12.55	12.66	12.50	0	0.0
	81	81	12.51	12.70	12.53	0-1	0.0
	162	0	12.57	12.64	12.48		0.0
DFT-s-OFDM 16QAM	1	1	12.35	12.66	12.54	0-1	0.0
CP-OFDM QPSK	1	1	12.67	12.67	12.62	0-1.5	0.0

Table F-239
NR Band n41 Measured P_{Limit} Antenna 2b - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.65	12.66	12.55	0	0.0
	1	67	12.55	12.69	12.54		0.0
	1	131	12.47	12.64	12.60		0.0
	64	0	12.59	12.53	12.57	0-1	0.0
	64	35	12.60	12.68	12.51	0	0.0
	64	69	12.53	12.71	12.54	0-1	0.0
	128	0	12.54	12.65	12.60		0.0
DFT-s-OFDM 16QAM	1	1	12.40	12.67	12.55	0-1	0.0
CP-OFDM QPSK	1	1	12.66	12.65	12.63	0-1.5	0.0

Table F-240
NR Band n41 Measured P_{Limit} Antenna 2b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.93	12.85	12.77	12.74	0	0.0
	1	53	12.75	12.70	12.65	12.54		0.0
	1	104	12.85	12.81	12.60	12.63		0.0
	50	0	12.70	12.73	12.67	12.56	0-1	0.0
	50	28	12.77	12.68	12.68	12.61	0	0.0
	50	56	12.82	12.77	12.66	12.70	0-1	0.0
	100	0	12.78	12.74	12.64	12.55		0.0
DFT-s-OFDM 16QAM	1	1	13.00	12.81	12.88	12.67	0-1	0.0
CP-OFDM QPSK	1	1	12.82	12.84	12.76	12.64	0-1.5	0.0

Table F-241
NR Band n41 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	13.00	12.88	12.79	12.75	12.62	0	0.0
	1	39	12.77	12.71	12.66	12.55	12.61		0.0
	1	76	12.89	12.82	12.61	12.66	12.76		0.0
	36	0	12.74	12.74	12.68	12.67	12.56	0-1	0.0
	36	21	12.76	12.69	12.67	12.62	12.53	0	0.0
	36	42	12.80	12.79	12.64	12.71	12.61	0-1	0.0
	75	0	12.77	12.74	12.65	12.56	12.63		0.0
DFT-s-OFDM 16QAM	1	1	13.00	12.85	12.90	12.67	12.88	0-1	0.0
CP-OFDM QPSK	1	1	12.92	12.80	12.77	12.65	12.71	0-1.5	0.0

Table F-242
NR Band n41 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.53	12.46	12.44	12.52	12.33	0	0.0
	1	26	12.51	12.41	12.58	12.47	12.37		0.0
	1	49	12.51	12.53	12.45	12.51	12.56		0.0
	25	0	12.49	12.39	12.45	12.41	12.39	0-1	0.0
	25	13	12.53	12.37	12.49	12.41	12.39	0	0.0
	25	26	12.50	12.47	12.51	12.42	12.47	0-1	0.0
	50	0	12.48	12.33	12.49	12.40	12.44		0.0
DFT-s-OFDM 16QAM	1	1	12.76	12.51	12.38	12.54	12.33	0-1	0.0
CP-OFDM QPSK	1	1	12.57	12.54	12.51	12.52	12.31	0-1.5	0.0

Table F-243
NR Band n41 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.73	12.66	12.64	12.72	12.53	0	0.0
	1	19	12.73	12.61	12.78	12.67	12.57		0.0
	1	36	12.71	12.73	12.67	12.71	12.75		0.0
	18	0	12.69	12.69	12.65	12.61	12.59	0-1	0.0
	18	10	12.73	12.67	12.69	12.61	12.59	0	0.0
	18	20	12.70	12.67	12.71	12.62	12.67	0-1	0.0
	36	0	12.68	12.53	12.69	12.60	12.64		0.0
DFT-s-OFDM 16QAM	1	1	12.95	12.71	12.58	12.54	12.53	0-1	0.0
CP-OFDM QPSK	1	1	12.77	12.74	12.71	12.72	12.52	0-1.5	0.0

Table F-244
NR Band n41 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.83	12.76	12.64	12.73	12.63	0	0.0
	1	12	12.80	12.71	12.78	12.68	12.67		0.0
	1	22	12.81	12.73	12.67	12.70	12.69		0.0
	12	0	12.69	12.65	12.65	12.63	12.63	0-1	0.0
	12	6	12.76	12.67	12.69	12.62	12.69	0	0.0
	12	12	12.77	12.77	12.71	12.64	12.64	0-1	0.0
	24	0	12.67	12.63	12.69	12.61	12.65		0.0
DFT-s-OFDM 16QAM	1	1	12.85	12.73	12.58	12.67	12.63	0-1	0.0
CP-OFDM QPSK	1	1	12.97	12.72	12.71	12.70	12.62	0-1.5	0.0

Table F-245
NR Band n41 Measured P_{Limit} Antenna 3a - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.65	10.40	0	0.0
	1	123	10.45	10.36		0.0
	1	243	10.39	10.33		0.0
	120	0	10.70	10.53	0-1	0.0
	120	63	10.68	10.48	0	0.0
	120	125	10.65	10.44	0-1	0.0
	243	0	10.72	10.53		0.0
DFT-s-OFDM 16QAM	1	1	10.33	10.40	0-1	0.0
CP-OFDM QPSK	1	1	10.44	10.47	0-1.5	0.0

Table F-246
NR Band n41 Measured P_{Limit} Antenna 3a - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.39	10.48	0	0.0
	1	109	10.46	10.42		0.0
	1	215	10.32	10.30		0.0
	108	0	10.44	10.55	0-1	0.0
	108	55	10.36	10.44	0	0.0
	108	109	10.32	10.37	0-1	0.0
	216	0	10.41	10.48		0.0
DFT-s-OFDM 16QAM	1	1	10.45	10.56	0-1	0.0
CP-OFDM QPSK	1	1	10.56	10.51	0-1.5	0.0

Table F-247
NR Band n41 Measured P_{Limit} Antenna 3a - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.56	10.47	0	0.0
	1	95	10.48	10.52		0.0
	1	187	10.36	10.37		0.0
	90	0	10.76	10.56	0-1	0.0
	90	50	10.65	10.50	0	0.0
	90	99	10.58	10.47	0-1	0.0
	180	0	10.65	10.49		0.0
DFT-s-OFDM 16QAM	1	1	10.52	10.47	0-1	0.0
CP-OFDM QPSK	1	1	10.46	10.44	0-1.5	0.0

Table F-248
NR Band n41 Measured P_{Limit} Antenna 3a - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.61	10.70	10.52	0	0.0
	1	81	10.85	10.65	10.46		0.0
	1	160	10.77	10.60	10.43		0.0
	81	0	10.88	10.70	10.36	0-1	0.0
	81	41	10.83	10.61	10.35	0	0.0
	81	81	10.82	10.51	10.33	0-1	0.0
	162	0	10.85	10.58	10.35		0.0
DFT-s-OFDM 16QAM	1	1	10.62	10.71	10.39	0-1	0.0
CP-OFDM QPSK	1	1	10.58	10.65	10.56	0-1.5	0.0

Table F-249
NR Band n41 Measured P_{Limit} Antenna 3a - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.68	10.69	10.47	0	0.0
	1	67	10.62	10.58	10.42		0.0
	1	131	10.56	10.54	10.33		0.0
	64	0	10.77	10.62	10.37	0-1	0.0
	64	35	10.85	10.48	10.32	0	0.0
	64	69	10.90	10.58	10.40	0-1	0.0
	128	0	10.80	10.63	10.38		0.0
DFT-s-OFDM 16QAM	1	1	10.65	10.75	10.63	0-1	0.0
CP-OFDM QPSK	1	1	10.54	10.69	10.58	0-1.5	0.0

Table F-250
NR Band n41 Measured P_{Limit} Antenna 3a - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	10.70	10.79	10.77	10.67	0	0.0
	1	53	10.75	10.79	10.75	10.54		0.0
	1	104	10.60	10.57	10.61	10.58		0.0
	50	0	10.87	10.88	10.66	10.57	0-1	0.0
	50	28	10.89	10.79	10.56	10.49	0	0.0
	50	56	10.84	10.80	10.71	10.62	0-1	0.0
	100	0	10.78	10.82	10.66	10.59		0.0
DFT-s-OFDM 16QAM	1	1	10.77	10.85	10.70	10.65	0-1	0.0
CP-OFDM QPSK	1	1	10.67	10.70	10.66	10.58	0-1.5	0.0

Table F-251
NR Band n41 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	10.65	10.72	10.62	10.59	10.51	0	0.0
	1	39	10.73	10.79	10.64	10.55	10.47		0.0
	1	76	10.60	10.62	10.65	10.62	10.59		0.0
	36	0	10.64	10.78	10.60	10.54	10.48	0-1	0.0
	36	21	10.72	10.78	10.55	10.48	10.43	0	0.0
	36	42	10.86	10.82	10.68	10.55	10.44	0-1	0.0
	75	0	10.81	10.77	10.65	10.51	10.39		0.0
DFT-s-OFDM 16QAM	1	1	10.83	10.75	10.86	10.59	10.55	0-1	0.0
CP-OFDM QPSK	1	1	10.75	10.69	10.71	10.55	10.47	0-1.5	0.0

Table F-252
NR Band n41 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	10.62	10.70	10.65	10.66	10.60	0	0.0
	1	26	10.60	10.69	10.77	10.72	10.57		0.0
	1	49	10.60	10.63	10.65	10.59	10.49		0.0
	25	0	10.58	10.73	10.73	10.67	10.47	0-1	0.0
	25	13	10.59	10.70	10.69	10.60	10.34	0	0.0
	25	26	10.65	10.77	10.72	10.55	10.33	0-1	0.0
	50	0	10.61	10.77	10.76	10.63	10.31		0.0
DFT-s-OFDM 16QAM	1	1	10.58	10.72	10.70	10.66	10.49	0-1	0.0
CP-OFDM QPSK	1	1	10.51	10.65	10.67	10.58	10.41	0-1.5	0.0

Table F-253
NR Band n41 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	10.71	10.78	10.74	10.75	10.51	0	0.0
	1	19	10.77	10.72	10.75	10.69	10.57		0.0
	1	36	10.64	10.60	10.65	10.62	10.53		0.0
	18	0	10.76	10.92	10.85	10.67	10.57	0-1	0.0
	18	10	10.80	10.85	10.84	10.65	10.51	0	0.0
	18	20	10.82	10.85	10.82	10.61	10.49	0-1	0.0
	36	0	10.87	10.79	10.86	10.58	10.45		0.0
DFT-s-OFDM 16QAM	1	1	10.75	10.82	10.78	10.67	10.70	0-1	0.0
CP-OFDM QPSK	1	1	10.69	10.76	10.77	10.60	10.61	0-1.5	0.0

Table F-254
NR Band n41 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	10.52	10.42	10.27	10.30	10.33	0	0.0
	1	12	10.60	10.49	10.35	10.35	10.16		0.0
	1	22	10.60	10.35	10.36	10.33	10.18		0.0
	12	0	10.60	10.41	10.33	10.27	10.15	0-1	0.0
	12	6	10.66	10.38	10.30	10.28	10.11	0	0.0
	12	12	10.69	10.39	10.27	10.31	10.17	0-1	0.0
	24	0	10.63	10.36	10.32	10.28	10.14		0.0
DFT-s-OFDM 16QAM	1	1	10.66	10.40	10.36	10.28	10.12	0-1	0.0
CP-OFDM QPSK	1	1	10.51	10.38	10.30	10.25	10.09	0-1.5	0.0

Table F-255
NR Band n41 Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.62	11.48	0	0.0
	1	123	11.59	11.52		0.0
	1	243	11.62	11.47		0.0
	120	0	11.64	11.60	0-1	0.0
	120	63	11.58	11.51	0	0.0
	120	125	11.56	11.46	0-1	0.0
	243	0	11.64	11.56		0.0
DFT-s-OFDM 16QAM	1	1	11.43	11.41	0-1	0.0
CP-OFDM QPSK	1	1	11.55	11.48	0-1.5	0.0

Table F-256
NR Band n41 Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.73	11.64	0	0.0
	1	109	11.72	11.60		0.0
	1	215	11.77	11.58		0.0
	108	0	11.79	11.62	0-1	0.0
	108	55	11.77	11.57	0	0.0
	108	109	11.68	11.55	0-1	0.0
	216	0	11.72	11.61		0.0
DFT-s-OFDM 16QAM	1	1	11.79	11.70	0-1	0.0
CP-OFDM QPSK	1	1	11.74	11.67	0-1.5	0.0

Table F-257
NR Band n41 Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.92	11.68	0	0.0
	1	95	11.78	11.66		0.0
	1	187	11.69	11.63		0.0
	90	0	11.81	11.61	0-1	0.0
	90	50	11.71	11.59	0	0.0
	90	99	11.65	11.58	0-1	0.0
	180	0	11.75	11.62		0.0
DFT-s-OFDM 16QAM	1	1	11.75	11.67	0-1	0.0
CP-OFDM QPSK	1	1	11.74	11.68	0-1.5	0.0

Table F-258
NR Band n41 Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth
NR Band n41
60 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.85	11.78	11.72	0	0.0
	1	81	11.78	11.75	11.67		0.0
	1	160	11.75	11.73	11.60		0.0
	81	0	11.81	11.76	11.63	0-1	0.0
	81	41	11.75	11.69	11.62	0	0.0
	81	81	11.72	11.81	11.72	0-1	0.0
	162	0	11.75	11.72	11.68		0.0
DFT-s-OFDM 16QAM	1	1	11.80	11.82	11.69	0-1	0.0
CP-OFDM QPSK	1	1	11.77	11.72	11.70	0-1.5	0.0

Table F-259
NR Band n41 Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.96	11.80	11.71	0	0.0
	1	67	11.92	11.75	11.69		0.0
	1	131	11.90	11.70	11.68		0.0
	64	0	11.95	11.72	11.64	0-1	0.0
	64	35	11.88	11.69	11.63	0	0.0
	64	69	11.83	11.65	11.59	0-1	0.0
	128	0	11.90	11.69	11.63		0.0
DFT-s-OFDM 16QAM	1	1	11.82	11.77	11.72	0-1	0.0
CP-OFDM QPSK	1	1	11.75	11.69	11.62	0-1.5	0.0

Table F-260
NR Band n41 Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.95	11.92	11.89	11.75	0	0.0
	1	53	11.94	11.83	11.80	11.70		0.0
	1	104	12.01	11.87	11.84	11.75		0.0
	50	0	11.93	11.85	11.80	11.72	0-1	0.0
	50	28	11.92	11.82	11.78	11.69	0	0.0
	50	56	11.89	11.79	11.76	11.65	0-1	0.0
	100	0	11.95	11.83	11.81	11.72		0.0
DFT-s-OFDM 16QAM	1	1	11.82	11.80	11.85	11.69	0-1	0.0
CP-OFDM QPSK	1	1	11.87	11.88	11.92	11.76	0-1.5	0.0

Table F-261
NR Band n41 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.95	11.91	11.94	11.81	11.75	0	0.0
	1	39	11.93	11.85	11.82	11.78	11.71		0.0
	1	76	11.88	11.87	11.82	11.83	11.77		0.0
	36	0	11.85	11.75	11.77	11.72	11.69	0-1	0.0
	36	21	11.83	11.80	11.82	11.72	11.66	0	0.0
	36	42	11.87	11.83	11.89	11.81	11.72	0-1	0.0
	75	0	11.91	11.77	11.86	11.77	11.69		0.0
DFT-s-OFDM 16QAM	1	1	11.75	11.74	11.81	11.82	11.78	0-1	0.0
CP-OFDM QPSK	1	1	11.82	11.91	11.86	11.85	11.76	0-1.5	0.0

Table F-262
NR Band n41 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.02	11.93	11.97	11.88	11.85	0	0.0
	1	26	12.06	11.93	11.88	11.84	11.79		0.0
	1	49	11.98	12.00	11.94	11.90	11.83		0.0
	25	0	12.01	11.86	11.96	11.92	11.79	0-1	0.0
	25	13	11.97	11.83	11.93	11.86	11.72	0	0.0
	25	26	11.95	11.90	11.95	11.91	11.78	0-1	0.0
	50	0	12.00	11.92	11.89	11.85	11.76		0.0
DFT-s-OFDM 16QAM	1	1	11.74	11.81	11.86	11.84	11.76	0-1	0.0
CP-OFDM QPSK	1	1	11.94	11.95	11.94	11.89	11.82	0-1.5	0.0

Table F-263
NR Band n41 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.02	11.96	11.88	11.82	11.75	0	0.0
	1	19	11.98	11.91	11.90	11.88	11.74		0.0
	1	36	11.89	11.89	11.93	11.84	11.71		0.0
	18	0	11.95	11.85	11.87	11.79	11.65	0-1	0.0
	18	10	11.91	11.81	11.86	11.76	11.57	0	0.0
	18	20	11.96	11.82	11.87	11.73	11.64	0-1	0.0
	36	0	11.98	11.89	11.86	11.70	11.62		0.0
DFT-s-OFDM 16QAM	1	1	11.82	11.86	11.79	11.67	11.59	0-1	0.0
CP-OFDM QPSK	1	1	11.92	11.87	11.84	11.76	11.69	0-1.5	0.0

Table F-264
NR Band n41 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.94	11.86	11.85	11.77	11.68	0	0.0
	1	12	11.92	11.84	11.81	11.74	11.62		0.0
	1	22	11.89	11.75	11.74	11.69	11.64		0.0
	12	0	11.80	11.69	11.70	11.66	11.57	0-1	0.0
	12	6	11.77	11.64	11.67	11.60	11.55	0	0.0
	12	12	11.80	11.72	11.63	11.59	11.54	0-1	0.0
	24	0	11.84	11.69	11.61	11.57	11.52		0.0
DFT-s-OFDM 16QAM	1	1	11.78	11.88	11.79	11.73	11.69	0-1	0.0
CP-OFDM QPSK	1	1	11.86	11.66	11.59	11.57	11.51	0-1.5	0.0

F.2.12 NR Band n48

Table F-265
NR Band n48 Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.36	10.41	10.44	10.24	0	0.0
	1	39	10.33	10.53	10.23	10.12		0.0
	1	76	10.39	10.53	10.19	9.95		0.0
	36	0	10.15	10.48	10.38	10.18	0-1	0.0
	36	21	10.26	10.46	10.22	10.11	0	0.0
	36	42	10.25	10.41	10.16	10.02	0-1	0.0
	75	0	10.21	10.44	10.17	10.08		0.0
DFT-s-OFDM 16QAM	1	1	10.28	10.53	10.33	10.21	0-1	0.0
CP-OFDM QPSK	1	1	10.28	10.50	10.60	10.05	0-1.5	0.0

Table F-266
NR Band n48 Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.31	10.36	10.40	10.25	0	0.0
	1	26	10.28	10.48	10.27	10.13		0.0
	1	49	10.34	10.47	10.20	10.00		0.0
	25	0	10.20	10.46	10.34	10.15	0-1	0.0
	25	13	10.21	10.41	10.26	10.13	0	0.0
	25	26	10.20	10.36	10.14	10.07	0-1	0.0
	50	0	10.15	10.39	10.23	10.13		0.0
DFT-s-OFDM 16QAM	1	1	10.26	10.48	10.30	10.26	0-1	0.0
CP-OFDM QPSK	1	1	10.29	10.45	10.56	10.11	0-1.5	0.0

Table F-267
NR Band n48 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.33	10.34	10.38	10.27	0	0.0
	1	19	10.30	10.46	10.25	10.15		0.0
	1	36	10.36	10.45	10.22	10.02		0.0
	18	0	10.22	10.44	10.32	10.17	0-1	0.0
	18	10	10.23	10.39	10.28	10.15	0	0.0
	18	20	10.22	10.34	10.16	10.09	0-1	0.0
	36	0	10.17	10.37	10.25	10.15		0.0
DFT-s-OFDM 16QAM	1	1	10.28	10.50	10.36	10.24	0-1	0.0
CP-OFDM QPSK	1	1	10.31	10.47	10.54	10.13	0-1.5	0.0

Table F-268
NR Band n48 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.23	10.24	10.18	10.25	0	0.0
	1	12	10.20	10.26	10.05	10.17		0.0
	1	22	10.26	10.25	10.20	10.01		0.0
	12	0	10.12	10.24	10.30	10.19	0-1	0.0
	12	6	10.13	10.19	10.35	10.17	0	0.0
	12	12	10.12	10.14	10.14	10.11	0-1	0.0
	24	0	10.27	10.17	10.26	10.16		0.0
DFT-s-OFDM 16QAM	1	1	10.18	10.30	10.24	10.26	0-1	0.0
CP-OFDM QPSK	1	1	10.21	10.27	10.34	10.25	0-1.5	0.0

Table F-269
NR Band n48 Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	8.31	8.60	8.56	8.70	0	0.0
	1	39	8.44	8.70	8.42	8.34		0.0
	1	76	8.46	8.53	8.55	8.29		0.0
	36	0	8.31	8.54	8.43	8.52	0-1	0.0
	36	21	8.24	8.56	8.41	8.43	0	0.0
	36	42	8.30	8.55	8.35	8.33	0-1	0.0
	75	0	8.23	8.58	8.38	8.42		0.0
DFT-s-OFDM 16QAM	1	1	8.26	8.52	8.43	8.60	0-1	0.0
CP-OFDM QPSK	1	1	8.27	8.43	8.46	8.61	0-1.5	0.0

Table F-270
NR Band n48 Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	8.35	8.50	8.46	8.60	0	0.0
	1	26	8.40	8.60	8.32	8.44		0.0
	1	49	8.41	8.43	8.45	8.39		0.0
	25	0	8.36	8.44	8.33	8.32	0-1	0.0
	25	13	8.26	8.46	8.31	8.33	0	0.0
	25	26	8.31	8.45	8.25	8.23	0-1	0.0
	50	0	8.25	8.48	8.28	8.22		0.0
DFT-s-OFDM 16QAM	1	1	8.31	8.42	8.33	8.70	0-1	0.0
CP-OFDM QPSK	1	1	8.37	8.33	8.36	8.51	0-1.5	0.0

Table F-271
NR Band n48 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	8.37	8.52	8.51	8.65	0	0.0
	1	19	8.42	8.62	8.37	8.49		0.0
	1	36	8.43	8.45	8.50	8.44		0.0
	18	0	8.38	8.46	8.36	8.37	0-1	0.0
	18	10	8.29	8.48	8.36	8.38	0	0.0
	18	20	8.32	8.47	8.30	8.28	0-1	0.0
	36	0	8.26	8.50	8.32	8.25		0.0
DFT-s-OFDM 16QAM	1	1	8.35	8.45	8.36	8.69	0-1	0.0
CP-OFDM QPSK	1	1	8.40	8.35	8.37	8.56	0-1.5	0.0

Table F-272
NR Band n48 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	8.17	8.42	8.42	8.66	0	0.0
	1	12	8.22	8.52	8.27	8.50		0.0
	1	22	8.23	8.35	8.40	8.45		0.0
	12	0	8.28	8.36	8.26	8.38	0-1	0.0
	12	6	8.19	8.38	8.27	8.38	0	0.0
	12	12	8.12	8.37	8.35	8.29	0-1	0.0
	24	0	8.16	8.40	8.22	8.27		0.0
DFT-s-OFDM 16QAM	1	1	8.15	8.35	8.46	8.71	0-1	0.0
CP-OFDM QPSK	1	1	8.30	8.25	8.27	8.60	0-1.5	0.0

Table F-273
NR Band n48 Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.75	11.75	11.70	11.80	0	0.0
	1	39	11.72	11.72	11.75	11.86		0.0
	1	76	11.81	11.78	11.81	11.86		0.0
	36	0	11.77	11.89	11.76	11.85	0-1	0.0
	36	21	11.73	11.81	11.71	11.77	0	0.0
	36	42	11.68	11.72	11.80	11.78	0-1	0.0
	75	0	11.72	11.83	11.92	11.72		0.0
DFT-s-OFDM 16QAM	1	1	11.52	11.88	11.77	11.79	0-1	0.0
CP-OFDM QPSK	1	1	11.81	11.86	11.63	11.70	0-1.5	0.0

Table F-274
NR Band n48 Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.70	12.03	11.90	11.85	0	0.0
	1	26	11.68	11.92	11.75	11.71		0.0
	1	49	11.76	11.98	11.85	11.89		0.0
	25	0	11.72	11.79	11.86	11.80	0-1	0.0
	25	13	11.68	11.71	11.81	11.72	0	0.0
	25	26	11.63	11.62	11.70	11.73	0-1	0.0
	50	0	11.65	11.73	11.82	11.78		0.0
DFT-s-OFDM 16QAM	1	1	11.62	11.78	11.67	11.74	0-1	0.0
CP-OFDM QPSK	1	1	11.71	11.76	11.92	11.75	0-1.5	0.0

Table F-275
NR Band n48 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.71	12.01	11.89	11.84	0	0.0
	1	19	11.69	11.90	11.76	11.73		0.0
	1	36	11.76	11.96	11.86	11.87		0.0
	18	0	11.73	11.77	11.87	11.70	0-1	0.0
	18	10	11.69	11.70	11.80	11.75	0	0.0
	18	20	11.64	11.68	11.69	11.74	0-1	0.0
	36	0	11.66	11.72	11.81	11.77		0.0
DFT-s-OFDM 16QAM	1	1	11.62	11.75	11.75	11.75	0-1	0.0
CP-OFDM QPSK	1	1	11.72	11.77	11.82	11.76	0-1.5	0.0

Table F-276
NR Band n48 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.68	11.91	11.79	11.76	0	0.0
	1	12	11.72	11.80	11.66	11.76		0.0
	1	22	11.79	11.86	11.76	11.89		0.0
	12	0	11.74	11.78	11.77	11.72	0-1	0.0
	12	6	11.68	11.68	11.70	11.78	0	0.0
	12	12	11.66	11.58	11.59	11.76	0-1	0.0
	24	0	11.67	11.62	11.71	11.79		0.0
DFT-s-OFDM 16QAM	1	1	11.62	11.65	11.65	11.68	0-1	0.0
CP-OFDM QPSK	1	1	11.73	11.67	11.72	11.68	0-1.5	0.0

Table F-277
NR Band n48 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.80	11.59	11.32	11.58	0	0.0
	1	39	11.74	11.53	11.28	11.57		0.0
	1	76	11.76	11.27	11.30	11.56		0.0
	36	0	11.76	11.54	11.21	11.56	0-1	0.0
	36	21	11.75	11.48	11.22	11.54	0	0.0
	36	42	11.71	11.35	11.34	11.57	0-1	0.0
	75	0	11.74	11.46	11.21	11.55		0.0
DFT-s-OFDM 16QAM	1	1	11.80	11.61	11.43	11.50	0-1	0.0
CP-OFDM QPSK	1	1	11.74	11.55	11.42	11.47	0-1.5	0.0

Table F-278
NR Band n48 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.51	11.40	11.26	11.43	0	0.0
	1	26	11.49	11.51	11.11	11.51		0.0
	1	49	11.62	11.42	11.17	11.41		0.0
	25	0	11.37	11.43	11.14	11.40	0-1	0.0
	25	13	11.44	11.46	11.16	11.36	0	0.0
	25	26	11.42	11.34	11.17	11.35	0-1	0.0
	50	0	11.41	11.41	11.14	11.33		0.0
DFT-s-OFDM 16QAM	1	1	11.13	11.34	11.22	11.50	0-1	0.0
CP-OFDM QPSK	1	1	11.45	11.58	11.47	11.51	0-1.5	0.0

Table F-279
NR Band n48 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.44	11.66	11.14	11.31	0	0.0
	1	19	11.40	11.62	11.10	11.40		0.0
	1	36	11.47	11.43	11.19	11.32		0.0
	18	0	11.38	11.56	11.15	11.35	0-1	0.0
	18	10	11.37	11.48	11.07	11.32	0	0.0
	18	20	11.40	11.43	11.05	11.37	0-1	0.0
	36	0	11.34	11.52	11.11	11.36		0.0
DFT-s-OFDM 16QAM	1	1	11.17	11.36	11.37	11.45	0-1	0.0
CP-OFDM QPSK	1	1	11.39	11.53	11.18	11.54	0-1.5	0.0

Table F-280
NR Band n48 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.21	11.29	11.03	11.25	0	0.0
	1	12	11.08	11.37	10.96	11.23		0.0
	1	22	11.18	11.15	10.87	11.27		0.0
	12	0	11.13	11.12	10.90	11.29	0-1	0.0
	12	6	11.14	11.19	10.95	11.21	0	0.0
	12	12	11.23	11.31	11.01	11.25	0-1	0.0
	24	0	11.16	11.25	10.94	11.26		0.0
DFT-s-OFDM 16QAM	1	1	11.26	11.22	10.97	11.32	0-1	0.0
CP-OFDM QPSK	1	1	10.99	11.26	10.92	11.18	0-1.5	0.0

F.2.13 NR Band n77 C

Table F-281
NR Band n77 C Measured P_{Limit} Antenna 1a - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.69	8.55	0	0.0
	1	123	8.51	8.53		0.0
	1	243	8.48	8.49		0.0
	120	0	8.65	8.72	0-1	0.0
	120	63	8.60	8.46	0	0.0
	120	125	8.49	8.40	0-1	0.0
	243	0	8.55	8.61		0.0
DFT-s-OFDM 16QAM	1	1	8.10	8.36	0-1	0.0
CP-OFDM QPSK	1	1	8.03	8.40	0-1.5	0.0

Table F-282
NR Band n77 C Measured P_{Limit} Antenna 1a - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.52	8.74	0	0.0
	1	109	8.65	8.66		0.0
	1	215	8.42	8.47		0.0
	108	0	8.70	8.58	0-1	0.0
	108	55	8.61	8.56	0	0.0
	108	109	8.52	8.50	0-1	0.0
	216	0	8.61	8.65		0.0
DFT-s-OFDM 16QAM	1	1	8.22	8.41	0-1	0.0
CP-OFDM QPSK	1	1	8.16	8.28	0-1.5	0.0

Table F-283
NR Band n77 C Measured P_{Limit} Antenna 1a - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.62	8.45	0	0.0
	1	95	8.55	8.67		0.0
	1	187	8.65	8.41		0.0
	90	0	8.78	8.69	0-1	0.0
	90	50	8.92	8.70	0	0.0
	90	99	8.80	8.72	0-1	0.0
	180	0	8.93	8.78		0.0
DFT-s-OFDM 16QAM	1	1	8.35	8.50	0-1	0.0
CP-OFDM QPSK	1	1	8.22	8.33	0-1.5	0.0

Table F-284
NR Band n77 C Measured P_{Limit} Antenna 1a - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.68	8.59	0	0.0
	1	81	8.72	8.60		0.0
	1	160	8.65	8.49		0.0
	81	0	8.72	8.69	0-1	0.0
	81	41	8.80	8.65	0	0.0
	81	81	8.63	8.62	0-1	0.0
	162	0	8.75	8.66		0.0
DFT-s-OFDM 16QAM	1	1	8.32	8.52	0-1	0.0
CP-OFDM QPSK	1	1	8.22	8.36	0-1.5	0.0

Table F-285
NR Band n77 C Measured P_{Limit} Antenna 1a - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.67	8.59	0	0.0
	1	67	8.70	8.60		0.0
	1	131	8.62	8.52		0.0
	64	0	8.55	8.64	0-1	0.0
	64	35	8.32	8.59	0	0.0
	64	69	8.49	8.62	0-1	0.0
	128	0	8.60	8.57		0.0
DFT-s-OFDM 16QAM	1	1	8.34	8.47	0-1	0.0
CP-OFDM QPSK	1	1	8.28	8.39	0-1.5	0.0

Table F-286
NR Band n77 C Measured P_{Limit} Antenna 1a - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.59	8.70	0	0.0
	1	53	8.69	8.76		0.0
	1	104	8.61	8.55		0.0
	50	0	8.72	8.74	0-1	0.0
	50	28	8.80	8.63	0	0.0
	50	56	8.77	8.68	0-1	0.0
	100	0	8.82	8.62		0.0
DFT-s-OFDM 16QAM	1	1	8.36	8.50	0-1	0.0
CP-OFDM QPSK	1	1	8.20	8.32	0-1.5	0.0

Table F-287
NR Band n77 C Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.74	8.64	0	0.0
	1	39	8.62	8.60		0.0
	1	76	8.52	8.49		0.0
	36	0	8.89	8.69	0-1	0.0
	36	21	8.85	8.63	0	0.0
	36	42	8.71	8.67	0-1	0.0
	75	0	8.80	8.74		0.0
DFT-s-OFDM 16QAM	1	1	8.33	8.46	0-1	0.0
CP-OFDM QPSK	1	1	8.19	8.29	0-1.5	0.0

Table F-288
NR Band n77 C Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.66	8.40	0	0.0
	1	26	8.62	8.33		0.0
	1	49	8.76	8.39		0.0
	25	0	8.42	8.45	0-1	0.0
	25	13	8.66	8.31	0	0.0
	25	26	8.55	8.42	0-1	0.0
	50	0	8.47	8.39		0.0
DFT-s-OFDM 16QAM	1	1	8.30	8.45	0-1	0.0
CP-OFDM QPSK	1	1	8.29	8.32	0-1.5	0.0

Table F-289
NR Band n77 C Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.70	8.30	0	0.0
	1	19	8.50	8.32		0.0
	1	36	8.44	8.50		0.0
	18	0	8.47	8.40	0-1	0.0
	18	10	8.59	8.29	0	0.0
	18	20	8.46	8.28	0-1	0.0
	36	0	8.63	8.33		0.0
DFT-s-OFDM 16QAM	1	1	8.32	8.46	0-1	0.0
CP-OFDM QPSK	1	1	8.27	8.35	0-1.5	0.0

Table F-290
NR Band n77 C Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.44	8.56	0	0.0
	1	12	8.50	8.67		0.0
	1	22	8.60	8.54		0.0
	12	0	8.59	8.73	0-1	0.0
	12	6	8.47	8.57	0	0.0
	12	12	8.34	8.69	0-1	0.0
	24	0	8.44	8.55		0.0
DFT-s-OFDM 16QAM	1	1	8.38	8.51	0-1	0.0
CP-OFDM QPSK	1	1	8.22	8.42	0-1.5	0.0

Table F-291
NR Band n77 C Measured P_{Limit} Antenna 2a - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.27	7.25	0	0.0
	1	123	7.51	7.24		0.0
	1	243	7.39	7.11		0.0
	120	0	7.43	7.38	0-1	0.0
	120	63	7.42	7.16	0	0.0
	120	125	7.39	7.03	0-1	0.0
	243	0	7.36	7.21		0.0
DFT-s-OFDM 16QAM	1	1	7.44	7.25	0-1	0.0
CP-OFDM QPSK	1	1	7.19	7.63	0-1.5	0.0

Table F-292
NR Band n77 C Measured P_{Limit} Antenna 2a - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.49	7.39	0	0.0
	1	109	7.46	7.16		0.0
	1	215	7.26	7.02		0.0
	108	0	7.39	7.22	0-1	0.0
	108	55	7.36	7.13	0	0.0
	108	109	7.33	6.95	0-1	0.0
	216	0	7.34	7.14		0.0
DFT-s-OFDM 16QAM	1	1	7.35	7.51	0-1	0.0
CP-OFDM QPSK	1	1	7.50	7.25	0-1.5	0.0

Table F-293
NR Band n77 C Measured P_{Limit} Antenna 2a - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.43	7.61	0	0.0
	1	95	7.52	7.33		0.0
	1	187	7.38	7.03		0.0
	90	0	7.45	7.34	0-1	0.0
	90	50	7.43	7.15	0	0.0
	90	99	7.35	7.06	0-1	0.0
	180	0	7.41	7.11		0.0
DFT-s-OFDM 16QAM	1	1	7.45	7.27	0-1	0.0
CP-OFDM QPSK	1	1	7.41	7.52	0-1.5	0.0

Table F-294
NR Band n77 C Measured P_{Limit} Antenna 2a - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.63	7.39	0	0.0
	1	81	7.33	7.22		0.0
	1	160	7.37	7.07		0.0
	81	0	7.41	7.23	0-1	0.0
	81	41	7.33	7.15	0	0.0
	81	81	7.31	7.06	0-1	0.0
	162	0	7.37	7.19		0.0
DFT-s-OFDM 16QAM	1	1	7.45	7.27	0-1	0.0
CP-OFDM QPSK	1	1	7.66	7.11	0-1.5	0.0

Table F-295
NR Band n77 C Measured P_{Limit} Antenna 2a - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.61	7.35	0	0.0
	1	67	7.33	7.15		0.0
	1	131	7.15	7.11		0.0
	64	0	7.41	7.22	0-1	0.0
	64	35	7.29	7.13	0	0.0
	64	69	7.26	7.01	0-1	0.0
	128	0	7.32	7.16		0.0
DFT-s-OFDM 16QAM	1	1	7.40	7.41	0-1	0.0
CP-OFDM QPSK	1	1	7.45	7.19	0-1.5	0.0

Table F-296
NR Band n77 C Measured P_{Limit} Antenna 2a - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.70	7.71	0	0.0
	1	53	7.60	7.39		0.0
	1	104	7.65	7.28		0.0
	50	0	7.63	7.47	0-1	0.0
	50	28	7.46	7.31	0	0.0
	50	56	7.48	7.29	0-1	0.0
	100	0	7.59	7.38		0.0
DFT-s-OFDM 16QAM	1	1	7.43	7.62	0-1	0.0
CP-OFDM QPSK	1	1	7.65	7.65	0-1.5	0.0

Table F-297
NR Band n77 C Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.52	7.13	0	0.0
	1	39	7.28	7.10		0.0
	1	76	7.17	7.06		0.0
	36	0	7.31	7.12	0-1	0.0
	36	21	7.24	7.04	0	0.0
	36	42	7.10	7.04	0-1	0.0
	75	0	7.25	7.11		0.0
DFT-s-OFDM 16QAM	1	1	7.23	7.18	0-1	0.0
CP-OFDM QPSK	1	1	7.30	7.23	0-1.5	0.0

Table F-298
NR Band n77 C Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.36	7.04	0	0.0
	1	26	7.22	7.02		0.0
	1	49	7.07	6.85		0.0
	25	0	7.23	6.96	0-1	0.0
	25	13	7.15	6.97	0	0.0
	25	26	7.12	6.86	0-1	0.0
	50	0	7.20	6.91		0.0
DFT-s-OFDM 16QAM	1	1	7.40	7.22	0-1	0.0
CP-OFDM QPSK	1	1	7.19	7.05	0-1.5	0.0

Table F-299
NR Band n77 C Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.40	7.07	0	0.0
	1	19	7.18	6.91		0.0
	1	36	7.02	6.99		0.0
	18	0	7.18	6.96	0-1	0.0
	18	10	7.12	6.95	0	0.0
	18	20	7.06	7.01	0-1	0.0
	36	0	7.13	6.93		0.0
DFT-s-OFDM 16QAM	1	1	7.32	7.26	0-1	0.0
CP-OFDM QPSK	1	1	7.31	7.07	0-1.5	0.0

Table F-300
NR Band n77 C Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	6.87	6.75	0	0.0
	1	12	6.94	6.72		0.0
	1	22	6.91	6.86		0.0
	12	0	7.00	6.87	0-1	0.0
	12	6	6.85	6.79	0	0.0
	12	12	6.75	6.71	0-1	0.0
	24	0	6.81	6.70		0.0
DFT-s-OFDM 16QAM	1	1	7.16	6.94	0-1	0.0
CP-OFDM QPSK	1	1	6.87	6.79	0-1.5	0.0

Table F-301
NR Band n77 C Measured P_{Limit} Antenna 3b - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.03	10.41	0	0.0
	1	123	10.15	10.34		0.0
	1	243	10.22	10.07		0.0
	120	0	10.08	10.42	0-1	0.0
	120	63	10.11	10.31	0	0.0
	120	125	10.08	10.17	0-1	0.0
	243	0	10.10	10.30		0.0
DFT-s-OFDM 16QAM	1	1	9.87	10.35	0-1	0.0
CP-OFDM QPSK	1	1	9.91	10.42	0-1.5	0.0

Table F-302
NR Band n77 C Measured P_{Limit} Antenna 3b - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.05	10.56	0	0.0
	1	109	10.09	10.36		0.0
	1	215	10.17	10.12		0.0
	108	0	10.10	10.45	0-1	0.0
	108	55	10.14	10.30	0	0.0
	108	109	10.11	10.15	0-1	0.0
	216	0	10.12	10.29		0.0
DFT-s-OFDM 16QAM	1	1	10.09	10.35	0-1	0.0
CP-OFDM QPSK	1	1	10.23	10.46	0-1.5	0.0

Table F-303
NR Band n77 C Measured P_{Limit} Antenna 3b - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.13	10.61	0	0.0
	1	95	10.16	10.44		0.0
	1	187	10.18	9.91		0.0
	90	0	10.08	10.43	0-1	0.0
	90	50	10.06	10.26	0	0.0
	90	99	10.07	10.12	0-1	0.0
	180	0	10.05	10.30		0.0
DFT-s-OFDM 16QAM	1	1	10.13	10.32	0-1	0.0
CP-OFDM QPSK	1	1	10.24	10.41	0-1.5	0.0

Table F-304
NR Band n77 C Measured P_{Limit} Antenna 3b - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.14	10.39	0	0.0
	1	81	10.03	10.28		0.0
	1	160	10.17	10.03		0.0
	81	0	10.08	10.41	0-1	0.0
	81	41	10.02	10.25	0	0.0
	81	81	10.09	10.13	0-1	0.0
	162	0	10.07	10.21		0.0
DFT-s-OFDM 16QAM	1	1	10.27	10.08	0-1	0.0
CP-OFDM QPSK	1	1	10.24	10.41	0-1.5	0.0

Table F-305
NR Band n77 C Measured P_{Limit} Antenna 3b - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.15	10.51	0	0.0
	1	67	10.09	10.20		0.0
	1	131	10.07	10.12		0.0
	64	0	9.98	10.38	0-1	0.0
	64	35	10.01	10.19	0	0.0
	64	69	10.03	10.07	0-1	0.0
	128	0	9.95	10.17		0.0
DFT-s-OFDM 16QAM	1	1	10.22	10.34	0-1	0.0
CP-OFDM QPSK	1	1	9.97	10.46	0-1.5	0.0

Table F-306
NR Band n77 C Measured P_{Limit} Antenna 3b - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.35	10.65	0	0.0
	1	53	10.02	10.42		0.0
	1	104	10.27	10.32		0.0
	50	0	10.14	10.48	0-1	0.0
	50	28	10.05	10.44	0	0.0
	50	56	10.07	10.39	0-1	0.0
	100	0	10.15	10.47		0.0
DFT-s-OFDM 16QAM	1	1	10.60	10.33	0-1	0.0
CP-OFDM QPSK	1	1	10.35	10.41	0-1.5	0.0

Table F-307
NR Band n77 C Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.26	10.65	0	0.0
	1	39	9.88	10.47		0.0
	1	76	10.09	10.41		0.0
	36	0	10.13	10.50	0-1	0.0
	36	21	9.90	10.38	0	0.0
	36	42	9.92	10.33	0-1	0.0
	75	0	9.95	10.37		0.0
DFT-s-OFDM 16QAM	1	1	10.11	10.35	0-1	0.0
CP-OFDM QPSK	1	1	10.31	10.36	0-1.5	0.0

Table F-308
NR Band n77 C Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.42	10.44	0	0.0
	1	26	10.38	10.10		0.0
	1	49	10.25	10.41		0.0
	25	0	10.44	10.38	0-1	0.0
	25	13	10.32	10.27	0	0.0
	25	26	10.22	10.30	0-1	0.0
	50	0	10.34	10.33		0.0
DFT-s-OFDM 16QAM	1	1	10.34	10.35	0-1	0.0
CP-OFDM QPSK	1	1	10.24	10.26	0-1.5	0.0

Table F-309
NR Band n77 C Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.55	10.40	0	0.0
	1	19	10.36	10.32		0.0
	1	36	10.32	10.29		0.0
	18	0	10.40	10.20	0-1	0.0
	18	10	10.36	10.31	0	0.0
	18	20	10.42	10.33	0-1	0.0
	36	0	10.48	10.26		0.0
DFT-s-OFDM 16QAM	1	1	10.39	10.24	0-1	0.0
CP-OFDM QPSK	1	1	10.45	10.32	0-1.5	0.0

Table F-310
NR Band n77 C Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.28	10.40	0	0.0
	1	12	10.35	10.32		0.0
	1	22	10.36	10.36		0.0
	12	0	10.44	10.38	0-1	0.0
	12	6	10.35	10.39	0	0.0
	12	12	10.25	10.38	0-1	0.0
	24	0	10.36	10.40		0.0
DFT-s-OFDM 16QAM	1	1	10.37	10.20	0-1	0.0
CP-OFDM QPSK	1	1	10.44	10.41	0-1.5	0.0

Table F-311
NR Band n77 C Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.65	8.53	0	0.0
	1	123	8.81	8.73		0.0
	1	243	8.73	8.52		0.0
	120	0	8.80	8.69	0-1	0.0
	120	63	8.70	8.65	0	0.0
	120	125	8.76	8.57	0-1	0.0
	243	0	8.79	8.68		0.0
DFT-s-OFDM 16QAM	1	1	8.95	8.81	0-1	0.0
CP-OFDM QPSK	1	1	9.04	8.57	0-1.5	0.0

Table F-312
NR Band n77 C Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.99	8.61	0	0.0
	1	109	8.87	8.77		0.0
	1	215	8.84	8.38		0.0
	108	0	8.82	8.72	0-1	0.0
	108	55	8.81	8.62	0	0.0
	108	109	8.75	8.53	0-1	0.0
	216	0	8.77	8.62		0.0
DFT-s-OFDM 16QAM	1	1	9.03	8.55	0-1	0.0
CP-OFDM QPSK	1	1	8.76	8.70	0-1.5	0.0

Table F-313
NR Band n77 C Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.94	8.68	0	0.0
	1	95	8.79	8.63		0.0
	1	187	8.78	8.49		0.0
	90	0	8.77	8.64	0-1	0.0
	90	50	8.71	8.55	0	0.0
	90	99	8.64	8.51	0-1	0.0
	180	0	8.73	8.59		0.0
DFT-s-OFDM 16QAM	1	1	9.02	8.63	0-1	0.0
CP-OFDM QPSK	1	1	8.75	8.58	0-1.5	0.0

Table F-314
NR Band n77 C Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.94	8.69	0	0.0
	1	81	8.49	8.75		0.0
	1	160	8.65	8.48		0.0
	81	0	8.70	8.60	0-1	0.0
	81	41	8.58	8.69	0	0.0
	81	81	8.53	8.53	0-1	0.0
	162	0	8.63	8.57		0.0
DFT-s-OFDM 16QAM	1	1	9.25	8.67	0-1	0.0
CP-OFDM QPSK	1	1	8.90	8.51	0-1.5	0.0

Table F-315
NR Band n77 C Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.93	8.63	0	0.0
	1	67	8.57	8.69		0.0
	1	131	8.51	8.50		0.0
	64	0	8.64	8.67	0-1	0.0
	64	35	8.69	8.65	0	0.0
	64	69	8.47	8.51	0-1	0.0
	128	0	8.59	8.66		0.0
DFT-s-OFDM 16QAM	1	1	8.91	8.62	0-1	0.0
CP-OFDM QPSK	1	1	8.77	8.41	0-1.5	0.0

Table F-316
NR Band n77 C Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.71	9.26	0	0.0
	1	53	8.54	9.03		0.0
	1	104	8.42	8.98		0.0
	50	0	8.65	8.91	0-1	0.0
	50	28	8.50	8.90	0	0.0
	50	56	8.44	8.86	0-1	0.0
	100	0	8.56	8.95		0.0
DFT-s-OFDM 16QAM	1	1	9.13	8.81	0-1	0.0
CP-OFDM QPSK	1	1	8.94	9.07	0-1.5	0.0

Table F-317
NR Band n77 C Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.60	9.11	0	0.0
	1	39	8.51	8.93		0.0
	1	76	8.46	9.06		0.0
	36	0	8.54	9.05	0-1	0.0
	36	21	8.52	9.03	0	0.0
	36	42	8.47	9.01	0-1	0.0
	75	0	8.49	9.04		0.0
DFT-s-OFDM 16QAM	1	1	8.68	8.95	0-1	0.0
CP-OFDM QPSK	1	1	8.74	8.96	0-1.5	0.0

Table F-318
NR Band n77 C Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.57	8.84	0	0.0
	1	26	8.48	8.73		0.0
	1	49	8.45	8.65		0.0
	25	0	8.55	8.79	0-1	0.0
	25	13	8.57	8.82	0	0.0
	25	26	8.47	8.72	0-1	0.0
	50	0	8.50	8.81		0.0
DFT-s-OFDM 16QAM	1	1	8.68	8.90	0-1	0.0
CP-OFDM QPSK	1	1	8.61	8.74	0-1.5	0.0

Table F-319
NR Band n77 C Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.58	8.97	0	0.0
	1	19	8.52	8.84		0.0
	1	36	8.50	9.10		0.0
	18	0	8.59	9.03	0-1	0.0
	18	10	8.50	8.99	0	0.0
	18	20	8.44	8.91	0-1	0.0
	36	0	8.57	8.98		0.0
DFT-s-OFDM 16QAM	1	1	8.68	9.12	0-1	0.0
CP-OFDM QPSK	1	1	8.73	9.25	0-1.5	0.0

Table F-320
NR Band n77 C Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.47	8.70	0	0.0
	1	12	8.48	8.75		0.0
	1	22	8.42	8.70		0.0
	12	0	8.54	8.67	0-1	0.0
	12	6	8.50	8.69	0	0.0
	12	12	8.44	8.77	0-1	0.0
	24	0	8.47	8.72		0.0
DFT-s-OFDM 16QAM	1	1	8.73	8.42	0-1	0.0
CP-OFDM QPSK	1	1	8.57	8.61	0-1.5	0.0

F.2.14 NR Band n77 DoD

Table F-321
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.03	0	0.0
	1	123	8.30		0.0
	1	243	8.25		0.0
	120	0	8.33	0-1	0.0
	120	63	8.40	0	0.0
	120	125	8.27	0-1	0.0
	243	0	8.21		0.0
DFT-s-OFDM 16QAM	1	1	8.44	0-1	0.0
CP-OFDM QPSK	1	1	7.91	0-1.5	0.0

Table F-322
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.10	0	0.0
	1	109	8.43		0.0
	1	215	8.26		0.0
	108	0	8.28	0-1	0.0
	108	55	8.31	0	0.0
	108	109	8.24	0-1	0.0
	216	0	8.27		0.0
DFT-s-OFDM 16QAM	1	1	8.55	0-1	0.0
CP-OFDM QPSK	1	1	8.12	0-1.5	0.0

Table F-323

NR Band n77 DoD Measured P_{Limit} Antenna 1a - 70 MHz Bandwidth.

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.05	0	0.0
	1	95	8.34		0.0
	1	187	8.27		0.0
	90	0	8.22	0-1	0.0
	90	50	8.28	0	0.0
	90	99	8.25	0-1	0.0
	180	0	8.26		0.0
DFT-s-OFDM 16QAM	1	1	8.54	0-1	0.0
CP-OFDM QPSK	1	1	8.17	0-1.5	0.0

Table F-324
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.26	0	0.0
	1	81	8.46		0.0
	1	160	8.29		0.0
	81	0	8.43	0-1	0.0
	81	41	8.41	0	0.0
	81	81	8.42	0-1	0.0
	162	0	8.38		0.0
DFT-s-OFDM 16QAM	1	1	8.64	0-1	0.0
CP-OFDM QPSK	1	1	8.11	0-1.5	0.0

Table F-325
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.35	0	0.0
	1	67	8.31		0.0
	1	131	8.38		0.0
	64	0	8.39	0-1	0.0
	64	35	8.32	0	0.0
	64	69	8.38	0-1	0.0
	128	0	8.30		0.0
DFT-s-OFDM 16QAM	1	1	8.55	0-1	0.0
CP-OFDM QPSK	1	1	8.57	0-1.5	0.0

Table F-326
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.69	0	0.0
	1	53	8.70		0.0
	1	104	8.82		0.0
	50	0	8.66	0-1	0.0
	50	28	8.72	0	0.0
	50	56	8.76	0-1	0.0
	100	0	8.74		0.0
DFT-s-OFDM 16QAM	1	1	8.77	0-1	0.0
CP-OFDM QPSK	1	1	8.74	0-1.5	0.0

Table F-327
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.68	0	0.0
	1	39	8.63		0.0
	1	76	8.76		0.0
	36	0	8.67	0-1	0.0
	36	21	8.66	0	0.0
	36	42	8.71	0-1	0.0
	75	0	8.64		0.0
DFT-s-OFDM 16QAM	1	1	8.71	0-1	0.0
CP-OFDM QPSK	1	1	8.80	0-1.5	0.0

Table F-328
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.74	0	0.0
	1	26	8.61		0.0
	1	49	8.66		0.0
	25	0	8.68	0-1	0.0
	25	13	8.64	0	0.0
	25	26	8.61	0-1	0.0
	50	0	8.67		0.0
DFT-s-OFDM 16QAM	1	1	8.87	0-1	0.0
CP-OFDM QPSK	1	1	8.60	0-1.5	0.0

Table F-329
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.77	0	0.0
	1	19	8.60		0.0
	1	36	8.57		0.0
	18	0	8.63	0-1	0.0
	18	10	8.65	0	0.0
	18	20	8.58	0-1	0.0
	36	0	8.62		0.0
DFT-s-OFDM 16QAM	1	1	8.52	0-1	0.0
CP-OFDM QPSK	1	1	8.71	0-1.5	0.0

Table F-330
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.52	0	0.0
	1	12	8.48		0.0
	1	22	8.38		0.0
	12	0	8.57	0-1	0.0
	12	6	8.53	0	0.0
	12	12	8.47	0-1	0.0
	24	0	8.49		0.0
DFT-s-OFDM 16QAM	1	1	8.46	0-1	0.0
CP-OFDM QPSK	1	1	8.48	0-1.5	0.0

Table F-331
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.42	0	0.0
	1	123	7.63		0.0
	1	243	7.44		0.0
	120	0	7.61	0-1	0.0
	120	63	7.55	0	0.0
	120	125	7.48	0-1	0.0
	243	0	7.55		0.0
DFT-s-OFDM 16QAM	1	1	7.07	0-1	0.0
CP-OFDM QPSK	1	1	7.05	0-1.5	0.0

Table F-332
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.61	0	0.0
	1	109	7.57		0.0
	1	215	7.35		0.0
	108	0	7.60	0-1	0.0
	108	55	7.59	0	0.0
	108	109	7.47	0-1	0.0
	216	0	7.58		0.0
DFT-s-OFDM 16QAM	1	1	7.65	0-1	0.0
CP-OFDM QPSK	1	1	7.29	0-1.5	0.0

Table F-333
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.54	0	0.0
	1	95	7.52		0.0
	1	187	7.39		0.0
	90	0	7.63	0-1	0.0
	90	50	7.59	0	0.0
	90	99	7.48	0-1	0.0
	180	0	7.47		0.0
DFT-s-OFDM 16QAM	1	1	7.11	0-1	0.0
CP-OFDM QPSK	1	1	7.53	0-1.5	0.0

Table F-334
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.50	0	0.0
	1	81	7.57		0.0
	1	160	7.44		0.0
	81	0	7.55	0-1	0.0
	81	41	7.52	0	0.0
	81	81	7.45	0-1	0.0
	162	0	7.49		0.0
DFT-s-OFDM 16QAM	1	1	7.24	0-1	0.0
CP-OFDM QPSK	1	1	7.52	0-1.5	0.0

Table F-335
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.62	0	0.0
	1	67	7.44		0.0
	1	131	7.49		0.0
	64	0	7.58	0-1	0.0
	64	35	7.48	0	0.0
	64	69	7.44	0-1	0.0
	128	0	7.46		0.0
DFT-s-OFDM 16QAM	1	1	7.58	0-1	0.0
CP-OFDM QPSK	1	1	7.70	0-1.5	0.0

Table F-336
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.94	0	0.0
	1	53	7.78		0.0
	1	104	7.87		0.0
	50	0	7.83	0-1	0.0
	50	28	7.76	0	0.0
	50	56	7.74	0-1	0.0
	100	0	7.80		0.0
DFT-s-OFDM 16QAM	1	1	7.56	0-1	0.0
CP-OFDM QPSK	1	1	7.81	0-1.5	0.0

Table F-337
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.78	0	0.0
	1	39	7.80		0.0
	1	76	7.75		0.0
	36	0	7.85	0-1	0.0
	36	21	7.73	0	0.0
	36	42	7.74	0-1	0.0
	75	0	7.79		0.0
DFT-s-OFDM 16QAM	1	1	7.90	0-1	0.0
CP-OFDM QPSK	1	1	7.82	0-1.5	0.0

Table F-338
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.75	0	0.0
	1	26	7.63		0.0
	1	49	7.65		0.0
	25	0	7.71	0-1	0.0
	25	13	7.72	0	0.0
	25	26	7.69	0-1	0.0
	50	0	7.70		0.0
DFT-s-OFDM 16QAM	1	1	7.65	0-1	0.0
CP-OFDM QPSK	1	1	7.61	0-1.5	0.0

Table F-339
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.78	0	0.0
	1	19	7.67		0.0
	1	36	7.70		0.0
	18	0	7.69	0-1	0.0
	18	10	7.73	0	0.0
	18	20	7.72	0-1	0.0
	36	0	7.67		0.0
DFT-s-OFDM 16QAM	1	1	7.71	0-1	0.0
CP-OFDM QPSK	1	1	7.80	0-1.5	0.0

Table F-340
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.75	0	0.0
	1	12	7.66		0.0
	1	22	7.70		0.0
	12	0	7.73	0-1	0.0
	12	6	7.60	0	0.0
	12	12	7.72	0-1	0.0
	24	0	7.71		0.0
DFT-s-OFDM 16QAM	1	1	7.83	0-1	0.0
CP-OFDM QPSK	1	1	7.57	0-1.5	0.0

Table F-341
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.06	0	0.0
	1	123	10.11		0.0
	1	243	10.25		0.0
	120	0	10.16	0-1	0.0
	120	63	10.15	0	0.0
	120	125	10.22	0-1	0.0
	243	0	10.20		0.0
DFT-s-OFDM 16QAM	1	1	10.25	0-1	0.0
CP-OFDM QPSK	1	1	10.03	0-1.5	0.0

Table F-342
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.22	0	0.0
	1	109	9.97		0.0
	1	215	10.18		0.0
	108	0	10.13	0-1	0.0
	108	55	10.06	0	0.0
	108	109	10.21	0-1	0.0
	216	0	10.14		0.0
DFT-s-OFDM 16QAM	1	1	10.23	0-1	0.0
CP-OFDM QPSK	1	1	10.21	0-1.5	0.0

Table F-343
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.24	0	0.0
	1	95	10.05		0.0
	1	187	10.17		0.0
	90	0	10.12	0-1	0.0
	90	50	10.01	0	0.0
	90	99	10.16	0-1	0.0
	180	0	10.06		0.0
DFT-s-OFDM 16QAM	1	1	10.23	0-1	0.0
CP-OFDM QPSK	1	1	10.15	0-1.5	0.0

Table F-344
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.27	0	0.0
	1	81	10.17		0.0
	1	160	10.21		0.0
	81	0	10.23	0-1	0.0
	81	41	10.16	0	0.0
	81	81	10.11	0-1	0.0
	162	0	10.18		0.0
DFT-s-OFDM 16QAM	1	1	10.12	0-1	0.0
CP-OFDM QPSK	1	1	10.15	0-1.5	0.0

Table F-345
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.27	0	0.0
	1	67	10.08		0.0
	1	131	10.04		0.0
	64	0	10.15	0-1	0.0
	64	35	10.06	0	0.0
	64	69	10.05	0-1	0.0
	128	0	9.98		0.0
DFT-s-OFDM 16QAM	1	1	10.28	0-1	0.0
CP-OFDM QPSK	1	1	10.12	0-1.5	0.0

Table F-346
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.57	0	0.0
	1	53	10.39		0.0
	1	104	10.59		0.0
	50	0	10.41	0-1	0.0
	50	28	10.31	0	0.0
	50	56	10.37	0-1	0.0
	100	0	10.40		0.0
DFT-s-OFDM 16QAM	1	1	10.27	0-1	0.0
CP-OFDM QPSK	1	1	10.33	0-1.5	0.0

Table F-347
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.39	0	0.0
	1	39	10.41		0.0
	1	76	10.35		0.0
	36	0	10.37	0-1	0.0
	36	21	10.34	0	0.0
	36	42	10.36	0-1	0.0
	75	0	10.35		0.0
DFT-s-OFDM 16QAM	1	1	10.22	0-1	0.0
CP-OFDM QPSK	1	1	10.37	0-1.5	0.0

Table F-348
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.31	0	0.0
	1	26	10.23		0.0
	1	49	10.34		0.0
	25	0	10.24	0-1	0.0
	25	13	10.28	0	0.0
	25	26	10.25	0-1	0.0
	50	0	10.27		0.0
DFT-s-OFDM 16QAM	1	1	10.31	0-1	0.0
CP-OFDM QPSK	1	1	10.19	0-1.5	0.0

Table F-349
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.39	0	0.0
	1	19	10.22		0.0
	1	36	10.35		0.0
	18	0	10.28	0-1	0.0
	18	10	10.27	0	0.0
	18	20	10.30	0-1	0.0
	36	0	10.26		0.0
DFT-s-OFDM 16QAM	1	1	10.33	0-1	0.0
CP-OFDM QPSK	1	1	10.11	0-1.5	0.0

Table F-350
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.05	0	0.0
	1	12	10.17		0.0
	1	22	10.23		0.0
	12	0	10.17	0-1	0.0
	12	6	10.18	0	0.0
	12	12	10.19	0-1	0.0
	24	0	10.13		0.0
DFT-s-OFDM 16QAM	1	1	9.95	0-1	0.0
CP-OFDM QPSK	1	1	10.06	0-1.5	0.0

Table F-351
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.37	0	0.0
	1	123	9.34		0.0
	1	243	9.38		0.0
	120	0	9.46	0-1	0.0
	120	63	9.35	0	0.0
	120	125	9.28	0-1	0.0
	243	0	9.36		0.0
DFT-s-OFDM 16QAM	1	1	9.23	0-1	0.0
CP-OFDM QPSK	1	1	9.32	0-1.5	0.0

Table F-352
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.43	0	0.0
	1	109	9.31		0.0
	1	215	9.22		0.0
	108	0	9.38	0-1	0.0
	108	55	9.27	0	0.0
	108	109	9.24	0-1	0.0
	216	0	9.28		0.0
DFT-s-OFDM 16QAM	1	1	9.21	0-1	0.0
CP-OFDM QPSK	1	1	9.33	0-1.5	0.0

Table F-353
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.46	0	0.0
	1	95	9.22		0.0
	1	187	9.21		0.0
	90	0	9.41	0-1	0.0
	90	50	9.27	0	0.0
	90	99	9.23	0-1	0.0
	180	0	9.30		0.0
DFT-s-OFDM 16QAM	1	1	9.23	0-1	0.0
CP-OFDM QPSK	1	1	9.34	0-1.5	0.0

Table F-354
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.41	0	0.0
	1	81	9.31		0.0
	1	160	9.20		0.0
	81	0	9.38	0-1	0.0
	81	41	9.27	0	0.0
	81	81	9.22	0-1	0.0
	162	0	9.25		0.0
DFT-s-OFDM 16QAM	1	1	9.22	0-1	0.0
CP-OFDM QPSK	1	1	9.32	0-1.5	0.0

Table F-355
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.23	0	0.0
	1	67	9.11		0.0
	1	131	8.97		0.0
	64	0	9.14	0-1	0.0
	64	35	9.02	0	0.0
	64	69	8.94	0-1	0.0
	128	0	9.01		0.0
DFT-s-OFDM 16QAM	1	1	9.13	0-1	0.0
CP-OFDM QPSK	1	1	9.26	0-1.5	0.0

Table F-356
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth
NR Band n77 DoD
40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.37	0	0.0
	1	53	9.16		0.0
	1	104	9.33		0.0
	50	0	9.25	0-1	0.0
	50	28	9.24	0	0.0
	50	56	9.27	0-1	0.0
	100	0	9.30		0.0
DFT-s-OFDM 16QAM	1	1	9.22	0-1	0.0
CP-OFDM QPSK	1	1	9.34	0-1.5	0.0

Table F-357
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.28	0	0.0
	1	39	8.96		0.0
	1	76	9.04		0.0
	36	0	9.06	0-1	0.0
	36	21	8.95	0	0.0
	36	42	9.07	0-1	0.0
	75	0	9.02		0.0
DFT-s-OFDM 16QAM	1	1	9.21	0-1	0.0
CP-OFDM QPSK	1	1	9.27	0-1.5	0.0

Table F-358
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.05	0	0.0
	1	26	8.92		0.0
	1	49	9.07		0.0
	25	0	8.97	0-1	0.0
	25	13	8.93	0	0.0
	25	26	8.91	0-1	0.0
	50	0	8.98		0.0
DFT-s-OFDM 16QAM	1	1	9.17	0-1	0.0
CP-OFDM QPSK	1	1	9.10	0-1.5	0.0

Table F-359
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.15	0	0.0
	1	19	9.04		0.0
	1	36	9.02		0.0
	18	0	9.06	0-1	0.0
	18	10	9.07	0	0.0
	18	20	8.99	0-1	0.0
	36	0	9.08		0.0
DFT-s-OFDM 16QAM	1	1	9.22	0-1	0.0
CP-OFDM QPSK	1	1	9.17	0-1.5	0.0

Table F-360
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.08	0	0.0
	1	12	8.97		0.0
	1	22	8.94		0.0
	12	0	8.95	0-1	0.0
	12	6	8.98	0	0.0
	12	12	9.04	0-1	0.0
	24	0	9.07		0.0
DFT-s-OFDM 16QAM	1	1	9.15	0-1	0.0
CP-OFDM QPSK	1	1	9.08	0-1.5	0.0