

Antenna Specification

Specifications

Summary

ITEM	SPEC.	
Frequency	2.4GHz	
Center Frequency	2402 MHz	1.25 dBi
	2442 MHz	1.24 dBi
	2484 MHz	1.39 dBi
MAX. GAIN	1.39 dBi	

ITEM	SPEC.	
Frequency	5 GHz	
Center Frequency	5150 MHz	3.49 dBi
	5300 MHz	4.08 dBi
	5500 MHz	3.33dBi
	5800 MHz	1.39dBi
MAX. GAIN	4.08 dBi	

天线类型/ANT Type: FPC


天线型号/ ANT Model: A50ANT1

制造商/Manufactory:


YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.

No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China




天线尺寸/ANT Size(Unit:mm)




2402MHz





2D daily chart (X->Y;X->Z;Y->Z)




2442MHz




2D daily chart (X->Y;X->Z;Y->Z)








2484MHz




2D daily chart (X->Y;X->Z;Y->Z)






Point Values	Minimum Gain (dBi)	Maximum Gain (dBi)	Average Gain (dBi)
Frequency (MHz)			
2402	-17.4733	1.25354	-1.89946
2442	-17.4979	1.23501	-1.55236
2484	-17.2599	1.39072	-1.48154

5150MHz




2D daily chart (X->Y;X->Z;Y->Z)









5300MHz





2D daily chart (X->Y;X->Z;Y->Z)




5500MHz




2D daily chart (X->Y;X->Z;Y->Z)








5800MHz



2D daily chart (X->Y;X->Z;Y->Z)



Point Values	Minimum Gain (dBi)	Maximum Gain (dBi)	Average Gain (dBi)
Frequency (MHz)			
5150	-12.6131	3.48954	-1.65494
5300	-14.3424	4.07754	-1.70282
5500	-15.7267	3.33460	-1.93990
5800	-12.4428	1.39130	-2.76736