


802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.33762G	54.98	74.00	-19.02	40.27	3	Vertical	200	1.19	-	39.06	11.07	35.42	
AV	12.34164G	42.34	54.00	-11.66	27.63	3	Vertical	200	1.19	-	39.06	11.07	35.42	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.32814G	55.32	74.00	-18.68	40.61	3	Horizontal	289	2.85	-	39.07	11.06	35.42	
AV	12.3378G	42.47	54.00	-11.53	27.76	3	Horizontal	289	2.85	-	39.06	11.07	35.42	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49762G	51.88	83.54	-31.66	49.28	1	Vertical	222	1.52	-	37.80	14.90	50.10
AV	18.49458G	38.17	63.54	-25.37	35.58	1	Vertical	222	1.52	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49738G	51.32	83.54	-32.22	48.72	1	Horizontal	72	1.56	-	37.80	14.90	50.10
AV	18.49806G	38.40	63.54	-25.14	35.80	1	Horizontal	72	1.56	-	37.80	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.805G	58.08	88.20	-30.12	51.77	3	Vertical	89	1.52	-	34.40	7.41	35.50	
RMS	5.925G	47.92	68.20	-20.28	41.30	3	Vertical	89	1.52	-	34.65	7.53	35.56	
PK	6.4026G	120.31	Inf	-Inf	113.15	3	Vertical	89	1.52	-	34.89	7.71	35.44	
RMS	6.4026G	111.26	Inf	-Inf	104.10	3	Vertical	89	1.52	-	34.89	7.71	35.44	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.889G	57.84	88.20	-30.36	51.26	3	Horizontal	62	2.01	-	34.63	7.49	35.54	
RMS	5.925G	47.74	68.20	-20.46	41.12	3	Horizontal	62	2.01	-	34.65	7.53	35.56	
PK	6.4074G	120.79	Inf	-Inf	113.63	3	Horizontal	62	2.01	-	34.89	7.71	35.44	
RMS	6.405G	111.62	Inf	-Inf	104.46	3	Horizontal	62	2.01	-	34.89	7.71	35.44	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82248G	56.06	88.20	-32.14	39.91	3	Vertical	256	2.89	-	39.34	11.46	34.65
RMS	12.81432G	42.56	68.20	-25.64	26.45	3	Vertical	256	2.89	-	39.33	11.45	34.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80196G	56.72	88.20	-31.48	40.68	3	Horizontal	67	1.66	-	39.30	11.44	34.70
RMS	12.81732G	42.58	68.20	-25.62	26.46	3	Horizontal	67	1.66	-	39.33	11.45	34.66

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.2155G	53.14	83.54	-30.40	49.85	1	Vertical	216	1.55	-	37.74	15.19	49.64	
AV	19.21202G	39.26	63.54	-24.28	35.97	1	Vertical	216	1.55	-	37.75	15.18	49.64	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2131G	52.97	83.54	-30.57	49.68	1	Horizontal	244	1.52	-	37.74	15.19	49.64
AV	19.21524G	39.19	63.54	-24.35	35.90	1	Horizontal	244	1.52	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT V_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	58.32	88.20	-29.88	51.79	3	Vertical	185	1.80	-	34.59	7.48	35.54
RMS	5.925G	47.64	68.20	-20.56	41.03	3	Vertical	185	1.80	-	34.65	7.52	35.56
PK	6.442G	118.31	Inf	-Inf	111.13	3	Vertical	185	1.80	-	34.82	7.78	35.42
RMS	6.442G	109.15	Inf	-Inf	101.97	3	Vertical	185	1.80	-	34.82	7.78	35.42
PK	7.162G	60.50	88.20	-27.70	51.48	3	Vertical	185	1.80	-	36.35	8.20	35.53
RMS	7.195G	50.53	68.20	-17.67	41.39	3	Vertical	185	1.80	-	36.48	8.20	35.54

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT V_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	58.48	88.20	-29.72	51.84	3	Horizontal	61	1.80	-	34.68	7.51	35.55
RMS	5.925G	47.58	68.20	-20.62	40.97	3	Horizontal	61	1.80	-	34.65	7.52	35.56
PK	6.445G	118.50	Inf	-Inf	111.32	3	Horizontal	61	1.80	-	34.81	7.79	35.42
RMS	6.445G	110.84	Inf	-Inf	103.66	3	Horizontal	61	1.80	-	34.81	7.79	35.42
PK	7.189G	61.53	88.20	-26.67	52.41	3	Horizontal	61	1.80	-	36.46	8.20	35.54
RMS	7.195G	50.50	68.20	-17.70	41.36	3	Horizontal	61	1.80	-	36.48	8.20	35.54

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89726G	56.48	88.20	-31.72	39.95	3	Vertical	255	2.01	-	39.49	11.52	34.48	
RMS	12.87908G	43.14	68.20	-25.06	26.70	3	Vertical	255	2.01	-	39.46	11.50	34.52	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.87656G	56.84	88.20	-31.36	40.41	3	Horizontal	158	2.80	-	39.45	11.50	34.52	
RMS	12.87584G	43.13	68.20	-25.07	26.71	3	Horizontal	158	2.80	-	39.45	11.50	34.53	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33734G	52.23	83.54	-31.31	48.90	1	Vertical	42	1.56	-	37.77	15.23	49.67
AV	19.3327G	39.14	63.54	-24.40	35.81	1	Vertical	42	1.56	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33964G	52.79	83.54	-30.75	49.45	1	Horizontal	204	1.56	-	37.77	15.24	49.67
AV	19.33268G	39.05	63.54	-24.49	35.72	1	Horizontal	204	1.56	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT V_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.861G	58.46	88.20	-29.74	52.06	3	Vertical	74	1.80	-	34.47	7.46	35.53
RMS	5.924G	47.67	68.20	-20.53	41.06	3	Vertical	74	1.80	-	34.65	7.52	35.56
PK	6.488G	118.53	Inf	-Inf	111.25	3	Vertical	74	1.80	-	34.80	7.88	35.40
RMS	6.488G	110.60	Inf	-Inf	103.32	3	Vertical	74	1.80	-	34.80	7.88	35.40
PK	7.232G	61.14	88.20	-27.06	51.70	3	Vertical	74	1.80	-	36.69	8.30	35.55
RMS	7.229G	50.82	68.20	-17.38	41.41	3	Vertical	74	1.80	-	36.67	8.29	35.55

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.759G	58.07	88.20	-30.13	51.71	3	Horizontal	125	1.83	-	34.40	7.44	35.48
RMS	5.924G	47.55	68.20	-20.65	40.94	3	Horizontal	125	1.83	-	34.65	7.52	35.56
PK	6.467G	120.23	Inf	-Inf	113.01	3	Horizontal	125	1.83	-	34.80	7.83	35.41
RMS	6.488G	111.45	Inf	-Inf	104.17	3	Horizontal	125	1.83	-	34.80	7.88	35.40
PK	7.187G	61.10	88.20	-27.10	51.99	3	Horizontal	125	1.83	-	36.45	8.20	35.54
RMS	7.229G	50.82	68.20	-17.38	41.41	3	Horizontal	125	1.83	-	36.67	8.29	35.55

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97438G	57.62	88.20	-30.58	40.77	3	Vertical	251	1.29	-	39.57	11.58	34.30
RMS	12.95656G	43.66	68.20	-24.54	26.87	3	Vertical	251	1.29	-	39.56	11.57	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95698G	56.93	88.20	-31.27	40.14	3	Horizontal	29	1.99	-	39.56	11.57	34.34
RMS	12.95662G	43.69	68.20	-24.51	26.90	3	Horizontal	29	1.99	-	39.56	11.57	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45762G	52.32	83.54	-31.22	48.86	1	Vertical	135	1.54	-	37.87	15.28	49.69	
AV	19.45058G	38.58	63.54	-24.96	35.13	1	Vertical	135	1.54	-	37.86	15.28	49.69	

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45712G	51.46	83.54	-32.08	48.00	1	Horizontal	236	1.58	-	37.87	15.28	49.69	
AV	19.45048G	38.56	63.54	-24.98	35.11	1	Horizontal	236	1.58	-	37.86	15.28	49.69	

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5698G	119.68	Inf	-Inf	111.97	3	Vertical	91	1.24	-	35.08	8.04	35.41	
RMS	6.5506G	112.25	Inf	-Inf	104.66	3	Vertical	91	1.24	-	35.00	8.00	35.41	
PK	7.1386G	60.87	88.20	-27.33	51.97	3	Vertical	91	1.24	-	36.23	8.20	35.53	
RMS	7.1626G	50.41	68.20	-17.79	41.39	3	Vertical	91	1.24	-	36.35	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5458G	119.15	Inf	-Inf	111.59	3	Horizontal	124	1.91	-	34.98	7.99	35.41	
RMS	6.5482G	111.55	Inf	-Inf	103.97	3	Horizontal	124	1.91	-	34.99	8.00	35.41	
PK	7.141G	61.48	88.20	-26.72	52.56	3	Horizontal	124	1.91	-	36.25	8.20	35.53	
RMS	7.1506G	50.40	68.20	-17.80	41.43	3	Horizontal	124	1.91	-	36.30	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13666G	58.40	88.20	-29.80	40.76	3	Vertical	113	1.77	-	39.94	11.71	34.01
RMS	13.11632G	44.27	68.20	-23.93	26.71	3	Vertical	113	1.77	-	39.92	11.69	34.05

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12586G	57.22	88.20	-30.98	39.62	3	Horizontal	240	1.35	-	39.93	11.70	34.03
RMS	13.11626G	44.42	68.20	-23.78	26.86	3	Horizontal	240	1.35	-	39.92	11.69	34.05

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6911G	52.47	83.54	-31.07	48.97	1	Vertical	274	1.52	-	37.82	15.38	49.70
AV	19.69024G	39.30	63.54	-24.24	35.80	1	Vertical	274	1.52	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69722G	52.96	83.54	-30.58	49.46	1	Horizontal	128	1.54	-	37.82	15.38	49.70
AV	19.69038G	39.28	63.54	-24.26	35.78	1	Horizontal	128	1.54	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.689G	119.82	Inf	-Inf	111.67	3	Vertical	135	1.88	-	35.48	8.10	35.43	
RMS	6.689G	111.12	Inf	-Inf	102.97	3	Vertical	135	1.88	-	35.48	8.10	35.43	
PK	7.151G	61.17	88.20	-27.03	52.20	3	Vertical	135	1.88	-	36.30	8.20	35.53	
RMS	7.185G	50.81	68.20	-17.39	41.71	3	Vertical	135	1.88	-	36.44	8.20	35.54	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.667G	116.21	Inf	-Inf	108.11	3	Horizontal	128	1.34	-	35.43	8.10	35.43	
RMS	6.687G	108.75	Inf	-Inf	100.61	3	Horizontal	128	1.34	-	35.47	8.10	35.43	
PK	7.161G	61.52	88.20	-26.68	52.51	3	Horizontal	128	1.34	-	36.34	8.20	35.53	
RMS	7.151G	50.74	68.20	-17.46	41.77	3	Horizontal	128	1.34	-	36.30	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37324G	57.41	74.00	-16.59	38.68	3	Vertical	289	2.64	-	40.45	11.90	33.62	
AV	13.38266G	44.53	54.00	-9.47	25.75	3	Vertical	289	2.64	-	40.47	11.91	33.60	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37306G	58.72	74.00	-15.28	39.99	3	Horizontal	201	1.62	-	40.45	11.90	33.62
AV	13.38278G	44.54	54.00	-9.46	25.76	3	Horizontal	201	1.62	-	40.47	11.91	33.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.05892G	50.36	83.54	-33.18	47.10	1	Vertical	176	1.50	-	37.45	15.53	49.72	
AV	20.05174G	36.92	63.54	-26.62	33.68	1	Vertical	176	1.50	-	37.44	15.52	49.72	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05206G	50.51	83.54	-33.03	47.27	1	Horizontal	301	1.55	-	37.44	15.52	49.72
AV	20.05174G	36.81	63.54	-26.73	33.57	1	Horizontal	301	1.55	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8534G	119.67	Inf	-Inf	111.11	3	Vertical	82	1.66	-	35.89	8.13	35.46
RMS	6.8342G	112.16	Inf	-Inf	103.66	3	Vertical	82	1.66	-	35.84	8.12	35.46
PK	7.133G	61.23	88.20	-26.97	52.35	3	Vertical	82	1.66	-	36.20	8.20	35.52
RMS	7.1438G	50.85	68.20	-17.35	41.92	3	Vertical	82	1.66	-	36.26	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8546G	117.33	Inf	-Inf	108.77	3	Horizontal	155	1.67	-	35.89	8.13	35.46
RMS	6.8354G	109.36	Inf	-Inf	100.86	3	Horizontal	155	1.67	-	35.84	8.12	35.46
PK	7.1258G	60.45	88.20	-27.75	51.62	3	Horizontal	155	1.67	-	36.15	8.20	35.52
RMS	7.145G	50.52	68.20	-17.68	41.58	3	Horizontal	155	1.67	-	36.27	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6948G	61.38	88.20	-26.82	41.91	3	Vertical	12	2.66	-	40.79	12.16	33.48	
RMS	13.69708G	47.45	68.20	-20.75	27.98	3	Vertical	12	2.66	-	40.79	12.16	33.48	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.67884G	61.00	88.20	-27.20	41.57	3	Horizontal	271	1.21	-	40.76	12.14	33.47	
RMS	13.70026G	47.45	68.20	-20.75	27.97	3	Horizontal	271	1.21	-	40.80	12.16	33.48	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53922G	50.50	83.54	-33.04	46.89	1	Vertical	149	1.53	-	37.75	15.74	49.88
AV	20.5324G	36.62	63.54	-26.92	33.03	1	Vertical	149	1.53	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53256G	49.47	83.54	-34.07	45.88	1	Horizontal	353	1.57	-	37.74	15.74	49.89
AV	20.53236G	36.57	63.54	-26.97	32.98	1	Horizontal	353	1.57	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9394G	120.62	Inf	-Inf	112.05	3	Vertical	84	2.18	-	35.88	8.17	35.48	
RMS	6.9202G	111.88	Inf	-Inf	103.36	3	Vertical	84	2.18	-	35.84	8.16	35.48	
PK	7.2094G	62.58	88.20	-25.62	53.33	3	Vertical	84	2.18	-	36.56	8.23	35.54	
RMS	7.165G	52.19	68.20	-16.01	43.16	3	Vertical	84	2.18	-	36.36	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9142G	118.84	Inf	-Inf	110.32	3	Horizontal	164	2.53	-	35.83	8.16	35.47	
RMS	6.9142G	110.61	Inf	-Inf	102.09	3	Horizontal	164	2.53	-	35.83	8.16	35.47	
PK	7.2022G	61.96	88.20	-26.24	52.78	3	Horizontal	164	2.53	-	36.51	8.21	35.54	
RMS	7.147G	51.33	68.20	-16.87	42.38	3	Horizontal	164	2.53	-	36.28	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85126G	61.26	88.20	-26.94	41.51	3	Vertical	148	2.43	-	41.00	12.28	33.53	
RMS	13.86434G	47.78	68.20	-20.42	27.99	3	Vertical	148	2.43	-	41.03	12.29	33.53	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85876G	61.61	88.20	-26.59	41.83	3	Horizontal	8	2.51	-	41.02	12.29	33.53	
RMS	13.86452G	47.80	68.20	-20.40	28.01	3	Horizontal	8	2.51	-	41.03	12.29	33.53	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.77676G	52.56	83.54	-30.98	48.54	1	Vertical	98	1.57	-	37.96	15.85	49.79
AV	20.7733G	38.79	63.54	-24.75	34.77	1	Vertical	98	1.57	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77422G	52.35	83.54	-31.19	48.33	1	Horizontal	214	1.50	-	37.96	15.85	49.79
AV	20.77G	38.80	63.54	-24.74	34.77	1	Horizontal	214	1.50	-	37.97	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0186G	120.57	Inf	-Inf	112.09	3	Vertical	90	2.20	-	35.77	8.20	35.49
RMS	7.0186G	111.72	Inf	-Inf	103.24	3	Vertical	90	2.20	-	35.77	8.20	35.49
PK	7.141G	67.12	88.20	-21.08	58.20	3	Vertical	90	2.20	-	36.25	8.20	35.53
RMS	7.1402G	54.13	68.20	-14.07	45.22	3	Vertical	90	2.20	-	36.24	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0034G	116.95	Inf	-Inf	108.53	3	Horizontal	140	1.07	-	35.71	8.20	35.49
RMS	7.0034G	109.89	Inf	-Inf	101.47	3	Horizontal	140	1.07	-	35.71	8.20	35.49
PK	7.1266G	64.92	88.20	-23.28	56.08	3	Horizontal	140	1.07	-	36.16	8.20	35.52
RMS	7.125G	53.31	68.20	-14.89	44.48	3	Horizontal	140	1.07	-	36.15	8.20	35.52

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0043G	62.54	88.20	-25.66	42.42	3	Vertical	15	1.52	-	41.31	12.40	33.59
RMS	13.99608G	48.47	68.20	-19.73	28.36	3	Vertical	15	1.52	-	41.29	12.40	33.58

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99896G	62.49	88.20	-25.71	42.37	3	Horizontal	46	2.88	-	41.30	12.40	33.58
RMS	13.99614G	48.51	68.20	-19.69	28.40	3	Horizontal	46	2.88	-	41.29	12.40	33.58

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.01494G	49.19	83.54	-34.35	45.33	1	Vertical	186	1.50	-	37.60	15.96	49.70	
AV	21.01434G	36.24	63.54	-27.30	32.38	1	Vertical	186	1.50	-	37.60	15.96	49.70	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01206G	49.71	83.54	-33.83	45.85	1	Horizontal	135	1.50	-	37.60	15.96	49.70
AV	21.01428G	36.20	63.54	-27.34	32.34	1	Horizontal	135	1.50	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.079G	115.38	Inf	-Inf	106.52	3	Vertical	158	1.80	-	35.43	6.78	33.35	
RMS	7.0994G	106.91	Inf	-Inf	97.87	3	Vertical	158	1.80	-	35.60	6.80	33.36	
PK	7.1252G	78.63	88.20	-9.57	69.42	3	Vertical	158	1.80	-	35.75	6.83	33.37	
RMS	7.1258G	65.38	68.20	-2.82	56.17	3	Vertical	158	1.80	-	35.75	6.83	33.37	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.082G	113.75	Inf	-Inf	104.86	3	Horizontal	149	1.06	-	35.46	6.78	33.35	
RMS	7.0814G	104.80	Inf	-Inf	95.92	3	Horizontal	149	1.06	-	35.45	6.78	33.35	
PK	7.1252G	71.09	88.20	-17.11	61.88	3	Horizontal	149	1.06	-	35.75	6.83	33.37	
RMS	7.1252G	57.68	68.20	-10.52	48.47	3	Horizontal	149	1.06	-	35.75	6.83	33.37	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16958G	62.55	88.20	-25.65	42.28	3	Vertical	84	1.01	-	41.64	12.48	33.85
RMS	14.15626G	48.71	68.20	-19.49	28.45	3	Vertical	84	1.01	-	41.61	12.48	33.83

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1592G	62.35	88.20	-25.85	42.08	3	Horizontal	179	2.27	-	41.62	12.48	33.83
RMS	14.15908G	48.72	68.20	-19.48	28.45	3	Horizontal	179	2.27	-	41.62	12.48	33.83

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25315G	50.84	83.54	-32.70	46.83	1	Vertical	178	1.76	-	37.60	16.06	49.65
AV	21.25302G	37.45	63.54	-26.09	33.44	1	Vertical	178	1.76	-	37.60	16.06	49.65

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25672G	50.91	83.54	-32.63	46.88	1	Horizontal	186	1.57	-	37.61	16.07	49.65
AV	21.25638G	37.29	63.54	-26.25	33.26	1	Horizontal	186	1.57	-	37.61	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 23
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9178G	77.63	88.20	-10.57	71.81	3	Vertical	21	2.38	-	32.14	6.06	32.38	
RMS	5.925G	67.38	68.20	-0.82	61.55	3	Vertical	21	2.38	-	32.15	6.06	32.38	
PK	5.9856G	114.25	Inf	-Inf	108.38	3	Vertical	21	2.38	-	32.20	6.09	32.42	
RMS	6.0054G	102.91	Inf	-Inf	97.01	3	Vertical	21	2.38	-	32.23	6.10	32.43	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 23
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9178G	77.97	88.20	-10.23	72.15	3	Horizontal	51	1.97	-	32.14	6.06	32.38	
RMS	5.9184G	63.51	68.20	-4.69	57.69	3	Horizontal	51	1.97	-	32.14	6.06	32.38	
PK	5.9892G	110.22	Inf	-Inf	104.35	3	Horizontal	51	1.97	-	32.20	6.09	32.42	
RMS	6.0096G	102.07	Inf	-Inf	96.14	3	Horizontal	51	1.97	-	32.26	6.10	32.43	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 23
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97162G	55.08	74.00	-18.92	40.29	3	Vertical	335	1.99	-	39.50	10.79	35.50	
AV	11.97876G	41.67	54.00	-12.33	26.87	3	Vertical	335	1.99	-	39.50	10.79	35.49	
PK	17.94414G	63.98	74.00	-10.02	39.06	3	Vertical	84	2.18	-	44.84	14.76	34.68	
AV	17.94318G	49.65	54.00	-4.35	24.73	3	Vertical	84	2.18	-	44.84	14.76	34.68	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 23
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97G	55.90	74.00	-18.10	41.61	3	Horizontal	58	1.94	-	38.74	9.78	34.23	
AV	11.97G	53.18	54.00	-0.82	38.89	3	Horizontal	58	1.94	-	38.74	9.78	34.23	
PK	17.95116G	64.13	74.00	-9.87	34.60	3	Horizontal	315	1.80	-	49.49	14.84	34.80	
AV	17.96742G	49.99	54.00	-4.01	19.94	3	Horizontal	315	1.80	-	49.99	14.86	34.80	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9182G	61.14	88.20	-27.06	54.52	3	Vertical	36	1.90	-	34.66	7.52	35.56	
RMS	5.925G	50.58	68.20	-17.62	43.97	3	Vertical	36	1.90	-	34.65	7.52	35.56	
PK	6.1126G	114.88	Inf	-Inf	107.56	3	Vertical	36	1.90	-	35.10	7.77	35.55	
RMS	6.1114G	107.25	Inf	-Inf	99.94	3	Vertical	36	1.90	-	35.10	7.77	35.56	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	60.84	88.20	-27.36	54.23	3	Horizontal	139	1.80	-	34.65	7.52	35.56	
RMS	5.917G	50.51	68.20	-17.69	43.88	3	Horizontal	139	1.80	-	34.67	7.52	35.56	
PK	6.1162G	117.13	Inf	-Inf	109.81	3	Horizontal	139	1.80	-	35.10	7.77	35.55	
RMS	6.1174G	107.11	Inf	-Inf	99.78	3	Horizontal	139	1.80	-	35.10	7.78	35.55	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.28904G	55.60	74.00	-18.40	40.91	3	Vertical	293	1.91	-	39.09	11.03	35.43	
AV	12.30452G	41.47	54.00	-12.53	26.76	3	Vertical	293	1.91	-	39.10	11.04	35.43	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29528G	54.70	74.00	-19.30	39.99	3	Horizontal	25	2.62	-	39.10	11.04	35.43
AV	12.30344G	41.48	54.00	-12.52	26.77	3	Horizontal	25	2.62	-	39.10	11.04	35.43

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.43616G	51.08	83.54	-32.46	48.62	1	Vertical	346	1.54	-	37.72	14.87	50.13	
AV	18.43232G	37.94	63.54	-25.60	35.48	1	Vertical	346	1.54	-	37.72	14.87	50.13	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43G	51.56	83.54	-31.98	49.10	1	Horizontal	288	1.58	-	37.72	14.87	50.13
AV	18.43236G	37.92	63.54	-25.62	35.46	1	Horizontal	288	1.58	-	37.72	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.887G	58.32	88.20	-29.88	51.75	3	Vertical	147	1.43	-	34.62	7.49	35.54	
RMS	5.925G	47.64	68.20	-20.56	41.02	3	Vertical	147	1.43	-	34.65	7.53	35.56	
PK	6.399G	114.16	Inf	-Inf	107.00	3	Vertical	147	1.43	-	34.90	7.70	35.44	
RMS	6.359G	107.03	Inf	-Inf	99.85	3	Vertical	147	1.43	-	34.90	7.74	35.46	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	58.13	88.20	-30.07	51.51	3	Horizontal	64	2.07	-	34.65	7.53	35.56	
RMS	5.923G	47.69	68.20	-20.51	41.08	3	Horizontal	64	2.07	-	34.65	7.52	35.56	
PK	6.365G	116.99	Inf	-Inf	109.80	3	Horizontal	64	2.07	-	34.90	7.74	35.45	
RMS	6.365G	108.36	Inf	-Inf	101.17	3	Horizontal	64	2.07	-	34.90	7.74	35.45	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76322G	55.81	88.20	-32.39	39.95	3	Vertical	52	2.41	-	39.23	11.41	34.78	
RMS	12.78188G	42.15	68.20	-26.05	26.20	3	Vertical	52	2.41	-	39.26	11.43	34.74	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05006G	54.12	74.00	-19.88	39.58	3	Horizontal	62	2.68	-	38.90	9.84	34.20
AV	12.05006G	50.41	54.00	-3.59	35.87	3	Horizontal	62	2.68	-	38.90	9.84	34.20

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15246G	51.86	83.54	-31.68	48.51	1	Vertical	223	1.55	-	37.82	15.16	49.63
AV	19.15834G	39.03	63.54	-24.51	35.69	1	Vertical	223	1.55	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15258G	52.30	83.54	-31.24	48.95	1	Horizontal	233	1.50	-	37.82	15.16	49.63
AV	19.15848G	39.00	63.54	-24.54	35.66	1	Horizontal	233	1.50	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT V_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.811G	58.28	88.20	-29.92	51.98	3	Vertical	81	1.78	-	34.40	7.41	35.51
RMS	5.925G	47.85	68.20	-20.35	41.23	3	Vertical	81	1.78	-	34.65	7.53	35.56
PK	6.444G	115.96	Inf	-Inf	108.78	3	Vertical	81	1.78	-	34.81	7.79	35.42
RMS	6.486G	106.55	Inf	-Inf	99.29	3	Vertical	81	1.78	-	34.80	7.87	35.41
PK	7.203G	60.72	88.20	-27.48	51.53	3	Vertical	81	1.78	-	36.52	8.21	35.54
RMS	7.215G	50.67	68.20	-17.53	41.38	3	Vertical	81	1.78	-	36.59	8.25	35.55

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT V_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.835G	58.48	88.20	-29.72	52.16	3	Horizontal	126	1.37	-	34.40	7.44	35.52	
RMS	5.922G	47.61	68.20	-20.59	40.99	3	Horizontal	126	1.37	-	34.66	7.52	35.56	
PK	6.444G	116.99	Inf	-Inf	109.81	3	Horizontal	126	1.37	-	34.81	7.79	35.42	
RMS	6.486G	107.11	Inf	-Inf	99.85	3	Horizontal	126	1.37	-	34.80	7.87	35.41	
PK	7.215G	61.38	88.20	-26.82	52.09	3	Horizontal	126	1.37	-	36.59	8.25	35.55	
RMS	7.215G	50.70	68.20	-17.50	41.41	3	Horizontal	126	1.37	-	36.59	8.25	35.55	

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92808G	56.80	88.20	-31.40	40.14	3	Vertical	168	1.34	-	39.53	11.54	34.41
RMS	12.92436G	43.61	68.20	-24.59	26.96	3	Vertical	168	1.34	-	39.52	11.54	34.41

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94422G	57.27	88.20	-30.93	40.54	3	Horizontal	134	2.74	-	39.54	11.56	34.37
RMS	12.9309G	43.54	68.20	-24.66	26.87	3	Horizontal	134	2.74	-	39.53	11.54	34.40

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39712G	52.80	83.54	-30.74	49.40	1	Vertical	204	1.53	-	37.82	15.26	49.68
AV	19.3994G	39.21	63.54	-24.33	35.81	1	Vertical	204	1.53	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.39692G	52.97	83.54	-30.57	49.57	1	Horizontal	41	1.51	-	37.82	15.26	49.68	
AV	19.39934G	39.22	63.54	-24.32	35.82	1	Horizontal	41	1.51	-	37.82	15.26	49.68	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6106G	116.75	Inf	-Inf	108.83	3	Vertical	178	1.80	-	35.24	8.10	35.42	
RMS	6.589G	108.01	Inf	-Inf	100.19	3	Vertical	178	1.80	-	35.16	8.08	35.42	
PK	7.1722G	61.31	88.20	-26.89	52.25	3	Vertical	178	1.80	-	36.39	8.20	35.53	
RMS	7.225G	50.91	68.20	-17.29	41.54	3	Vertical	178	1.80	-	36.65	8.27	35.55	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6274G	116.90	Inf	-Inf	108.91	3	Horizontal	129	1.90	-	35.31	8.10	35.42	
RMS	6.6058G	107.72	Inf	-Inf	99.82	3	Horizontal	129	1.90	-	35.22	8.10	35.42	
PK	7.153G	61.50	88.20	-26.70	52.52	3	Horizontal	129	1.90	-	36.31	8.20	35.53	
RMS	7.225G	50.72	68.20	-17.48	41.35	3	Horizontal	129	1.90	-	36.65	8.27	35.55	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26818G	58.95	74.00	-15.05	40.73	3	Vertical	297	2.36	-	40.20	11.81	33.79
AV	13.26374G	44.22	54.00	-9.78	26.02	3	Vertical	297	2.36	-	40.19	11.81	33.80

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26464G	57.64	74.00	-16.36	39.44	3	Horizontal	281	1.70	-	40.19	11.81	33.80
AV	13.265G	44.21	54.00	-9.79	26.00	3	Horizontal	281	1.70	-	40.20	11.81	33.80

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.8773G	52.34	83.54	-31.20	48.99	1	Vertical	125	1.52	-	37.60	15.45	49.70	
AV	19.87G	39.21	63.54	-24.33	35.85	1	Vertical	125	1.52	-	37.61	15.45	49.70	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.871G	52.25	83.54	-31.29	48.89	1	Horizontal	264	1.50	-	37.61	15.45	49.70	
AV	19.87G	39.13	63.54	-24.41	35.77	1	Horizontal	264	1.50	-	37.61	15.45	49.70	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	118.06	Inf	-Inf	109.86	3	Vertical	136	1.91	-	35.54	8.10	35.44	
RMS	6.729G	108.90	Inf	-Inf	100.62	3	Vertical	136	1.91	-	35.62	8.10	35.44	
PK	7.205G	61.65	88.20	-26.55	52.45	3	Vertical	136	1.91	-	36.53	8.21	35.54	
RMS	7.191G	50.94	68.20	-17.26	41.82	3	Vertical	136	1.91	-	36.46	8.20	35.54	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.717G	115.71	Inf	-Inf	107.48	3	Horizontal	149	1.78	-	35.57	8.10	35.44	
RMS	6.737G	105.85	Inf	-Inf	97.54	3	Horizontal	149	1.78	-	35.65	8.10	35.44	
PK	7.131G	61.28	88.20	-26.92	52.41	3	Horizontal	149	1.78	-	36.19	8.20	35.52	
RMS	7.163G	50.76	68.20	-17.44	41.74	3	Horizontal	149	1.78	-	36.35	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40988G	58.97	88.20	-29.23	40.10	3	Vertical	206	2.54	-	40.50	11.93	33.56
RMS	13.4019G	44.92	68.20	-23.28	26.07	3	Vertical	206	2.54	-	40.50	11.92	33.57

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41G	58.01	88.20	-30.19	39.14	3	Horizontal	190	1.29	-	40.50	11.93	33.56	
RMS	13.405G	44.93	68.20	-23.27	26.08	3	Horizontal	190	1.29	-	40.50	11.92	33.57	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.11132G	51.11	83.54	-32.43	47.81	1	Vertical	184	1.57	-	37.49	15.55	49.74	
AV	20.11072G	37.97	63.54	-25.57	34.67	1	Vertical	184	1.57	-	37.49	15.55	49.74	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.11154G	51.18	83.54	-32.36	47.88	1	Horizontal	43	1.51	-	37.49	15.55	49.74	
AV	20.1108G	37.98	63.54	-25.56	34.68	1	Horizontal	43	1.51	-	37.49	15.55	49.74	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8138G	118.97	Inf	-Inf	110.56	3	Vertical	80	1.67	-	35.76	8.11	35.46	
RMS	6.7946G	109.53	Inf	-Inf	101.18	3	Vertical	80	1.67	-	35.70	8.10	35.45	
PK	7.153G	61.09	88.20	-27.11	52.11	3	Vertical	80	1.67	-	36.31	8.20	35.53	
RMS	7.1642G	50.94	68.20	-17.26	41.91	3	Vertical	80	1.67	-	36.36	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8138G	114.76	Inf	-Inf	106.35	3	Horizontal	152	1.85	-	35.76	8.11	35.46	
RMS	6.7754G	106.55	Inf	-Inf	98.20	3	Horizontal	152	1.85	-	35.70	8.10	35.45	
PK	7.1338G	62.08	88.20	-26.12	53.20	3	Horizontal	152	1.85	-	36.20	8.20	35.52	
RMS	7.1642G	50.79	68.20	-17.41	41.76	3	Horizontal	152	1.85	-	36.36	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55806G	59.13	88.20	-29.07	39.95	3	Vertical	180	2.56	-	40.56	12.05	33.43
RMS	13.585G	45.63	68.20	-22.57	26.41	3	Vertical	180	2.56	-	40.59	12.07	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.5802G	58.92	88.20	-29.28	39.72	3	Horizontal	129	2.95	-	40.58	12.06	33.44	
RMS	13.55614G	45.59	68.20	-22.61	26.42	3	Horizontal	129	2.95	-	40.56	12.04	33.43	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.3534G	52.11	83.54	-31.43	48.65	1	Vertical	155	1.53	-	37.64	15.66	49.84	
AV	20.35284G	38.18	63.54	-25.36	34.72	1	Vertical	155	1.53	-	37.64	15.66	49.84	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.3539G	51.81	83.54	-31.73	48.35	1	Horizontal	355	1.50	-	37.64	15.66	49.84	
AV	20.35G	38.15	63.54	-25.39	34.69	1	Horizontal	355	1.50	-	37.64	15.66	49.84	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9586G	117.32	Inf	-Inf	108.75	3	Vertical	93	1.80	-	35.87	8.18	35.48	
RMS	6.9178G	108.95	Inf	-Inf	100.43	3	Vertical	93	1.80	-	35.84	8.16	35.48	
PK	7.1378G	68.16	88.20	-20.04	59.26	3	Vertical	93	1.80	-	36.23	8.20	35.53	
RMS	7.1282G	57.20	68.20	-11.00	48.35	3	Vertical	93	1.80	-	36.17	8.20	35.52	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9434G	115.46	Inf	-Inf	106.88	3	Horizontal	136	1.14	-	35.89	8.17	35.48	
RMS	6.9434G	107.39	Inf	-Inf	98.81	3	Horizontal	136	1.14	-	35.89	8.17	35.48	
PK	7.1274G	66.54	88.20	-21.66	57.70	3	Horizontal	136	1.14	-	36.16	8.20	35.52	
RMS	7.1258G	56.49	68.20	-11.71	47.66	3	Horizontal	136	1.14	-	36.15	8.20	35.52	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88232G	61.75	88.20	-26.45	41.92	3	Vertical	155	1.99	-	41.06	12.31	33.54	
RMS	13.90326G	48.06	68.20	-20.14	28.18	3	Vertical	155	1.99	-	41.11	12.32	33.55	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.875G	61.46	88.20	-26.74	41.65	3	Horizontal	56	1.37	-	41.05	12.30	33.54	
RMS	13.90284G	48.05	68.20	-20.15	28.17	3	Horizontal	56	1.37	-	41.11	12.32	33.55	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83852G	52.91	83.54	-30.63	48.93	1	Vertical	336	1.52	-	37.86	15.88	49.76
AV	20.8311G	39.04	63.54	-24.50	35.07	1	Vertical	336	1.52	-	37.87	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83456G	52.29	83.54	-31.25	48.32	1	Horizontal	73	1.58	-	37.86	15.88	49.77
AV	20.83106G	39.03	63.54	-24.51	35.06	1	Horizontal	73	1.58	-	37.87	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_V_4TX
Setting 25
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9994G	115.72	Inf	-Inf	107.33	3	Vertical	88	1.66	-	35.00	6.70	33.31	
RMS	7.0394G	106.08	Inf	-Inf	97.51	3	Vertical	88	1.66	-	35.16	6.74	33.33	
PK	7.1282G	75.95	88.20	-12.25	66.72	3	Vertical	88	1.66	-	35.77	6.83	33.37	
RMS	7.1266G	64.06	68.20	-4.14	54.84	3	Vertical	88	1.66	-	35.76	6.83	33.37	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_V_4TX
Setting 25
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.001G	114.14	Inf	-Inf	105.75	3	Horizontal	148	1.02	-	35.00	6.70	33.31	
RMS	7.0418G	103.65	Inf	-Inf	95.07	3	Horizontal	148	1.02	-	35.17	6.74	33.33	
PK	7.125G	73.93	88.20	-14.27	64.72	3	Horizontal	148	1.02	-	35.75	6.83	33.37	
RMS	7.125G	63.78	68.20	-4.42	54.57	3	Horizontal	148	1.02	-	35.75	6.83	33.37	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03842G	62.20	88.20	-26.00	42.04	3	Vertical	156	2.15	-	41.38	12.42	33.64
RMS	14.05756G	48.87	68.20	-19.33	28.69	3	Vertical	156	2.15	-	41.42	12.43	33.67

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-S-8
No solution

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05006G	54.12	74.00	-19.88	39.58	3	Horizontal	62	2.68	-	38.90	9.84	34.20
AV	12.05006G	50.41	54.00	-3.59	35.87	3	Horizontal	62	2.68	-	38.90	9.84	34.20

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07422G	48.68	83.54	-34.86	44.79	1	Vertical	62	2.85	-	37.60	15.98	49.69
AV	21.07739G	35.86	63.54	-27.68	31.96	1	Vertical	62	2.85	-	37.60	15.98	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07419G	49.26	83.54	-34.28	45.37	1	Horizontal	298	1.44	-	37.60	15.98	49.69
AV	21.07422G	35.93	63.54	-27.61	32.04	1	Horizontal	298	1.44	-	37.60	15.98	49.69

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	78.34	88.20	-9.86	72.51	3	Vertical	33	1.80	-	32.15	6.06	32.38	
RMS	5.9242G	67.43	68.20	-0.77	61.60	3	Vertical	33	1.80	-	32.15	6.06	32.38	
PK	6.0938G	110.54	Inf	-Inf	104.45	3	Vertical	33	1.80	-	32.41	6.15	32.47	
RMS	6.0922G	99.53	Inf	-Inf	93.43	3	Vertical	33	1.80	-	32.42	6.15	32.47	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	73.71	88.20	-14.49	67.88	3	Horizontal	52	1.93	-	32.15	6.06	32.38	
RMS	5.9242G	63.46	68.20	-4.74	57.63	3	Horizontal	52	1.93	-	32.15	6.06	32.38	
PK	6.049G	108.94	Inf	-Inf	102.78	3	Horizontal	52	1.93	-	32.49	6.12	32.45	
RMS	6.089G	100.22	Inf	-Inf	94.13	3	Horizontal	52	1.93	-	32.42	6.14	32.47	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05012G	55.83	74.00	-18.17	41.12	3	Vertical	111	1.85	-	39.35	10.84	35.48
AV	12.05003G	43.04	54.00	-10.96	28.33	3	Vertical	111	1.85	-	39.35	10.84	35.48

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05006G	54.12	74.00	-19.88	39.58	3	Horizontal	62	2.68	-	38.90	9.84	34.20
AV	12.05006G	50.41	54.00	-3.59	35.87	3	Horizontal	62	2.68	-	38.90	9.84	34.20

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07657G	51.44	83.54	-32.10	49.34	1	Vertical	156	1.90	-	37.64	14.73	50.27
AV	18.07577G	37.77	63.54	-25.77	35.67	1	Vertical	156	1.90	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07615G	52.10	83.54	-31.44	50.00	1	Horizontal	253	2.72	-	37.64	14.73	50.27
AV	18.07574G	37.82	63.54	-25.72	35.72	1	Horizontal	253	2.72	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9098G	73.56	88.20	-14.64	66.92	3	Vertical	33	1.64	-	34.68	7.51	35.55	
RMS	5.9178G	61.71	68.20	-6.49	55.09	3	Vertical	33	1.64	-	34.66	7.52	35.56	
PK	6.1322G	116.07	Inf	-Inf	108.72	3	Vertical	33	1.64	-	35.10	7.80	35.55	
RMS	6.113G	106.22	Inf	-Inf	98.90	3	Vertical	33	1.64	-	35.10	7.77	35.55	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9162G	69.44	88.20	-18.76	62.81	3	Horizontal	142	1.80	-	34.67	7.52	35.56	
RMS	5.9162G	59.64	68.20	-8.56	53.01	3	Horizontal	142	1.80	-	34.67	7.52	35.56	
PK	6.1178G	114.81	Inf	-Inf	107.48	3	Horizontal	142	1.80	-	35.10	7.78	35.55	
RMS	6.137G	104.62	Inf	-Inf	97.26	3	Horizontal	142	1.80	-	35.10	7.81	35.55	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.37021G	56.78	74.00	-17.22	42.07	3	Vertical	63	1.76	-	39.03	11.10	35.42	
AV	12.37001G	43.04	54.00	-10.96	28.33	3	Vertical	63	1.76	-	39.03	11.10	35.42	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37024G	57.81	74.00	-16.19	43.10	3	Horizontal	153	1.71	-	39.03	11.10	35.42
AV	12.37001G	45.90	54.00	-8.10	31.19	3	Horizontal	153	1.71	-	39.03	11.10	35.42

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5529G	52.03	83.54	-31.51	49.38	1	Vertical	232	1.56	-	37.78	14.92	50.05
AV	18.5546G	38.65	63.54	-24.89	35.99	1	Vertical	232	1.56	-	37.78	14.92	50.04

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.55248G	51.99	83.54	-31.55	49.34	1	Horizontal	83	1.52	-	37.78	14.92	50.05	
AV	18.55552G	38.66	63.54	-24.88	36.00	1	Horizontal	83	1.52	-	37.78	14.92	50.04	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	61.72	88.20	-26.48	55.11	3	Vertical	183	1.32	-	34.65	7.52	35.56	
RMS	5.923G	51.28	68.20	-16.92	44.67	3	Vertical	183	1.32	-	34.65	7.52	35.56	
PK	6.341G	114.46	Inf	-Inf	107.24	3	Vertical	183	1.32	-	34.92	7.76	35.46	
RMS	6.341G	106.20	Inf	-Inf	98.98	3	Vertical	183	1.32	-	34.92	7.76	35.46	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.921G	59.14	88.20	-29.06	52.52	3	Horizontal	71	2.04	-	34.66	7.52	35.56	
RMS	5.919G	48.97	68.20	-19.23	42.35	3	Horizontal	71	2.04	-	34.66	7.52	35.56	
PK	6.323G	114.35	Inf	-Inf	107.09	3	Horizontal	71	2.04	-	34.95	7.78	35.47	
RMS	6.343G	106.48	Inf	-Inf	99.27	3	Horizontal	71	2.04	-	34.91	7.76	35.46	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69012G	55.47	74.00	-18.53	39.98	3	Vertical	103	2.01	-	39.09	11.35	34.95
AV	12.69002G	43.31	54.00	-10.69	27.82	3	Vertical	103	2.01	-	39.09	11.35	34.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68996G	55.60	74.00	-18.40	40.11	3	Horizontal	138	2.02	-	39.09	11.35	34.95
AV	12.69G	44.60	54.00	-9.40	29.11	3	Horizontal	138	2.02	-	39.09	11.35	34.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.03398G	50.76	83.54	-32.78	47.30	1	Vertical	61	1.56	-	37.96	15.11	49.61	
AV	19.03G	37.72	63.54	-25.82	34.26	1	Vertical	61	1.56	-	37.96	15.11	49.61	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.03364G	50.44	83.54	-33.10	46.98	1	Horizontal	102	1.54	-	37.96	15.11	49.61	
AV	19.03G	37.66	63.54	-25.88	34.20	1	Horizontal	102	1.54	-	37.96	15.11	49.61	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7266G	111.97	Inf	-Inf	103.70	3	Vertical	140	1.80	-	35.61	8.10	35.44	
RMS	6.7068G	104.56	Inf	-Inf	96.37	3	Vertical	140	1.80	-	35.53	8.10	35.44	
PK	7.204G	62.10	88.20	-26.10	52.91	3	Vertical	140	1.80	-	36.52	8.21	35.54	
RMS	7.1512G	51.64	68.20	-16.56	42.67	3	Vertical	140	1.80	-	36.30	8.20	35.53	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6452G	112.34	Inf	-Inf	104.29	3	Horizontal	128	1.91	-	35.38	8.10	35.43	
RMS	6.588G	103.04	Inf	-Inf	95.23	3	Horizontal	128	1.91	-	35.15	8.08	35.42	
PK	7.1908G	61.41	88.20	-26.79	52.29	3	Horizontal	128	1.91	-	36.46	8.20	35.54	
RMS	7.2128G	50.91	68.20	-17.29	41.64	3	Horizontal	128	1.91	-	36.58	8.24	35.55	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33488G	57.80	74.00	-16.20	39.24	3	Vertical	137	1.17	-	40.37	11.87	33.68
AV	13.3276G	43.89	54.00	-10.11	25.37	3	Vertical	137	1.17	-	40.36	11.86	33.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33454G	57.14	74.00	-16.86	38.58	3	Horizontal	285	2.76	-	40.37	11.87	33.68
AV	13.3308G	43.94	54.00	-10.06	25.41	3	Horizontal	285	2.76	-	40.36	11.86	33.69

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99034G	52.05	83.54	-31.49	48.83	1	Vertical	80	1.50	-	37.42	15.50	49.70	
AV	19.99G	38.39	63.54	-25.15	35.17	1	Vertical	80	1.50	-	37.42	15.50	49.70	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
03-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99378G	52.10	83.54	-31.44	48.89	1	Horizontal	85	1.54	-	37.41	15.50	49.70
AV	19.99G	38.34	63.54	-25.20	35.12	1	Horizontal	85	1.54	-	37.42	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_V_4TX
Setting 22
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	112.17	Inf	-Inf	103.91	3	Vertical	89	1.76	-	34.82	6.67	33.23
RMS	6.9386G	102.63	Inf	-Inf	94.36	3	Vertical	89	1.76	-	34.83	6.67	33.23
PK	7.1402G	79.14	88.20	-9.06	69.84	3	Vertical	89	1.76	-	35.84	6.84	33.38
RMS	7.1402G	64.78	68.20	-3.42	55.48	3	Vertical	89	1.76	-	35.84	6.84	33.38
PK	7.2602G	64.19	74.00	-9.81	54.41	3	Vertical	89	1.76	-	36.32	6.90	33.44
AV	7.2682G	51.86	54.00	-2.14	42.06	3	Vertical	89	1.76	-	36.34	6.90	33.44

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT V_4TX
Setting 22
06-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	110.11	Inf	-Inf	101.85	3	Horizontal	36	1.84	-	34.82	6.67	33.23
RMS	6.9162G	98.42	Inf	-Inf	90.26	3	Horizontal	36	1.84	-	34.70	6.66	33.20
PK	7.129G	72.98	88.20	-15.22	63.75	3	Horizontal	36	1.84	-	35.77	6.83	33.37
RMS	7.1274G	60.23	68.20	-7.97	51.01	3	Horizontal	36	1.84	-	35.76	6.83	33.37
PK	7.25G	64.51	74.00	-9.49	54.75	3	Horizontal	36	1.84	-	36.30	6.90	33.44
AV	7.25G	53.24	54.00	-0.76	43.48	3	Horizontal	36	1.84	-	36.30	6.90	33.44

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9676G	61.68	88.20	-26.52	41.64	3	Vertical	71	2.10	-	41.24	12.37	33.57
RMS	13.97032G	48.05	68.20	-20.15	28.00	3	Vertical	71	2.10	-	41.24	12.38	33.57

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 22
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9718G	62.21	88.20	-25.99	42.16	3	Horizontal	67	1.48	-	41.24	12.38	33.57
RMS	13.97028G	49.16	68.20	-19.04	29.11	3	Horizontal	67	1.48	-	41.24	12.38	33.57

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.95518G	49.87	83.54	-33.67	45.99	1	Vertical	258	1.65	-	37.67	15.93	49.72	
AV	20.95451G	36.62	63.54	-26.92	32.74	1	Vertical	258	1.65	-	37.67	15.93	49.72	

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 22
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95484G	49.68	83.54	-33.86	45.80	1	Horizontal	311	1.68	-	37.67	15.93	49.72
AV	20.9546G	36.59	63.54	-26.95	32.71	1	Horizontal	311	1.68	-	37.67	15.93	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.9242G	67.12	68.20	-1.08	3	Vertical	39	1.87	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 60
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.61	88.20	-7.59	76.44	3	Vertical	83	2.18	-	32.20	7.53	35.56
RMS	5.925G	66.49	68.20	-1.71	62.32	3	Vertical	83	2.18	-	32.20	7.53	35.56
PK	5.949G	120.73	Inf	-Inf	116.45	3	Vertical	83	2.18	-	32.30	7.55	35.57
RMS	5.953G	112.13	Inf	-Inf	107.87	3	Vertical	83	2.18	-	32.29	7.55	35.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 60
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	74.47	88.20	-13.73	70.30	3	Horizontal	17	1.80	-	32.20	7.53	35.56	
RMS	5.925G	63.31	68.20	-4.89	59.14	3	Horizontal	17	1.80	-	32.20	7.53	35.56	
PK	5.949G	117.35	Inf	-Inf	113.07	3	Horizontal	17	1.80	-	32.30	7.55	35.57	
RMS	5.953G	108.64	Inf	-Inf	104.38	3	Horizontal	17	1.80	-	32.29	7.55	35.58	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 60
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.91183G	56.17	74.00	-17.83	41.41	3	Vertical	111	2.04	-	39.50	10.77	35.51	
AV	11.90996G	43.80	54.00	-10.20	29.04	3	Vertical	111	2.04	-	39.50	10.77	35.51	
PK	17.86261G	64.98	74.00	-9.02	40.24	3	Vertical	321	3.00	-	44.76	14.70	34.72	
AV	17.86683G	50.09	54.00	-3.91	25.33	3	Vertical	321	3.00	-	44.77	14.71	34.72	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_Y_4TX
Setting 60
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.91026G	58.88	74.00	-15.12	44.12	3	Horizontal	49	1.50	-	39.50	10.77	35.51	
AV	11.91002G	50.92	54.00	-3.08	36.16	3	Horizontal	49	1.50	-	39.50	10.77	35.51	
PK	17.86419G	64.10	74.00	-9.90	39.36	3	Horizontal	16	2.41	-	44.76	14.70	34.72	
AV	17.86375G	50.14	54.00	-3.86	25.40	3	Horizontal	16	2.41	-	44.76	14.70	34.72	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.916G	56.89	88.20	-31.31	52.77	3	Vertical	64	1.75	-	32.16	7.52	35.56	
RMS	5.9216G	46.52	68.20	-21.68	42.37	3	Vertical	64	1.75	-	32.19	7.52	35.56	
PK	6.1792G	122.66	Inf	-Inf	117.66	3	Vertical	64	1.75	-	32.66	7.87	35.53	
RMS	6.182G	114.19	Inf	-Inf	109.19	3	Vertical	64	1.75	-	32.66	7.87	35.53	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8922G	56.78	88.20	-31.42	52.74	3	Horizontal	64	1.75	-	32.10	7.49	35.55	
RMS	5.9244G	46.41	68.20	-21.79	42.25	3	Horizontal	64	1.75	-	32.20	7.52	35.56	
PK	6.1666G	119.83	Inf	-Inf	114.88	3	Horizontal	64	1.75	-	32.63	7.85	35.53	
RMS	6.168G	112.22	Inf	-Inf	107.26	3	Horizontal	64	1.75	-	32.64	7.85	35.53	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35122G	55.97	74.00	-18.03	41.61	3	Vertical	64	1.79	-	38.70	11.08	35.42
AV	12.35002G	42.24	54.00	-11.76	27.88	3	Vertical	64	1.79	-	38.70	11.08	35.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35027G	56.18	74.00	-17.82	41.82	3	Horizontal	204	1.80	-	38.70	11.08	35.42
AV	12.35001G	43.41	54.00	-10.59	29.05	3	Horizontal	204	1.80	-	38.70	11.08	35.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.51714G	52.27	83.54	-31.27	49.65	1	Vertical	129	1.50	-	37.79	14.91	50.08	
AV	18.519G	37.78	63.54	-25.76	35.16	1	Vertical	129	1.50	-	37.79	14.91	50.08	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53646G	51.09	83.54	-32.45	48.45	1	Horizontal	92	1.50	-	37.79	14.91	50.06
AV	18.5319G	37.44	63.54	-26.10	34.81	1	Horizontal	92	1.50	-	37.79	14.91	50.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8998G	56.45	88.20	-31.75	52.40	3	Vertical	64	1.75	-	32.10	7.50	35.55
RMS	5.925G	46.05	68.20	-22.15	41.88	3	Vertical	64	1.75	-	32.20	7.53	35.56
PK	6.4234G	119.75	Inf	-Inf	113.84	3	Vertical	64	1.75	-	33.59	7.75	35.43
RMS	6.4234G	111.93	Inf	-Inf	106.02	3	Vertical	64	1.75	-	33.59	7.75	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.757G	57.65	88.20	-30.55	53.69	3	Horizontal	64	1.75	-	32.00	7.44	35.48	
RMS	5.7654G	46.28	68.20	-21.92	42.33	3	Horizontal	64	1.75	-	32.00	7.43	35.48	
PK	6.415G	124.33	Inf	-Inf	118.47	3	Horizontal	64	1.75	-	33.56	7.73	35.43	
RMS	6.4178G	114.78	Inf	-Inf	108.90	3	Horizontal	64	1.75	-	33.57	7.74	35.43	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83014G	57.61	88.20	-30.59	41.42	3	Vertical	99	2.06	-	39.36	11.46	34.63	
RMS	12.83001G	45.26	68.20	-22.94	29.07	3	Vertical	99	2.06	-	39.36	11.46	34.63	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83006G	57.51	88.20	-30.69	41.32	3	Horizontal	140	1.76	-	39.36	11.46	34.63
RMS	12.83001G	46.06	68.20	-22.14	29.87	3	Horizontal	140	1.76	-	39.36	11.46	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.25034G	51.34	83.54	-32.20	48.09	1	Vertical	119	1.50	-	37.70	15.20	49.65	
AV	19.24488G	37.59	63.54	-25.95	34.33	1	Vertical	119	1.50	-	37.71	15.20	49.65	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25328G	48.47	83.54	-35.07	45.22	1	Horizontal	286	1.50	-	37.70	15.20	49.65
AV	19.24452G	38.16	63.54	-25.38	34.90	1	Horizontal	286	1.50	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	56.40	88.20	-31.80	52.37	3	Vertical	64	1.75	-	32.10	7.47	35.54
RMS	5.779G	45.67	68.20	-22.53	41.74	3	Vertical	64	1.75	-	32.00	7.42	35.49
PK	6.4382G	120.43	Inf	-Inf	114.42	3	Vertical	64	1.75	-	33.65	7.78	35.42
RMS	6.4382G	111.12	Inf	-Inf	105.11	3	Vertical	64	1.75	-	33.65	7.78	35.42
PK	7.1518G	61.82	88.20	-26.38	53.05	3	Vertical	64	1.75	-	36.10	8.20	35.53
RMS	7.2254G	50.93	68.20	-17.27	41.90	3	Vertical	64	1.75	-	36.30	8.28	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7438G	55.84	88.20	-32.36	51.86	3	Horizontal	64	1.75	-	31.99	7.46	35.47
RMS	5.925G	45.82	68.20	-22.38	41.66	3	Horizontal	64	1.75	-	32.20	7.52	35.56
PK	6.4382G	120.25	Inf	-Inf	114.24	3	Horizontal	64	1.75	-	33.65	7.78	35.42
RMS	6.4286G	111.99	Inf	-Inf	106.05	3	Horizontal	64	1.75	-	33.61	7.76	35.43
PK	7.219G	61.36	88.20	-26.84	52.37	3	Horizontal	64	1.75	-	36.28	8.26	35.55
RMS	7.2222G	51.08	68.20	-17.12	42.07	3	Horizontal	64	1.75	-	36.29	8.27	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86997G	57.21	88.20	-30.99	40.81	3	Vertical	104	1.80	-	39.44	11.50	34.54	
RMS	12.87003G	43.50	68.20	-24.70	27.10	3	Vertical	104	1.80	-	39.44	11.50	34.54	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86998G	57.72	88.20	-30.48	41.32	3	Horizontal	143	1.75	-	39.44	11.50	34.54	
RMS	12.87G	44.50	68.20	-23.70	28.10	3	Horizontal	143	1.75	-	39.44	11.50	34.54	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3098G	51.34	83.54	-32.20	48.03	1	Vertical	146	1.50	-	37.75	15.22	49.66
AV	19.30248G	37.03	63.54	-26.51	33.73	1	Vertical	146	1.50	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31664G	50.63	83.54	-32.91	47.31	1	Horizontal	292	1.50	-	37.75	15.23	49.66
AV	19.31544G	37.01	63.54	-26.53	33.69	1	Horizontal	292	1.50	-	37.75	15.23	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.752G	55.94	88.20	-32.26	51.97	3	Vertical	218	1.80	-	32.00	7.45	35.48
RMS	5.917G	45.83	68.20	-22.37	41.70	3	Vertical	218	1.80	-	32.17	7.52	35.56
PK	6.469G	119.94	Inf	-Inf	113.70	3	Vertical	218	1.80	-	33.81	7.84	35.41
RMS	6.472G	111.94	Inf	-Inf	105.68	3	Vertical	218	1.80	-	33.83	7.84	35.41
PK	7.21G	61.72	88.20	-26.48	52.79	3	Vertical	218	1.80	-	36.24	8.23	35.54
RMS	7.225G	50.90	68.20	-17.30	41.88	3	Vertical	218	1.80	-	36.30	8.27	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.869G	56.98	88.20	-31.22	52.94	3	Horizontal	218	1.80	-	32.10	7.47	35.53	
RMS	5.77G	45.59	68.20	-22.61	41.64	3	Horizontal	218	1.80	-	32.00	7.43	35.48	
PK	6.469G	123.58	Inf	-Inf	117.34	3	Horizontal	218	1.80	-	33.81	7.84	35.41	
RMS	6.469G	115.28	Inf	-Inf	109.04	3	Horizontal	218	1.80	-	33.81	7.84	35.41	
PK	7.141G	61.28	88.20	-26.92	52.58	3	Horizontal	218	1.80	-	36.03	8.20	35.53	
RMS	7.225G	50.94	68.20	-17.26	41.92	3	Horizontal	218	1.80	-	36.30	8.27	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94916G	57.58	88.20	-30.62	40.83	3	Vertical	22	1.62	-	39.55	11.56	34.36
RMS	12.95209G	43.51	68.20	-24.69	26.75	3	Vertical	22	1.62	-	39.55	11.56	34.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95096G	58.03	88.20	-30.17	41.27	3	Horizontal	218	1.80	-	39.55	11.56	34.35
RMS	12.94959G	43.47	68.20	-24.73	26.72	3	Horizontal	218	1.80	-	39.55	11.56	34.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4133G	50.39	83.54	-33.15	46.97	1	Vertical	294	1.50	-	37.83	15.27	49.68
AV	19.416G	37.94	63.54	-25.60	34.52	1	Vertical	294	1.50	-	37.83	15.27	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4352G	50.53	83.54	-33.01	47.10	1	Horizontal	187	1.50	-	37.85	15.27	49.69	
AV	19.42074G	38.94	63.54	-24.60	35.51	1	Horizontal	187	1.50	-	37.84	15.27	49.68	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8766G	57.16	88.20	-31.04	53.12	3	Vertical	218	1.80	-	32.10	7.48	35.54	
RMS	5.9242G	46.03	68.20	-22.17	41.87	3	Vertical	218	1.80	-	32.20	7.52	35.56	
PK	6.5122G	121.02	Inf	-Inf	114.50	3	Vertical	218	1.80	-	34.00	7.92	35.40	
RMS	6.5122G	111.90	Inf	-Inf	105.38	3	Vertical	218	1.80	-	34.00	7.92	35.40	
PK	7.1422G	61.44	88.20	-26.76	52.73	3	Vertical	218	1.80	-	36.04	8.20	35.53	
RMS	7.215G	50.91	68.20	-17.29	41.95	3	Vertical	218	1.80	-	36.26	8.25	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.829G	56.19	88.20	-32.01	52.21	3	Horizontal	218	1.80	-	32.06	7.43	35.51	
RMS	5.9242G	45.64	68.20	-22.56	41.48	3	Horizontal	218	1.80	-	32.20	7.52	35.56	
PK	6.5094G	122.67	Inf	-Inf	116.15	3	Horizontal	218	1.80	-	34.00	7.92	35.40	
RMS	6.5094G	114.24	Inf	-Inf	107.72	3	Horizontal	218	1.80	-	34.00	7.92	35.40	
PK	7.1982G	61.33	88.20	-26.87	52.47	3	Horizontal	218	1.80	-	36.20	8.20	35.54	
RMS	7.2122G	50.93	68.20	-17.27	41.99	3	Horizontal	218	1.80	-	36.25	8.24	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03017G	58.36	88.20	-29.84	41.24	3	Vertical	90	2.11	-	39.69	11.62	34.19	
RMS	13.03002G	46.49	68.20	-21.71	29.37	3	Vertical	90	2.11	-	39.69	11.62	34.19	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03004G	59.14	88.20	-29.06	42.02	3	Horizontal	61	2.81	-	39.69	11.62	34.19
RMS	13.02999G	47.52	68.20	-20.68	30.40	3	Horizontal	61	2.81	-	39.69	11.62	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55712G	50.65	83.54	-32.89	47.15	1	Vertical	57	1.50	-	37.88	15.32	49.70
AV	19.53048G	37.77	63.54	-25.77	34.27	1	Vertical	57	1.50	-	37.89	15.31	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55754G	50.13	83.54	-33.41	46.63	1	Horizontal	45	1.50	-	37.88	15.32	49.70
AV	19.53192G	36.76	63.54	-26.78	33.26	1	Horizontal	45	1.50	-	37.89	15.31	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.835G	56.01	88.20	-32.19	52.02	3	Vertical	218	1.80	-	32.07	7.44	35.52	
RMS	5.9218G	45.84	68.20	-22.36	41.69	3	Vertical	218	1.80	-	32.19	7.52	35.56	
PK	6.5266G	123.13	Inf	-Inf	116.58	3	Vertical	218	1.80	-	34.00	7.95	35.40	
RMS	6.5266G	112.37	Inf	-Inf	105.82	3	Vertical	218	1.80	-	34.00	7.95	35.40	
PK	7.1538G	61.62	88.20	-26.58	52.84	3	Vertical	218	1.80	-	36.11	8.20	35.53	
RMS	7.235G	51.00	68.20	-17.20	41.91	3	Vertical	218	1.80	-	36.34	8.30	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8686G	56.48	88.20	-31.72	52.44	3	Horizontal	218	1.80	-	32.10	7.47	35.53
RMS	5.9162G	45.63	68.20	-22.57	41.51	3	Horizontal	218	1.80	-	32.16	7.52	35.56
PK	6.5266G	123.09	Inf	-Inf	116.54	3	Horizontal	218	1.80	-	34.00	7.95	35.40
RMS	6.5322G	113.42	Inf	-Inf	106.87	3	Horizontal	218	1.80	-	34.00	7.96	35.41
PK	7.2294G	61.07	88.20	-27.13	52.01	3	Horizontal	218	1.80	-	36.32	8.29	35.55
RMS	7.2126G	50.89	68.20	-17.31	41.95	3	Horizontal	218	1.80	-	36.25	8.24	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06965G	60.03	88.20	-28.17	42.68	3	Vertical	94	2.97	-	39.81	11.66	34.12
RMS	13.07001G	48.31	68.20	-19.89	30.96	3	Vertical	94	2.97	-	39.81	11.66	34.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06988G	59.49	88.20	-28.71	42.14	3	Horizontal	87	2.80	-	39.81	11.66	34.12	
RMS	13.07001G	48.22	68.20	-19.98	30.87	3	Horizontal	87	2.80	-	39.81	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.60404G	50.70	83.54	-32.84	47.20	1	Vertical	106	1.50	-	37.86	15.34	49.70	
AV	19.6188G	37.99	63.54	-25.55	34.49	1	Vertical	106	1.50	-	37.85	15.35	49.70	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.60086G	50.61	83.54	-32.93	47.11	1	Horizontal	22	1.50	-	37.86	15.34	49.70	
AV	19.6161G	36.95	63.54	-26.59	33.45	1	Horizontal	22	1.50	-	37.85	15.35	49.70	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6928G	126.36	Inf	-Inf	119.32	3	Vertical	218	1.80	-	34.37	8.10	35.43	
RMS	6.6906G	117.47	Inf	-Inf	110.44	3	Vertical	218	1.80	-	34.36	8.10	35.43	
PK	7.2384G	62.60	88.20	-25.60	53.48	3	Vertical	218	1.80	-	36.35	8.32	35.55	
RMS	7.2428G	51.13	68.20	-17.07	41.98	3	Vertical	218	1.80	-	36.37	8.33	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6994G	124.69	Inf	-Inf	117.63	3	Horizontal	218	1.80	-	34.40	8.10	35.44	
RMS	6.6994G	114.97	Inf	-Inf	107.91	3	Horizontal	218	1.80	-	34.40	8.10	35.44	
PK	7.2274G	61.68	88.20	-26.52	52.64	3	Horizontal	218	1.80	-	36.31	8.28	35.55	
RMS	7.2362G	51.07	68.20	-17.13	41.97	3	Horizontal	218	1.80	-	36.34	8.31	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38935G	59.34	74.00	-14.66	40.54	3	Vertical	205	1.31	-	40.48	11.91	33.59
AV	13.38871G	45.07	54.00	-8.93	26.27	3	Vertical	205	1.31	-	40.48	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39043G	59.34	74.00	-14.66	40.54	3	Horizontal	150	1.70	-	40.48	11.91	33.59
AV	13.39006G	45.56	54.00	-8.44	26.76	3	Horizontal	150	1.70	-	40.48	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0805G	51.95	83.54	-31.59	48.68	1	Vertical	269	1.50	-	37.46	15.54	49.73
AV	20.09556G	37.08	63.54	-26.46	33.80	1	Vertical	269	1.50	-	37.48	15.54	49.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07846G	50.55	83.54	-32.99	47.28	1	Horizontal	158	1.50	-	37.46	15.54	49.73
AV	20.08944G	37.05	63.54	-26.49	33.78	1	Horizontal	158	1.50	-	37.47	15.54	49.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	126.25	Inf	-Inf	118.96	3	Vertical	80	1.46	-	34.62	8.13	35.46
RMS	6.8508G	118.15	Inf	-Inf	110.87	3	Vertical	80	1.46	-	34.61	8.13	35.46
PK	7.184G	62.11	88.20	-26.09	53.28	3	Vertical	80	1.46	-	36.17	8.20	35.54
RMS	7.1266G	51.13	88.20	-37.07	42.54	3	Vertical	80	1.46	-	35.91	8.20	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8508G	122.45	Inf	-Inf	115.17	3	Horizontal	156	1.42	-	34.61	8.13	35.46	
RMS	6.8508G	114.34	Inf	-Inf	107.06	3	Horizontal	156	1.42	-	34.61	8.13	35.46	
PK	7.1322G	62.00	88.20	-26.20	53.36	3	Horizontal	156	1.42	-	35.96	8.20	35.52	
RMS	7.1252G	51.03	88.20	-37.17	42.45	3	Horizontal	156	1.42	-	35.90	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70921G	62.47	88.20	-25.73	43.66	3	Vertical	68	1.80	-	40.12	12.17	33.48
RMS	13.71007G	47.97	88.20	-40.23	29.16	3	Vertical	68	1.80	-	40.12	12.17	33.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70827G	62.94	88.20	-25.26	44.13	3	Horizontal	53	1.80	-	40.12	12.17	33.48
RMS	13.70998G	48.80	88.20	-39.40	29.99	3	Horizontal	53	1.80	-	40.12	12.17	33.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5686G	51.56	83.54	-31.98	47.89	1	Vertical	273	1.50	-	37.78	15.76	49.87
AV	20.55G	37.98	63.54	-25.56	34.35	1	Vertical	273	1.50	-	37.76	15.75	49.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56968G	50.40	83.54	-33.14	46.73	1	Horizontal	122	1.50	-	37.78	15.76	49.87
AV	20.55006G	37.00	63.54	-26.54	33.37	1	Horizontal	122	1.50	-	37.76	15.75	49.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.888G	126.43	Inf	-Inf	118.86	3	Vertical	81	1.61	-	34.90	8.14	35.47	
RMS	6.8894G	116.92	Inf	-Inf	109.33	3	Vertical	81	1.61	-	34.92	8.14	35.47	
PK	7.231G	62.37	88.20	-25.83	53.31	3	Vertical	81	1.61	-	36.32	8.29	35.55	
RMS	7.1274G	51.91	88.20	-36.29	43.31	3	Vertical	81	1.61	-	35.92	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.888G	124.91	Inf	-Inf	117.34	3	Horizontal	32	1.40	-	34.90	8.14	35.47	
RMS	6.888G	115.15	Inf	-Inf	107.58	3	Horizontal	32	1.40	-	34.90	8.14	35.47	
PK	7.245G	62.02	88.20	-26.18	52.85	3	Horizontal	32	1.40	-	36.38	8.34	35.55	
RMS	7.2436G	51.29	88.20	-36.91	42.14	3	Horizontal	32	1.40	-	36.37	8.33	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.79003G	62.57	88.20	-25.63	43.57	3	Vertical	222	1.80	-	40.28	12.23	33.51	
RMS	13.79015G	48.21	68.20	-19.99	29.21	3	Vertical	222	1.80	-	40.28	12.23	33.51	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79022G	62.39	88.20	-25.81	43.39	3	Horizontal	100	1.52	-	40.28	12.23	33.51
RMS	13.79002G	49.92	68.20	-18.28	30.92	3	Horizontal	100	1.52	-	40.28	12.23	33.51

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.685G	51.09	83.54	-32.45	47.19	1	Vertical	291	1.50	-	37.92	15.81	49.83
AV	20.69976G	36.93	63.54	-26.61	33.00	1	Vertical	291	1.50	-	37.94	15.81	49.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69634G	51.46	83.54	-32.08	47.53	1	Horizontal	133	1.50	-	37.94	15.81	49.82
AV	20.69916G	37.96	63.54	-25.58	34.03	1	Horizontal	133	1.50	-	37.94	15.81	49.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.989G	124.30	Inf	-Inf	116.32	3	Vertical	351	2.40	-	35.28	8.19	35.49	
RMS	6.991G	116.69	Inf	-Inf	108.70	3	Vertical	351	2.40	-	35.28	8.20	35.49	
PK	7.14G	64.91	88.20	-23.29	56.22	3	Vertical	351	2.40	-	36.02	8.20	35.53	
RMS	7.125G	54.56	68.20	-13.64	45.98	3	Vertical	351	2.40	-	35.90	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.988G	122.35	Inf	-Inf	114.37	3	Horizontal	187	1.85	-	35.28	8.19	35.49	
RMS	6.987G	114.19	Inf	-Inf	106.22	3	Horizontal	187	1.85	-	35.27	8.19	35.49	
PK	7.239G	64.81	88.20	-23.39	55.68	3	Horizontal	187	1.85	-	36.36	8.32	35.55	
RMS	7.125G	53.49	68.20	-14.71	44.91	3	Horizontal	187	1.85	-	35.90	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98936G	64.22	88.20	-23.98	44.53	3	Vertical	284	1.80	-	40.88	12.39	33.58
RMS	13.98833G	50.96	68.20	-17.24	31.27	3	Vertical	284	1.80	-	40.88	12.39	33.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98945G	65.51	88.20	-22.69	45.82	3	Horizontal	71	1.79	-	40.88	12.39	33.58
RMS	13.99001G	52.23	68.20	-15.97	32.54	3	Horizontal	71	1.79	-	40.88	12.39	33.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99604G	58.24	83.54	-25.30	54.38	1	Vertical	338	1.50	-	37.61	15.95	49.70
AV	20.99106G	44.99	63.54	-18.55	41.13	1	Vertical	338	1.50	-	37.61	15.95	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99604G	58.39	83.54	-25.15	54.53	1	Horizontal	104	1.50	-	37.61	15.95	49.70
AV	20.99112G	43.69	63.54	-19.85	39.83	1	Horizontal	104	1.50	-	37.61	15.95	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 59
03-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0866G	124.32	Inf	-Inf	115.98	3	Vertical	93	1.80	-	35.65	8.20	35.51
RMS	7.0866G	115.84	Inf	-Inf	107.50	3	Vertical	93	1.80	-	35.65	8.20	35.51
PK	7.125G	82.24	88.20	-5.96	73.66	3	Vertical	93	1.80	-	35.90	8.20	35.52
RMS	7.125G	66.80	68.20	-1.40	58.22	3	Vertical	93	1.80	-	35.90	8.20	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 59
03-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0882G	122.55	Inf	-Inf	114.21	3	Horizontal	198	2.09	-	35.65	8.20	35.51	
RMS	7.0938G	114.49	Inf	-Inf	106.12	3	Horizontal	198	2.09	-	35.68	8.20	35.51	
PK	7.125G	82.30	88.20	-5.90	73.72	3	Horizontal	198	2.09	-	35.90	8.20	35.52	
RMS	7.125G	67.07	68.20	-1.13	58.49	3	Horizontal	198	2.09	-	35.90	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 59
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19564G	64.98	88.20	-23.22	44.79	3	Vertical	244	1.80	-	41.58	12.50	33.89
RMS	14.16288G	51.65	68.20	-16.55	31.56	3	Vertical	244	1.80	-	41.45	12.48	33.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 59
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18652G	65.01	88.20	-23.19	44.84	3	Horizontal	78	1.76	-	41.55	12.49	33.87
RMS	14.19024G	52.49	68.20	-15.71	32.31	3	Horizontal	78	1.76	-	41.56	12.50	33.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 59
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29532G	58.71	83.54	-24.83	54.62	1	Vertical	153	1.13	-	37.65	16.08	49.64
AV	21.29508G	45.49	63.54	-18.05	41.40	1	Vertical	153	1.13	-	37.65	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 59
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29718G	59.40	83.54	-24.14	55.30	1	Horizontal	255	2.67	-	37.66	16.08	49.64
AV	21.29436G	43.23	63.54	-20.31	39.14	1	Horizontal	255	2.67	-	37.65	16.08	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	79.60	88.20	-8.60	75.44	3	Vertical	21	2.45	-	32.20	7.52	35.56
RMS	5.9248G	66.59	68.20	-1.61	62.43	3	Vertical	21	2.45	-	32.20	7.52	35.56
PK	5.9662G	115.93	Inf	-Inf	111.67	3	Vertical	21	2.45	-	32.27	7.57	35.58
RMS	5.9674G	107.96	Inf	-Inf	103.70	3	Vertical	21	2.45	-	32.27	7.57	35.58

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	77.10	88.20	-11.10	72.94	3	Horizontal	26	1.94	-	32.20	7.52	35.56	
RMS	5.9248G	62.12	68.20	-6.08	57.96	3	Horizontal	26	1.94	-	32.20	7.52	35.56	
PK	5.9566G	114.04	Inf	-Inf	109.77	3	Horizontal	26	1.94	-	32.29	7.56	35.58	
RMS	5.9668G	105.52	Inf	-Inf	101.26	3	Horizontal	26	1.94	-	32.27	7.57	35.58	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.93034G	58.59	74.00	-15.41	44.25	3	Vertical	67	1.60	-	39.07	10.78	35.51	
AV	11.93002G	46.14	54.00	-7.86	31.80	3	Vertical	67	1.60	-	39.07	10.78	35.51	
PK	17.89463G	63.98	74.00	-10.02	34.17	3	Vertical	47	1.10	-	49.78	14.73	34.70	
AV	17.89726G	50.26	54.00	-3.74	20.39	3	Vertical	47	1.10	-	49.84	14.73	34.70	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.92953G	58.35	74.00	-15.65	44.01	3	Horizontal	295	2.85	-	39.07	10.78	35.51	
AV	11.93003G	46.21	54.00	-7.79	31.87	3	Horizontal	295	2.85	-	39.07	10.78	35.51	
PK	17.89557G	63.94	74.00	-10.06	34.11	3	Horizontal	341	3.00	-	49.80	14.73	34.70	
AV	17.89749G	50.21	54.00	-3.79	20.34	3	Horizontal	341	3.00	-	49.84	14.73	34.70	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9186G	59.19	88.20	-29.01	55.06	3	Vertical	138	1.79	-	32.17	7.52	35.56	
RMS	5.9242G	49.57	68.20	-18.63	45.41	3	Vertical	138	1.79	-	32.20	7.52	35.56	
PK	6.1608G	121.20	Inf	-Inf	116.28	3	Vertical	138	1.79	-	32.62	7.84	35.54	
RMS	6.1482G	112.94	Inf	-Inf	108.07	3	Vertical	138	1.79	-	32.59	7.82	35.54	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9074G	59.13	88.20	-29.07	55.04	3	Horizontal	138	1.79	-	32.13	7.51	35.55	
RMS	5.9242G	48.86	68.20	-19.34	44.70	3	Horizontal	138	1.79	-	32.20	7.52	35.56	
PK	6.1776G	120.34	Inf	-Inf	115.34	3	Horizontal	138	1.79	-	32.66	7.87	35.53	
RMS	6.179G	111.67	Inf	-Inf	106.67	3	Horizontal	138	1.79	-	32.66	7.87	35.53	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.32795G	58.07	74.00	-15.93	43.69	3	Vertical	340	3.00	-	38.74	11.06	35.42	
AV	12.32877G	43.80	54.00	-10.20	29.42	3	Vertical	340	3.00	-	38.74	11.06	35.42	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33131G	58.21	74.00	-15.79	43.82	3	Horizontal	125	2.66	-	38.74	11.07	35.42
AV	12.32845G	43.78	54.00	-10.22	29.40	3	Horizontal	125	2.66	-	38.74	11.06	35.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.495G	54.02	83.54	-29.52	51.43	1	Vertical	195	1.50	-	37.79	14.90	50.10
AV	18.49632G	39.39	63.54	-24.15	36.79	1	Vertical	195	1.50	-	37.80	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49362G	53.31	83.54	-30.23	50.72	1	Horizontal	70	1.50	-	37.79	14.90	50.10
AV	18.49218G	38.54	63.54	-25.00	35.95	1	Horizontal	70	1.50	-	37.79	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	58.53	88.20	-29.67	54.36	3	Vertical	138	1.79	-	32.20	7.53	35.56	
RMS	5.925G	47.78	68.20	-20.42	43.61	3	Vertical	138	1.79	-	32.20	7.53	35.56	
PK	6.4098G	118.71	Inf	-Inf	112.89	3	Vertical	138	1.79	-	33.54	7.72	35.44	
RMS	6.4026G	109.74	Inf	-Inf	103.96	3	Vertical	138	1.79	-	33.51	7.71	35.44	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9106G	58.32	88.20	-29.88	54.23	3	Horizontal	65	1.80	-	32.14	7.51	35.56	
RMS	5.925G	47.74	68.20	-20.46	43.57	3	Horizontal	65	1.80	-	32.20	7.53	35.56	
PK	6.4098G	121.60	Inf	-Inf	115.78	3	Horizontal	65	1.80	-	33.54	7.72	35.44	
RMS	6.4074G	112.77	Inf	-Inf	106.97	3	Horizontal	65	1.80	-	33.53	7.71	35.44	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.80982G	58.56	88.20	-29.64	42.79	3	Vertical	101	2.05	-	39.00	11.45	34.68	
RMS	12.81G	46.20	68.20	-22.00	30.43	3	Vertical	101	2.05	-	39.00	11.45	34.68	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82224G	58.09	88.20	-30.11	42.28	3	Horizontal	60	2.34	-	39.00	11.46	34.65
RMS	12.81G	46.15	68.20	-22.05	30.38	3	Horizontal	60	2.34	-	39.00	11.45	34.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20252G	53.06	83.54	-30.48	49.76	1	Vertical	157	1.50	-	37.76	15.18	49.64
AV	19.20066G	39.45	63.54	-24.09	36.15	1	Vertical	157	1.50	-	37.76	15.18	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21086G	52.13	83.54	-31.41	48.84	1	Horizontal	16	1.50	-	37.75	15.18	49.64
AV	19.20276G	37.50	63.54	-26.04	34.20	1	Horizontal	16	1.50	-	37.76	15.18	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.54	88.20	-29.66	54.38	3	Vertical	95	1.36	-	32.20	7.52	35.56
RMS	5.923G	47.78	68.20	-20.42	43.63	3	Vertical	95	1.36	-	32.19	7.52	35.56
PK	6.436G	120.70	Inf	-Inf	114.72	3	Vertical	95	1.36	-	33.64	7.77	35.43
RMS	6.442G	111.96	Inf	-Inf	105.93	3	Vertical	95	1.36	-	33.67	7.78	35.42
PK	7.138G	63.46	88.20	-24.74	54.79	3	Vertical	95	1.36	-	36.00	8.20	35.53
RMS	7.195G	52.54	68.20	-15.66	43.69	3	Vertical	95	1.36	-	36.19	8.20	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.74G	58.95	88.20	-29.25	54.98	3	Horizontal	133	1.35	-	31.98	7.46	35.47
RMS	5.925G	47.59	68.20	-20.61	43.43	3	Horizontal	133	1.35	-	32.20	7.52	35.56
PK	6.439G	122.06	Inf	-Inf	116.04	3	Horizontal	133	1.35	-	33.66	7.78	35.42
RMS	6.436G	112.30	Inf	-Inf	106.32	3	Horizontal	133	1.35	-	33.64	7.77	35.43
PK	7.195G	63.79	88.20	-24.41	54.94	3	Horizontal	133	1.35	-	36.19	8.20	35.54
RMS	7.195G	52.54	68.20	-15.66	43.69	3	Horizontal	133	1.35	-	36.19	8.20	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88989G	58.89	88.20	-29.31	42.87	3	Vertical	101	2.03	-	39.00	11.51	34.49
RMS	12.89005G	45.87	68.20	-22.33	29.85	3	Vertical	101	2.03	-	39.00	11.51	34.49

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89019G	59.43	88.20	-28.77	43.41	3	Horizontal	349	2.35	-	39.00	11.51	34.49	
RMS	12.89005G	45.89	68.20	-22.31	29.87	3	Horizontal	349	2.35	-	39.00	11.51	34.49	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.33812G	54.51	83.54	-29.03	51.17	1	Vertical	64	1.50	-	37.77	15.24	49.67	
AV	19.32018G	39.68	63.54	-23.86	36.35	1	Vertical	64	1.50	-	37.76	15.23	49.66	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.32264G	49.18	83.54	-34.36	45.85	1	Horizontal	39	1.50	-	37.76	15.23	49.66	
AV	19.32G	35.68	63.54	-27.86	32.35	1	Horizontal	39	1.50	-	37.76	15.23	49.66	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.852G	59.03	88.20	-29.17	55.01	3	Vertical	176	1.80	-	32.10	7.45	35.53
RMS	5.924G	47.69	68.20	-20.51	43.53	3	Vertical	176	1.80	-	32.20	7.52	35.56
PK	6.476G	122.19	Inf	-Inf	115.89	3	Vertical	176	1.80	-	33.86	7.85	35.41
RMS	6.473G	112.98	Inf	-Inf	106.70	3	Vertical	176	1.80	-	33.84	7.85	35.41
PK	7.166G	63.63	88.20	-24.57	54.83	3	Vertical	176	1.80	-	36.13	8.20	35.53
RMS	7.235G	53.00	68.20	-15.20	43.91	3	Vertical	176	1.80	-	36.34	8.30	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.903G	58.64	88.20	-29.56	54.58	3	Horizontal	129	1.36	-	32.11	7.50	35.55	
RMS	5.777G	47.67	68.20	-20.53	43.74	3	Horizontal	129	1.36	-	32.00	7.42	35.49	
PK	6.5G	121.97	Inf	-Inf	115.47	3	Horizontal	129	1.36	-	34.00	7.90	35.40	
RMS	6.5G	113.98	Inf	-Inf	107.48	3	Horizontal	129	1.36	-	34.00	7.90	35.40	
PK	7.145G	63.85	88.20	-24.35	55.12	3	Horizontal	129	1.36	-	36.06	8.20	35.53	
RMS	7.235G	53.06	68.20	-15.14	43.97	3	Horizontal	129	1.36	-	36.34	8.30	35.55	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9702G	59.79	88.20	-28.41	43.45	3	Vertical	93	2.13	-	39.07	11.58	34.31	
RMS	12.96997G	46.53	68.20	-21.67	30.19	3	Vertical	93	2.13	-	39.07	11.58	34.31	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.96808G	59.65	88.20	-28.55	43.32	3	Horizontal	314	1.91	-	39.07	11.57	34.31	
RMS	12.96997G	46.53	68.20	-21.67	30.19	3	Horizontal	314	1.91	-	39.07	11.58	34.31	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.44048G	54.37	83.54	-29.17	50.93	1	Vertical	296	1.50	-	37.85	15.28	49.69
AV	19.44048G	39.71	63.54	-23.83	36.27	1	Vertical	296	1.50	-	37.85	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.44624G	50.19	83.54	-33.35	46.74	1	Horizontal	357	1.50	-	37.86	15.28	49.69	
AV	19.44G	35.72	63.54	-27.82	32.28	1	Horizontal	357	1.50	-	37.85	15.28	49.69	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	57.08	88.20	-31.12	52.94	3	Vertical	86	1.71	-	32.18	7.52	35.56
RMS	5.925G	47.88	68.20	-20.32	43.72	3	Vertical	86	1.71	-	32.20	7.52	35.56
PK	6.5624G	122.05	Inf	-Inf	115.42	3	Vertical	86	1.71	-	34.02	8.02	35.41
RMS	6.5624G	112.43	Inf	-Inf	105.80	3	Vertical	86	1.71	-	34.02	8.02	35.41
PK	7.2072G	63.56	88.20	-24.64	54.65	3	Vertical	86	1.71	-	36.23	8.22	35.54
RMS	7.2124G	52.91	68.20	-15.29	43.97	3	Vertical	86	1.71	-	36.25	8.24	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	57.30	88.20	-30.90	53.15	3	Horizontal	89	1.87	-	32.19	7.52	35.56
RMS	5.925G	47.66	68.20	-20.54	43.50	3	Horizontal	89	1.87	-	32.20	7.52	35.56
PK	6.578G	119.15	Inf	-Inf	112.44	3	Horizontal	89	1.87	-	34.06	8.06	35.41
RMS	6.5832G	110.07	Inf	-Inf	103.34	3	Horizontal	89	1.87	-	34.07	8.07	35.41
PK	7.202G	63.79	88.20	-24.41	54.91	3	Horizontal	89	1.87	-	36.21	8.21	35.54
RMS	7.2124G	52.75	68.20	-15.45	43.81	3	Horizontal	89	1.87	-	36.25	8.24	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13009G	61.31	88.20	-26.89	44.57	3	Vertical	92	3.00	-	39.06	11.70	34.02	
RMS	13.13002G	49.09	68.20	-19.11	32.35	3	Vertical	92	3.00	-	39.06	11.70	34.02	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13023G	61.02	88.20	-27.18	44.28	3	Horizontal	75	1.91	-	39.06	11.70	34.02	
RMS	13.12999G	49.12	68.20	-19.08	32.38	3	Horizontal	75	1.91	-	39.06	11.70	34.02	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69074G	54.22	83.54	-29.32	50.72	1	Vertical	318	1.50	-	37.82	15.38	49.70
AV	19.68012G	40.37	63.54	-23.17	36.87	1	Vertical	318	1.50	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69866G	49.90	83.54	-33.64	46.40	1	Horizontal	36	1.50	-	37.82	15.38	49.70
AV	19.68054G	36.31	63.54	-27.23	32.81	1	Horizontal	36	1.50	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6828G	125.12	Inf	-Inf	118.12	3	Vertical	82	1.75	-	34.33	8.10	35.43
RMS	6.6828G	115.76	Inf	-Inf	108.76	3	Vertical	82	1.75	-	34.33	8.10	35.43
PK	7.2218G	63.80	88.20	-24.40	54.79	3	Vertical	82	1.75	-	36.29	8.27	35.55
RMS	7.2218G	53.08	68.20	-15.12	44.07	3	Vertical	82	1.75	-	36.29	8.27	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6916G	123.47	Inf	-Inf	116.43	3	Horizontal	135	2.09	-	34.37	8.10	35.43	
RMS	6.6938G	113.77	Inf	-Inf	106.72	3	Horizontal	135	2.09	-	34.38	8.10	35.43	
PK	7.2306G	64.15	88.20	-24.05	55.09	3	Horizontal	135	2.09	-	36.32	8.29	35.55	
RMS	7.224G	52.98	68.20	-15.22	43.96	3	Horizontal	135	2.09	-	36.30	8.27	35.55	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37175G	60.77	74.00	-13.23	42.73	3	Vertical	-0	1.06	-	39.76	11.90	33.62	
AV	13.37208G	46.73	54.00	-7.27	28.69	3	Vertical	-0	1.06	-	39.76	11.90	33.62	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37124G	60.38	74.00	-13.62	42.34	3	Horizontal	11	1.34	-	39.76	11.90	33.62
AV	13.37218G	46.71	54.00	-7.29	28.67	3	Horizontal	11	1.34	-	39.76	11.90	33.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.04708G	52.78	83.54	-30.76	49.54	1	Vertical	291	1.50	-	37.44	15.52	49.72	
AV	20.06958G	38.88	63.54	-24.66	35.62	1	Vertical	291	1.50	-	37.46	15.53	49.73	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.04024G	48.39	83.54	-35.15	45.16	1	Horizontal	356	1.50	-	37.43	15.52	49.72	
AV	20.06964G	34.77	63.54	-28.77	31.51	1	Horizontal	356	1.50	-	37.46	15.53	49.73	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8324G	123.67	Inf	-Inf	116.45	3	Vertical	86	1.66	-	34.56	8.12	35.46
RMS	6.8338G	114.46	Inf	-Inf	107.23	3	Vertical	86	1.66	-	34.57	8.12	35.46
PK	7.146G	63.03	88.20	-25.17	54.29	3	Vertical	86	1.66	-	36.07	8.20	35.53
RMS	7.1446G	52.85	68.20	-15.35	44.12	3	Vertical	86	1.66	-	36.06	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8324G	121.78	Inf	-Inf	114.56	3	Horizontal	31	1.43	-	34.56	8.12	35.46	
RMS	6.8338G	112.75	Inf	-Inf	105.52	3	Horizontal	31	1.43	-	34.57	8.12	35.46	
PK	7.1292G	62.88	88.20	-25.32	54.27	3	Horizontal	31	1.43	-	35.93	8.20	35.52	
RMS	7.125G	52.54	68.20	-15.66	43.96	3	Horizontal	31	1.43	-	35.90	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.68774G	62.67	88.20	-25.53	43.90	3	Vertical	203	1.32	-	40.09	12.15	33.47	
RMS	13.69247G	48.96	68.20	-19.24	30.20	3	Vertical	203	1.32	-	40.09	12.15	33.48	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6936G	63.15	88.20	-25.05	44.39	3	Horizontal	13	1.01	-	40.09	12.15	33.48
RMS	13.69244G	47.38	68.20	-20.82	28.62	3	Horizontal	13	1.01	-	40.09	12.15	33.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.53758G	54.21	83.54	-29.33	50.60	1	Vertical	41	1.50	-	37.75	15.74	49.88	
AV	20.52306G	39.58	63.54	-23.96	36.00	1	Vertical	41	1.50	-	37.73	15.74	49.89	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.53896G	49.01	83.54	-34.53	45.40	1	Horizontal	34	1.50	-	37.75	15.74	49.88	
AV	20.52288G	35.48	63.54	-28.06	31.90	1	Horizontal	34	1.50	-	37.73	15.74	49.89	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.907G	123.89	Inf	-Inf	116.18	3	Vertical	80	1.56	-	35.03	8.15	35.47	
RMS	6.9106G	115.58	Inf	-Inf	107.85	3	Vertical	80	1.56	-	35.04	8.16	35.47	
PK	7.1602G	65.06	88.20	-23.14	56.27	3	Vertical	80	1.56	-	36.12	8.20	35.53	
RMS	7.1254G	54.20	68.20	-14.00	45.62	3	Vertical	80	1.56	-	35.90	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9154G	119.42	Inf	-Inf	111.67	3	Horizontal	153	2.84	-	35.06	8.16	35.47
RMS	6.9166G	111.94	Inf	-Inf	104.18	3	Horizontal	153	2.84	-	35.07	8.16	35.47
PK	7.1998G	64.10	88.20	-24.10	55.24	3	Horizontal	153	2.84	-	36.20	8.20	35.54
RMS	7.1602G	53.32	68.20	-14.88	44.53	3	Horizontal	153	2.84	-	36.12	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84928G	63.41	88.20	-24.79	44.16	3	Vertical	9	1.15	-	40.50	12.28	33.53
RMS	13.86386G	49.92	68.20	-18.28	30.60	3	Vertical	9	1.15	-	40.56	12.29	33.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.84862G	64.21	88.20	-23.99	44.97	3	Horizontal	294	2.06	-	40.49	12.28	33.53	
RMS	13.86452G	49.96	68.20	-18.24	30.64	3	Horizontal	294	2.06	-	40.56	12.29	33.53	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76042G	53.64	83.54	-29.90	45.44	1	Vertical	300	1.50	-	37.98	20.02	49.80
AV	20.78586G	40.17	63.54	-23.37	31.99	1	Vertical	300	1.50	-	37.94	20.03	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76264G	49.95	83.54	-33.59	45.92	1	Horizontal	182	1.50	-	37.98	15.84	49.79
AV	20.78982G	36.02	63.54	-27.52	32.00	1	Horizontal	182	1.50	-	37.94	15.86	49.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9938G	122.85	Inf	-Inf	114.85	3	Vertical	7	2.22	-	35.29	8.20	35.49
RMS	6.9978G	113.79	Inf	-Inf	105.78	3	Vertical	7	2.22	-	35.30	8.20	35.49
PK	7.125G	65.93	88.20	-22.27	57.35	3	Vertical	7	2.22	-	35.90	8.20	35.52
RMS	7.125G	55.18	68.20	-13.02	46.60	3	Vertical	7	2.22	-	35.90	8.20	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0218G	121.77	Inf	-Inf	113.68	3	Horizontal	148	1.16	-	35.39	8.20	35.50	
RMS	7.0146G	113.66	Inf	-Inf	105.59	3	Horizontal	148	1.16	-	35.36	8.20	35.49	
PK	7.1474G	65.15	88.20	-23.05	56.40	3	Horizontal	148	1.16	-	36.08	8.20	35.53	
RMS	7.1346G	54.58	68.20	-13.62	45.92	3	Horizontal	148	1.16	-	35.98	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02368G	64.20	88.20	-24.00	44.44	3	Vertical	122	1.12	-	40.97	12.41	33.62
RMS	14.02368G	50.67	68.20	-17.53	30.91	3	Vertical	122	1.12	-	40.97	12.41	33.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01696G	64.04	88.20	-24.16	44.29	3	Horizontal	210	1.93	-	40.95	12.41	33.61
RMS	14.02152G	50.67	68.20	-17.53	30.91	3	Horizontal	210	1.93	-	40.96	12.41	33.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.02286G	54.67	83.54	-28.87	46.61	1	Vertical	232	1.50	-	37.60	20.16	49.70
AV	21.02904G	40.64	63.54	-22.90	32.56	1	Vertical	232	1.50	-	37.60	20.17	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.02874G	49.69	83.54	-33.85	45.82	1	Horizontal	187	1.50	-	37.60	15.96	49.69
AV	21.02934G	36.40	63.54	-27.14	32.53	1	Horizontal	187	1.50	-	37.60	15.96	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0766G	117.37	Inf	-Inf	109.07	3	Vertical	-0	2.22	-	35.61	8.20	35.51	
RMS	7.0676G	109.36	Inf	-Inf	101.10	3	Vertical	-0	2.22	-	35.57	8.20	35.51	
PK	7.13G	77.13	88.20	-11.07	68.51	3	Vertical	-0	2.22	-	35.94	8.20	35.52	
RMS	7.1252G	66.94	68.20	-1.26	58.36	3	Vertical	-0	2.22	-	35.90	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.103G	115.36	Inf	-Inf	106.96	3	Horizontal	141	1.80	-	35.72	8.20	35.52	
RMS	7.103G	107.55	Inf	-Inf	99.15	3	Horizontal	141	1.80	-	35.72	8.20	35.52	
PK	7.125G	79.36	88.20	-8.84	70.78	3	Horizontal	141	1.80	-	35.90	8.20	35.52	
RMS	7.125G	63.18	68.20	-5.02	54.60	3	Horizontal	141	1.80	-	35.90	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.16748G	65.12	88.20	-23.08	45.01	3	Vertical	347	1.87	-	41.47	12.48	33.84	
RMS	14.16988G	51.63	68.20	-16.57	31.52	3	Vertical	347	1.87	-	41.48	12.48	33.85	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1592G	65.37	88.20	-22.83	45.28	3	Horizontal	344	1.35	-	41.44	12.48	33.83
RMS	14.17006G	51.65	68.20	-16.55	31.53	3	Horizontal	344	1.35	-	41.48	12.49	33.85

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24414G	53.64	83.54	-29.90	49.63	1	Vertical	142	1.50	-	37.60	16.06	49.65
AV	21.26958G	40.26	63.54	-23.28	36.22	1	Vertical	142	1.50	-	37.62	16.07	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26976G	49.66	83.54	-33.88	45.62	1	Horizontal	2	1.50	-	37.62	16.07	49.65
AV	21.26964G	36.03	63.54	-27.51	31.99	1	Horizontal	2	1.50	-	37.62	16.07	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 47
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.81	88.20	-11.39	72.64	3	Vertical	21	1.66	-	32.20	7.53	35.56
RMS	5.925G	66.09	68.20	-2.11	61.92	3	Vertical	21	1.66	-	32.20	7.53	35.56
PK	6.001G	114.06	Inf	-Inf	109.85	3	Vertical	21	1.66	-	32.21	7.60	35.60
RMS	5.997G	104.98	Inf	-Inf	100.77	3	Vertical	21	1.66	-	32.21	7.60	35.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 47
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	65.75	88.20	-22.45	61.60	3	Horizontal	53	1.89	-	32.19	7.52	35.56	
RMS	5.925G	55.16	68.20	-13.04	50.99	3	Horizontal	53	1.89	-	32.20	7.53	35.56	
PK	6.011G	111.07	Inf	-Inf	106.78	3	Horizontal	53	1.89	-	32.27	7.62	35.60	
RMS	6.015G	102.32	Inf	-Inf	98.00	3	Horizontal	53	1.89	-	32.29	7.62	35.59	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 47
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.96988G	57.79	74.00	-16.21	43.47	3	Vertical	248	1.67	-	39.03	10.79	35.50	
AV	11.97006G	47.01	54.00	-6.99	32.69	3	Vertical	248	1.67	-	39.03	10.79	35.50	
PK	17.96196G	65.12	74.00	-8.88	32.95	3	Vertical	307	1.87	-	52.07	14.77	34.67	
AV	17.96946G	49.13	54.00	-4.87	16.69	3	Vertical	307	1.87	-	52.33	14.78	34.67	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 47
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9697G	57.65	74.00	-16.35	43.33	3	Horizontal	300	1.10	-	39.03	10.79	35.50
AV	11.97G	47.03	54.00	-6.97	32.71	3	Horizontal	300	1.10	-	39.03	10.79	35.50
PK	17.96472G	64.18	74.00	-9.82	31.90	3	Horizontal	297	1.22	-	52.17	14.78	34.67
AV	17.96136G	50.20	54.00	-3.80	18.05	3	Horizontal	297	1.22	-	52.05	14.77	34.67

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	63.20	88.20	-25.00	59.04	3	Vertical	80	1.93	-	32.20	7.52	35.56	
RMS	5.925G	52.75	68.20	-15.45	48.59	3	Vertical	80	1.93	-	32.20	7.52	35.56	
PK	6.1128G	118.42	Inf	-Inf	113.75	3	Vertical	80	1.93	-	32.45	7.77	35.55	
RMS	6.1086G	109.37	Inf	-Inf	104.74	3	Vertical	80	1.93	-	32.43	7.76	35.56	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9238G	61.88	88.20	-26.32	57.72	3	Horizontal	47	1.84	-	32.20	7.52	35.56	
RMS	5.925G	50.42	68.20	-17.78	46.26	3	Horizontal	47	1.84	-	32.20	7.52	35.56	
PK	6.1142G	115.61	Inf	-Inf	110.93	3	Horizontal	47	1.84	-	32.46	7.77	35.55	
RMS	6.1296G	106.77	Inf	-Inf	102.01	3	Horizontal	47	1.84	-	32.52	7.79	35.55	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.27626G	58.09	74.00	-15.91	43.61	3	Vertical	315	2.57	-	38.89	11.02	35.43
AV	12.28994G	43.99	54.00	-10.01	29.55	3	Vertical	315	2.57	-	38.84	11.03	35.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.293G	58.30	74.00	-15.70	43.87	3	Horizontal	230	1.73	-	38.83	11.03	35.43	
AV	12.28994G	43.96	54.00	-10.04	29.52	3	Horizontal	230	1.73	-	38.84	11.03	35.43	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.42798G	48.81	83.54	-34.73	46.36	1	Vertical	49	2.17	-	37.71	14.87	50.13
AV	18.44838G	35.16	63.54	-28.38	32.66	1	Vertical	49	2.17	-	37.74	14.88	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4395G	53.26	83.54	-30.28	50.77	1	Horizontal	159	2.58	-	37.73	14.88	50.12
AV	18.4302G	40.11	63.54	-23.43	37.65	1	Horizontal	159	2.58	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7898G	58.89	88.20	-29.31	54.97	3	Vertical	147	2.19	-	32.00	7.41	35.49	
RMS	5.7874G	47.49	68.20	-20.71	43.57	3	Vertical	147	2.19	-	32.00	7.41	35.49	
PK	6.3658G	117.99	Inf	-Inf	112.42	3	Vertical	147	2.19	-	33.29	7.73	35.45	
RMS	6.3658G	109.76	Inf	-Inf	104.19	3	Vertical	147	2.19	-	33.29	7.73	35.45	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9146G	58.09	88.20	-30.11	53.98	3	Horizontal	119	1.68	-	32.16	7.51	35.56	
RMS	5.9218G	47.54	68.20	-20.66	43.39	3	Horizontal	119	1.68	-	32.19	7.52	35.56	
PK	6.3658G	117.79	Inf	-Inf	112.22	3	Horizontal	119	1.68	-	33.29	7.73	35.45	
RMS	6.3658G	109.62	Inf	-Inf	104.05	3	Horizontal	119	1.68	-	33.29	7.73	35.45	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77001G	58.78	88.20	-29.42	43.19	3	Vertical	100	3.00	-	38.94	11.42	34.77	
RMS	12.77003G	45.70	68.20	-22.50	30.11	3	Vertical	100	3.00	-	38.94	11.42	34.77	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76977G	58.11	88.20	-30.09	42.52	3	Horizontal	260	2.91	-	38.94	11.42	34.77
RMS	12.77218G	45.57	68.20	-22.63	29.97	3	Horizontal	260	2.91	-	38.94	11.42	34.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15044G	54.05	83.54	-29.49	50.70	1	Vertical	231	1.78	-	37.82	15.16	49.63
AV	19.16874G	41.09	63.54	-22.45	37.75	1	Vertical	231	1.78	-	37.80	15.17	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.1676G	54.01	83.54	-29.53	50.67	1	Horizontal	44	1.04	-	37.80	15.17	49.63	
AV	19.14198G	41.26	63.54	-22.28	37.90	1	Horizontal	44	1.04	-	37.83	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.892G	58.17	88.20	-30.03	54.13	3	Vertical	91	2.07	-	32.10	7.49	35.55
RMS	5.925G	47.84	68.20	-20.36	43.67	3	Vertical	91	2.07	-	32.20	7.53	35.56
PK	6.429G	116.99	Inf	-Inf	111.04	3	Vertical	91	2.07	-	33.62	7.76	35.43
RMS	6.45G	108.51	Inf	-Inf	102.43	3	Vertical	91	2.07	-	33.70	7.80	35.42
PK	7.17G	63.58	88.20	-24.62	54.77	3	Vertical	91	2.07	-	36.14	8.20	35.53
RMS	7.215G	52.72	68.20	-15.48	43.76	3	Vertical	91	2.07	-	36.26	8.25	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_V_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.769G	58.19	88.20	-30.01	54.24	3	Horizontal	60	1.84	-	32.00	7.43	35.48	
RMS	5.748G	47.76	68.20	-20.44	43.78	3	Horizontal	60	1.84	-	32.00	7.45	35.47	
PK	6.435G	119.51	Inf	-Inf	113.53	3	Horizontal	60	1.84	-	33.64	7.77	35.43	
RMS	6.429G	109.87	Inf	-Inf	103.92	3	Horizontal	60	1.84	-	33.62	7.76	35.43	
PK	7.215G	64.16	88.20	-24.04	55.20	3	Horizontal	60	1.84	-	36.26	8.25	35.55	
RMS	7.215G	52.59	68.20	-15.61	43.63	3	Horizontal	60	1.84	-	36.26	8.25	35.55	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.93011G	59.28	88.20	-28.92	43.11	3	Vertical	96	3.00	-	39.03	11.54	34.40	
RMS	12.93009G	46.44	68.20	-21.76	30.27	3	Vertical	96	3.00	-	39.03	11.54	34.40	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.93004G	59.72	88.20	-28.48	43.55	3	Horizontal	294	2.45	-	39.03	11.54	34.40	
RMS	12.93003G	46.48	68.20	-21.72	30.31	3	Horizontal	294	2.45	-	39.03	11.54	34.40	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.40922G	54.02	83.54	-29.52	50.61	1	Vertical	148	1.22	-	37.83	15.26	49.68	
AV	19.40646G	41.19	63.54	-22.35	37.78	1	Vertical	148	1.22	-	37.83	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.38624G	54.04	83.54	-29.50	50.66	1	Horizontal	267	2.68	-	37.81	15.25	49.68	
AV	19.40166G	41.11	63.54	-22.43	37.71	1	Horizontal	267	2.68	-	37.82	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6418G	118.68	Inf	-Inf	111.83	3	Vertical	89	1.24	-	34.18	8.10	35.43	
RMS	6.6418G	110.22	Inf	-Inf	103.37	3	Vertical	89	1.24	-	34.18	8.10	35.43	
PK	7.2082G	63.63	88.20	-24.57	54.72	3	Vertical	89	1.24	-	36.23	8.22	35.54	
RMS	7.225G	52.74	68.20	-15.46	43.72	3	Vertical	89	1.24	-	36.30	8.27	35.55	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6226G	117.57	Inf	-Inf	110.74	3	Horizontal	142	1.28	-	34.15	8.10	35.42	
RMS	6.6226G	109.48	Inf	-Inf	102.65	3	Horizontal	142	1.28	-	34.15	8.10	35.42	
PK	7.2226G	63.42	88.20	-24.78	54.41	3	Horizontal	142	1.28	-	36.29	8.27	35.55	
RMS	7.2226G	52.70	68.20	-15.50	43.69	3	Horizontal	142	1.28	-	36.29	8.27	35.55	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25217G	59.95	74.00	-14.05	42.67	3	Vertical	106	2.08	-	39.30	11.80	33.82
AV	13.25005G	46.22	54.00	-7.78	28.94	3	Vertical	106	2.08	-	39.30	11.80	33.82

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25223G	59.54	74.00	-14.46	42.26	3	Horizontal	358	1.48	-	39.30	11.80	33.82
AV	13.25228G	46.20	54.00	-7.80	28.92	3	Horizontal	358	1.48	-	39.30	11.80	33.82

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom



EUT Y_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88214G	54.82	83.54	-28.72	51.48	1	Vertical	313	2.37	-	37.59	15.45	49.70
AV	19.8651G	42.11	63.54	-21.43	38.74	1	Vertical	313	2.37	-	37.62	15.45	49.70