







		115																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242_1_5610MHz																																																																																																					
ANT		1+2																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak	 Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5372.26</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>38.82</td><td>36.06</td><td>10.93</td><td>32.67</td><td>141</td><td>111 PEAK</td></tr><tr><td>2</td><td>5469.99</td><td>52.14</td><td>68.30</td><td>-16.16</td><td>37.69</td><td>35.98</td><td>11.16</td><td>32.69</td><td>141</td><td>111 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5372.26	53.14	74.00	-20.86	38.82	36.06	10.93	32.67	141	111 PEAK	2	5469.99	52.14	68.30	-16.16	37.69	35.98	11.16	32.69	141	111 PEAK	 Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>95.85</td><td>-----</td><td>-----</td><td>80.53</td><td>36.35</td><td>11.71</td><td>32.74</td><td>141</td><td>111 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.85	-----	-----	80.53	36.35	11.71	32.74	141	111 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5372.26	53.14	74.00	-20.86	38.82	36.06	10.93	32.67	141	111 PEAK																																																																																													
2	5469.99	52.14	68.30	-16.16	37.69	35.98	11.16	32.69	141	111 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	95.85	-----	-----	80.53	36.35	11.71	32.74	141	111 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5427.90</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>28.14</td><td>35.94</td><td>10.99</td><td>32.69</td><td>141</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5427.90	42.38	54.00	-11.62	28.14	35.94	10.99	32.69	141	111 AVERAGE	 Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>87.40</td><td>-----</td><td>-----</td><td>71.98</td><td>36.49</td><td>11.69</td><td>32.76</td><td>141</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	87.40	-----	-----	71.98	36.49	11.69	32.76	141	111 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5427.90	42.38	54.00	-11.62	28.14	35.94	10.99	32.69	141	111 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	87.40	-----	-----	71.98	36.49	11.69	32.76	141	111 AVERAGE																																																																																													



Mode	115																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242_1_5610MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.07</td><td>54.08</td><td>68.30</td><td>-14.22</td><td>38.55</td><td>36.69</td><td>11.64</td><td>32.80</td><td>141 111 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5743.07	54.08	68.30	-14.22	38.55	36.69	11.64	32.80	141 111 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5743.07	54.08	68.30	-14.22	38.55	36.69	11.64	32.80	141 111 PEAK																																	







Mode	115																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242_1_5610MHz																																																																																														
ANT	1+2																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.76</td><td>53.22</td><td>74.00</td><td>-20.78</td><td>38.95</td><td>35.91</td><td>11.05</td><td>32.69</td><td>134</td><td>176 PEAK</td></tr><tr><td>2</td><td>5465.31</td><td>53.46</td><td>68.30</td><td>-14.84</td><td>39.05</td><td>35.96</td><td>11.14</td><td>32.69</td><td>134</td><td>176 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5443.76	53.22	74.00	-20.78	38.95	35.91	11.05	32.69	134	176 PEAK	2	5465.31	53.46	68.30	-14.84	39.05	35.96	11.14	32.69	134	176 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.59</td><td>-----</td><td>-----</td><td>90.20</td><td>36.46</td><td>11.69</td><td>32.76</td><td>134</td><td>176 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.59	-----	-----	90.20	36.46	11.69	32.76	134	176 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5443.76	53.22	74.00	-20.78	38.95	35.91	11.05	32.69	134	176 PEAK																																																																																					
2	5465.31	53.46	68.30	-14.84	39.05	35.96	11.14	32.69	134	176 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5610.00	105.59	-----	-----	90.20	36.46	11.69	32.76	134	176 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.55</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>28.95</td><td>35.93</td><td>11.11</td><td>32.69</td><td>134</td><td>176 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.55	43.30	54.00	-10.70	28.95	35.93	11.11	32.69	134	176 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>96.36</td><td>-----</td><td>-----</td><td>80.97</td><td>36.46</td><td>11.69</td><td>32.76</td><td>134</td><td>176 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.36	-----	-----	80.97	36.46	11.69	32.76	134	176 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5458.55	43.30	54.00	-10.70	28.95	35.93	11.11	32.69	134	176 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5610.00	96.36	-----	-----	80.97	36.46	11.69	32.76	134	176 AVERAGE																																																																																					



Mode	116																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484-3_5250MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5067.88</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>38.59</td><td>35.80</td><td>11.13</td><td>32.61</td><td>154</td><td>111 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5067.88	52.91	74.00	-21.09	38.59	35.80	11.13	32.61	154	111 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.84</td><td>-----</td><td>-----</td><td>77.66</td><td>35.80</td><td>11.03</td><td>32.65</td><td>154</td><td>111 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.84	-----	-----	77.66	35.80	11.03	32.65	154	111 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5067.88	52.91	74.00	-21.09	38.59	35.80	11.13	32.61	154	111 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5250.00	91.84	-----	-----	77.66	35.80	11.03	32.65	154	111 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5071.88</td><td>43.87</td><td>54.00</td><td>-10.13</td><td>29.55</td><td>35.80</td><td>11.13</td><td>32.61</td><td>154</td><td>111 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5071.88	43.87	54.00	-10.13	29.55	35.80	11.13	32.61	154	111 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>82.80</td><td>-----</td><td>-----</td><td>68.62</td><td>35.80</td><td>11.03</td><td>32.65</td><td>154</td><td>111 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	82.80	-----	-----	68.62	35.80	11.03	32.65	154	111 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5071.88	43.87	54.00	-10.13	29.55	35.80	11.13	32.61	154	111 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5250.00	82.80	-----	-----	68.62	35.80	11.03	32.65	154	111 AVERAGE																																																																										







Mode	116																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484-3_5250MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-03-04  5000 5050 5100 5150 5200 5250 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5132.88</td><td>54.92</td><td>74.00</td><td>-19.08</td><td>40.73</td><td>35.73</td><td>11.09</td><td>32.63</td><td>100</td><td>174 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5132.88	54.92	74.00	-19.08	40.73	35.73	11.09	32.63	100	174 PEAK	Level (dBuV/m) Date: 2025-03-04  1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5250.00</td><td>97.06</td><td>-----</td><td>-----</td><td>82.88</td><td>35.80</td><td>11.03</td><td>32.65</td><td>100</td><td>174 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5250.00	97.06	-----	-----	82.88	35.80	11.03	32.65	100	174 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5132.88	54.92	74.00	-19.08	40.73	35.73	11.09	32.63	100	174 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5250.00	97.06	-----	-----	82.88	35.80	11.03	32.65	100	174 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-03-04  5000 5050 5100 5150 5200 5250 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5127.65</td><td>45.70</td><td>54.00</td><td>-8.30</td><td>31.49</td><td>35.74</td><td>11.10</td><td>32.63</td><td>100</td><td>174 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5127.65	45.70	54.00	-8.30	31.49	35.74	11.10	32.63	100	174 AVERAGE	Level (dBuV/m) Date: 2025-03-04  1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5250.00</td><td>89.09</td><td>-----</td><td>-----</td><td>74.92</td><td>35.80</td><td>11.02</td><td>32.65</td><td>100</td><td>174 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5250.00	89.09	-----	-----	74.92	35.80	11.02	32.65	100	174 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5127.65	45.70	54.00	-8.30	31.49	35.74	11.10	32.63	100	174 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5250.00	89.09	-----	-----	74.92	35.80	11.02	32.65	100	174 AVERAGE																																																																									







Mode	116																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484-3_5250MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5406.14</td><td>57.04</td><td>74.00</td><td>-16.96</td><td>42.83</td><td>35.99</td><td>10.90</td><td>32.68</td><td>100</td><td>174 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5406.14	57.04	74.00	-16.96	42.83	35.99	10.90	32.68	100	174 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1 5406.14	57.04	74.00	-16.96	42.83	35.99	10.90	32.68	100	174 PEAK																																	
Avg	Date: 2025-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5397.55</td><td>47.54</td><td>54.00</td><td>-6.46</td><td>33.31</td><td>36.00</td><td>10.91</td><td>32.68</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5397.55	47.54	54.00	-6.46	33.31	36.00	10.91	32.68	100	174 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1 5397.55	47.54	54.00	-6.46	33.31	36.00	10.91	32.68	100	174 AVERAGE																																	



		117																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_4_5570MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5435.47</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>39.47</td><td>35.93</td><td>11.02</td><td>32.69</td><td>159</td><td>112 PEAK</td></tr><tr><td>2 5469.59</td><td>54.02</td><td>68.30</td><td>-14.28</td><td>39.57</td><td>35.98</td><td>11.16</td><td>32.69</td><td>159</td><td>112 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5435.47	53.73	74.00	-20.27	39.47	35.93	11.02	32.69	159	112 PEAK	2 5469.59	54.02	68.30	-14.28	39.57	35.98	11.16	32.69	159	112 PEAK	 Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>91.40</td><td>-----</td><td>-----</td><td>76.78</td><td>36.07</td><td>11.25</td><td>32.70</td><td>159</td><td>112 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	91.40	-----	-----	76.78	36.07	11.25	32.70	159	112 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5435.47	53.73	74.00	-20.27	39.47	35.93	11.02	32.69	159	112 PEAK																																																																																											
2 5469.59	54.02	68.30	-14.28	39.57	35.98	11.16	32.69	159	112 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5570.00	91.40	-----	-----	76.78	36.07	11.25	32.70	159	112 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5453.97</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>30.68</td><td>35.92</td><td>11.10</td><td>32.69</td><td>159</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5453.97	45.01	54.00	-8.99	30.68	35.92	11.10	32.69	159	112 AVERAGE	 Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>81.73</td><td>-----</td><td>-----</td><td>66.65</td><td>36.24</td><td>11.57</td><td>32.73</td><td>159</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	81.73	-----	-----	66.65	36.24	11.57	32.73	159	112 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5453.97	45.01	54.00	-8.99	30.68	35.92	11.10	32.69	159	112 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5570.00	81.73	-----	-----	66.65	36.24	11.57	32.73	159	112 AVERAGE																																																																																											



		117																																																																																	
Mode		Band Edge - L																																																																																	
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_4_5570MHz																																																																																	
ANT		1+2																																																																																	
Pol.		Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-03-05  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.05</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>40.93</td><td>35.91</td><td>11.06</td><td>32.69</td><td>287</td><td>174 PEAK</td></tr><tr><td>2</td><td>5463.85</td><td>55.66</td><td>68.30</td><td>-12.64</td><td>41.25</td><td>35.96</td><td>11.14</td><td>32.69</td><td>287</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5446.05	55.21	74.00	-18.79	40.93	35.91	11.06	32.69	287	174 PEAK	2	5463.85	55.66	68.30	-12.64	41.25	35.96	11.14	32.69	287	174 PEAK	Level (dBuV/m) Date: 2025-03-05  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.62</td><td>-----</td><td>-----</td><td>81.50</td><td>36.25</td><td>11.60</td><td>32.73</td><td>287</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5570.00	96.62	-----	-----	81.50	36.25	11.60	32.73	287	174 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																										
1	5446.05	55.21	74.00	-18.79	40.93	35.91	11.06	32.69	287	174 PEAK																																																																									
2	5463.85	55.66	68.30	-12.64	41.25	35.96	11.14	32.69	287	174 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																										
1	5570.00	96.62	-----	-----	81.50	36.25	11.60	32.73	287	174 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-03-05  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.59</td><td>46.41</td><td>54.00</td><td>-7.59</td><td>32.13</td><td>35.91</td><td>11.06</td><td>32.69</td><td>287</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5445.59	46.41	54.00	-7.59	32.13	35.91	11.06	32.69	287	174 AVERAGE	Level (dBuV/m) Date: 2025-03-05  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>87.78</td><td>-----</td><td>-----</td><td>72.66</td><td>36.25</td><td>11.60</td><td>32.73</td><td>287</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5570.00	87.78	-----	-----	72.66	36.25	11.60	32.73	287	174 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																										
1	5445.59	46.41	54.00	-7.59	32.13	35.91	11.06	32.69	287	174 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																										
1	5570.00	87.78	-----	-----	72.66	36.25	11.60	32.73	287	174 AVERAGE																																																																									



Mode	117																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_4_5570MHz																																								
ANT	1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	Date: 2025-03-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.40</td><td>54.65</td><td>68.30</td><td>-13.65</td><td>39.12</td><td>36.69</td><td>11.64</td><td>32.80</td><td>287</td><td>174 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5746.40	54.65	68.30	-13.65	39.12	36.69	11.64	32.80	287	174 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5746.40	54.65	68.30	-13.65	39.12	36.69	11.64	32.80	287	174 PEAK																															



Mode	117																																																					
	Harmonic																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_4_5570MHz																																																					
ANT	1+2																																																					
Pol.	Horizontal	Vertical																																																				
Peak Avg	Date: 2025-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.47</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>39.47</td><td>35.93</td><td>11.02</td><td>32.69</td><td>159</td><td>112 PEAK</td></tr><tr><td>2</td><td>5469.59</td><td>54.02</td><td>68.30</td><td>-14.28</td><td>39.57</td><td>35.98</td><td>11.16</td><td>32.69</td><td>159</td><td>112 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5435.47	53.73	74.00	-20.27	39.47	35.93	11.02	32.69	159	112 PEAK	2	5469.59	54.02	68.30	-14.28	39.57	35.98	11.16	32.69	159	112 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																													
1	5435.47	53.73	74.00	-20.27	39.47	35.93	11.02	32.69	159	112 PEAK																																												
2	5469.59	54.02	68.30	-14.28	39.57	35.98	11.16	32.69	159	112 PEAK																																												



Mode	118																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_4_5775MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.41</td><td>59.10</td><td>68.30</td><td>-9.20</td><td>43.72</td><td>36.45</td><td>11.69</td><td>32.76</td><td>398</td><td>185 PEAK</td></tr><tr><td>2</td><td>5652.41</td><td>59.31</td><td>70.09</td><td>-10.78</td><td>43.88</td><td>36.50</td><td>11.69</td><td>32.76</td><td>398</td><td>185 PEAK</td></tr><tr><td>3</td><td>5700.73</td><td>67.70</td><td>105.40</td><td>-37.70</td><td>52.22</td><td>36.60</td><td>11.66</td><td>32.78</td><td>398</td><td>185 PEAK</td></tr><tr><td>4</td><td>5720.02</td><td>68.86</td><td>110.83</td><td>-41.97</td><td>53.35</td><td>36.64</td><td>11.66</td><td>32.79</td><td>398</td><td>185 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5638.41	59.10	68.30	-9.20	43.72	36.45	11.69	32.76	398	185 PEAK	2	5652.41	59.31	70.09	-10.78	43.88	36.50	11.69	32.76	398	185 PEAK	3	5700.73	67.70	105.40	-37.70	52.22	36.60	11.66	32.78	398	185 PEAK	4	5720.02	68.86	110.83	-41.97	53.35	36.64	11.66	32.79	398	185 PEAK	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>105.00</td><td>-----</td><td>-----</td><td>89.46</td><td>36.70</td><td>11.64</td><td>32.80</td><td>398</td><td>185 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	105.00	-----	-----	89.46	36.70	11.64	32.80	398	185 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5638.41	59.10	68.30	-9.20	43.72	36.45	11.69	32.76	398	185 PEAK																																																																																																																			
2	5652.41	59.31	70.09	-10.78	43.88	36.50	11.69	32.76	398	185 PEAK																																																																																																																			
3	5700.73	67.70	105.40	-37.70	52.22	36.60	11.66	32.78	398	185 PEAK																																																																																																																			
4	5720.02	68.86	110.83	-41.97	53.35	36.64	11.66	32.79	398	185 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	105.00	-----	-----	89.46	36.70	11.64	32.80	398	185 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.11</td><td>-----</td><td>-----</td><td>81.59</td><td>36.68</td><td>11.64</td><td>32.80</td><td>398</td><td>185 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.11	-----	-----	81.59	36.68	11.64	32.80	398	185 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	97.11	-----	-----	81.59	36.68	11.64	32.80	398	185 AVERAGE																																																																																																																			



Mode	118																																																								
	Band Edge - R																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_4_5775MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	Date: 2025-03-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5854.99</td><td>58.66</td><td>110.82</td><td>-52.16</td><td>43.47</td><td>36.51</td><td>11.52</td><td>32.84</td><td>398</td><td>185 PEAK</td></tr><tr><td>2</td><td>5870.11</td><td>59.49</td><td>106.57</td><td>-47.08</td><td>44.30</td><td>36.54</td><td>11.50</td><td>32.85</td><td>398</td><td>185 PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>53.83</td><td>68.79</td><td>-14.96</td><td>38.65</td><td>36.65</td><td>11.40</td><td>32.87</td><td>398</td><td>185 PEAK</td></tr><tr><td>4</td><td>5949.91</td><td>53.99</td><td>68.30</td><td>-14.31</td><td>38.81</td><td>36.70</td><td>11.36</td><td>32.88</td><td>398</td><td>185 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1	5854.99	58.66	110.82	-52.16	43.47	36.51	11.52	32.84	398	185 PEAK	2	5870.11	59.49	106.57	-47.08	44.30	36.54	11.50	32.85	398	185 PEAK	3	5924.21	53.83	68.79	-14.96	38.65	36.65	11.40	32.87	398	185 PEAK	4	5949.91	53.99	68.30	-14.31	38.81	36.70	11.36	32.88	398	185 PEAK	Blank
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																															
1	5854.99	58.66	110.82	-52.16	43.47	36.51	11.52	32.84	398	185 PEAK																																															
2	5870.11	59.49	106.57	-47.08	44.30	36.54	11.50	32.85	398	185 PEAK																																															
3	5924.21	53.83	68.79	-14.96	38.65	36.65	11.40	32.87	398	185 PEAK																																															
4	5949.91	53.99	68.30	-14.31	38.81	36.70	11.36	32.88	398	185 PEAK																																															







Mode	118																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_4_5775MHz																																																																																																																				
ANT	1+2																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5620.04</td><td>55.61</td><td>68.30</td><td>-12.69</td><td>40.28</td><td>36.38</td><td>11.70</td><td>32.75</td><td>400</td><td>139 PEAK</td></tr><tr><td>2</td><td>5651.36</td><td>54.13</td><td>69.31</td><td>-15.18</td><td>38.70</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>139 PEAK</td></tr><tr><td>3</td><td>5702.66</td><td>60.39</td><td>105.94</td><td>-45.55</td><td>44.90</td><td>36.61</td><td>11.66</td><td>32.78</td><td>400</td><td>139 PEAK</td></tr><tr><td>4</td><td>5720.16</td><td>60.51</td><td>111.15</td><td>-50.64</td><td>45.00</td><td>36.64</td><td>11.66</td><td>32.79</td><td>400</td><td>139 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5620.04	55.61	68.30	-12.69	40.28	36.38	11.70	32.75	400	139 PEAK	2	5651.36	54.13	69.31	-15.18	38.70	36.50	11.69	32.76	400	139 PEAK	3	5702.66	60.39	105.94	-45.55	44.90	36.61	11.66	32.78	400	139 PEAK	4	5720.16	60.51	111.15	-50.64	45.00	36.64	11.66	32.79	400	139 PEAK	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>101.48</td><td>-----</td><td>-----</td><td>86.02</td><td>36.64</td><td>11.63</td><td>32.81</td><td>400</td><td>139 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.48	-----	-----	86.02	36.64	11.63	32.81	400	139 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5620.04	55.61	68.30	-12.69	40.28	36.38	11.70	32.75	400	139 PEAK																																																																																																											
2	5651.36	54.13	69.31	-15.18	38.70	36.50	11.69	32.76	400	139 PEAK																																																																																																											
3	5702.66	60.39	105.94	-45.55	44.90	36.61	11.66	32.78	400	139 PEAK																																																																																																											
4	5720.16	60.51	111.15	-50.64	45.00	36.64	11.66	32.79	400	139 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	101.48	-----	-----	86.02	36.64	11.63	32.81	400	139 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>92.67</td><td>-----</td><td>-----</td><td>77.15</td><td>36.68</td><td>11.64</td><td>32.80</td><td>400</td><td>139 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.67	-----	-----	77.15	36.68	11.64	32.80	400	139 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	92.67	-----	-----	77.15	36.68	11.64	32.80	400	139 AVERAGE																																																																																																											



Mode	118																																																								
	Band Edge - R																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_4_5775MHz																																																								
ANT	1+2																																																								
Pol.	Vertical	Fundamental																																																							
Peak	Date: 2025-03-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5854.73</td><td>54.02</td><td>111.42</td><td>-57.40</td><td>38.83</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>139 PEAK</td></tr><tr><td>2</td><td>5870.48</td><td>55.04</td><td>106.46</td><td>-51.42</td><td>39.85</td><td>36.54</td><td>11.50</td><td>32.85</td><td>400</td><td>139 PEAK</td></tr><tr><td>3</td><td>5924.91</td><td>52.54</td><td>68.27</td><td>-15.73</td><td>37.36</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>139 PEAK</td></tr><tr><td>4</td><td>5937.66</td><td>53.90</td><td>68.30</td><td>-14.40</td><td>38.72</td><td>36.68</td><td>11.38</td><td>32.88</td><td>400</td><td>139 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1	5854.73	54.02	111.42	-57.40	38.83	36.51	11.52	32.84	400	139 PEAK	2	5870.48	55.04	106.46	-51.42	39.85	36.54	11.50	32.85	400	139 PEAK	3	5924.91	52.54	68.27	-15.73	37.36	36.65	11.40	32.87	400	139 PEAK	4	5937.66	53.90	68.30	-14.40	38.72	36.68	11.38	32.88	400	139 PEAK	Blank
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																															
1	5854.73	54.02	111.42	-57.40	38.83	36.51	11.52	32.84	400	139 PEAK																																															
2	5870.48	55.04	106.46	-51.42	39.85	36.54	11.50	32.85	400	139 PEAK																																															
3	5924.91	52.54	68.27	-15.73	37.36	36.65	11.40	32.87	400	139 PEAK																																															
4	5937.66	53.90	68.30	-14.40	38.72	36.68	11.38	32.88	400	139 PEAK																																															



Mode	119																																																																																														
	Band Edge - L																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M_4_5210MHz																																																																																														
ANT	1+2																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5141.88</td><td>54.63</td><td>74.00</td><td>-19.37</td><td>40.45</td><td>35.72</td><td>11.09</td><td>32.63</td><td>158</td><td>110 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5141.88	54.63	74.00	-19.37	40.45	35.72	11.09	32.63	158	110 PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5210.00</td><td>100.40</td><td>-----</td><td>-----</td><td>86.19</td><td>35.79</td><td>11.06</td><td>32.64</td><td>158</td><td>110 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5210.00	100.40	-----	-----	86.19	35.79	11.06	32.64	158
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5141.88	54.63	74.00	-19.37	40.45	35.72	11.09	32.63	158	110 PEAK																																																																																					
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5210.00	100.40	-----	-----	86.19	35.79	11.06	32.64	158	110 PEAK																																																																																					
Avg																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.39</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>30.32</td><td>35.70</td><td>11.09</td><td>32.63</td><td>158</td><td>110 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5148.39	44.48	54.00	-9.52	30.32	35.70	11.09	32.63	158	110 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5210.00</td><td>91.15</td><td>-----</td><td>-----</td><td>76.94</td><td>35.79</td><td>11.06</td><td>32.64</td><td>158</td><td>110 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5210.00	91.15	-----	-----	76.94	35.79	11.06	32.64	158
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5148.39	44.48	54.00	-9.52	30.32	35.70	11.09	32.63	158	110 AVERAGE																																																																																					
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5210.00	91.15	-----	-----	76.94	35.79	11.06	32.64	158	110 AVERAGE																																																																																					



Mode	119									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M_4_5210MHz									
ANT	1+2									
Pol.	Horizontal					Fundamental				
Peak										



Mode	119																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M_4_5210MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.84</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>42.64</td><td>35.70</td><td>11.09</td><td>32.63</td><td>100 175 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.84	56.80	74.00	-17.20	42.64	35.70	11.09	32.63	100 175 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>104.63</td><td>-----</td><td>-----</td><td>90.43</td><td>35.77</td><td>11.07</td><td>32.64</td><td>100 175 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5210.00	104.63	-----	-----	90.43	35.77	11.07	32.64	100 175 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.84	56.80	74.00	-17.20	42.64	35.70	11.09	32.63	100 175 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5210.00	104.63	-----	-----	90.43	35.77	11.07	32.64	100 175 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.23</td><td>47.33</td><td>54.00</td><td>-6.67</td><td>33.17</td><td>35.70</td><td>11.09</td><td>32.63</td><td>100 175 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.23	47.33	54.00	-6.67	33.17	35.70	11.09	32.63	100 175 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>96.63</td><td>-----</td><td>-----</td><td>82.42</td><td>35.80</td><td>11.05</td><td>32.64</td><td>100 175 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5210.00	96.63	-----	-----	82.42	35.80	11.05	32.64	100 175 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.23	47.33	54.00	-6.67	33.17	35.70	11.09	32.63	100 175 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5210.00	96.63	-----	-----	82.42	35.80	11.05	32.64	100 175 AVERAGE																																																																		



Mode	119																																		
	Band Edge - R																																		
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M_4_5210MHz																																		
ANT	1+2																																		
Pol.	Vertical	Fundamental																																	
Peak	Date: 2025-03-04 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5352.15</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>38.76</td><td>36.10</td><td>10.94</td><td>32.67</td><td>100</td><td>175 PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5352.15	53.13	74.00	-20.87	38.76	36.10	10.94	32.67	100	175 PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1	5352.15	53.13	74.00	-20.87	38.76	36.10	10.94	32.67	100	175 PEAK																									
Avg	Date: 2025-03-04 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5351.88</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>28.71</td><td>36.10</td><td>10.94</td><td>32.67</td><td>100</td><td>175 AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5351.88	43.08	54.00	-10.92	28.71	36.10	10.94	32.67	100	175 AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1	5351.88	43.08	54.00	-10.92	28.71	36.10	10.94	32.67	100	175 AVERAGE																									



Mode	120																																																
	Band Edge - L																																																
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M_1_5290MHz																																																
ANT	1+2																																																
Pol.	Horizontal					Fundamental																																											
Peak	Level (dBuV/m) Date: 2025-03-04 1 5025.38 53.21 74.00 -20.79 38.86 35.80 11.16 32.61 153 109 PEAK					Level (dBuV/m) Date: 2025-03-04 1 5290.00 98.54 ----- 84.40 35.80 11.00 32.66 153 109 PEAK																																											
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5025.38</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>38.86</td><td>35.80</td><td>11.16</td><td>32.61</td><td>153</td><td>109 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5025.38	53.21	74.00	-20.79	38.86	35.80	11.16	32.61	153	109 PEAK	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5290.00</td><td>98.54</td><td>-----</td><td>84.40</td><td>35.80</td><td>11.00</td><td>32.66</td><td>153</td><td>109</td><td>PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5290.00	98.54	-----	84.40	35.80	11.00	32.66	153	109
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5025.38	53.21	74.00	-20.79	38.86	35.80	11.16	32.61	153	109 PEAK																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5290.00	98.54	-----	84.40	35.80	11.00	32.66	153	109	PEAK																																								
Avg	Level (dBuV/m) Date: 2025-03-04 1 5096.72 42.97 54.00 -11.03 28.67 35.80 11.12 32.62 153 109 AVERAGE					Level (dBuV/m) Date: 2025-03-04 1 5290.00 89.18 ----- 75.05 35.80 10.99 32.66 153 109 AVERAGE																																											
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5096.72</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>28.67</td><td>35.80</td><td>11.12</td><td>32.62</td><td>153</td><td>109 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5096.72	42.97	54.00	-11.03	28.67	35.80	11.12	32.62	153	109 AVERAGE	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5290.00</td><td>89.18</td><td>-----</td><td>75.05</td><td>35.80</td><td>10.99</td><td>32.66</td><td>153</td><td>109</td><td>AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5290.00	89.18	-----	75.05	35.80	10.99	32.66	153	109
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5096.72	42.97	54.00	-11.03	28.67	35.80	11.12	32.62	153	109 AVERAGE																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5290.00	89.18	-----	75.05	35.80	10.99	32.66	153	109	AVERAGE																																								



Mode	120																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M_1_5290MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-04 50005058.155116517452325290 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5058.15</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>39.43</td><td>35.80</td><td>11.14</td><td>32.61</td><td>100 168 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5058.15	53.76	74.00	-20.24	39.43	35.80	11.14	32.61	100 168 PEAK	Level (dBuV/m) Date: 2025-03-04 100022003400460058007000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>104.98</td><td>-----</td><td>-----</td><td>90.86</td><td>35.80</td><td>10.98</td><td>32.66</td><td>100 168 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	104.98	-----	-----	90.86	35.80	10.98	32.66	100 168 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5058.15	53.76	74.00	-20.24	39.43	35.80	11.14	32.61	100 168 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5290.00	104.98	-----	-----	90.86	35.80	10.98	32.66	100 168 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-04 50005058.155116517452325290 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.77</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>29.20</td><td>35.74</td><td>11.10</td><td>32.63</td><td>100 168 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5127.77	43.41	54.00	-10.59	29.20	35.74	11.10	32.63	100 168 AVERAGE	Level (dBuV/m) Date: 2025-03-04 100022003400460058007000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>96.31</td><td>-----</td><td>-----</td><td>82.17</td><td>35.80</td><td>11.00</td><td>32.66</td><td>100 168 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.31	-----	-----	82.17	35.80	11.00	32.66	100 168 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5127.77	43.41	54.00	-10.59	29.20	35.74	11.10	32.63	100 168 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5290.00	96.31	-----	-----	82.17	35.80	11.00	32.66	100 168 AVERAGE																																																																																	







		121																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M_4_5530MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.31</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>40.74</td><td>35.93</td><td>11.10</td><td>32.69</td><td>185</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5461.71</td><td>53.94</td><td>68.30</td><td>-14.36</td><td>39.55</td><td>35.95</td><td>11.13</td><td>32.69</td><td>185</td><td>117</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.31	55.08	74.00	-18.92	40.74	35.93	11.10	32.69	185	117	PEAK	2	5461.71	53.94	68.30	-14.36	39.55	35.95	11.13	32.69	185	117	PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.24</td><td>-----</td><td>-----</td><td>81.47</td><td>36.13</td><td>11.35</td><td>32.71</td><td>185</td><td>117</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.24	-----	-----	81.47	36.13	11.35	32.71	185	117	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5456.31	55.08	74.00	-18.92	40.74	35.93	11.10	32.69	185	117	PEAK																																																																																									
2	5461.71	53.94	68.30	-14.36	39.55	35.95	11.13	32.69	185	117	PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	96.24	-----	-----	81.47	36.13	11.35	32.71	185	117	PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.35</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>29.04</td><td>35.94</td><td>11.12</td><td>32.69</td><td>185</td><td>117</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.35	43.41	54.00	-10.59	29.04	35.94	11.12	32.69	185	117	AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>87.48</td><td>-----</td><td>-----</td><td>72.71</td><td>36.13</td><td>11.35</td><td>32.71</td><td>185</td><td>117</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.48	-----	-----	72.71	36.13	11.35	32.71	185	117	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.35	43.41	54.00	-10.59	29.04	35.94	11.12	32.69	185	117	AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	87.48	-----	-----	72.71	36.13	11.35	32.71	185	117	AVERAGE																																																																																									



Mode	121																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M_4_5530MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-03-04 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.75</td><td>55.16</td><td>68.30</td><td>-13.14</td><td>39.62</td><td>36.70</td><td>11.64</td><td>32.80</td><td>185</td><td>117</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5751.75	55.16	68.30	-13.14	39.62	36.70	11.64	32.80	185	117	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5751.75	55.16	68.30	-13.14	39.62	36.70	11.64	32.80	185	117	PEAK																															



Mode	121																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M_4_5530MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, with a red line indicating the limit at 70.0 dBuV/m. The signal level is below the limit until 5458 MHz, where it rises sharply to approximately 105 dBuV/m. A red label 'PART 15.407' is present.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue line representing the signal level, with a red line indicating the limit at 70.0 dBuV/m. The signal level is below the limit until 5458 MHz, where it rises sharply to approximately 105 dBuV/m. A red label 'PART 15.407' is present.																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.59</td><td>59.45</td><td>74.00</td><td>-14.55</td><td>45.17</td><td>35.91</td><td>11.06</td><td>32.69</td><td>100 172 PEAK</td></tr><tr><td>2</td><td>5462.05</td><td>61.25</td><td>68.30</td><td>-7.05</td><td>46.86</td><td>35.95</td><td>11.13</td><td>32.69</td><td>100 172 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5444.59	59.45	74.00	-14.55	45.17	35.91	11.06	32.69	100 172 PEAK	2	5462.05	61.25	68.30	-7.05	46.86	35.95	11.13	32.69	100 172 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>106.12</td><td>-----</td><td>-----</td><td>91.35</td><td>36.13</td><td>11.35</td><td>32.71</td><td>100 172 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	106.12	-----	-----	91.35	36.13	11.35	32.71
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5444.59	59.45	74.00	-14.55	45.17	35.91	11.06	32.69	100 172 PEAK																																																																																										
2	5462.05	61.25	68.30	-7.05	46.86	35.95	11.13	32.69	100 172 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5530.00	106.12	-----	-----	91.35	36.13	11.35	32.71	100 172 PEAK																																																																																										
Avg	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the average signal level, with a red line indicating the limit at 70.0 dBuV/m. The signal level is below the limit until 5458 MHz, where it rises sharply to approximately 105 dBuV/m. A red label 'PART 15.407 AVG' is present.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue line representing the average signal level, with a red line indicating the limit at 70.0 dBuV/m. The signal level is below the limit until 5458 MHz, where it rises sharply to approximately 105 dBuV/m. A red label 'PART 15.407 AVG' is present.																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.47</td><td>46.79</td><td>54.00</td><td>-7.21</td><td>32.44</td><td>35.93</td><td>11.11</td><td>32.69</td><td>100 172 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.47	46.79	54.00	-7.21	32.44	35.93	11.11	32.69	100 172 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.33</td><td>-----</td><td>-----</td><td>81.53</td><td>36.14</td><td>11.37</td><td>32.71</td><td>100 172 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.33	-----	-----	81.53	36.14	11.37	32.71	100 172 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5458.47	46.79	54.00	-7.21	32.44	35.93	11.11	32.69	100 172 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5530.00	96.33	-----	-----	81.53	36.14	11.37	32.71	100 172 AVERAGE																																																																																										



Mode	121																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M_4_5530MHz																																																									
ANT	1+2																																																									
Pol.	Vertical	Fundamental																																																								
Peak	Date: 2025-03-04 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5741.62</td><td>53.69</td><td>68.30</td><td>-14.61</td><td>38.16</td><td>36.68</td><td>11.65</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.80</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>172 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	5741.62	53.69	68.30	-14.61	38.16	36.68	11.65							32.80								100									172 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																			
1	5741.62	53.69	68.30	-14.61	38.16	36.68	11.65																																																			
						32.80																																																				
						100																																																				
							172 PEAK																																																			



Mode	122																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M_1_5610MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.75</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>38.42</td><td>35.90</td><td>11.08</td><td>32.69</td><td>147</td><td>114 PEAK</td></tr><tr><td>2</td><td>5462.71</td><td>51.92</td><td>68.30</td><td>-16.38</td><td>37.53</td><td>35.95</td><td>11.13</td><td>32.69</td><td>147</td><td>114 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5450.75	52.71	74.00	-21.29	38.42	35.90	11.08	32.69	147	114 PEAK	2	5462.71	51.92	68.30	-16.38	37.53	35.95	11.13	32.69	147	114 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>98.04</td><td>-----</td><td>-----</td><td>82.67</td><td>36.42</td><td>11.70</td><td>32.75</td><td>147</td><td>114 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.04	-----	-----	82.67	36.42	11.70	32.75	147	114 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5450.75	52.71	74.00	-21.29	38.42	35.90	11.08	32.69	147	114 PEAK																																																																																													
2	5462.71	51.92	68.30	-16.38	37.53	35.95	11.13	32.69	147	114 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	98.04	-----	-----	82.67	36.42	11.70	32.75	147	114 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.89</td><td>42.32</td><td>54.00</td><td>-11.68</td><td>27.96</td><td>36.09</td><td>10.94</td><td>32.67</td><td>147</td><td>114 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5356.89	42.32	54.00	-11.68	27.96	36.09	10.94	32.67	147	114 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>89.10</td><td>-----</td><td>-----</td><td>73.76</td><td>36.39</td><td>11.70</td><td>32.75</td><td>147</td><td>113 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.10	-----	-----	73.76	36.39	11.70	32.75	147	113 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5356.89	42.32	54.00	-11.68	27.96	36.09	10.94	32.67	147	114 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	89.10	-----	-----	73.76	36.39	11.70	32.75	147	113 AVERAGE																																																																																													







Mode	122																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M_1_5610MHz																																								
ANT	1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	Date: 2025-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.98</td><td>53.89</td><td>68.30</td><td>-14.41</td><td>38.37</td><td>36.68</td><td>11.64</td><td>32.80</td><td>147</td><td>113 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5759.98	53.89	68.30	-14.41	38.37	36.68	11.64	32.80	147	113 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5759.98	53.89	68.30	-14.41	38.37	36.68	11.64	32.80	147	113 PEAK																															



		122																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M_1_5610MHz																																																																																																								
ANT		1+2																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak		Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5397.97</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>38.76</td><td>36.00</td><td>10.91</td><td>32.68</td><td>103</td><td>204 PEAK</td></tr><tr><td>2</td><td>5461.44</td><td>52.77</td><td>68.30</td><td>-15.53</td><td>38.38</td><td>35.95</td><td>11.13</td><td>32.69</td><td>103</td><td>204 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.00</td><td>-----</td><td>-----</td><td>88.78</td><td>36.29</td><td>11.67</td><td>32.74</td><td>103</td><td>204 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5397.97	52.99	74.00	-21.01	38.76	36.00	10.91	32.68	103	204 PEAK	2	5461.44	52.77	68.30	-15.53	38.38	35.95	11.13	32.69	103	204 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.00	-----	-----	88.78	36.29	11.67	32.74	103	204 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5397.97	52.99	74.00	-21.01	38.76	36.00	10.91	32.68	103	204 PEAK																																																																																																
2	5461.44	52.77	68.30	-15.53	38.38	35.95	11.13	32.69	103	204 PEAK																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	104.00	-----	-----	88.78	36.29	11.67	32.74	103	204 PEAK																																																																																																
Avg		Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.51</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>28.49</td><td>35.93</td><td>11.11</td><td>32.69</td><td>103</td><td>204 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.64</td><td>-----</td><td>-----</td><td>79.42</td><td>36.29</td><td>11.67</td><td>32.74</td><td>103</td><td>204 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5457.51	42.84	54.00	-11.16	28.49	35.93	11.11	32.69	103	204 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.64	-----	-----	79.42	36.29	11.67	32.74	103	204 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5457.51	42.84	54.00	-11.16	28.49	35.93	11.11	32.69	103	204 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	94.64	-----	-----	79.42	36.29	11.67	32.74	103	204 AVERAGE																																																																																																



Mode	123																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M-3_5250MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal																																																																																																					
Peak	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.38</td><td>61.72</td><td>74.00</td><td>-12.28</td><td>47.55</td><td>35.71</td><td>11.09</td><td>32.63</td><td>152</td><td>111</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.38	61.72	74.00	-12.28	47.55	35.71	11.09	32.63	152	111	PEAK	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>93.74</td><td>-----</td><td>-----</td><td>79.56</td><td>35.80</td><td>11.03</td><td>32.65</td><td>152</td><td>111</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	93.74	-----	-----	79.56	35.80	11.03	32.65	152	111	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5146.38	61.72	74.00	-12.28	47.55	35.71	11.09	32.63	152	111	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5250.00	93.74	-----	-----	79.56	35.80	11.03	32.65	152	111	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.65</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>33.85</td><td>35.75</td><td>11.10</td><td>32.63</td><td>152</td><td>111</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5125.65	48.07	54.00	-5.93	33.85	35.75	11.10	32.63	152	111	AVERAGE	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>85.36</td><td>-----</td><td>-----</td><td>71.18</td><td>35.80</td><td>11.03</td><td>32.65</td><td>152</td><td>111</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	85.36	-----	-----	71.18	35.80	11.03	32.65	152	111	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5125.65	48.07	54.00	-5.93	33.85	35.75	11.10	32.63	152	111	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5250.00	85.36	-----	-----	71.18	35.80	11.03	32.65	152	111	AVERAGE																																																																																											



Mode	123										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M-3_5250MHz										
ANT	1+2										
Pol.	Horizontal										Fundamental
Peak											



Mode	123																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M-3_5250MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.88</td><td>60.16</td><td>74.00</td><td>-13.84</td><td>45.97</td><td>35.73</td><td>11.09</td><td>32.63</td><td>100</td><td>175</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5133.88	60.16	74.00	-13.84	45.97	35.73	11.09	32.63	100	175	PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>99.56</td><td>-----</td><td>-----</td><td>85.39</td><td>35.80</td><td>11.02</td><td>32.65</td><td>100</td><td>175</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	99.56	-----	-----	85.39	35.80	11.02	32.65	100	175	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5133.88	60.16	74.00	-13.84	45.97	35.73	11.09	32.63	100	175	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	99.56	-----	-----	85.39	35.80	11.02	32.65	100	175	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.65</td><td>48.19</td><td>54.00</td><td>-5.81</td><td>34.00</td><td>35.73</td><td>11.09</td><td>32.63</td><td>100</td><td>175</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5133.65	48.19	54.00	-5.81	34.00	35.73	11.09	32.63	100	175	AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>89.89</td><td>-----</td><td>-----</td><td>75.72</td><td>35.80</td><td>11.02</td><td>32.65</td><td>100</td><td>175</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	89.89	-----	-----	75.72	35.80	11.02	32.65	100	175	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5133.65	48.19	54.00	-5.81	34.00	35.73	11.09	32.63	100	175	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	89.89	-----	-----	75.72	35.80	11.02	32.65	100	175	AVERAGE																																																																																	



Mode	123									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M-3_5250MHz									
ANT	1+2									
Pol.	Vertical					Fundamental				
Peak										



		124																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M-4_5570MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.85</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>38.65</td><td>35.91</td><td>11.05</td><td>32.69</td><td>151 154 PEAK</td></tr><tr><td>2</td><td>5465.17</td><td>53.01</td><td>68.30</td><td>-15.29</td><td>38.60</td><td>35.96</td><td>11.14</td><td>32.69</td><td>151 154 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5443.85	52.92	74.00	-21.08	38.65	35.91	11.05	32.69	151 154 PEAK	2	5465.17	53.01	68.30	-15.29	38.60	35.96	11.14	32.69	151 154 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>89.15</td><td>-----</td><td>-----</td><td>74.03</td><td>36.25</td><td>11.60</td><td>32.73</td><td>151 154 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	89.15	-----	-----	74.03	36.25	11.60	32.73	151 154 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5443.85	52.92	74.00	-21.08	38.65	35.91	11.05	32.69	151 154 PEAK																																																																																											
2	5465.17	53.01	68.30	-15.29	38.60	35.96	11.14	32.69	151 154 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	89.15	-----	-----	74.03	36.25	11.60	32.73	151 154 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.77</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>28.62</td><td>35.92</td><td>11.03</td><td>32.69</td><td>151 154 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5438.77	42.88	54.00	-11.12	28.62	35.92	11.03	32.69	151 154 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>79.91</td><td>-----</td><td>-----</td><td>64.79</td><td>36.25</td><td>11.60</td><td>32.73</td><td>151 154 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	79.91	-----	-----	64.79	36.25	11.60	32.73	151 154 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5438.77	42.88	54.00	-11.12	28.62	35.92	11.03	32.69	151 154 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	79.91	-----	-----	64.79	36.25	11.60	32.73	151 154 AVERAGE																																																																																											



Mode	124																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M-4_5570MHz																																							
ANT	1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	Date: 2025-03-04 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.11</td><td>53.79</td><td>68.30</td><td>-14.51</td><td>38.26</td><td>36.68</td><td>11.65</td><td>32.80</td><td>151 154 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5741.11	53.79	68.30	-14.51	38.26	36.68	11.65	32.80	151 154 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5741.11	53.79	68.30	-14.51	38.26	36.68	11.65	32.80	151 154 PEAK																															



Mode	124																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M-4_5570MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5450.89</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>39.49</td><td>35.90</td><td>11.08</td><td>32.69</td><td>105</td><td>173 PEAK</td></tr><tr><td>2 5467.81</td><td>53.27</td><td>68.30</td><td>-15.03</td><td>38.84</td><td>35.97</td><td>11.15</td><td>32.69</td><td>105</td><td>173 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5450.89	53.78	74.00	-20.22	39.49	35.90	11.08	32.69	105	173 PEAK	2 5467.81	53.27	68.30	-15.03	38.84	35.97	11.15	32.69	105	173 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>99.13</td><td>-----</td><td>-----</td><td>84.01</td><td>36.25</td><td>11.60</td><td>32.73</td><td>105</td><td>173 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	99.13	-----	-----	84.01	36.25	11.60	32.73	105	173 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5450.89	53.78	74.00	-20.22	39.49	35.90	11.08	32.69	105	173 PEAK																																																																																											
2 5467.81	53.27	68.30	-15.03	38.84	35.97	11.15	32.69	105	173 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5570.00	99.13	-----	-----	84.01	36.25	11.60	32.73	105	173 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5452.43</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>29.54</td><td>35.91</td><td>11.09</td><td>32.69</td><td>105</td><td>173 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5452.43	43.85	54.00	-10.15	29.54	35.91	11.09	32.69	105	173 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>89.42</td><td>-----</td><td>-----</td><td>74.41</td><td>36.21</td><td>11.52</td><td>32.72</td><td>105</td><td>173 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	89.42	-----	-----	74.41	36.21	11.52	32.72	105	173 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5452.43	43.85	54.00	-10.15	29.54	35.91	11.09	32.69	105	173 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5570.00	89.42	-----	-----	74.41	36.21	11.52	32.72	105	173 AVERAGE																																																																																											






Mode	124																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M-4_5570MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.19</td><td>53.96</td><td>68.30</td><td>-14.34</td><td>38.44</td><td>36.66</td><td>11.65</td><td>32.79</td><td>105</td><td>173</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5731.19	53.96	68.30	-14.34	38.44	36.66	11.65	32.79	105	173	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5731.19	53.96	68.30	-14.34	38.44	36.66	11.65	32.79	105	173	PEAK																															





Mode	125																																																								
	Band Edge - R																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_4_5775MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	Date: 2025-03-04 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.36</td><td>65.23</td><td>112.25</td><td>-47.02</td><td>50.04</td><td>36.51</td><td>11.52</td><td>32.84</td><td>159</td><td>111 PEAK</td></tr><tr><td>2</td><td>5871.34</td><td>64.11</td><td>106.22</td><td>-42.11</td><td>48.93</td><td>36.54</td><td>11.49</td><td>32.85</td><td>159</td><td>111 PEAK</td></tr><tr><td>3</td><td>5924.73</td><td>52.28</td><td>68.40</td><td>-16.12</td><td>37.10</td><td>36.65</td><td>11.40</td><td>32.87</td><td>159</td><td>111 PEAK</td></tr><tr><td>4</td><td>5928.91</td><td>53.94</td><td>68.30</td><td>-14.36</td><td>38.75</td><td>36.66</td><td>11.40</td><td>32.87</td><td>159</td><td>111 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5854.36	65.23	112.25	-47.02	50.04	36.51	11.52	32.84	159	111 PEAK	2	5871.34	64.11	106.22	-42.11	48.93	36.54	11.49	32.85	159	111 PEAK	3	5924.73	52.28	68.40	-16.12	37.10	36.65	11.40	32.87	159	111 PEAK	4	5928.91	53.94	68.30	-14.36	38.75	36.66	11.40	32.87	159	111 PEAK	Blank
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																
1	5854.36	65.23	112.25	-47.02	50.04	36.51	11.52	32.84	159	111 PEAK																																															
2	5871.34	64.11	106.22	-42.11	48.93	36.54	11.49	32.85	159	111 PEAK																																															
3	5924.73	52.28	68.40	-16.12	37.10	36.65	11.40	32.87	159	111 PEAK																																															
4	5928.91	53.94	68.30	-14.36	38.75	36.66	11.40	32.87	159	111 PEAK																																															



Mode	125																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_4_5775MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-04 PEAK_BE[BA]_10-24  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.28</td><td>59.85</td><td>68.30</td><td>-8.45</td><td>44.42</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5650.02</td><td>57.52</td><td>68.31</td><td>-10.79</td><td>42.09</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>135</td><td>PEAK</td></tr><tr><td>3</td><td>5700.73</td><td>62.42</td><td>105.40</td><td>-42.98</td><td>46.94</td><td>36.60</td><td>11.66</td><td>32.78</td><td>400</td><td>135</td><td>PEAK</td></tr><tr><td>4</td><td>5720.02</td><td>60.67</td><td>110.83</td><td>-50.16</td><td>45.16</td><td>36.64</td><td>11.66</td><td>32.79</td><td>400</td><td>135</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5649.28	59.85	68.30	-8.45	44.42	36.50	11.69	32.76	400	135	PEAK	2	5650.02	57.52	68.31	-10.79	42.09	36.50	11.69	32.76	400	135	PEAK	3	5700.73	62.42	105.40	-42.98	46.94	36.60	11.66	32.78	400	135	PEAK	4	5720.02	60.67	110.83	-50.16	45.16	36.64	11.66	32.79	400	135	PEAK	Level (dBuV/m) Date: 2025-03-04 PART 15.407  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>102.99</td><td>-----</td><td>-----</td><td>87.47</td><td>36.68</td><td>11.64</td><td>32.80</td><td>400</td><td>135</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.99	-----	-----	87.47	36.68	11.64	32.80	400	135	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5649.28	59.85	68.30	-8.45	44.42	36.50	11.69	32.76	400	135	PEAK																																																																																																																									
2	5650.02	57.52	68.31	-10.79	42.09	36.50	11.69	32.76	400	135	PEAK																																																																																																																									
3	5700.73	62.42	105.40	-42.98	46.94	36.60	11.66	32.78	400	135	PEAK																																																																																																																									
4	5720.02	60.67	110.83	-50.16	45.16	36.64	11.66	32.79	400	135	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5775.00	102.99	-----	-----	87.47	36.68	11.64	32.80	400	135	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2025-03-04 PART 15.407 AVG  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>92.31</td><td>-----</td><td>-----</td><td>76.79</td><td>36.68</td><td>11.64</td><td>32.80</td><td>400</td><td>135</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.31	-----	-----	76.79	36.68	11.64	32.80	400	135	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5775.00	92.31	-----	-----	76.79	36.68	11.64	32.80	400	135	AVERAGE																																																																																																																									





Mode	125																																																														
	Harmonic																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_4_5775MHz																																																														
ANT	1+2																																																														
Pol.	Horizontal																																																														
Peak Avg	Level (dBuV/m) Date: 2025-03-11  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>43.60</td><td>38.20</td><td>14.87</td><td>50.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.34</td><td>68.30</td><td>-20.96</td><td>40.69</td><td>42.28</td><td>17.59</td><td>53.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.41	74.00	-27.59	43.60	38.20	14.87	50.26	---	---	Peak	2	17325.00	47.34	68.30	-20.96	40.69	42.28	17.59	53.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	11550.00	46.41	74.00	-27.59	43.60	38.20	14.87	50.26	---	---	Peak																																																				
2	17325.00	47.34	68.30	-20.96	40.69	42.28	17.59	53.22	---	---	Peak																																																				
Level (dBuV/m) Date: 2025-03-11  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>43.60</td><td>38.20</td><td>14.87</td><td>50.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.51</td><td>68.30</td><td>-20.79</td><td>40.86</td><td>42.28</td><td>17.59</td><td>53.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.41	74.00	-27.59	43.60	38.20	14.87	50.26	---	---	Peak	2	17325.00	47.51	68.30	-20.79	40.86	42.28	17.59	53.22	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	11550.00	46.41	74.00	-27.59	43.60	38.20	14.87	50.26	---	---	Peak																																																				
2	17325.00	47.51	68.30	-20.79	40.86	42.28	17.59	53.22	---	---	Peak																																																				



Mode	126																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M-5_5250MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5094.38</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>40.47</td><td>35.80</td><td>11.12</td><td>32.62</td><td>390 130 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5094.38	54.77	74.00	-19.23	40.47	35.80	11.12	32.62	390 130 PEAK	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5250.00</td><td>92.64</td><td>-----</td><td>-----</td><td>78.44</td><td>35.80</td><td>11.04</td><td>32.64</td><td>390 130 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	92.64	-----	-----	78.44	35.80	11.04	32.64	390 130 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5094.38	54.77	74.00	-19.23	40.47	35.80	11.12	32.62	390 130 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5250.00	92.64	-----	-----	78.44	35.80	11.04	32.64	390 130 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5092.65</td><td>43.68</td><td>54.00</td><td>-10.32</td><td>29.38</td><td>35.80</td><td>11.12</td><td>32.62</td><td>390 130 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5092.65	43.68	54.00	-10.32	29.38	35.80	11.12	32.62	390 130 AVERAGE	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5250.00</td><td>83.46</td><td>-----</td><td>-----</td><td>69.28</td><td>35.80</td><td>11.03</td><td>32.65</td><td>390 130 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	83.46	-----	-----	69.28	35.80	11.03	32.65	390 130 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5092.65	43.68	54.00	-10.32	29.38	35.80	11.12	32.62	390 130 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5250.00	83.46	-----	-----	69.28	35.80	11.03	32.65	390 130 AVERAGE																																																																		



Mode	126																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M-5_5250MHz																																												
ANT	1+2																																												
Pol.	Horizontal					Fundamental																																							
Peak	Level (dBuV/m) Date: 2025-03-05  Frequency (MHz)					Blank																																							
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.85</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>42.06</td><td>36.09</td><td>10.94</td><td>32.67</td><td>390</td><td>130 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.85	56.42	74.00	-17.58
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																				
1	5353.85	56.42	74.00	-17.58	42.06	36.09	10.94	32.67	390	130 PEAK																																			
Avg	Level (dBuV/m) Date: 2025-03-05  Frequency (MHz)					Blank																																							
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.64</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>31.03</td><td>36.09</td><td>10.94</td><td>32.67</td><td>390</td><td>130 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.64	45.39	54.00	-8.61
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																				
1	5353.64	45.39	54.00	-8.61	31.03	36.09	10.94	32.67	390	130 AVERAGE																																			



Mode	126																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M-5_5250MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5093.15</td><td>61.69</td><td>74.00</td><td>-12.31</td><td>47.39</td><td>35.80</td><td>11.12</td><td>32.62</td><td>290</td><td>174 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5093.15	61.69	74.00	-12.31	47.39	35.80	11.12	32.62	290	174 PEAK	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>97.73</td><td>-----</td><td>-----</td><td>83.56</td><td>35.80</td><td>11.02</td><td>32.65</td><td>290</td><td>174 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.73	-----	-----	83.56	35.80	11.02	32.65	290	174 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5093.15	61.69	74.00	-12.31	47.39	35.80	11.12	32.62	290	174 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	97.73	-----	-----	83.56	35.80	11.02	32.65	290	174 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.88</td><td>48.33</td><td>54.00</td><td>-5.67</td><td>34.12</td><td>35.74</td><td>11.10</td><td>32.63</td><td>290</td><td>174 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5128.88	48.33	54.00	-5.67	34.12	35.74	11.10	32.63	290	174 AVERAGE	Level (dBuV/m) Date: 2025-03-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.43</td><td>-----</td><td>-----</td><td>75.26</td><td>35.80</td><td>11.02</td><td>32.65</td><td>290</td><td>174 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.43	-----	-----	75.26	35.80	11.02	32.65	290	174 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5128.88	48.33	54.00	-5.67	34.12	35.74	11.10	32.63	290	174 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	89.43	-----	-----	75.26	35.80	11.02	32.65	290	174 AVERAGE																																																																																		




Mode	126																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M-5_5250MHz																																										
ANT	1+2																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-03-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.19</td><td>61.91</td><td>74.00</td><td>-12.09</td><td>47.54</td><td>36.10</td><td>10.94</td><td>32.67</td><td>290</td><td>174 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5352.19	61.91	74.00	-12.09	47.54	36.10	10.94	32.67	290	174 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																		
1	5352.19	61.91	74.00	-12.09	47.54	36.10	10.94	32.67	290	174 PEAK																																	
Avg	Date: 2025-03-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5364.77</td><td>46.48</td><td>54.00</td><td>-7.52</td><td>32.15</td><td>36.07</td><td>10.93</td><td>32.67</td><td>290</td><td>174 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5364.77	46.48	54.00	-7.52	32.15	36.07	10.93	32.67	290	174 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																		
1	5364.77	46.48	54.00	-7.52	32.15	36.07	10.93	32.67	290	174 AVERAGE																																	



Mode	127																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M-8_5570MHz																																																																																														
ANT	1+2																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5420.51</td><td>53.93</td><td>74.00</td><td>-20.07</td><td>39.69</td><td>35.96</td><td>10.96</td><td>32.68</td><td>158</td><td>152 PEAK</td></tr><tr><td>2</td><td>5462.97</td><td>53.10</td><td>68.30</td><td>-15.20</td><td>38.71</td><td>35.95</td><td>11.13</td><td>32.69</td><td>158</td><td>152 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5420.51	53.93	74.00	-20.07	39.69	35.96	10.96	32.68	158	152 PEAK	2	5462.97	53.10	68.30	-15.20	38.71	35.95	11.13	32.69	158	152 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>89.99</td><td>-----</td><td>-----</td><td>74.87</td><td>36.25</td><td>11.60</td><td>32.73</td><td>158</td><td>152 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	89.99	-----	-----	74.87	36.25	11.60	32.73	158	152 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5420.51	53.93	74.00	-20.07	39.69	35.96	10.96	32.68	158	152 PEAK																																																																																					
2	5462.97	53.10	68.30	-15.20	38.71	35.95	11.13	32.69	158	152 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5570.00	89.99	-----	-----	74.87	36.25	11.60	32.73	158	152 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.25</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>28.82</td><td>35.94</td><td>11.12</td><td>32.69</td><td>158</td><td>152 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.25	43.19	54.00	-10.81	28.82	35.94	11.12	32.69	158	152 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>81.26</td><td>-----</td><td>-----</td><td>66.18</td><td>36.24</td><td>11.57</td><td>32.73</td><td>158</td><td>152 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	81.26	-----	-----	66.18	36.24	11.57	32.73	158	152 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5459.25	43.19	54.00	-10.81	28.82	35.94	11.12	32.69	158	152 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5570.00	81.26	-----	-----	66.18	36.24	11.57	32.73	158	152 AVERAGE																																																																																					



Mode	127																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M-8_5570MHz																																								
ANT	1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	Date: 2025-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.03</td><td>53.48</td><td>68.30</td><td>-14.82</td><td>37.95</td><td>36.69</td><td>11.64</td><td>32.80</td><td>158</td><td>152 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.03	53.48	68.30	-14.82	37.95	36.69	11.64	32.80	158	152 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5745.03	53.48	68.30	-14.82	37.95	36.69	11.64	32.80	158	152 PEAK																															





Mode	127																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M-8_5570MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5451.31</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>41.29</td><td>35.91</td><td>11.08</td><td>32.69</td><td>145 174 PEAK</td></tr><tr><td>2</td><td>5465.39</td><td>57.24</td><td>68.30</td><td>-11.06</td><td>42.83</td><td>35.96</td><td>11.14</td><td>32.69</td><td>145 174 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5451.31	55.59	74.00	-18.41	41.29	35.91	11.08	32.69	145 174 PEAK	2	5465.39	57.24	68.30	-11.06	42.83	35.96	11.14	32.69	145 174 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>99.14</td><td>-----</td><td>-----</td><td>84.13</td><td>36.21</td><td>11.52</td><td>32.72</td><td>145 174 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	99.14	-----	-----	84.13	36.21	11.52	32.72	145 174 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5451.31	55.59	74.00	-18.41	41.29	35.91	11.08	32.69	145 174 PEAK																																																																																			
2	5465.39	57.24	68.30	-11.06	42.83	35.96	11.14	32.69	145 174 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5570.00	99.14	-----	-----	84.13	36.21	11.52	32.72	145 174 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5455.51</td><td>45.19</td><td>54.00</td><td>-8.81</td><td>30.86</td><td>35.92</td><td>11.10</td><td>32.69</td><td>145 174 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5455.51	45.19	54.00	-8.81	30.86	35.92	11.10	32.69	145 174 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>89.52</td><td>-----</td><td>-----</td><td>74.51</td><td>36.21</td><td>11.52</td><td>32.72</td><td>145 174 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	89.52	-----	-----	74.51	36.21	11.52	32.72	145 174 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5455.51	45.19	54.00	-8.81	30.86	35.92	11.10	32.69	145 174 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5570.00	89.52	-----	-----	74.51	36.21	11.52	32.72	145 174 AVERAGE																																																																																			



Mode	127																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M-8_5570MHz																																																		
ANT	1+2																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2025-03-04 Level (dBuV/m) Frequency (MHz) PART 15.407 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.23</td><td>54.91</td><td>68.30</td><td>-13.39</td><td>39.38</td><td>36.67</td><td>11.65</td><td>32.79</td><td>145</td><td>174</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5737.23	54.91	68.30	-13.39	39.38	36.67	11.65	32.79	145	174	PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5737.23	54.91	68.30	-13.39	39.38	36.67	11.65	32.79	145	174	PEAK																																								



Mode	128																																																																																																																																																																																																																			
	LF																																																																																																																																																																																																																			
	U-NII-1_5.25-5.35_802.11n HT40_CH38_5190MHz																																																																																																																																																																																																																			
ANT	1+2																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																													
QPI/ Peak																																																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>46.49</td><td>28.60</td><td>40.00</td><td>-11.40</td><td>47.02</td><td>20.25</td><td>1.25</td><td>39.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>185.20</td><td>27.19</td><td>43.50</td><td>-16.31</td><td>47.33</td><td>17.39</td><td>2.47</td><td>40.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>315.18</td><td>20.91</td><td>46.00</td><td>-25.09</td><td>37.54</td><td>20.08</td><td>3.20</td><td>39.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>459.71</td><td>25.00</td><td>46.00</td><td>-21.00</td><td>37.54</td><td>23.32</td><td>3.86</td><td>39.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>613.94</td><td>28.58</td><td>46.00</td><td>-17.42</td><td>38.05</td><td>25.69</td><td>4.47</td><td>39.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>813.76</td><td>30.31</td><td>46.00</td><td>-15.69</td><td>36.34</td><td>28.31</td><td>5.12</td><td>39.46</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	46.49	28.60	40.00	-11.40	47.02	20.25	1.25	39.92	---	---	Peak	2	185.20	27.19	43.50	-16.31	47.33	17.39	2.47	40.00	---	---	Peak	3	315.18	20.91	46.00	-25.09	37.54	20.08	3.20	39.91	---	---	Peak	4	459.71	25.00	46.00	-21.00	37.54	23.32	3.86	39.72	---	---	Peak	5	613.94	28.58	46.00	-17.42	38.05	25.69	4.47	39.63	---	---	Peak	6	813.76	30.31	46.00	-15.69	36.34	28.31	5.12	39.46	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>46.49</td><td>28.69</td><td>40.00</td><td>-11.31</td><td>47.11</td><td>20.25</td><td>1.25</td><td>39.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>182.29</td><td>27.46</td><td>43.50</td><td>-16.04</td><td>47.27</td><td>17.74</td><td>2.45</td><td>40.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>388.90</td><td>22.03</td><td>46.00</td><td>-23.97</td><td>36.35</td><td>21.90</td><td>3.55</td><td>39.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>559.62</td><td>25.98</td><td>46.00</td><td>-20.02</td><td>36.37</td><td>25.01</td><td>4.26</td><td>39.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>726.46</td><td>30.48</td><td>46.00</td><td>-15.52</td><td>37.86</td><td>27.32</td><td>4.84</td><td>39.54</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>788.54</td><td>30.41</td><td>46.00</td><td>-15.59</td><td>36.72</td><td>28.12</td><td>5.05</td><td>39.48</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	46.49	28.69	40.00	-11.31	47.11	20.25	1.25	39.92	---	---	Peak	2	182.29	27.46	43.50	-16.04	47.27	17.74	2.45	40.00	---	---	Peak	3	388.90	22.03	46.00	-23.97	36.35	21.90	3.55	39.77	---	---	Peak	4	559.62	25.98	46.00	-20.02	36.37	25.01	4.26	39.66	---	---	Peak	5	726.46	30.48	46.00	-15.52	37.86	27.32	4.84	39.54	---	---	Peak	6	788.54	30.41	46.00	-15.59	36.72	28.12	5.05	39.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																										
	1	46.49	28.60	40.00	-11.40	47.02	20.25	1.25	39.92	---	---	Peak																																																																																																																																																																																																								
	2	185.20	27.19	43.50	-16.31	47.33	17.39	2.47	40.00	---	---	Peak																																																																																																																																																																																																								
	3	315.18	20.91	46.00	-25.09	37.54	20.08	3.20	39.91	---	---	Peak																																																																																																																																																																																																								
	4	459.71	25.00	46.00	-21.00	37.54	23.32	3.86	39.72	---	---	Peak																																																																																																																																																																																																								
	5	613.94	28.58	46.00	-17.42	38.05	25.69	4.47	39.63	---	---	Peak																																																																																																																																																																																																								
6	813.76	30.31	46.00	-15.69	36.34	28.31	5.12	39.46	---	---	Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	46.49	28.69	40.00	-11.31	47.11	20.25	1.25	39.92	---	---	Peak																																																																																																																																																																																																									
2	182.29	27.46	43.50	-16.04	47.27	17.74	2.45	40.00	---	---	Peak																																																																																																																																																																																																									
3	388.90	22.03	46.00	-23.97	36.35	21.90	3.55	39.77	---	---	Peak																																																																																																																																																																																																									
4	559.62	25.98	46.00	-20.02	36.37	25.01	4.26	39.66	---	---	Peak																																																																																																																																																																																																									
5	726.46	30.48	46.00	-15.52	37.86	27.32	4.84	39.54	---	---	Peak																																																																																																																																																																																																									
6	788.54	30.41	46.00	-15.59	36.72	28.12	5.05	39.48	---	---	Peak																																																																																																																																																																																																									



Mode	129									
	LF									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_4_5775MHz									
ANT	1+2									
Pol.	Horizontal									
QP/ Peak										



Mode	130																																																																																									
	Band Edge																																																																																									
	802.11n HT20_CH11_2462MHz+802.11n HT40_CH38_5190MHz																																																																																									
ANT	0+1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>42.81</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400 21 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	44.96	74.00	-29.04	42.81	30.80	5.46	34.11	400 21 PEAK	Level (dBuV/m) Date: 2025-03-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>93.90</td><td>-----</td><td>-----</td><td>91.80</td><td>30.79</td><td>5.43</td><td>34.12</td><td>400 21 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	93.90	-----	-----	91.80	30.79	5.43	34.12	400 21 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2484.00	44.96	74.00	-29.04	42.81	30.80	5.46	34.11	400 21 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2462.00	93.90	-----	-----	91.80	30.79	5.43	34.12	400 21 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>34.46</td><td>54.00</td><td>-19.54</td><td>32.31</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400 21 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	34.46	54.00	-19.54	32.31	30.80	5.46	34.11	400 21 AVERAGE	Level (dBuV/m) Date: 2025-03-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>84.66</td><td>-----</td><td>-----</td><td>82.56</td><td>30.79</td><td>5.43</td><td>34.12</td><td>400 21 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	84.66	-----	-----	82.56	30.79	5.43	34.12	400 21 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.66	34.46	54.00	-19.54	32.31	30.80	5.46	34.11	400 21 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2462.00	84.66	-----	-----	82.56	30.79	5.43	34.12	400 21 AVERAGE																																																																																	



Mode	130																																																																																			
	Band Edge																																																																																			
	802.11n HT20_CH11_2462MHz+802.11n HT40_CH38_5190MHz																																																																																			
ANT	0+1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-10 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.13</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>46.06</td><td>30.80</td><td>5.46</td><td>34.11</td><td>290</td><td>289 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.13	48.21	74.00	-25.79	46.06	30.80	5.46	34.11	290	289 PEAK	Level (dBuV/m) Date: 2025-03-10 PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.62</td><td>-----</td><td>-----</td><td>97.52</td><td>30.79</td><td>5.43</td><td>34.12</td><td>290</td><td>289 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.62	-----	-----	97.52	30.79	5.43	34.12	290	289 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2486.13	48.21	74.00	-25.79	46.06	30.80	5.46	34.11	290	289 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	99.62	-----	-----	97.52	30.79	5.43	34.12	290	289 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-10 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>37.32</td><td>54.00</td><td>-16.68</td><td>35.17</td><td>30.80</td><td>5.46</td><td>34.11</td><td>290</td><td>289 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	37.32	54.00	-16.68	35.17	30.80	5.46	34.11	290	289 AVERAGE	Level (dBuV/m) Date: 2025-03-10 AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>91.29</td><td>-----</td><td>-----</td><td>89.19</td><td>30.79</td><td>5.43</td><td>34.12</td><td>290</td><td>289 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	91.29	-----	-----	89.19	30.79	5.43	34.12	290	289 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.55	37.32	54.00	-16.68	35.17	30.80	5.46	34.11	290	289 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	91.29	-----	-----	89.19	30.79	5.43	34.12	290	289 AVERAGE																																																																										



Mode	130																																																																											
	Band Edge - L																																																																											
	802.11n HT40_CH38_5190MHz+802.11n HT20_CH11_2462MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.91</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>43.56</td><td>36.58</td><td>8.54</td><td>33.47</td><td>106 185 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.91	55.21	74.00	-18.79	43.56	36.58	8.54	33.47	106 185 PEAK	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>96.21</td><td>-----</td><td>-----</td><td>94.11</td><td>30.79</td><td>5.43</td><td>34.12</td><td>106 185 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	96.21	-----	-----	94.11	30.79	5.43	34.12	106 185 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5149.91	55.21	74.00	-18.79	43.56	36.58	8.54	33.47	106 185 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5190.00	96.21	-----	-----	94.11	30.79	5.43	34.12	106 185 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.91</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>34.06</td><td>36.58</td><td>8.54</td><td>33.47</td><td>106 185 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.91	45.71	54.00	-8.29	34.06	36.58	8.54	33.47	106 185 AVERAGE	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>88.98</td><td>-----</td><td>-----</td><td>77.28</td><td>36.54</td><td>8.62</td><td>33.46</td><td>106 185 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	88.98	-----	-----	77.28	36.54	8.62	33.46	106 185 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5149.91	45.71	54.00	-8.29	34.06	36.58	8.54	33.47	106 185 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5190.00	88.98	-----	-----	77.28	36.54	8.62	33.46	106 185 AVERAGE																																																																			

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.





Mode	130									
	Band Edge - R									
	802.11n HT40_CH38_5190MHz+802.11n HT20_CH11_2462MHz									
ANT	1+2									
Pol.	Horizontal					Fundamental				
Peak	<									



Mode	130																																									
	Band Edge - L																																									
	802.11n HT40_CH38_5190MHz+802.11n HT20_CH11_2462MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-03-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5146.87</td><td>59.74</td><td>74.00</td><td>-14.26</td><td>48.10</td><td>36.58</td><td>8.53</td><td>33.47</td><td>200</td><td>179 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5146.87	59.74	74.00	-14.26	48.10	36.58	8.53	33.47	200	179 PEAK	Level (dBuV/m) Date: 2025-03-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5190.00</td><td>101.28</td><td>-----</td><td>-----</td><td>89.60</td><td>36.55</td><td>8.59</td><td>33.46</td><td>200</td><td>179 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5190.00	101.28	-----	-----	89.60	36.55	8.59	33.46	200	179 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5146.87	59.74	74.00	-14.26	48.10	36.58	8.53	33.47	200	179 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5190.00	101.28	-----	-----	89.60	36.55	8.59	33.46	200	179 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-03-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5149.15</td><td>49.27</td><td>54.00</td><td>-4.73</td><td>37.63</td><td>36.58</td><td>8.53</td><td>33.47</td><td>200</td><td>179 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5149.15	49.27	54.00	-4.73	37.63	36.58	8.53	33.47	200	179 AVERAGE	Level (dBuV/m) Date: 2025-03-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5190.00</td><td>93.55</td><td>-----</td><td>-----</td><td>81.85</td><td>36.55</td><td>8.61</td><td>33.46</td><td>200</td><td>179 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5190.00	93.55	-----	-----	81.85	36.55	8.61	33.46	200	179 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5149.15	49.27	54.00	-4.73	37.63	36.58	8.53	33.47	200	179 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5190.00	93.55	-----	-----	81.85	36.55	8.61	33.46	200	179 AVERAGE																																	

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.







Mode	130																																																																																						
	Harmonic																																																																																						
	802.11n HT40_CH38_5190MHz+802.11n HT20_CH11_2462MHz																																																																																						
ANT	1+2																																																																																						
Pol.	Horizontal																																																																																						
Peak Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>51.61</td><td>35.54</td><td>11.12</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>46.94</td><td>36.57</td><td>13.13</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10380.00</td><td>45.97</td><td>68.30</td><td>-22.33</td><td>45.13</td><td>38.10</td><td>14.16</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>15570.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>41.76</td><td>40.60</td><td>16.87</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.62	74.00	-28.38	51.61	35.54	11.12	52.65	---	---	Peak	2	7386.00	44.39	74.00	-29.61	46.94	36.57	13.13	52.25	---	---	Peak	3	10380.00	45.97	68.30	-22.33	45.13	38.10	14.16	51.42	---	---	Peak	4	15570.00	46.98	74.00	-27.02	41.76	40.60	16.87	52.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	4924.00	45.62	74.00	-28.38	51.61	35.54	11.12	52.65	---	---	Peak																																																																												
2	7386.00	44.39	74.00	-29.61	46.94	36.57	13.13	52.25	---	---	Peak																																																																												
3	10380.00	45.97	68.30	-22.33	45.13	38.10	14.16	51.42	---	---	Peak																																																																												
4	15570.00	46.98	74.00	-27.02	41.76	40.60	16.87	52.25	---	---	Peak																																																																												
Vertical																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>51.77</td><td>35.54</td><td>11.12</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>47.57</td><td>36.57</td><td>13.13</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10380.00</td><td>48.07</td><td>68.30</td><td>-20.23</td><td>47.23</td><td>38.10</td><td>14.16</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>15570.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>42.36</td><td>40.60</td><td>16.87</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.78	74.00	-28.22	51.77	35.54	11.12	52.65	---	---	Peak	2	7386.00	45.02	74.00	-28.98	47.57	36.57	13.13	52.25	---	---	Peak	3	10380.00	48.07	68.30	-20.23	47.23	38.10	14.16	51.42	---	---	Peak	4	15570.00	47.58	74.00	-26.42	42.36	40.60	16.87	52.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	4924.00	45.78	74.00	-28.22	51.77	35.54	11.12	52.65	---	---	Peak																																																																												
2	7386.00	45.02	74.00	-28.98	47.57	36.57	13.13	52.25	---	---	Peak																																																																												
3	10380.00	48.07	68.30	-20.23	47.23	38.10	14.16	51.42	---	---	Peak																																																																												
4	15570.00	47.58	74.00	-26.42	42.36	40.60	16.87	52.25	---	---	Peak																																																																												

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.







Mode	131																																																																																					
	Band Edge																																																																																					
	Bluetooth-LE_GSKF_CH00_2402MHz+802.11n_HT40_CH38_5190MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.91</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>44.95</td><td>30.78</td><td>5.36</td><td>34.14</td><td>300</td><td>88</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.91	46.95	74.00	-27.05	44.95	30.78	5.36	34.14	300	88	PEAK	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>88.42</td><td>-----</td><td>-----</td><td>86.41</td><td>30.78</td><td>5.37</td><td>34.14</td><td>300</td><td>88</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	88.42	-----	-----	86.41	30.78	5.37	34.14	300	88	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2389.91	46.95	74.00	-27.05	44.95	30.78	5.36	34.14	300	88	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2402.00	88.42	-----	-----	86.41	30.78	5.37	34.14	300	88	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.70</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>36.75</td><td>30.78</td><td>5.36</td><td>34.14</td><td>300</td><td>88</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.70	38.75	54.00	-15.25	36.75	30.78	5.36	34.14	300	88	AVERAGE	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>86.60</td><td>-----</td><td>-----</td><td>84.59</td><td>30.78</td><td>5.37</td><td>34.14</td><td>300</td><td>88</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	86.60	-----	-----	84.59	30.78	5.37	34.14	300	88	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2389.70	38.75	54.00	-15.25	36.75	30.78	5.36	34.14	300	88	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2402.00	86.60	-----	-----	84.59	30.78	5.37	34.14	300	88	AVERAGE																																																																											



Mode	131																																																																																											
	Band Edge																																																																																											
	Bluetooth-LE_GSKF_CH00_2402MHz+802.11n_HT40_CH38_5190MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.80</td><td>49.81</td><td>74.00</td><td>-24.19</td><td>47.81</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400</td><td>187 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	49.81	74.00	-24.19	47.81	30.78	5.36	34.14	400	187 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>93.63</td><td>-----</td><td>-----</td><td>91.62</td><td>30.78</td><td>5.37</td><td>34.14</td><td>400</td><td>187 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	93.63	-----	-----	91.62	30.78	5.37	34.14	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.80	49.81	74.00	-24.19	47.81	30.78	5.36	34.14	400	187 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2402.00	93.63	-----	-----	91.62	30.78	5.37	34.14	400	187 PEAK																																																																																		
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.80</td><td>41.31</td><td>54.00</td><td>-12.69</td><td>39.31</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400</td><td>187 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	41.31	54.00	-12.69	39.31	30.78	5.36	34.14	400	187 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>92.34</td><td>-----</td><td>-----</td><td>90.33</td><td>30.78</td><td>5.37</td><td>34.14</td><td>400</td><td>187 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	92.34	-----	-----	90.33	30.78	5.37	34.14	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.80	41.31	54.00	-12.69	39.31	30.78	5.36	34.14	400	187 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2402.00	92.34	-----	-----	90.33	30.78	5.37	34.14	400	187 AVERAGE																																																																																		



		131																																																																																							
Mode		Band Edge - L																																																																																							
		802.11n HT40_CH38_5190MHz+ Bluetooth-LE_GSKF_CH00_2402MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.58</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>45.24</td><td>36.58</td><td>8.53</td><td>33.47</td><td>200 318 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.58	56.88	74.00	-17.12	45.24	36.58	8.53	33.47	200 318 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.69</td><td>-----</td><td>-----</td><td>86.01</td><td>36.55</td><td>8.59</td><td>33.46</td><td>200 318 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.69	-----	-----	86.01	36.55	8.59	33.46
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5148.58	56.88	74.00	-17.12	45.24	36.58	8.53	33.47	200 318 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5190.00	97.69	-----	-----	86.01	36.55	8.59	33.46	200 318 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.91</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>34.52</td><td>36.58</td><td>8.54</td><td>33.47</td><td>200 318 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.91	46.17	54.00	-7.83	34.52	36.58	8.54	33.47	200 318 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>90.86</td><td>-----</td><td>-----</td><td>79.16</td><td>36.55</td><td>8.61</td><td>33.46</td><td>200 318 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	90.86	-----	-----	79.16	36.55	8.61	33.46
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.91	46.17	54.00	-7.83	34.52	36.58	8.54	33.47	200 318 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5190.00	90.86	-----	-----	79.16	36.55	8.61	33.46	200 318 AVERAGE																																																																																

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.





Mode	131																																																		
	Band Edge - R																																																		
	802.11n HT40_CH38_5190MHz+ Bluetooth-LE_GSKF_CH00_2402MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.83</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>39.02</td><td>36.37</td><td>9.66</td><td>33.42</td><td>200</td><td>318 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5413.83	51.63	74.00	-22.37	39.02	36.37	9.66	33.42	200	318 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5413.83	51.63	74.00	-22.37	39.02	36.37	9.66	33.42	200	318 PEAK																																									
Avg	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.02</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>28.99</td><td>36.37</td><td>9.66</td><td>33.42</td><td>200</td><td>318 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5413.02	41.60	54.00	-12.40	28.99	36.37	9.66	33.42	200	318 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5413.02	41.60	54.00	-12.40	28.99	36.37	9.66	33.42	200	318 AVERAGE																																									





		131									
Mode		Band Edge - L									
		802.11n HT40_CH38_5190MHz+ Bluetooth-LE_GSKF_CH00_2402MHz									
ANT		1+2									
Pol.		Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2025-03-10 <										

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.



Mode	131																																										
	Band Edge - R																																										
	802.11n HT40_CH38_5190MHz+ Bluetooth-LE_GSKF_CH00_2402MHz																																										
ANT	1+2																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-03-10  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.18</td><td>51.16</td><td>74.00</td><td>-22.84</td><td>38.54</td><td>36.35</td><td>9.68</td><td>33.41</td><td>199</td><td>173 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5442.18	51.16	74.00	-22.84	38.54	36.35	9.68	33.41	199	173 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5442.18	51.16	74.00	-22.84	38.54	36.35	9.68	33.41	199	173 PEAK																																	
Avg	Date: 2025-03-10  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.30</td><td>41.61</td><td>54.00</td><td>-12.39</td><td>29.00</td><td>36.33</td><td>9.69</td><td>33.41</td><td>199</td><td>173 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.30	41.61	54.00	-12.39	29.00	36.33	9.69	33.41	199	173 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5457.30	41.61	54.00	-12.39	29.00	36.33	9.69	33.41	199	173 AVERAGE																																	




Mode	131																																																																																																																																											
	Harmonic																																																																																																																																											
	802.11n HT40_CH38_5190MHz+ Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>51.84</td><td>35.30</td><td>11.07</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10380.00</td><td>46.15</td><td>68.30</td><td>-22.15</td><td>45.31</td><td>38.10</td><td>14.16</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>15570.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>41.66</td><td>40.60</td><td>16.87</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	45.63	74.00	-28.37	51.84	35.30	11.07	52.58	---	---	Peak	2	10380.00	46.15	68.30	-22.15	45.31	38.10	14.16	51.42	---	---	Peak	3	15570.00	46.88	74.00	-27.12	41.66	40.60	16.87	52.25	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>52.17</td><td>35.30</td><td>11.07</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10380.00</td><td>47.85</td><td>68.30</td><td>-20.45</td><td>47.01</td><td>38.10</td><td>14.16</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>15570.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>41.98</td><td>40.60</td><td>16.87</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	45.96	74.00	-28.04	52.17	35.30	11.07	52.58	---	---	Peak	2	10380.00	47.85	68.30	-20.45	47.01	38.10	14.16	51.42	---	---	Peak	3	15570.00	47.20	74.00	-26.80	41.98	40.60	16.87	52.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	4804.00	45.63	74.00	-28.37	51.84	35.30	11.07	52.58	---	---	Peak																																																																																																																																	
2	10380.00	46.15	68.30	-22.15	45.31	38.10	14.16	51.42	---	---	Peak																																																																																																																																	
3	15570.00	46.88	74.00	-27.12	41.66	40.60	16.87	52.25	---	---	Peak																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	4804.00	45.96	74.00	-28.04	52.17	35.30	11.07	52.58	---	---	Peak																																																																																																																																	
2	10380.00	47.85	68.30	-20.45	47.01	38.10	14.16	51.42	---	---	Peak																																																																																																																																	
3	15570.00	47.20	74.00	-26.80	41.98	40.60	16.87	52.25	---	---	Peak																																																																																																																																	

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.

Appendix D. Duty Cycle Plots


Band	Antenna	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	Ant 1+2	99.06	-	-	10Hz
802.11n HT20	Ant 1+2	99.63	-	-	10Hz
802.11n HT40	Ant 1+2	99.63	-	-	10Hz
802.11ac VHT80	Ant 1+2	99.63	-	-	10Hz
802.11ac VHT160	Ant 1+2	99.82	-	-	10Hz
802.11ax HE20	Ant 1+2	99.63	-	-	10Hz
802.11ax HE40	Ant 1+2	100	-	-	10Hz
802.11ax HE80	Ant 1+2	99.63	-	-	10Hz
802.11ax HE160	Ant 1+2	100	-	-	10Hz
802.11be EHT20	Ant 1+2	99.63	-	-	10Hz
802.11be EHT40	Ant 1+2	100	-	-	10Hz
802.11be EHT80	Ant 1+2	100	-	-	10Hz
802.11be EHT160	Ant 1+2	100	-	-	10Hz
802.11be EHT20 MRU	Ant 1+2	100	-	-	10Hz
802.11be EHT80 MRU	Ant 1+2	98.23	-	-	10Hz
802.11be EHT160 MRU	Ant 1+2	97.90	0.93	1.075	3KHz

802.11a






802.11n HT20




802.11n HT40







802.11ac VHT80




802.11ac VHT160




802.11ax HE20




802.11ax HE40



802.11ax HE80




802.11ax HE160






802.11be EHT20




802.11be EHT40






802.11be EHT80




802.11be EHT160






802.11be EHT20 MRU



802.11be EHT80 MRU





802.11be EHT160 MRU

