



LED⁺

One Bulb + One Function™

SPEAKER HAUT-PARLEUR

GETTING STARTED GUIDE GUIDE DE DÉMARRAGE

See inside for steps / Voir les étapes à l'intérieur

1

Screw in the bulb / Vissez l'ampoule

2

Turn on the bulb / Allumez l'ampoule

3

Using your Bluetooth® compatible device, look for the bulb as a discoverable device "GE A21 Speaker Bulb"

À l'aide de votre appareil compatible Bluetooth™
recherchez l'ampoule comme un périphérique découvrable
« GE A21 Speaker Bulb »


4

Connect the bulb to play music, podcasts, and more.

Connectez l'ampoule pour écouter
de la musique, des podcasts, etc.

NOTE: GE LED+ Speaker bulbs will sync automatically with other GE LED+ A21 or BR30 bulbs. Link this bulb with other bulbs to create surround sound

REMOTE CONTROL INCLUDED TÉLÉCOMMANDE INCLUSE



1

Screw in the bulb / Vissez l'ampoule

2

Turn on the bulb / Allumez l'ampoule

3

Using your Bluetooth® compatible device, look for the bulb as a discoverable device "GE A21 Speaker Bulb"
 À l'aide de votre appareil compatible Bluetooth^{MD} recherchez l'ampoule comme un périphérique découvrable « GE A21 Speaker Bulb »

4

Connect the bulb to play music, podcasts, and more.
 Connectez l'ampoule pour écouter de la musique, des podcasts, etc.

NOTE: GE LED+ Speaker bulbs will sync automatically with other GE LED+ A21 or BR30 bulbs. Link this bulb with other bulbs to create surround sound experience. Bulbs can be controlled individually by using the remote within close range of a specific bulb. Or, control all synced bulbs by using the remote within close range of the parent bulb.

To link additional bulbs, turn on added bulb and it will automatically sync with the parent bulb. Subsequent bulbs should be within 25ft the parent bulb.

REMARQUE: Les ampoules haut-parleur GE DEL+ se synchronisent automatiquement avec d'autres ampoules GE DEL+ A21 ou BR30. Liez cette ampoule à d'autres ampoules pour créer une expérience de son surround. Les ampoules peuvent être contrôlées individuellement en utilisant la télécommande à proximité d'une ampoule spécifique. Ou, contrôlez toutes les ampoules synchronisées en utilisant la télécommande à proximité de l'ampoule principale.

Pour lier des ampoules supplémentaires, allumez l'ampoule ajoutée et celle-ci sera automatiquement synchronisée avec l'ampoule principale. Les ampoules supplémentaires doivent être à moins de 7 mètres de l'ampoule principale.

IC-10799A-LEDX90A21G2

Dernière
chansonVolume
down
Volume -Dim +
Lum +Dim -
Lum -

VOL -

+

-

Bluetooth
Reconnect
Reconnexion
BluetoothParent
Search
Recherche
primaireProchaine
chanson

Visit / Visitez :
gelighting.com/led-plus

This equipment complies with FCC & IC RF exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body. The antennas used for this product must not be co-located or operated in conjunction with any other antenna or transmitter.

Cet équipement est conforme aux limites d'exposition RF de la FCC et de IC définies pour un environnement non contrôlé. Les antennes utilisées pour ce produit ne doivent pas être situées ou exploitées conjointement avec une autre antenne ou transmetteur.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by GE Lighting is under license. Other trademarks and trade names are those of their respective owners.

La marque et les logos Bluetooth® sont des marques déposées appartenant à Bluetooth SIG, Inc. et toute utilisation de ces marques par GE Lighting est sous licence. Les autres marques et noms commerciaux appartiennent à leurs propriétaires respectifs.

PK-00102647-1

PC93100354 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

PC93100205 SCH

This art is supplied at 100% size. Do not resize, reshape or alter in any way.

Process
BLACK

Job#/Project Name:	5648323 Cons update
Version# (date):	1 (01-23-19) CK
Bar Code:	NA
Insert:	None
Supplier Project#:	N/A
Print Method:	☐ Offset/Litho ☐ Flexo (direct)
GE DIE#:	NOT CONTROLLED
Resource (PKJ#):	PK-00100913-1

Process
BLACK

 Lighting Graphics Approval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
☐ Proof Reading – Spelling ☐ Website ☐ Proof against TDS request ☐ Graphics Printability		

Job#/Project Name:	5614556 Cons LED Plus INSTR update-931
Version# (date):	2 (12-14-18) CK
Bar Code:	N/A
Insert:	None
Supplier Project#:	N/A
Print Method:	☐ Offset/Litho ☐ Flexo (direct)
GE DIE#:	NOT CONTROLLED
Resource (PKJ#):	PK-00100693-1

Process
BLACK

 Lighting Graphics Approval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
☐ Proof Reading – Spelling ☐ Website ☐ Proof against TDS request ☐ Graphics Printability		

FCC requirements:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
-Reorient or relocate the receiving antenna.
-Increase the separation between the equipment and receiver.
-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
-Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.



GE Lighting • 1-888-MY-GE-LED (1-888-694-3533) • www.gelighting.com

THE GE BRAND AND LOGO ARE TRADEMARKS OF THE GENERAL ELECTRIC COMPANY.

©2019 GE LIGHTING. INFORMATION PROVIDED IS SUBJECT TO CHANGE WITHOUT NOTICE. ALL VALUES ARE DESIGN OR TYPICAL VALUES WHEN MEASURED UNDER LABORATORY CONDITIONS.

RES: PK-00100913-1

5"x4"

面

底

5"x4"

展开尺寸	127x101.6mm
成型尺寸	127x101.6mm
材质要求	157G双铜
印刷要求	1色印刷（底面印刷）
工艺要求	无
页码数(页)	无

 F&D 帝达科技		时 间	2019-01-24	订 单 号	gm18705
品 牌		公司型号	BR30	客户型号	BR30
版 本	A0	设计内容	警告卡	料 号	17.7.036.0179
电 子 软 件		结 构 电 声		PLM文档编号	
设 计 者	lihong	标 准 化		项 目 经 理	
复 核		业 务		产 品 经 理	
				核 准	