



RSE TX above 1GHz _Non-Beamforming

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.9734G	60.06	68.20	-8.14	3	Horizontal	0	1.78	-
5785MHz	Pass	AV	11.57196G	44.01	54.00	-9.99	3	Vertical	360	1.52	-
5785MHz	Pass	PK	11.5724G	55.39	74.00	-18.61	3	Vertical	360	1.52	-
5785MHz	Pass	PK	17.35276G	59.64	68.20	-8.56	3	Vertical	306	2.91	-
5785MHz	Pass	AV	11.56988G	47.59	54.00	-6.41	3	Horizontal	0	1.45	-
5785MHz	Pass	PK	11.57972G	57.47	74.00	-16.53	3	Horizontal	0	1.45	-
5785MHz	Pass	PK	17.35532G	59.80	68.20	-8.40	3	Horizontal	137	1.50	-
5825MHz	Pass	AV	5.8238G	115.61	Inf	-Inf	3	Vertical	3	1.85	-
5825MHz	Pass	PK	5.633G	66.77	68.20	-1.43	3	Vertical	3	1.85	-
5825MHz	Pass	PK	5.8322G	124.93	Inf	-Inf	3	Vertical	3	1.85	-
5825MHz	Pass	PK	5.9234G	69.02	69.38	-0.36	3	Vertical	3	1.85	-
5825MHz	Pass	AV	5.8298G	114.66	Inf	-Inf	3	Horizontal	6	1.74	-
5825MHz	Pass	PK	5.6294G	62.31	68.20	-5.89	3	Horizontal	6	1.74	-
5825MHz	Pass	PK	5.8286G	123.53	Inf	-Inf	3	Horizontal	6	1.74	-
5825MHz	Pass	PK	5.9258G	62.72	68.20	-5.48	3	Horizontal	6	1.74	-
5825MHz	Pass	PK	11.64656G	54.20	74.00	-19.80	3	Vertical	40	1.50	-
5825MHz	Pass	AV	11.65528G	43.82	54.00	-10.18	3	Vertical	40	1.50	-
5825MHz	Pass	PK	17.4728G	60.55	68.20	-7.65	3	Vertical	19	1.50	-
5825MHz	Pass	AV	11.64984G	47.88	54.00	-6.12	3	Horizontal	1	1.50	-
5825MHz	Pass	PK	11.65032G	57.98	74.00	-16.02	3	Horizontal	1	1.50	-
5825MHz	Pass	PK	17.4754G	61.33	68.20	-6.87	3	Horizontal	51	1.50	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1498G	53.80	54.00	-0.20	3	Vertical	344	1.81	-
5190MHz	Pass	AV	5.1912G	109.24	Inf	-Inf	3	Vertical	344	1.81	-
5190MHz	Pass	PK	5.142G	62.95	74.00	-11.05	3	Vertical	344	1.81	-
5190MHz	Pass	PK	5.1972G	119.73	Inf	-Inf	3	Vertical	344	1.81	-
5190MHz	Pass	AV	5.088G	53.43	54.00	-0.57	3	Horizontal	11	1.77	-
5190MHz	Pass	AV	5.1876G	107.49	Inf	-Inf	3	Horizontal	11	1.77	-
5190MHz	Pass	PK	5.1474G	62.24	74.00	-11.76	3	Horizontal	11	1.77	-
5190MHz	Pass	PK	5.1882G	118.90	Inf	-Inf	3	Horizontal	11	1.77	-
5190MHz	Pass	AV	15.57348G	47.97	54.00	-6.03	3	Vertical	290	1.50	-
5190MHz	Pass	PK	10.37534G	55.57	68.20	-12.63	3	Vertical	127	1.71	-
5190MHz	Pass	PK	15.56678G	59.10	74.00	-14.90	3	Vertical	290	1.50	-
5190MHz	Pass	AV	15.57059G	48.06	54.00	-5.94	3	Horizontal	282	2.39	-
5190MHz	Pass	PK	10.37976G	56.06	68.20	-12.14	3	Horizontal	26	1.50	-
5190MHz	Pass	PK	15.56835G	59.26	74.00	-14.74	3	Horizontal	282	2.39	-
5230MHz	Pass	AV	5.0878G	52.73	54.00	-1.27	3	Vertical	340	1.84	-
5230MHz	Pass	AV	5.2312G	110.55	Inf	-Inf	3	Vertical	340	1.84	-
5230MHz	Pass	AV	5.3584G	50.91	54.00	-3.09	3	Vertical	340	1.84	-
5230MHz	Pass	PK	5.15G	62.26	74.00	-11.74	3	Vertical	340	1.84	-
5230MHz	Pass	PK	5.2402G	120.57	Inf	-Inf	3	Vertical	340	1.84	-
5230MHz	Pass	PK	5.362G	61.38	74.00	-12.62	3	Vertical	340	1.84	-
5230MHz	Pass	AV	5.0878G	52.85	54.00	-1.15	3	Horizontal	358	1.90	-
5230MHz	Pass	AV	5.2252G	110.05	Inf	-Inf	3	Horizontal	358	1.90	-
5230MHz	Pass	AV	5.3764G	48.61	54.00	-5.39	3	Horizontal	358	1.90	-
5230MHz	Pass	PK	5.0878G	59.70	74.00	-14.30	3	Horizontal	358	1.90	-
5230MHz	Pass	PK	5.2342G	120.84	Inf	-Inf	3	Horizontal	358	1.90	-
5230MHz	Pass	PK	5.3764G	58.30	74.00	-15.70	3	Horizontal	358	1.90	-
5230MHz	Pass	AV	15.68813G	47.53	54.00	-6.47	3	Vertical	53	1.50	-
5230MHz	Pass	PK	10.4583G	56.14	68.20	-12.06	3	Vertical	41	1.49	-
5230MHz	Pass	PK	15.68777G	58.52	74.00	-15.48	3	Vertical	53	1.50	-
5230MHz	Pass	AV	15.68766G	47.57	54.00	-6.43	3	Horizontal	46	1.66	-
5230MHz	Pass	PK	10.46013G	56.48	68.20	-11.72	3	Horizontal	24	1.51	-
5230MHz	Pass	PK	15.69108G	58.79	74.00	-15.21	3	Horizontal	46	1.66	-
5270MHz	Pass	AV	5.0884G	51.45	54.00	-2.55	3	Vertical	344	1.81	-
5270MHz	Pass	AV	5.274G	110.10	Inf	-Inf	3	Vertical	344	1.81	-
5270MHz	Pass	AV	5.362G	49.63	54.00	-4.37	3	Vertical	344	1.81	-
5270MHz	Pass	PK	5.1276G	59.78	74.00	-14.22	3	Vertical	344	1.81	-
5270MHz	Pass	PK	5.2732G	120.37	Inf	-Inf	3	Vertical	344	1.81	-
5270MHz	Pass	PK	5.462G	58.51	68.20	-9.69	3	Vertical	344	1.81	-
5270MHz	Pass	AV	5.0876G	52.71	54.00	-1.29	3	Horizontal	347	1.86	-
5270MHz	Pass	AV	5.2684G	109.21	Inf	-Inf	3	Horizontal	347	1.86	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	AV	5.3764G	48.96	54.00	-5.04	3	Horizontal	347	1.86	-
5270MHz	Pass	PK	5.0876G	59.65	74.00	-14.35	3	Horizontal	347	1.86	-
5270MHz	Pass	PK	5.2676G	119.35	Inf	-Inf	3	Horizontal	347	1.86	-
5270MHz	Pass	PK	5.4604G	57.95	68.20	-10.25	3	Horizontal	347	1.86	-
5270MHz	Pass	AV	15.80952G	48.02	54.00	-5.98	3	Vertical	314	1.50	-
5270MHz	Pass	PK	10.54G	56.10	68.20	-12.10	3	Vertical	353	1.82	-
5270MHz	Pass	PK	15.80912G	59.58	74.00	-14.42	3	Vertical	314	1.50	-
5270MHz	Pass	AV	15.81175G	48.06	54.00	-5.94	3	Horizontal	292	2.35	-
5270MHz	Pass	PK	10.54133G	55.75	68.20	-12.45	3	Horizontal	339	1.50	-
5270MHz	Pass	PK	15.8081G	59.93	74.00	-14.07	3	Horizontal	292	2.35	-
5310MHz	Pass	AV	5.088G	50.95	54.00	-3.05	3	Vertical	341	1.83	-
5310MHz	Pass	AV	5.309G	107.50	Inf	-Inf	3	Vertical	341	1.83	-
5310MHz	Pass	AV	5.35G	53.07	54.00	-0.93	3	Vertical	341	1.83	-
5310MHz	Pass	PK	5.102G	58.63	74.00	-15.37	3	Vertical	341	1.83	-
5310MHz	Pass	PK	5.308G	116.89	Inf	-Inf	3	Vertical	341	1.83	-
5310MHz	Pass	PK	5.52G	58.32	68.20	-9.88	3	Vertical	341	1.83	-
5310MHz	Pass	AV	5.088G	52.27	54.00	-1.73	3	Horizontal	343	1.80	-
5310MHz	Pass	AV	5.313G	105.92	Inf	-Inf	3	Horizontal	343	1.80	-
5310MHz	Pass	AV	5.351G	49.63	54.00	-4.37	3	Horizontal	343	1.80	-
5310MHz	Pass	PK	5.088G	59.42	74.00	-14.58	3	Horizontal	343	1.80	-
5310MHz	Pass	PK	5.324G	115.39	Inf	-Inf	3	Horizontal	343	1.80	-
5310MHz	Pass	PK	5.472G	59.25	68.20	-8.95	3	Horizontal	343	1.80	-
5310MHz	Pass	AV	10.61999G	45.56	54.00	-8.44	3	Vertical	332	1.29	-
5310MHz	Pass	AV	15.93189G	48.01	54.00	-5.99	3	Vertical	92	1.50	-
5310MHz	Pass	PK	10.6183G	55.77	74.00	-18.23	3	Vertical	332	1.29	-
5310MHz	Pass	PK	15.92979G	59.16	74.00	-14.84	3	Vertical	92	1.50	-
5310MHz	Pass	AV	10.61998G	46.58	54.00	-7.42	3	Horizontal	34	1.37	-
5310MHz	Pass	AV	15.9294G	48.03	54.00	-5.97	3	Horizontal	144	1.50	-
5310MHz	Pass	PK	10.62028G	56.01	74.00	-17.99	3	Horizontal	34	1.37	-
5310MHz	Pass	PK	15.92976G	58.93	74.00	-15.07	3	Horizontal	144	1.50	-
5510MHz	Pass	AV	5.46G	53.26	54.00	-0.74	3	Vertical	4	1.78	-
5510MHz	Pass	AV	5.5088G	110.05	Inf	-Inf	3	Vertical	4	1.78	-
5510MHz	Pass	PK	5.468G	65.67	68.20	-2.53	3	Vertical	4	1.78	-
5510MHz	Pass	PK	5.5088G	120.24	Inf	-Inf	3	Vertical	4	1.78	-
5510MHz	Pass	AV	5.4584G	48.33	54.00	-5.67	3	Horizontal	355	1.73	-
5510MHz	Pass	AV	5.5124G	105.94	Inf	-Inf	3	Horizontal	355	1.73	-
5510MHz	Pass	PK	5.4686G	58.56	68.20	-9.64	3	Horizontal	355	1.73	-
5510MHz	Pass	PK	5.5112G	116.13	Inf	-Inf	3	Horizontal	355	1.73	-
5510MHz	Pass	AV	11.01985G	45.37	54.00	-8.63	3	Vertical	113	1.50	-
5510MHz	Pass	PK	11.01965G	57.13	74.00	-16.87	3	Vertical	113	1.50	-
5510MHz	Pass	PK	16.5294G	60.93	68.20	-7.27	3	Vertical	135	1.24	-
5510MHz	Pass	AV	11.02007G	46.40	54.00	-7.60	3	Horizontal	51	2.00	-
5510MHz	Pass	PK	11.02019G	57.71	74.00	-16.29	3	Horizontal	51	2.00	-
5510MHz	Pass	PK	16.52942G	61.22	68.20	-6.98	3	Horizontal	130	1.50	-
5550MHz	Pass	AV	5.46G	53.28	54.00	-0.72	3	Vertical	0	1.83	-
5550MHz	Pass	AV	5.549G	112.88	Inf	-Inf	3	Vertical	0	1.83	-
5550MHz	Pass	PK	5.461G	63.22	68.20	-4.98	3	Vertical	0	1.83	-
5550MHz	Pass	PK	5.549G	122.82	Inf	-Inf	3	Vertical	0	1.83	-
5550MHz	Pass	PK	5.741G	60.72	68.20	-7.48	3	Vertical	0	1.83	-
5550MHz	Pass	AV	5.361G	49.62	54.00	-4.38	3	Horizontal	350	1.65	-
5550MHz	Pass	AV	5.552G	109.96	Inf	-Inf	3	Horizontal	350	1.65	-
5550MHz	Pass	PK	5.466G	59.99	68.20	-8.21	3	Horizontal	350	1.65	-
5550MHz	Pass	PK	5.543G	119.58	Inf	-Inf	3	Horizontal	350	1.65	-
5550MHz	Pass	PK	5.767G	58.57	68.20	-9.63	3	Horizontal	350	1.65	-
5550MHz	Pass	AV	11.09955G	44.78	54.00	-9.22	3	Vertical	67	1.47	-
5550MHz	Pass	PK	11.09971G	56.20	74.00	-17.80	3	Vertical	67	1.47	-
5550MHz	Pass	PK	16.6502G	60.83	68.20	-7.37	3	Vertical	246	1.50	-
5550MHz	Pass	AV	11.10001G	46.51	54.00	-7.49	3	Horizontal	46	1.31	-
5550MHz	Pass	PK	11.1G	56.47	74.00	-17.53	3	Horizontal	46	1.31	-
5550MHz	Pass	PK	16.64996G	61.19	68.20	-7.01	3	Horizontal	323	1.50	-
5670MHz	Pass	AV	5.46G	51.87	54.00	-2.13	3	Vertical	360	1.88	-
5670MHz	Pass	AV	5.667G	111.26	Inf	-Inf	3	Vertical	360	1.88	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	PK	5.465G	62.82	68.20	-5.38	3	Vertical	360	1.88	-
5670MHz	Pass	PK	5.667G	121.80	Inf	-Inf	3	Vertical	360	1.88	-
5670MHz	Pass	PK	5.726G	67.97	68.20	-0.23	3	Vertical	360	1.88	-
5670MHz	Pass	AV	5.46G	49.67	54.00	-4.33	3	Horizontal	360	1.82	-
5670MHz	Pass	AV	5.672G	108.06	Inf	-Inf	3	Horizontal	360	1.82	-
5670MHz	Pass	PK	5.466G	59.61	68.20	-8.59	3	Horizontal	360	1.82	-
5670MHz	Pass	PK	5.672G	117.57	Inf	-Inf	3	Horizontal	360	1.82	-
5670MHz	Pass	PK	5.732G	60.49	68.20	-7.71	3	Horizontal	360	1.82	-
5670MHz	Pass	AV	11.3398G	45.01	54.00	-8.99	3	Vertical	24	1.56	-
5670MHz	Pass	PK	11.33994G	56.12	74.00	-17.88	3	Vertical	24	1.56	-
5670MHz	Pass	PK	17.00958G	61.73	68.20	-6.47	3	Vertical	186	1.50	-
5670MHz	Pass	AV	11.34004G	46.60	54.00	-7.40	3	Horizontal	45	1.44	-
5670MHz	Pass	PK	11.34006G	56.92	74.00	-17.08	3	Horizontal	45	1.44	-
5670MHz	Pass	PK	17.01038G	61.25	68.20	-6.95	3	Horizontal	350	1.90	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	53.42	54.00	-0.58	3	Vertical	5	1.90	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	115.31	Inf	-Inf	3	Vertical	5	1.90	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	64.03	68.20	-4.17	3	Vertical	5	1.90	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	124.84	Inf	-Inf	3	Vertical	5	1.90	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.962G	62.99	68.20	-5.21	3	Vertical	5	1.90	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4148G	51.55	54.00	-2.45	3	Horizontal	0	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	114.35	Inf	-Inf	3	Horizontal	0	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	61.20	68.20	-7.00	3	Horizontal	0	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	123.46	Inf	-Inf	3	Horizontal	0	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8552G	62.81	68.20	-5.39	3	Horizontal	0	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41296G	46.26	54.00	-7.74	3	Vertical	0	1.53	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41432G	57.49	74.00	-16.51	3	Vertical	0	1.53	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13336G	61.40	68.20	-6.80	3	Vertical	308	2.09	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	49.38	54.00	-4.62	3	Horizontal	359	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40944G	60.51	74.00	-13.49	3	Horizontal	359	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11976G	62.01	68.20	-6.19	3	Horizontal	36	1.56	-
5755MHz	Pass	AV	5.7598G	114.93	Inf	-Inf	3	Vertical	0	1.84	-
5755MHz	Pass	PK	5.647G	67.25	68.20	-0.95	3	Vertical	0	1.84	-
5755MHz	Pass	PK	5.761G	124.84	Inf	-Inf	3	Vertical	0	1.84	-
5755MHz	Pass	PK	5.9338G	63.34	68.20	-4.86	3	Vertical	0	1.84	-
5755MHz	Pass	AV	5.7562G	113.66	Inf	-Inf	3	Horizontal	1	1.80	-
5755MHz	Pass	PK	5.5582G	63.06	68.20	-5.14	3	Horizontal	1	1.80	-
5755MHz	Pass	PK	5.7478G	123.08	Inf	-Inf	3	Horizontal	1	1.80	-
5755MHz	Pass	PK	5.9494G	60.61	68.20	-7.59	3	Horizontal	1	1.80	-
5755MHz	Pass	AV	11.50136G	45.93	54.00	-8.07	3	Vertical	360	1.50	-
5755MHz	Pass	PK	11.51112G	56.68	74.00	-17.32	3	Vertical	360	1.50	-
5755MHz	Pass	PK	17.26844G	60.97	68.20	-7.23	3	Vertical	85	1.50	-
5755MHz	Pass	AV	11.51G	48.52	54.00	-5.48	3	Horizontal	355	1.70	-
5755MHz	Pass	PK	11.51008G	59.19	74.00	-14.81	3	Horizontal	355	1.70	-
5755MHz	Pass	PK	17.25268G	61.18	68.20	-7.02	3	Horizontal	64	2.63	-
5795MHz	Pass	AV	5.7794G	114.65	Inf	-Inf	3	Vertical	0	1.80	-
5795MHz	Pass	PK	5.6006G	65.56	68.20	-2.64	3	Vertical	0	1.80	-
5795MHz	Pass	PK	5.7782G	124.65	Inf	-Inf	3	Vertical	0	1.80	-
5795MHz	Pass	PK	5.9546G	63.99	68.20	-4.21	3	Vertical	0	1.80	-
5795MHz	Pass	AV	5.7962G	112.56	Inf	-Inf	3	Horizontal	12	1.79	-
5795MHz	Pass	PK	5.6126G	61.79	68.20	-6.41	3	Horizontal	12	1.79	-
5795MHz	Pass	PK	5.7866G	121.80	Inf	-Inf	3	Horizontal	12	1.79	-
5795MHz	Pass	PK	5.9342G	60.01	68.20	-8.19	3	Horizontal	12	1.79	-
5795MHz	Pass	AV	11.59218G	44.35	54.00	-9.65	3	Vertical	360	1.50	-
5795MHz	Pass	PK	11.58952G	55.21	74.00	-18.79	3	Vertical	360	1.50	-
5795MHz	Pass	PK	17.38304G	60.30	68.20	-7.90	3	Vertical	202	1.50	-
5795MHz	Pass	AV	11.58991G	46.88	54.00	-7.12	3	Horizontal	358	1.44	-
5795MHz	Pass	PK	11.58987G	57.61	74.00	-16.39	3	Horizontal	358	1.44	-
5795MHz	Pass	PK	17.38457G	61.12	68.20	-7.08	3	Horizontal	318	2.24	-
802.11ax HEW80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.97	54.00	-1.03	3	Vertical	335	1.86	-
5210MHz	Pass	AV	5.219G	105.10	Inf	-Inf	3	Vertical	335	1.86	-
5210MHz	Pass	AV	5.35G	48.30	54.00	-5.70	3	Vertical	335	1.86	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.149G	63.11	74.00	-10.89	3	Vertical	335	1.86	-
5210MHz	Pass	PK	5.188G	115.05	Inf	-Inf	3	Vertical	335	1.86	-
5210MHz	Pass	PK	5.366G	58.94	74.00	-15.06	3	Vertical	335	1.86	-
5210MHz	Pass	AV	5.088G	52.29	54.00	-1.71	3	Horizontal	4	1.86	-
5210MHz	Pass	AV	5.226G	103.87	Inf	-Inf	3	Horizontal	4	1.86	-
5210MHz	Pass	AV	5.376G	49.03	54.00	-4.97	3	Horizontal	4	1.86	-
5210MHz	Pass	PK	5.088G	64.02	74.00	-9.98	3	Horizontal	4	1.86	-
5210MHz	Pass	PK	5.218G	113.95	Inf	-Inf	3	Horizontal	4	1.86	-
5210MHz	Pass	PK	5.37G	58.20	74.00	-15.80	3	Horizontal	4	1.86	-
5210MHz	Pass	AV	15.62969G	48.40	54.00	-5.60	3	Vertical	315	1.50	-
5210MHz	Pass	PK	10.41903G	56.24	68.20	-11.96	3	Vertical	319	1.50	-
5210MHz	Pass	PK	15.62773G	59.06	74.00	-14.94	3	Vertical	315	1.50	-
5210MHz	Pass	AV	15.63095G	48.39	54.00	-5.61	3	Horizontal	190	1.50	-
5210MHz	Pass	PK	10.41993G	56.72	68.20	-11.48	3	Horizontal	25	1.50	-
5210MHz	Pass	PK	15.62771G	59.16	74.00	-14.84	3	Horizontal	190	1.50	-
5290MHz	Pass	AV	5.088G	51.18	54.00	-2.82	3	Vertical	338	1.78	-
5290MHz	Pass	AV	5.294G	104.09	Inf	-Inf	3	Vertical	338	1.78	-
5290MHz	Pass	AV	5.356G	53.57	54.00	-0.43	3	Vertical	338	1.78	-
5290MHz	Pass	PK	5.128G	59.16	74.00	-14.84	3	Vertical	338	1.78	-
5290MHz	Pass	PK	5.276G	114.36	Inf	-Inf	3	Vertical	338	1.78	-
5290MHz	Pass	PK	5.354G	64.73	74.00	-9.27	3	Vertical	338	1.78	-
5290MHz	Pass	PK	5.472G	59.14	68.20	-9.06	3	Vertical	338	1.78	-
5290MHz	Pass	AV	5.088G	51.71	54.00	-2.29	3	Horizontal	343	1.81	-
5290MHz	Pass	AV	5.289G	102.98	Inf	-Inf	3	Horizontal	343	1.81	-
5290MHz	Pass	AV	5.35G	51.51	54.00	-2.49	3	Horizontal	343	1.81	-
5290MHz	Pass	PK	5.088G	58.89	74.00	-15.11	3	Horizontal	343	1.81	-
5290MHz	Pass	PK	5.298G	113.88	Inf	-Inf	3	Horizontal	343	1.81	-
5290MHz	Pass	PK	5.41G	64.79	74.00	-9.21	3	Horizontal	343	1.81	-
5290MHz	Pass	PK	5.472G	58.57	68.20	-9.63	3	Horizontal	343	1.81	-
5290MHz	Pass	AV	15.86959G	48.04	54.00	-5.96	3	Vertical	89	1.50	-
5290MHz	Pass	PK	10.57962G	56.55	68.20	-11.65	3	Vertical	330	1.50	-
5290MHz	Pass	PK	15.87133G	58.86	74.00	-15.14	3	Vertical	89	1.50	-
5290MHz	Pass	AV	15.87117G	48.00	54.00	-6.00	3	Horizontal	125	1.50	-
5290MHz	Pass	PK	10.58016G	57.78	68.20	-10.42	3	Horizontal	334	1.58	-
5290MHz	Pass	PK	15.87074G	58.66	74.00	-15.34	3	Horizontal	125	1.50	-
5530MHz	Pass	AV	5.46G	53.18	54.00	-0.82	3	Vertical	360	1.79	-
5530MHz	Pass	AV	5.529G	104.33	Inf	-Inf	3	Vertical	360	1.79	-
5530MHz	Pass	PK	5.467G	63.76	68.20	-4.44	3	Vertical	360	1.79	-
5530MHz	Pass	PK	5.539G	115.30	Inf	-Inf	3	Vertical	360	1.79	-
5530MHz	Pass	PK	5.73G	57.58	68.20	-10.62	3	Vertical	360	1.79	-
5530MHz	Pass	AV	5.376G	48.41	54.00	-5.59	3	Horizontal	349	1.72	-
5530MHz	Pass	AV	5.522G	100.73	Inf	-Inf	3	Horizontal	349	1.72	-
5530MHz	Pass	PK	5.469G	58.08	68.20	-10.12	3	Horizontal	349	1.72	-
5530MHz	Pass	PK	5.513G	110.99	Inf	-Inf	3	Horizontal	349	1.72	-
5530MHz	Pass	PK	5.771G	56.81	68.20	-11.39	3	Horizontal	349	1.72	-
5530MHz	Pass	AV	11.05998G	45.57	54.00	-8.43	3	Vertical	23	1.71	-
5530MHz	Pass	PK	11.05938G	56.07	74.00	-17.93	3	Vertical	23	1.71	-
5530MHz	Pass	PK	16.59238G	61.11	68.20	-7.09	3	Vertical	71	1.50	-
5530MHz	Pass	AV	11.0599G	46.77	54.00	-7.23	3	Horizontal	46	1.50	-
5530MHz	Pass	PK	11.06209G	56.68	74.00	-17.32	3	Horizontal	46	1.50	-
5530MHz	Pass	PK	16.5883G	60.76	68.20	-7.44	3	Horizontal	310	1.50	-
5610MHz	Pass	AV	5.455G	52.80	54.00	-1.20	3	Vertical	0	1.83	-
5610MHz	Pass	AV	5.612G	108.82	Inf	-Inf	3	Vertical	0	1.83	-
5610MHz	Pass	PK	5.465G	65.13	68.20	-3.07	3	Vertical	0	1.83	-
5610MHz	Pass	PK	5.614G	119.26	Inf	-Inf	3	Vertical	0	1.83	-
5610MHz	Pass	PK	5.729G	67.49	68.20	-0.71	3	Vertical	0	1.83	-
5610MHz	Pass	AV	5.454G	49.57	54.00	-4.43	3	Horizontal	342	1.74	-
5610MHz	Pass	AV	5.606G	105.58	Inf	-Inf	3	Horizontal	342	1.74	-
5610MHz	Pass	PK	5.463G	59.36	68.20	-8.84	3	Horizontal	342	1.74	-
5610MHz	Pass	PK	5.585G	115.86	Inf	-Inf	3	Horizontal	342	1.74	-
5610MHz	Pass	PK	5.73G	66.13	68.20	-2.07	3	Horizontal	342	1.74	-
5610MHz	Pass	AV	11.21993G	45.18	54.00	-8.82	3	Vertical	13	1.05	-




RSE TX above 1GHz Non-Beamforming

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	11.21989G	55.74	74.00	-18.26	3	Vertical	13	1.05	-
5610MHz	Pass	PK	16.83166G	62.61	68.20	-5.59	3	Vertical	280	1.50	-
5610MHz	Pass	AV	11.22001G	46.32	54.00	-7.68	3	Horizontal	51	1.36	-
5610MHz	Pass	PK	11.2199G	57.18	74.00	-16.82	3	Horizontal	51	1.36	-
5610MHz	Pass	PK	16.82996G	62.07	68.20	-6.13	3	Horizontal	47	1.44	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	51.84	54.00	-2.16	3	Vertical	360	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.696G	109.80	Inf	-Inf	3	Vertical	360	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	61.85	68.20	-6.35	3	Vertical	360	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.696G	120.24	Inf	-Inf	3	Vertical	360	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	65.04	68.20	-3.16	3	Vertical	360	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	49.42	54.00	-4.58	3	Horizontal	0	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.691G	107.45	Inf	-Inf	3	Horizontal	0	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	60.23	68.20	-7.97	3	Horizontal	0	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.691G	117.19	Inf	-Inf	3	Horizontal	0	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.856G	61.09	68.20	-7.11	3	Horizontal	0	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37987G	45.66	54.00	-8.34	3	Vertical	19	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38117G	56.17	74.00	-17.83	3	Vertical	19	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06938G	61.79	68.20	-6.41	3	Vertical	324	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37999G	47.03	54.00	-6.97	3	Horizontal	51	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38022G	57.17	74.00	-16.83	3	Horizontal	51	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06824G	62.91	68.20	-5.29	3	Horizontal	158	1.50	-
5775MHz	Pass	AV	5.7594G	111.32	Inf	-Inf	3	Vertical	0	1.85	-
5775MHz	Pass	PK	5.6478G	66.23	68.20	-1.97	3	Vertical	0	1.85	-
5775MHz	Pass	PK	5.7594G	121.01	Inf	-Inf	3	Vertical	0	1.85	-
5775MHz	Pass	PK	5.9286G	65.72	68.20	-2.48	3	Vertical	0	1.85	-
5775MHz	Pass	AV	5.7846G	108.30	Inf	-Inf	3	Horizontal	2	1.79	-
5775MHz	Pass	PK	5.655G	65.52	71.90	-6.38	3	Horizontal	2	1.79	-
5775MHz	Pass	PK	5.787G	119.10	Inf	-Inf	3	Horizontal	2	1.79	-
5775MHz	Pass	PK	5.9286G	59.67	68.20	-8.53	3	Horizontal	2	1.79	-
5775MHz	Pass	AV	11.55195G	43.23	54.00	-10.77	3	Vertical	360	1.50	-
5775MHz	Pass	PK	11.55153G	53.82	74.00	-20.18	3	Vertical	360	1.50	-
5775MHz	Pass	PK	17.32494G	59.56	68.20	-8.64	3	Vertical	103	1.13	-
5775MHz	Pass	AV	11.55001G	44.48	54.00	-9.52	3	Horizontal	49	1.50	-
5775MHz	Pass	PK	11.55016G	54.95	74.00	-19.05	3	Horizontal	49	1.50	-
5775MHz	Pass	PK	17.32522G	59.84	68.20	-8.36	3	Horizontal	64	1.73	-

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.45	54.00	-0.55	4.01	3	Vertical	336	1.81	-	49.44	31.90	6.87	34.76
AV	5.1764G	114.06	Inf	-Inf	3.91	3	Vertical	336	1.81	-	110.15	31.79	6.88	34.76
PK	5.15G	62.73	74.00	-11.27	4.01	3	Vertical	336	1.81	-	58.72	31.90	6.87	34.76
PK	5.177G	122.00	Inf	-Inf	3.91	3	Vertical	336	1.81	-	118.09	31.79	6.88	34.76

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0876G	52.66	54.00	-1.34	3.94	3	Horizontal	6	1.80	-	48.72	31.85	6.85	34.76
AV	5.1836G	113.01	Inf	-Inf	3.89	3	Horizontal	6	1.80	-	109.12	31.77	6.88	34.76
PK	5.15G	60.35	74.00	-13.65	4.01	3	Horizontal	6	1.80	-	56.34	31.90	6.87	34.76
PK	5.183G	120.31	Inf	-Inf	3.89	3	Horizontal	6	1.80	-	116.42	31.77	6.88	34.76

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53834G	46.16	54.00	-7.84	15.43	3	Vertical	32	1.50	-	30.73	38.25	12.10	34.92
PK	10.36079G	54.34	68.20	-13.86	13.54	3	Vertical	316	1.50	-	40.80	39.58	8.99	35.03
PK	15.53834G	56.46	74.00	-17.54	15.43	3	Vertical	32	1.50	-	41.03	38.25	12.10	34.92

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53773G	46.21	54.00	-7.79	15.43	3	Horizontal	131	1.50	-	30.78	38.25	12.10	34.92
PK	10.36003G	55.11	68.20	-13.09	13.54	3	Horizontal	27	1.50	-	41.57	39.58	8.99	35.03
PK	15.53841G	57.12	74.00	-16.88	15.43	3	Horizontal	131	1.50	-	41.69	38.25	12.10	34.92

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0878G	52.81	54.00	-1.19	3.94	3	Vertical	340	1.82	-	48.87	31.85	6.85	34.76
AV	5.1988G	114.05	Inf	-Inf	3.83	3	Vertical	340	1.82	-	110.22	31.70	6.89	34.76
PK	5.1496G	61.15	74.00	-12.85	4.01	3	Vertical	340	1.82	-	57.14	31.90	6.87	34.76
PK	5.2018G	122.38	Inf	-Inf	3.82	3	Vertical	340	1.82	-	118.56	31.69	6.89	34.76

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0878G	52.87	54.00	-1.13	3.94	3	Horizontal	350	1.73	-	48.93	31.85	6.85	34.76
AV	5.2048G	112.06	Inf	-Inf	3.82	3	Horizontal	350	1.73	-	108.24	31.68	6.90	34.76
PK	5.0878G	59.72	74.00	-14.28	3.94	3	Horizontal	350	1.73	-	55.78	31.85	6.85	34.76
PK	5.1964G	119.16	Inf	-Inf	3.84	3	Horizontal	350	1.73	-	115.32	31.71	6.89	34.76


802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX



802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.69	54.00	-0.31	4.01	3	Vertical	339	1.74	-	49.68	31.90	6.87	34.76
AV	5.2328G	117.71	Inf	-Inf	3.74	3	Vertical	339	1.74	-	113.97	31.57	6.93	34.76
AV	5.3528G	52.35	54.00	-1.65	3.51	3	Vertical	339	1.74	-	48.84	31.21	7.07	34.77
PK	5.1482G	64.08	74.00	-9.92	4.01	3	Vertical	339	1.74	-	60.07	31.90	6.87	34.76
PK	5.2334G	125.40	Inf	-Inf	3.74	3	Vertical	339	1.74	-	121.66	31.57	6.93	34.76
PK	5.3534G	61.68	74.00	-12.32	3.51	3	Vertical	339	1.74	-	58.17	31.21	7.07	34.77

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1446G	52.44	54.00	-1.56	4.01	3	Horizontal	4	1.83	-	48.43	31.90	6.87	34.76
AV	5.2352G	117.39	Inf	-Inf	3.73	3	Horizontal	4	1.83	-	113.66	31.56	6.93	34.76
AV	5.3762G	53.28	54.00	-0.72	3.62	3	Horizontal	4	1.83	-	49.66	31.30	7.09	34.77
PK	5.1392G	62.05	74.00	-11.95	4.01	3	Horizontal	4	1.83	-	58.04	31.90	6.87	34.76
PK	5.2358G	125.42	Inf	-Inf	3.73	3	Horizontal	4	1.83	-	121.69	31.56	6.93	34.76
PK	5.3702G	61.55	74.00	-12.45	3.60	3	Horizontal	4	1.83	-	57.95	31.28	7.09	34.77


802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX



802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1364G	50.93	54.00	-3.07	4.00	3	Vertical	339	1.76	-	46.93	31.90	6.86	34.76
AV	5.2534G	115.79	Inf	-Inf	3.67	3	Vertical	339	1.76	-	112.12	31.49	6.95	34.77
AV	5.353G	53.73	54.00	-0.27	3.51	3	Vertical	339	1.76	-	50.22	31.21	7.07	34.77
PK	5.146G	60.74	74.00	-13.26	4.01	3	Vertical	339	1.76	-	56.73	31.90	6.87	34.76
PK	5.2546G	123.90	Inf	-Inf	3.67	3	Vertical	339	1.76	-	120.23	31.49	6.95	34.77
PK	5.353G	63.11	74.00	-10.89	3.51	3	Vertical	339	1.76	-	59.60	31.21	7.07	34.77

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1208G	50.20	54.00	-3.80	4.00	3	Horizontal	342	1.71	-	46.20	31.90	6.86	34.76
AV	5.2534G	115.21	Inf	-Inf	3.67	3	Horizontal	342	1.71	-	111.54	31.49	6.95	34.77
AV	5.353G	51.99	54.00	-2.01	3.51	3	Horizontal	342	1.71	-	48.48	31.21	7.07	34.77
PK	5.15G	60.43	74.00	-13.57	4.01	3	Horizontal	342	1.71	-	56.42	31.90	6.87	34.76
PK	5.2636G	122.47	Inf	-Inf	3.66	3	Horizontal	342	1.71	-	118.81	31.47	6.96	34.77
PK	5.35G	61.52	74.00	-12.48	3.49	3	Horizontal	342	1.71	-	58.03	31.20	7.06	34.77

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7785G	48.58	54.00	-5.42	14.90	3	Vertical	183	1.42	-	33.68	37.62	12.34	35.06
PK	10.52031G	56.36	68.20	-11.84	14.13	3	Vertical	324	1.50	-	42.23	39.98	9.04	34.89
PK	15.78074G	59.22	74.00	-14.78	14.90	3	Vertical	183	1.42	-	44.32	37.62	12.34	35.06

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78039G	48.64	54.00	-5.36	14.90	3	Horizontal	94	1.50	-	33.74	37.62	12.34	35.06
PK	10.51973G	57.85	68.20	-10.35	14.13	3	Horizontal	11	1.85	-	43.72	39.98	9.04	34.89
PK	15.77772G	59.02	74.00	-14.98	14.90	3	Horizontal	94	1.50	-	44.12	37.62	12.34	35.06

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3054G	115.59	Inf	-Inf	3.62	3	Vertical	339	1.70	-	111.97	31.38	7.01	34.77
AV	5.3954G	52.75	54.00	-1.25	3.72	3	Vertical	339	1.70	-	49.03	31.38	7.11	34.77
PK	5.3048G	123.62	Inf	-Inf	3.62	3	Vertical	339	1.70	-	120.00	31.38	7.01	34.77
PK	5.3984G	62.54	74.00	-11.46	3.74	3	Vertical	339	1.70	-	58.80	31.39	7.12	34.77

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.297G	114.27	Inf	-Inf	3.64	3	Horizontal	345	1.77	-	110.63	31.41	7.00	34.77
AV	5.3984G	50.79	54.00	-3.21	3.74	3	Horizontal	345	1.77	-	47.05	31.39	7.12	34.77
PK	5.303G	121.22	Inf	-Inf	3.63	3	Horizontal	345	1.77	-	117.59	31.39	7.01	34.77
PK	5.3978G	60.62	74.00	-13.38	3.74	3	Horizontal	345	1.77	-	56.88	31.39	7.12	34.77

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6003G	45.97	54.00	-8.03	14.10	3	Vertical	324	1.50	-	31.87	39.90	9.07	34.87
AV	15.90242G	48.63	54.00	-5.37	14.73	3	Vertical	99	2.06	-	33.90	37.40	12.46	35.13
PK	10.60066G	56.49	74.00	-17.51	14.10	3	Vertical	324	1.50	-	42.39	39.90	9.07	34.87
PK	15.90222G	58.99	74.00	-15.01	14.73	3	Vertical	99	2.06	-	44.26	37.40	12.46	35.13

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60032G	46.87	54.00	-7.13	14.10	3	Horizontal	0	1.50	-	32.77	39.90	9.07	34.87
AV	15.90065G	48.57	54.00	-5.43	14.73	3	Horizontal	337	1.50	-	33.84	37.40	12.46	35.13
PK	10.6008G	57.55	74.00	-16.45	14.10	3	Horizontal	0	1.50	-	43.45	39.90	9.07	34.87
PK	15.90153G	59.20	74.00	-14.80	14.73	3	Horizontal	337	1.50	-	44.47	37.40	12.46	35.13

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3152G	114.84	Inf	-Inf	3.59	3	Vertical	338	1.72	-	111.25	31.34	7.02	34.77
AV	5.35G	53.27	54.00	-0.73	3.49	3	Vertical	338	1.72	-	49.78	31.20	7.06	34.77
PK	5.3158G	122.73	Inf	-Inf	3.59	3	Vertical	338	1.72	-	119.14	31.34	7.02	34.77
PK	5.4616G	58.62	68.20	-9.58	3.93	3	Vertical	338	1.72	-	54.69	31.62	7.08	34.77

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	113.20	Inf	-Inf	3.58	3	Horizontal	341	1.70	-	109.62	31.32	7.03	34.77
AV	5.35G	51.04	54.00	-2.96	3.49	3	Horizontal	341	1.70	-	47.55	31.20	7.06	34.77
PK	5.3158G	120.23	Inf	-Inf	3.59	3	Horizontal	341	1.70	-	116.64	31.34	7.02	34.77
PK	5.4682G	57.72	68.20	-10.48	3.95	3	Horizontal	341	1.70	-	53.77	31.64	7.08	34.77

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63982G	46.13	54.00	-7.87	14.16	3	Vertical	335	2.99	-	31.97	39.94	9.08	34.86
AV	15.95979G	48.55	54.00	-5.45	14.69	3	Vertical	78	1.50	-	33.86	37.34	12.52	35.17
PK	10.63941G	56.00	74.00	-18.00	14.16	3	Vertical	335	2.99	-	41.84	39.94	9.08	34.86
PK	15.95941G	59.46	74.00	-14.54	14.69	3	Vertical	78	1.50	-	44.77	37.34	12.52	35.17

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64001G	47.41	54.00	-6.59	14.16	3	Horizontal	36	1.38	-	33.25	39.94	9.08	34.86
AV	15.95953G	48.61	54.00	-5.39	14.69	3	Horizontal	262	1.50	-	33.92	37.34	12.52	35.17
PK	10.64G	56.59	74.00	-17.41	14.16	3	Horizontal	36	1.38	-	42.43	39.94	9.08	34.86
PK	15.95971G	58.56	74.00	-15.44	14.69	3	Horizontal	262	1.50	-	43.87	37.34	12.52	35.17

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	53.69	54.00	-0.31	3.93	3	Vertical	336	1.74	-	49.76	31.62	7.08	34.77
AV	5.4946G	115.90	Inf	-Inf	3.98	3	Vertical	336	1.74	-	111.92	31.69	7.06	34.77
PK	5.47G	66.94	68.20	-1.26	3.94	3	Vertical	336	1.74	-	63.00	31.64	7.07	34.77
PK	5.494G	124.16	Inf	-Inf	3.98	3	Vertical	336	1.74	-	120.18	31.69	7.06	34.77

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3758G	50.52	54.00	-3.48	3.62	3	Horizontal	339	1.64	-	46.90	31.30	7.09	34.77
AV	5.5048G	113.21	Inf	-Inf	3.98	3	Horizontal	339	1.64	-	109.23	31.70	7.05	34.77
PK	5.4652G	60.82	68.20	-7.38	3.94	3	Horizontal	339	1.64	-	56.88	31.63	7.08	34.77
PK	5.4958G	120.04	Inf	-Inf	3.98	3	Horizontal	339	1.64	-	116.06	31.69	7.06	34.77

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99994G	45.46	54.00	-8.54	14.66	3	Vertical	300	1.30	-	30.80	40.20	9.20	34.74
PK	10.99901G	56.29	74.00	-17.71	14.66	3	Vertical	300	1.30	-	41.63	40.20	9.20	34.74
PK	16.50071G	60.62	68.20	-7.58	16.77	3	Vertical	205	1.33	-	43.85	39.00	12.71	34.94

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99998G	46.93	54.00	-7.07	14.66	3	Horizontal	50	1.50	-	32.27	40.20	9.20	34.74
PK	10.99997G	57.30	74.00	-16.70	14.66	3	Horizontal	50	1.50	-	42.64	40.20	9.20	34.74
PK	16.49981G	60.73	68.20	-7.47	16.76	3	Horizontal	288	2.51	-	43.97	39.00	12.70	34.94

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.393G	53.51	54.00	-0.49	3.71	3	Vertical	360	1.80	-	49.80	31.37	7.11	34.77
AV	5.574G	115.58	Inf	-Inf	3.94	3	Vertical	360	1.80	-	111.64	31.70	7.01	34.77
PK	5.344G	59.99	68.20	-8.21	3.51	3	Vertical	360	1.80	-	56.48	31.22	7.06	34.77
PK	5.574G	123.42	Inf	-Inf	3.94	3	Vertical	360	1.80	-	119.48	31.70	7.01	34.77
PK	5.778G	60.44	68.20	-7.76	4.21	3	Vertical	360	1.80	-	56.23	32.06	6.92	34.77

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.385G	53.00	54.00	-1.00	3.67	3	Horizontal	354	1.72	-	49.33	31.34	7.10	34.77
AV	5.576G	113.80	Inf	-Inf	3.94	3	Horizontal	354	1.72	-	109.86	31.70	7.01	34.77
PK	5.47G	60.62	68.20	-7.58	3.94	3	Horizontal	354	1.72	-	56.68	31.64	7.07	34.77
PK	5.575G	120.75	Inf	-Inf	3.94	3	Horizontal	354	1.72	-	116.81	31.70	7.01	34.77
PK	5.76G	60.64	68.20	-7.56	4.18	3	Horizontal	354	1.72	-	56.46	32.02	6.93	34.77

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16055G	45.03	54.00	-8.97	14.31	3	Vertical	20	1.39	-	30.72	39.76	9.25	34.70
PK	11.16012G	56.39	74.00	-17.61	14.31	3	Vertical	20	1.39	-	42.08	39.76	9.25	34.70
PK	16.73816G	59.59	68.20	-8.61	17.72	3	Vertical	200	1.59	-	41.87	39.41	12.77	34.46

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16033G	47.21	54.00	-6.79	14.31	3	Horizontal	0	1.50	-	32.90	39.76	9.25	34.70
PK	11.15978G	58.34	74.00	-15.66	14.31	3	Horizontal	0	1.50	-	44.03	39.76	9.25	34.70
PK	16.7393G	59.13	68.20	-9.07	17.72	3	Horizontal	319	1.50	-	41.41	39.41	12.77	34.46

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.697G	113.72	Inf	-Inf	3.97	3	Vertical	332	1.77	-	109.75	31.79	6.95	34.77
PK	5.7018G	122.07	Inf	-Inf	3.99	3	Vertical	332	1.77	-	118.08	31.81	6.95	34.77
PK	5.7258G	67.51	68.20	-0.69	4.07	3	Vertical	332	1.77	-	63.44	31.90	6.94	34.77

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	111.78	Inf	-Inf	3.98	3	Horizontal	336	1.73	-	107.80	31.80	6.95	34.77
PK	5.7036G	118.82	Inf	-Inf	3.99	3	Horizontal	336	1.73	-	114.83	31.81	6.95	34.77
PK	5.7264G	61.11	68.20	-7.09	4.08	3	Horizontal	336	1.73	-	57.03	31.91	6.94	34.77

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4021G	45.69	54.00	-8.31	14.59	3	Vertical	72	1.41	-	31.10	39.90	9.33	34.64
PK	11.41374G	55.95	74.00	-18.05	14.61	3	Vertical	72	1.41	-	41.34	39.90	9.34	34.63
PK	17.09988G	61.01	68.20	-7.19	18.51	3	Vertical	314	1.50	-	42.50	39.70	12.88	34.07

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39994G	47.42	54.00	-6.58	14.59	3	Horizontal	54	1.47	-	32.83	39.90	9.33	34.64
PK	11.4G	58.04	74.00	-15.96	14.59	3	Horizontal	54	1.47	-	43.45	39.90	9.33	34.64
PK	17.09912G	61.53	68.20	-6.67	18.51	3	Horizontal	235	1.04	-	43.02	39.70	12.88	34.07

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	52.89	54.00	-1.11	3.93	3	Vertical	330	1.87	-	48.96	31.62	7.08	34.77
AV	5.7128G	117.17	Inf	-Inf	4.02	3	Vertical	330	1.87	-	113.15	31.85	6.94	34.77
PK	5.4608G	62.11	68.20	-6.09	3.93	3	Vertical	330	1.87	-	58.18	31.62	7.08	34.77
PK	5.714G	125.79	Inf	-Inf	4.03	3	Vertical	330	1.87	-	121.76	31.86	6.94	34.77
PK	5.918G	62.27	68.20	-5.93	5.00	3	Vertical	330	1.87	-	57.27	32.34	7.43	34.77

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4224G	51.43	54.00	-2.57	3.83	3	Horizontal	336	1.67	-	47.60	31.49	7.11	34.77
AV	5.714G	116.75	Inf	-Inf	4.03	3	Horizontal	336	1.67	-	112.72	31.86	6.94	34.77
PK	5.4668G	60.37	68.20	-7.83	3.94	3	Horizontal	336	1.67	-	56.43	31.63	7.08	34.77
PK	5.714G	124.35	Inf	-Inf	4.03	3	Horizontal	336	1.67	-	120.32	31.86	6.94	34.77
PK	5.8556G	61.78	68.20	-6.42	4.59	3	Horizontal	336	1.67	-	57.19	32.21	7.15	34.77


802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.739G	117.33	Inf	-Inf	4.12	3	Vertical	332	1.80	-	113.21	31.96	6.93	34.77
PK	5.554G	66.09	68.20	-2.11	3.95	3	Vertical	332	1.80	-	62.14	31.70	7.02	34.77
PK	5.739G	125.48	Inf	-Inf	4.12	3	Vertical	332	1.80	-	121.36	31.96	6.93	34.77
PK	5.932G	62.49	68.20	-5.71	5.08	3	Vertical	332	1.80	-	57.41	32.36	7.49	34.77

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7522G	116.56	Inf	-Inf	4.16	3	Horizontal	337	1.74	-	112.40	32.00	6.93	34.77
PK	5.559G	63.99	68.20	-4.21	3.95	3	Horizontal	337	1.74	-	60.04	31.70	7.02	34.77
PK	5.7414G	123.73	Inf	-Inf	4.13	3	Horizontal	337	1.74	-	119.60	31.97	6.93	34.77
PK	5.9286G	60.38	68.20	-7.82	5.07	3	Horizontal	337	1.74	-	55.31	32.36	7.48	34.77

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49059G	47.49	54.00	-6.51	14.65	3	Vertical	1	1.50	-	32.84	39.90	9.36	34.61
PK	11.49167G	58.22	74.00	-15.78	14.65	3	Vertical	1	1.50	-	43.57	39.90	9.36	34.61
PK	17.2364G	61.53	68.20	-6.67	18.46	3	Vertical	1	1.50	-	43.07	39.80	12.92	34.26

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49001G	51.88	54.00	-2.12	14.65	3	Horizontal	0	1.41	-	37.23	39.90	9.36	34.61
PK	11.49068G	61.61	74.00	-12.39	14.65	3	Horizontal	0	1.41	-	46.96	39.90	9.36	34.61
PK	17.23725G	61.80	68.20	-6.40	18.46	3	Horizontal	319	1.21	-	43.34	39.80	12.92	34.26

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	117.56	Inf	-Inf	4.21	3	Vertical	4	1.87	-	113.35	32.06	6.92	34.77
PK	5.5894G	67.83	68.20	-0.37	3.93	3	Vertical	4	1.87	-	63.90	31.70	7.00	34.77
PK	5.779G	125.71	Inf	-Inf	4.21	3	Vertical	4	1.87	-	121.50	32.06	6.92	34.77
PK	5.9698G	64.86	68.20	-3.34	5.29	3	Vertical	4	1.87	-	59.57	32.40	7.66	34.77

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	116.76	Inf	-Inf	4.21	3	Horizontal	5	1.71	-	112.55	32.06	6.92	34.77
PK	5.5882G	62.36	68.20	-5.84	3.93	3	Horizontal	5	1.71	-	58.43	31.70	7.00	34.77
PK	5.7802G	123.82	Inf	-Inf	4.21	3	Horizontal	5	1.71	-	119.61	32.06	6.92	34.77
PK	5.9254G	61.30	68.20	-6.90	5.04	3	Horizontal	5	1.71	-	56.26	32.35	7.46	34.77

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57047G	47.68	54.00	-6.32	14.66	3	Vertical	0	1.49	-	33.02	39.90	9.39	34.63
PK	11.57121G	58.35	74.00	-15.65	14.66	3	Vertical	0	1.49	-	43.69	39.90	9.39	34.63
PK	17.35511G	62.03	68.20	-6.17	18.83	3	Vertical	24	1.50	-	43.20	40.30	12.95	34.42

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56995G	52.18	54.00	-1.82	14.66	3	Horizontal	0	1.42	-	37.52	39.90	9.39	34.63
PK	11.57019G	61.88	74.00	-12.12	14.66	3	Horizontal	0	1.42	-	47.22	39.90	9.39	34.63
PK	17.35264G	62.40	68.20	-5.80	18.81	3	Horizontal	73	1.50	-	43.59	40.27	12.95	34.41

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	116.64	Inf	-Inf	4.36	3	Vertical	0	1.80	-	112.28	32.14	6.99	34.77
PK	5.633G	64.91	68.20	-3.29	3.91	3	Vertical	0	1.80	-	61.00	31.70	6.98	34.77
PK	5.819G	124.68	Inf	-Inf	4.36	3	Vertical	0	1.80	-	120.32	32.14	6.99	34.77
PK	5.924G	67.75	68.50	-0.75	5.04	3	Vertical	0	1.80	-	62.71	32.35	7.46	34.77

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	115.35	Inf	-Inf	4.44	3	Horizontal	8	1.70	-	110.91	32.16	7.05	34.77
PK	5.6306G	62.08	68.20	-6.12	3.91	3	Horizontal	8	1.70	-	58.17	31.70	6.98	34.77
PK	5.8226G	122.32	Inf	-Inf	4.39	3	Horizontal	8	1.70	-	117.93	32.15	7.01	34.77
PK	5.927G	62.19	68.20	-6.01	5.05	3	Horizontal	8	1.70	-	57.14	32.35	7.47	34.77

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64836G	46.66	54.00	-7.34	14.37	3	Vertical	46	1.50	-	32.29	39.61	9.41	34.65
PK	11.64776G	57.23	74.00	-16.77	14.37	3	Vertical	46	1.50	-	42.86	39.61	9.41	34.65
PK	17.4759G	62.75	68.20	-5.45	19.57	3	Vertical	283	1.50	-	43.18	41.16	12.99	34.58

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65007G	51.51	54.00	-2.49	14.36	3	Horizontal	0	1.48	-	37.15	39.60	9.41	34.65
PK	11.65065G	61.22	74.00	-12.78	14.36	3	Horizontal	0	1.48	-	46.86	39.60	9.41	34.65
PK	17.47739G	63.02	68.20	-5.18	19.57	3	Horizontal	194.3	2.51	-	43.45	41.16	12.99	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	4.01	3	Vertical	339	1.86	-	49.54	31.90	6.87	34.76
AV	5.1764G	112.97	Inf	-Inf	3.91	3	Vertical	339	1.86	-	109.06	31.79	6.88	34.76
PK	5.1812G	122.50	Inf	-Inf	3.90	3	Vertical	339	1.86	-	118.60	31.78	6.88	34.76
PK	5.1482G	62.54	74.00	-11.46	4.01	3	Vertical	339	1.86	-	58.53	31.90	6.87	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0882G	50.12	54.00	-3.88	3.94	3	Horizontal	15	1.50	-	46.18	31.85	6.85	34.76
AV	5.1788G	109.33	Inf	-Inf	3.90	3	Horizontal	15	1.50	-	105.43	31.78	6.88	34.76
PK	5.147G	59.46	74.00	-14.54	4.01	3	Horizontal	15	1.50	-	55.45	31.90	6.87	34.76
PK	5.1788G	119.28	Inf	-Inf	3.90	3	Horizontal	15	1.50	-	115.38	31.78	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53762G	45.51	54.00	-8.49	15.43	3	Vertical	160	1.50	-	30.08	38.25	12.10	34.92
PK	10.35834G	54.40	68.20	-13.80	13.54	3	Vertical	0	1.50	-	40.86	39.58	8.99	35.03
PK	15.53945G	56.43	74.00	-17.57	15.42	3	Vertical	160	1.50	-	41.01	38.24	12.10	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53757G	45.59	54.00	-8.41	15.43	3	Horizontal	308	2.54	-	30.16	38.25	12.10	34.92
PK	10.35796G	55.03	68.20	-13.17	13.53	3	Horizontal	28	1.43	-	41.50	39.57	8.99	35.03
PK	15.53762G	56.59	74.00	-17.41	15.43	3	Horizontal	308	2.54	-	41.16	38.25	12.10	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0878G	52.32	54.00	-1.68	3.94	3	Vertical	342	1.86	-	48.38	31.85	6.85	34.76
AV	5.197G	113.61	Inf	-Inf	3.84	3	Vertical	342	1.86	-	109.77	31.71	6.89	34.76
PK	5.1214G	61.58	74.00	-12.42	4.00	3	Vertical	342	1.86	-	57.58	31.90	6.86	34.76
PK	5.2054G	123.45	Inf	-Inf	3.82	3	Vertical	342	1.86	-	119.63	31.68	6.90	34.76


802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0878G	52.34	54.00	-1.66	3.94	3	Horizontal	1	1.82	-	48.40	31.85	6.85	34.76
AV	5.2012G	112.45	Inf	-Inf	3.83	3	Horizontal	1	1.82	-	108.62	31.70	6.89	34.76
PK	5.0878G	59.48	74.00	-14.52	3.94	3	Horizontal	1	1.82	-	55.54	31.85	6.85	34.76
PK	5.2024G	122.20	Inf	-Inf	3.82	3	Horizontal	1	1.82	-	118.38	31.69	6.89	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX 5200MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX 5200MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1476G	51.74	54.00	-2.26	4.01	3	Vertical	340	1.85	-	47.73	31.90	6.87	34.76
AV	5.2316G	115.65	Inf	-Inf	3.74	3	Vertical	340	1.85	-	111.91	31.57	6.93	34.76
AV	5.354G	50.43	54.00	-3.57	3.52	3	Vertical	340	1.85	-	46.91	31.22	7.07	34.77
PK	5.138G	62.02	74.00	-11.98	4.01	3	Vertical	340	1.85	-	58.01	31.90	6.87	34.76
PK	5.2358G	125.26	Inf	-Inf	3.73	3	Vertical	340	1.85	-	121.53	31.56	6.93	34.76
PK	5.3594G	60.44	74.00	-13.56	3.54	3	Vertical	340	1.85	-	56.90	31.24	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	50.43	54.00	-3.57	4.01	3	Horizontal	356	1.85	-	46.42	31.90	6.87	34.76
AV	5.2454G	115.55	Inf	-Inf	3.70	3	Horizontal	356	1.85	-	111.85	31.52	6.94	34.76
AV	5.3762G	51.71	54.00	-2.29	3.62	3	Horizontal	356	1.85	-	48.09	31.30	7.09	34.77
PK	5.1188G	61.66	74.00	-12.34	4.00	3	Horizontal	356	1.85	-	57.66	31.90	6.86	34.76
PK	5.2364G	125.19	Inf	-Inf	3.72	3	Horizontal	356	1.85	-	121.47	31.55	6.93	34.76
PK	5.3528G	60.86	74.00	-13.14	3.51	3	Horizontal	356	1.85	-	57.35	31.21	7.07	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	50.86	54.00	-3.14	4.01	3	Vertical	338	1.77	-	46.85	31.90	6.87	34.76
AV	5.269G	115.09	Inf	-Inf	3.66	3	Vertical	338	1.77	-	111.43	31.46	6.97	34.77
AV	5.3536G	53.51	54.00	-0.49	3.51	3	Vertical	338	1.77	-	50.00	31.21	7.07	34.77
PK	5.1382G	61.15	74.00	-12.85	4.01	3	Vertical	338	1.77	-	57.14	31.90	6.87	34.76
PK	5.2576G	124.25	Inf	-Inf	3.67	3	Vertical	338	1.77	-	120.58	31.48	6.96	34.77
PK	5.3542G	63.38	74.00	-10.62	3.52	3	Vertical	338	1.77	-	59.86	31.22	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.113G	50.21	54.00	-3.79	4.00	3	Horizontal	5	1.86	-	46.21	31.90	6.86	34.76
AV	5.2558G	115.07	Inf	-Inf	3.67	3	Horizontal	5	1.86	-	111.40	31.49	6.95	34.77
AV	5.3758G	52.29	54.00	-1.71	3.62	3	Horizontal	5	1.86	-	48.67	31.30	7.09	34.77
PK	5.143G	60.79	74.00	-13.21	4.01	3	Horizontal	5	1.86	-	56.78	31.90	6.87	34.76
PK	5.254G	124.18	Inf	-Inf	3.67	3	Horizontal	5	1.86	-	120.51	31.49	6.95	34.77
PK	5.3536G	61.59	74.00	-12.41	3.51	3	Horizontal	5	1.86	-	58.08	31.21	7.07	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	115.15	Inf	-Inf	3.64	3	Vertical	338	1.83	-	111.51	31.41	7.00	34.77
AV	5.3912G	52.98	54.00	-1.02	3.70	3	Vertical	338	1.83	-	49.28	31.36	7.11	34.77
PK	5.3066G	124.83	Inf	-Inf	3.61	3	Vertical	338	1.83	-	121.22	31.37	7.01	34.77
PK	5.3894G	62.86	74.00	-11.14	3.70	3	Vertical	338	1.83	-	59.16	31.36	7.11	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2916G	114.30	Inf	-Inf	3.65	3	Horizontal	0	1.83	-	110.65	31.42	7.00	34.77
AV	5.3762G	51.29	54.00	-2.71	3.62	3	Horizontal	0	1.83	-	47.67	31.30	7.09	34.77
PK	5.3078G	123.73	Inf	-Inf	3.61	3	Horizontal	0	1.83	-	120.12	31.37	7.01	34.77
PK	5.3996G	61.46	74.00	-12.54	3.75	3	Horizontal	0	1.83	-	57.71	31.40	7.12	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3152G	114.36	Inf	-Inf	3.59	3	Vertical	337	1.77	-	110.77	31.34	7.02	34.77
AV	5.3506G	53.50	54.00	-0.50	3.49	3	Vertical	337	1.77	-	50.01	31.20	7.06	34.77
PK	5.3266G	124.15	Inf	-Inf	3.56	3	Vertical	337	1.77	-	120.59	31.29	7.04	34.77
PK	5.4658G	59.46	68.20	-8.74	3.94	3	Vertical	337	1.77	-	55.52	31.63	7.08	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	113.47	Inf	-Inf	3.58	3	Horizontal	2	1.90	-	109.89	31.32	7.03	34.77
AV	5.35G	51.67	54.00	-2.33	3.49	3	Horizontal	2	1.90	-	48.18	31.20	7.06	34.77
PK	5.3116G	122.63	Inf	-Inf	3.60	3	Horizontal	2	1.90	-	119.03	31.35	7.02	34.77
PK	5.464G	57.79	68.20	-10.41	3.94	3	Horizontal	2	1.90	-	53.85	31.63	7.08	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6399G	44.55	54.00	-9.45	14.16	3	Vertical	333	1.31	-	30.39	39.94	9.08	34.86
AV	15.95753G	46.16	54.00	-7.84	14.69	3	Vertical	0	3.00	-	31.47	37.34	12.52	35.17
PK	10.64204G	54.80	74.00	-19.20	14.17	3	Vertical	333	1.31	-	40.63	39.94	9.08	34.85
PK	15.95843G	57.00	74.00	-17.00	14.69	3	Vertical	0	3.00	-	42.31	37.34	12.52	35.17

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64004G	45.66	54.00	-8.34	14.16	3	Horizontal	32	1.41	-	31.50	39.94	9.08	34.86
AV	15.95796G	46.27	54.00	-7.73	14.69	3	Horizontal	126	1.50	-	31.58	37.34	12.52	35.17
PK	10.63947G	55.78	74.00	-18.22	14.16	3	Horizontal	32	1.41	-	41.62	39.94	9.08	34.86
PK	15.95988G	57.05	74.00	-16.95	14.69	3	Horizontal	126	1.50	-	42.36	37.34	12.52	35.17

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	53.35	54.00	-0.65	3.93	3	Vertical	0	1.79	-	49.42	31.62	7.08	34.77
AV	5.4952G	114.97	Inf	-Inf	3.98	3	Vertical	0	1.79	-	110.99	31.69	7.06	34.77
PK	5.4694G	67.86	68.20	-0.34	3.94	3	Vertical	0	1.79	-	63.92	31.64	7.07	34.77
PK	5.5036G	125.03	Inf	-Inf	3.98	3	Vertical	0	1.79	-	121.05	31.70	7.05	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3758G	49.88	54.00	-4.12	3.62	3	Horizontal	346	1.67	-	46.26	31.30	7.09	34.77
AV	5.497G	112.55	Inf	-Inf	3.98	3	Horizontal	346	1.67	-	108.57	31.69	7.06	34.77
PK	5.4658G	60.78	68.20	-7.42	3.94	3	Horizontal	346	1.67	-	56.84	31.63	7.08	34.77
PK	5.5048G	122.04	Inf	-Inf	3.98	3	Horizontal	346	1.67	-	118.06	31.70	7.05	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX 5500MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX 5500MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.392G	53.80	54.00	-0.20	3.71	3	Vertical	360	1.79	-	50.09	31.37	7.11	34.77
AV	5.574G	114.74	Inf	-Inf	3.94	3	Vertical	360	1.79	-	110.80	31.70	7.01	34.77
PK	5.465G	62.51	68.20	-5.69	3.94	3	Vertical	360	1.79	-	58.57	31.63	7.08	34.77
PK	5.573G	124.09	Inf	-Inf	3.94	3	Vertical	360	1.79	-	120.15	31.70	7.01	34.77
PK	5.763G	62.42	68.20	-5.78	4.18	3	Vertical	360	1.79	-	58.24	32.03	6.92	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.376G	53.20	54.00	-0.80	3.62	3	Horizontal	353	1.72	-	49.58	31.30	7.09	34.77
AV	5.577G	113.20	Inf	-Inf	3.93	3	Horizontal	353	1.72	-	109.27	31.70	7.00	34.77
PK	5.35G	61.21	68.20	-6.99	3.49	3	Horizontal	353	1.72	-	57.72	31.20	7.06	34.77
PK	5.586G	123.06	Inf	-Inf	3.93	3	Horizontal	353	1.72	-	119.13	31.70	7.00	34.77
PK	5.759G	60.63	68.20	-7.57	4.18	3	Horizontal	353	1.72	-	56.45	32.02	6.93	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.697G	111.73	Inf	-Inf	3.97	3	Vertical	0	1.85	-	107.76	31.79	6.95	34.77
PK	5.703G	121.57	Inf	-Inf	3.99	3	Vertical	0	1.85	-	117.58	31.81	6.95	34.77
PK	5.7252G	68.00	68.20	-0.20	4.07	3	Vertical	0	1.85	-	63.93	31.90	6.94	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7018G	109.45	Inf	-Inf	3.99	3	Horizontal	0	1.82	-	105.46	31.81	6.95	34.77
PK	5.7012G	119.70	Inf	-Inf	3.98	3	Horizontal	0	1.82	-	115.72	31.80	6.95	34.77
PK	5.7264G	60.08	68.20	-8.12	4.08	3	Horizontal	0	1.82	-	56.00	31.91	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX 5700MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX 5700MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	53.59	54.00	-0.41	3.93	3	Vertical	0	1.78	-	49.66	31.62	7.08	34.77
AV	5.7248G	116.20	Inf	-Inf	4.07	3	Vertical	0	1.78	-	112.13	31.90	6.94	34.77
PK	5.462G	63.20	68.20	-5.00	3.93	3	Vertical	0	1.78	-	59.27	31.62	7.08	34.77
PK	5.7248G	125.29	Inf	-Inf	4.07	3	Vertical	0	1.78	-	121.22	31.90	6.94	34.77
PK	5.912G	62.71	68.20	-5.49	4.95	3	Vertical	0	1.78	-	57.76	32.32	7.40	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4344G	51.44	54.00	-2.56	3.87	3	Horizontal	0	1.77	-	47.57	31.54	7.10	34.77
AV	5.7116G	115.84	Inf	-Inf	4.03	3	Horizontal	0	1.77	-	111.81	31.85	6.95	34.77
PK	5.462G	61.05	68.20	-7.15	3.93	3	Horizontal	0	1.77	-	57.12	31.62	7.08	34.77
PK	5.7128G	124.45	Inf	-Inf	4.02	3	Horizontal	0	1.77	-	120.43	31.85	6.94	34.77
PK	5.8556G	63.48	68.20	-4.72	4.59	3	Horizontal	0	1.77	-	58.89	32.21	7.15	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.739G	116.40	Inf	-Inf	4.12	3	Vertical	360	1.81	-	112.28	31.96	6.93	34.77
PK	5.559G	67.48	68.20	-0.72	3.95	3	Vertical	360	1.81	-	63.53	31.70	7.02	34.77
PK	5.751G	125.78	Inf	-Inf	4.16	3	Vertical	360	1.81	-	121.62	32.00	6.93	34.77
PK	5.9298G	63.64	68.20	-4.56	5.07	3	Vertical	360	1.81	-	58.57	32.36	7.48	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7366G	115.90	Inf	-Inf	4.12	3	Horizontal	0	1.80	-	111.78	31.95	6.94	34.77
PK	5.5554G	64.13	68.20	-4.07	3.95	3	Horizontal	0	1.80	-	60.18	31.70	7.02	34.77
PK	5.7366G	124.15	Inf	-Inf	4.12	3	Horizontal	0	1.80	-	120.03	31.95	6.94	34.77
PK	5.9994G	60.96	68.20	-7.24	5.42	3	Horizontal	0	1.80	-	55.54	32.40	7.79	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7766G	116.49	Inf	-Inf	4.20	3	Vertical	0	1.79	-	112.29	32.05	6.92	34.77
PK	5.5942G	66.47	68.20	-1.73	3.92	3	Vertical	0	1.79	-	62.55	31.70	6.99	34.77
PK	5.7766G	125.96	Inf	-Inf	4.20	3	Vertical	0	1.79	-	121.76	32.05	6.92	34.77
PK	5.9926G	62.89	68.20	-5.31	5.39	3	Vertical	0	1.79	-	57.50	32.40	7.76	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7802G	114.88	Inf	-Inf	4.21	3	Horizontal	0	1.78	-	110.67	32.06	6.92	34.77
PK	5.4922G	61.93	68.20	-6.27	3.97	3	Horizontal	0	1.78	-	57.96	31.68	7.06	34.77
PK	5.7802G	124.16	Inf	-Inf	4.21	3	Horizontal	0	1.78	-	119.95	32.06	6.92	34.77
PK	5.9734G	60.06	68.20	-8.14	5.30	3	Horizontal	0	1.78	-	54.76	32.40	7.67	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	115.61	Inf	-Inf	4.39	3	Vertical	3	1.85	-	111.22	32.15	7.01	34.77
PK	5.633G	66.77	68.20	-1.43	3.91	3	Vertical	3	1.85	-	62.86	31.70	6.98	34.77
PK	5.8322G	124.93	Inf	-Inf	4.44	3	Vertical	3	1.85	-	120.49	32.16	7.05	34.77
PK	5.9234G	69.02	69.38	-0.36	5.03	3	Vertical	3	1.85	-	63.99	32.35	7.45	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	114.66	Inf	-Inf	4.43	3	Horizontal	6	1.74	-	110.23	32.16	7.04	34.77
PK	5.6294G	62.31	68.20	-5.89	3.91	3	Horizontal	6	1.74	-	58.40	31.70	6.98	34.77
PK	5.8286G	123.53	Inf	-Inf	4.43	3	Horizontal	6	1.74	-	119.10	32.16	7.04	34.77
PK	5.9258G	62.72	68.20	-5.48	5.04	3	Horizontal	6	1.74	-	57.68	32.35	7.46	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.64656G	54.20	74.00	-19.80	14.38	3	Vertical	40	1.50	-	39.82	39.62	9.41	34.65
AV	11.65528G	43.82	54.00	-10.18	14.34	3	Vertical	40	1.50	-	29.48	39.57	9.42	34.65
PK	17.4728G	60.55	68.20	-7.65	19.56	3	Vertical	19	1.50	-	40.99	41.14	12.99	34.57

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64984G	47.88	54.00	-6.12	14.36	3	Horizontal	1	1.50	-	33.52	39.60	9.41	34.65
PK	11.65032G	57.98	74.00	-16.02	14.36	3	Horizontal	1	1.50	-	43.62	39.60	9.41	34.65
PK	17.4754G	61.33	68.20	-6.87	19.56	3	Horizontal	51	1.50	-	41.77	41.15	12.99	34.58

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.80	54.00	-0.20	4.01	3	Vertical	344	1.81	-	49.79	31.90	6.87	34.76
AV	5.1912G	109.24	Inf	-Inf	3.87	3	Vertical	344	1.81	-	105.37	31.74	6.89	34.76
PK	5.142G	62.95	74.00	-11.05	4.01	3	Vertical	344	1.81	-	58.94	31.90	6.87	34.76
PK	5.1972G	119.73	Inf	-Inf	3.84	3	Vertical	344	1.81	-	115.89	31.71	6.89	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.088G	53.43	54.00	-0.57	3.94	3	Horizontal	11	1.77	-	49.49	31.85	6.85	34.76
AV	5.1876G	107.49	Inf	-Inf	3.88	3	Horizontal	11	1.77	-	103.61	31.75	6.89	34.76
PK	5.1474G	62.24	74.00	-11.76	4.01	3	Horizontal	11	1.77	-	58.23	31.90	6.87	34.76
PK	5.1882G	118.90	Inf	-Inf	3.88	3	Horizontal	11	1.77	-	115.02	31.75	6.89	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57348G	47.97	54.00	-6.03	15.31	3	Vertical	290	1.50	-	32.66	38.11	12.14	34.94
PK	10.37534G	55.57	68.20	-12.63	13.61	3	Vertical	127	1.71	-	41.96	39.63	8.99	35.01
PK	15.56678G	59.10	74.00	-14.90	15.32	3	Vertical	290	1.50	-	43.78	38.13	12.13	34.94

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57059G	48.06	54.00	-5.94	15.31	3	Horizontal	282	2.39	-	32.75	38.12	12.13	34.94
PK	10.37976G	56.06	68.20	-12.14	13.63	3	Horizontal	26	1.50	-	42.43	39.64	9.00	35.01
PK	15.56835G	59.26	74.00	-14.74	15.32	3	Horizontal	282	2.39	-	43.94	38.13	12.13	34.94

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0878G	52.73	54.00	-1.27	3.94	3	Vertical	340	1.84	-	48.79	31.85	6.85	34.76
AV	5.2312G	110.55	Inf	-Inf	3.75	3	Vertical	340	1.84	-	106.80	31.58	6.93	34.76
AV	5.3584G	50.91	54.00	-3.09	3.53	3	Vertical	340	1.84	-	47.38	31.23	7.07	34.77
PK	5.15G	62.26	74.00	-11.74	4.01	3	Vertical	340	1.84	-	58.25	31.90	6.87	34.76
PK	5.2402G	120.57	Inf	-Inf	3.72	3	Vertical	340	1.84	-	116.85	31.54	6.94	34.76
PK	5.362G	61.38	74.00	-12.62	3.56	3	Vertical	340	1.84	-	57.82	31.25	7.08	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0878G	52.85	54.00	-1.15	3.94	3	Horizontal	358	1.90	-	48.91	31.85	6.85	34.76
AV	5.2252G	110.05	Inf	-Inf	3.76	3	Horizontal	358	1.90	-	106.29	31.60	6.92	34.76
AV	5.3764G	48.61	54.00	-5.39	3.63	3	Horizontal	358	1.90	-	44.98	31.31	7.09	34.77
PK	5.0878G	59.70	74.00	-14.30	3.94	3	Horizontal	358	1.90	-	55.76	31.85	6.85	34.76
PK	5.2342G	120.84	Inf	-Inf	3.73	3	Horizontal	358	1.90	-	117.11	31.56	6.93	34.76
PK	5.3764G	58.30	74.00	-15.70	3.63	3	Horizontal	358	1.90	-	54.67	31.31	7.09	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0884G	51.45	54.00	-2.55	3.94	3	Vertical	344	1.81	-	47.51	31.85	6.85	34.76
AV	5.274G	110.10	Inf	-Inf	3.66	3	Vertical	344	1.81	-	106.44	31.45	6.98	34.77
AV	5.362G	49.63	54.00	-4.37	3.56	3	Vertical	344	1.81	-	46.07	31.25	7.08	34.77
PK	5.1276G	59.78	74.00	-14.22	4.00	3	Vertical	344	1.81	-	55.78	31.90	6.86	34.76
PK	5.2732G	120.37	Inf	-Inf	3.65	3	Vertical	344	1.81	-	116.72	31.45	6.97	34.77
PK	5.462G	58.51	68.20	-9.69	3.93	3	Vertical	344	1.81	-	54.58	31.62	7.08	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0876G	52.71	54.00	-1.29	3.94	3	Horizontal	347	1.86	-	48.77	31.85	6.85	34.76
AV	5.2684G	109.21	Inf	-Inf	3.66	3	Horizontal	347	1.86	-	105.55	31.46	6.97	34.77
AV	5.3764G	48.96	54.00	-5.04	3.63	3	Horizontal	347	1.86	-	45.33	31.31	7.09	34.77
PK	5.0876G	59.65	74.00	-14.35	3.94	3	Horizontal	347	1.86	-	55.71	31.85	6.85	34.76
PK	5.2676G	119.35	Inf	-Inf	3.66	3	Horizontal	347	1.86	-	115.69	31.46	6.97	34.77
PK	5.4604G	57.95	68.20	-10.25	3.93	3	Horizontal	347	1.86	-	54.02	31.62	7.08	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX 5270MHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX 5270MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.088G	50.95	54.00	-3.05	3.94	3	Vertical	341	1.83	-	47.01	31.85	6.85	34.76
AV	5.309G	107.50	Inf	-Inf	3.61	3	Vertical	341	1.83	-	103.89	31.36	7.02	34.77
AV	5.35G	53.07	54.00	-0.93	3.49	3	Vertical	341	1.83	-	49.58	31.20	7.06	34.77
PK	5.102G	58.63	74.00	-15.37	3.99	3	Vertical	341	1.83	-	54.64	31.90	6.85	34.76
PK	5.308G	116.89	Inf	-Inf	3.61	3	Vertical	341	1.83	-	113.28	31.37	7.01	34.77
PK	5.52G	58.32	68.20	-9.88	3.97	3	Vertical	341	1.83	-	54.35	31.70	7.04	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.088G	52.27	54.00	-1.73	3.94	3	Horizontal	343	1.80	-	48.33	31.85	6.85	34.76
AV	5.313G	105.92	Inf	-Inf	3.60	3	Horizontal	343	1.80	-	102.32	31.35	7.02	34.77
AV	5.351G	49.63	54.00	-4.37	3.49	3	Horizontal	343	1.80	-	46.14	31.20	7.06	34.77
PK	5.088G	59.42	74.00	-14.58	3.94	3	Horizontal	343	1.80	-	55.48	31.85	6.85	34.76
PK	5.324G	115.39	Inf	-Inf	3.56	3	Horizontal	343	1.80	-	111.83	31.30	7.03	34.77
PK	5.472G	59.25	68.20	-8.95	3.94	3	Horizontal	343	1.80	-	55.31	31.64	7.07	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61999G	45.56	54.00	-8.44	14.13	3	Vertical	332	1.29	-	31.43	39.92	9.07	34.86
AV	15.93189G	48.01	54.00	-5.99	14.71	3	Vertical	92	1.50	-	33.30	37.37	12.49	35.15
PK	10.6183G	55.77	74.00	-18.23	14.13	3	Vertical	332	1.29	-	41.64	39.92	9.07	34.86
PK	15.92979G	59.16	74.00	-14.84	14.71	3	Vertical	92	1.50	-	44.45	37.37	12.49	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61998G	46.58	54.00	-7.42	14.13	3	Horizontal	34	1.37	-	32.45	39.92	9.07	34.86
AV	15.9294G	48.03	54.00	-5.97	14.71	3	Horizontal	144	1.50	-	33.32	37.37	12.49	35.15
PK	10.62028G	56.01	74.00	-17.99	14.13	3	Horizontal	34	1.37	-	41.88	39.92	9.07	34.86
PK	15.92976G	58.93	74.00	-15.07	14.71	3	Horizontal	144	1.50	-	44.22	37.37	12.49	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	53.26	54.00	-0.74	3.93	3	Vertical	4	1.78	-	49.33	31.62	7.08	34.77
AV	5.5088G	110.05	Inf	-Inf	3.98	3	Vertical	4	1.78	-	106.07	31.70	7.05	34.77
PK	5.468G	65.67	68.20	-2.53	3.95	3	Vertical	4	1.78	-	61.72	31.64	7.08	34.77
PK	5.5088G	120.24	Inf	-Inf	3.98	3	Vertical	4	1.78	-	116.26	31.70	7.05	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	48.33	54.00	-5.67	3.93	3	Horizontal	355	1.73	-	44.40	31.62	7.08	34.77
AV	5.5124G	105.94	Inf	-Inf	3.98	3	Horizontal	355	1.73	-	101.96	31.70	7.05	34.77
PK	5.4686G	58.56	68.20	-9.64	3.95	3	Horizontal	355	1.73	-	54.61	31.64	7.08	34.77
PK	5.5112G	116.13	Inf	-Inf	3.98	3	Horizontal	355	1.73	-	112.15	31.70	7.05	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	53.28	54.00	-0.72	3.93	3	Vertical	0	1.83	-	49.35	31.62	7.08	34.77
AV	5.549G	112.88	Inf	-Inf	3.95	3	Vertical	0	1.83	-	108.93	31.70	7.02	34.77
PK	5.461G	63.22	68.20	-4.98	3.93	3	Vertical	0	1.83	-	59.29	31.62	7.08	34.77
PK	5.549G	122.82	Inf	-Inf	3.95	3	Vertical	0	1.83	-	118.87	31.70	7.02	34.77
PK	5.741G	60.72	68.20	-7.48	4.12	3	Vertical	0	1.83	-	56.60	31.96	6.93	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.361G	49.62	54.00	-4.38	3.55	3	Horizontal	350	1.65	-	46.07	31.24	7.08	34.77
AV	5.552G	109.96	Inf	-Inf	3.95	3	Horizontal	350	1.65	-	106.01	31.70	7.02	34.77
PK	5.466G	59.99	68.20	-8.21	3.94	3	Horizontal	350	1.65	-	56.05	31.63	7.08	34.77
PK	5.543G	119.58	Inf	-Inf	3.96	3	Horizontal	350	1.65	-	115.62	31.70	7.03	34.77
PK	5.767G	58.57	68.20	-9.63	4.18	3	Horizontal	350	1.65	-	54.39	32.03	6.92	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09955G	44.78	54.00	-9.22	14.52	3	Vertical	67	1.47	-	30.26	40.00	9.23	34.71
PK	11.09971G	56.20	74.00	-17.80	14.52	3	Vertical	67	1.47	-	41.68	40.00	9.23	34.71
PK	16.6502G	60.83	68.20	-7.37	17.06	3	Vertical	246	1.50	-	43.77	38.95	12.75	34.64

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10001G	46.51	54.00	-7.49	14.52	3	Horizontal	46	1.31	-	31.99	40.00	9.23	34.71
PK	11.1G	56.47	74.00	-17.53	14.52	3	Horizontal	46	1.31	-	41.95	40.00	9.23	34.71
PK	16.64996G	61.19	68.20	-7.01	17.06	3	Horizontal	323	1.50	-	44.13	38.95	12.75	34.64

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	51.87	54.00	-2.13	3.93	3	Vertical	360	1.88	-	47.94	31.62	7.08	34.77
AV	5.667G	111.26	Inf	-Inf	3.92	3	Vertical	360	1.88	-	107.34	31.73	6.96	34.77
PK	5.465G	62.82	68.20	-5.38	3.94	3	Vertical	360	1.88	-	58.88	31.63	7.08	34.77
PK	5.667G	121.80	Inf	-Inf	3.92	3	Vertical	360	1.88	-	117.88	31.73	6.96	34.77
PK	5.726G	67.97	68.20	-0.23	4.07	3	Vertical	360	1.88	-	63.90	31.90	6.94	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.67	54.00	-4.33	3.93	3	Horizontal	360	1.82	-	45.74	31.62	7.08	34.77
AV	5.672G	108.06	Inf	-Inf	3.93	3	Horizontal	360	1.82	-	104.13	31.74	6.96	34.77
PK	5.466G	59.61	68.20	-8.59	3.94	3	Horizontal	360	1.82	-	55.67	31.63	7.08	34.77
PK	5.672G	117.57	Inf	-Inf	3.93	3	Horizontal	360	1.82	-	113.64	31.74	6.96	34.77
PK	5.732G	60.49	68.20	-7.71	4.10	3	Horizontal	360	1.82	-	56.39	31.93	6.94	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	53.42	54.00	-0.58	3.93	3	Vertical	5	1.90	-	49.49	31.62	7.08	34.77
AV	5.716G	115.31	Inf	-Inf	4.03	3	Vertical	5	1.90	-	111.28	31.86	6.94	34.77
PK	5.4676G	64.03	68.20	-4.17	3.95	3	Vertical	5	1.90	-	60.08	31.64	7.08	34.77
PK	5.7184G	124.84	Inf	-Inf	4.04	3	Vertical	5	1.90	-	120.80	31.87	6.94	34.77
PK	5.962G	62.99	68.20	-5.21	5.25	3	Vertical	5	1.90	-	57.74	32.40	7.62	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4148G	51.55	54.00	-2.45	3.80	3	Horizontal	0	1.80	-	47.75	31.46	7.11	34.77
AV	5.7112G	114.35	Inf	-Inf	4.02	3	Horizontal	0	1.80	-	110.33	31.84	6.95	34.77
PK	5.4676G	61.20	68.20	-7.00	3.95	3	Horizontal	0	1.80	-	57.25	31.64	7.08	34.77
PK	5.7124G	123.46	Inf	-Inf	4.03	3	Horizontal	0	1.80	-	119.43	31.85	6.95	34.77
PK	5.8552G	62.81	68.20	-5.39	4.59	3	Horizontal	0	1.80	-	58.22	32.21	7.15	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7598G	114.93	Inf	-Inf	4.18	3	Vertical	0	1.84	-	110.75	32.02	6.93	34.77
PK	5.647G	67.25	68.20	-0.95	3.90	3	Vertical	0	1.84	-	63.35	31.70	6.97	34.77
PK	5.761G	124.84	Inf	-Inf	4.18	3	Vertical	0	1.84	-	120.66	32.02	6.93	34.77
PK	5.938G	63.34	68.20	-4.86	5.10	3	Vertical	0	1.84	-	58.24	32.37	7.50	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7562G	113.66	Inf	-Inf	4.17	3	Horizontal	1	1.80	-	109.49	32.01	6.93	34.77
PK	5.5582G	63.06	68.20	-5.14	3.95	3	Horizontal	1	1.80	-	59.11	31.70	7.02	34.77
PK	5.7478G	123.08	Inf	-Inf	4.15	3	Horizontal	1	1.80	-	118.93	31.99	6.93	34.77
PK	5.9494G	60.61	68.20	-7.59	5.20	3	Horizontal	1	1.80	-	55.41	32.40	7.57	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX 5755MHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX 5755MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7794G	114.65	Inf	-Inf	4.21	3	Vertical	0	1.80	-	110.44	32.06	6.92	34.77
PK	5.6006G	65.56	68.20	-2.64	3.92	3	Vertical	0	1.80	-	61.64	31.70	6.99	34.77
PK	5.7782G	124.65	Inf	-Inf	4.21	3	Vertical	0	1.80	-	120.44	32.06	6.92	34.77
PK	5.9546G	63.99	68.20	-4.21	5.22	3	Vertical	0	1.80	-	58.77	32.40	7.59	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7962G	112.56	Inf	-Inf	4.23	3	Horizontal	12	1.79	-	108.33	32.09	6.91	34.77
PK	5.6126G	61.79	68.20	-6.41	3.91	3	Horizontal	12	1.79	-	57.88	31.70	6.98	34.77
PK	5.7866G	121.80	Inf	-Inf	4.22	3	Horizontal	12	1.79	-	117.58	32.07	6.92	34.77
PK	5.9342G	60.01	68.20	-8.19	5.10	3	Horizontal	12	1.79	-	54.91	32.37	7.50	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.97	54.00	-1.03	4.01	3	Vertical	335	1.86	-	48.96	31.90	6.87	34.76
AV	5.219G	105.10	Inf	-Inf	3.77	3	Vertical	335	1.86	-	101.33	31.62	6.91	34.76
AV	5.35G	48.30	54.00	-5.70	3.49	3	Vertical	335	1.86	-	44.81	31.20	7.06	34.77
PK	5.149G	63.11	74.00	-10.89	4.01	3	Vertical	335	1.86	-	59.10	31.90	6.87	34.76
PK	5.188G	115.05	Inf	-Inf	3.88	3	Vertical	335	1.86	-	111.17	31.75	6.89	34.76
PK	5.366G	58.94	74.00	-15.06	3.57	3	Vertical	335	1.86	-	55.37	31.26	7.08	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.088G	52.29	54.00	-1.71	3.94	3	Horizontal	4	1.86	-	48.35	31.85	6.85	34.76
AV	5.226G	103.87	Inf	-Inf	3.76	3	Horizontal	4	1.86	-	100.11	31.60	6.92	34.76
AV	5.376G	49.03	54.00	-4.97	3.62	3	Horizontal	4	1.86	-	45.41	31.30	7.09	34.77
PK	5.088G	64.02	74.00	-9.98	3.94	3	Horizontal	4	1.86	-	60.08	31.85	6.85	34.76
PK	5.218G	113.95	Inf	-Inf	3.78	3	Horizontal	4	1.86	-	110.17	31.63	6.91	34.76
PK	5.37G	58.20	74.00	-15.80	3.60	3	Horizontal	4	1.86	-	54.60	31.28	7.09	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.088G	51.18	54.00	-2.82	3.94	3	Vertical	338	1.78	-	47.24	31.85	6.85	34.76
AV	5.294G	104.09	Inf	-Inf	3.64	3	Vertical	338	1.78	-	100.45	31.41	7.00	34.77
AV	5.356G	53.57	54.00	-0.43	3.52	3	Vertical	338	1.78	-	50.05	31.22	7.07	34.77
PK	5.128G	59.16	74.00	-14.84	4.00	3	Vertical	338	1.78	-	55.16	31.90	6.86	34.76
PK	5.276G	114.36	Inf	-Inf	3.66	3	Vertical	338	1.78	-	110.70	31.45	6.98	34.77
PK	5.354G	64.73	74.00	-9.27	3.52	3	Vertical	338	1.78	-	61.21	31.22	7.07	34.77
PK	5.472G	59.14	68.20	-9.06	3.94	3	Vertical	338	1.78	-	55.20	31.64	7.07	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.088G	51.71	54.00	-2.29	3.94	3	Horizontal	343	1.81	-	47.77	31.85	6.85	34.76
AV	5.289G	102.98	Inf	-Inf	3.64	3	Horizontal	343	1.81	-	99.34	31.42	6.99	34.77
AV	5.35G	51.51	54.00	-2.49	3.49	3	Horizontal	343	1.81	-	48.02	31.20	7.06	34.77
PK	5.088G	58.89	74.00	-15.11	3.94	3	Horizontal	343	1.81	-	54.95	31.85	6.85	34.76
PK	5.298G	113.88	Inf	-Inf	3.63	3	Horizontal	343	1.81	-	110.25	31.40	7.00	34.77
PK	5.41G	64.79	74.00	-9.21	3.78	3	Horizontal	343	1.81	-	61.01	31.44	7.11	34.77
PK	5.472G	58.57	68.20	-9.63	3.94	3	Horizontal	343	1.81	-	54.63	31.64	7.07	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	53.18	54.00	-0.82	3.93	3	Vertical	360	1.79	-	49.25	31.62	7.08	34.77
AV	5.529G	104.33	Inf	-Inf	3.97	3	Vertical	360	1.79	-	100.36	31.70	7.04	34.77
PK	5.467G	63.76	68.20	-4.44	3.94	3	Vertical	360	1.79	-	59.82	31.63	7.08	34.77
PK	5.539G	115.30	Inf	-Inf	3.96	3	Vertical	360	1.79	-	111.34	31.70	7.03	34.77
PK	5.73G	57.58	68.20	-10.62	4.09	3	Vertical	360	1.79	-	53.49	31.92	6.94	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.376G	48.41	54.00	-5.59	3.62	3	Horizontal	349	1.72	-	44.79	31.30	7.09	34.77
AV	5.522G	100.73	Inf	-Inf	3.97	3	Horizontal	349	1.72	-	96.76	31.70	7.04	34.77
PK	5.469G	58.08	68.20	-10.12	3.95	3	Horizontal	349	1.72	-	54.13	31.64	7.08	34.77
PK	5.513G	110.99	Inf	-Inf	3.98	3	Horizontal	349	1.72	-	107.01	31.70	7.05	34.77
PK	5.771G	56.81	68.20	-11.39	4.19	3	Horizontal	349	1.72	-	52.62	32.04	6.92	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.455G	52.80	54.00	-1.20	3.92	3	Vertical	0	1.83	-	48.88	31.61	7.08	34.77
AV	5.612G	108.82	Inf	-Inf	3.92	3	Vertical	0	1.83	-	104.90	31.70	6.99	34.77
PK	5.465G	65.13	68.20	-3.07	3.94	3	Vertical	0	1.83	-	61.19	31.63	7.08	34.77
PK	5.614G	119.26	Inf	-Inf	3.91	3	Vertical	0	1.83	-	115.35	31.70	6.98	34.77
PK	5.729G	67.49	68.20	-0.71	4.09	3	Vertical	0	1.83	-	63.40	31.92	6.94	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.454G	49.57	54.00	-4.43	3.92	3	Horizontal	342	1.74	-	45.65	31.61	7.08	34.77
AV	5.606G	105.58	Inf	-Inf	3.92	3	Horizontal	342	1.74	-	101.66	31.70	6.99	34.77
PK	5.463G	59.36	68.20	-8.84	3.94	3	Horizontal	342	1.74	-	55.42	31.63	7.08	34.77
PK	5.585G	115.86	Inf	-Inf	3.93	3	Horizontal	342	1.74	-	111.93	31.70	7.00	34.77
PK	5.73G	66.13	68.20	-2.07	4.09	3	Horizontal	342	1.74	-	62.04	31.92	6.94	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	51.84	54.00	-2.16	3.93	3	Vertical	360	1.88	-	47.91	31.62	7.08	34.77
AV	5.696G	109.80	Inf	-Inf	3.97	3	Vertical	360	1.88	-	105.83	31.79	6.95	34.77
PK	5.4692G	61.85	68.20	-6.35	3.95	3	Vertical	360	1.88	-	57.90	31.64	7.08	34.77
PK	5.696G	120.24	Inf	-Inf	3.97	3	Vertical	360	1.88	-	116.27	31.79	6.95	34.77
PK	5.8604G	65.04	68.20	-3.16	4.63	3	Vertical	360	1.88	-	60.41	32.22	7.18	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.42	54.00	-4.58	3.93	3	Horizontal	0	1.77	-	45.49	31.62	7.08	34.77
AV	5.691G	107.45	Inf	-Inf	3.96	3	Horizontal	0	1.77	-	103.49	31.78	6.95	34.77
PK	5.466G	60.23	68.20	-7.97	3.94	3	Horizontal	0	1.77	-	56.29	31.63	7.08	34.77
PK	5.691G	117.19	Inf	-Inf	3.96	3	Horizontal	0	1.77	-	113.23	31.78	6.95	34.77
PK	5.856G	61.09	68.20	-7.11	4.60	3	Horizontal	0	1.77	-	56.49	32.21	7.16	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	111.32	Inf	-Inf	4.18	3	Vertical	0	1.85	-	107.14	32.02	6.93	34.77
PK	5.6478G	66.23	68.20	-1.97	3.90	3	Vertical	0	1.85	-	62.33	31.70	6.97	34.77
PK	5.7594G	121.01	Inf	-Inf	4.18	3	Vertical	0	1.85	-	116.83	32.02	6.93	34.77
PK	5.9286G	65.72	68.20	-2.48	5.07	3	Vertical	0	1.85	-	60.65	32.36	7.48	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	108.30	Inf	-Inf	4.22	3	Horizontal	2	1.79	-	104.08	32.07	6.92	34.77
PK	5.655G	65.52	71.90	-6.38	3.91	3	Horizontal	2	1.79	-	61.61	31.71	6.97	34.77
PK	5.787G	119.10	Inf	-Inf	4.22	3	Horizontal	2	1.79	-	114.88	32.07	6.92	34.77
PK	5.9286G	59.67	68.20	-8.53	5.07	3	Horizontal	2	1.79	-	54.60	32.36	7.48	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.0878G	53.83	54.00	-0.17	3	Horizontal	3	1.78	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.62	54.00	-0.38	3	Vertical	334	1.80	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.148G	52.46	54.00	-1.54	3	Vertical	342	1.68	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.83	54.00	-0.17	3	Vertical	332	1.84	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.01	54.00	-0.99	3	Vertical	328	1.87	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.355G	53.90	54.00	-0.10	3	Horizontal	341	1.85	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.4224G	53.09	54.00	-0.91	3	Vertical	360.1	1.77	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.458G	53.41	54.00	-0.59	3	Vertical	0	1.71	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.46G	52.00	54.00	-2.00	3	Vertical	0	1.67	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.57252G	51.28	54.00	-2.72	3	Horizontal	360	2.31	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6338G	66.22	68.20	-1.98	3	Horizontal	2	1.81	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6538G	68.48	71.01	-2.53	3	Vertical	3	1.81	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	51.90	54.00	-2.10	3	Vertical	331	1.95	-
5180MHz	Pass	AV	5.1842G	110.69	Inf	-Inf	3	Vertical	331	1.95	-
5180MHz	Pass	PK	5.1482G	69.75	74.00	-4.25	3	Vertical	331	1.95	-
5180MHz	Pass	PK	5.1842G	119.16	Inf	-Inf	3	Vertical	331	1.95	-
5180MHz	Pass	AV	5.0876G	51.01	54.00	-2.99	3	Horizontal	360	1.78	-
5180MHz	Pass	AV	5.189G	109.02	Inf	-Inf	3	Horizontal	360	1.78	-
5180MHz	Pass	PK	5.1482G	60.46	74.00	-13.54	3	Horizontal	360	1.78	-
5180MHz	Pass	PK	5.189G	118.50	Inf	-Inf	3	Horizontal	360	1.78	-
5180MHz	Pass	AV	15.54146G	47.56	54.00	-6.44	3	Vertical	164	1.50	-
5180MHz	Pass	PK	10.35954G	55.75	68.20	-12.45	3	Vertical	360	1.66	-
5180MHz	Pass	PK	15.542G	58.45	74.00	-15.55	3	Vertical	164	1.50	-
5180MHz	Pass	AV	15.54065G	47.50	54.00	-6.50	3	Horizontal	212	2.67	-
5180MHz	Pass	PK	10.36041G	56.21	68.20	-11.99	3	Horizontal	9	2.03	-
5180MHz	Pass	PK	15.53925G	58.45	74.00	-15.55	3	Horizontal	212	2.67	-
5200MHz	Pass	AV	5.15G	52.39	54.00	-1.61	3	Vertical	332	1.93	-
5200MHz	Pass	AV	5.2084G	114.80	Inf	-Inf	3	Vertical	332	1.93	-
5200MHz	Pass	AV	5.35G	48.81	54.00	-5.19	3	Vertical	332	1.93	-
5200MHz	Pass	PK	5.1424G	64.02	74.00	-9.98	3	Vertical	332	1.93	-
5200MHz	Pass	PK	5.2078G	124.38	Inf	-Inf	3	Vertical	332	1.93	-
5200MHz	Pass	PK	5.35G	58.09	74.00	-15.91	3	Vertical	332	1.93	-
5200MHz	Pass	AV	5.0878G	53.83	54.00	-0.17	3	Horizontal	3	1.78	-
5200MHz	Pass	AV	5.2018G	113.23	Inf	-Inf	3	Horizontal	3	1.78	-
5200MHz	Pass	AV	5.35G	48.71	54.00	-5.29	3	Horizontal	3	1.78	-
5200MHz	Pass	PK	5.149G	61.39	74.00	-12.61	3	Horizontal	3	1.78	-
5200MHz	Pass	PK	5.2018G	122.14	Inf	-Inf	3	Horizontal	3	1.78	-
5200MHz	Pass	PK	5.35G	56.98	74.00	-17.02	3	Horizontal	3	1.78	-
5200MHz	Pass	AV	15.59927G	47.67	54.00	-6.33	3	Vertical	173	1.79	-
5200MHz	Pass	PK	10.39802G	56.47	68.20	-11.73	3	Vertical	360	1.50	-
5200MHz	Pass	PK	15.59881G	58.21	74.00	-15.79	3	Vertical	173	1.79	-
5200MHz	Pass	AV	15.60097G	47.72	54.00	-6.28	3	Horizontal	137	1.50	-
5200MHz	Pass	PK	10.39965G	56.86	68.20	-11.34	3	Horizontal	17	1.49	-
5200MHz	Pass	PK	15.59784G	58.28	74.00	-15.72	3	Horizontal	137	1.50	-
5240MHz	Pass	AV	5.1488G	51.58	54.00	-2.42	3	Vertical	360	1.89	-
5240MHz	Pass	AV	5.2448G	114.96	Inf	-Inf	3	Vertical	360	1.89	-
5240MHz	Pass	AV	5.3756G	49.14	54.00	-4.86	3	Vertical	360	1.89	-
5240MHz	Pass	PK	5.147G	61.72	74.00	-12.28	3	Vertical	360	1.89	-
5240MHz	Pass	PK	5.2442G	124.22	Inf	-Inf	3	Vertical	360	1.89	-
5240MHz	Pass	PK	5.3516G	59.45	74.00	-14.55	3	Vertical	360	1.89	-
5240MHz	Pass	AV	5.1404G	50.12	54.00	-3.88	3	Horizontal	338	1.89	-
5240MHz	Pass	AV	5.2364G	115.31	Inf	-Inf	3	Horizontal	338	1.89	-
5240MHz	Pass	AV	5.3762G	50.82	54.00	-3.18	3	Horizontal	338	1.89	-
5240MHz	Pass	PK	5.1398G	60.37	74.00	-13.63	3	Horizontal	338	1.89	-
5240MHz	Pass	PK	5.2346G	123.84	Inf	-Inf	3	Horizontal	338	1.89	-
5240MHz	Pass	PK	5.357G	59.62	74.00	-14.38	3	Horizontal	338	1.89	-
5240MHz	Pass	AV	15.71801G	47.29	54.00	-6.71	3	Vertical	5	1.50	-
5240MHz	Pass	PK	10.48005G	56.83	68.20	-11.37	3	Vertical	45	2.33	-
5240MHz	Pass	PK	15.72226G	58.45	74.00	-15.55	3	Vertical	5	1.50	-
5240MHz	Pass	AV	15.72492G	47.29	54.00	-6.71	3	Horizontal	142	1.50	-
5240MHz	Pass	PK	10.47971G	57.72	68.20	-10.48	3	Horizontal	0	1.80	-
5240MHz	Pass	PK	15.71854G	57.46	74.00	-16.54	3	Horizontal	142	1.50	-
5260MHz	Pass	AV	5.1436G	51.22	54.00	-2.78	3	Vertical	328	1.83	-
5260MHz	Pass	AV	5.2546G	115.79	Inf	-Inf	3	Vertical	328	1.83	-
5260MHz	Pass	AV	5.3566G	52.99	54.00	-1.01	3	Vertical	328	1.83	-
5260MHz	Pass	PK	5.1496G	60.75	74.00	-13.25	3	Vertical	328	1.83	-
5260MHz	Pass	PK	5.2558G	123.05	Inf	-Inf	3	Vertical	328	1.83	-
5260MHz	Pass	PK	5.3626G	61.36	74.00	-12.64	3	Vertical	328	1.83	-
5260MHz	Pass	AV	5.116G	51.27	54.00	-2.73	3	Horizontal	360	1.79	-
5260MHz	Pass	AV	5.251G	117.63	Inf	-Inf	3	Horizontal	360	1.79	-
5260MHz	Pass	AV	5.3758G	52.33	54.00	-1.67	3	Horizontal	360	1.79	-
5260MHz	Pass	PK	5.1184G	60.17	74.00	-13.83	3	Horizontal	360	1.79	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	5.2516G	124.83	Inf	-Inf	3	Horizontal	360	1.79	-
5260MHz	Pass	PK	5.3542G	60.48	74.00	-13.52	3	Horizontal	360	1.79	-
5260MHz	Pass	AV	15.78119G	47.36	54.00	-6.64	3	Vertical	216	1.22	-
5260MHz	Pass	PK	10.5199G	56.00	68.20	-12.20	3	Vertical	36	2.24	-
5260MHz	Pass	PK	15.78135G	57.73	74.00	-16.27	3	Vertical	216	1.22	-
5260MHz	Pass	AV	15.78106G	47.38	54.00	-6.62	3	Horizontal	191	1.32	-
5260MHz	Pass	PK	10.51904G	56.63	68.20	-11.57	3	Horizontal	360	2.11	-
5260MHz	Pass	PK	15.7786G	57.54	74.00	-16.46	3	Horizontal	191	1.32	-
5300MHz	Pass	AV	5.3042G	112.78	Inf	-Inf	3	Vertical	339	1.79	-
5300MHz	Pass	AV	5.4002G	50.92	54.00	-3.08	3	Vertical	339	1.79	-
5300MHz	Pass	PK	5.3078G	121.70	Inf	-Inf	3	Vertical	339	1.79	-
5300MHz	Pass	PK	5.351G	61.41	74.00	-12.59	3	Vertical	339	1.79	-
5300MHz	Pass	AV	5.309G	115.60	Inf	-Inf	3	Horizontal	350	1.78	-
5300MHz	Pass	AV	5.3756G	50.82	54.00	-3.18	3	Horizontal	350	1.78	-
5300MHz	Pass	PK	5.3084G	122.51	Inf	-Inf	3	Horizontal	350	1.78	-
5300MHz	Pass	PK	5.405G	60.26	74.00	-13.74	3	Horizontal	350	1.78	-
5300MHz	Pass	AV	10.6001G	45.61	54.00	-8.39	3	Vertical	14	1.50	-
5300MHz	Pass	AV	15.90071G	47.35	54.00	-6.65	3	Vertical	36	1.50	-
5300MHz	Pass	PK	10.60098G	55.98	74.00	-18.02	3	Vertical	14	1.50	-
5300MHz	Pass	PK	15.89909G	58.21	74.00	-15.79	3	Vertical	36	1.50	-
5300MHz	Pass	AV	10.60012G	46.49	54.00	-7.51	3	Horizontal	28	1.34	-
5300MHz	Pass	AV	15.90163G	47.26	54.00	-6.74	3	Horizontal	74	2.08	-
5300MHz	Pass	PK	10.59999G	56.15	68.20	-12.05	3	Horizontal	28	1.34	-
5300MHz	Pass	PK	15.9022G	58.60	74.00	-15.40	3	Horizontal	74	2.08	-
5320MHz	Pass	AV	5.3134G	109.20	Inf	-Inf	3	Vertical	332	1.84	-
5320MHz	Pass	AV	5.35G	53.83	54.00	-0.17	3	Vertical	332	1.84	-
5320MHz	Pass	PK	5.3278G	118.14	Inf	-Inf	3	Vertical	332	1.84	-
5320MHz	Pass	PK	5.353G	64.26	74.00	-9.74	3	Vertical	332	1.84	-
5320MHz	Pass	AV	5.3188G	107.31	Inf	-Inf	3	Horizontal	356	1.84	-
5320MHz	Pass	AV	5.3758G	48.50	54.00	-5.50	3	Horizontal	356	1.84	-
5320MHz	Pass	PK	5.323G	116.61	Inf	-Inf	3	Horizontal	356	1.84	-
5320MHz	Pass	PK	5.464G	56.74	68.20	-11.46	3	Horizontal	356	1.84	-
5320MHz	Pass	AV	10.63878G	45.12	54.00	-8.88	3	Vertical	177	1.50	-
5320MHz	Pass	AV	15.96071G	47.25	54.00	-6.75	3	Vertical	38	1.88	-
5320MHz	Pass	PK	10.63874G	55.60	74.00	-18.40	3	Vertical	177	1.50	-
5320MHz	Pass	PK	15.96111G	57.73	74.00	-16.27	3	Vertical	38	1.88	-
5320MHz	Pass	AV	10.63927G	45.05	54.00	-8.95	3	Horizontal	346	2.37	-
5320MHz	Pass	AV	15.96194G	47.41	54.00	-6.59	3	Horizontal	0	1.87	-
5320MHz	Pass	PK	10.63943G	55.60	74.00	-18.40	3	Horizontal	346	2.37	-
5320MHz	Pass	PK	15.96195G	57.97	74.00	-16.03	3	Horizontal	0	1.87	-
5500MHz	Pass	AV	5.4598G	51.70	54.00	-2.30	3	Vertical	356	1.70	-
5500MHz	Pass	AV	5.5084G	111.40	Inf	-Inf	3	Vertical	356	1.70	-
5500MHz	Pass	PK	5.4502G	72.50	74.00	-1.50	3	Vertical	356	1.70	-
5500MHz	Pass	PK	5.506G	121.68	Inf	-Inf	3	Vertical	356	1.70	-
5500MHz	Pass	AV	5.4598G	48.88	54.00	-5.12	3	Horizontal	360	1.65	-
5500MHz	Pass	AV	5.4946G	107.21	Inf	-Inf	3	Horizontal	360	1.65	-
5500MHz	Pass	PK	5.4694G	59.35	68.20	-8.85	3	Horizontal	360	1.65	-
5500MHz	Pass	PK	5.4976G	117.07	Inf	-Inf	3	Horizontal	360	1.65	-
5500MHz	Pass	AV	10.99914G	45.96	54.00	-8.04	3	Vertical	32	1.50	-
5500MHz	Pass	PK	10.99835G	56.04	74.00	-17.96	3	Vertical	32	1.50	-
5500MHz	Pass	PK	16.49975G	61.04	68.20	-7.16	3	Vertical	155	1.50	-
5500MHz	Pass	AV	11.0025G	45.90	54.00	-8.10	3	Horizontal	101	1.07	-
5500MHz	Pass	PK	10.99798G	56.77	74.00	-17.23	3	Horizontal	101	1.07	-
5500MHz	Pass	PK	16.50194G	60.53	68.20	-7.67	3	Horizontal	0	1.02	-
5580MHz	Pass	AV	5.39G	52.58	54.00	-1.42	3	Vertical	356	1.84	-
5580MHz	Pass	AV	5.571G	114.55	Inf	-Inf	3	Vertical	356	1.84	-
5580MHz	Pass	PK	5.332G	61.74	68.20	-6.46	3	Vertical	356	1.84	-
5580MHz	Pass	PK	5.573G	123.46	Inf	-Inf	3	Vertical	356	1.84	-
5580MHz	Pass	PK	5.769G	62.01	68.20	-6.19	3	Vertical	356	1.84	-
5580MHz	Pass	AV	5.395G	52.61	54.00	-1.39	3	Horizontal	349	1.61	-
5580MHz	Pass	AV	5.589G	115.23	Inf	-Inf	3	Horizontal	349	1.61	-
5580MHz	Pass	PK	5.467G	59.91	68.20	-8.29	3	Horizontal	349	1.61	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.589G	123.07	Inf	-Inf	3	Horizontal	349	1.61	-
5580MHz	Pass	PK	5.76G	60.93	68.20	-7.27	3	Horizontal	349	1.61	-
5580MHz	Pass	AV	11.15812G	45.74	54.00	-8.26	3	Vertical	310	2.65	-
5580MHz	Pass	PK	11.1666G	56.63	74.00	-17.37	3	Vertical	310	2.65	-
5580MHz	Pass	PK	16.7302G	60.60	68.20	-7.60	3	Vertical	15	1.50	-
5580MHz	Pass	PK	11.16368G	57.48	74.00	-16.52	3	Horizontal	355	1.50	-
5580MHz	Pass	AV	11.16808G	46.83	54.00	-7.17	3	Horizontal	355	1.50	-
5580MHz	Pass	PK	16.73344G	61.48	68.20	-6.72	3	Horizontal	309	1.50	-
5700MHz	Pass	AV	5.7066G	104.02	Inf	-Inf	3	Vertical	359	1.78	-
5700MHz	Pass	PK	5.7036G	113.58	Inf	-Inf	3	Vertical	359	1.78	-
5700MHz	Pass	PK	5.7252G	67.14	68.20	-1.06	3	Vertical	359	1.78	-
5700MHz	Pass	AV	5.694G	102.86	Inf	-Inf	3	Horizontal	360	1.67	-
5700MHz	Pass	PK	5.6916G	113.31	Inf	-Inf	3	Horizontal	360	1.67	-
5700MHz	Pass	PK	5.7318G	66.56	68.20	-1.64	3	Horizontal	360	1.67	-
5700MHz	Pass	AV	11.40492G	45.38	54.00	-8.62	3	Vertical	360	1.50	-
5700MHz	Pass	PK	11.40264G	55.84	74.00	-18.16	3	Vertical	360	1.50	-
5700MHz	Pass	PK	17.09216G	61.15	68.20	-7.05	3	Vertical	207	2.50	-
5700MHz	Pass	AV	11.40568G	45.36	54.00	-8.64	3	Horizontal	223	1.60	-
5700MHz	Pass	PK	11.40108G	55.55	74.00	-18.45	3	Horizontal	223	1.60	-
5700MHz	Pass	PK	17.09164G	61.44	68.20	-6.76	3	Horizontal	38	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	53.09	54.00	-0.91	3	Vertical	360.1	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	115.95	Inf	-Inf	3	Vertical	360.1	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	62.62	68.20	-5.58	3	Vertical	360.1	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	123.54	Inf	-Inf	3	Vertical	360.1	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9792G	61.39	68.20	-6.81	3	Vertical	360.1	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	48.54	54.00	-5.46	3	Horizontal	360	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	114.07	Inf	-Inf	3	Horizontal	360	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.43	68.20	-9.77	3	Horizontal	360	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	122.64	Inf	-Inf	3	Horizontal	360	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	61.14	68.20	-7.06	3	Horizontal	360	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4424G	46.06	54.00	-7.94	3	Vertical	1	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.443G	56.49	74.00	-17.51	3	Vertical	1	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1588G	61.99	68.20	-6.21	3	Vertical	340	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43998G	47.37	54.00	-6.63	3	Horizontal	53	1.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43996G	56.96	74.00	-17.04	3	Horizontal	53	1.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.158G	61.24	68.20	-6.96	3	Horizontal	206	1.15	-
5745MHz	Pass	AV	5.7522G	115.95	Inf	-Inf	3	Vertical	350	1.79	-
5745MHz	Pass	PK	5.5578G	63.13	68.20	-5.07	3	Vertical	350	1.79	-
5745MHz	Pass	PK	5.7534G	125.03	Inf	-Inf	3	Vertical	350	1.79	-
5745MHz	Pass	PK	5.9406G	62.61	68.20	-5.59	3	Vertical	350	1.79	-
5745MHz	Pass	AV	5.7438G	114.52	Inf	-Inf	3	Horizontal	360	1.78	-
5745MHz	Pass	PK	5.4726G	60.90	68.20	-7.30	3	Horizontal	360	1.78	-
5745MHz	Pass	PK	5.7438G	123.08	Inf	-Inf	3	Horizontal	360	1.78	-
5745MHz	Pass	PK	5.9346G	59.86	68.20	-8.34	3	Horizontal	360	1.78	-
5745MHz	Pass	AV	11.48944G	46.24	54.00	-7.76	3	Vertical	346	1.50	-
5745MHz	Pass	PK	11.49816G	56.36	74.00	-17.64	3	Vertical	346	1.50	-
5745MHz	Pass	PK	17.2268G	60.55	68.20	-7.65	3	Vertical	5	1.52	-
5745MHz	Pass	AV	11.48996G	47.31	54.00	-6.69	3	Horizontal	60	1.50	-
5745MHz	Pass	PK	11.49028G	56.29	74.00	-17.71	3	Horizontal	60	1.50	-
5745MHz	Pass	PK	17.23248G	60.83	68.20	-7.37	3	Horizontal	38	2.27	-
5785MHz	Pass	AV	5.7778G	114.65	Inf	-Inf	3	Vertical	0	1.76	-
5785MHz	Pass	PK	5.5906G	63.17	68.20	-5.03	3	Vertical	0	1.76	-
5785MHz	Pass	PK	5.7814G	123.62	Inf	-Inf	3	Vertical	0	1.76	-
5785MHz	Pass	PK	5.9314G	62.21	68.20	-5.99	3	Vertical	0	1.76	-
5785MHz	Pass	AV	5.7934G	114.40	Inf	-Inf	3	Horizontal	0	1.84	-
5785MHz	Pass	PK	5.6014G	61.01	68.20	-7.19	3	Horizontal	0	1.84	-
5785MHz	Pass	PK	5.7946G	123.16	Inf	-Inf	3	Horizontal	0	1.84	-
5785MHz	Pass	PK	5.923G	60.76	69.68	-8.92	3	Horizontal	0	1.84	-
5785MHz	Pass	AV	11.56522G	45.89	54.00	-8.11	3	Vertical	1	1.50	-
5785MHz	Pass	PK	11.57212G	56.15	74.00	-17.85	3	Vertical	1	1.50	-
5785MHz	Pass	PK	17.35412G	61.55	68.20	-6.65	3	Vertical	236	2.61	-
5785MHz	Pass	AV	11.57252G	51.28	54.00	-2.72	3	Horizontal	360	2.31	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	11.57128G	61.79	74.00	-12.21	3	Horizontal	360	2.31	-
5785MHz	Pass	PK	17.35638G	61.60	68.20	-6.60	3	Horizontal	358	1.50	-
5825MHz	Pass	AV	5.8298G	112.69	Inf	-Inf	3	Vertical	343	1.72	-
5825MHz	Pass	PK	5.6402G	61.35	68.20	-6.85	3	Vertical	343	1.72	-
5825MHz	Pass	PK	5.831G	122.52	Inf	-Inf	3	Vertical	343	1.72	-
5825MHz	Pass	PK	5.9246G	65.62	68.50	-2.88	3	Vertical	343	1.72	-
5825MHz	Pass	AV	5.8322G	112.43	Inf	-Inf	3	Horizontal	360	1.64	-
5825MHz	Pass	PK	5.6378G	60.87	68.20	-7.33	3	Horizontal	360	1.64	-
5825MHz	Pass	PK	5.8178G	122.26	Inf	-Inf	3	Horizontal	360	1.64	-
5825MHz	Pass	PK	5.9246G	61.34	68.50	-7.16	3	Horizontal	360	1.64	-
5825MHz	Pass	AV	11.65004G	46.71	54.00	-7.29	3	Vertical	1	1.50	-
5825MHz	Pass	PK	11.64024G	57.35	74.00	-16.65	3	Vertical	1	1.50	-
5825MHz	Pass	PK	17.47434G	62.34	68.20	-5.86	3	Vertical	16	1.50	-
5825MHz	Pass	AV	11.64988G	48.45	54.00	-5.55	3	Horizontal	53	1.47	-
5825MHz	Pass	PK	11.65038G	57.58	74.00	-16.42	3	Horizontal	53	1.47	-
5825MHz	Pass	PK	17.4723G	62.52	68.20	-5.68	3	Horizontal	4	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	53.62	54.00	-0.38	3	Vertical	334	1.80	-
5190MHz	Pass	AV	5.178G	105.59	Inf	-Inf	3	Vertical	334	1.80	-
5190MHz	Pass	PK	5.1456G	71.30	74.00	-2.70	3	Vertical	334	1.80	-
5190MHz	Pass	PK	5.1828G	114.69	Inf	-Inf	3	Vertical	334	1.80	-
5190MHz	Pass	AV	5.088G	49.53	54.00	-4.47	3	Horizontal	360	1.77	-
5190MHz	Pass	AV	5.2026G	104.68	Inf	-Inf	3	Horizontal	360	1.77	-
5190MHz	Pass	PK	5.1468G	59.57	74.00	-14.43	3	Horizontal	360	1.77	-
5190MHz	Pass	PK	5.2044G	113.79	Inf	-Inf	3	Horizontal	360	1.77	-
5190MHz	Pass	AV	15.5696G	47.82	54.00	-6.18	3	Vertical	10	1.50	-
5190MHz	Pass	PK	10.38025G	56.13	68.20	-12.07	3	Vertical	12	1.06	-
5190MHz	Pass	PK	15.56915G	58.09	74.00	-15.91	3	Vertical	10	1.50	-
5190MHz	Pass	AV	15.57193G	47.63	54.00	-6.37	3	Horizontal	245	2.50	-
5190MHz	Pass	PK	10.37975G	56.13	68.20	-12.07	3	Horizontal	17	1.50	-
5190MHz	Pass	PK	15.57135G	58.17	74.00	-15.83	3	Horizontal	245	2.50	-
5230MHz	Pass	AV	5.14G	52.55	54.00	-1.45	3	Vertical	333	1.81	-
5230MHz	Pass	AV	5.221G	110.09	Inf	-Inf	3	Vertical	333	1.81	-
5230MHz	Pass	AV	5.3758G	50.99	54.00	-3.01	3	Vertical	333	1.81	-
5230MHz	Pass	PK	5.1376G	65.34	74.00	-8.66	3	Vertical	333	1.81	-
5230MHz	Pass	PK	5.2234G	117.95	Inf	-Inf	3	Vertical	333	1.81	-
5230MHz	Pass	PK	5.3626G	62.73	74.00	-11.27	3	Vertical	333	1.81	-
5230MHz	Pass	AV	5.0878G	51.34	54.00	-2.66	3	Horizontal	358	1.80	-
5230MHz	Pass	AV	5.221G	108.17	Inf	-Inf	3	Horizontal	358	1.80	-
5230MHz	Pass	AV	5.3758G	49.26	54.00	-4.74	3	Horizontal	358	1.80	-
5230MHz	Pass	PK	5.1286G	59.39	74.00	-14.61	3	Horizontal	358	1.80	-
5230MHz	Pass	PK	5.2366G	116.38	Inf	-Inf	3	Horizontal	358	1.80	-
5230MHz	Pass	PK	5.377G	57.18	74.00	-16.82	3	Horizontal	358	1.80	-
5230MHz	Pass	AV	15.68944G	47.49	54.00	-6.51	3	Vertical	126	1.50	-
5230MHz	Pass	PK	10.45986G	56.15	68.20	-12.05	3	Vertical	111	1.50	-
5230MHz	Pass	PK	15.69084G	57.96	74.00	-16.04	3	Vertical	126	1.50	-
5230MHz	Pass	AV	15.69052G	47.37	54.00	-6.63	3	Horizontal	89	1.50	-
5230MHz	Pass	PK	10.4591G	56.92	68.20	-11.28	3	Horizontal	2	1.47	-
5230MHz	Pass	PK	15.69066G	57.87	74.00	-16.13	3	Horizontal	89	1.50	-
5270MHz	Pass	AV	5.1444G	49.21	54.00	-4.79	3	Vertical	356	1.77	-
5270MHz	Pass	AV	5.2724G	105.25	Inf	-Inf	3	Vertical	356	1.77	-
5270MHz	Pass	AV	5.3564G	48.67	54.00	-5.33	3	Vertical	356	1.77	-
5270MHz	Pass	PK	5.1036G	59.35	74.00	-14.65	3	Vertical	356	1.77	-
5270MHz	Pass	PK	5.2596G	116.72	Inf	-Inf	3	Vertical	356	1.77	-
5270MHz	Pass	PK	5.4652G	58.09	68.20	-10.11	3	Vertical	356	1.77	-
5270MHz	Pass	AV	5.0876G	51.52	54.00	-2.48	3	Horizontal	357	1.79	-
5270MHz	Pass	AV	5.2796G	112.21	Inf	-Inf	3	Horizontal	357	1.79	-
5270MHz	Pass	AV	5.3756G	50.10	54.00	-3.90	3	Horizontal	357	1.79	-
5270MHz	Pass	PK	5.126G	59.21	74.00	-14.79	3	Horizontal	357	1.79	-
5270MHz	Pass	PK	5.2804G	119.59	Inf	-Inf	3	Horizontal	357	1.79	-
5270MHz	Pass	PK	5.47G	56.80	68.20	-11.40	3	Horizontal	357	1.79	-
5270MHz	Pass	AV	15.81072G	47.42	54.00	-6.58	3	Vertical	97	1.35	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	10.53952G	55.71	68.20	-12.49	3	Vertical	18	1.45	-
5270MHz	Pass	PK	15.80761G	57.73	74.00	-16.27	3	Vertical	97	1.35	-
5270MHz	Pass	AV	15.81161G	47.54	54.00	-6.46	3	Horizontal	129	2.81	-
5270MHz	Pass	PK	10.54003G	57.06	68.20	-11.14	3	Horizontal	2	1.50	-
5270MHz	Pass	PK	15.8091G	57.77	74.00	-16.23	3	Horizontal	129	2.81	-
5310MHz	Pass	AV	5.1404G	48.60	54.00	-5.40	3	Vertical	328	1.87	-
5310MHz	Pass	AV	5.302G	105.85	Inf	-Inf	3	Vertical	328	1.87	-
5310MHz	Pass	AV	5.35G	53.01	54.00	-0.99	3	Vertical	328	1.87	-
5310MHz	Pass	PK	5.1364G	59.15	74.00	-14.85	3	Vertical	328	1.87	-
5310MHz	Pass	PK	5.3188G	114.13	Inf	-Inf	3	Vertical	328	1.87	-
5310MHz	Pass	PK	5.3556G	70.66	74.00	-3.34	3	Vertical	328	1.87	-
5310MHz	Pass	AV	5.1124G	47.91	54.00	-6.09	3	Horizontal	335	1.89	-
5310MHz	Pass	AV	5.3036G	105.08	Inf	-Inf	3	Horizontal	335	1.89	-
5310MHz	Pass	AV	5.3764G	48.76	54.00	-5.24	3	Horizontal	335	1.89	-
5310MHz	Pass	PK	5.146G	57.95	74.00	-16.05	3	Horizontal	335	1.89	-
5310MHz	Pass	PK	5.3052G	115.08	Inf	-Inf	3	Horizontal	335	1.89	-
5310MHz	Pass	PK	5.4828G	57.17	68.20	-11.03	3	Horizontal	335	1.89	-
5310MHz	Pass	AV	10.62003G	45.78	54.00	-8.22	3	Vertical	17	1.47	-
5310MHz	Pass	AV	15.93214G	47.11	54.00	-6.89	3	Vertical	1	1.50	-
5310MHz	Pass	PK	10.62G	55.93	74.00	-18.07	3	Vertical	17	1.47	-
5310MHz	Pass	PK	15.92919G	57.21	74.00	-16.79	3	Vertical	1	1.50	-
5310MHz	Pass	AV	10.62007G	46.34	54.00	-7.66	3	Horizontal	32	1.37	-
5310MHz	Pass	AV	15.932G	47.21	54.00	-6.79	3	Horizontal	289	1.50	-
5310MHz	Pass	PK	10.62013G	55.83	74.00	-18.17	3	Horizontal	32	1.37	-
5310MHz	Pass	PK	15.93153G	57.25	74.00	-16.75	3	Horizontal	289	1.50	-
5510MHz	Pass	AV	5.458G	48.16	54.00	-5.84	3	Vertical	0	1.80	-
5510MHz	Pass	AV	5.4932G	99.01	Inf	-Inf	3	Vertical	0	1.80	-
5510MHz	Pass	PK	5.47G	63.90	68.20	-4.30	3	Vertical	0	1.80	-
5510MHz	Pass	PK	5.5036G	111.37	Inf	-Inf	3	Vertical	0	1.80	-
5510MHz	Pass	AV	5.4252G	46.47	54.00	-7.53	3	Horizontal	348	1.75	-
5510MHz	Pass	AV	5.4996G	96.74	Inf	-Inf	3	Horizontal	348	1.75	-
5510MHz	Pass	PK	5.3156G	56.30	68.20	-11.90	3	Horizontal	348	1.75	-
5510MHz	Pass	PK	5.4996G	106.15	Inf	-Inf	3	Horizontal	348	1.75	-
5510MHz	Pass	AV	11.02006G	46.10	54.00	-7.90	3	Vertical	28	2.04	-
5510MHz	Pass	PK	11.02034G	57.15	74.00	-16.85	3	Vertical	28	2.04	-
5510MHz	Pass	PK	16.52799G	60.33	68.20	-7.87	3	Vertical	196	2.11	-
5510MHz	Pass	AV	11.0199G	47.24	54.00	-6.76	3	Horizontal	59	2.23	-
5510MHz	Pass	PK	11.02033G	56.94	74.00	-17.06	3	Horizontal	59	2.23	-
5510MHz	Pass	PK	16.528G	59.56	68.20	-8.64	3	Horizontal	353	1.50	-
5550MHz	Pass	AV	5.46G	48.42	54.00	-5.58	3	Vertical	333	1.82	-
5550MHz	Pass	AV	5.537G	105.16	Inf	-Inf	3	Vertical	333	1.82	-
5550MHz	Pass	PK	5.465G	59.68	68.20	-8.52	3	Vertical	333	1.82	-
5550MHz	Pass	PK	5.546G	113.35	Inf	-Inf	3	Vertical	333	1.82	-
5550MHz	Pass	PK	5.726G	58.36	68.20	-9.84	3	Vertical	333	1.82	-
5550MHz	Pass	AV	5.376G	47.67	54.00	-6.33	3	Horizontal	360	1.84	-
5550MHz	Pass	AV	5.532G	101.81	Inf	-Inf	3	Horizontal	360	1.84	-
5550MHz	Pass	PK	5.466G	59.86	68.20	-8.34	3	Horizontal	360	1.84	-
5550MHz	Pass	PK	5.535G	110.25	Inf	-Inf	3	Horizontal	360	1.84	-
5550MHz	Pass	PK	5.749G	57.44	68.20	-10.76	3	Horizontal	360	1.84	-
5550MHz	Pass	AV	11.09881G	46.02	54.00	-7.98	3	Vertical	248	1.50	-
5550MHz	Pass	PK	11.10094G	56.81	74.00	-17.19	3	Vertical	248	1.50	-
5550MHz	Pass	PK	16.64937G	60.82	68.20	-7.38	3	Vertical	98	2.24	-
5550MHz	Pass	AV	11.09996G	46.76	54.00	-7.24	3	Horizontal	65	2.26	-
5550MHz	Pass	PK	11.10051G	57.31	74.00	-16.69	3	Horizontal	65	2.26	-
5550MHz	Pass	PK	16.65027G	61.07	68.20	-7.13	3	Horizontal	310	1.38	-
5670MHz	Pass	AV	5.46G	50.74	54.00	-3.26	3	Vertical	360	1.82	-
5670MHz	Pass	AV	5.653G	111.68	Inf	-Inf	3	Vertical	360	1.82	-
5670MHz	Pass	PK	5.461G	61.57	68.20	-6.63	3	Vertical	360	1.82	-
5670MHz	Pass	PK	5.663G	120.71	Inf	-Inf	3	Vertical	360	1.82	-
5670MHz	Pass	PK	5.737G	66.28	68.20	-1.92	3	Vertical	360	1.82	-
5670MHz	Pass	AV	5.459G	48.05	54.00	-5.95	3	Horizontal	7	1.84	-
5670MHz	Pass	AV	5.689G	111.08	Inf	-Inf	3	Horizontal	7	1.84	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	PK	5.464G	57.42	68.20	-10.78	3	Horizontal	7	1.84	-
5670MHz	Pass	PK	5.688G	118.93	Inf	-Inf	3	Horizontal	7	1.84	-
5670MHz	Pass	PK	5.725G	61.89	68.20	-6.31	3	Horizontal	7	1.84	-
5670MHz	Pass	AV	11.3418G	45.21	54.00	-8.79	3	Vertical	72	1.50	-
5670MHz	Pass	PK	11.33904G	55.71	74.00	-18.29	3	Vertical	72	1.50	-
5670MHz	Pass	PK	17.00844G	61.58	68.20	-6.62	3	Vertical	176	1.50	-
5670MHz	Pass	AV	11.34014G	46.11	54.00	-7.89	3	Horizontal	57	1.61	-
5670MHz	Pass	PK	11.34022G	56.40	74.00	-17.60	3	Horizontal	57	1.61	-
5670MHz	Pass	PK	17.01216G	61.45	68.20	-6.75	3	Horizontal	80	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	53.41	54.00	-0.59	3	Vertical	0	1.71	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	113.09	Inf	-Inf	3	Vertical	0	1.71	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	63.02	68.20	-5.18	3	Vertical	0	1.71	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	120.57	Inf	-Inf	3	Vertical	0	1.71	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	63.09	68.20	-5.11	3	Vertical	0	1.71	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4172G	48.65	54.00	-5.35	3	Horizontal	0	1.88	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.728G	110.96	Inf	-Inf	3	Horizontal	0	1.88	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	58.55	68.20	-9.65	3	Horizontal	0	1.88	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.728G	120.43	Inf	-Inf	3	Horizontal	0	1.88	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	59.67	68.20	-8.53	3	Horizontal	0	1.88	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42952G	45.86	54.00	-8.14	3	Vertical	175	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	56.15	74.00	-17.85	3	Vertical	175	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13344G	61.31	68.20	-6.89	3	Vertical	78	2.85	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	47.02	54.00	-6.98	3	Horizontal	60	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40896G	56.73	74.00	-17.27	3	Horizontal	60	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13688G	61.33	68.20	-6.87	3	Horizontal	207	1.50	-
5755MHz	Pass	AV	5.7466G	112.19	Inf	-Inf	3	Vertical	2	1.74	-
5755MHz	Pass	PK	5.6482G	63.48	68.20	-4.72	3	Vertical	2	1.74	-
5755MHz	Pass	PK	5.7418G	120.97	Inf	-Inf	3	Vertical	2	1.74	-
5755MHz	Pass	PK	5.9362G	62.20	68.20	-6.00	3	Vertical	2	1.74	-
5755MHz	Pass	AV	5.7442G	111.46	Inf	-Inf	3	Horizontal	2	1.81	-
5755MHz	Pass	PK	5.6338G	66.22	68.20	-1.98	3	Horizontal	2	1.81	-
5755MHz	Pass	PK	5.7454G	121.50	Inf	-Inf	3	Horizontal	2	1.81	-
5755MHz	Pass	PK	5.9218G	61.75	70.57	-8.82	3	Horizontal	2	1.81	-
5755MHz	Pass	AV	11.50991G	46.28	54.00	-7.72	3	Vertical	354	1.94	-
5755MHz	Pass	PK	11.50945G	56.68	74.00	-17.32	3	Vertical	354	1.94	-
5755MHz	Pass	PK	17.26327G	61.80	68.20	-6.40	3	Vertical	268	1.50	-
5755MHz	Pass	AV	11.51006G	47.18	54.00	-6.82	3	Horizontal	52	1.57	-
5755MHz	Pass	PK	11.51388G	56.53	74.00	-17.47	3	Horizontal	52	1.57	-
5755MHz	Pass	PK	17.26379G	61.40	68.20	-6.80	3	Horizontal	290	1.50	-
5795MHz	Pass	AV	5.7818G	114.47	Inf	-Inf	3	Vertical	3	1.76	-
5795MHz	Pass	PK	5.5946G	63.62	68.20	-4.58	3	Vertical	3	1.76	-
5795MHz	Pass	PK	5.7842G	121.60	Inf	-Inf	3	Vertical	3	1.76	-
5795MHz	Pass	PK	5.9258G	64.13	68.20	-4.07	3	Vertical	3	1.76	-
5795MHz	Pass	AV	5.8022G	108.66	Inf	-Inf	3	Horizontal	0	1.60	-
5795MHz	Pass	PK	5.6318G	63.03	68.20	-5.17	3	Horizontal	0	1.60	-
5795MHz	Pass	PK	5.8046G	118.87	Inf	-Inf	3	Horizontal	0	1.60	-
5795MHz	Pass	PK	5.9294G	61.23	68.20	-6.97	3	Horizontal	0	1.60	-
5795MHz	Pass	AV	11.58604G	45.67	54.00	-8.33	3	Vertical	6	1.50	-
5795MHz	Pass	PK	11.58552G	56.58	74.00	-17.42	3	Vertical	6	1.50	-
5795MHz	Pass	PK	17.38886G	62.05	68.20	-6.15	3	Vertical	42	1.75	-
5795MHz	Pass	PK	11.5896G	57.61	74.00	-16.39	3	Horizontal	53	1.50	-
5795MHz	Pass	AV	11.58996G	47.99	54.00	-6.01	3	Horizontal	53	1.50	-
5795MHz	Pass	PK	17.38594G	62.33	68.20	-5.87	3	Horizontal	277	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	52.46	54.00	-1.54	3	Vertical	342	1.68	-
5210MHz	Pass	AV	5.185G	106.42	Inf	-Inf	3	Vertical	342	1.68	-
5210MHz	Pass	AV	5.376G	48.83	54.00	-5.17	3	Vertical	342	1.68	-
5210MHz	Pass	PK	5.09G	65.73	74.00	-8.27	3	Vertical	342	1.68	-
5210MHz	Pass	PK	5.178G	114.26	Inf	-Inf	3	Vertical	342	1.68	-
5210MHz	Pass	PK	5.359G	58.89	74.00	-15.11	3	Vertical	342	1.68	-
5210MHz	Pass	AV	5.088G	50.71	54.00	-3.29	3	Horizontal	8	1.85	-
5210MHz	Pass	AV	5.183G	105.47	Inf	-Inf	3	Horizontal	8	1.85	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.376G	48.79	54.00	-5.21	3	Horizontal	8	1.85	-
5210MHz	Pass	PK	5.139G	63.29	74.00	-10.71	3	Horizontal	8	1.85	-
5210MHz	Pass	PK	5.182G	112.53	Inf	-Inf	3	Horizontal	8	1.85	-
5210MHz	Pass	PK	5.391G	58.59	74.00	-15.41	3	Horizontal	8	1.85	-
5210MHz	Pass	AV	15.63438G	47.63	54.00	-6.37	3	Vertical	151	2.48	-
5210MHz	Pass	PK	10.41978G	55.82	68.20	-12.38	3	Vertical	342	1.00	-
5210MHz	Pass	PK	15.63384G	58.41	74.00	-15.59	3	Vertical	151	2.48	-
5210MHz	Pass	AV	15.63012G	47.47	54.00	-6.53	3	Horizontal	360	1.08	-
5210MHz	Pass	PK	10.42012G	56.90	68.20	-11.30	3	Horizontal	358	1.50	-
5210MHz	Pass	PK	15.6339G	58.24	74.00	-15.76	3	Horizontal	360	1.08	-
5290MHz	Pass	AV	5.149G	50.28	54.00	-3.72	3	Vertical	350	1.79	-
5290MHz	Pass	AV	5.257G	109.58	Inf	-Inf	3	Vertical	350	1.79	-
5290MHz	Pass	AV	5.351G	53.48	54.00	-0.52	3	Vertical	350	1.79	-
5290MHz	Pass	PK	5.138G	60.63	74.00	-13.37	3	Vertical	350	1.79	-
5290MHz	Pass	PK	5.257G	116.95	Inf	-Inf	3	Vertical	350	1.79	-
5290MHz	Pass	PK	5.36G	70.08	74.00	-3.92	3	Vertical	350	1.79	-
5290MHz	Pass	AV	5.088G	51.33	54.00	-2.67	3	Horizontal	341	1.85	-
5290MHz	Pass	AV	5.28G	109.61	Inf	-Inf	3	Horizontal	341	1.85	-
5290MHz	Pass	AV	5.355G	53.90	54.00	-0.10	3	Horizontal	341	1.85	-
5290MHz	Pass	PK	5.088G	59.80	74.00	-14.20	3	Horizontal	341	1.85	-
5290MHz	Pass	PK	5.28G	117.24	Inf	-Inf	3	Horizontal	341	1.85	-
5290MHz	Pass	PK	5.366G	66.64	74.00	-7.36	3	Horizontal	341	1.85	-
5290MHz	Pass	AV	15.8654G	47.06	54.00	-6.94	3	Vertical	277	1.50	-
5290MHz	Pass	PK	10.57504G	55.54	68.20	-12.66	3	Vertical	224	1.77	-
5290MHz	Pass	PK	15.87038G	57.82	74.00	-16.18	3	Vertical	277	1.50	-
5290MHz	Pass	AV	15.86774G	47.04	54.00	-6.96	3	Horizontal	308	2.25	-
5290MHz	Pass	PK	10.57734G	55.37	68.20	-12.83	3	Horizontal	335	1.50	-
5290MHz	Pass	PK	15.8701G	57.66	74.00	-16.34	3	Horizontal	308	2.25	-
5530MHz	Pass	AV	5.46G	52.00	54.00	-2.00	3	Vertical	0	1.67	-
5530MHz	Pass	AV	5.497G	106.83	Inf	-Inf	3	Vertical	0	1.67	-
5530MHz	Pass	PK	5.47G	63.85	68.20	-4.35	3	Vertical	0	1.67	-
5530MHz	Pass	PK	5.504G	114.25	Inf	-Inf	3	Vertical	0	1.67	-
5530MHz	Pass	PK	5.725G	58.90	68.20	-9.30	3	Vertical	0	1.67	-
5530MHz	Pass	AV	5.459G	48.21	54.00	-5.79	3	Horizontal	0	1.60	-
5530MHz	Pass	AV	5.503G	102.97	Inf	-Inf	3	Horizontal	0	1.60	-
5530MHz	Pass	PK	5.47G	58.18	68.20	-10.02	3	Horizontal	0	1.60	-
5530MHz	Pass	PK	5.503G	109.68	Inf	-Inf	3	Horizontal	0	1.60	-
5530MHz	Pass	PK	5.76G	59.28	68.20	-8.92	3	Horizontal	0	1.60	-
5530MHz	Pass	AV	11.05772G	46.08	54.00	-7.92	3	Vertical	72	1.67	-
5530MHz	Pass	PK	11.05996G	56.36	74.00	-17.64	3	Vertical	72	1.67	-
5530MHz	Pass	PK	16.59206G	60.96	68.20	-7.24	3	Vertical	1	1.50	-
5530MHz	Pass	AV	11.05996G	46.53	54.00	-7.47	3	Horizontal	46	1.53	-
5530MHz	Pass	PK	11.0583G	56.84	74.00	-17.16	3	Horizontal	46	1.53	-
5530MHz	Pass	PK	16.5913G	60.79	68.20	-7.41	3	Horizontal	338	2.00	-
5610MHz	Pass	AV	5.44G	48.32	54.00	-5.68	3	Vertical	340	1.87	-
5610MHz	Pass	AV	5.585G	100.12	Inf	-Inf	3	Vertical	340	1.87	-
5610MHz	Pass	PK	5.468G	58.17	68.20	-10.03	3	Vertical	340	1.87	-
5610MHz	Pass	PK	5.585G	113.63	Inf	-Inf	3	Vertical	340	1.87	-
5610MHz	Pass	PK	5.73G	63.89	68.20	-4.31	3	Vertical	340	1.87	-
5610MHz	Pass	AV	5.451G	47.72	54.00	-6.28	3	Horizontal	348	1.67	-
5610MHz	Pass	AV	5.582G	104.18	Inf	-Inf	3	Horizontal	348	1.67	-
5610MHz	Pass	PK	5.468G	58.84	68.20	-9.36	3	Horizontal	348	1.67	-
5610MHz	Pass	PK	5.585G	111.14	Inf	-Inf	3	Horizontal	348	1.67	-
5610MHz	Pass	PK	5.729G	64.13	68.20	-4.07	3	Horizontal	348	1.67	-
5610MHz	Pass	AV	11.22374G	44.93	54.00	-9.07	3	Vertical	281	1.50	-
5610MHz	Pass	PK	11.22304G	55.78	74.00	-18.22	3	Vertical	281	1.50	-
5610MHz	Pass	PK	16.83304G	61.25	68.20	-6.95	3	Vertical	358	1.38	-
5610MHz	Pass	AV	11.22008G	45.82	54.00	-8.18	3	Horizontal	54	1.50	-
5610MHz	Pass	PK	11.22192G	56.26	74.00	-17.74	3	Horizontal	54	1.50	-
5610MHz	Pass	PK	16.82926G	60.96	68.20	-7.24	3	Horizontal	76	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	50.79	54.00	-3.21	3	Vertical	5	1.85	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.708G	106.09	Inf	-Inf	3	Vertical	5	1.85	-




RSE TX above 1GHz Beamforming

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	60.54	68.20	-7.66	3	Vertical	5	1.85	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7092G	114.93	Inf	-Inf	3	Vertical	5	1.85	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.918G	60.60	68.20	-7.60	3	Vertical	5	1.85	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	49.86	54.00	-4.14	3	Horizontal	0	1.74	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	107.31	Inf	-Inf	3	Horizontal	0	1.74	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.46	68.20	-8.74	3	Horizontal	0	1.74	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7092G	116.50	Inf	-Inf	3	Horizontal	0	1.74	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	60.85	68.20	-7.35	3	Horizontal	0	1.74	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38112G	45.23	54.00	-8.77	3	Vertical	38	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38092G	55.65	74.00	-18.35	3	Vertical	38	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07254G	61.20	68.20	-7.00	3	Vertical	91	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37994G	45.65	54.00	-8.35	3	Horizontal	55	1.05	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37506G	56.00	74.00	-18.00	3	Horizontal	55	1.05	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0694G	62.31	68.20	-5.89	3	Horizontal	325	1.50	-
5775MHz	Pass	AV	5.7618G	107.80	Inf	-Inf	3	Vertical	3	1.81	-
5775MHz	Pass	PK	5.6538G	68.48	71.01	-2.53	3	Vertical	3	1.81	-
5775MHz	Pass	PK	5.739G	119.93	Inf	-Inf	3	Vertical	3	1.81	-
5775MHz	Pass	PK	5.925G	61.08	68.20	-7.12	3	Vertical	3	1.81	-
5775MHz	Pass	AV	5.7414G	106.88	Inf	-Inf	3	Horizontal	0	1.63	-
5775MHz	Pass	PK	5.655G	67.96	71.90	-3.94	3	Horizontal	0	1.63	-
5775MHz	Pass	PK	5.739G	116.57	Inf	-Inf	3	Horizontal	0	1.63	-
5775MHz	Pass	PK	5.9526G	59.36	68.20	-8.84	3	Horizontal	0	1.63	-
5775MHz	Pass	AV	11.54948G	45.77	54.00	-8.23	3	Vertical	1	1.50	-
5775MHz	Pass	PK	11.54794G	56.32	74.00	-17.68	3	Vertical	1	1.50	-
5775MHz	Pass	PK	17.32515G	62.14	68.20	-6.06	3	Vertical	306	2.10	-
5775MHz	Pass	AV	11.54987G	47.43	54.00	-6.57	3	Horizontal	55	1.50	-
5775MHz	Pass	PK	11.55G	56.88	74.00	-17.12	3	Horizontal	55	1.50	-
5775MHz	Pass	PK	17.32729G	61.27	68.20	-6.93	3	Horizontal	305	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	51.90	54.00	-2.10	4.01	3	Vertical	331	1.95	-	47.89	31.90	6.87	34.76
AV	5.1842G	110.69	Inf	-Inf	3.88	3	Vertical	331	1.95	-	106.81	31.76	6.88	34.76
PK	5.1482G	69.75	74.00	-4.25	4.01	3	Vertical	331	1.95	-	65.74	31.90	6.87	34.76
PK	5.1842G	119.16	Inf	-Inf	3.88	3	Vertical	331	1.95	-	115.28	31.76	6.88	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0876G	51.01	54.00	-2.99	3.94	3	Horizontal	360	1.78	-	47.07	31.85	6.85	34.76
AV	5.189G	109.02	Inf	-Inf	3.87	3	Horizontal	360	1.78	-	105.15	31.74	6.89	34.76
PK	5.1482G	60.46	74.00	-13.54	4.01	3	Horizontal	360	1.78	-	56.45	31.90	6.87	34.76
PK	5.189G	118.50	Inf	-Inf	3.87	3	Horizontal	360	1.78	-	114.63	31.74	6.89	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54146G	47.56	54.00	-6.44	15.41	3	Vertical	164	1.50	-	32.15	38.23	12.10	34.92
PK	10.35954G	55.75	68.20	-12.45	13.54	3	Vertical	360	1.66	-	42.21	39.58	8.99	35.03
PK	15.542G	58.45	74.00	-15.55	15.41	3	Vertical	164	1.50	-	43.04	38.23	12.10	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54065G	47.50	54.00	-6.50	15.42	3	Horizontal	212	2.67	-	32.08	38.24	12.10	34.92
PK	10.36041G	56.21	68.20	-11.99	13.54	3	Horizontal	9	2.03	-	42.67	39.58	8.99	35.03
PK	15.53925G	58.45	74.00	-15.55	15.42	3	Horizontal	212	2.67	-	43.03	38.24	12.10	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.39	54.00	-1.61	4.01	3	Vertical	332	1.93	-	48.38	31.90	6.87	34.76
AV	5.2084G	114.80	Inf	-Inf	3.81	3	Vertical	332	1.93	-	110.99	31.67	6.90	34.76
AV	5.35G	48.81	54.00	-5.19	3.49	3	Vertical	332	1.93	-	45.32	31.20	7.06	34.77
PK	5.1424G	64.02	74.00	-9.98	4.01	3	Vertical	332	1.93	-	60.01	31.90	6.87	34.76
PK	5.2078G	124.38	Inf	-Inf	3.81	3	Vertical	332	1.93	-	120.57	31.67	6.90	34.76
PK	5.35G	58.09	74.00	-15.91	3.49	3	Vertical	332	1.93	-	54.60	31.20	7.06	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0878G	53.83	54.00	-0.17	3.94	3	Horizontal	3	1.78	-	49.89	31.85	6.85	34.76
AV	5.2018G	113.23	Inf	-Inf	3.82	3	Horizontal	3	1.78	-	109.41	31.69	6.89	34.76
AV	5.35G	48.71	54.00	-5.29	3.49	3	Horizontal	3	1.78	-	45.22	31.20	7.06	34.77
PK	5.149G	61.39	74.00	-12.61	4.01	3	Horizontal	3	1.78	-	57.38	31.90	6.87	34.76
PK	5.2018G	122.14	Inf	-Inf	3.82	3	Horizontal	3	1.78	-	118.32	31.69	6.89	34.76
PK	5.35G	56.98	74.00	-17.02	3.49	3	Horizontal	3	1.78	-	53.49	31.20	7.06	34.77


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX



802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1488G	51.58	54.00	-2.42	4.01	3	Vertical	360	1.89	-	47.57	31.90	6.87	34.76
AV	5.2448G	114.96	Inf	-Inf	3.70	3	Vertical	360	1.89	-	111.26	31.52	6.94	34.76
AV	5.3756G	49.14	54.00	-4.86	3.62	3	Vertical	360	1.89	-	45.52	31.30	7.09	34.77
PK	5.147G	61.72	74.00	-12.28	4.01	3	Vertical	360	1.89	-	57.71	31.90	6.87	34.76
PK	5.2442G	124.22	Inf	-Inf	3.70	3	Vertical	360	1.89	-	120.52	31.52	6.94	34.76
PK	5.3516G	59.45	74.00	-14.55	3.50	3	Vertical	360	1.89	-	55.95	31.21	7.06	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1404G	50.12	54.00	-3.88	4.01	3	Horizontal	338	1.89	-	46.11	31.90	6.87	34.76
AV	5.2364G	115.31	Inf	-Inf	3.72	3	Horizontal	338	1.89	-	111.59	31.55	6.93	34.76
AV	5.3762G	50.82	54.00	-3.18	3.62	3	Horizontal	338	1.89	-	47.20	31.30	7.09	34.77
PK	5.1398G	60.37	74.00	-13.63	4.01	3	Horizontal	338	1.89	-	56.36	31.90	6.87	34.76
PK	5.2346G	123.84	Inf	-Inf	3.73	3	Horizontal	338	1.89	-	120.11	31.56	6.93	34.76
PK	5.357G	59.62	74.00	-14.38	3.53	3	Horizontal	338	1.89	-	56.09	31.23	7.07	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71801G	47.29	54.00	-6.71	14.93	3	Vertical	5	1.50	-	32.36	37.68	12.28	35.03
PK	10.48005G	56.83	68.20	-11.37	14.05	3	Vertical	45	2.33	-	42.78	39.94	9.03	34.92
PK	15.72226G	58.45	74.00	-15.55	14.93	3	Vertical	5	1.50	-	43.52	37.68	12.28	35.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72492G	47.29	54.00	-6.71	14.94	3	Horizontal	142	1.50	-	32.35	37.68	12.29	35.03
PK	10.47971G	57.72	68.20	-10.48	14.05	3	Horizontal	0	1.80	-	43.67	39.94	9.03	34.92
PK	15.71854G	57.46	74.00	-16.54	14.93	3	Horizontal	142	1.50	-	42.53	37.68	12.28	35.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1436G	51.22	54.00	-2.78	4.01	3	Vertical	328	1.83	-	47.21	31.90	6.87	34.76
AV	5.2546G	115.79	Inf	-Inf	3.67	3	Vertical	328	1.83	-	112.12	31.49	6.95	34.77
AV	5.3566G	52.99	54.00	-1.01	3.53	3	Vertical	328	1.83	-	49.46	31.23	7.07	34.77
PK	5.1496G	60.75	74.00	-13.25	4.01	3	Vertical	328	1.83	-	56.74	31.90	6.87	34.76
PK	5.2558G	123.05	Inf	-Inf	3.67	3	Vertical	328	1.83	-	119.38	31.49	6.95	34.77
PK	5.3626G	61.36	74.00	-12.64	3.56	3	Vertical	328	1.83	-	57.80	31.25	7.08	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.116G	51.27	54.00	-2.73	4.00	3	Horizontal	360	1.79	-	47.27	31.90	6.86	34.76
AV	5.251G	117.63	Inf	-Inf	3.68	3	Horizontal	360	1.79	-	113.95	31.50	6.95	34.77
AV	5.3758G	52.33	54.00	-1.67	3.62	3	Horizontal	360	1.79	-	48.71	31.30	7.09	34.77
PK	5.1184G	60.17	74.00	-13.83	4.00	3	Horizontal	360	1.79	-	56.17	31.90	6.86	34.76
PK	5.2516G	124.83	Inf	-Inf	3.68	3	Horizontal	360	1.79	-	121.15	31.50	6.95	34.77
PK	5.3542G	60.48	74.00	-13.52	3.52	3	Horizontal	360	1.79	-	56.96	31.22	7.07	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78119G	47.36	54.00	-6.64	14.90	3	Vertical	216	1.22	-	32.46	37.62	12.34	35.06
PK	10.5199G	56.00	68.20	-12.20	14.13	3	Vertical	36	2.24	-	41.87	39.98	9.04	34.89
PK	15.78135G	57.73	74.00	-16.27	14.90	3	Vertical	216	1.22	-	42.83	37.62	12.34	35.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78106G	47.38	54.00	-6.62	14.90	3	Horizontal	191	1.32	-	32.48	37.62	12.34	35.06
PK	10.51904G	56.63	68.20	-11.57	14.13	3	Horizontal	360	2.11	-	42.50	39.98	9.04	34.89
PK	15.7786G	57.54	74.00	-16.46	14.90	3	Horizontal	191	1.32	-	42.64	37.62	12.34	35.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3042G	112.78	Inf	-Inf	3.62	3	Vertical	339	1.79	-	109.16	31.38	7.01	34.77
AV	5.4002G	50.92	54.00	-3.08	3.75	3	Vertical	339	1.79	-	47.17	31.40	7.12	34.77
PK	5.3078G	121.70	Inf	-Inf	3.61	3	Vertical	339	1.79	-	118.09	31.37	7.01	34.77
PK	5.351G	61.41	74.00	-12.59	3.49	3	Vertical	339	1.79	-	57.92	31.20	7.06	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.309G	115.60	Inf	-Inf	3.61	3	Horizontal	350	1.78	-	111.99	31.36	7.02	34.77
AV	5.3756G	50.82	54.00	-3.18	3.62	3	Horizontal	350	1.78	-	47.20	31.30	7.09	34.77
PK	5.3084G	122.51	Inf	-Inf	3.61	3	Horizontal	350	1.78	-	118.90	31.37	7.01	34.77
PK	5.405G	60.26	74.00	-13.74	3.77	3	Horizontal	350	1.78	-	56.49	31.42	7.12	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6001G	45.61	54.00	-8.39	14.10	3	Vertical	14	1.50	-	31.51	39.90	9.07	34.87
AV	15.90071G	47.35	54.00	-6.65	14.73	3	Vertical	36	1.50	-	32.62	37.40	12.46	35.13
PK	10.60098G	55.98	74.00	-18.02	14.10	3	Vertical	14	1.50	-	41.88	39.90	9.07	34.87
PK	15.89909G	58.21	74.00	-15.79	14.73	3	Vertical	36	1.50	-	43.48	37.40	12.46	35.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60012G	46.49	54.00	-7.51	14.10	3	Horizontal	28	1.34	-	32.39	39.90	9.07	34.87
AV	15.90163G	47.26	54.00	-6.74	14.73	3	Horizontal	74	2.08	-	32.53	37.40	12.46	35.13
PK	10.59999G	56.15	68.20	-12.05	14.10	3	Horizontal	28	1.34	-	42.05	39.90	9.07	34.87
PK	15.9022G	58.60	74.00	-15.40	14.73	3	Horizontal	74	2.08	-	43.87	37.40	12.46	35.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3134G	109.20	Inf	-Inf	3.60	3	Vertical	332	1.84	-	105.60	31.35	7.02	34.77
AV	5.35G	53.83	54.00	-0.17	3.49	3	Vertical	332	1.84	-	50.34	31.20	7.06	34.77
PK	5.3278G	118.14	Inf	-Inf	3.56	3	Vertical	332	1.84	-	114.58	31.29	7.04	34.77
PK	5.353G	64.26	74.00	-9.74	3.51	3	Vertical	332	1.84	-	60.75	31.21	7.07	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	107.31	Inf	-Inf	3.58	3	Horizontal	356	1.84	-	103.73	31.32	7.03	34.77
AV	5.3758G	48.50	54.00	-5.50	3.62	3	Horizontal	356	1.84	-	44.88	31.30	7.09	34.77
PK	5.323G	116.61	Inf	-Inf	3.57	3	Horizontal	356	1.84	-	113.04	31.31	7.03	34.77
PK	5.464G	56.74	68.20	-11.46	3.94	3	Horizontal	356	1.84	-	52.80	31.63	7.08	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63878G	45.12	54.00	-8.88	14.16	3	Vertical	177	1.50	-	30.96	39.94	9.08	34.86
AV	15.96071G	47.25	54.00	-6.75	14.69	3	Vertical	38	1.88	-	32.56	37.34	12.52	35.17
PK	10.63874G	55.60	74.00	-18.40	14.16	3	Vertical	177	1.50	-	41.44	39.94	9.08	34.86
PK	15.96111G	57.73	74.00	-16.27	14.69	3	Vertical	38	1.88	-	43.04	37.34	12.52	35.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63927G	45.05	54.00	-8.95	14.16	3	Horizontal	346	2.37	-	30.89	39.94	9.08	34.86
AV	15.96194G	47.41	54.00	-6.59	14.69	3	Horizontal	0	1.87	-	32.72	37.34	12.52	35.17
PK	10.63943G	55.60	74.00	-18.40	14.16	3	Horizontal	346	2.37	-	41.44	39.94	9.08	34.86
PK	15.96195G	57.97	74.00	-16.03	14.69	3	Horizontal	0	1.87	-	43.28	37.34	12.52	35.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	51.70	54.00	-2.30	3.93	3	Vertical	356	1.70	-	47.77	31.62	7.08	34.77
AV	5.5084G	111.40	Inf	-Inf	3.98	3	Vertical	356	1.70	-	107.42	31.70	7.05	34.77
PK	5.4502G	72.50	74.00	-1.50	3.92	3	Vertical	356	1.70	-	68.58	31.60	7.09	34.77
PK	5.506G	121.68	Inf	-Inf	3.98	3	Vertical	356	1.70	-	117.70	31.70	7.05	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.88	54.00	-5.12	3.93	3	Horizontal	360	1.65	-	44.95	31.62	7.08	34.77
AV	5.4946G	107.21	Inf	-Inf	3.98	3	Horizontal	360	1.65	-	103.23	31.69	7.06	34.77
PK	5.4694G	59.35	68.20	-8.85	3.94	3	Horizontal	360	1.65	-	55.41	31.64	7.07	34.77
PK	5.4976G	117.07	Inf	-Inf	3.99	3	Horizontal	360	1.65	-	113.08	31.70	7.06	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99914G	45.96	54.00	-8.04	14.66	3	Vertical	32	1.50	-	31.30	40.20	9.20	34.74
PK	10.99835G	56.04	74.00	-17.96	14.66	3	Vertical	32	1.50	-	41.38	40.20	9.20	34.74
PK	16.49975G	61.04	68.20	-7.16	16.76	3	Vertical	155	1.50	-	44.28	39.00	12.70	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0025G	45.90	54.00	-8.10	14.66	3	Horizontal	101	1.07	-	31.24	40.20	9.20	34.74
PK	10.99798G	56.77	74.00	-17.23	14.66	3	Horizontal	101	1.07	-	42.11	40.20	9.20	34.74
PK	16.50194G	60.53	68.20	-7.67	16.77	3	Horizontal	0	1.02	-	43.76	39.00	12.71	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.39G	52.58	54.00	-1.42	3.70	3	Vertical	356	1.84	-	48.88	31.36	7.11	34.77
AV	5.571G	114.55	Inf	-Inf	3.94	3	Vertical	356	1.84	-	110.61	31.70	7.01	34.77
PK	5.332G	61.74	68.20	-6.46	3.54	3	Vertical	356	1.84	-	58.20	31.27	7.04	34.77
PK	5.573G	123.46	Inf	-Inf	3.94	3	Vertical	356	1.84	-	119.52	31.70	7.01	34.77
PK	5.769G	62.01	68.20	-6.19	4.19	3	Vertical	356	1.84	-	57.82	32.04	6.92	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.395G	52.61	54.00	-1.39	3.72	3	Horizontal	349	1.61	-	48.89	31.38	7.11	34.77
AV	5.589G	115.23	Inf	-Inf	3.93	3	Horizontal	349	1.61	-	111.30	31.70	7.00	34.77
PK	5.467G	59.91	68.20	-8.29	3.94	3	Horizontal	349	1.61	-	55.97	31.63	7.08	34.77
PK	5.589G	123.07	Inf	-Inf	3.93	3	Horizontal	349	1.61	-	119.14	31.70	7.00	34.77
PK	5.76G	60.93	68.20	-7.27	4.18	3	Horizontal	349	1.61	-	56.75	32.02	6.93	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15812G	45.74	54.00	-8.26	14.32	3	Vertical	310	2.65	-	31.42	39.77	9.25	34.70
PK	11.1666G	56.63	74.00	-17.37	14.28	3	Vertical	310	2.65	-	42.35	39.73	9.25	34.70
PK	16.7302G	60.60	68.20	-7.60	17.63	3	Vertical	15	1.50	-	42.97	39.34	12.77	34.48

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.16368G	57.48	74.00	-16.52	14.30	3	Horizontal	355	1.50	-	43.18	39.75	9.25	34.70
AV	11.16808G	46.83	54.00	-7.17	14.29	3	Horizontal	355	1.50	-	32.54	39.73	9.26	34.70
PK	16.73344G	61.48	68.20	-6.72	17.67	3	Horizontal	309	1.50	-	43.81	39.37	12.77	34.47

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7066G	104.02	Inf	-Inf	4.01	3	Vertical	359	1.78	-	100.01	31.83	6.95	34.77
PK	5.7036G	113.58	Inf	-Inf	3.99	3	Vertical	359	1.78	-	109.59	31.81	6.95	34.77
PK	5.7252G	67.14	68.20	-1.06	4.07	3	Vertical	359	1.78	-	63.07	31.90	6.94	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.694G	102.86	Inf	-Inf	3.97	3	Horizontal	360	1.67	-	98.89	31.79	6.95	34.77
PK	5.6916G	113.31	Inf	-Inf	3.96	3	Horizontal	360	1.67	-	109.35	31.78	6.95	34.77
PK	5.7318G	66.56	68.20	-1.64	4.10	3	Horizontal	360	1.67	-	62.46	31.93	6.94	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40492G	45.38	54.00	-8.62	14.60	3	Vertical	360	1.50	-	30.78	39.90	9.33	34.63
PK	11.40264G	55.84	74.00	-18.16	14.59	3	Vertical	360	1.50	-	41.25	39.90	9.33	34.64
PK	17.09216G	61.15	68.20	-7.05	18.51	3	Vertical	207	2.50	-	42.64	39.69	12.88	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40568G	45.36	54.00	-8.64	14.60	3	Horizontal	223	1.60	-	30.76	39.90	9.33	34.63
PK	11.40108G	55.55	74.00	-18.45	14.59	3	Horizontal	223	1.60	-	40.96	39.90	9.33	34.64
PK	17.09164G	61.44	68.20	-6.76	18.51	3	Horizontal	38	1.50	-	42.93	39.69	12.88	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4224G	53.09	54.00	-0.91	3.83	3	Vertical	360.1	1.77	-	49.26	31.49	7.11	34.77
AV	5.7116G	115.95	Inf	-Inf	4.03	3	Vertical	360.1	1.77	-	111.92	31.85	6.95	34.77
PK	5.4692G	62.62	68.20	-5.58	3.95	3	Vertical	360.1	1.77	-	58.67	31.64	7.08	34.77
PK	5.714G	123.54	Inf	-Inf	4.03	3	Vertical	360.1	1.77	-	119.51	31.86	6.94	34.77
PK	5.9792G	61.39	68.20	-6.81	5.33	3	Vertical	360.1	1.77	-	56.06	32.40	7.70	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4488G	48.54	54.00	-5.46	3.92	3	Horizontal	360	1.64	-	44.62	31.60	7.09	34.77
AV	5.7272G	114.07	Inf	-Inf	4.08	3	Horizontal	360	1.64	-	109.99	31.91	6.94	34.77
PK	5.4668G	58.43	68.20	-9.77	3.94	3	Horizontal	360	1.64	-	54.49	31.63	7.08	34.77
PK	5.7272G	122.64	Inf	-Inf	4.08	3	Horizontal	360	1.64	-	118.56	31.91	6.94	34.77
PK	5.8556G	61.14	68.20	-7.06	4.59	3	Horizontal	360	1.64	-	56.55	32.21	7.15	34.77


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7522G	115.95	Inf	-Inf	4.16	3	Vertical	350	1.79	-	111.79	32.00	6.93	34.77
PK	5.5578G	63.13	68.20	-5.07	3.95	3	Vertical	350	1.79	-	59.18	31.70	7.02	34.77
PK	5.7534G	125.03	Inf	-Inf	4.17	3	Vertical	350	1.79	-	120.86	32.01	6.93	34.77
PK	5.9406G	62.61	68.20	-5.59	5.14	3	Vertical	350	1.79	-	57.47	32.38	7.53	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	114.52	Inf	-Inf	4.14	3	Horizontal	360	1.78	-	110.38	31.98	6.93	34.77
PK	5.4726G	60.90	68.20	-7.30	3.95	3	Horizontal	360	1.78	-	56.95	31.65	7.07	34.77
PK	5.7438G	123.08	Inf	-Inf	4.14	3	Horizontal	360	1.78	-	118.94	31.98	6.93	34.77
PK	5.9346G	59.86	68.20	-8.34	5.10	3	Horizontal	360	1.78	-	54.76	32.37	7.50	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48944G	46.24	54.00	-7.76	14.65	3	Vertical	346	1.50	-	31.59	39.90	9.36	34.61
PK	11.49816G	56.36	74.00	-17.64	14.65	3	Vertical	346	1.50	-	41.71	39.90	9.36	34.61
PK	17.2268G	60.55	68.20	-7.65	18.48	3	Vertical	5	1.52	-	42.07	39.80	12.92	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48996G	47.31	54.00	-6.69	14.65	3	Horizontal	60	1.50	-	32.66	39.90	9.36	34.61
PK	11.49028G	56.29	74.00	-17.71	14.65	3	Horizontal	60	1.50	-	41.64	39.90	9.36	34.61
PK	17.23248G	60.83	68.20	-7.37	18.47	3	Horizontal	38	2.27	-	42.36	39.80	12.92	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	114.65	Inf	-Inf	4.21	3	Vertical	0	1.76	-	110.44	32.06	6.92	34.77
PK	5.5906G	63.17	68.20	-5.03	3.93	3	Vertical	0	1.76	-	59.24	31.70	7.00	34.77
PK	5.7814G	123.62	Inf	-Inf	4.21	3	Vertical	0	1.76	-	119.41	32.06	6.92	34.77
PK	5.9314G	62.21	68.20	-5.99	5.08	3	Vertical	0	1.76	-	57.13	32.36	7.49	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	114.40	Inf	-Inf	4.23	3	Horizontal	0	1.84	-	110.17	32.09	6.91	34.77
PK	5.6014G	61.01	68.20	-7.19	3.92	3	Horizontal	0	1.84	-	57.09	31.70	6.99	34.77
PK	5.7946G	123.16	Inf	-Inf	4.23	3	Horizontal	0	1.84	-	118.93	32.09	6.91	34.77
PK	5.923G	60.76	69.68	-8.92	5.03	3	Horizontal	0	1.84	-	55.73	32.35	7.45	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56522G	45.89	54.00	-8.11	14.66	3	Vertical	1	1.50	-	31.23	39.90	9.39	34.63
PK	11.57212G	56.15	74.00	-17.85	14.66	3	Vertical	1	1.50	-	41.49	39.90	9.39	34.63
PK	17.35412G	61.55	68.20	-6.65	18.83	3	Vertical	236	2.61	-	42.72	40.29	12.95	34.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57252G	51.28	54.00	-2.72	14.66	3	Horizontal	360	2.31	-	36.62	39.90	9.39	34.63
PK	11.57128G	61.79	74.00	-12.21	14.66	3	Horizontal	360	2.31	-	47.13	39.90	9.39	34.63
PK	17.35638G	61.60	68.20	-6.60	18.84	3	Horizontal	358	1.50	-	42.76	40.31	12.95	34.42

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	112.69	Inf	-Inf	4.43	3	Vertical	343	1.72	-	108.26	32.16	7.04	34.77
PK	5.6402G	61.35	68.20	-6.85	3.90	3	Vertical	343	1.72	-	57.45	31.70	6.97	34.77
PK	5.831G	122.52	Inf	-Inf	4.44	3	Vertical	343	1.72	-	118.08	32.16	7.05	34.77
PK	5.9246G	65.62	68.50	-2.88	5.04	3	Vertical	343	1.72	-	60.58	32.35	7.46	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	112.43	Inf	-Inf	4.44	3	Horizontal	360	1.64	-	107.99	32.16	7.05	34.77
PK	5.6378G	60.87	68.20	-7.33	3.90	3	Horizontal	360	1.64	-	56.97	31.70	6.97	34.77
PK	5.8178G	122.26	Inf	-Inf	4.36	3	Horizontal	360	1.64	-	117.90	32.14	6.99	34.77
PK	5.9246G	61.34	68.50	-7.16	5.04	3	Horizontal	360	1.64	-	56.30	32.35	7.46	34.77


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX



802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.62	54.00	-0.38	4.01	3	Vertical	334	1.80	-	49.61	31.90	6.87	34.76
AV	5.178G	105.59	Inf	-Inf	3.91	3	Vertical	334	1.80	-	101.68	31.79	6.88	34.76
PK	5.1456G	71.30	74.00	-2.70	4.01	3	Vertical	334	1.80	-	67.29	31.90	6.87	34.76
PK	5.1828G	114.69	Inf	-Inf	3.89	3	Vertical	334	1.80	-	110.80	31.77	6.88	34.76

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.088G	49.53	54.00	-4.47	3.94	3	Horizontal	360	1.77	-	45.59	31.85	6.85	34.76
AV	5.2026G	104.68	Inf	-Inf	3.82	3	Horizontal	360	1.77	-	100.86	31.69	6.89	34.76
PK	5.1468G	59.57	74.00	-14.43	4.01	3	Horizontal	360	1.77	-	55.56	31.90	6.87	34.76
PK	5.2044G	113.79	Inf	-Inf	3.82	3	Horizontal	360	1.77	-	109.97	31.68	6.90	34.76


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX



802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.14G	52.55	54.00	-1.45	4.01	3	Vertical	333	1.81	-	48.54	31.90	6.87	34.76
AV	5.221G	110.09	Inf	-Inf	3.77	3	Vertical	333	1.81	-	106.32	31.62	6.91	34.76
AV	5.3758G	50.99	54.00	-3.01	3.62	3	Vertical	333	1.81	-	47.37	31.30	7.09	34.77
PK	5.1376G	65.34	74.00	-8.66	4.01	3	Vertical	333	1.81	-	61.33	31.90	6.87	34.76
PK	5.2234G	117.95	Inf	-Inf	3.77	3	Vertical	333	1.81	-	114.18	31.61	6.92	34.76
PK	5.3626G	62.73	74.00	-11.27	3.56	3	Vertical	333	1.81	-	59.17	31.25	7.08	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0878G	51.34	54.00	-2.66	3.94	3	Horizontal	358	1.80	-	47.40	31.85	6.85	34.76
AV	5.221G	108.17	Inf	-Inf	3.77	3	Horizontal	358	1.80	-	104.40	31.62	6.91	34.76
AV	5.3758G	49.26	54.00	-4.74	3.62	3	Horizontal	358	1.80	-	45.64	31.30	7.09	34.77
PK	5.1286G	59.39	74.00	-14.61	4.00	3	Horizontal	358	1.80	-	55.39	31.90	6.86	34.76
PK	5.2366G	116.38	Inf	-Inf	3.72	3	Horizontal	358	1.80	-	112.66	31.55	6.93	34.76
PK	5.377G	57.18	74.00	-16.82	3.63	3	Horizontal	358	1.80	-	53.55	31.31	7.09	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX



802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1444G	49.21	54.00	-4.79	4.01	3	Vertical	356	1.77	-	45.20	31.90	6.87	34.76
AV	5.2724G	105.25	Inf	-Inf	3.66	3	Vertical	356	1.77	-	101.59	31.46	6.97	34.77
AV	5.3564G	48.67	54.00	-5.33	3.53	3	Vertical	356	1.77	-	45.14	31.23	7.07	34.77
PK	5.1036G	59.35	74.00	-14.65	3.99	3	Vertical	356	1.77	-	55.36	31.90	6.85	34.76
PK	5.2596G	116.72	Inf	-Inf	3.67	3	Vertical	356	1.77	-	113.05	31.48	6.96	34.77
PK	5.4652G	58.09	68.20	-10.11	3.94	3	Vertical	356	1.77	-	54.15	31.63	7.08	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0876G	51.52	54.00	-2.48	3.94	3	Horizontal	357	1.79	-	47.58	31.85	6.85	34.76
AV	5.2796G	112.21	Inf	-Inf	3.65	3	Horizontal	357	1.79	-	108.56	31.44	6.98	34.77
AV	5.3756G	50.10	54.00	-3.90	3.62	3	Horizontal	357	1.79	-	46.48	31.30	7.09	34.77
PK	5.126G	59.21	74.00	-14.79	4.00	3	Horizontal	357	1.79	-	55.21	31.90	6.86	34.76
PK	5.2804G	119.59	Inf	-Inf	3.65	3	Horizontal	357	1.79	-	115.94	31.44	6.98	34.77
PK	5.47G	56.80	68.20	-11.40	3.94	3	Horizontal	357	1.79	-	52.86	31.64	7.07	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX



802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1404G	48.60	54.00	-5.40	4.01	3	Vertical	328	1.87	-	44.59	31.90	6.87	34.76
AV	5.302G	105.85	Inf	-Inf	3.63	3	Vertical	328	1.87	-	102.22	31.39	7.01	34.77
AV	5.35G	53.01	54.00	-0.99	3.49	3	Vertical	328	1.87	-	49.52	31.20	7.06	34.77
PK	5.1364G	59.15	74.00	-14.85	4.00	3	Vertical	328	1.87	-	55.15	31.90	6.86	34.76
PK	5.3188G	114.13	Inf	-Inf	3.58	3	Vertical	328	1.87	-	110.55	31.32	7.03	34.77
PK	5.3556G	70.66	74.00	-3.34	3.52	3	Vertical	328	1.87	-	67.14	31.22	7.07	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1124G	47.91	54.00	-6.09	3.99	3	Horizontal	335	1.89	-	43.92	31.90	6.85	34.76
AV	5.3036G	105.08	Inf	-Inf	3.63	3	Horizontal	335	1.89	-	101.45	31.39	7.01	34.77
AV	5.3764G	48.76	54.00	-5.24	3.63	3	Horizontal	335	1.89	-	45.13	31.31	7.09	34.77
PK	5.146G	57.95	74.00	-16.05	4.01	3	Horizontal	335	1.89	-	53.94	31.90	6.87	34.76
PK	5.3052G	115.08	Inf	-Inf	3.62	3	Horizontal	335	1.89	-	111.46	31.38	7.01	34.77
PK	5.4828G	57.17	68.20	-11.03	3.97	3	Horizontal	335	1.89	-	53.20	31.67	7.07	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62003G	45.78	54.00	-8.22	14.13	3	Vertical	17	1.47	-	31.65	39.92	9.07	34.86
AV	15.93214G	47.11	54.00	-6.89	14.71	3	Vertical	1	1.50	-	32.40	37.37	12.49	35.15
PK	10.62G	55.93	74.00	-18.07	14.13	3	Vertical	17	1.47	-	41.80	39.92	9.07	34.86
PK	15.92919G	57.21	74.00	-16.79	14.71	3	Vertical	1	1.50	-	42.50	37.37	12.49	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62007G	46.34	54.00	-7.66	14.13	3	Horizontal	32	1.37	-	32.21	39.92	9.07	34.86
AV	15.932G	47.21	54.00	-6.79	14.71	3	Horizontal	289	1.50	-	32.50	37.37	12.49	35.15
PK	10.62013G	55.83	74.00	-18.17	14.13	3	Horizontal	32	1.37	-	41.70	39.92	9.07	34.86
PK	15.93153G	57.25	74.00	-16.75	14.71	3	Horizontal	289	1.50	-	42.54	37.37	12.49	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.16	54.00	-5.84	3.93	3	Vertical	0	1.80	-	44.23	31.62	7.08	34.77
AV	5.4932G	99.01	Inf	-Inf	3.98	3	Vertical	0	1.80	-	95.03	31.69	7.06	34.77
PK	5.47G	63.90	68.20	-4.30	3.94	3	Vertical	0	1.80	-	59.96	31.64	7.07	34.77
PK	5.5036G	111.37	Inf	-Inf	3.98	3	Vertical	0	1.80	-	107.39	31.70	7.05	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4252G	46.47	54.00	-7.53	3.83	3	Horizontal	348	1.75	-	42.64	31.50	7.10	34.77
AV	5.4996G	96.74	Inf	-Inf	3.99	3	Horizontal	348	1.75	-	92.75	31.70	7.06	34.77
PK	5.3156G	56.30	68.20	-11.90	3.59	3	Horizontal	348	1.75	-	52.71	31.34	7.02	34.77
PK	5.4996G	106.15	Inf	-Inf	3.99	3	Horizontal	348	1.75	-	102.16	31.70	7.06	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX 5510MHz_TX




802.11ax HEW40-BF_Nss1,(MCS0)_2TX 5510MHz_TX



802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.42	54.00	-5.58	3.93	3	Vertical	333	1.82	-	44.49	31.62	7.08	34.77
AV	5.537G	105.16	Inf	-Inf	3.96	3	Vertical	333	1.82	-	101.20	31.70	7.03	34.77
PK	5.465G	59.68	68.20	-8.52	3.94	3	Vertical	333	1.82	-	55.74	31.63	7.08	34.77
PK	5.546G	113.35	Inf	-Inf	3.96	3	Vertical	333	1.82	-	109.39	31.70	7.03	34.77
PK	5.726G	58.36	68.20	-9.84	4.07	3	Vertical	333	1.82	-	54.29	31.90	6.94	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.376G	47.67	54.00	-6.33	3.62	3	Horizontal	360	1.84	-	44.05	31.30	7.09	34.77
AV	5.532G	101.81	Inf	-Inf	3.96	3	Horizontal	360	1.84	-	97.85	31.70	7.03	34.77
PK	5.466G	59.86	68.20	-8.34	3.94	3	Horizontal	360	1.84	-	55.92	31.63	7.08	34.77
PK	5.535G	110.25	Inf	-Inf	3.96	3	Horizontal	360	1.84	-	106.29	31.70	7.03	34.77
PK	5.749G	57.44	68.20	-10.76	4.16	3	Horizontal	360	1.84	-	53.28	32.00	6.93	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX



802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	50.74	54.00	-3.26	3.93	3	Vertical	360	1.82	-	46.81	31.62	7.08	34.77
AV	5.653G	111.68	Inf	-Inf	3.91	3	Vertical	360	1.82	-	107.77	31.71	6.97	34.77
PK	5.461G	61.57	68.20	-6.63	3.93	3	Vertical	360	1.82	-	57.64	31.62	7.08	34.77
PK	5.663G	120.71	Inf	-Inf	3.92	3	Vertical	360	1.82	-	116.79	31.73	6.96	34.77
PK	5.737G	66.28	68.20	-1.92	4.12	3	Vertical	360	1.82	-	62.16	31.95	6.94	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	48.05	54.00	-5.95	3.93	3	Horizontal	7	1.84	-	44.12	31.62	7.08	34.77
AV	5.689G	111.08	Inf	-Inf	3.96	3	Horizontal	7	1.84	-	107.12	31.78	6.95	34.77
PK	5.464G	57.42	68.20	-10.78	3.94	3	Horizontal	7	1.84	-	53.48	31.63	7.08	34.77
PK	5.688G	118.93	Inf	-Inf	3.96	3	Horizontal	7	1.84	-	114.97	31.78	6.95	34.77
PK	5.725G	61.89	68.20	-6.31	4.07	3	Horizontal	7	1.84	-	57.82	31.90	6.94	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX



802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	53.41	54.00	-0.59	3.93	3	Vertical	0	1.71	-	49.48	31.62	7.08	34.77
AV	5.704G	113.09	Inf	-Inf	4.00	3	Vertical	0	1.71	-	109.09	31.82	6.95	34.77
PK	5.4604G	63.02	68.20	-5.18	3.93	3	Vertical	0	1.71	-	59.09	31.62	7.08	34.77
PK	5.698G	120.57	Inf	-Inf	3.98	3	Vertical	0	1.71	-	116.59	31.80	6.95	34.77
PK	5.8564G	63.09	68.20	-5.11	4.60	3	Vertical	0	1.71	-	58.49	32.21	7.16	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4172G	48.65	54.00	-5.35	3.81	3	Horizontal	0	1.88	-	44.84	31.47	7.11	34.77
AV	5.728G	110.96	Inf	-Inf	4.08	3	Horizontal	0	1.88	-	106.88	31.91	6.94	34.77
PK	5.4676G	58.55	68.20	-9.65	3.95	3	Horizontal	0	1.88	-	54.60	31.64	7.08	34.77
PK	5.728G	120.43	Inf	-Inf	4.08	3	Horizontal	0	1.88	-	116.35	31.91	6.94	34.77
PK	5.8564G	59.67	68.20	-8.53	4.60	3	Horizontal	0	1.88	-	55.07	32.21	7.16	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	112.19	Inf	-Inf	4.15	3	Vertical	2	1.74	-	108.04	31.99	6.93	34.77
PK	5.6482G	63.48	68.20	-4.72	3.90	3	Vertical	2	1.74	-	59.58	31.70	6.97	34.77
PK	5.7418G	120.97	Inf	-Inf	4.13	3	Vertical	2	1.74	-	116.84	31.97	6.93	34.77
PK	5.9362G	62.20	68.20	-6.00	5.11	3	Vertical	2	1.74	-	57.09	32.37	7.51	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	111.46	Inf	-Inf	4.14	3	Horizontal	2	1.81	-	107.32	31.98	6.93	34.77
PK	5.6338G	66.22	68.20	-1.98	3.91	3	Horizontal	2	1.81	-	62.31	31.70	6.98	34.77
PK	5.7454G	121.50	Inf	-Inf	4.14	3	Horizontal	2	1.81	-	117.36	31.98	6.93	34.77
PK	5.9218G	61.75	70.57	-8.82	5.02	3	Horizontal	2	1.81	-	56.73	32.34	7.45	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50991G	46.28	54.00	-7.72	14.66	3	Vertical	354	1.94	-	31.62	39.90	9.37	34.61
PK	11.50945G	56.68	74.00	-17.32	14.66	3	Vertical	354	1.94	-	42.02	39.90	9.37	34.61
PK	17.26327G	61.80	68.20	-6.40	18.44	3	Vertical	268	1.50	-	43.36	39.80	12.93	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51006G	47.18	54.00	-6.82	14.66	3	Horizontal	52	1.57	-	32.52	39.90	9.37	34.61
PK	11.51388G	56.53	74.00	-17.47	14.66	3	Horizontal	52	1.57	-	41.87	39.90	9.37	34.61
PK	17.26379G	61.40	68.20	-6.80	18.44	3	Horizontal	290	1.50	-	42.96	39.80	12.93	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7818G	114.47	Inf	-Inf	4.21	3	Vertical	3	1.76	-	110.26	32.06	6.92	34.77
PK	5.5946G	63.62	68.20	-4.58	3.92	3	Vertical	3	1.76	-	59.70	31.70	6.99	34.77
PK	5.7842G	121.60	Inf	-Inf	4.22	3	Vertical	3	1.76	-	117.38	32.07	6.92	34.77
PK	5.9258G	64.13	68.20	-4.07	5.04	3	Vertical	3	1.76	-	59.09	32.35	7.46	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8022G	108.66	Inf	-Inf	4.25	3	Horizontal	0	1.60	-	104.41	32.10	6.92	34.77
PK	5.6318G	63.03	68.20	-5.17	3.91	3	Horizontal	0	1.60	-	59.12	31.70	6.98	34.77
PK	5.8046G	118.87	Inf	-Inf	4.27	3	Horizontal	0	1.60	-	114.60	32.11	6.93	34.77
PK	5.9294G	61.23	68.20	-6.97	5.07	3	Horizontal	0	1.60	-	56.16	32.36	7.48	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58604G	45.67	54.00	-8.33	14.66	3	Vertical	6	1.50	-	31.01	39.90	9.39	34.63
PK	11.58552G	56.58	74.00	-17.42	14.66	3	Vertical	6	1.50	-	41.92	39.90	9.39	34.63
PK	17.38886G	62.05	68.20	-6.15	19.10	3	Vertical	42	1.75	-	42.95	40.60	12.96	34.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.5896G	57.61	74.00	-16.39	14.65	3	Horizontal	53	1.50	-	42.96	39.90	9.39	34.64
AV	11.58996G	47.99	54.00	-6.01	14.65	3	Horizontal	53	1.50	-	33.34	39.90	9.39	34.64
PK	17.38594G	62.33	68.20	-5.87	19.07	3	Horizontal	277	1.50	-	43.26	40.57	12.96	34.46

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	52.46	54.00	-1.54	4.01	3	Vertical	342	1.68	-	48.45	31.90	6.87	34.76
AV	5.185G	106.42	Inf	-Inf	3.88	3	Vertical	342	1.68	-	102.54	31.76	6.88	34.76
AV	5.376G	48.83	54.00	-5.17	3.62	3	Vertical	342	1.68	-	45.21	31.30	7.09	34.77
PK	5.09G	65.73	74.00	-8.27	3.95	3	Vertical	342	1.68	-	61.78	31.86	6.85	34.76
PK	5.178G	114.26	Inf	-Inf	3.91	3	Vertical	342	1.68	-	110.35	31.79	6.88	34.76
PK	5.359G	58.89	74.00	-15.11	3.54	3	Vertical	342	1.68	-	55.35	31.24	7.07	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.088G	50.71	54.00	-3.29	3.94	3	Horizontal	8	1.85	-	46.77	31.85	6.85	34.76
AV	5.183G	105.47	Inf	-Inf	3.89	3	Horizontal	8	1.85	-	101.58	31.77	6.88	34.76
AV	5.376G	48.79	54.00	-5.21	3.62	3	Horizontal	8	1.85	-	45.17	31.30	7.09	34.77
PK	5.139G	63.29	74.00	-10.71	4.01	3	Horizontal	8	1.85	-	59.28	31.90	6.87	34.76
PK	5.182G	112.53	Inf	-Inf	3.89	3	Horizontal	8	1.85	-	108.64	31.77	6.88	34.76
PK	5.391G	58.59	74.00	-15.41	3.70	3	Horizontal	8	1.85	-	54.89	31.36	7.11	34.77


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX



802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	50.28	54.00	-3.72	4.01	3	Vertical	350	1.79	-	46.27	31.90	6.87	34.76
AV	5.257G	109.58	Inf	-Inf	3.68	3	Vertical	350	1.79	-	105.90	31.49	6.96	34.77
AV	5.351G	53.48	54.00	-0.52	3.49	3	Vertical	350	1.79	-	49.99	31.20	7.06	34.77
PK	5.138G	60.63	74.00	-13.37	4.01	3	Vertical	350	1.79	-	56.62	31.90	6.87	34.76
PK	5.257G	116.95	Inf	-Inf	3.68	3	Vertical	350	1.79	-	113.27	31.49	6.96	34.77
PK	5.36G	70.08	74.00	-3.92	3.54	3	Vertical	350	1.79	-	66.54	31.24	7.07	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.088G	51.33	54.00	-2.67	3.94	3	Horizontal	341	1.85	-	47.39	31.85	6.85	34.76
AV	5.28G	109.61	Inf	-Inf	3.65	3	Horizontal	341	1.85	-	105.96	31.44	6.98	34.77
AV	5.355G	53.90	54.00	-0.10	3.52	3	Horizontal	341	1.85	-	50.38	31.22	7.07	34.77
PK	5.088G	59.80	74.00	-14.20	3.94	3	Horizontal	341	1.85	-	55.86	31.85	6.85	34.76
PK	5.28G	117.24	Inf	-Inf	3.65	3	Horizontal	341	1.85	-	113.59	31.44	6.98	34.77
PK	5.366G	66.64	74.00	-7.36	3.57	3	Horizontal	341	1.85	-	63.07	31.26	7.08	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8654G	47.06	54.00	-6.94	14.79	3	Vertical	277	1.50	-	32.27	37.47	12.43	35.11
PK	10.57504G	55.54	68.20	-12.66	14.10	3	Vertical	224	1.77	-	41.44	39.92	9.06	34.88
PK	15.87038G	57.82	74.00	-16.18	14.78	3	Vertical	277	1.50	-	43.04	37.46	12.43	35.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86774G	47.04	54.00	-6.96	14.78	3	Horizontal	308	2.25	-	32.26	37.46	12.43	35.11
PK	10.57734G	55.37	68.20	-12.83	14.10	3	Horizontal	335	1.50	-	41.27	39.92	9.06	34.88
PK	15.87016G	57.66	74.00	-16.34	14.78	3	Horizontal	308	2.25	-	42.88	37.46	12.43	35.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	52.00	54.00	-2.00	3.93	3	Vertical	0	1.67	-	48.07	31.62	7.08	34.77
AV	5.497G	106.83	Inf	-Inf	3.98	3	Vertical	0	1.67	-	102.85	31.69	7.06	34.77
PK	5.47G	63.85	68.20	-4.35	3.94	3	Vertical	0	1.67	-	59.91	31.64	7.07	34.77
PK	5.504G	114.25	Inf	-Inf	3.98	3	Vertical	0	1.67	-	110.27	31.70	7.05	34.77
PK	5.725G	58.90	68.20	-9.30	4.07	3	Vertical	0	1.67	-	54.83	31.90	6.94	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	48.21	54.00	-5.79	3.93	3	Horizontal	0	1.60	-	44.28	31.62	7.08	34.77
AV	5.503G	102.97	Inf	-Inf	3.98	3	Horizontal	0	1.60	-	98.99	31.70	7.05	34.77
PK	5.47G	58.18	68.20	-10.02	3.94	3	Horizontal	0	1.60	-	54.24	31.64	7.07	34.77
PK	5.503G	109.68	Inf	-Inf	3.98	3	Horizontal	0	1.60	-	105.70	31.70	7.05	34.77
PK	5.76G	59.28	68.20	-8.92	4.18	3	Horizontal	0	1.60	-	55.10	32.02	6.93	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05772G	46.08	54.00	-7.92	14.58	3	Vertical	72	1.67	-	31.50	40.08	9.22	34.72
PK	11.05996G	56.36	74.00	-17.64	14.58	3	Vertical	72	1.67	-	41.78	40.08	9.22	34.72
PK	16.59206G	60.96	68.20	-7.24	16.79	3	Vertical	1	1.50	-	44.17	38.82	12.73	34.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05996G	46.53	54.00	-7.47	14.58	3	Horizontal	46	1.53	-	31.95	40.08	9.22	34.72
PK	11.0583G	56.84	74.00	-17.16	14.58	3	Horizontal	46	1.53	-	42.26	40.08	9.22	34.72
PK	16.5913G	60.79	68.20	-7.41	16.79	3	Horizontal	338	2.00	-	44.00	38.82	12.73	34.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.44G	48.32	54.00	-5.68	3.88	3	Vertical	340	1.87	-	44.44	31.56	7.09	34.77
AV	5.585G	100.12	Inf	-Inf	3.93	3	Vertical	340	1.87	-	96.19	31.70	7.00	34.77
PK	5.468G	58.17	68.20	-10.03	3.95	3	Vertical	340	1.87	-	54.22	31.64	7.08	34.77
PK	5.585G	113.63	Inf	-Inf	3.93	3	Vertical	340	1.87	-	109.70	31.70	7.00	34.77
PK	5.73G	63.89	68.20	-4.31	4.09	3	Vertical	340	1.87	-	59.80	31.92	6.94	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.451G	47.72	54.00	-6.28	3.92	3	Horizontal	348	1.67	-	43.80	31.60	7.09	34.77
AV	5.582G	104.18	Inf	-Inf	3.93	3	Horizontal	348	1.67	-	100.25	31.70	7.00	34.77
PK	5.468G	58.84	68.20	-9.36	3.95	3	Horizontal	348	1.67	-	54.89	31.64	7.08	34.77
PK	5.585G	111.14	Inf	-Inf	3.93	3	Horizontal	348	1.67	-	107.21	31.70	7.00	34.77
PK	5.729G	64.13	68.20	-4.07	4.09	3	Horizontal	348	1.67	-	60.04	31.92	6.94	34.77


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX



802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	50.79	54.00	-3.21	3.93	3	Vertical	5	1.85	-	46.86	31.62	7.08	34.77
AV	5.708G	106.09	Inf	-Inf	4.01	3	Vertical	5	1.85	-	102.08	31.83	6.95	34.77
PK	5.4608G	60.54	68.20	-7.66	3.93	3	Vertical	5	1.85	-	56.61	31.62	7.08	34.77
PK	5.7092G	114.93	Inf	-Inf	4.02	3	Vertical	5	1.85	-	110.91	31.84	6.95	34.77
PK	5.918G	60.60	68.20	-7.60	5.00	3	Vertical	5	1.85	-	55.60	32.34	7.43	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.426G	49.86	54.00	-4.14	3.83	3	Horizontal	0	1.74	-	46.03	31.50	7.10	34.77
AV	5.7236G	107.31	Inf	-Inf	4.06	3	Horizontal	0	1.74	-	103.25	31.89	6.94	34.77
PK	5.462G	59.46	68.20	-8.74	3.93	3	Horizontal	0	1.74	-	55.53	31.62	7.08	34.77
PK	5.7092G	116.50	Inf	-Inf	4.02	3	Horizontal	0	1.74	-	112.48	31.84	6.95	34.77
PK	5.8556G	60.85	68.20	-7.35	4.59	3	Horizontal	0	1.74	-	56.26	32.21	7.15	34.77


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7618G	107.80	Inf	-Inf	4.18	3	Vertical	3	1.81	-	103.62	32.02	6.93	34.77
PK	5.6538G	68.48	71.01	-2.53	3.91	3	Vertical	3	1.81	-	64.57	31.71	6.97	34.77
PK	5.739G	119.93	Inf	-Inf	4.12	3	Vertical	3	1.81	-	115.81	31.96	6.93	34.77
PK	5.925G	61.08	68.20	-7.12	5.04	3	Vertical	3	1.81	-	56.04	32.35	7.46	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7414G	106.88	Inf	-Inf	4.13	3	Horizontal	0	1.63	-	102.75	31.97	6.93	34.77
PK	5.655G	67.96	71.90	-3.94	3.91	3	Horizontal	0	1.63	-	64.05	31.71	6.97	34.77
PK	5.739G	116.57	Inf	-Inf	4.12	3	Horizontal	0	1.63	-	112.45	31.96	6.93	34.77
PK	5.9526G	59.36	68.20	-8.84	5.21	3	Horizontal	0	1.63	-	54.15	32.40	7.58	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54948G	45.77	54.00	-8.23	14.66	3	Vertical	1	1.50	-	31.11	39.90	9.38	34.62
PK	11.54794G	56.32	74.00	-17.68	14.66	3	Vertical	1	1.50	-	41.66	39.90	9.38	34.62
PK	17.32515G	62.14	68.20	-6.06	18.59	3	Vertical	306	2.10	-	43.55	40.03	12.94	34.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54987G	47.43	54.00	-6.57	14.66	3	Horizontal	55	1.50	-	32.77	39.90	9.38	34.62
PK	11.55G	56.88	74.00	-17.12	14.66	3	Horizontal	55	1.50	-	42.22	39.90	9.38	34.62
PK	17.32729G	61.27	68.20	-6.93	18.61	3	Horizontal	305	1.50	-	42.66	40.05	12.94	34.38