


802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34756G	56.58	74.00	-17.42	42.96	3	Vertical	28	2.16	-	38.70	9.77	34.85
AV	12.35484G	43.33	54.00	-10.67	29.69	3	Vertical	28	2.16	-	38.70	9.78	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35052G	56.51	74.00	-17.49	42.87	3	Horizontal	116	2.35	-	38.70	9.78	34.84
AV	12.35544G	43.25	54.00	-10.75	29.61	3	Horizontal	116	2.35	-	38.70	9.78	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5322G	46.24	83.54	-37.30	44.59	1	Vertical	240	1.66	-	37.79	13.93	50.07
AV	18.53562G	32.87	63.54	-30.67	31.21	1	Vertical	240	1.66	-	37.79	13.93	50.06

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51882G	46.03	83.54	-37.51	44.39	1	Horizontal	153	1.53	-	37.79	13.93	50.08
AV	18.5385G	32.95	63.54	-30.59	31.30	1	Horizontal	153	1.53	-	37.78	13.93	50.06

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8894G	59.70	88.20	-28.50	52.21	3	Vertical	36	1.89	-	34.74	6.09	33.34	
RMS	5.925G	47.65	68.20	-20.55	39.98	3	Vertical	36	1.89	-	34.90	6.12	33.35	
PK	6.415G	105.31	Inf	-Inf	96.58	3	Vertical	36	1.89	-	35.43	6.40	33.10	
RMS	6.4126G	93.41	Inf	-Inf	84.68	3	Vertical	36	1.89	-	35.43	6.40	33.10	

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9158G	60.02	88.20	-28.18	52.39	3	Horizontal	327	1.80	-	34.86	6.12	33.35	
RMS	5.923G	47.64	68.20	-20.56	39.98	3	Horizontal	327	1.80	-	34.89	6.12	33.35	
PK	6.4222G	108.71	Inf	-Inf	99.96	3	Horizontal	327	1.80	-	35.44	6.40	33.09	
RMS	6.4222G	96.50	Inf	-Inf	87.75	3	Horizontal	327	1.80	-	35.44	6.40	33.09	

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82508G	56.97	88.20	-31.23	42.44	3	Vertical	154	1.96	-	39.25	10.01	34.73
RMS	12.83892G	43.91	68.20	-24.29	29.34	3	Vertical	154	1.96	-	39.28	10.02	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83372G	57.65	88.20	-30.55	43.09	3	Horizontal	155	1.44	-	39.27	10.02	34.73
RMS	12.83576G	43.92	68.20	-24.28	29.36	3	Horizontal	155	1.44	-	39.27	10.02	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.23972G	46.08	83.54	-37.46	44.06	1	Vertical	336	1.58	-	37.71	13.96	49.65	
AV	19.23726G	31.15	63.54	-32.39	29.12	1	Vertical	336	1.58	-	37.72	13.96	49.65	

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24464G	44.50	83.54	-39.04	42.48	1	Horizontal	222	1.49	-	37.71	13.96	49.65
AV	19.23888G	31.21	63.54	-32.33	29.19	1	Horizontal	222	1.49	-	37.71	13.96	49.65

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9238G	61.01	88.20	-27.19	53.34	3	Vertical	39	1.80	-	34.90	6.12	33.35	
RMS	5.9214G	47.64	68.20	-20.56	39.98	3	Vertical	39	1.80	-	34.89	6.12	33.35	
PK	6.435G	104.40	Inf	-Inf	95.61	3	Vertical	39	1.80	-	35.47	6.40	33.08	
RMS	6.4326G	92.18	Inf	-Inf	83.40	3	Vertical	39	1.80	-	35.47	6.40	33.09	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9046G	59.61	88.20	-28.59	52.03	3	Horizontal	329	1.80	-	34.82	6.10	33.34	
RMS	5.9238G	47.66	68.20	-20.54	39.99	3	Horizontal	329	1.80	-	34.90	6.12	33.35	
PK	6.4422G	106.93	Inf	-Inf	98.13	3	Horizontal	329	1.80	-	35.48	6.40	33.08	
RMS	6.4422G	95.73	Inf	-Inf	86.93	3	Horizontal	329	1.80	-	35.48	6.40	33.08	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8744G	58.19	88.20	-30.01	43.53	3	Vertical	24	2.57	-	39.35	10.04	34.73	
RMS	12.87964G	44.37	68.20	-23.83	29.69	3	Vertical	24	2.57	-	39.36	10.04	34.72	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86752G	57.71	88.20	-30.49	43.07	3	Horizontal	153	2.92	-	39.34	10.03	34.73	
RMS	12.87064G	44.41	68.20	-23.79	29.76	3	Horizontal	153	2.92	-	39.34	10.04	34.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.30776G	43.88	83.54	-39.66	41.82	1	Vertical	120	1.53	-	37.75	13.97	49.66	
AV	19.3062G	30.60	63.54	-32.94	28.55	1	Vertical	120	1.53	-	37.74	13.97	49.66	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.30938G	43.70	83.54	-39.84	41.64	1	Horizontal	251	1.59	-	37.75	13.97	49.66
AV	19.3128G	30.48	63.54	-33.06	28.42	1	Horizontal	251	1.59	-	37.75	13.97	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	59.83	88.20	-28.37	52.17	3	Vertical	40	2.09	-	34.89	6.12	33.35	
RMS	5.925G	47.61	68.20	-20.59	39.94	3	Vertical	40	2.09	-	34.90	6.12	33.35	
PK	6.4702G	103.31	Inf	-Inf	94.43	3	Vertical	40	2.09	-	35.54	6.40	33.06	
RMS	6.4702G	91.92	Inf	-Inf	83.04	3	Vertical	40	2.09	-	35.54	6.40	33.06	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.887G	59.75	88.20	-28.45	52.27	3	Horizontal	325	1.80	-	34.72	6.09	33.33	
RMS	5.923G	47.57	68.20	-20.63	39.91	3	Horizontal	325	1.80	-	34.89	6.12	33.35	
PK	6.4822G	107.18	Inf	-Inf	98.27	3	Horizontal	325	1.80	-	35.56	6.40	33.05	
RMS	6.4846G	96.12	Inf	-Inf	87.20	3	Horizontal	325	1.80	-	35.57	6.40	33.05	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95688G	58.28	88.20	-29.92	43.40	3	Vertical	19	2.89	-	39.51	10.08	34.71	
RMS	12.9584G	44.87	68.20	-23.33	29.98	3	Vertical	19	2.89	-	39.52	10.08	34.71	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9438G	58.67	88.20	-29.53	43.82	3	Horizontal	101	1.01	-	39.49	10.07	34.71	
RMS	12.959G	44.94	68.20	-23.26	30.05	3	Horizontal	101	1.01	-	39.52	10.08	34.71	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4292G	44.32	83.54	-39.22	42.20	1	Vertical	34	1.53	-	37.84	13.97	49.69	
AV	19.43922G	30.94	63.54	-32.60	28.81	1	Vertical	34	1.53	-	37.85	13.97	49.69	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.41282G	43.83	83.54	-39.71	41.71	1	Horizontal	59	1.61	-	37.83	13.97	49.68	
AV	19.4391G	30.74	63.54	-32.80	28.61	1	Horizontal	59	1.61	-	37.85	13.97	49.69	

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	59.78	88.20	-28.42	52.15	3	Vertical	46	2.15	-	34.86	6.12	33.35
RMS	5.9186G	47.59	68.20	-20.61	39.95	3	Vertical	46	2.15	-	34.87	6.12	33.35
PK	6.5122G	102.82	Inf	-Inf	93.77	3	Vertical	46	2.15	-	35.70	6.40	33.05
RMS	6.5122G	91.68	Inf	-Inf	82.63	3	Vertical	46	2.15	-	35.70	6.40	33.05
PK	7.1674G	62.50	88.20	-25.70	52.14	3	Vertical	46	2.15	-	37.07	6.78	33.49
RMS	7.2094G	50.82	68.20	-17.38	40.36	3	Vertical	46	2.15	-	37.20	6.80	33.54

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT V_4TX
Setting 7.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.885G	59.79	88.20	-28.41	52.33	3	Horizontal	328	1.80	-	34.71	6.08	33.33	
RMS	5.9186G	47.62	68.20	-20.58	39.98	3	Horizontal	328	1.80	-	34.87	6.12	33.35	
PK	6.5234G	106.95	Inf	-Inf	97.81	3	Horizontal	328	1.80	-	35.79	6.40	33.05	
RMS	6.5234G	95.17	Inf	-Inf	86.03	3	Horizontal	328	1.80	-	35.79	6.40	33.05	
PK	7.1954G	63.08	88.20	-25.12	52.62	3	Horizontal	328	1.80	-	37.18	6.80	33.52	
RMS	7.2094G	50.87	68.20	-17.33	40.41	3	Horizontal	328	1.80	-	37.20	6.80	33.54	

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03788G	58.70	88.20	-29.50	43.68	3	Vertical	168	2.62	-	39.60	10.12	34.70
RMS	13.02276G	45.17	68.20	-23.03	30.16	3	Vertical	168	2.62	-	39.60	10.11	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0246G	58.64	88.20	-29.56	43.63	3	Horizontal	282	1.60	-	39.60	10.11	34.70
RMS	13.03144G	45.19	68.20	-23.01	30.17	3	Horizontal	282	1.60	-	39.60	10.12	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53966G	45.59	83.54	-37.95	43.43	1	Vertical	110	1.51	-	37.88	13.98	49.70
AV	19.55676G	31.91	63.54	-31.63	29.75	1	Vertical	110	1.51	-	37.88	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.54734G	44.65	83.54	-38.89	42.49	1	Horizontal	186	1.70	-	37.88	13.98	49.70	
AV	19.55562G	31.83	63.54	-31.71	29.67	1	Horizontal	186	1.70	-	37.88	13.98	49.70	

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT V_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	60.41	88.20	-27.79	52.76	3	Vertical	37	2.25	-	34.88	6.12	33.35
RMS	5.9218G	47.59	68.20	-20.61	39.93	3	Vertical	37	2.25	-	34.89	6.12	33.35
PK	6.5294G	103.49	Inf	-Inf	94.30	3	Vertical	37	2.25	-	35.84	6.40	33.05
RMS	6.5294G	92.64	Inf	-Inf	83.45	3	Vertical	37	2.25	-	35.84	6.40	33.05
PK	7.165G	63.35	88.20	-24.85	53.00	3	Vertical	37	2.25	-	37.06	6.78	33.49
RMS	7.235G	51.00	68.20	-17.20	40.55	3	Vertical	37	2.25	-	37.20	6.82	33.57

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT V_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	60.29	88.20	-27.91	52.79	3	Horizontal	325	1.78	-	34.75	6.09	33.34
RMS	5.9218G	47.62	68.20	-20.58	39.96	3	Horizontal	325	1.78	-	34.89	6.12	33.35
PK	6.5434G	107.27	Inf	-Inf	97.98	3	Horizontal	325	1.78	-	35.95	6.40	33.06
RMS	6.5434G	96.22	Inf	-Inf	86.93	3	Horizontal	325	1.78	-	35.95	6.40	33.06
PK	7.2042G	64.14	88.20	-24.06	53.68	3	Horizontal	325	1.78	-	37.20	6.80	33.54
RMS	7.2322G	50.93	68.20	-17.27	40.48	3	Horizontal	325	1.78	-	37.20	6.82	33.57

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07568G	58.80	88.20	-29.40	43.76	3	Vertical	297	2.90	-	39.60	10.14	34.70
RMS	13.06992G	45.21	68.20	-22.99	30.18	3	Vertical	297	2.90	-	39.60	10.13	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07976G	60.17	88.20	-28.03	45.13	3	Horizontal	77	2.58	-	39.60	10.14	34.70
RMS	13.07964G	45.29	68.20	-22.91	30.25	3	Horizontal	77	2.58	-	39.60	10.14	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61394G	46.09	83.54	-37.45	43.96	1	Vertical	354	1.55	-	37.85	13.98	49.70
AV	19.6074G	32.41	63.54	-31.13	30.27	1	Vertical	354	1.55	-	37.86	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.6053G	46.10	83.54	-37.44	43.96	1	Horizontal	179	1.60	-	37.86	13.98	49.70	
AV	19.61838G	32.54	63.54	-31.00	30.41	1	Horizontal	179	1.60	-	37.85	13.98	49.70	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6928G	104.03	Inf	-Inf	94.63	3	Vertical	40	1.80	-	36.09	6.45	33.14	
RMS	6.6928G	91.65	Inf	-Inf	82.25	3	Vertical	40	1.80	-	36.09	6.45	33.14	
PK	7.135G	63.24	88.20	-24.96	52.98	3	Vertical	40	1.80	-	36.94	6.77	33.45	
RMS	7.2384G	50.99	68.20	-17.21	40.55	3	Vertical	40	1.80	-	37.20	6.82	33.58	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7038G	107.14	Inf	-Inf	97.71	3	Horizontal	326	1.80	-	36.12	6.45	33.14	
RMS	6.7038G	95.11	Inf	-Inf	85.68	3	Horizontal	326	1.80	-	36.12	6.45	33.14	
PK	7.2076G	64.07	88.20	-24.13	53.61	3	Horizontal	326	1.80	-	37.20	6.80	33.54	
RMS	7.2384G	51.04	68.20	-17.16	40.60	3	Horizontal	326	1.80	-	37.20	6.82	33.58	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3994G	59.07	74.00	-14.93	42.80	3	Vertical	267	2.15	-	40.00	10.30	34.03
AV	13.38348G	45.20	54.00	-8.80	28.94	3	Vertical	267	2.15	-	40.00	10.29	34.03

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39436G	58.70	74.00	-15.30	42.43	3	Horizontal	17	1.76	-	40.00	10.30	34.03	
AV	13.39584G	45.30	54.00	-8.70	29.03	3	Horizontal	17	1.76	-	40.00	10.30	34.03	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07192G	45.54	83.54	-38.00	43.76	1	Vertical	192	1.63	-	37.46	14.05	49.73
AV	20.09832G	32.20	63.54	-31.34	30.39	1	Vertical	192	1.63	-	37.48	14.07	49.74

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.09232G	45.41	83.54	-38.13	43.61	1	Horizontal	34	1.52	-	37.47	14.07	49.74
AV	20.09706G	32.24	63.54	-31.30	30.43	1	Horizontal	34	1.52	-	37.48	14.07	49.74

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8494G	104.54	Inf	-Inf	94.70	3	Vertical	38	1.88	-	36.50	6.55	33.21	
RMS	6.8508G	92.04	Inf	-Inf	82.21	3	Vertical	38	1.88	-	36.50	6.55	33.22	
PK	7.1308G	63.71	88.20	-24.49	53.47	3	Vertical	38	1.88	-	36.92	6.77	33.45	
RMS	7.1882G	50.84	68.20	-17.36	40.42	3	Vertical	38	1.88	-	37.15	6.79	33.52	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.862G	108.12	Inf	-Inf	98.28	3	Horizontal	329	1.89	-	36.50	6.56	33.22	
RMS	6.862G	96.30	Inf	-Inf	86.46	3	Horizontal	329	1.89	-	36.50	6.56	33.22	
PK	7.1588G	64.09	88.20	-24.11	53.75	3	Horizontal	329	1.89	-	37.04	6.78	33.48	
RMS	7.1868G	50.87	68.20	-17.33	40.44	3	Horizontal	329	1.89	-	37.15	6.79	33.51	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70752G	60.93	88.20	-27.27	44.97	3	Vertical	248	1.23	-	40.32	10.45	34.81
RMS	13.71484G	47.05	68.20	-21.15	31.07	3	Vertical	248	1.23	-	40.33	10.46	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.71252G	60.89	88.20	-27.31	44.91	3	Horizontal	25	1.13	-	40.33	10.46	34.81	
RMS	13.71512G	46.99	68.20	-21.21	31.01	3	Horizontal	25	1.13	-	40.33	10.46	34.81	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56032G	45.94	83.54	-37.60	43.63	1	Vertical	214	1.59	-	37.77	14.42	49.88
AV	20.55792G	32.78	63.54	-30.76	30.47	1	Vertical	214	1.59	-	37.77	14.42	49.88

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.57274G	47.09	83.54	-36.45	44.74	1	Horizontal	5	1.60	-	37.79	14.43	49.87	
AV	20.56158G	32.76	63.54	-30.78	30.45	1	Horizontal	5	1.60	-	37.77	14.42	49.88	

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8722G	105.43	Inf	-Inf	95.59	3	Vertical	37	1.94	-	36.50	6.57	33.23
RMS	6.8708G	93.25	Inf	-Inf	83.41	3	Vertical	37	1.94	-	36.50	6.57	33.23
PK	7.141G	64.37	88.20	-23.83	54.10	3	Vertical	37	1.94	-	36.96	6.77	33.46
RMS	7.1998G	51.09	68.20	-17.11	40.62	3	Vertical	37	1.94	-	37.20	6.80	33.53

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.882G	107.61	Inf	-Inf	97.76	3	Horizontal	331	1.80	-	36.50	6.58	33.23	
RMS	6.882G	96.34	Inf	-Inf	86.49	3	Horizontal	331	1.80	-	36.50	6.58	33.23	
PK	7.1592G	64.59	88.20	-23.61	54.25	3	Horizontal	331	1.80	-	37.04	6.78	33.48	
RMS	7.2082G	50.98	68.20	-17.22	40.52	3	Horizontal	331	1.80	-	37.20	6.80	33.54	

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75436G	60.74	88.20	-27.46	44.68	3	Vertical	315	2.40	-	40.41	10.48	34.83
RMS	13.75384G	46.92	68.20	-21.28	30.86	3	Vertical	315	2.40	-	40.41	10.48	34.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75648G	60.56	88.20	-27.64	44.50	3	Horizontal	231	1.94	-	40.41	10.48	34.83
RMS	13.7562G	46.92	68.20	-21.28	30.86	3	Horizontal	231	1.94	-	40.41	10.48	34.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63172G	45.77	83.54	-37.77	43.29	1	Vertical	124	1.59	-	37.86	14.47	49.85
AV	20.63838G	32.92	63.54	-30.62	30.41	1	Vertical	124	1.59	-	37.87	14.48	49.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63964G	46.31	83.54	-37.23	43.80	1	Horizontal	309	1.55	-	37.87	14.48	49.84
AV	20.63448G	32.73	63.54	-30.81	30.24	1	Horizontal	309	1.55	-	37.86	14.48	49.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8922G	103.97	Inf	-Inf	94.12	3	Vertical	37	1.96	-	36.50	6.59	33.24	
RMS	6.8908G	92.42	Inf	-Inf	82.57	3	Vertical	37	1.96	-	36.50	6.59	33.24	
PK	7.1946G	65.45	88.20	-22.75	54.99	3	Vertical	37	1.96	-	37.18	6.80	33.52	
RMS	7.2436G	51.05	68.20	-17.15	40.61	3	Vertical	37	1.96	-	37.20	6.82	33.58	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.902G	108.44	Inf	-Inf	98.58	3	Horizontal	330	1.80	-	36.50	6.60	33.24	
RMS	6.902G	97.80	Inf	-Inf	87.94	3	Horizontal	330	1.80	-	36.50	6.60	33.24	
PK	7.203G	64.31	88.20	-23.89	53.84	3	Horizontal	330	1.80	-	37.20	6.80	33.53	
RMS	7.224G	51.50	68.20	-16.70	41.05	3	Horizontal	330	1.80	-	37.20	6.81	33.56	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.79572G	60.73	88.20	-27.47	44.58	3	Vertical	217	2.73	-	40.49	10.50	34.84	
RMS	13.79156G	46.85	68.20	-21.35	30.71	3	Vertical	217	2.73	-	40.48	10.50	34.84	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79372G	60.53	88.20	-27.67	44.38	3	Horizontal	214	1.24	-	40.49	10.50	34.84
RMS	13.79512G	46.98	68.20	-21.22	30.83	3	Horizontal	214	1.24	-	40.49	10.50	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6955G	46.56	83.54	-36.98	43.93	1	Vertical	199	1.52	-	37.93	14.52	49.82
AV	20.69418G	33.42	63.54	-30.12	30.79	1	Vertical	199	1.52	-	37.93	14.52	49.82

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 7.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68776G	46.74	83.54	-36.80	44.11	1	Horizontal	166	2.09	-	37.93	14.52	49.82
AV	20.69058G	33.21	63.54	-30.33	30.58	1	Horizontal	166	2.09	-	37.93	14.52	49.82

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.99G	108.14	Inf	-Inf	98.13	3	Vertical	39	1.96	-	36.60	6.69	33.28	
RMS	6.99G	94.70	Inf	-Inf	84.69	3	Vertical	39	1.96	-	36.60	6.69	33.28	
PK	7.197G	64.40	88.20	-23.80	53.94	3	Vertical	39	1.96	-	37.19	6.80	33.53	
RMS	7.213G	51.40	68.20	-16.80	40.94	3	Vertical	39	1.96	-	37.20	6.81	33.55	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8.5
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.003G	110.01	Inf	-Inf	100.00	3	Horizontal	326	1.80	-	36.60	6.70	33.29	
RMS	7.003G	97.72	Inf	-Inf	87.71	3	Horizontal	326	1.80	-	36.60	6.70	33.29	
PK	7.243G	64.66	88.20	-23.54	54.22	3	Horizontal	326	1.80	-	37.20	6.82	33.58	
RMS	7.235G	51.43	68.20	-16.77	40.98	3	Horizontal	326	1.80	-	37.20	6.82	33.57	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99906G	61.87	88.20	-26.33	45.40	3	Vertical	359	2.53	-	40.80	10.60	34.93
RMS	14.00212G	47.90	68.20	-20.30	31.43	3	Vertical	359	2.53	-	40.80	10.60	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98562G	61.50	88.20	-26.70	45.06	3	Horizontal	337	1.69	-	40.77	10.59	34.92	
RMS	13.98656G	47.96	68.20	-20.24	31.52	3	Horizontal	337	1.69	-	40.77	10.59	34.92	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9838G	44.28	83.54	-39.26	41.62	1	Vertical	359	1.53	-	37.63	14.74	49.71
AV	20.97072G	31.29	63.54	-32.25	28.62	1	Vertical	359	1.53	-	37.65	14.73	49.71

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8.5
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.98866G	44.46	83.54	-39.08	41.80	1	Horizontal	336	1.62	-	37.62	14.74	49.70	
AV	20.97546G	31.32	63.54	-32.22	28.66	1	Horizontal	336	1.62	-	37.64	14.73	49.71	

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 9
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.09G	108.61	Inf	-Inf	98.50	3	Vertical	352	1.93	-	36.76	6.75	33.40	
RMS	7.0908G	95.70	Inf	-Inf	85.59	3	Vertical	352	1.93	-	36.76	6.75	33.40	
PK	7.1326G	64.41	88.20	-23.79	54.16	3	Vertical	352	1.93	-	36.93	6.77	33.45	
RMS	7.1322G	51.00	68.20	-17.20	40.75	3	Vertical	352	1.93	-	36.93	6.77	33.45	

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 9
04-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1022G	108.92	Inf	-Inf	98.77	3	Horizontal	329	1.80	-	36.81	6.75	33.41	
RMS	7.1026G	96.67	Inf	-Inf	86.52	3	Horizontal	329	1.80	-	36.81	6.75	33.41	
PK	7.126G	64.50	88.20	-23.70	54.28	3	Horizontal	329	1.80	-	36.90	6.76	33.44	
RMS	7.136G	50.91	68.20	-17.29	40.65	3	Horizontal	329	1.80	-	36.94	6.77	33.45	

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 9
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.19204G	61.99	88.20	-26.21	45.53	3	Vertical	358	2.82	-	40.62	10.74	34.90	
RMS	14.187G	47.98	68.20	-20.22	31.51	3	Vertical	358	2.82	-	40.63	10.74	34.90	

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 9
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19078G	61.74	88.20	-26.46	45.28	3	Horizontal	327	1.06	-	40.62	10.74	34.90
RMS	14.175G	48.05	68.20	-20.15	31.57	3	Horizontal	327	1.06	-	40.65	10.73	34.90

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 9
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2758G	57.41	83.54	-26.13	54.46	1	Vertical	15	1.54	-	37.63	14.96	49.64
AV	21.2834G	41.08	63.54	-22.46	38.12	1	Vertical	15	1.54	-	37.64	14.96	49.64

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 9
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.2804G	55.85	83.54	-27.69	52.89	1	Horizontal	335	1.60	-	37.64	14.96	49.64	
AV	21.2804G	40.18	63.54	-23.36	37.22	1	Horizontal	335	1.60	-	37.64	14.96	49.64	

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 12
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9234G	60.94	88.20	-27.26	53.28	3	Vertical	27	3.00	-	34.89	6.12	33.35	
RMS	5.9246G	48.35	68.20	-19.85	40.68	3	Vertical	27	3.00	-	34.90	6.12	33.35	
PK	5.9678G	106.76	Inf	-Inf	98.89	3	Vertical	27	3.00	-	35.07	6.17	33.37	
RMS	5.9666G	95.48	Inf	-Inf	87.61	3	Vertical	27	3.00	-	35.07	6.17	33.37	

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 12
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9014G	61.07	88.20	-27.13	53.50	3	Horizontal	322	1.80	-	34.81	6.10	33.34	
RMS	5.9242G	48.39	68.20	-19.81	40.72	3	Horizontal	322	1.80	-	34.90	6.12	33.35	
PK	5.971G	106.55	Inf	-Inf	98.67	3	Horizontal	322	1.80	-	35.08	6.17	33.37	
RMS	5.9718G	94.58	Inf	-Inf	86.69	3	Horizontal	322	1.80	-	35.09	6.17	33.37	

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 12
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.93816G	56.41	74.00	-17.59	42.91	3	Vertical	180	1.56	-	38.86	9.57	34.93	
AV	11.92564G	43.13	54.00	-10.87	29.62	3	Vertical	180	1.56	-	38.87	9.56	34.92	
PK	17.89134G	63.92	74.00	-10.08	43.40	3	Vertical	326	1.98	-	41.68	13.61	34.77	
AV	17.9079G	50.81	54.00	-3.19	30.25	3	Vertical	326	1.98	-	41.71	13.63	34.78	

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 12
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.93284G	56.74	74.00	-17.26	43.22	3	Horizontal	311	1.29	-	38.87	9.57	34.92	
AV	11.92888G	43.11	54.00	-10.89	29.60	3	Horizontal	311	1.29	-	38.87	9.56	34.92	
PK	17.89836G	63.86	74.00	-10.14	43.31	3	Horizontal	51	2.68	-	41.70	13.62	34.77	
AV	17.9091G	50.86	54.00	-3.14	30.30	3	Horizontal	51	2.68	-	41.71	13.63	34.78	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8782G	60.27	88.20	-27.93	52.85	3	Vertical	43	1.94	-	34.67	6.08	33.33	
RMS	5.9214G	48.10	68.20	-20.10	40.44	3	Vertical	43	1.94	-	34.89	6.12	33.35	
PK	6.1602G	104.65	Inf	-Inf	96.38	3	Vertical	43	1.94	-	35.34	6.20	33.27	
RMS	6.1614G	93.99	Inf	-Inf	85.71	3	Vertical	43	1.94	-	35.35	6.20	33.27	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	60.96	88.20	-27.24	53.29	3	Horizontal	317	2.27	-	34.90	6.12	33.35	
RMS	5.9094G	48.12	68.20	-20.08	40.51	3	Horizontal	317	2.27	-	34.84	6.11	33.34	
PK	6.1698G	107.12	Inf	-Inf	98.80	3	Horizontal	317	2.27	-	35.38	6.20	33.26	
RMS	6.171G	95.93	Inf	-Inf	87.61	3	Horizontal	317	2.27	-	35.38	6.20	33.26	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3258G	57.82	74.00	-16.18	44.21	3	Vertical	354	1.49	-	38.70	9.76	34.85	
AV	12.33976G	43.21	54.00	-10.79	29.59	3	Vertical	354	1.49	-	38.70	9.77	34.85	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3288G	57.18	74.00	-16.82	43.57	3	Horizontal	238	2.27	-	38.70	9.76	34.85
AV	12.33212G	42.96	54.00	-11.04	29.34	3	Horizontal	238	2.27	-	38.70	9.77	34.85

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.49434G	46.05	83.54	-37.49	44.44	1	Vertical	174	1.55	-	37.79	13.92	50.10	
AV	18.49212G	32.59	63.54	-30.95	30.98	1	Vertical	174	1.55	-	37.79	13.92	50.10	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.48654G	46.08	83.54	-37.46	44.49	1	Horizontal	76	1.64	-	37.78	13.92	50.11
AV	18.50988G	32.74	63.54	-30.80	31.10	1	Horizontal	76	1.64	-	37.80	13.93	50.09

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8748G	59.52	88.20	-28.68	52.13	3	Vertical	8	2.50	-	34.65	6.07	33.33	
RMS	5.921G	48.15	68.20	-20.05	40.50	3	Vertical	8	2.50	-	34.88	6.12	33.35	
PK	6.4116G	106.29	Inf	-Inf	97.57	3	Vertical	8	2.50	-	35.42	6.40	33.10	
RMS	6.4116G	95.37	Inf	-Inf	86.65	3	Vertical	8	2.50	-	35.42	6.40	33.10	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9078G	60.95	88.20	-27.25	53.35	3	Horizontal	331	1.72	-	34.83	6.11	33.34	
RMS	5.9188G	48.23	68.20	-19.97	40.58	3	Horizontal	331	1.72	-	34.88	6.12	33.35	
PK	6.4116G	106.04	Inf	-Inf	97.32	3	Horizontal	331	1.72	-	35.42	6.40	33.10	
RMS	6.4116G	95.09	Inf	-Inf	86.37	3	Horizontal	331	1.72	-	35.42	6.40	33.10	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81676G	56.95	88.20	-31.25	42.45	3	Vertical	173	1.44	-	39.23	10.01	34.74	
RMS	12.81904G	43.61	68.20	-24.59	29.10	3	Vertical	173	1.44	-	39.24	10.01	34.74	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8018G	57.10	88.20	-31.10	42.64	3	Horizontal	240	2.26	-	39.20	10.00	34.74	
RMS	12.8146G	43.69	68.20	-24.51	29.19	3	Horizontal	240	2.26	-	39.23	10.01	34.74	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20588G	44.12	83.54	-39.42	42.05	1	Vertical	335	1.54	-	37.75	13.96	49.64
AV	19.21062G	31.17	63.54	-32.37	29.10	1	Vertical	335	1.54	-	37.75	13.96	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22148G	44.49	83.54	-39.05	42.44	1	Horizontal	221	1.63	-	37.73	13.96	49.64
AV	19.20678G	31.22	63.54	-32.32	29.15	1	Horizontal	221	1.63	-	37.75	13.96	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8474G	60.16	88.20	-28.04	52.95	3	Vertical	345	2.02	-	34.48	6.05	33.32	
RMS	5.9098G	48.19	68.20	-20.01	40.58	3	Vertical	345	2.02	-	34.84	6.11	33.34	
PK	6.4426G	104.12	Inf	-Inf	95.31	3	Vertical	345	2.02	-	35.49	6.40	33.08	
RMS	6.4402G	93.01	Inf	-Inf	84.21	3	Vertical	345	2.02	-	35.48	6.40	33.08	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9074G	60.89	88.20	-27.31	53.29	3	Horizontal	333	1.51	-	34.83	6.11	33.34	
RMS	5.9098G	48.13	68.20	-20.07	40.52	3	Horizontal	333	1.51	-	34.84	6.11	33.34	
PK	6.4546G	106.17	Inf	-Inf	97.33	3	Horizontal	333	1.51	-	35.51	6.40	33.07	
RMS	6.4522G	94.32	Inf	-Inf	85.49	3	Horizontal	333	1.51	-	35.50	6.40	33.07	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89512G	58.19	88.20	-30.01	43.47	3	Vertical	52	2.13	-	39.39	10.05	34.72
RMS	12.89724G	44.57	68.20	-23.63	29.85	3	Vertical	52	2.13	-	39.39	10.05	34.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88372G	58.37	88.20	-29.83	43.68	3	Horizontal	125	1.71	-	39.37	10.04	34.72
RMS	12.89044G	44.48	68.20	-23.72	29.77	3	Horizontal	125	1.71	-	39.38	10.05	34.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.32072G	44.05	83.54	-39.49	41.98	1	Vertical	196	1.57	-	37.76	13.97	49.66	
AV	19.34676G	30.63	63.54	-32.91	28.55	1	Vertical	196	1.57	-	37.78	13.97	49.67	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33386G	43.91	83.54	-39.63	41.84	1	Horizontal	59	1.50	-	37.77	13.97	49.67
AV	19.34376G	30.59	63.54	-32.95	28.51	1	Horizontal	59	1.50	-	37.78	13.97	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8898G	61.21	88.20	-26.99	53.72	3	Vertical	46	1.68	-	34.74	6.09	33.34	
RMS	5.9138G	48.17	68.20	-20.03	40.55	3	Vertical	46	1.68	-	34.86	6.11	33.35	
PK	6.4826G	103.87	Inf	-Inf	94.95	3	Vertical	46	1.68	-	35.57	6.40	33.05	
RMS	6.4826G	92.66	Inf	-Inf	83.74	3	Vertical	46	1.68	-	35.57	6.40	33.05	

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	59.81	88.20	-28.39	52.14	3	Horizontal	330	1.71	-	34.90	6.12	33.35	
RMS	5.921G	48.15	68.20	-20.05	40.50	3	Horizontal	330	1.71	-	34.88	6.12	33.35	
PK	6.4922G	105.54	Inf	-Inf	96.61	3	Horizontal	330	1.71	-	35.58	6.40	33.05	
RMS	6.4922G	94.50	Inf	-Inf	85.57	3	Horizontal	330	1.71	-	35.58	6.40	33.05	

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97548G	58.70	88.20	-29.50	43.76	3	Vertical	96	2.66	-	39.55	10.09	34.70
RMS	12.96544G	44.95	68.20	-23.25	30.05	3	Vertical	96	2.66	-	39.53	10.08	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97516G	59.68	88.20	-28.52	44.74	3	Horizontal	285	2.08	-	39.55	10.09	34.70
RMS	12.97372G	45.00	68.20	-23.20	30.07	3	Horizontal	285	2.08	-	39.55	10.09	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.44234G	44.14	83.54	-39.40	42.01	1	Vertical	131	1.58	-	37.85	13.97	49.69	
AV	19.45584G	31.11	63.54	-32.43	28.97	1	Vertical	131	1.58	-	37.86	13.97	49.69	

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4694G	44.47	83.54	-39.07	42.31	1	Horizontal	73	1.45	-	37.88	13.97	49.69	
AV	19.46712G	30.98	63.54	-32.56	28.83	1	Horizontal	73	1.45	-	37.87	13.97	49.69	

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	59.83	88.20	-28.37	52.36	3	Vertical	46	1.67	-	34.71	6.09	33.33
RMS	5.9114G	48.19	68.20	-20.01	40.57	3	Vertical	46	1.67	-	34.85	6.11	33.34
PK	6.5224G	102.67	Inf	-Inf	93.54	3	Vertical	46	1.67	-	35.78	6.40	33.05
RMS	6.5224G	92.17	Inf	-Inf	83.04	3	Vertical	46	1.67	-	35.78	6.40	33.05
PK	7.1438G	63.19	88.20	-25.01	52.90	3	Vertical	46	1.67	-	36.98	6.77	33.46
RMS	7.149G	51.67	68.20	-16.53	41.37	3	Vertical	46	1.67	-	37.00	6.77	33.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Y_4TX
Setting 11
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	60.32	88.20	-27.88	52.66	3	Horizontal	330	1.70	-	34.89	6.12	33.35
RMS	5.9244G	48.21	68.20	-19.99	40.54	3	Horizontal	330	1.70	-	34.90	6.12	33.35
PK	6.5146G	105.42	Inf	-Inf	96.35	3	Horizontal	330	1.70	-	35.72	6.40	33.05
RMS	6.5328G	94.15	Inf	-Inf	84.95	3	Horizontal	330	1.70	-	35.86	6.40	33.06
PK	7.175G	64.30	88.20	-23.90	53.91	3	Horizontal	330	1.70	-	37.10	6.79	33.50
RMS	7.1516G	51.64	68.20	-16.56	41.32	3	Horizontal	330	1.70	-	37.01	6.78	33.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04968G	58.80	88.20	-29.40	43.78	3	Vertical	167	1.34	-	39.60	10.12	34.70
RMS	13.05004G	45.08	68.20	-23.12	30.05	3	Vertical	167	1.34	-	39.60	10.13	34.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05324G	58.46	88.20	-29.74	43.43	3	Horizontal	190	1.74	-	39.60	10.13	34.70
RMS	13.05304G	45.12	68.20	-23.08	30.09	3	Horizontal	190	1.74	-	39.60	10.13	34.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56798G	44.96	83.54	-38.58	42.81	1	Vertical	41	1.51	-	37.87	13.98	49.70
AV	19.58148G	32.26	63.54	-31.28	30.11	1	Vertical	41	1.51	-	37.87	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 11
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57746G	45.63	83.54	-37.91	43.48	1	Horizontal	3	1.56	-	37.87	13.98	49.70
AV	19.58886G	32.19	63.54	-31.35	30.05	1	Horizontal	3	1.56	-	37.86	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 10
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	60.57	88.20	-27.63	52.94	3	Vertical	42	1.80	-	34.86	6.12	33.35
RMS	5.915G	48.11	68.20	-20.09	40.48	3	Vertical	42	1.80	-	34.86	6.12	33.35
PK	6.5624G	102.93	Inf	-Inf	93.58	3	Vertical	42	1.80	-	36.02	6.40	33.07
RMS	6.5624G	91.46	Inf	-Inf	82.11	3	Vertical	42	1.80	-	36.02	6.40	33.07
PK	7.1942G	64.06	88.20	-24.14	53.60	3	Vertical	42	1.80	-	37.18	6.80	33.52
RMS	7.15G	51.70	68.20	-16.50	41.39	3	Vertical	42	1.80	-	37.00	6.78	33.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 10
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9176G	59.67	88.20	-28.53	52.03	3	Horizontal	325	1.63	-	34.87	6.12	33.35
RMS	5.925G	48.15	68.20	-20.05	40.48	3	Horizontal	325	1.63	-	34.90	6.12	33.35
PK	6.5754G	103.42	Inf	-Inf	94.05	3	Horizontal	325	1.63	-	36.05	6.40	33.08
RMS	6.5728G	93.08	Inf	-Inf	83.71	3	Horizontal	325	1.63	-	36.05	6.40	33.08
PK	7.1266G	64.22	88.20	-23.98	53.99	3	Horizontal	325	1.63	-	36.91	6.76	33.44
RMS	7.1604G	51.71	68.20	-16.49	41.37	3	Horizontal	325	1.63	-	37.04	6.78	33.48

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13124G	58.94	88.20	-29.26	43.82	3	Vertical	96	1.81	-	39.66	10.17	34.71	
RMS	13.1314G	45.19	68.20	-23.01	30.07	3	Vertical	96	1.81	-	39.66	10.17	34.71	

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12516G	58.91	88.20	-29.29	43.81	3	Horizontal	334	1.81	-	39.65	10.16	34.71
RMS	13.13536G	45.13	68.20	-23.07	30.00	3	Horizontal	334	1.81	-	39.67	10.17	34.71

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69368G	46.01	83.54	-37.53	43.91	1	Vertical	273	2.18	-	37.82	13.98	49.70
AV	19.70784G	32.87	63.54	-30.67	30.76	1	Vertical	273	2.18	-	37.82	13.99	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68126G	45.87	83.54	-37.67	43.76	1	Horizontal	13	2.99	-	37.83	13.98	49.70
AV	19.70112G	32.88	63.54	-30.66	30.77	1	Horizontal	13	2.99	-	37.82	13.99	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 10
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6828G	100.63	Inf	-Inf	91.25	3	Vertical	40	1.80	-	36.07	6.44	33.13	
RMS	6.6828G	90.86	Inf	-Inf	81.48	3	Vertical	40	1.80	-	36.07	6.44	33.13	
PK	7.2108G	64.77	88.20	-23.43	54.30	3	Vertical	40	1.80	-	37.20	6.81	33.54	
RMS	7.1514G	51.68	68.20	-16.52	41.36	3	Vertical	40	1.80	-	37.01	6.78	33.47	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 10
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6916G	105.29	Inf	-Inf	95.90	3	Horizontal	335	1.82	-	36.08	6.45	33.14	
RMS	6.6916G	92.96	Inf	-Inf	83.57	3	Horizontal	335	1.82	-	36.08	6.45	33.14	
PK	7.1646G	63.76	88.20	-24.44	53.41	3	Horizontal	335	1.82	-	37.06	6.78	33.49	
RMS	7.1514G	51.74	68.20	-16.46	41.42	3	Horizontal	335	1.82	-	37.01	6.78	33.47	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37052G	59.12	74.00	-14.88	43.54	3	Vertical	222	2.34	-	40.00	10.29	34.71	
AV	13.37092G	45.04	54.00	-8.96	29.46	3	Vertical	222	2.34	-	40.00	10.29	34.71	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37972G	58.66	74.00	-15.34	43.09	3	Horizontal	199	1.03	-	40.00	10.29	34.72
AV	13.3792G	45.00	54.00	-9.00	29.43	3	Horizontal	199	1.03	-	40.00	10.29	34.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.06028G	45.75	83.54	-37.79	43.97	1	Vertical	196	1.61	-	37.45	14.05	49.72	
AV	20.06724G	31.70	63.54	-31.84	29.93	1	Vertical	196	1.61	-	37.45	14.05	49.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05518G	45.26	83.54	-38.28	43.50	1	Horizontal	259	1.56	-	37.44	14.04	49.72
AV	20.0607G	31.58	63.54	-31.96	29.80	1	Horizontal	259	1.56	-	37.45	14.05	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 10
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8434G	101.54	Inf	-Inf	91.71	3	Vertical	39	1.77	-	36.50	6.54	33.21	
RMS	6.8418G	90.15	Inf	-Inf	80.32	3	Vertical	39	1.77	-	36.50	6.54	33.21	
PK	7.1426G	64.01	88.20	-24.19	53.73	3	Vertical	39	1.77	-	36.97	6.77	33.46	
RMS	7.1474G	51.81	68.20	-16.39	41.52	3	Vertical	39	1.77	-	36.99	6.77	33.47	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 10
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8514G	102.85	Inf	-Inf	93.02	3	Horizontal	335	1.80	-	36.50	6.55	33.22	
RMS	6.8514G	92.76	Inf	-Inf	82.93	3	Horizontal	335	1.80	-	36.50	6.55	33.22	
PK	7.1442G	64.03	88.20	-24.17	53.74	3	Horizontal	335	1.80	-	36.98	6.77	33.46	
RMS	7.1426G	51.69	68.20	-16.51	41.41	3	Horizontal	335	1.80	-	36.97	6.77	33.46	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69728G	61.07	88.20	-27.13	45.12	3	Vertical	232	2.78	-	40.30	10.45	34.80	
RMS	13.6988G	46.82	68.20	-21.38	30.87	3	Vertical	232	2.78	-	40.30	10.45	34.80	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69124G	60.07	88.20	-28.13	44.13	3	Horizontal	173	2.30	-	40.29	10.45	34.80
RMS	13.69126G	46.81	68.20	-21.39	30.87	3	Horizontal	173	2.30	-	40.29	10.45	34.80

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.52144G	46.44	83.54	-37.10	44.21	1	Vertical	42	1.17	-	37.73	14.39	49.89
AV	20.52324G	32.79	63.54	-30.75	30.56	1	Vertical	42	1.17	-	37.73	14.39	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.52816G	46.17	83.54	-37.37	43.93	1	Horizontal	216	2.59	-	37.73	14.40	49.89	
AV	20.52546G	32.77	63.54	-30.77	30.54	1	Horizontal	216	2.59	-	37.73	14.39	49.89	

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 10.5
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8808G	102.39	Inf	-Inf	92.54	3	Vertical	40	1.86	-	36.50	6.58	33.23	
RMS	6.8822G	91.07	Inf	-Inf	81.22	3	Vertical	40	1.86	-	36.50	6.58	33.23	
PK	7.2042G	64.56	88.20	-23.64	54.10	3	Vertical	40	1.86	-	37.20	6.80	33.54	
RMS	7.1538G	51.69	68.20	-16.51	41.36	3	Vertical	40	1.86	-	37.02	6.78	33.47	

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 10.5
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8724G	105.55	Inf	-Inf	95.71	3	Horizontal	332	1.80	-	36.50	6.57	33.23
RMS	6.892G	94.24	Inf	-Inf	84.39	3	Horizontal	332	1.80	-	36.50	6.59	33.24
PK	7.2252G	63.77	88.20	-24.43	53.32	3	Horizontal	332	1.80	-	37.20	6.81	33.56
RMS	7.1566G	51.69	68.20	-16.51	41.36	3	Horizontal	332	1.80	-	37.03	6.78	33.48

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 10.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.775G	60.57	88.20	-27.63	44.47	3	Vertical	284	1.67	-	40.45	10.49	34.84
RMS	13.76752G	46.89	68.20	-21.31	30.80	3	Vertical	284	1.67	-	40.44	10.48	34.83

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 10.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.77464G	59.96	88.20	-28.24	43.86	3	Horizontal	118	1.92	-	40.45	10.49	34.84	
RMS	13.77088G	46.78	68.20	-21.42	30.68	3	Horizontal	118	1.92	-	40.44	10.49	34.83	

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 10.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66574G	46.47	83.54	-37.07	43.90	1	Vertical	239	1.62	-	37.90	14.50	49.83
AV	20.66976G	33.12	63.54	-30.42	30.55	1	Vertical	239	1.62	-	37.90	14.50	49.83

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 10.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6649G	47.48	83.54	-36.06	44.91	1	Horizontal	9	1.55	-	37.90	14.50	49.83
AV	20.66814G	33.29	63.54	-30.25	30.72	1	Horizontal	9	1.55	-	37.90	14.50	49.83

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 10
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9214G	101.26	Inf	-Inf	91.35	3	Vertical	44	1.83	-	36.54	6.62	33.25	
RMS	6.9214G	89.79	Inf	-Inf	79.88	3	Vertical	44	1.83	-	36.54	6.62	33.25	
PK	7.2118G	64.79	88.20	-23.41	54.32	3	Vertical	44	1.83	-	37.20	6.81	33.54	
RMS	7.1542G	51.68	68.20	-16.52	41.36	3	Vertical	44	1.83	-	37.02	6.78	33.48	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 10
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9118G	103.49	Inf	-Inf	93.61	3	Horizontal	334	1.80	-	36.52	6.61	33.25	
RMS	6.9118G	92.13	Inf	-Inf	82.25	3	Horizontal	334	1.80	-	36.52	6.61	33.25	
PK	7.1806G	64.24	88.20	-23.96	53.84	3	Horizontal	334	1.80	-	37.12	6.79	33.51	
RMS	7.1542G	51.77	68.20	-16.43	41.45	3	Horizontal	334	1.80	-	37.02	6.78	33.48	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85532G	60.25	88.20	-27.95	44.03	3	Vertical	67	2.75	-	40.56	10.53	34.87	
RMS	13.85736G	46.98	68.20	-21.22	30.76	3	Vertical	67	2.75	-	40.56	10.53	34.87	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8592G	60.67	88.20	-27.53	44.45	3	Horizontal	4	2.91	-	40.56	10.53	34.87	
RMS	13.8566G	46.85	68.20	-21.35	30.63	3	Horizontal	4	2.91	-	40.56	10.53	34.87	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.77746G	46.58	83.54	-36.96	43.83	1	Vertical	15	1.53	-	37.96	14.58	49.79
AV	20.7879G	33.19	63.54	-30.35	30.44	1	Vertical	15	1.53	-	37.94	14.59	49.78

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 10
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.76888G	46.31	83.54	-37.23	43.55	1	Horizontal	65	1.63	-	37.97	14.58	49.79	
AV	20.78208G	33.20	63.54	-30.34	30.45	1	Horizontal	65	1.63	-	37.95	14.59	49.79	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Y_4TX
Setting 11.5
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0018G	101.75	Inf	-Inf	91.74	3	Vertical	54	1.79	-	36.60	6.70	33.29	
RMS	7.0018G	89.65	Inf	-Inf	79.64	3	Vertical	54	1.79	-	36.60	6.70	33.29	
PK	7.1442G	64.71	88.20	-23.49	54.42	3	Vertical	54	1.79	-	36.98	6.77	33.46	
RMS	7.1538G	51.80	68.20	-16.40	41.47	3	Vertical	54	1.79	-	37.02	6.78	33.47	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11.5
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0106G	102.81	Inf	-Inf	92.80	3	Horizontal	335	1.80	-	36.60	6.71	33.30	
RMS	7.0114G	90.97	Inf	-Inf	80.96	3	Horizontal	335	1.80	-	36.60	6.71	33.30	
PK	7.2042G	64.06	88.20	-24.14	53.60	3	Horizontal	335	1.80	-	37.20	6.80	33.54	
RMS	7.161G	51.80	68.20	-16.40	41.46	3	Horizontal	335	1.80	-	37.04	6.78	33.48	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01256G	61.39	88.20	-26.81	44.91	3	Vertical	264	1.43	-	40.80	10.61	34.93
RMS	14.01272G	47.85	68.20	-20.35	31.37	3	Vertical	264	1.43	-	40.80	10.61	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00928G	61.19	88.20	-27.01	44.71	3	Horizontal	96	1.97	-	40.80	10.61	34.93	
RMS	14.00488G	47.82	68.20	-20.38	31.35	3	Horizontal	96	1.97	-	40.80	10.60	34.93	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02526G	44.37	83.54	-39.17	41.69	1	Vertical	258	1.48	-	37.60	14.77	49.69
AV	21.00534G	30.86	63.54	-32.68	28.21	1	Vertical	258	1.48	-	37.60	14.75	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11.5
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.0003G	44.11	83.54	-39.43	41.46	1	Horizontal	331	1.61	-	37.60	14.75	49.70
AV	21.00732G	30.85	63.54	-32.69	28.19	1	Horizontal	331	1.61	-	37.60	14.76	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 12
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.079G	101.55	Inf	-Inf	91.47	3	Vertical	287	2.21	-	36.72	6.74	33.38	
RMS	7.0796G	89.29	Inf	-Inf	79.22	3	Vertical	287	2.21	-	36.72	6.74	33.39	
PK	7.1414G	64.31	88.20	-23.89	54.03	3	Vertical	287	2.21	-	36.97	6.77	33.46	
RMS	7.208G	51.82	68.20	-16.38	41.36	3	Vertical	287	2.21	-	37.20	6.80	33.54	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 12
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0832G	103.14	Inf	-Inf	93.06	3	Horizontal	75	2.08	-	36.73	6.74	33.39	
RMS	7.0832G	90.87	Inf	-Inf	80.79	3	Horizontal	75	2.08	-	36.73	6.74	33.39	
PK	7.1522G	64.53	88.20	-23.67	54.21	3	Horizontal	75	2.08	-	37.01	6.78	33.47	
RMS	7.1594G	51.86	68.20	-16.34	41.52	3	Horizontal	75	2.08	-	37.04	6.78	33.48	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 12
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1694G	61.52	88.20	-26.68	45.03	3	Vertical	179	1.93	-	40.66	10.73	34.90
RMS	14.17188G	47.77	68.20	-20.43	31.28	3	Vertical	179	1.93	-	40.66	10.73	34.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 12
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1644G	60.95	88.20	-27.25	44.46	3	Horizontal	96	2.05	-	40.67	10.72	34.90
RMS	14.16456G	47.71	68.20	-20.49	31.22	3	Horizontal	96	2.05	-	40.67	10.72	34.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 12
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.26994G	46.61	83.54	-36.93	43.69	1	Vertical	319	1.55	-	37.62	14.95	49.65
AV	21.26952G	33.19	63.54	-30.35	30.27	1	Vertical	319	1.55	-	37.62	14.95	49.65

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 12
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26982G	46.73	83.54	-36.81	43.81	1	Horizontal	207	1.46	-	37.62	14.95	49.65
AV	21.26982G	33.39	63.54	-30.15	30.47	1	Horizontal	207	1.46	-	37.62	14.95	49.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9162G	62.56	88.20	-25.64	54.93	3	Vertical	8	2.17	-	34.86	6.12	33.35	
RMS	5.9154G	51.77	68.20	-16.43	44.14	3	Vertical	8	2.17	-	34.86	6.12	33.35	
PK	5.9762G	108.43	Inf	-Inf	100.52	3	Vertical	8	2.17	-	35.10	6.18	33.37	
RMS	5.9762G	98.96	Inf	-Inf	91.05	3	Vertical	8	2.17	-	35.10	6.18	33.37	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.877G	61.01	88.20	-27.19	53.60	3	Horizontal	322	1.87	-	34.66	6.08	33.33	
RMS	5.9242G	50.99	68.20	-17.21	43.32	3	Horizontal	322	1.87	-	34.90	6.12	33.35	
PK	6.0114G	106.06	Inf	-Inf	97.98	3	Horizontal	322	1.87	-	35.25	6.20	33.37	
RMS	5.9914G	96.16	Inf	-Inf	88.18	3	Horizontal	322	1.87	-	35.17	6.19	33.38	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.966G	56.20	74.00	-17.80	42.73	3	Vertical	151	2.49	-	38.83	9.58	34.94	
AV	11.96564G	42.76	54.00	-11.24	29.29	3	Vertical	151	2.49	-	38.83	9.58	34.94	
PK	17.96328G	65.00	74.00	-9.00	44.39	3	Vertical	266	2.89	-	41.76	13.67	34.82	
AV	17.96958G	51.17	54.00	-2.83	30.55	3	Vertical	266	2.89	-	41.77	13.68	34.83	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9726G	56.11	74.00	-17.89	42.63	3	Horizontal	87	2.66	-	38.83	9.59	34.94	
AV	11.97292G	42.72	54.00	-11.28	29.24	3	Horizontal	87	2.66	-	38.83	9.59	34.94	
PK	17.96922G	64.80	74.00	-9.20	44.18	3	Horizontal	11	1.68	-	41.77	13.68	34.83	
AV	17.95722G	51.25	54.00	-2.75	30.64	3	Horizontal	11	1.68	-	41.76	13.67	34.82	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9014G	60.43	88.20	-27.77	52.86	3	Vertical	41	1.87	-	34.81	6.10	33.34	
RMS	5.9218G	50.26	68.20	-17.94	42.60	3	Vertical	41	1.87	-	34.89	6.12	33.35	
PK	6.1402G	106.88	Inf	-Inf	98.64	3	Vertical	41	1.87	-	35.32	6.20	33.28	
RMS	6.1426G	96.73	Inf	-Inf	88.50	3	Vertical	41	1.87	-	35.31	6.20	33.28	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9014G	60.71	88.20	-27.49	53.14	3	Horizontal	324	1.80	-	34.81	6.10	33.34	
RMS	5.911G	50.37	68.20	-17.83	42.76	3	Horizontal	324	1.80	-	34.84	6.11	33.34	
PK	6.1522G	106.79	Inf	-Inf	98.56	3	Horizontal	324	1.80	-	35.31	6.20	33.28	
RMS	6.1522G	97.29	Inf	-Inf	89.06	3	Horizontal	324	1.80	-	35.31	6.20	33.28	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29448G	55.86	74.00	-18.14	42.28	3	Vertical	302	1.70	-	38.69	9.75	34.86
AV	12.29828G	42.24	54.00	-11.76	28.65	3	Vertical	302	1.70	-	38.70	9.75	34.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2978G	55.41	74.00	-18.59	41.82	3	Horizontal	141	1.67	-	38.70	9.75	34.86
AV	12.2932G	42.22	54.00	-11.78	28.64	3	Horizontal	141	1.67	-	38.69	9.75	34.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14.5
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.44142G	46.41	83.54	-37.13	44.88	1	Vertical	233	1.62	-	37.73	13.92	50.12	
AV	18.42594G	32.49	63.54	-31.05	30.99	1	Vertical	233	1.62	-	37.71	13.92	50.13	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14.5
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.43314G	45.73	83.54	-37.81	44.22	1	Horizontal	173	1.54	-	37.72	13.92	50.13
AV	18.44586G	32.38	63.54	-31.16	30.84	1	Horizontal	173	1.54	-	37.74	13.92	50.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.903G	60.36	88.20	-27.84	52.79	3	Vertical	344	1.89	-	34.81	6.10	33.34	
RMS	5.919G	48.16	68.20	-20.04	40.51	3	Vertical	344	1.89	-	34.88	6.12	33.35	
PK	6.381G	105.55	Inf	-Inf	96.89	3	Vertical	344	1.89	-	35.40	6.38	33.12	
RMS	6.381G	93.39	Inf	-Inf	84.73	3	Vertical	344	1.89	-	35.40	6.38	33.12	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.895G	60.52	88.20	-27.68	52.99	3	Horizontal	333	1.54	-	34.77	6.10	33.34	
RMS	5.919G	50.24	68.20	-17.96	42.59	3	Horizontal	333	1.54	-	34.88	6.12	33.35	
PK	6.391G	105.74	Inf	-Inf	97.06	3	Horizontal	333	1.54	-	35.40	6.39	33.11	
RMS	6.393G	96.64	Inf	-Inf	87.96	3	Horizontal	333	1.54	-	35.40	6.39	33.11	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77428G	56.83	88.20	-31.37	42.44	3	Vertical	213	1.31	-	39.15	9.99	34.75
RMS	12.7712G	43.28	68.20	-24.92	28.90	3	Vertical	213	1.31	-	39.14	9.99	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77296G	56.39	88.20	-31.81	42.00	3	Horizontal	291	2.11	-	39.15	9.99	34.75
RMS	12.77188G	43.26	68.20	-24.94	28.88	3	Horizontal	291	2.11	-	39.14	9.99	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14372G	44.68	83.54	-38.86	42.52	1	Vertical	265	1.63	-	37.83	13.96	49.63
AV	19.1421G	31.39	63.54	-32.15	29.23	1	Vertical	265	1.63	-	37.83	13.96	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1508G	45.58	83.54	-37.96	43.43	1	Horizontal	154	1.59	-	37.82	13.96	49.63
AV	19.14432G	31.33	63.54	-32.21	29.17	1	Horizontal	154	1.59	-	37.83	13.96	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_V_4TX
Setting 14
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8378G	60.77	88.20	-27.43	53.62	3	Vertical	44	1.64	-	34.43	6.04	33.32	
RMS	5.9246G	50.19	68.20	-18.01	42.52	3	Vertical	44	1.64	-	34.90	6.12	33.35	
PK	6.4426G	103.07	Inf	-Inf	94.26	3	Vertical	44	1.64	-	35.49	6.40	33.08	
RMS	6.4622G	93.31	Inf	-Inf	84.46	3	Vertical	44	1.64	-	35.52	6.40	33.07	
PK	7.1454G	63.12	88.20	-25.08	52.83	3	Vertical	44	1.64	-	36.98	6.77	33.46	
RMS	7.1566G	53.62	68.20	-14.58	43.29	3	Vertical	44	1.64	-	37.03	6.78	33.48	

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_V_4TX
Setting 14
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	60.29	88.20	-27.91	52.98	3	Horizontal	332	1.58	-	34.58	6.06	33.33
RMS	5.919G	50.24	68.20	-17.96	42.59	3	Horizontal	332	1.58	-	34.88	6.12	33.35
PK	6.4342G	104.39	Inf	-Inf	95.60	3	Horizontal	332	1.58	-	35.47	6.40	33.08
RMS	6.4734G	96.41	Inf	-Inf	87.52	3	Horizontal	332	1.58	-	35.55	6.40	33.06
PK	7.1426G	62.73	88.20	-25.47	52.45	3	Horizontal	332	1.58	-	36.97	6.77	33.46
RMS	7.1454G	53.62	68.20	-14.58	43.33	3	Horizontal	332	1.58	-	36.98	6.77	33.46

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92976G	57.97	88.20	-30.23	43.16	3	Vertical	351	1.18	-	39.46	10.06	34.71
RMS	12.92912G	44.88	68.20	-23.32	30.07	3	Vertical	351	1.18	-	39.46	10.06	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92528G	58.65	88.20	-29.55	43.85	3	Horizontal	66	2.09	-	39.45	10.06	34.71
RMS	12.92308G	44.81	68.20	-23.39	30.02	3	Horizontal	66	2.09	-	39.45	10.06	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.40844G	44.10	83.54	-39.44	41.98	1	Vertical	296	1.56	-	37.83	13.97	49.68	
AV	19.38462G	30.90	63.54	-32.64	28.80	1	Vertical	296	1.56	-	37.81	13.97	49.68	

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.39068G	43.95	83.54	-39.59	41.85	1	Horizontal	271	1.60	-	37.81	13.97	49.68	
AV	19.38204G	30.66	63.54	-32.88	28.56	1	Horizontal	271	1.60	-	37.81	13.97	49.68	

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.915G	60.20	88.20	-28.00	52.57	3	Vertical	46	1.80	-	34.86	6.12	33.35	
RMS	5.9234G	50.28	68.20	-17.92	42.62	3	Vertical	46	1.80	-	34.89	6.12	33.35	
PK	6.5422G	103.18	Inf	-Inf	93.90	3	Vertical	46	1.80	-	35.94	6.40	33.06	
RMS	6.5422G	94.34	Inf	-Inf	85.06	3	Vertical	46	1.80	-	35.94	6.40	33.06	
PK	7.1554G	64.42	88.20	-23.78	54.10	3	Vertical	46	1.80	-	37.02	6.78	33.48	
RMS	7.161G	53.63	68.20	-14.57	43.29	3	Vertical	46	1.80	-	37.04	6.78	33.48	

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 14
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	60.09	88.20	-28.11	52.45	3	Horizontal	335	1.80	-	34.87	6.12	33.35
RMS	5.9206G	50.18	68.20	-18.02	42.53	3	Horizontal	335	1.80	-	34.88	6.12	33.35
PK	6.5338G	105.57	Inf	-Inf	96.36	3	Horizontal	335	1.80	-	35.87	6.40	33.06
RMS	6.531G	95.41	Inf	-Inf	86.22	3	Horizontal	335	1.80	-	35.85	6.40	33.06
PK	7.1918G	63.77	88.20	-24.43	53.32	3	Horizontal	335	1.80	-	37.17	6.80	33.52
RMS	7.1442G	53.59	68.20	-14.61	43.30	3	Horizontal	335	1.80	-	36.98	6.77	33.46

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0904G	58.66	88.20	-29.54	43.61	3	Vertical	60	2.52	-	39.60	10.15	34.70
RMS	13.09052G	45.12	68.20	-23.08	30.07	3	Vertical	60	2.52	-	39.60	10.15	34.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0856G	58.81	88.20	-29.39	43.77	3	Horizontal	225	1.58	-	39.60	10.14	34.70
RMS	13.0868G	45.10	68.20	-23.10	30.06	3	Horizontal	225	1.58	-	39.60	10.14	34.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63764G	47.18	83.54	-36.36	45.06	1	Vertical	360	1.63	-	37.84	13.98	49.70
AV	19.64556G	32.75	63.54	-30.79	30.63	1	Vertical	360	1.63	-	37.84	13.98	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6254G	46.95	83.54	-36.59	44.82	1	Horizontal	85	1.46	-	37.85	13.98	49.70
AV	19.64448G	32.88	63.54	-30.66	30.76	1	Horizontal	85	1.46	-	37.84	13.98	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6426G	104.13	Inf	-Inf	94.81	3	Vertical	42	1.80	-	36.01	6.42	33.11	
RMS	6.6206G	91.73	Inf	-Inf	82.36	3	Vertical	42	1.80	-	36.06	6.41	33.10	
PK	7.1398G	64.66	88.20	-23.54	54.39	3	Vertical	42	1.80	-	36.96	6.77	33.46	
RMS	7.1574G	51.83	68.20	-16.37	41.50	3	Vertical	42	1.80	-	37.03	6.78	33.48	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6294G	107.63	Inf	-Inf	98.28	3	Horizontal	333	2.09	-	36.04	6.41	33.10	
RMS	6.6294G	94.65	Inf	-Inf	85.30	3	Horizontal	333	2.09	-	36.04	6.41	33.10	
PK	7.142G	63.66	88.20	-24.54	53.38	3	Horizontal	333	2.09	-	36.97	6.77	33.46	
RMS	7.1596G	51.86	68.20	-16.34	41.52	3	Horizontal	333	2.09	-	37.04	6.78	33.48	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.25924G	59.58	74.00	-14.42	44.14	3	Vertical	39	2.97	-	39.92	10.23	34.71	
AV	13.25724G	44.98	54.00	-9.02	29.55	3	Vertical	39	2.97	-	39.91	10.23	34.71	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25524G	58.26	74.00	-15.74	42.83	3	Horizontal	15	1.31	-	39.91	10.23	34.71
AV	13.25644G	44.90	54.00	-9.10	29.47	3	Horizontal	15	1.31	-	39.91	10.23	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.86792G	45.23	83.54	-38.31	43.33	1	Vertical	348	1.52	-	37.61	13.99	49.70	
AV	19.8615G	31.72	63.54	-31.82	29.81	1	Vertical	348	1.52	-	37.62	13.99	49.70	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.88604G	45.50	83.54	-38.04	43.63	1	Horizontal	109	1.61	-	37.58	13.99	49.70
AV	19.8648G	31.80	63.54	-31.74	29.89	1	Horizontal	109	1.61	-	37.62	13.99	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.703G	102.70	Inf	-Inf	93.28	3	Vertical	41	1.80	-	36.11	6.45	33.14	
RMS	6.701G	91.62	Inf	-Inf	82.21	3	Vertical	41	1.80	-	36.10	6.45	33.14	
PK	7.157G	64.41	88.20	-23.79	54.08	3	Vertical	41	1.80	-	37.03	6.78	33.48	
RMS	7.149G	52.01	68.20	-16.19	41.71	3	Vertical	41	1.80	-	37.00	6.77	33.47	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Y_4TX
Setting 13
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.693G	104.31	Inf	-Inf	94.91	3	Horizontal	333	1.74	-	36.09	6.45	33.14	
RMS	6.713G	92.62	Inf	-Inf	83.16	3	Horizontal	333	1.74	-	36.15	6.46	33.15	
PK	7.205G	63.94	88.20	-24.26	53.48	3	Horizontal	333	1.74	-	37.20	6.80	33.54	
RMS	7.151G	52.02	68.20	-16.18	41.71	3	Horizontal	333	1.74	-	37.00	6.78	33.47	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 13
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4036G	58.79	88.20	-29.41	43.20	3	Vertical	7	1.15	-	40.01	10.30	34.72	
RMS	13.40316G	45.50	68.20	-22.70	29.91	3	Vertical	7	1.15	-	40.01	10.30	34.72	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 13
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4092G	58.70	88.20	-29.50	43.10	3	Horizontal	87	1.56	-	40.02	10.30	34.72	
RMS	13.40908G	45.23	68.20	-22.97	29.63	3	Horizontal	87	1.56	-	40.02	10.30	34.72	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11302G	46.47	83.54	-37.07	44.65	1	Vertical	11	1.63	-	37.49	14.08	49.75
AV	20.12016G	32.88	63.54	-30.66	31.04	1	Vertical	11	1.63	-	37.50	14.09	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.12376G	46.54	83.54	-37.00	44.70	1	Horizontal	189	1.53	-	37.50	14.09	49.75	
AV	20.12958G	32.91	63.54	-30.63	31.06	1	Horizontal	189	1.53	-	37.50	14.10	49.75	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7634G	99.39	Inf	-Inf	89.73	3	Vertical	38	1.74	-	36.35	6.48	33.17	
RMS	6.7832G	89.30	Inf	-Inf	79.56	3	Vertical	38	1.74	-	36.43	6.49	33.18	
PK	7.1648G	64.51	88.20	-23.69	54.16	3	Vertical	38	1.74	-	37.06	6.78	33.49	
RMS	7.154G	51.90	68.20	-16.30	41.57	3	Vertical	38	1.74	-	37.02	6.78	33.47	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.794G	103.09	Inf	-Inf	93.30	3	Horizontal	335	1.80	-	36.48	6.50	33.19	
RMS	6.7904G	91.96	Inf	-Inf	82.19	3	Horizontal	335	1.80	-	36.46	6.50	33.19	
PK	7.1846G	64.72	88.20	-23.48	54.30	3	Horizontal	335	1.80	-	37.14	6.79	33.51	
RMS	7.1522G	51.96	68.20	-16.24	41.64	3	Horizontal	335	1.80	-	37.01	6.78	33.47	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57948G	59.44	88.20	-28.76	43.60	3	Vertical	55	1.33	-	40.20	10.39	34.75
RMS	13.57888G	45.79	68.20	-22.41	29.95	3	Vertical	55	1.33	-	40.20	10.39	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57404G	59.73	88.20	-28.47	43.89	3	Horizontal	178	2.86	-	40.20	10.39	34.75
RMS	13.57492G	45.85	68.20	-22.35	30.01	3	Horizontal	178	2.86	-	40.20	10.39	34.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-C-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.34006G	46.75	83.54	-36.79	44.69	1	Vertical	9	1.53	-	37.64	14.26	49.84
AV	20.34042G	33.38	63.54	-30.16	31.32	1	Vertical	9	1.53	-	37.64	14.26	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34456G	46.73	83.54	-36.81	44.67	1	Horizontal	15	1.58	-	37.64	14.26	49.84
AV	20.34522G	33.32	63.54	-30.22	31.26	1	Horizontal	15	1.58	-	37.64	14.26	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8608G	102.06	Inf	-Inf	92.22	3	Vertical	41	1.80	-	36.50	6.56	33.22	
RMS	6.8622G	90.11	Inf	-Inf	80.27	3	Vertical	41	1.80	-	36.50	6.56	33.22	
PK	7.2066G	65.04	88.20	-23.16	54.58	3	Vertical	41	1.80	-	37.20	6.80	33.54	
RMS	7.1548G	51.89	68.20	-16.31	41.57	3	Vertical	41	1.80	-	37.02	6.78	33.48	

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.872G	103.00	Inf	-Inf	93.16	3	Horizontal	335	1.80	-	36.50	6.57	33.23	
RMS	6.8706G	92.37	Inf	-Inf	82.53	3	Horizontal	335	1.80	-	36.50	6.57	33.23	
PK	7.1604G	64.71	88.20	-23.49	54.37	3	Horizontal	335	1.80	-	37.04	6.78	33.48	
RMS	7.152G	51.81	68.20	-16.39	41.49	3	Horizontal	335	1.80	-	37.01	6.78	33.47	

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71848G	61.15	88.20	-27.05	45.16	3	Vertical	65	2.03	-	40.34	10.46	34.81
RMS	13.74122G	47.92	68.20	-20.28	31.89	3	Vertical	65	2.03	-	40.38	10.47	34.82

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7222G	61.42	88.20	-26.78	45.43	3	Horizontal	0	2.03	-	40.34	10.46	34.81	
RMS	13.7384G	47.73	68.20	-20.47	31.70	3	Horizontal	0	2.03	-	40.38	10.47	34.82	

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59092G	46.23	83.54	-37.31	43.84	1	Vertical	356	1.58	-	37.81	14.44	49.86
AV	20.58078G	32.77	63.54	-30.77	30.40	1	Vertical	356	1.58	-	37.80	14.44	49.87

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 12.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5866G	46.04	83.54	-37.50	43.67	1	Horizontal	30	1.64	-	37.80	14.44	49.87
AV	20.5884G	32.63	63.54	-30.91	30.24	1	Horizontal	30	1.64	-	37.81	14.44	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.921G	100.40	Inf	-Inf	90.49	3	Vertical	41	1.80	-	36.54	6.62	33.25	
RMS	6.9222G	89.29	Inf	-Inf	79.38	3	Vertical	41	1.80	-	36.54	6.62	33.25	
PK	7.1442G	64.13	88.20	-24.07	53.84	3	Vertical	41	1.80	-	36.98	6.77	33.46	
RMS	7.1478G	51.86	68.20	-16.34	41.57	3	Vertical	41	1.80	-	36.99	6.77	33.47	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.933G	104.28	Inf	-Inf	94.34	3	Horizontal	333	1.80	-	36.57	6.63	33.26	
RMS	6.9318G	92.29	Inf	-Inf	82.36	3	Horizontal	333	1.80	-	36.56	6.63	33.26	
PK	7.2438G	64.69	88.20	-23.51	54.25	3	Horizontal	333	1.80	-	37.20	6.82	33.58	
RMS	7.1502G	51.86	68.20	-16.34	41.55	3	Horizontal	333	1.80	-	37.00	6.78	33.47	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.89102G	60.98	88.20	-27.22	44.72	3	Vertical	114	1.53	-	40.59	10.55	34.88	
RMS	13.9032G	47.99	68.20	-20.21	31.72	3	Vertical	114	1.53	-	40.61	10.55	34.89	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.87764G	61.07	88.20	-27.13	44.83	3	Horizontal	173	1.39	-	40.58	10.54	34.88
RMS	13.896G	47.97	68.20	-20.23	31.71	3	Horizontal	173	1.39	-	40.60	10.55	34.89

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83044G	47.14	83.54	-36.40	44.42	1	Vertical	36	1.61	-	37.87	14.62	49.77
AV	20.82156G	32.94	63.54	-30.60	30.20	1	Vertical	36	1.61	-	37.89	14.62	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 13
04-E-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.82492G	46.10	83.54	-37.44	43.37	1	Horizontal	90	1.58	-	37.88	14.62	49.77
AV	20.82006G	33.02	63.54	-30.52	30.28	1	Horizontal	90	1.58	-	37.89	14.62	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Y_4TX
Setting 14
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0218G	101.27	Inf	-Inf	91.28	3	Vertical	47	1.84	-	36.60	6.71	33.32	
RMS	7.0218G	89.15	Inf	-Inf	79.16	3	Vertical	47	1.84	-	36.60	6.71	33.32	
PK	7.157G	64.25	88.20	-23.95	53.92	3	Vertical	47	1.84	-	37.03	6.78	33.48	
RMS	7.1578G	51.88	68.20	-16.32	41.55	3	Vertical	47	1.84	-	37.03	6.78	33.48	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.021G	101.65	Inf	-Inf	91.66	3	Horizontal	44	1.79	-	36.60	6.71	33.32	
RMS	7.021G	88.96	Inf	-Inf	78.97	3	Horizontal	44	1.79	-	36.60	6.71	33.32	
PK	7.197G	64.37	88.20	-23.83	53.91	3	Horizontal	44	1.79	-	37.19	6.80	33.53	
RMS	7.1554G	51.86	68.20	-16.34	41.54	3	Horizontal	44	1.79	-	37.02	6.78	33.48	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.03686G	62.46	88.20	-25.74	45.95	3	Vertical	123	2.63	-	40.80	10.63	34.92	
RMS	14.03986G	48.31	68.20	-19.89	31.80	3	Vertical	123	2.63	-	40.80	10.63	34.92	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04742G	61.59	88.20	-26.61	45.07	3	Horizontal	50	1.53	-	40.80	10.64	34.92
RMS	14.0362G	48.27	68.20	-19.93	31.76	3	Horizontal	50	1.53	-	40.80	10.63	34.92

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06774G	44.27	83.54	-39.27	41.56	1	Vertical	336	1.57	-	37.60	14.80	49.69
AV	21.08232G	30.97	63.54	-32.57	28.24	1	Vertical	336	1.57	-	37.60	14.81	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0618G	44.45	83.54	-39.09	41.74	1	Horizontal	208	1.63	-	37.60	14.80	49.69
AV	21.08286G	30.89	63.54	-32.65	28.16	1	Horizontal	208	1.63	-	37.60	14.81	49.68

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7306G	69.44	88.20	-18.76	62.62	3	Vertical	13	2.30	-	34.12	5.97	33.27	
RMS	5.9162G	57.65	68.20	-10.55	50.02	3	Vertical	13	2.30	-	34.86	6.12	33.35	
PK	6.0554G	109.82	Inf	-Inf	101.56	3	Vertical	13	2.30	-	35.40	6.20	33.34	
RMS	6.0554G	99.43	Inf	-Inf	91.17	3	Vertical	13	2.30	-	35.40	6.20	33.34	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.737G	68.82	88.20	-19.38	61.97	3	Horizontal	324	1.80	-	34.15	5.97	33.27	
RMS	5.905G	53.64	68.20	-14.56	46.06	3	Horizontal	324	1.80	-	34.82	6.10	33.34	
PK	6.0522G	105.43	Inf	-Inf	97.17	3	Horizontal	324	1.80	-	35.40	6.20	33.34	
RMS	5.9914G	96.54	Inf	-Inf	88.56	3	Horizontal	324	1.80	-	35.17	6.19	33.38	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.05918G	56.99	74.00	-17.01	43.49	3	Vertical	338	2.31	-	38.80	9.63	34.93	
AV	12.03632G	43.72	54.00	-10.28	30.24	3	Vertical	338	2.31	-	38.80	9.62	34.94	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.06404G	57.35	74.00	-16.65	43.85	3	Horizontal	344	2.10	-	38.80	9.63	34.93	
AV	12.03878G	43.70	54.00	-10.30	30.22	3	Horizontal	344	2.10	-	38.80	9.62	34.94	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.07242G	46.24	83.54	-37.30	44.97	1	Vertical	307	1.41	-	37.64	13.90	50.27	
AV	18.08082G	32.88	63.54	-30.66	31.61	1	Vertical	307	1.41	-	37.64	13.90	50.27	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0777G	46.11	83.54	-37.43	44.84	1	Horizontal	45	1.55	-	37.64	13.90	50.27
AV	18.06444G	32.89	63.54	-30.65	31.61	1	Horizontal	45	1.55	-	37.65	13.90	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8938G	64.87	88.20	-23.33	57.36	3	Vertical	44	1.96	-	34.76	6.09	33.34	
RMS	5.921G	50.73	68.20	-17.47	43.08	3	Vertical	44	1.96	-	34.88	6.12	33.35	
PK	6.1626G	105.16	Inf	-Inf	96.88	3	Vertical	44	1.96	-	35.35	6.20	33.27	
RMS	6.2218G	95.52	Inf	-Inf	87.07	3	Vertical	44	1.96	-	35.46	6.22	33.23	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8874G	70.20	88.20	-18.00	62.72	3	Horizontal	324	1.78	-	34.72	6.09	33.33	
RMS	5.9242G	50.90	68.20	-17.30	43.23	3	Horizontal	324	1.78	-	34.90	6.12	33.35	
PK	6.2122G	106.73	Inf	-Inf	98.28	3	Horizontal	324	1.78	-	35.48	6.21	33.24	
RMS	6.2122G	96.81	Inf	-Inf	88.36	3	Horizontal	324	1.78	-	35.48	6.21	33.24	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.35524G	57.18	74.00	-16.82	43.54	3	Vertical	26	1.21	-	38.70	9.78	34.84	
AV	12.38302G	44.24	54.00	-9.76	30.59	3	Vertical	26	1.21	-	38.70	9.79	34.84	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.385G	57.34	74.00	-16.66	43.68	3	Horizontal	284	1.54	-	38.70	9.79	34.83	
AV	12.38332G	43.86	54.00	-10.14	30.21	3	Horizontal	284	1.54	-	38.70	9.79	34.84	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5511G	46.79	83.54	-36.75	45.13	1	Vertical	5	1.62	-	37.78	13.93	50.05
AV	18.54234G	33.02	63.54	-30.52	31.37	1	Vertical	5	1.62	-	37.78	13.93	50.06

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5418G	46.45	83.54	-37.09	44.80	1	Horizontal	8	1.49	-	37.78	13.93	50.06
AV	18.55014G	33.02	63.54	-30.52	31.36	1	Horizontal	8	1.49	-	37.78	13.93	50.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.909G	60.27	88.20	-27.93	52.66	3	Vertical	346	1.89	-	34.84	6.11	33.34	
RMS	5.915G	50.49	68.20	-17.71	42.86	3	Vertical	346	1.89	-	34.86	6.12	33.35	
PK	6.381G	104.48	Inf	-Inf	95.82	3	Vertical	346	1.89	-	35.40	6.38	33.12	
RMS	6.381G	95.20	Inf	-Inf	86.54	3	Vertical	346	1.89	-	35.40	6.38	33.12	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.911G	60.85	88.20	-27.35	53.24	3	Horizontal	327	1.80	-	34.84	6.11	33.34	
RMS	5.923G	50.47	68.20	-17.73	42.81	3	Horizontal	327	1.80	-	34.89	6.12	33.35	
PK	6.333G	107.10	Inf	-Inf	98.52	3	Horizontal	327	1.80	-	35.40	6.33	33.15	
RMS	6.373G	97.09	Inf	-Inf	88.45	3	Horizontal	327	1.80	-	35.40	6.37	33.13	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Y_4TX
Setting 17
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69666G	58.55	74.00	-15.45	44.36	3	Vertical	323	2.30	-	39.00	9.95	34.76	
AV	12.69366G	44.62	54.00	-9.38	30.44	3	Vertical	323	2.30	-	38.99	9.95	34.76	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Y_4TX
Setting 17
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68214G	57.75	74.00	-16.25	43.59	3	Horizontal	141	2.27	-	38.98	9.94	34.76
AV	12.68808G	44.69	54.00	-9.31	30.52	3	Horizontal	141	2.27	-	38.99	9.94	34.76

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
04-E-N-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.0488G	44.87	83.54	-38.67	42.59	1	Vertical	94	1.59	-	37.94	13.95	49.61
AV	19.0491G	31.22	63.54	-32.32	28.94	1	Vertical	94	1.59	-	37.94	13.95	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02972G	44.45	83.54	-39.09	42.15	1	Horizontal	33	1.54	-	37.96	13.95	49.61
AV	19.04928G	31.24	63.54	-32.30	28.96	1	Horizontal	33	1.54	-	37.94	13.95	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 16.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8526G	60.55	88.20	-27.65	53.30	3	Vertical	47	1.62	-	34.52	6.05	33.32	
RMS	5.924G	50.34	68.20	-17.86	42.67	3	Vertical	47	1.62	-	34.90	6.12	33.35	
PK	6.5218G	103.17	Inf	-Inf	94.05	3	Vertical	47	1.62	-	35.77	6.40	33.05	
RMS	6.4826G	93.96	Inf	-Inf	85.04	3	Vertical	47	1.62	-	35.57	6.40	33.05	
PK	7.1658G	63.21	88.20	-24.99	52.86	3	Vertical	47	1.62	-	37.06	6.78	33.49	
RMS	7.149G	53.76	68.20	-14.44	43.46	3	Vertical	47	1.62	-	37.00	6.77	33.47	

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 16.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8246G	61.18	88.20	-27.02	54.12	3	Horizontal	328	1.57	-	34.35	6.02	33.31
RMS	5.9058G	50.41	68.20	-17.79	42.82	3	Horizontal	328	1.57	-	34.82	6.11	33.34
PK	6.533G	105.77	Inf	-Inf	96.57	3	Horizontal	328	1.57	-	35.86	6.40	33.06
RMS	6.533G	96.47	Inf	-Inf	87.27	3	Horizontal	328	1.57	-	35.86	6.40	33.06
PK	7.1546G	63.39	88.20	-24.81	53.07	3	Horizontal	328	1.57	-	37.02	6.78	33.48
RMS	7.1602G	53.79	68.20	-14.41	43.45	3	Horizontal	328	1.57	-	37.04	6.78	33.48

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Y_4TX
Setting 16.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00568G	59.17	88.20	-29.03	44.17	3	Vertical	353	1.04	-	39.60	10.10	34.70
RMS	13.01456G	45.79	68.20	-22.41	30.78	3	Vertical	353	1.04	-	39.60	10.11	34.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00718G	59.08	88.20	-29.12	44.08	3	Horizontal	338	2.01	-	39.60	10.10	34.70
RMS	12.99584G	45.66	68.20	-22.54	30.67	3	Horizontal	338	2.01	-	39.59	10.10	34.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.52232G	44.55	83.54	-38.99	42.38	1	Vertical	144	1.60	-	37.89	13.98	49.70	
AV	19.5273G	31.62	63.54	-31.92	29.45	1	Vertical	144	1.60	-	37.89	13.98	49.70	

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 16.5
04-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50006G	44.88	83.54	-38.66	42.70	1	Horizontal	164	1.93	-	37.90	13.98	49.70
AV	19.52652G	31.56	63.54	-31.98	29.39	1	Horizontal	164	1.93	-	37.89	13.98	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.681G	103.74	Inf	-Inf	94.37	3	Vertical	46	2.01	-	36.06	6.44	33.13	
RMS	6.641G	91.84	Inf	-Inf	82.51	3	Vertical	46	2.01	-	36.02	6.42	33.11	
PK	7.141G	63.87	88.20	-24.33	53.60	3	Vertical	46	2.01	-	36.96	6.77	33.46	
RMS	7.145G	51.57	68.20	-16.63	41.28	3	Vertical	46	2.01	-	36.98	6.77	33.46	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.671G	106.33	Inf	-Inf	96.98	3	Horizontal	332	1.89	-	36.04	6.44	33.13	
RMS	6.631G	95.24	Inf	-Inf	85.89	3	Horizontal	332	1.89	-	36.04	6.42	33.11	
PK	7.145G	63.28	88.20	-24.92	52.99	3	Horizontal	332	1.89	-	36.98	6.77	33.46	
RMS	7.157G	53.84	68.20	-14.36	43.51	3	Horizontal	332	1.89	-	37.03	6.78	33.48	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.32616G	58.64	74.00	-15.36	43.09	3	Vertical	209	1.93	-	40.00	10.26	34.71	
AV	13.3195G	45.40	54.00	-8.60	29.85	3	Vertical	209	1.93	-	40.00	10.26	34.71	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3288G	59.96	74.00	-14.04	44.41	3	Horizontal	306	2.97	-	40.00	10.26	34.71
AV	13.3162G	45.41	54.00	-8.59	29.86	3	Horizontal	306	2.97	-	40.00	10.26	34.71

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9908G	45.01	83.54	-38.53	43.30	1	Vertical	221	1.63	-	37.41	14.00	49.70
AV	19.98084G	32.11	63.54	-31.43	30.38	1	Vertical	221	1.63	-	37.43	14.00	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98912G	45.00	83.54	-38.54	43.28	1	Horizontal	183	1.62	-	37.42	14.00	49.70
AV	19.99848G	32.16	63.54	-31.38	30.46	1	Horizontal	183	1.62	-	37.40	14.00	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 15
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8026G	103.62	Inf	-Inf	93.81	3	Vertical	39	1.80	-	36.50	6.50	33.19	
RMS	6.7818G	93.22	Inf	-Inf	83.48	3	Vertical	39	1.80	-	36.43	6.49	33.18	
PK	7.209G	64.66	88.20	-23.54	54.20	3	Vertical	39	1.80	-	37.20	6.80	33.54	
RMS	7.1562G	53.83	68.20	-14.37	43.51	3	Vertical	39	1.80	-	37.02	6.78	33.48	

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Y_4TX
Setting 15
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7722G	104.69	Inf	-Inf	94.99	3	Horizontal	331	1.66	-	36.39	6.49	33.18	
RMS	6.793G	96.02	Inf	-Inf	86.24	3	Horizontal	331	1.66	-	36.47	6.50	33.19	
PK	7.1962G	63.92	88.20	-24.28	53.47	3	Horizontal	331	1.66	-	37.18	6.80	33.53	
RMS	7.1562G	53.92	68.20	-14.28	43.60	3	Horizontal	331	1.66	-	37.02	6.78	33.48	

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 15
04-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.63572G	60.38	88.20	-27.82	44.50	3	Vertical	52	2.41	-	40.24	10.42	34.78
RMS	13.65786G	47.54	68.20	-20.66	31.64	3	Vertical	52	2.41	-	40.26	10.43	34.79

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Y_4TX
Setting 15
04-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.65G	61.07	88.20	-27.13	45.17	3	Horizontal	289	2.19	-	40.25	10.43	34.78	
RMS	13.64448G	47.42	68.20	-20.78	31.54	3	Horizontal	289	2.19	-	40.24	10.42	34.78	

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 15
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48034G	48.88	83.54	-34.66	46.72	1	Vertical	6	1.63	-	37.69	14.36	49.89
AV	20.4789G	36.39	63.54	-27.15	34.23	1	Vertical	6	1.63	-	37.69	14.36	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 15
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48106G	47.46	83.54	-36.08	45.30	1	Horizontal	64	2.73	-	37.69	14.36	49.89
AV	20.4813G	35.14	63.54	-28.40	32.98	1	Horizontal	64	2.73	-	37.69	14.36	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.922G	102.29	Inf	-Inf	92.38	3	Vertical	41	1.80	-	36.54	6.62	33.25
RMS	6.942G	92.78	Inf	-Inf	82.82	3	Vertical	41	1.80	-	36.58	6.64	33.26
PK	7.196G	61.95	88.20	-26.25	51.50	3	Vertical	41	1.80	-	37.18	6.80	33.53
RMS	7.132G	51.34	68.20	-16.86	41.09	3	Vertical	41	1.80	-	36.93	6.77	33.45

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.933G	104.91	Inf	-Inf	94.97	3	Horizontal	335	1.80	-	36.57	6.63	33.26	
RMS	6.931G	94.55	Inf	-Inf	84.62	3	Horizontal	335	1.80	-	36.56	6.63	33.26	
PK	7.17G	64.15	88.20	-24.05	53.77	3	Horizontal	335	1.80	-	37.08	6.79	33.49	
RMS	7.151G	53.95	68.20	-14.25	43.64	3	Horizontal	335	1.80	-	37.00	6.78	33.47	

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Y_4TX
Setting 15.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98158G	61.75	88.20	-26.45	45.32	3	Vertical	40	1.24	-	40.76	10.59	34.92	
RMS	13.97936G	48.00	68.20	-20.20	31.57	3	Vertical	40	1.24	-	40.76	10.59	34.92	

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Y_4TX
Setting 15.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.95512G	61.53	88.20	-26.67	45.15	3	Horizontal	138	2.03	-	40.71	10.58	34.91	
RMS	13.98182G	48.00	68.20	-20.20	31.57	3	Horizontal	138	2.03	-	40.76	10.59	34.92	

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 15.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95212G	45.32	83.54	-38.22	42.65	1	Vertical	33	1.61	-	37.68	14.71	49.72
AV	20.94612G	32.78	63.54	-30.76	30.10	1	Vertical	33	1.61	-	37.69	14.71	49.72

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 15.5
04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9478G	45.37	83.54	-38.17	42.70	1	Horizontal	322	1.45	-	37.68	14.71	49.72
AV	20.9514G	32.97	63.54	-30.57	30.30	1	Horizontal	322	1.45	-	37.68	14.71	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	17.86032G	51.72	54.00	-2.28	3	Vertical	262	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9206G	60.48	88.20	-27.72	53.04	3	Vertical	0	1.65	-	34.88	5.50	32.94	
RMS	5.9218G	47.27	68.20	-20.93	39.82	3	Vertical	0	1.65	-	34.89	5.50	32.94	
PK	5.9594G	102.37	Inf	-Inf	94.78	3	Vertical	0	1.65	-	35.04	5.50	32.95	
RMS	5.9638G	90.56	Inf	-Inf	82.95	3	Vertical	0	1.65	-	35.06	5.50	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8718G	60.45	88.20	-27.75	53.26	3	Horizontal	40	2.18	-	34.63	5.50	32.94	
RMS	5.925G	47.21	68.20	-20.99	39.75	3	Horizontal	40	2.18	-	34.90	5.50	32.94	
PK	5.9494G	105.65	Inf	-Inf	98.09	3	Horizontal	40	2.18	-	35.00	5.50	32.94	
RMS	5.9486G	92.89	Inf	-Inf	85.34	3	Horizontal	40	2.18	-	34.99	5.50	32.94	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9186G	56.87	74.00	-17.13	43.29	3	Vertical	154	1.74	-	38.48	7.97	32.87	
AV	11.9018G	43.25	54.00	-10.75	29.65	3	Vertical	154	1.74	-	38.50	7.97	32.87	
PK	17.857G	66.14	74.00	-7.86	45.49	3	Vertical	262	1.80	-	42.41	9.95	31.71	
AV	17.86032G	51.72	54.00	-2.28	31.05	3	Vertical	262	1.80	-	42.42	9.95	31.70	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.91444G	56.66	74.00	-17.34	43.07	3	Horizontal	169	1.80	-	38.49	7.97	32.87	
AV	11.90216G	43.01	54.00	-10.99	29.41	3	Horizontal	169	1.80	-	38.50	7.97	32.87	
PK	17.87472G	64.72	74.00	-9.28	44.01	3	Horizontal	95	2.92	-	42.45	9.96	31.70	
AV	17.8728G	51.64	54.00	-2.36	30.93	3	Horizontal	95	2.92	-	42.45	9.96	31.70	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8966G	59.18	88.20	-29.02	51.84	3	Vertical	340	1.80	-	34.78	5.50	32.94	
RMS	5.925G	47.68	68.20	-20.52	40.22	3	Vertical	340	1.80	-	34.90	5.50	32.94	
PK	6.1654G	100.19	Inf	-Inf	92.08	3	Vertical	340	1.80	-	35.23	5.83	32.95	
RMS	6.167G	90.21	Inf	-Inf	82.10	3	Vertical	340	1.80	-	35.23	5.83	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9094G	60.74	88.20	-27.46	53.34	3	Horizontal	305	1.80	-	34.84	5.50	32.94	
RMS	5.9222G	47.49	68.20	-20.71	40.04	3	Horizontal	305	1.80	-	34.89	5.50	32.94	
PK	6.183G	100.42	Inf	-Inf	92.23	3	Horizontal	305	1.80	-	35.27	5.87	32.95	
RMS	6.1846G	90.35	Inf	-Inf	82.16	3	Horizontal	305	1.80	-	35.27	5.87	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34012G	55.11	74.00	-18.89	40.98	3	Vertical	48	1.66	-	38.44	8.15	32.46
AV	12.34196G	42.45	54.00	-11.55	28.32	3	Vertical	48	1.66	-	38.44	8.15	32.46

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3584G	55.35	74.00	-18.65	41.17	3	Horizontal	133	1.62	-	38.46	8.16	32.44	
AV	12.35916G	42.56	54.00	-11.44	28.37	3	Horizontal	133	1.62	-	38.46	8.16	32.43	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52716G	57.26	83.54	-26.28	55.61	1	Vertical	311	1.50	-	37.79	13.93	50.07
AV	18.52192G	43.55	63.54	-19.99	41.91	1	Vertical	311	1.50	-	37.79	13.93	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52658G	57.16	83.54	-26.38	55.51	1	Horizontal	237	1.50	-	37.79	13.93	50.07
AV	18.52874G	43.54	63.54	-20.00	41.89	1	Horizontal	237	1.50	-	37.79	13.93	50.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.909G	59.54	88.20	-28.66	52.14	3	Vertical	328	1.80	-	34.84	5.50	32.94	
RMS	5.9222G	47.39	68.20	-20.81	39.94	3	Vertical	328	1.80	-	34.89	5.50	32.94	
PK	6.4238G	101.92	Inf	-Inf	93.49	3	Vertical	328	1.80	-	35.30	6.08	32.95	
RMS	6.4238G	90.92	Inf	-Inf	82.49	3	Vertical	328	1.80	-	35.30	6.08	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9244G	60.07	88.20	-28.13	52.61	3	Horizontal	51	1.76	-	34.90	5.50	32.94	
RMS	5.9244G	47.54	68.20	-20.66	40.08	3	Horizontal	51	1.76	-	34.90	5.50	32.94	
PK	6.4062G	100.20	Inf	-Inf	91.76	3	Horizontal	51	1.76	-	35.30	6.09	32.95	
RMS	6.4062G	89.06	Inf	-Inf	80.62	3	Horizontal	51	1.76	-	35.30	6.09	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83384G	57.64	88.20	-30.56	41.86	3	Vertical	156	3.00	-	39.23	8.38	31.83	
RMS	12.82536G	43.97	68.20	-24.23	28.21	3	Vertical	156	3.00	-	39.23	8.37	31.84	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83812G	56.91	88.20	-31.29	41.12	3	Horizontal	147	1.01	-	39.24	8.38	31.83
RMS	12.8212G	43.80	68.20	-24.40	28.06	3	Horizontal	147	1.01	-	39.22	8.37	31.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2488G	54.42	83.54	-29.12	52.41	1	Vertical	17	1.58	-	37.70	13.96	49.65
AV	19.24862G	40.89	63.54	-22.65	38.88	1	Vertical	17	1.58	-	37.70	13.96	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2478G	53.82	83.54	-29.72	51.81	1	Horizontal	254	1.51	-	37.70	13.96	49.65
AV	19.24898G	40.88	63.54	-22.66	38.87	1	Horizontal	254	1.51	-	37.70	13.96	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8902G	59.17	88.20	-29.03	51.87	3	Vertical	333	1.68	-	34.74	5.50	32.94	
RMS	5.9094G	47.52	68.20	-20.68	40.12	3	Vertical	333	1.68	-	34.84	5.50	32.94	
PK	6.4278G	100.59	Inf	-Inf	92.17	3	Vertical	333	1.68	-	35.30	6.07	32.95	
RMS	6.4254G	91.44	Inf	-Inf	83.02	3	Vertical	333	1.68	-	35.30	6.07	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9238G	59.54	88.20	-28.66	52.08	3	Horizontal	49	1.80	-	34.90	5.50	32.94	
RMS	5.9118G	47.48	68.20	-20.72	40.07	3	Horizontal	49	1.80	-	34.85	5.50	32.94	
PK	6.4326G	100.60	Inf	-Inf	92.18	3	Horizontal	49	1.80	-	35.30	6.07	32.95	
RMS	6.4422G	89.58	Inf	-Inf	81.17	3	Horizontal	49	1.80	-	35.30	6.06	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86844G	56.00	88.20	-32.20	40.13	3	Vertical	151	1.72	-	39.27	8.39	31.79	
RMS	12.8662G	43.19	68.20	-25.01	27.32	3	Vertical	151	1.72	-	39.27	8.39	31.79	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86856G	57.97	88.20	-30.23	42.10	3	Horizontal	0	1.85	-	39.27	8.39	31.79	
RMS	12.87428G	44.04	68.20	-24.16	28.16	3	Horizontal	0	1.85	-	39.27	8.39	31.78	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30114G	54.77	83.54	-28.77	52.72	1	Vertical	46	1.54	-	37.74	13.97	49.66
AV	19.3046G	41.31	63.54	-22.23	39.26	1	Vertical	46	1.54	-	37.74	13.97	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3099G	54.50	83.54	-29.04	52.44	1	Horizontal	357	1.56	-	37.75	13.97	49.66
AV	19.30146G	41.50	63.54	-22.04	39.45	1	Horizontal	357	1.56	-	37.74	13.97	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8432G	59.17	88.20	-29.03	52.13	3	Vertical	331	1.74	-	34.47	5.50	32.93	
RMS	5.8978G	47.34	68.20	-20.86	39.99	3	Vertical	331	1.74	-	34.79	5.50	32.94	
PK	6.4698G	102.75	Inf	-Inf	94.29	3	Vertical	331	1.74	-	35.38	6.03	32.95	
RMS	6.4672G	91.04	Inf	-Inf	82.59	3	Vertical	331	1.74	-	35.37	6.03	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9056G	59.68	88.20	-28.52	52.30	3	Horizontal	50	1.68	-	34.82	5.50	32.94	
RMS	5.9238G	47.37	68.20	-20.83	39.91	3	Horizontal	50	1.68	-	34.90	5.50	32.94	
PK	6.4828G	101.57	Inf	-Inf	93.07	3	Horizontal	50	1.68	-	35.43	6.02	32.95	
RMS	6.4802G	89.51	Inf	-Inf	81.02	3	Horizontal	50	1.68	-	35.42	6.02	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94508G	56.82	88.20	-31.38	40.69	3	Vertical	360	2.35	-	39.39	8.43	31.69
RMS	12.9528G	43.41	68.20	-24.79	27.25	3	Vertical	360	2.35	-	39.41	8.43	31.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94788G	57.18	88.20	-31.02	41.04	3	Horizontal	355	2.97	-	39.40	8.43	31.69
RMS	12.95716G	43.37	68.20	-24.83	27.20	3	Horizontal	355	2.97	-	39.41	8.43	31.67

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42548G	53.87	83.54	-29.67	51.75	1	Vertical	157	1.53	-	37.84	13.97	49.69
AV	19.4228G	41.19	63.54	-22.35	39.06	1	Vertical	157	1.53	-	37.84	13.97	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.4226G	53.67	83.54	-29.87	51.54	1	Horizontal	269	1.58	-	37.84	13.97	49.68	
AV	19.42352G	41.03	63.54	-22.51	38.90	1	Horizontal	269	1.58	-	37.84	13.97	49.68	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT V_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	59.89	88.20	-28.31	52.62	3	Vertical	50	1.80	-	34.71	5.50	32.94
RMS	5.9158G	47.31	68.20	-20.89	39.89	3	Vertical	50	1.80	-	34.86	5.50	32.94
PK	6.5094G	100.84	Inf	-Inf	92.26	3	Vertical	50	1.80	-	35.54	5.99	32.95
RMS	6.5066G	90.43	Inf	-Inf	81.86	3	Vertical	50	1.80	-	35.53	5.99	32.95
PK	7.215G	61.42	88.20	-26.78	51.31	3	Vertical	50	1.80	-	37.00	6.22	33.11
RMS	7.1842G	49.86	68.20	-18.34	39.85	3	Vertical	50	1.80	-	36.94	6.19	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_V_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8542G	59.05	88.20	-29.15	51.96	3	Horizontal	48	1.59	-	34.53	5.50	32.94
RMS	5.9214G	47.39	68.20	-20.81	39.94	3	Horizontal	48	1.59	-	34.89	5.50	32.94
PK	6.5094G	98.41	Inf	-Inf	89.83	3	Horizontal	48	1.59	-	35.54	5.99	32.95
RMS	6.5066G	88.83	Inf	-Inf	80.26	3	Horizontal	48	1.59	-	35.53	5.99	32.95
PK	7.2122G	61.71	88.20	-26.49	51.61	3	Horizontal	48	1.59	-	37.00	6.21	33.11
RMS	7.201G	49.78	68.20	-18.42	39.70	3	Horizontal	48	1.59	-	37.00	6.20	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.02744G	56.85	88.20	-31.35	40.43	3	Vertical	139	1.50	-	39.55	8.46	31.59	
RMS	13.03476G	43.72	68.20	-24.48	27.26	3	Vertical	139	1.50	-	39.57	8.47	31.58	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03784G	57.10	88.20	-31.10	40.62	3	Horizontal	6	1.80	-	39.58	8.47	31.57
RMS	13.0272G	43.58	68.20	-24.62	27.16	3	Horizontal	6	1.80	-	39.55	8.46	31.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54396G	55.07	83.54	-28.47	52.91	1	Vertical	116	1.53	-	37.88	13.98	49.70
AV	19.5461G	41.59	63.54	-21.95	39.43	1	Vertical	116	1.53	-	37.88	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.543G	54.50	83.54	-29.04	52.34	1	Horizontal	338	1.57	-	37.88	13.98	49.70
AV	19.54942G	41.46	63.54	-22.08	39.30	1	Horizontal	338	1.57	-	37.88	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT V_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.849G	59.31	88.20	-28.89	52.24	3	Vertical	46	1.84	-	34.50	5.50	32.93
RMS	5.891G	47.44	68.20	-20.76	40.13	3	Vertical	46	1.84	-	34.75	5.50	32.94
PK	6.5378G	100.15	Inf	-Inf	91.51	3	Vertical	46	1.84	-	35.65	5.96	32.97
RMS	6.5434G	88.73	Inf	-Inf	80.07	3	Vertical	46	1.84	-	35.67	5.96	32.97
PK	7.1958G	61.96	88.20	-26.24	51.90	3	Vertical	46	1.84	-	36.98	6.20	33.12
RMS	7.2322G	49.76	68.20	-18.44	39.64	3	Vertical	46	1.84	-	37.00	6.23	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_V_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.905G	60.26	88.20	-27.94	52.88	3	Horizontal	332	1.69	-	34.82	5.50	32.94	
RMS	5.919G	47.21	68.20	-20.99	39.77	3	Horizontal	332	1.69	-	34.88	5.50	32.94	
PK	6.5434G	100.55	Inf	-Inf	91.89	3	Horizontal	332	1.69	-	35.67	5.96	32.97	
RMS	6.5434G	91.31	Inf	-Inf	82.65	3	Horizontal	332	1.69	-	35.67	5.96	32.97	
PK	7.2014G	61.52	88.20	-26.68	51.44	3	Horizontal	332	1.69	-	37.00	6.20	33.12	
RMS	7.2238G	49.92	68.20	-18.28	39.81	3	Horizontal	332	1.69	-	37.00	6.22	33.11	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06984G	56.53	88.20	-31.67	39.94	3	Vertical	330	1.54	-	39.64	8.48	31.53	
RMS	13.06572G	43.67	68.20	-24.53	27.10	3	Vertical	330	1.54	-	39.63	8.48	31.54	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06604G	57.99	88.20	-30.21	41.42	3	Horizontal	0	1.79	-	39.63	8.48	31.54
RMS	13.07868G	43.63	68.20	-24.57	27.00	3	Horizontal	0	1.79	-	39.66	8.49	31.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60308G	54.36	83.54	-29.18	52.22	1	Vertical	12	1.54	-	37.86	13.98	49.70
AV	19.60594G	41.22	63.54	-22.32	39.08	1	Vertical	12	1.54	-	37.86	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60256G	54.59	83.54	-28.95	52.45	1	Horizontal	347	1.57	-	37.86	13.98	49.70
AV	19.60572G	41.12	63.54	-22.42	38.98	1	Horizontal	347	1.57	-	37.86	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.701G	100.87	Inf	-Inf	91.97	3	Vertical	40	1.80	-	36.00	5.95	33.05	
RMS	6.701G	90.45	Inf	-Inf	81.55	3	Vertical	40	1.80	-	36.00	5.95	33.05	
PK	7.175G	62.61	88.20	-25.59	52.65	3	Vertical	40	1.80	-	36.90	6.19	33.13	
RMS	7.137G	49.74	68.20	-18.46	39.96	3	Vertical	40	1.80	-	36.75	6.17	33.14	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.693G	101.90	Inf	-Inf	93.00	3	Horizontal	329	1.84	-	35.99	5.95	33.04	
RMS	6.703G	90.56	Inf	-Inf	81.65	3	Horizontal	329	1.84	-	36.01	5.95	33.05	
PK	7.169G	62.26	88.20	-25.94	52.33	3	Horizontal	329	1.84	-	36.88	6.18	33.13	
RMS	7.135G	49.80	68.20	-18.40	40.03	3	Horizontal	329	1.84	-	36.74	6.17	33.14	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.38784G	57.30	74.00	-16.70	39.63	3	Vertical	343	1.91	-	40.18	8.62	31.13	
AV	13.3978G	44.16	54.00	-9.84	26.45	3	Vertical	343	1.91	-	40.20	8.63	31.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.38752G	56.96	74.00	-17.04	39.29	3	Horizontal	148	1.51	-	40.18	8.62	31.13	
AV	13.38896G	44.09	54.00	-9.91	26.41	3	Horizontal	148	1.51	-	40.18	8.63	31.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08442G	52.34	83.54	-31.20	50.54	1	Vertical	102	1.54	-	37.47	14.06	49.73
AV	20.08444G	39.07	63.54	-24.47	37.27	1	Vertical	102	1.54	-	37.47	14.06	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08142G	51.76	83.54	-31.78	49.96	1	Horizontal	276	1.56	-	37.47	14.06	49.73
AV	20.0844G	39.42	63.54	-24.12	37.62	1	Horizontal	276	1.56	-	37.47	14.06	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.848G	98.12	Inf	-Inf	88.92	3	Vertical	44	2.05	-	36.30	6.02	33.12	
RMS	6.8466G	88.66	Inf	-Inf	79.46	3	Vertical	44	2.05	-	36.30	6.02	33.12	
PK	7.1924G	61.68	88.20	-26.52	51.63	3	Vertical	44	2.05	-	36.97	6.20	33.12	
RMS	7.2022G	49.81	68.20	-18.39	39.73	3	Vertical	44	2.05	-	37.00	6.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	102.72	Inf	-Inf	93.52	3	Horizontal	322	1.53	-	36.30	6.02	33.12	
RMS	6.8466G	92.74	Inf	-Inf	83.54	3	Horizontal	322	1.53	-	36.30	6.02	33.12	
PK	7.1476G	62.78	88.20	-25.42	52.96	3	Horizontal	322	1.53	-	36.79	6.17	33.14	
RMS	7.1266G	49.97	68.20	-18.23	40.24	3	Horizontal	322	1.53	-	36.71	6.16	33.14	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.71908G	61.31	88.20	-26.89	43.16	3	Vertical	125	2.80	-	40.52	8.77	31.14	
RMS	13.71496G	47.09	68.20	-21.11	28.95	3	Vertical	125	2.80	-	40.51	8.77	31.14	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71144G	60.79	88.20	-27.41	42.64	3	Horizontal	2	2.42	-	40.51	8.77	31.13
RMS	13.7014G	47.34	68.20	-20.86	29.20	3	Horizontal	2	2.42	-	40.50	8.77	31.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56612G	54.99	83.54	-28.55	52.66	1	Vertical	170	1.53	-	37.78	14.42	49.87
AV	20.56608G	42.04	63.54	-21.50	39.71	1	Vertical	170	1.53	-	37.78	14.42	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.5657G	54.88	83.54	-28.66	52.55	1	Horizontal	271	1.50	-	37.78	14.42	49.87
AV	20.56624G	41.73	63.54	-21.81	39.40	1	Horizontal	271	1.50	-	37.78	14.42	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8834G	100.87	Inf	-Inf	91.73	3	Vertical	56	1.04	-	36.23	6.04	33.13	
RMS	6.8834G	90.84	Inf	-Inf	81.70	3	Vertical	56	1.04	-	36.23	6.04	33.13	
PK	7.204G	62.51	88.20	-25.69	52.43	3	Vertical	56	1.04	-	37.00	6.20	33.12	
RMS	7.2208G	50.11	68.20	-18.09	40.00	3	Vertical	56	1.04	-	37.00	6.22	33.11	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8792G	104.04	Inf	-Inf	94.89	3	Horizontal	322	1.80	-	36.24	6.04	33.13
RMS	6.8834G	92.82	Inf	-Inf	83.68	3	Horizontal	322	1.80	-	36.23	6.04	33.13
PK	7.1326G	62.48	88.20	-25.72	52.72	3	Horizontal	322	1.80	-	36.73	6.17	33.14
RMS	7.2208G	49.92	68.20	-18.28	39.81	3	Horizontal	322	1.80	-	37.00	6.22	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75496G	60.91	88.20	-27.29	42.73	3	Vertical	101	2.22	-	40.55	8.79	31.16
RMS	13.75912G	47.66	68.20	-20.54	29.48	3	Vertical	101	2.22	-	40.56	8.79	31.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75308G	61.23	88.20	-26.97	43.05	3	Horizontal	281	1.98	-	40.55	8.79	31.16
RMS	13.75552G	47.41	68.20	-20.79	29.22	3	Horizontal	281	1.98	-	40.56	8.79	31.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62094G	53.93	83.54	-29.61	51.46	1	Vertical	228	1.53	-	37.85	14.47	49.85
AV	20.62122G	40.99	63.54	-22.55	38.52	1	Vertical	228	1.53	-	37.85	14.47	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62438G	54.04	83.54	-29.50	51.57	1	Horizontal	356	1.57	-	37.85	14.47	49.85
AV	20.62346G	40.79	63.54	-22.75	38.32	1	Horizontal	356	1.57	-	37.85	14.47	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	101.17	Inf	-Inf	92.05	3	Vertical	44	1.00	-	36.21	6.05	33.14
RMS	6.9034G	90.55	Inf	-Inf	81.43	3	Vertical	44	1.00	-	36.21	6.05	33.14
PK	7.183G	61.90	88.20	-26.30	51.90	3	Vertical	44	1.00	-	36.93	6.19	33.12
RMS	7.1338G	49.80	68.20	-18.40	40.03	3	Vertical	44	1.00	-	36.74	6.17	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.889G	103.94	Inf	-Inf	94.82	3	Horizontal	324	1.79	-	36.22	6.04	33.14	
RMS	6.8866G	93.82	Inf	-Inf	84.69	3	Horizontal	324	1.79	-	36.23	6.04	33.14	
PK	7.1746G	62.46	88.20	-25.74	52.50	3	Horizontal	324	1.79	-	36.90	6.19	33.13	
RMS	7.1638G	49.97	68.20	-18.23	40.06	3	Horizontal	324	1.79	-	36.86	6.18	33.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78996G	61.95	88.20	-26.25	43.74	3	Vertical	334	1.52	-	40.59	8.81	31.19	
RMS	13.78424G	47.93	68.20	-20.27	29.73	3	Vertical	334	1.52	-	40.58	8.80	31.18	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79836G	60.87	88.20	-27.33	42.65	3	Horizontal	210	2.05	-	40.60	8.81	31.19
RMS	13.7884G	48.24	68.20	-19.96	30.04	3	Horizontal	210	2.05	-	40.59	8.80	31.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.6843G	54.85	83.54	-28.69	52.25	1	Vertical	162	1.50	-	37.92	14.51	49.83	
AV	20.68682G	41.64	63.54	-21.90	39.03	1	Vertical	162	1.50	-	37.92	14.52	49.83	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6813G	54.27	83.54	-29.27	51.67	1	Horizontal	318	1.55	-	37.92	14.51	49.83
AV	20.68666G	41.82	63.54	-21.72	39.22	1	Horizontal	318	1.55	-	37.92	14.51	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0038G	102.51	Inf	-Inf	93.20	3	Vertical	23	1.75	-	36.40	6.10	33.19	
RMS	7.0038G	91.53	Inf	-Inf	82.22	3	Vertical	23	1.75	-	36.40	6.10	33.19	
PK	7.1822G	62.82	88.20	-25.38	52.82	3	Vertical	23	1.75	-	36.93	6.19	33.12	
RMS	7.1878G	49.87	68.20	-18.33	39.85	3	Vertical	23	1.75	-	36.95	6.19	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom



EUT_Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9878G	105.16	Inf	-Inf	95.85	3	Horizontal	324	1.82	-	36.40	6.09	33.18	
RMS	6.9862G	93.58	Inf	-Inf	84.27	3	Horizontal	324	1.82	-	36.40	6.09	33.18	
PK	7.143G	62.68	88.20	-25.52	52.88	3	Horizontal	324	1.82	-	36.77	6.17	33.14	
RMS	7.1254G	49.98	68.20	-18.22	40.26	3	Horizontal	324	1.82	-	36.70	6.16	33.14	