




802.11ax(HEW40)\_HCH\_5795MHz\_RU242\_Right\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_5795MHz\_RU242\_Right\_Ant2\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU242\_Right\_MIMO\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_SU\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_5795MHz\_SU\_Ant2\_NTNV




802.11ax(HEW40)\_HCH\_5795MHz\_SU\_MIMO\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Right\_Ant1\_NTNV




802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Right\_Ant2\_NTNV







802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Right\_MIMO\_NTNV




802.11ax(HEW80)\_MCH\_5775MHz\_SU\_Ant1\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_SU\_Ant2\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_SU\_MIMO\_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 5. Frequency Stability

#### 5.1 Test Result

##### 5.1.1 Ant1

Ant1								
Mode	TX Type	Frequency (MHz)	RU	Temperature (°C)	Voltage (Vdc)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	MIMO	5180	/	20	3.65	5180.020	5150 to 5250	Pass
					3.87	5180.000	5150 to 5250	Pass
					4.45	5180.020	5150 to 5250	Pass
				-30	3.87	5180.040	5150 to 5250	Pass
				-20	3.87	5180.040	5150 to 5250	Pass
				-10	3.87	5179.960	5150 to 5250	Pass
				0	3.87	5180.020	5150 to 5250	Pass
				10	3.87	5180.000	5150 to 5250	Pass
				30	3.87	5180.040	5150 to 5250	Pass
				40	3.87	5180.080	5150 to 5250	Pass
				50	3.87	5180.060	5150 to 5250	Pass
		5200	/	20	3.65	5200.040	5150 to 5250	Pass
					3.87	5200.040	5150 to 5250	Pass
					4.45	5200.060	5150 to 5250	Pass
				-30	3.87	5200.040	5150 to 5250	Pass
				-20	3.87	5200.040	5150 to 5250	Pass
				-10	3.87	5200.060	5150 to 5250	Pass
				0	3.87	5200.000	5150 to 5250	Pass
				10	3.87	5200.080	5150 to 5250	Pass
				30	3.87	5200.080	5150 to 5250	Pass
				40	3.87	5200.040	5150 to 5250	Pass
				50	3.87	5200.040	5150 to 5250	Pass
		5240	/	20	3.65	5240.060	5150 to 5250	Pass
					3.87	5240.040	5150 to 5250	Pass
					4.45	5240.040	5150 to 5250	Pass
				-30	3.87	5240.040	5150 to 5250	Pass
				-20	3.87	5240.060	5150 to 5250	Pass
				-10	3.87	5240.000	5150 to 5250	Pass
				0	3.87	5240.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 640 of 667

				10	3.87	5240.100	5150 to 5250	Pass
				30	3.87	5240.040	5150 to 5250	Pass
				40	3.87	5240.040	5150 to 5250	Pass
				50	3.87	5240.080	5150 to 5250	Pass
5260	/		20	3.65	5260.000	5250 to 5350	Pass	Pass
				3.87	5259.980	5250 to 5350	Pass	Pass
				4.45	5260.040	5250 to 5350	Pass	Pass
			-30	3.87	5260.060	5250 to 5350	Pass	Pass
				3.87	5260.020	5250 to 5350	Pass	Pass
				3.87	5260.000	5250 to 5350	Pass	Pass
			0	3.87	5260.040	5250 to 5350	Pass	Pass
				3.87	5260.040	5250 to 5350	Pass	Pass
				3.87	5260.040	5250 to 5350	Pass	Pass
			30	3.87	5260.040	5250 to 5350	Pass	Pass
				3.87	5260.060	5250 to 5350	Pass	Pass
				3.87	5260.020	5250 to 5350	Pass	Pass
			50	3.87	5260.020	5250 to 5350	Pass	Pass
				3.87	5260.020	5250 to 5350	Pass	Pass
				3.87	5260.020	5250 to 5350	Pass	Pass
5300	/		20	3.65	5300.040	5250 to 5350	Pass	Pass
				3.87	5300.040	5250 to 5350	Pass	Pass
				4.45	5300.040	5250 to 5350	Pass	Pass
			-30	3.87	5300.060	5250 to 5350	Pass	Pass
				3.87	5300.020	5250 to 5350	Pass	Pass
				3.87	5300.120	5250 to 5350	Pass	Pass
			0	3.87	5300.040	5250 to 5350	Pass	Pass
				3.87	5300.040	5250 to 5350	Pass	Pass
				3.87	5300.100	5250 to 5350	Pass	Pass
			30	3.87	5300.040	5250 to 5350	Pass	Pass
				3.87	5300.040	5250 to 5350	Pass	Pass
				3.87	5300.000	5250 to 5350	Pass	Pass
			50	3.87	5300.000	5250 to 5350	Pass	Pass
				3.87	5300.000	5250 to 5350	Pass	Pass
				3.87	5300.000	5250 to 5350	Pass	Pass
5320	/		20	3.65	5320.040	5250 to 5350	Pass	Pass
				3.87	5320.080	5250 to 5350	Pass	Pass
				4.45	5320.000	5250 to 5350	Pass	Pass
			-30	3.87	5320.060	5250 to 5350	Pass	Pass
				3.87	5320.060	5250 to 5350	Pass	Pass
				3.87	5320.060	5250 to 5350	Pass	Pass
			0	3.87	5320.020	5250 to 5350	Pass	Pass
				3.87	5320.060	5250 to 5350	Pass	Pass
				3.87	5320.000	5250 to 5350	Pass	Pass
			30	3.87	5320.000	5250 to 5350	Pass	Pass
				3.87	5320.040	5250 to 5350	Pass	Pass
				3.87	5320.080	5250 to 5350	Pass	Pass
			50	3.87	5320.080	5250 to 5350	Pass	Pass
				3.87	5320.080	5250 to 5350	Pass	Pass
				3.87	5320.080	5250 to 5350	Pass	Pass
5500	/		20	3.65	5500.000	5470 to 5725	Pass	Pass
				3.87	5500.020	5470 to 5725	Pass	Pass
				4.45	5500.000	5470 to 5725	Pass	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 641 of 667

				-30	3.87	5500.000	5470 to 5725	Pass
				-20	3.87	5500.000	5470 to 5725	Pass
				-10	3.87	5499.980	5470 to 5725	Pass
				0	3.87	5500.020	5470 to 5725	Pass
				10	3.87	5500.020	5470 to 5725	Pass
				30	3.87	5500.020	5470 to 5725	Pass
				40	3.87	5500.000	5470 to 5725	Pass
				50	3.87	5500.040	5470 to 5725	Pass
		5580	/	20	3.65	5580.100	5470 to 5725	Pass
					3.87	5580.000	5470 to 5725	Pass
					4.45	5580.020	5470 to 5725	Pass
				-30	3.87	5580.000	5470 to 5725	Pass
				-20	3.87	5580.000	5470 to 5725	Pass
				-10	3.87	5580.060	5470 to 5725	Pass
				0	3.87	5580.040	5470 to 5725	Pass
				10	3.87	5580.060	5470 to 5725	Pass
				30	3.87	5580.040	5470 to 5725	Pass
				40	3.87	5580.020	5470 to 5725	Pass
				50	3.87	5580.000	5470 to 5725	Pass
		5700	/	20	3.65	5700.020	5470 to 5725	Pass
					3.87	5700.060	5470 to 5725	Pass
					4.45	5700.020	5470 to 5725	Pass
				-30	3.87	5700.080	5470 to 5725	Pass
				-20	3.87	5700.020	5470 to 5725	Pass
				-10	3.87	5700.040	5470 to 5725	Pass
				0	3.87	5700.060	5470 to 5725	Pass
				10	3.87	5700.040	5470 to 5725	Pass
				30	3.87	5700.060	5470 to 5725	Pass
				40	3.87	5700.040	5470 to 5725	Pass
				50	3.87	5700.020	5470 to 5725	Pass
		5745	/	20	3.65	5745.060	5725 to 5850	Pass
					3.87	5745.060	5725 to 5850	Pass
					4.45	5745.040	5725 to 5850	Pass
				-30	3.87	5745.020	5725 to 5850	Pass
				-20	3.87	5745.020	5725 to 5850	Pass
				-10	3.87	5745.040	5725 to 5850	Pass
				0	3.87	5745.040	5725 to 5850	Pass
				10	3.87	5745.000	5725 to 5850	Pass
				30	3.87	5745.020	5725 to 5850	Pass
				40	3.87	5745.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing and Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 642 of 667

		5785	/	50	3.87	5745.000	5725 to 5850	Pass
				20	3.65	5785.020	5725 to 5850	Pass
					3.87	5785.080	5725 to 5850	Pass
					4.45	5785.040	5725 to 5850	Pass
				-30	3.87	5785.080	5725 to 5850	Pass
				-20	3.87	5785.040	5725 to 5850	Pass
				-10	3.87	5785.020	5725 to 5850	Pass
				0	3.87	5785.020	5725 to 5850	Pass
				10	3.87	5785.060	5725 to 5850	Pass
				30	3.87	5785.060	5725 to 5850	Pass
				40	3.87	5785.080	5725 to 5850	Pass
				50	3.87	5785.040	5725 to 5850	Pass
		5825	/	20	3.65	5825.060	5725 to 5850	Pass
					3.87	5825.060	5725 to 5850	Pass
					4.45	5825.040	5725 to 5850	Pass
				-30	3.87	5825.040	5725 to 5850	Pass
				-20	3.87	5825.040	5725 to 5850	Pass
				-10	3.87	5825.100	5725 to 5850	Pass
				0	3.87	5825.040	5725 to 5850	Pass
				10	3.87	5825.060	5725 to 5850	Pass
				30	3.87	5825.100	5725 to 5850	Pass
				40	3.87	5825.000	5725 to 5850	Pass
				50	3.87	5825.020	5725 to 5850	Pass

802.11n (HT20)	MIMO	5180	/	20	3.65	5180.060	5150 to 5250	Pass
					3.87	5180.040	5150 to 5250	Pass
					4.45	5180.060	5150 to 5250	Pass
				-30	3.87	5180.020	5150 to 5250	Pass
				-20	3.87	5180.040	5150 to 5250	Pass
				-10	3.87	5180.000	5150 to 5250	Pass
				0	3.87	5180.080	5150 to 5250	Pass
				10	3.87	5180.040	5150 to 5250	Pass
				30	3.87	5180.060	5150 to 5250	Pass
				40	3.87	5180.060	5150 to 5250	Pass
				50	3.87	5180.000	5150 to 5250	Pass
		5200	/	20	3.65	5200.080	5150 to 5250	Pass
					3.87	5200.040	5150 to 5250	Pass
					4.45	5200.100	5150 to 5250	Pass
				-30	3.87	5200.100	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 643 of 667

				-20	3.87	5200.060	5150 to 5250	Pass
				-10	3.87	5200.080	5150 to 5250	Pass
				0	3.87	5200.060	5150 to 5250	Pass
				10	3.87	5200.080	5150 to 5250	Pass
				30	3.87	5200.100	5150 to 5250	Pass
				40	3.87	5200.060	5150 to 5250	Pass
				50	3.87	5200.020	5150 to 5250	Pass
		5240	/	20	3.65	5240.060	5150 to 5250	Pass
					3.87	5240.100	5150 to 5250	Pass
					4.45	5240.080	5150 to 5250	Pass
				-30	3.87	5240.060	5150 to 5250	Pass
				-20	3.87	5240.020	5150 to 5250	Pass
				-10	3.87	5240.040	5150 to 5250	Pass
				0	3.87	5240.060	5150 to 5250	Pass
				10	3.87	5240.060	5150 to 5250	Pass
				30	3.87	5240.060	5150 to 5250	Pass
				40	3.87	5240.040	5150 to 5250	Pass
				50	3.87	5240.060	5150 to 5250	Pass
		5260	/	20	3.65	5260.020	5250 to 5350	Pass
					3.87	5260.060	5250 to 5350	Pass
					4.45	5260.000	5250 to 5350	Pass
				-30	3.87	5260.060	5250 to 5350	Pass
				-20	3.87	5260.040	5250 to 5350	Pass
				-10	3.87	5260.040	5250 to 5350	Pass
				0	3.87	5260.080	5250 to 5350	Pass
				10	3.87	5260.060	5250 to 5350	Pass
				30	3.87	5260.040	5250 to 5350	Pass
				40	3.87	5260.020	5250 to 5350	Pass
				50	3.87	5260.060	5250 to 5350	Pass
		5300	/	20	3.65	5300.040	5250 to 5350	Pass
					3.87	5300.040	5250 to 5350	Pass
					4.45	5300.020	5250 to 5350	Pass
				-30	3.87	5300.080	5250 to 5350	Pass
				-20	3.87	5300.040	5250 to 5350	Pass
				-10	3.87	5300.040	5250 to 5350	Pass
				0	3.87	5300.080	5250 to 5350	Pass
				10	3.87	5300.000	5250 to 5350	Pass
				30	3.87	5300.000	5250 to 5350	Pass
				40	3.87	5300.080	5250 to 5350	Pass
				50	3.87	5300.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 644 of 667

		5320	/	20	3.65	5320.040	5250 to 5350	Pass
					3.87	5320.060	5250 to 5350	Pass
					4.45	5320.040	5250 to 5350	Pass
				-30	3.87	5320.080	5250 to 5350	Pass
				-20	3.87	5320.060	5250 to 5350	Pass
				-10	3.87	5320.020	5250 to 5350	Pass
				0	3.87	5320.040	5250 to 5350	Pass
				10	3.87	5320.020	5250 to 5350	Pass
				30	3.87	5320.060	5250 to 5350	Pass
				40	3.87	5320.020	5250 to 5350	Pass
				50	3.87	5320.000	5250 to 5350	Pass
		5500	/	20	3.65	5500.040	5470 to 5725	Pass
					3.87	5500.060	5470 to 5725	Pass
					4.45	5500.020	5470 to 5725	Pass
				-30	3.87	5499.980	5470 to 5725	Pass
				-20	3.87	5500.040	5470 to 5725	Pass
				-10	3.87	5500.020	5470 to 5725	Pass
				0	3.87	5500.040	5470 to 5725	Pass
				10	3.87	5500.000	5470 to 5725	Pass
				30	3.87	5500.020	5470 to 5725	Pass
				40	3.87	5499.980	5470 to 5725	Pass
				50	3.87	5500.000	5470 to 5725	Pass
		5580	/	20	3.65	5580.000	5470 to 5725	Pass
					3.87	5579.980	5470 to 5725	Pass
					4.45	5580.020	5470 to 5725	Pass
				-30	3.87	5580.020	5470 to 5725	Pass
				-20	3.87	5580.000	5470 to 5725	Pass
				-10	3.87	5580.020	5470 to 5725	Pass
				0	3.87	5580.040	5470 to 5725	Pass
				10	3.87	5580.020	5470 to 5725	Pass
				30	3.87	5580.060	5470 to 5725	Pass
				40	3.87	5580.000	5470 to 5725	Pass
				50	3.87	5580.040	5470 to 5725	Pass
		5700	/	20	3.65	5700.020	5470 to 5725	Pass
					3.87	5700.080	5470 to 5725	Pass
					4.45	5700.040	5470 to 5725	Pass
				-30	3.87	5700.040	5470 to 5725	Pass
				-20	3.87	5700.100	5470 to 5725	Pass
				-10	3.87	5700.000	5470 to 5725	Pass
				0	3.87	5700.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 645 of 667

				10	3.87	5700.020	5470 to 5725	Pass
				30	3.87	5700.040	5470 to 5725	Pass
				40	3.87	5700.020	5470 to 5725	Pass
				50	3.87	5700.060	5470 to 5725	Pass
		5745	/	20	3.65	5744.980	5725 to 5850	Pass
					3.87	5744.980	5725 to 5850	Pass
					4.45	5745.020	5725 to 5850	Pass
				-30	3.87	5745.040	5725 to 5850	Pass
				-20	3.87	5745.040	5725 to 5850	Pass
				-10	3.87	5745.020	5725 to 5850	Pass
				0	3.87	5745.060	5725 to 5850	Pass
				10	3.87	5745.040	5725 to 5850	Pass
				30	3.87	5745.020	5725 to 5850	Pass
				40	3.87	5745.020	5725 to 5850	Pass
				50	3.87	5745.040	5725 to 5850	Pass
		5785	/	20	3.65	5785.040	5725 to 5850	Pass
					3.87	5785.100	5725 to 5850	Pass
					4.45	5785.060	5725 to 5850	Pass
				-30	3.87	5785.040	5725 to 5850	Pass
				-20	3.87	5785.040	5725 to 5850	Pass
				-10	3.87	5785.060	5725 to 5850	Pass
				0	3.87	5785.040	5725 to 5850	Pass
				10	3.87	5785.020	5725 to 5850	Pass
				30	3.87	5785.020	5725 to 5850	Pass
				40	3.87	5785.060	5725 to 5850	Pass
		5825	/	20	3.65	5825.060	5725 to 5850	Pass
					3.87	5825.040	5725 to 5850	Pass
					4.45	5825.060	5725 to 5850	Pass
				-30	3.87	5825.060	5725 to 5850	Pass
				-20	3.87	5825.060	5725 to 5850	Pass
				-10	3.87	5825.080	5725 to 5850	Pass
				0	3.87	5825.040	5725 to 5850	Pass
				10	3.87	5825.060	5725 to 5850	Pass
				30	3.87	5825.040	5725 to 5850	Pass
				40	3.87	5825.100	5725 to 5850	Pass
				50	3.87	5825.020	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 646 of 667

802.11n (HT40)	MIMO	5190	/	20	3.65	5190.040	5150 to 5250	Pass
					3.87	5190.040	5150 to 5250	Pass
					4.45	5190.040	5150 to 5250	Pass
				-30	3.87	5190.000	5150 to 5250	Pass
				-20	3.87	5190.000	5150 to 5250	Pass
				-10	3.87	5190.000	5150 to 5250	Pass
				0	3.87	5190.040	5150 to 5250	Pass
				10	3.87	5190.000	5150 to 5250	Pass
				30	3.87	5190.000	5150 to 5250	Pass
				40	3.87	5190.000	5150 to 5250	Pass
				50	3.87	5190.000	5150 to 5250	Pass
		5230	/	20	3.65	5230.000	5150 to 5250	Pass
					3.87	5230.000	5150 to 5250	Pass
					4.45	5230.080	5150 to 5250	Pass
				-30	3.87	5230.000	5150 to 5250	Pass
				-20	3.87	5230.000	5150 to 5250	Pass
				-10	3.87	5230.000	5150 to 5250	Pass
				0	3.87	5230.000	5150 to 5250	Pass
				10	3.87	5230.040	5150 to 5250	Pass
				30	3.87	5230.000	5150 to 5250	Pass
				40	3.87	5230.000	5150 to 5250	Pass
				50	3.87	5230.040	5150 to 5250	Pass
		5270	/	20	3.65	5270.000	5250 to 5350	Pass
					3.87	5270.000	5250 to 5350	Pass
					4.45	5270.040	5250 to 5350	Pass
				-30	3.87	5269.960	5250 to 5350	Pass
				-20	3.87	5270.080	5250 to 5350	Pass
				-10	3.87	5270.000	5250 to 5350	Pass
				0	3.87	5270.040	5250 to 5350	Pass
				10	3.87	5270.000	5250 to 5350	Pass
				30	3.87	5270.000	5250 to 5350	Pass
				40	3.87	5270.040	5250 to 5350	Pass
				50	3.87	5270.040	5250 to 5350	Pass
		5310	/	20	3.65	5309.960	5250 to 5350	Pass
					3.87	5310.040	5250 to 5350	Pass
					4.45	5310.040	5250 to 5350	Pass
				-30	3.87	5310.000	5250 to 5350	Pass
				-20	3.87	5309.960	5250 to 5350	Pass
				-10	3.87	5309.960	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 647 of 667

				0	3.87	5310.000	5250 to 5350	Pass
				10	3.87	5310.000	5250 to 5350	Pass
				30	3.87	5310.000	5250 to 5350	Pass
				40	3.87	5309.920	5250 to 5350	Pass
				50	3.87	5309.960	5250 to 5350	Pass
		5510	/	20	3.65	5509.960	5470 to 5725	Pass
					3.87	5509.920	5470 to 5725	Pass
					4.45	5509.960	5470 to 5725	Pass
				-30	3.87	5510.000	5470 to 5725	Pass
				-20	3.87	5509.960	5470 to 5725	Pass
				-10	3.87	5509.920	5470 to 5725	Pass
				0	3.87	5509.920	5470 to 5725	Pass
				10	3.87	5509.960	5470 to 5725	Pass
				30	3.87	5510.000	5470 to 5725	Pass
				40	3.87	5510.000	5470 to 5725	Pass
				50	3.87	5510.000	5470 to 5725	Pass
		5550	/	20	3.65	5550.000	5470 to 5725	Pass
					3.87	5550.000	5470 to 5725	Pass
					4.45	5550.000	5470 to 5725	Pass
				-30	3.87	5549.960	5470 to 5725	Pass
				-20	3.87	5549.960	5470 to 5725	Pass
				-10	3.87	5549.960	5470 to 5725	Pass
				0	3.87	5549.960	5470 to 5725	Pass
				10	3.87	5549.960	5470 to 5725	Pass
				30	3.87	5549.960	5470 to 5725	Pass
				40	3.87	5549.960	5470 to 5725	Pass
				50	3.87	5549.960	5470 to 5725	Pass
		5670	/	20	3.65	5670.000	5470 to 5725	Pass
					3.87	5670.040	5470 to 5725	Pass
					4.45	5669.960	5470 to 5725	Pass
				-30	3.87	5670.040	5470 to 5725	Pass
				-20	3.87	5670.000	5470 to 5725	Pass
				-10	3.87	5669.960	5470 to 5725	Pass
				0	3.87	5670.000	5470 to 5725	Pass
				10	3.87	5670.040	5470 to 5725	Pass
				30	3.87	5670.000	5470 to 5725	Pass
				40	3.87	5670.000	5470 to 5725	Pass
				50	3.87	5670.000	5470 to 5725	Pass
		5755	/	20	3.65	5754.960	5725 to 5850	Pass
					3.87	5755.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing and Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 648 of 667

					4.45	5754.960	5725 to 5850	Pass
				-30	3.87	5755.000	5725 to 5850	Pass
				-20	3.87	5755.000	5725 to 5850	Pass
				-10	3.87	5754.960	5725 to 5850	Pass
				0	3.87	5754.920	5725 to 5850	Pass
				10	3.87	5754.960	5725 to 5850	Pass
				30	3.87	5755.000	5725 to 5850	Pass
				40	3.87	5754.960	5725 to 5850	Pass
				50	3.87	5755.000	5725 to 5850	Pass
		5795	/	20	3.65	5795.040	5725 to 5850	Pass
					3.87	5795.000	5725 to 5850	Pass
					4.45	5794.920	5725 to 5850	Pass
				-30	3.87	5794.960	5725 to 5850	Pass
				-20	3.87	5795.000	5725 to 5850	Pass
				-10	3.87	5795.000	5725 to 5850	Pass
				0	3.87	5795.040	5725 to 5850	Pass
				10	3.87	5794.960	5725 to 5850	Pass
				30	3.87	5794.960	5725 to 5850	Pass
				40	3.87	5795.000	5725 to 5850	Pass
				50	3.87	5794.960	5725 to 5850	Pass

802.11ac (VHT20)	MIMO	5180	/	20	3.65	5180.040	5150 to 5250	Pass
					3.87	5180.020	5150 to 5250	Pass
					4.45	5180.020	5150 to 5250	Pass
				-30	3.87	5180.040	5150 to 5250	Pass
				-20	3.87	5180.020	5150 to 5250	Pass
				-10	3.87	5180.040	5150 to 5250	Pass
				0	3.87	5180.040	5150 to 5250	Pass
				10	3.87	5180.000	5150 to 5250	Pass
				30	3.87	5180.020	5150 to 5250	Pass
				40	3.87	5180.000	5150 to 5250	Pass
				50	3.87	5180.040	5150 to 5250	Pass
		5200	/	20	3.65	5200.060	5150 to 5250	Pass
					3.87	5200.060	5150 to 5250	Pass
					4.45	5200.000	5150 to 5250	Pass
				-30	3.87	5200.020	5150 to 5250	Pass
				-20	3.87	5200.040	5150 to 5250	Pass
				-10	3.87	5200.060	5150 to 5250	Pass
				0	3.87	5200.020	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 649 of 667

				10	3.87	5200.060	5150 to 5250	Pass
				30	3.87	5200.020	5150 to 5250	Pass
				40	3.87	5200.000	5150 to 5250	Pass
				50	3.87	5200.080	5150 to 5250	Pass
	5240	/	20	3.65	5240.000	5150 to 5250	Pass	
				3.87	5240.060	5150 to 5250	Pass	
				4.45	5240.080	5150 to 5250	Pass	
			-30	3.87	5239.980	5150 to 5250	Pass	
				3.87	5240.040	5150 to 5250	Pass	
				3.87	5240.040	5150 to 5250	Pass	
			0	3.87	5240.060	5150 to 5250	Pass	
				3.87	5240.060	5150 to 5250	Pass	
				3.87	5240.060	5150 to 5250	Pass	
			30	3.87	5240.060	5150 to 5250	Pass	
				3.87	5240.000	5150 to 5250	Pass	
				3.87	5240.060	5150 to 5250	Pass	
			50	3.87	5240.060	5150 to 5250	Pass	
				3.65	5260.020	5250 to 5350	Pass	
				3.87	5260.020	5250 to 5350	Pass	
				4.45	5260.100	5250 to 5350	Pass	
	5260	/	20	3.87	5260.060	5250 to 5350	Pass	
				3.87	5260.000	5250 to 5350	Pass	
				3.87	5260.040	5250 to 5350	Pass	
			-30	3.87	5260.060	5250 to 5350	Pass	
				3.87	5260.000	5250 to 5350	Pass	
				3.87	5260.040	5250 to 5350	Pass	
			0	3.87	5260.040	5250 to 5350	Pass	
				3.87	5260.040	5250 to 5350	Pass	
				3.87	5259.980	5250 to 5350	Pass	
			30	3.87	5259.980	5250 to 5350	Pass	
				3.87	5259.980	5250 to 5350	Pass	
				3.87	5260.100	5250 to 5350	Pass	
			50	3.65	5300.020	5250 to 5350	Pass	
				3.87	5300.000	5250 to 5350	Pass	
				4.45	5300.040	5250 to 5350	Pass	
	5300	/	20	3.87	5300.040	5250 to 5350	Pass	
				3.87	5300.020	5250 to 5350	Pass	
				3.87	5300.100	5250 to 5350	Pass	
			-30	3.87	5300.040	5250 to 5350	Pass	
				3.87	5300.020	5250 to 5350	Pass	
				3.87	5300.100	5250 to 5350	Pass	
			0	3.87	5300.060	5250 to 5350	Pass	
				3.87	5300.100	5250 to 5350	Pass	
				3.87	5300.040	5250 to 5350	Pass	
			30	3.87	5300.040	5250 to 5350	Pass	
				3.87	5300.080	5250 to 5350	Pass	
				3.87	5300.060	5250 to 5350	Pass	
			50	3.65	5320.020	5250 to 5350	Pass	
				3.87	5320.060	5250 to 5350	Pass	
				4.45	5320.060	5250 to 5350	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 650 of 667

				-30	3.87	5320.040	5250 to 5350	Pass
				-20	3.87	5320.040	5250 to 5350	Pass
				-10	3.87	5319.980	5250 to 5350	Pass
				0	3.87	5320.060	5250 to 5350	Pass
				10	3.87	5320.020	5250 to 5350	Pass
				30	3.87	5320.040	5250 to 5350	Pass
				40	3.87	5320.020	5250 to 5350	Pass
				50	3.87	5320.060	5250 to 5350	Pass
		5500	/	20	3.65	5500.000	5470 to 5725	Pass
					3.87	5500.000	5470 to 5725	Pass
					4.45	5500.000	5470 to 5725	Pass
				-30	3.87	5500.000	5470 to 5725	Pass
				-20	3.87	5500.000	5470 to 5725	Pass
				-10	3.87	5500.060	5470 to 5725	Pass
				0	3.87	5499.980	5470 to 5725	Pass
				10	3.87	5500.000	5470 to 5725	Pass
				30	3.87	5500.020	5470 to 5725	Pass
				40	3.87	5500.040	5470 to 5725	Pass
				50	3.87	5500.000	5470 to 5725	Pass
		5580	/	20	3.65	5580.020	5470 to 5725	Pass
					3.87	5580.000	5470 to 5725	Pass
					4.45	5580.040	5470 to 5725	Pass
				-30	3.87	5580.000	5470 to 5725	Pass
				-20	3.87	5580.040	5470 to 5725	Pass
				-10	3.87	5580.020	5470 to 5725	Pass
				0	3.87	5580.040	5470 to 5725	Pass
				10	3.87	5580.000	5470 to 5725	Pass
				30	3.87	5580.060	5470 to 5725	Pass
				40	3.87	5580.020	5470 to 5725	Pass
				50	3.87	5580.000	5470 to 5725	Pass
		5700	/	20	3.65	5700.020	5470 to 5725	Pass
					3.87	5700.040	5470 to 5725	Pass
					4.45	5699.980	5470 to 5725	Pass
				-30	3.87	5700.040	5470 to 5725	Pass
				-20	3.87	5700.020	5470 to 5725	Pass
				-10	3.87	5700.040	5470 to 5725	Pass
				0	3.87	5700.000	5470 to 5725	Pass
				10	3.87	5700.040	5470 to 5725	Pass
				30	3.87	5700.020	5470 to 5725	Pass
				40	3.87	5699.980	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 651 of 667

			50	3.87	5700.060	5470 to 5725	Pass
				3.65	5745.040	5725 to 5850	Pass
			20	3.87	5745.000	5725 to 5850	Pass
				4.45	5745.040	5725 to 5850	Pass
			-30	3.87	5745.020	5725 to 5850	Pass
			-20	3.87	5745.020	5725 to 5850	Pass
			-10	3.87	5745.000	5725 to 5850	Pass
			0	3.87	5745.000	5725 to 5850	Pass
			10	3.87	5745.040	5725 to 5850	Pass
			30	3.87	5744.980	5725 to 5850	Pass
			40	3.87	5744.980	5725 to 5850	Pass
			50	3.87	5745.060	5725 to 5850	Pass
				3.65	5785.040	5725 to 5850	Pass
			20	3.87	5785.080	5725 to 5850	Pass
				4.45	5785.000	5725 to 5850	Pass
			-30	3.87	5785.000	5725 to 5850	Pass
			-20	3.87	5785.040	5725 to 5850	Pass
			-10	3.87	5785.060	5725 to 5850	Pass
			0	3.87	5784.980	5725 to 5850	Pass
			10	3.87	5785.060	5725 to 5850	Pass
			30	3.87	5785.020	5725 to 5850	Pass
			40	3.87	5785.020	5725 to 5850	Pass
			50	3.87	5785.060	5725 to 5850	Pass
				3.65	5825.040	5725 to 5850	Pass
			20	3.87	5825.020	5725 to 5850	Pass
				4.45	5825.080	5725 to 5850	Pass
			-30	3.87	5825.040	5725 to 5850	Pass
			-20	3.87	5825.020	5725 to 5850	Pass
			-10	3.87	5825.000	5725 to 5850	Pass
			0	3.87	5825.040	5725 to 5850	Pass
			10	3.87	5825.060	5725 to 5850	Pass
			30	3.87	5825.060	5725 to 5850	Pass
			40	3.87	5825.040	5725 to 5850	Pass
			50	3.87	5825.060	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 652 of 667

802.11ac (VHT40)	MIMO	5190	/	20	3.65	5190.000	5150 to 5250	Pass
					3.87	5189.960	5150 to 5250	Pass
					4.45	5190.000	5150 to 5250	Pass
				-30	3.87	5190.040	5150 to 5250	Pass
				-20	3.87	5189.960	5150 to 5250	Pass
				-10	3.87	5190.000	5150 to 5250	Pass
				0	3.87	5190.040	5150 to 5250	Pass
				10	3.87	5190.040	5150 to 5250	Pass
				30	3.87	5189.960	5150 to 5250	Pass
				40	3.87	5190.000	5150 to 5250	Pass
				50	3.87	5189.960	5150 to 5250	Pass
		5230	/	20	3.65	5230.040	5150 to 5250	Pass
					3.87	5230.000	5150 to 5250	Pass
					4.45	5230.000	5150 to 5250	Pass
				-30	3.87	5230.000	5150 to 5250	Pass
				-20	3.87	5230.000	5150 to 5250	Pass
				-10	3.87	5230.000	5150 to 5250	Pass
				0	3.87	5230.000	5150 to 5250	Pass
				10	3.87	5230.000	5150 to 5250	Pass
				30	3.87	5230.000	5150 to 5250	Pass
				40	3.87	5230.080	5150 to 5250	Pass
				50	3.87	5230.000	5150 to 5250	Pass
		5270	/	20	3.65	5270.000	5250 to 5350	Pass
					3.87	5270.040	5250 to 5350	Pass
					4.45	5270.000	5250 to 5350	Pass
				-30	3.87	5270.000	5250 to 5350	Pass
				-20	3.87	5269.960	5250 to 5350	Pass
				-10	3.87	5270.000	5250 to 5350	Pass
				0	3.87	5269.960	5250 to 5350	Pass
				10	3.87	5270.000	5250 to 5350	Pass
				30	3.87	5270.000	5250 to 5350	Pass
				40	3.87	5270.040	5250 to 5350	Pass
				50	3.87	5270.040	5250 to 5350	Pass
		5310	/	20	3.65	5309.960	5250 to 5350	Pass
					3.87	5310.000	5250 to 5350	Pass
					4.45	5310.000	5250 to 5350	Pass
				-30	3.87	5310.080	5250 to 5350	Pass
				-20	3.87	5310.000	5250 to 5350	Pass
				-10	3.87	5310.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 653 of 667

				0	3.87	5309.960	5250 to 5350	Pass
				10	3.87	5309.960	5250 to 5350	Pass
				30	3.87	5310.040	5250 to 5350	Pass
				40	3.87	5310.000	5250 to 5350	Pass
				50	3.87	5309.960	5250 to 5350	Pass
		5510	/	20	3.65	5510.000	5470 to 5725	Pass
					3.87	5509.960	5470 to 5725	Pass
					4.45	5509.960	5470 to 5725	Pass
				-30	3.87	5509.960	5470 to 5725	Pass
				-20	3.87	5509.960	5470 to 5725	Pass
				-10	3.87	5509.920	5470 to 5725	Pass
				0	3.87	5509.960	5470 to 5725	Pass
				10	3.87	5509.960	5470 to 5725	Pass
				30	3.87	5509.960	5470 to 5725	Pass
				40	3.87	5510.000	5470 to 5725	Pass
				50	3.87	5509.920	5470 to 5725	Pass
		5550	/	20	3.65	5550.000	5470 to 5725	Pass
					3.87	5549.960	5470 to 5725	Pass
					4.45	5549.960	5470 to 5725	Pass
				-30	3.87	5549.960	5470 to 5725	Pass
				-20	3.87	5550.000	5470 to 5725	Pass
				-10	3.87	5549.960	5470 to 5725	Pass
				0	3.87	5549.960	5470 to 5725	Pass
				10	3.87	5549.960	5470 to 5725	Pass
				30	3.87	5549.960	5470 to 5725	Pass
				40	3.87	5550.000	5470 to 5725	Pass
				50	3.87	5549.960	5470 to 5725	Pass
		5670	/	20	3.65	5670.000	5470 to 5725	Pass
					3.87	5670.000	5470 to 5725	Pass
					4.45	5670.080	5470 to 5725	Pass
				-30	3.87	5669.960	5470 to 5725	Pass
				-20	3.87	5670.000	5470 to 5725	Pass
				-10	3.87	5670.000	5470 to 5725	Pass
				0	3.87	5670.000	5470 to 5725	Pass
				10	3.87	5669.920	5470 to 5725	Pass
				30	3.87	5670.040	5470 to 5725	Pass
				40	3.87	5669.960	5470 to 5725	Pass
				50	3.87	5669.960	5470 to 5725	Pass
		5755	/	20	3.65	5755.000	5725 to 5850	Pass
					3.87	5754.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing and Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 654 of 667

					4.45	5755.000	5725 to 5850	Pass
				-30	3.87	5755.000	5725 to 5850	Pass
				-20	3.87	5755.000	5725 to 5850	Pass
				-10	3.87	5754.960	5725 to 5850	Pass
				0	3.87	5754.960	5725 to 5850	Pass
				10	3.87	5754.960	5725 to 5850	Pass
				30	3.87	5755.040	5725 to 5850	Pass
				40	3.87	5755.000	5725 to 5850	Pass
				50	3.87	5754.920	5725 to 5850	Pass
		5795	/	20	3.65	5794.960	5725 to 5850	Pass
					3.87	5794.960	5725 to 5850	Pass
					4.45	5794.960	5725 to 5850	Pass
				-30	3.87	5794.920	5725 to 5850	Pass
				-20	3.87	5795.000	5725 to 5850	Pass
				-10	3.87	5794.960	5725 to 5850	Pass
				0	3.87	5794.960	5725 to 5850	Pass
				10	3.87	5794.960	5725 to 5850	Pass
				30	3.87	5795.000	5725 to 5850	Pass
				40	3.87	5795.000	5725 to 5850	Pass
				50	3.87	5794.960	5725 to 5850	Pass

802.11ac (VHT80)	MIMO	5210	/	20	3.65	5210.000	5150 to 5250	Pass
					3.87	5210.000	5150 to 5250	Pass
					4.45	5210.000	5150 to 5250	Pass
				-30	3.87	5210.000	5150 to 5250	Pass
				-20	3.87	5210.000	5150 to 5250	Pass
				-10	3.87	5210.000	5150 to 5250	Pass
				0	3.87	5210.075	5150 to 5250	Pass
				10	3.87	5210.000	5150 to 5250	Pass
				30	3.87	5210.000	5150 to 5250	Pass
				40	3.87	5209.925	5150 to 5250	Pass
				50	3.87	5210.000	5150 to 5250	Pass
		5290	/	20	3.65	5290.000	5250 to 5350	Pass
					3.87	5290.000	5250 to 5350	Pass
					4.45	5290.000	5250 to 5350	Pass
				-30	3.87	5290.000	5250 to 5350	Pass
				-20	3.87	5290.000	5250 to 5350	Pass
				-10	3.87	5290.000	5250 to 5350	Pass
				0	3.87	5290.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 655 of 667

				10	3.87	5290.000	5250 to 5350	Pass
				30	3.87	5290.000	5250 to 5350	Pass
				40	3.87	5290.000	5250 to 5350	Pass
				50	3.87	5290.000	5250 to 5350	Pass
		5530	/	20	3.65	5529.925	5470 to 5725	Pass
					3.87	5530.000	5470 to 5725	Pass
					4.45	5530.000	5470 to 5725	Pass
				-30	3.87	5530.000	5470 to 5725	Pass
				-20	3.87	5529.925	5470 to 5725	Pass
				-10	3.87	5530.000	5470 to 5725	Pass
				0	3.87	5529.925	5470 to 5725	Pass
				10	3.87	5529.925	5470 to 5725	Pass
				30	3.87	5530.000	5470 to 5725	Pass
				40	3.87	5530.000	5470 to 5725	Pass
				50	3.87	5530.000	5470 to 5725	Pass
		5610	/	20	3.65	5609.925	5470 to 5725	Pass
					3.87	5609.925	5470 to 5725	Pass
					4.45	5609.925	5470 to 5725	Pass
				-30	3.87	5610.000	5470 to 5725	Pass
				-20	3.87	5609.925	5470 to 5725	Pass
				-10	3.87	5610.000	5470 to 5725	Pass
				0	3.87	5610.000	5470 to 5725	Pass
				10	3.87	5609.925	5470 to 5725	Pass
				30	3.87	5610.000	5470 to 5725	Pass
				40	3.87	5609.925	5470 to 5725	Pass
				50	3.87	5609.925	5470 to 5725	Pass
		5775	/	20	3.65	5775.000	5725 to 5850	Pass
					3.87	5775.000	5725 to 5850	Pass
					4.45	5775.000	5725 to 5850	Pass
				-30	3.87	5774.925	5725 to 5850	Pass
				-20	3.87	5775.000	5725 to 5850	Pass
				-10	3.87	5775.000	5725 to 5850	Pass
				0	3.87	5774.925	5725 to 5850	Pass
				10	3.87	5774.925	5725 to 5850	Pass
				30	3.87	5775.000	5725 to 5850	Pass
				40	3.87	5775.000	5725 to 5850	Pass
				50	3.87	5775.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 656 of 667

802.11ac (VHT160)	MIMO	5570	/	20	3.65	5570.075	5470 to 5725	Pass
					3.87	5569.925	5470 to 5725	Pass
					4.45	5570.000	5470 to 5725	Pass
				-30	3.87	5570.000	5470 to 5725	Pass
				-20	3.87	5569.925	5470 to 5725	Pass
				-10	3.87	5569.925	5470 to 5725	Pass
				0	3.87	5570.000	5470 to 5725	Pass
				10	3.87	5569.925	5470 to 5725	Pass
				30	3.87	5570.000	5470 to 5725	Pass
				40	3.87	5569.925	5470 to 5725	Pass
				50	3.87	5569.925	5470 to 5725	Pass
		5250	/	20	3.65	5250.075	5150 to 5350	Pass
					3.87	5250.000	5150 to 5350	Pass
					4.45	5250.075	5150 to 5350	Pass
				-30	3.87	5250.075	5150 to 5350	Pass
				-20	3.87	5250.075	5150 to 5350	Pass
				-10	3.87	5250.075	5150 to 5350	Pass
				0	3.87	5250.000	5150 to 5350	Pass
				10	3.87	5250.000	5150 to 5350	Pass
				30	3.87	5250.075	5150 to 5350	Pass
				40	3.87	5250.075	5150 to 5350	Pass
				50	3.87	5250.075	5150 to 5350	Pass

802.11ax (HEW20)	MIMO	5180	SU	20	3.65	5179.980	5150 to 5250	Pass
					3.87	5180.060	5150 to 5250	Pass
					4.45	5180.060	5150 to 5250	Pass
				-30	3.87	5180.040	5150 to 5250	Pass
				-20	3.87	5180.060	5150 to 5250	Pass
				-10	3.87	5180.040	5150 to 5250	Pass
				0	3.87	5180.080	5150 to 5250	Pass
				10	3.87	5180.000	5150 to 5250	Pass
				30	3.87	5180.040	5150 to 5250	Pass
				40	3.87	5180.060	5150 to 5250	Pass
				50	3.87	5180.060	5150 to 5250	Pass
		5200	SU	20	3.65	5200.000	5150 to 5250	Pass
					3.87	5200.020	5150 to 5250	Pass
					4.45	5200.040	5150 to 5250	Pass
				-30	3.87	5200.060	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing and Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 657 of 667

				-20	3.87	5200.060	5150 to 5250	Pass
				-10	3.87	5200.100	5150 to 5250	Pass
				0	3.87	5200.040	5150 to 5250	Pass
				10	3.87	5200.060	5150 to 5250	Pass
				30	3.87	5200.020	5150 to 5250	Pass
				40	3.87	5199.980	5150 to 5250	Pass
				50	3.87	5200.040	5150 to 5250	Pass
		5240	SU	20	3.65	5240.040	5150 to 5250	Pass
					3.87	5240.040	5150 to 5250	Pass
					4.45	5240.020	5150 to 5250	Pass
				-30	3.87	5240.060	5150 to 5250	Pass
				-20	3.87	5240.040	5150 to 5250	Pass
				-10	3.87	5240.040	5150 to 5250	Pass
				0	3.87	5240.060	5150 to 5250	Pass
				10	3.87	5240.040	5150 to 5250	Pass
				30	3.87	5240.020	5150 to 5250	Pass
				40	3.87	5240.080	5150 to 5250	Pass
				50	3.87	5240.100	5150 to 5250	Pass
		5260	SU	20	3.65	5260.020	5250 to 5350	Pass
					3.87	5260.060	5250 to 5350	Pass
					4.45	5260.000	5250 to 5350	Pass
				-30	3.87	5260.040	5250 to 5350	Pass
				-20	3.87	5260.040	5250 to 5350	Pass
				-10	3.87	5260.040	5250 to 5350	Pass
				0	3.87	5260.020	5250 to 5350	Pass
				10	3.87	5260.040	5250 to 5350	Pass
				30	3.87	5260.040	5250 to 5350	Pass
				40	3.87	5260.060	5250 to 5350	Pass
				50	3.87	5260.060	5250 to 5350	Pass
		5300	SU	20	3.65	5300.060	5250 to 5350	Pass
					3.87	5300.040	5250 to 5350	Pass
					4.45	5300.040	5250 to 5350	Pass
				-30	3.87	5300.040	5250 to 5350	Pass
				-20	3.87	5300.020	5250 to 5350	Pass
				-10	3.87	5300.020	5250 to 5350	Pass
				0	3.87	5300.040	5250 to 5350	Pass
				10	3.87	5300.040	5250 to 5350	Pass
				30	3.87	5300.060	5250 to 5350	Pass
				40	3.87	5300.080	5250 to 5350	Pass
				50	3.87	5299.980	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing and Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 658 of 667

		5320	SU	20	3.65	5320.020	5250 to 5350	Pass
					3.87	5320.020	5250 to 5350	Pass
					4.45	5320.040	5250 to 5350	Pass
				-30	3.87	5320.000	5250 to 5350	Pass
				-20	3.87	5320.060	5250 to 5350	Pass
				-10	3.87	5320.120	5250 to 5350	Pass
				0	3.87	5320.040	5250 to 5350	Pass
				10	3.87	5320.040	5250 to 5350	Pass
				30	3.87	5320.100	5250 to 5350	Pass
				40	3.87	5320.040	5250 to 5350	Pass
				50	3.87	5320.000	5250 to 5350	Pass
		5500	SU	20	3.65	5500.040	5470 to 5725	Pass
					3.87	5500.040	5470 to 5725	Pass
					4.45	5500.040	5470 to 5725	Pass
				-30	3.87	5500.020	5470 to 5725	Pass
				-20	3.87	5500.040	5470 to 5725	Pass
				-10	3.87	5500.040	5470 to 5725	Pass
				0	3.87	5500.020	5470 to 5725	Pass
				10	3.87	5500.020	5470 to 5725	Pass
				30	3.87	5500.040	5470 to 5725	Pass
				40	3.87	5500.020	5470 to 5725	Pass
				50	3.87	5500.000	5470 to 5725	Pass
		5580	SU	20	3.65	5580.020	5470 to 5725	Pass
					3.87	5580.060	5470 to 5725	Pass
					4.45	5580.020	5470 to 5725	Pass
				-30	3.87	5580.000	5470 to 5725	Pass
				-20	3.87	5579.980	5470 to 5725	Pass
				-10	3.87	5580.040	5470 to 5725	Pass
				0	3.87	5580.020	5470 to 5725	Pass
				10	3.87	5580.100	5470 to 5725	Pass
				30	3.87	5580.080	5470 to 5725	Pass
				40	3.87	5580.060	5470 to 5725	Pass
				50	3.87	5580.040	5470 to 5725	Pass
		5700	SU	20	3.65	5700.020	5470 to 5725	Pass
					3.87	5700.080	5470 to 5725	Pass
					4.45	5700.080	5470 to 5725	Pass
				-30	3.87	5700.060	5470 to 5725	Pass
				-20	3.87	5700.040	5470 to 5725	Pass
				-10	3.87	5700.040	5470 to 5725	Pass
				0	3.87	5700.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 659 of 667

				10	3.87	5700.040	5470 to 5725	Pass
				30	3.87	5700.060	5470 to 5725	Pass
				40	3.87	5700.060	5470 to 5725	Pass
				50	3.87	5700.020	5470 to 5725	Pass
		5745	SU	20	3.65	5745.020	5725 to 5850	Pass
					3.87	5745.060	5725 to 5850	Pass
					4.45	5745.020	5725 to 5850	Pass
				-30	3.87	5745.020	5725 to 5850	Pass
				-20	3.87	5745.020	5725 to 5850	Pass
				-10	3.87	5745.040	5725 to 5850	Pass
				0	3.87	5745.060	5725 to 5850	Pass
				10	3.87	5744.980	5725 to 5850	Pass
				30	3.87	5745.000	5725 to 5850	Pass
				40	3.87	5745.000	5725 to 5850	Pass
				50	3.87	5745.020	5725 to 5850	Pass
		5785	SU	20	3.65	5785.040	5725 to 5850	Pass
					3.87	5785.060	5725 to 5850	Pass
					4.45	5785.060	5725 to 5850	Pass
				-30	3.87	5785.040	5725 to 5850	Pass
				-20	3.87	5785.040	5725 to 5850	Pass
				-10	3.87	5785.040	5725 to 5850	Pass
				0	3.87	5785.060	5725 to 5850	Pass
				10	3.87	5785.040	5725 to 5850	Pass
				30	3.87	5785.080	5725 to 5850	Pass
				40	3.87	5785.020	5725 to 5850	Pass
		5825	SU	20	3.65	5825.080	5725 to 5850	Pass
					3.87	5825.100	5725 to 5850	Pass
					4.45	5825.040	5725 to 5850	Pass
				-30	3.87	5825.020	5725 to 5850	Pass
				-20	3.87	5824.980	5725 to 5850	Pass
				-10	3.87	5825.040	5725 to 5850	Pass
				0	3.87	5825.040	5725 to 5850	Pass
				10	3.87	5825.040	5725 to 5850	Pass
				30	3.87	5825.060	5725 to 5850	Pass
				40	3.87	5825.040	5725 to 5850	Pass
				50	3.87	5825.080	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 660 of 667

802.11ax (HEW40)	MIMO	5190	SU	20	3.65	5190.000	5150 to 5250	Pass
					3.87	5190.000	5150 to 5250	Pass
					4.45	5190.000	5150 to 5250	Pass
				-30	3.87	5190.040	5150 to 5250	Pass
				-20	3.87	5190.040	5150 to 5250	Pass
				-10	3.87	5190.040	5150 to 5250	Pass
				0	3.87	5190.000	5150 to 5250	Pass
				10	3.87	5189.960	5150 to 5250	Pass
				30	3.87	5190.000	5150 to 5250	Pass
				40	3.87	5190.080	5150 to 5250	Pass
				50	3.87	5190.000	5150 to 5250	Pass
		5230	SU	20	3.65	5230.000	5150 to 5250	Pass
					3.87	5229.960	5150 to 5250	Pass
					4.45	5230.000	5150 to 5250	Pass
				-30	3.87	5229.960	5150 to 5250	Pass
				-20	3.87	5230.000	5150 to 5250	Pass
				-10	3.87	5230.000	5150 to 5250	Pass
				0	3.87	5230.040	5150 to 5250	Pass
				10	3.87	5229.960	5150 to 5250	Pass
				30	3.87	5230.000	5150 to 5250	Pass
				40	3.87	5230.000	5150 to 5250	Pass
				50	3.87	5230.080	5150 to 5250	Pass
		5270	SU	20	3.65	5270.040	5250 to 5350	Pass
					3.87	5270.000	5250 to 5350	Pass
					4.45	5269.960	5250 to 5350	Pass
				-30	3.87	5270.040	5250 to 5350	Pass
				-20	3.87	5270.000	5250 to 5350	Pass
				-10	3.87	5270.040	5250 to 5350	Pass
				0	3.87	5269.960	5250 to 5350	Pass
				10	3.87	5270.040	5250 to 5350	Pass
				30	3.87	5270.000	5250 to 5350	Pass
				40	3.87	5270.000	5250 to 5350	Pass
				50	3.87	5270.000	5250 to 5350	Pass
		5310	SU	20	3.65	5309.920	5250 to 5350	Pass
					3.87	5310.040	5250 to 5350	Pass
					4.45	5310.040	5250 to 5350	Pass
				-30	3.87	5310.000	5250 to 5350	Pass
				-20	3.87	5310.000	5250 to 5350	Pass
				-10	3.87	5310.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 661 of 667

				0	3.87	5309.960	5250 to 5350	Pass
				10	3.87	5310.000	5250 to 5350	Pass
				30	3.87	5310.000	5250 to 5350	Pass
				40	3.87	5309.960	5250 to 5350	Pass
				50	3.87	5309.960	5250 to 5350	Pass
		5510	SU	20	3.65	5510.000	5470 to 5725	Pass
					3.87	5510.000	5470 to 5725	Pass
					4.45	5510.000	5470 to 5725	Pass
				-30	3.87	5510.040	5470 to 5725	Pass
				-20	3.87	5509.960	5470 to 5725	Pass
				-10	3.87	5510.000	5470 to 5725	Pass
				0	3.87	5510.000	5470 to 5725	Pass
				10	3.87	5509.960	5470 to 5725	Pass
				30	3.87	5510.000	5470 to 5725	Pass
				40	3.87	5510.000	5470 to 5725	Pass
				50	3.87	5510.000	5470 to 5725	Pass
		5550	SU	20	3.65	5550.000	5470 to 5725	Pass
					3.87	5550.040	5470 to 5725	Pass
					4.45	5549.960	5470 to 5725	Pass
				-30	3.87	5549.920	5470 to 5725	Pass
				-20	3.87	5550.040	5470 to 5725	Pass
				-10	3.87	5550.000	5470 to 5725	Pass
				0	3.87	5550.000	5470 to 5725	Pass
				10	3.87	5550.000	5470 to 5725	Pass
				30	3.87	5549.960	5470 to 5725	Pass
				40	3.87	5550.000	5470 to 5725	Pass
				50	3.87	5550.000	5470 to 5725	Pass
		5670	SU	20	3.65	5669.960	5470 to 5725	Pass
					3.87	5670.000	5470 to 5725	Pass
					4.45	5670.000	5470 to 5725	Pass
				-30	3.87	5670.040	5470 to 5725	Pass
				-20	3.87	5670.000	5470 to 5725	Pass
				-10	3.87	5670.080	5470 to 5725	Pass
				0	3.87	5669.960	5470 to 5725	Pass
				10	3.87	5670.000	5470 to 5725	Pass
				30	3.87	5670.000	5470 to 5725	Pass
				40	3.87	5670.080	5470 to 5725	Pass
				50	3.87	5669.960	5470 to 5725	Pass
		5755	SU	20	3.65	5754.920	5725 to 5850	Pass
					3.87	5755.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing and Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 662 of 667

					4.45	5755.000	5725 to 5850	Pass
				-30	3.87	5754.960	5725 to 5850	Pass
				-20	3.87	5754.960	5725 to 5850	Pass
				-10	3.87	5755.000	5725 to 5850	Pass
				0	3.87	5755.000	5725 to 5850	Pass
				10	3.87	5754.960	5725 to 5850	Pass
				30	3.87	5755.000	5725 to 5850	Pass
				40	3.87	5755.000	5725 to 5850	Pass
				50	3.87	5755.000	5725 to 5850	Pass
		5795	SU	20	3.65	5795.040	5725 to 5850	Pass
					3.87	5795.000	5725 to 5850	Pass
					4.45	5794.960	5725 to 5850	Pass
				-30	3.87	5795.040	5725 to 5850	Pass
				-20	3.87	5794.960	5725 to 5850	Pass
				-10	3.87	5795.000	5725 to 5850	Pass
				0	3.87	5795.000	5725 to 5850	Pass
				10	3.87	5795.040	5725 to 5850	Pass
				30	3.87	5795.000	5725 to 5850	Pass
				40	3.87	5795.000	5725 to 5850	Pass
				50	3.87	5795.000	5725 to 5850	Pass

802.11ax (HEW80)	MIMO	5210	SU	20	3.65	5210.000	5150 to 5250	Pass
					3.87	5210.000	5150 to 5250	Pass
					4.45	5210.000	5150 to 5250	Pass
				-30	3.87	5210.000	5150 to 5250	Pass
				-20	3.87	5210.000	5150 to 5250	Pass
				-10	3.87	5210.075	5150 to 5250	Pass
				0	3.87	5210.075	5150 to 5250	Pass
				10	3.87	5210.000	5150 to 5250	Pass
				30	3.87	5210.000	5150 to 5250	Pass
				40	3.87	5209.925	5150 to 5250	Pass
				50	3.87	5209.850	5150 to 5250	Pass
		5290	SU	20	3.65	5290.000	5250 to 5350	Pass
					3.87	5289.925	5250 to 5350	Pass
					4.45	5289.925	5250 to 5350	Pass
				-30	3.87	5289.925	5250 to 5350	Pass
				-20	3.87	5290.000	5250 to 5350	Pass
				-10	3.87	5290.000	5250 to 5350	Pass
				0	3.87	5289.925	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 663 of 667

				10	3.87	5290.000	5250 to 5350	Pass
				30	3.87	5290.000	5250 to 5350	Pass
				40	3.87	5290.000	5250 to 5350	Pass
				50	3.87	5289.925	5250 to 5350	Pass
		5530	SU	20	3.65	5529.850	5470 to 5725	Pass
					3.87	5530.000	5470 to 5725	Pass
					4.45	5529.925	5470 to 5725	Pass
				-30	3.87	5529.925	5470 to 5725	Pass
				-20	3.87	5529.925	5470 to 5725	Pass
				-10	3.87	5529.925	5470 to 5725	Pass
				0	3.87	5530.000	5470 to 5725	Pass
				10	3.87	5530.000	5470 to 5725	Pass
				30	3.87	5529.925	5470 to 5725	Pass
				40	3.87	5530.000	5470 to 5725	Pass
				50	3.87	5529.925	5470 to 5725	Pass
		5610	SU	20	3.65	5609.925	5470 to 5725	Pass
					3.87	5610.000	5470 to 5725	Pass
					4.45	5610.000	5470 to 5725	Pass
				-30	3.87	5609.925	5470 to 5725	Pass
				-20	3.87	5610.075	5470 to 5725	Pass
				-10	3.87	5609.925	5470 to 5725	Pass
				0	3.87	5609.850	5470 to 5725	Pass
				10	3.87	5609.925	5470 to 5725	Pass
				30	3.87	5609.925	5470 to 5725	Pass
				40	3.87	5609.925	5470 to 5725	Pass
				50	3.87	5609.925	5470 to 5725	Pass
		5775	SU	20	3.65	5775.000	5725 to 5850	Pass
					3.87	5774.925	5725 to 5850	Pass
					4.45	5774.925	5725 to 5850	Pass
				-30	3.87	5774.925	5725 to 5850	Pass
				-20	3.87	5774.925	5725 to 5850	Pass
				-10	3.87	5774.925	5725 to 5850	Pass
				0	3.87	5775.000	5725 to 5850	Pass
				10	3.87	5774.850	5725 to 5850	Pass
				30	3.87	5775.000	5725 to 5850	Pass
				40	3.87	5775.000	5725 to 5850	Pass
				50	3.87	5774.925	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241000381005

Page: 664 of 667

802.11ax (HEW160)	MIMO	5570	SU	20	3.65	5569.925	5470 to 5725	Pass
					3.87	5570.000	5470 to 5725	Pass
					4.45	5570.000	5470 to 5725	Pass
				-30	3.87	5570.000	5470 to 5725	Pass
				-20	3.87	5570.000	5470 to 5725	Pass
				-10	3.87	5570.000	5470 to 5725	Pass
				0	3.87	5570.000	5470 to 5725	Pass
				10	3.87	5570.075	5470 to 5725	Pass
				30	3.87	5570.000	5470 to 5725	Pass
				40	3.87	5569.925	5470 to 5725	Pass
				50	3.87	5570.000	5470 to 5725	Pass
		5250	SU	20	3.65	5249.925	5150 to 5350	Pass
					3.87	5250.000	5150 to 5350	Pass
					4.45	5250.075	5150 to 5350	Pass
				-30	3.87	5250.000	5150 to 5350	Pass
				-20	3.87	5250.075	5150 to 5350	Pass
				-10	3.87	5250.000	5150 to 5350	Pass
				0	3.87	5250.000	5150 to 5350	Pass
				10	3.87	5250.075	5150 to 5350	Pass
				30	3.87	5249.925	5150 to 5350	Pass
				40	3.87	5250.000	5150 to 5350	Pass
				50	3.87	5250.000	5150 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




### 6. DFS



#### 6.1 Radar





DC(the Payload is 49.64%)



### 6.2.1 5250MHz:



### 6.2.2 5570MHz:



- End of the Report -