


Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 173.975 MHz 5 W 12.5 kHz Channel Spacing



Tx FREQUENCY: 173.975 MHz 1 W 12.5 kHz Channel Spacing




Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 148.025 MHz 5 W 12.5 kHz Channel Spacing



Tx FREQUENCY: 148.025 MHz 1 W 12.5 kHz Channel Spacing




Transmitter Spectrum Masks


ANALOGUE VOICE (Wideband)

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 138.025 MHz 5 W 25 kHz Channel Spacing



Tx FREQUENCY: 138.025 MHz 1 W 25 kHz Channel Spacing




Transmitter Spectrum Masks


ANALOGUE VOICE (Wideband)

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 143.975 MHz 5 W 25 kHz Channel Spacing



Tx FREQUENCY: 143.975 MHz 1 W 25 kHz Channel Spacing




Transmitter Spectrum Masks

ANALOGUE VOICE (Wideband)


SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 150.025 MHz 5 W 25 kHz Channel Spacing



Analogue Modulation 150.0250MHz Mask B 5W
RBW=300Hz, VBW=3000Hz, Detector Mode=Peak
Result=Pass

Tx FREQUENCY: 150.025 MHz 1 W 25 kHz Channel Spacing




Analogue Modulation 150.0250MHz Mask B 1W
RBW=300Hz, VBW=3000Hz, Detector Mode=Peak
Result=Pass

Transmitter Spectrum Masks


ANALOGUE VOICE (Wideband)

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 150.05 MHz 5 W 25 kHz Channel Spacing



Tx FREQUENCY: 150.05 MHz 1 W 25 kHz Channel Spacing




Transmitter Spectrum Masks


ANALOGUE VOICE (Wideband)

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 162.025 MHz 5 W 25 kHz Channel Spacing



Tx FREQUENCY: 162.025 MHz 1 W 25 kHz Channel Spacing




Transmitter Spectrum Masks


ANALOGUE VOICE (Wideband)

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 173.975 MHz 5 W 25 kHz Channel Spacing



Tx FREQUENCY: 173.975 MHz 1 W 25 kHz Channel Spacing




Transmitter Spectrum Masks


ANALOGUE VOICE (Wideband)

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 148.025 MHz 5 W 25 kHz Channel Spacing



Tx FREQUENCY: 148.025 MHz 1 W 25 kHz Channel Spacing




Transmitter Spectrum Masks


FFSK 1200 bps

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 138.025 MHz 5 W 12.5 kHz Channel Spacing



Tx FREQUENCY: 138.025 MHz 1 W 12.5 kHz Channel Spacing




Transmitter Spectrum Masks

FFSK 1200 bps


SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

Tx FREQUENCY: 143.975 MHz 5 W 12.5 kHz Channel Spacing



FFSK 1200 143.9750MHz Mask D 5W
RBW=100Hz, VBW=1000Hz, Detector Mode=Peak
Result=Pass

Tx FREQUENCY: 143.975 MHz 1 W 12.5 kHz Channel Spacing



FFSK 1200 143.9750MHz Mask D 1W
RBW=100Hz, VBW=1000Hz, Detector Mode=Peak
Result=Pass