
SHENZHEN LXD-TECH Co., LTD

PCB Antenna specification&Test report


Company	SHENZHEN LXD-TECH Co., LTD	
Address Floor 3, No. 87, Fanshen Road, Xin'an Street, Bao'an District, Shenzhen		
Model	Flow Mouse	

1. Specific size of antenna (mm):




2. The results of antenna measurement and field shape simulation are as follows:


*Return Loss/VSWR:



*2D Field shape simulation diagram:



*3D Field shape simulation diagram:



According to the above measurement and simulation, the gain of this antenna can only reach about – 5dBi.


3. The actual field shape (strength) of the antenna is tested as follows:


Summary


oanninary				
ITEM	SPEC.			
Antenna Type	PCB Antenna			
	2402MHz	-0.71 dBi		
Center Frequency	2446MHz	-0.84 dBi		
	2479MHz	-1.75 dBi		
Max. GAIN	-0.71 dBi			
Mini. GAIN	-55.15 dBi			
AVG GAIN	-8.4 dBi			
DUT Polarization	Horizontal & Vertical			
TEST Output Power Level	10dBm			
Impedance	50Ω			


Center Frequency _2402MHz

***DUT Horizontal**












Center Frequency 2446MHz


*DUT Horizontal







***DUT Vertical**







Center Frequency 2479MHz *DUT Horizontal









4. Conclusion:

Through the above comprehensive measurement, we can know that the gain of this antenna can only reach about - 5dBi, and its maximum gain is about -0.71dBi