

Appendix E: Test Data for LTE Band 4

Product Name: TT1001 10.1 inch Tablet

Test Model: TT1001V2

E1. Effective (Isotropic) Radiated Power Output Data

E1.1 Test Result

Test Band: 4 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.85	23.10	23.71	/	1.00	23.85	24.10	24.71	30.00	PASS
		2	22.84	23.07	23.82	/	1.00	23.84	24.07	24.82	30.00	PASS
		5	22.76	22.76	23.70	/	1.00	23.76	23.76	24.70	30.00	PASS
	3	0	22.69	22.85	23.73	/	1.00	23.69	23.85	24.73	30.00	PASS
		2	22.75	22.92	24.02	/	1.00	23.75	23.92	25.02	30.00	PASS
		3	22.72	22.74	23.78	/	1.00	23.72	23.74	24.78	30.00	PASS
16QAM	6	0	21.83	21.88	22.75	/	1.00	22.83	22.88	23.75	30.00	PASS
		2	21.18	22.36	22.63	/	1.00	22.18	23.36	23.63	30.00	PASS
		5	21.42	22.42	22.80	/	1.00	22.42	23.42	23.80	30.00	PASS
	1	0	21.33	22.16	22.57	/	1.00	22.33	23.16	23.57	30.00	PASS
		2	21.41	21.84	22.60	/	1.00	22.41	22.84	23.60	30.00	PASS
		3	21.38	21.72	22.61	/	1.00	22.38	22.72	23.61	30.00	PASS
	3	0	21.44	21.64	22.63	/	1.00	22.44	22.64	23.63	30.00	PASS
		2	21.44	21.64	22.63	/	1.00	22.44	22.64	23.63	30.00	PASS
		3	21.44	21.64	22.63	/	1.00	22.44	22.64	23.63	30.00	PASS
	6	0	20.61	21.00	21.75	/	1.00	21.61	22.00	22.75	30.00	PASS

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 4 3MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.59	22.91	23.37	/	1.00	23.59	23.91	24.37	30.00	PASS
		7	22.70	22.91	23.41	/	1.00	23.70	23.91	24.41	30.00	PASS
		14	22.80	22.90	23.33	/	1.00	23.80	23.90	24.33	30.00	PASS
	8	0	21.66	21.63	22.48	/	1.00	22.66	22.63	23.48	30.00	PASS
		4	21.78	21.55	22.48	/	1.00	22.78	22.55	23.48	30.00	PASS
		7	21.71	21.48	22.42	/	1.00	22.71	22.48	23.42	30.00	PASS
16QAM	15	0	21.63	21.52	22.44	/	1.00	22.63	22.52	23.44	30.00	PASS
		7	21.54	22.07	22.11	/	1.00	22.54	23.07	23.11	30.00	PASS
		14	21.55	22.09	22.56	/	1.00	22.55	23.09	23.56	30.00	PASS
	1	0	21.91	22.00	22.50	/	1.00	22.91	23.00	23.50	30.00	PASS
		7	20.86	21.09	21.51	/	1.00	21.86	22.09	22.51	30.00	PASS
		14	20.98	20.94	21.53	/	1.00	21.98	21.94	22.53	30.00	PASS
	8	0	21.04	20.95	21.47	/	1.00	22.04	21.95	22.47	30.00	PASS
		4	21.04	20.95	21.47	/	1.00	22.04	21.95	22.47	30.00	PASS
		7	21.04	20.95	21.47	/	1.00	22.04	21.95	22.47	30.00	PASS
	15	0	20.68	20.63	21.64	/	1.00	21.68	21.63	22.64	30.00	PASS

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 4 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.54	22.76	23.45	/	1.00	23.54	23.76	24.45	30.00	PASS
		13	22.80	22.43	23.56	/	1.00	23.80	23.43	24.56	30.00	PASS
		24	23.07	22.37	23.65	/	1.00	24.07	23.37	24.65	30.00	PASS
	12	0	21.64	21.71	22.42	/	1.00	22.64	22.71	23.42	30.00	PASS
		6	21.70	21.58	22.48	/	1.00	22.70	22.58	23.48	30.00	PASS
		13	21.85	21.46	22.58	/	1.00	22.85	22.46	23.58	30.00	PASS
16QAM	25	0	21.72	21.57	22.54	/	1.00	22.72	22.57	23.54	30.00	PASS
			21.61	21.38	22.36	/	1.00	22.61	22.38	23.36	30.00	PASS
		13	21.80	21.16	22.67	/	1.00	22.80	22.16	23.67	30.00	PASS
	1	24	22.19	21.15	22.57	/	1.00	23.19	22.15	23.57	30.00	PASS
		0	20.61	20.61	21.61	/	1.00	21.61	21.61	22.61	30.00	PASS
		6	20.73	20.56	21.60	/	1.00	21.73	21.56	22.60	30.00	PASS
	12	13	20.86	20.35	21.61	/	1.00	21.86	21.35	22.61	30.00	PASS
		0	20.77	20.68	21.54	/	1.00	21.77	21.68	22.54	30.00	PASS

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 4 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.63	23.13	22.79	/	1.00	23.63	24.13	23.79	30.00	PASS
		25	23.21	22.67	23.58	/	1.00	24.21	23.67	24.58	30.00	PASS
		49	23.38	22.42	23.50	/	1.00	24.38	23.42	24.50	30.00	PASS
	25	0	21.81	21.67	22.21	/	1.00	22.81	22.67	23.21	30.00	PASS
		13	22.13	21.50	22.41	/	1.00	23.13	22.50	23.41	30.00	PASS
		25	22.19	21.27	22.42	/	1.00	23.19	22.27	23.42	30.00	PASS
16QAM	50	0	21.99	21.56	22.29	/	1.00	22.99	22.56	23.29	30.00	PASS
			21.52	22.00	21.79	/	1.00	22.52	23.00	22.79	30.00	PASS
		25	21.87	21.82	22.65	/	1.00	22.87	22.82	23.65	30.00	PASS
	1	49	21.87	21.60	22.35	/	1.00	22.87	22.60	23.35	30.00	PASS
		0	20.77	21.01	21.27	/	1.00	21.77	22.01	22.27	30.00	PASS
		13	21.27	20.84	21.45	/	1.00	22.27	21.84	22.45	30.00	PASS
	25	25	21.34	20.61	21.44	/	1.00	22.34	21.61	22.44	30.00	PASS
		0	21.13	20.78	21.31	/	1.00	22.13	21.78	22.31	30.00	PASS

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 4 15MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.49	23.21	22.62	/	1.00	23.49	24.21	23.62	30.00	PASS
		38	23.14	22.63	23.34	/	1.00	24.14	23.63	24.34	30.00	PASS
		74	23.10	22.55	23.42	/	1.00	24.10	23.55	24.42	30.00	PASS
	36	0	21.95	21.85	21.76	/	1.00	22.95	22.85	22.76	30.00	PASS
		18	22.17	21.58	22.19	/	1.00	23.17	22.58	23.19	30.00	PASS
		39	22.26	21.30	22.33	/	1.00	23.26	22.30	23.33	30.00	PASS
16QAM	75	0	22.08	21.57	22.09	/	1.00	23.08	22.57	23.09	30.00	PASS
			21.52	22.40	21.26	/	1.00	22.52	23.40	22.26	30.00	PASS
		38	22.12	21.61	22.15	/	1.00	23.12	22.61	23.15	30.00	PASS
	36	74	22.09	21.50	21.94	/	1.00	23.09	22.50	22.94	30.00	PASS
		0	20.97	20.96	20.79	/	1.00	21.97	21.96	21.79	30.00	PASS
		18	21.27	20.79	21.16	/	1.00	22.27	21.79	22.16	30.00	PASS

		39	21.27	20.30	21.22	/	1.00	22.27	21.30	22.22	30.00	PASS
	75	0	21.12	20.62	21.03	/	1.00	22.12	21.62	22.03	30.00	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 4 20MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.66	23.46	22.33	/	1.00	23.66	24.46	23.33	30.00	PASS
		50	23.64	22.73	22.97	/	1.00	24.64	23.73	23.97	30.00	PASS
		99	22.78	22.73	23.46	/	1.00	23.78	23.73	24.46	30.00	PASS
	50	0	22.09	21.77	21.51	/	1.00	23.09	22.77	22.51	30.00	PASS
		25	22.28	21.52	21.84	/	1.00	23.28	22.52	22.84	30.00	PASS
		50	22.16	21.32	22.13	/	1.00	23.16	22.32	23.13	30.00	PASS
	100	0	22.11	21.50	21.91	/	1.00	23.11	22.50	22.91	30.00	PASS
16QAM	1		21.76	22.22	21.09	/	1.00	22.76	23.22	22.09	30.00	PASS
		50	22.85	21.36	22.31	/	1.00	23.85	22.36	23.31	30.00	PASS
		99	22.23	21.29	22.86	/	1.00	23.23	22.29	23.86	30.00	PASS
	50	0	21.14	20.87	20.61	/	1.00	22.14	21.87	21.61	30.00	PASS
		25	21.34	20.62	20.99	/	1.00	22.34	21.62	21.99	30.00	PASS
		50	21.10	20.31	21.16	/	1.00	22.10	21.31	22.16	30.00	PASS
	100	0	21.07	20.65	20.86	/	1.00	22.07	21.65	21.86	30.00	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

E2. Frequency stability

E2.1 Test Result

Test Band: 4 1.4MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	6	0	NT	LV	-0.0429	-1.2159	-3.9339	0.0000	-0.0007	-0.0022	2.50	PASS
				NV	2.0742	-0.8154	-3.3474	0.0012	-0.0005	-0.0019	2.50	PASS
				HV	1.1015	-0.3433	-3.8624	0.0006	-0.0002	-0.0022	2.50	PASS
16QAM	6	0	NT	LV	2.3460	1.1730	-2.2888	0.0014	0.0007	-0.0013	2.50	PASS
				NV	0.0572	0.0715	-4.4489	0.0000	0.0000	-0.0025	2.50	PASS
				HV	2.8610	1.9169	-2.8324	0.0017	0.0011	-0.0016	2.50	PASS

Test Band: 4 1.4MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	6	0	NV	-30.00	1.4734	-0.4005	-2.3317	0.0009	-0.0002	-0.0013	2.50	PASS
				-20.00	3.3045	-1.0443	-3.0899	0.0019	-0.0006	-0.0018	2.50	PASS
				-10.00	1.4734	-0.1431	-3.5334	0.0009	-0.0001	-0.0020	2.50	PASS
				0.00	1.4162	-1.9884	-3.5763	0.0008	-0.0011	-0.0020	2.50	PASS
				10.00	1.7881	0.8869	-4.1628	0.0010	0.0005	-0.0024	2.50	PASS
				20.00	2.1744	-1.7166	-3.8624	0.0013	-0.0010	-0.0022	2.50	PASS
				30.00	2.1887	-0.7010	-4.1056	0.0013	-0.0004	-0.0023	2.50	PASS
				40.00	1.3161	-2.0027	-4.0627	0.0008	-0.0012	-0.0023	2.50	PASS
				50.00	0.4578	-0.2289	-3.9339	0.0003	-0.0001	-0.0022	2.50	PASS
16QAM	6	0	NV	-30.00	0.8011	0.8440	-4.3344	0.0005	0.0005	-0.0025	2.50	PASS
				-20.00	0.4148	1.5020	-3.8338	0.0002	0.0009	-0.0022	2.50	PASS
				-10.00	0.3862	1.8597	-5.6648	0.0002	0.0011	-0.0032	2.50	PASS
				0.00	1.9455	2.0742	-4.7207	0.0011	0.0012	-0.0027	2.50	PASS
				10.00	1.2302	1.1158	-2.9898	0.0007	0.0006	-0.0017	2.50	PASS
				20.00	1.2159	1.4877	-4.7350	0.0007	0.0009	-0.0027	2.50	PASS
				30.00	-0.6151	0.8154	-3.5763	-0.0004	0.0005	-0.0020	2.50	PASS
				40.00	1.8597	0.9727	-3.5477	0.0011	0.0006	-0.0020	2.50	PASS
				50.00	1.3447	1.5450	-2.7466	0.0008	0.0009	-0.0016	2.50	PASS

Test Band: 4 3MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	15	0	NT	LV	0.7725	-0.9871	1.9026	0.0005	-0.0006	0.0011	2.50	PASS
				NV	0.1001	-0.5150	-1.1158	0.0001	-0.0003	-0.0006	2.50	PASS
				HV	-1.4162	-0.6580	0.2146	-0.0008	-0.0004	0.0001	2.50	PASS
16QAM	15	0	NT	LV	2.5606	1.2159	0.7868	0.0015	0.0007	0.0004	2.50	PASS
				NV	-0.7725	0.9155	-0.4578	-0.0005	0.0005	-0.0003	2.50	PASS
				HV	-0.7153	-0.3719	-0.8011	-0.0004	-0.0002	-0.0005	2.50	PASS

Test Band: 4 3MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	15	0	NV	-30.00	-1.2159	0.7296	-1.2445	-0.0007	0.0004	-0.0007	2.50	PASS
				-20.00	-1.8168	0.0000	-0.2861	-0.0011	0.0000	-0.0002	2.50	PASS
				-10.00	-0.8297	-2.2602	1.7023	-0.0005	-0.0013	0.0010	2.50	PASS

16QAM	15	0	NV	0.00	-0.4578	-2.0456	0.4578	-0.0003	-0.0012	0.0003	2.50	PASS
				10.00	-1.5163	-0.1001	0.9155	-0.0009	-0.0001	0.0005	2.50	PASS
				20.00	-0.6866	-0.9584	0.2432	-0.0004	-0.0006	0.0001	2.50	PASS
				30.00	1.3161	0.0286	2.1172	0.0008	0.0000	0.0012	2.50	PASS
				40.00	-0.6008	0.7725	1.0586	-0.0004	0.0004	0.0006	2.50	PASS
				50.00	-0.4864	1.2588	1.5163	-0.0003	0.0007	0.0009	2.50	PASS
				-30.00	0.5436	-0.2146	1.9312	0.0003	-0.0001	0.0011	2.50	PASS
				-20.00	1.2159	-0.0429	0.4435	0.0007	0.0000	0.0003	2.50	PASS
				-10.00	2.1029	-1.2732	0.9012	0.0012	-0.0007	0.0005	2.50	PASS
				0.00	1.8024	0.0000	0.0143	0.0011	0.0000	0.0000	2.50	PASS
				10.00	1.0729	0.0572	-0.5579	0.0006	0.0000	-0.0003	2.50	PASS
				20.00	0.7725	0.3004	-0.5722	0.0005	0.0002	-0.0003	2.50	PASS
				30.00	0.2146	-0.4148	0.4292	0.0001	-0.0002	0.0002	2.50	PASS
				40.00	0.8726	0.1001	0.3290	0.0005	0.0001	0.0002	2.50	PASS
				50.00	1.0443	0.8154	1.1730	0.0006	0.0005	0.0007	2.50	PASS

Test Band: 4 5MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	NT	LV	0.4721	-0.4721	-2.8324	0.0003	-0.0003	-0.0016	2.50	PASS
				NV	1.4162	-0.8440	-1.8311	0.0008	-0.0005	-0.0010	2.50	PASS
				HV	-0.9441	0.9298	-2.7037	-0.0006	0.0005	-0.0015	2.50	PASS
16QAM	25	0	NT	LV	0.8869	-0.6294	-1.3733	0.0005	-0.0004	-0.0008	2.50	PASS
				NV	0.3433	0.7153	-4.0054	0.0002	0.0004	-0.0023	2.50	PASS
				HV	3.1042	-0.1001	-1.5306	0.0018	-0.0001	-0.0009	2.50	PASS

Test Band: 4 5MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	NV	-30.00	0.5722	0.8440	-2.7609	0.0003	0.0005	-0.0016	2.50	PASS
				-20.00	0.1574	1.6880	-1.6880	0.0001	0.0010	-0.0010	2.50	PASS
				-10.00	1.7023	0.5865	-2.1744	0.0010	0.0003	-0.0012	2.50	PASS
				0.00	0.8297	-0.0715	-3.9053	0.0005	0.0000	-0.0022	2.50	PASS
				10.00	0.5722	-0.5436	-2.1458	0.0003	-0.0003	-0.0012	2.50	PASS
				20.00	2.2459	-0.2861	-3.7479	0.0013	-0.0002	-0.0021	2.50	PASS
				30.00	1.6594	1.2302	-2.7752	0.0010	0.0007	-0.0016	2.50	PASS
				40.00	1.5306	2.0885	-4.8351	0.0009	0.0012	-0.0028	2.50	PASS
				50.00	1.5306	1.4448	-2.3031	0.0009	0.0008	-0.0013	2.50	PASS
16QAM	25	0	NV	-30.00	0.7296	0.7582	-2.8610	0.0004	0.0004	-0.0016	2.50	PASS
				-20.00	1.2159	-1.2302	-2.4605	0.0007	-0.0007	-0.0014	2.50	PASS
				-10.00	0.8869	-0.0572	-3.6764	0.0005	0.0000	-0.0021	2.50	PASS
				0.00	1.9169	-0.2432	-3.0899	0.0011	-0.0001	-0.0018	2.50	PASS
				10.00	1.0443	0.3433	-3.6192	0.0006	0.0002	-0.0021	2.50	PASS
				20.00	0.8869	-0.2432	-2.4462	0.0005	-0.0001	-0.0014	2.50	PASS
				30.00	1.3590	-0.0286	-4.4632	0.0008	0.0000	-0.0025	2.50	PASS
				40.00	1.3161	0.6437	-3.4332	0.0008	0.0004	-0.0020	2.50	PASS
				50.00	0.7439	-0.4721	-4.5919	0.0004	-0.0003	-0.0026	2.50	PASS

Test Band: 4 10MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	50	0	NT	LV	-1.9741	0.5436	-0.4435	-0.0012	0.0003	-0.0003	2.50	PASS
				NV	-3.9482	-1.1730	0.9584	-0.0023	-0.0007	0.0005	2.50	PASS
				HV	-3.0327	0.0143	1.3161	-0.0018	0.0000	0.0008	2.50	PASS
16QAM	50	0	NT	LV	-2.2459	-0.6008	0.4721	-0.0013	-0.0003	0.0003	2.50	PASS

				NV	-1.8024	0.5722	-0.2003	-0.0011	0.0003	-0.0001	2.50	PASS
				HV	-3.0899	0.6294	-0.3576	-0.0018	0.0004	-0.0002	2.50	PASS

Test Band: 4 10MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	50	0	NV	-30.00	-3.1185	0.6866	0.5007	-0.0018	0.0004	0.0003	2.50	PASS
				-20.00	-4.9782	1.2445	0.5007	-0.0029	0.0007	0.0003	2.50	PASS
				-10.00	-3.0327	-0.3576	0.9871	-0.0018	-0.0002	0.0006	2.50	PASS
				0.00	-1.6451	0.5436	1.2016	-0.0010	0.0003	0.0007	2.50	PASS
				10.00	-3.4046	0.0286	-0.6437	-0.0020	0.0000	-0.0004	2.50	PASS
				20.00	-2.7323	0.6580	-0.4148	-0.0016	0.0004	-0.0002	2.50	PASS
				30.00	-5.0783	-1.0300	-1.8168	-0.0030	-0.0006	-0.0010	2.50	PASS
				40.00	-1.8024	-1.0300	0.3576	-0.0011	-0.0006	0.0002	2.50	PASS
				50.00	-2.3174	-0.7725	-1.4162	-0.0014	-0.0004	-0.0008	2.50	PASS
16QAM	50	0	NV	-30.00	-2.0885	-0.1717	0.6437	-0.0012	-0.0001	0.0004	2.50	PASS
				-20.00	-2.3317	0.9298	0.1431	-0.0014	0.0005	0.0001	2.50	PASS
				-10.00	-2.8324	-0.6151	0.5722	-0.0017	-0.0004	0.0003	2.50	PASS
				0.00	-2.6894	0.6294	-0.3862	-0.0016	0.0004	-0.0002	2.50	PASS
				10.00	-3.2902	0.3862	-0.9441	-0.0019	0.0002	-0.0005	2.50	PASS
				20.00	-2.9182	-0.0286	0.5293	-0.0017	0.0000	0.0003	2.50	PASS
				30.00	-2.7323	-0.9871	0.0143	-0.0016	-0.0006	0.0000	2.50	PASS
				40.00	-3.3331	0.2718	0.1860	-0.0019	0.0002	0.0001	2.50	PASS
				50.00	-3.6478	-0.6723	-0.2289	-0.0021	-0.0004	-0.0001	2.50	PASS



Test Band: 4 15MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	75	0	NT	LV	-0.2289	-0.0572	-1.4162	-0.0001	0.0000	-0.0008	2.50	PASS
				NV	1.5879	-0.8583	0.6008	0.0009	-0.0005	0.0003	2.50	PASS
				HV	-0.3147	-0.2146	-1.2732	-0.0002	-0.0001	-0.0007	2.50	PASS
16QAM	75	0	NT	LV	-0.6008	0.3004	-0.4005	-0.0003	0.0002	-0.0002	2.50	PASS
				NV	-0.0143	-0.2575	1.3447	0.0000	-0.0001	0.0008	2.50	PASS
				HV	0.1431	-0.6008	-0.0429	0.0001	-0.0003	0.0000	2.50	PASS



Test Band: 4 15MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	75	0	NV	-30.00	0.1144	1.4591	0.2003	0.0001	0.0008	0.0001	2.50	PASS
				-20.00	-0.6008	-0.3719	0.3433	-0.0003	-0.0002	0.0002	2.50	PASS
				-10.00	0.5436	0.5865	0.9584	0.0003	0.0003	0.0005	2.50	PASS
				0.00	-0.4005	-0.1287	0.4578	-0.0002	-0.0001	0.0003	2.50	PASS
				10.00	-0.1574	2.8324	-0.2718	-0.0001	0.0016	-0.0002	2.50	PASS
				20.00	0.8154	1.5879	1.1444	0.0005	0.0009	0.0007	2.50	PASS
				30.00	-1.3304	-0.8869	1.0586	-0.0008	-0.0005	0.0006	2.50	PASS
				40.00	1.0872	-0.3004	0.5436	0.0006	-0.0002	0.0003	2.50	PASS
				50.00	0.4148	-0.6437	0.3290	0.0002	-0.0004	0.0002	2.50	PASS
16QAM	75	0	NV	-30.00	-0.2289	-0.0715	0.0715	-0.0001	0.0000	0.0000	2.50	PASS
				-20.00	-0.3576	-0.1717	1.2588	-0.0002	-0.0001	0.0007	2.50	PASS
				-10.00	-0.0715	0.4578	-0.7296	0.0000	0.0003	-0.0004	2.50	PASS
				0.00	-0.0286	-0.3004	-0.5293	0.0000	-0.0002	-0.0003	2.50	PASS
				10.00	-0.5007	-1.2159	0.0000	-0.0003	-0.0007	0.0000	2.50	PASS
				20.00	0.9155	-0.1144	1.9026	0.0005	-0.0001	0.0011	2.50	PASS
				30.00	1.5020	-0.4292	0.1574	0.0009	-0.0002	0.0001	2.50	PASS
				40.00	-0.2289	-0.3862	-0.5007	-0.0001	-0.0002	-0.0003	2.50	PASS


				50.00	0.1144	-0.6866	0.2861	0.0001	-0.0004	0.0002	2.50	PASS
--	--	--	--	-------	--------	---------	--------	--------	---------	--------	------	------


Test Band: 4 20MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	100	0	NT	LV	0.1717	0.0286	-2.3890	0.0001	0.0000	-0.0014	2.50	PASS
				NV	0.0286	-1.3161	-0.8297	0.0000	-0.0008	-0.0005	2.50	PASS
				HV	2.4748	0.4005	-2.3317	0.0014	0.0002	-0.0013	2.50	PASS
16QAM	100	0	NT	LV	1.7595	-1.2445	-3.5763	0.0010	-0.0007	-0.0020	2.50	PASS
				NV	1.4877	-0.4148	-4.4060	0.0009	-0.0002	-0.0025	2.50	PASS
				HV	1.1444	-0.3576	-3.3760	0.0007	-0.0002	-0.0019	2.50	PASS



Test Band: 4 20MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	100	0	NV	-30.00	1.4448	1.0443	-4.3058	0.0008	0.0006	-0.0025	2.50	PASS
				-20.00	1.6594	-0.1860	-3.7336	0.0010	-0.0001	-0.0021	2.50	PASS
				-10.00	1.4734	-0.7439	-3.9482	0.0009	-0.0004	-0.0023	2.50	PASS
				0.00	2.8324	-0.1144	-4.0197	0.0016	-0.0001	-0.0023	2.50	PASS
				10.00	2.8753	1.6737	-3.1471	0.0017	0.0010	-0.0018	2.50	PASS
				20.00	1.5163	-0.2432	-2.5034	0.0009	-0.0001	-0.0014	2.50	PASS
				30.00	1.0586	-0.5722	-3.3760	0.0006	-0.0003	-0.0019	2.50	PASS
				40.00	0.4578	1.7023	-3.3474	0.0003	0.0010	-0.0019	2.50	PASS
				50.00	1.6880	0.4721	-2.9039	0.0010	0.0003	-0.0017	2.50	PASS
16QAM	100	0	NV	-30.00	0.6723	0.9298	-3.6478	0.0004	0.0005	-0.0021	2.50	PASS
				-20.00	-0.1287	-1.3590	-3.5048	-0.0001	-0.0008	-0.0020	2.50	PASS
				-10.00	1.3733	-0.1431	-3.0613	0.0008	-0.0001	-0.0018	2.50	PASS
				0.00	1.0729	1.4734	-1.8168	0.0006	0.0009	-0.0010	2.50	PASS
				10.00	1.3733	-1.3018	-1.4019	0.0008	-0.0008	-0.0008	2.50	PASS
				20.00	0.3862	-1.1444	-3.1471	0.0002	-0.0007	-0.0018	2.50	PASS
				30.00	2.8038	-1.2732	-2.7180	0.0016	-0.0007	-0.0016	2.50	PASS
				40.00	1.3876	1.7738	-2.1744	0.0008	0.0010	-0.0012	2.50	PASS
				50.00	0.1860	-1.6022	-1.7166	0.0001	-0.0009	-0.0010	2.50	PASS




































































































































































E4. Peak-Average Ratio

E4.1 Test Result




















































































E5. Spurious Emission



E5.1 Test Graph








































6.1 Test Graph





































6.1 Test Graph





































6.1 Test Graph





































6.1 Test Graph



























6.1 Test Graph

