

### Shenzhen Sprocomm. ALL Rights Reserved.

DCC#
------

DATE

### Material Classification Sample Acknowledgment

### Antenna - Acknowledgement Letter Check List

i. Manulaciulois should lill in basic dat	I.	Manufacturers	should	fill	in	basic	data
-------------------------------------------	----	---------------	--------	------	----	-------	------

Item number:		edition:	V1.0
Project Name:	E6733BLU_GPS/WIFI/BT Antenna	Cooperative : manufacturers :	Shenzhen Cicent Communication Technology Co., Ltd.
	E6733BLU_GPS/WIFI/BT Antenna:	Address :	505-506 ,ABlock,Donglian
	GPS: 1575.42 MHz;		Building, Chuangye 2 road, Baoan
Part Name:	WIFI: 2400 MHz -2480 MHz、		District,Shenzhen,Guangdong,P.R china
	5150 MHz -5850 MHz		
	BT: 2400 MHz -2480 MHz		
Antenna silk screen model:	E6728-G+W-V1.0 240829		

I. Antenna type:	
☐ a. pull rod Material type and specifications	
□ b. Metal stamping Material type and specifications	Thickness of fragmented
gold:	
_	

## III. Manufacturers should attach relevant documents to the acknowledgement letter; Email the electronic file (PDF) to Sprocomm

- ◆IX Supplier Environmental Declaration

II. Manufacturers should fill in product data:

### IV. Confirmation column

Supplier signs and stamps with company seal		Sign and stamp the controlled seal by Sprocomm		
Business		Customer Manager		
200.000		Hardware testing		
		structural		
R&D	R&D	engineering		
		DQE		
Quality		project manager		

#### V. Change Record Column

Date of	Reason for Change	Change content	edition					
Compilation/Change								
2024.11.14	New Release		V1.0					

 $explain: I_{\bullet}$  Five copies of the sample acceptance letter are required, with a total of 5-10 samples to be provided;

- II. Suppliers must receive a sample acknowledgement letter signed by both parties and controlled by HeMiao DCC before bulk delivery;
- III. The goods delivered in bulk by the supplier must comply with the sample and acceptance letter. If there are any problems, they need to be confirmed in advance through communication, otherwise they will be returned in bulk.
  - IV. All quality standards shall be based on the quality requirements of the seedlings. If there are special defects (unable to meet the quality standards), the supplier shall mark the defects specifically when admitting the sealed samples and state them in the content of the admission letter.



# Contents

I:	The report of passive data	. 3
П:	Structure file	. 5






## I: The report of passive data




Angilent E5071C

### 1.Directional Pattern


GPS:



WIFI 2.4G:



WIFI 5G:






### 2.GPS&BT&WIFI Antenna Gain

Mode	Band	Gain(dBi)
GPS		-4.2
WIFI/BT	2.4G	-4
WIFI	5G	-4

频点	CNO	UHCN	TIS	UHIS
1575.4	40.9	38. 1	-144.9	-142.1

11M	Channel	TRP	TIS
	1	12.8	-83.0
WIFI B	7	12.2	-82.6
	13	11.9	-82.5
54M	Channel	TRP	TIS
	1	11.3	-71.3
WIFI G	7	11.2	-71.5
	13	10.9	-71.3
0 = 14			
65M	Channel	TRP	TIS
	1	11.1	-65.6
WIFI N	7	10.6	-65.5
	13	10.9	-65 <b>.</b> 2
54M	Channel	TRP	TIS
	36	10.9	-74.8
WIFI A	64	12. 1	-75.1
	165	11.3	<b>−74.</b> 5
65M	Channel	TRP	TIS
	36	11.0	-68.9
WIFI N	64	12.2	-69.2
	165	11.3	-68.2















OTA Standard Chamber



### II: Structure file

