


802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

05/02/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz

PSD

05/02/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5795MHz

05/02/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5210MHz

16/07/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

05/02/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

05/02/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

05/02/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

05/02/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.725-5.85GHz

PSD

05/02/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz

PSD

05/02/2021



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	7.47	13.99
802.11ax HEW20_Nss1,(MCS0)_4TX	6.85	13.37
802.11ax HEW40_Nss1,(MCS0)_4TX	3.24	9.76
802.11ax HEW80_Nss1,(MCS0)_4TX	0.76	7.28
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.46	16.98
802.11ax HEW20_Nss1,(MCS0)_4TX	10.21	16.73
802.11ax HEW40_Nss1,(MCS0)_4TX	7.64	14.16
802.11ax HEW80_Nss1,(MCS0)_4TX	4.82	11.34
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.47	16.99
802.11ax HEW20_Nss1,(MCS0)_4TX	10.45	16.97
802.11ax HEW40_Nss1,(MCS0)_4TX	7.87	14.39
802.11ax HEW80_Nss1,(MCS0)_4TX	5.11	11.63
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	16.06	22.58
802.11ax HEW20_Nss1,(MCS0)_4TX	14.98	21.50
802.11ax HEW40_Nss1,(MCS0)_4TX	12.24	18.76
802.11ax HEW80_Nss1,(MCS0)_4TX	9.51	16.03

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.52	1.49	1.59	1.96	1.65	7.33	16.48	13.85	23.00
5200MHz	Pass	6.52	1.41	1.54	2.32	2.13	7.47	16.48	13.99	23.00
5240MHz	Pass	6.52	1.11	0.96	2.09	2.19	7.16	16.48	13.68	23.00
5260MHz	Pass	6.52	3.88	4.50	5.20	5.19	10.39	10.48	16.91	17.00
5300MHz	Pass	6.52	4.20	4.30	4.92	5.20	10.38	10.48	16.90	17.00
5320MHz	Pass	6.52	4.18	4.58	4.93	5.08	10.46	10.48	16.98	17.00
5500MHz	Pass	6.52	3.67	4.29	4.92	5.54	10.45	10.48	16.97	17.00
5580MHz	Pass	6.52	3.70	4.62	4.71	5.64	10.47	10.48	16.99	17.00
5700MHz	Pass	6.52	4.40	4.68	4.06	5.92	10.45	10.48	16.97	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.52	4.69	4.59	3.78	5.68	10.44	10.48	16.96	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.52	3.23	2.64	1.85	3.98	8.84	29.48	15.36	36.00
5745MHz	Pass	6.52	9.68	10.08	9.49	11.12	15.90	29.48	22.42	36.00
5785MHz	Pass	6.52	10.07	8.85	9.75	9.66	15.28	29.48	21.80	36.00
5825MHz	Pass	6.52	9.72	10.32	9.23	11.33	16.06	29.48	22.58	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.52	0.87	1.79	1.27	-0.31	6.85	16.48	13.37	23.00
5200MHz	Pass	6.52	0.81	1.53	1.28	-1.23	6.52	16.48	13.04	23.00
5240MHz	Pass	6.52	0.73	0.91	1.04	-1.05	6.36	16.48	12.88	23.00
5260MHz	Pass	6.52	3.53	4.28	4.49	4.67	10.21	10.48	16.73	17.00
5300MHz	Pass	6.52	3.39	4.18	4.37	4.53	10.07	10.48	16.59	17.00
5320MHz	Pass	6.52	3.57	4.12	4.38	4.61	10.16	10.48	16.68	17.00
5500MHz	Pass	6.52	2.70	4.16	4.93	5.03	10.27	10.48	16.79	17.00
5580MHz	Pass	6.52	2.68	4.31	4.83	5.24	10.31	10.48	16.83	17.00
5700MHz	Pass	6.52	4.11	4.40	3.93	5.41	10.45	10.48	16.97	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.52	3.84	4.25	3.88	5.40	10.35	10.48	16.87	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.52	2.46	2.69	2.22	4.01	8.85	29.48	15.37	36.00
5745MHz	Pass	6.52	8.37	8.89	8.03	10.04	14.84	29.48	21.36	36.00
5785MHz	Pass	6.52	8.37	9.10	7.94	10.22	14.97	29.48	21.49	36.00
5825MHz	Pass	6.52	8.49	9.11	7.92	10.27	14.98	29.48	21.50	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.52	-2.81	-1.75	-2.21	-4.19	3.24	16.48	9.76	23.00
5230MHz	Pass	6.52	-2.98	-2.45	-2.16	-3.62	3.06	16.48	9.58	23.00
5270MHz	Pass	6.52	0.85	1.76	1.83	2.20	7.64	10.48	14.16	17.00
5310MHz	Pass	6.52	0.91	1.36	1.81	1.93	7.48	10.48	14.00	17.00
5510MHz	Pass	6.52	0.37	1.60	2.10	2.27	7.58	10.48	14.10	17.00
5550MHz	Pass	6.52	0.12	1.46	2.09	2.39	7.56	10.48	14.08	17.00
5670MHz	Pass	6.52	0.48	1.78	2.08	3.03	7.87	10.48	14.39	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.52	1.52	1.42	1.41	2.73	7.75	10.48	14.27	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.52	0.19	0.11	-0.24	1.71	6.45	29.48	12.97	36.00
5755MHz	Pass	6.52	5.84	6.00	5.64	7.01	12.02	29.48	18.54	36.00
5795MHz	Pass	6.52	5.74	6.33	5.68	7.16	12.24	29.48	18.76	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.52	-5.42	-4.30	-4.82	-6.16	0.76	16.48	7.28	23.00
5290MHz	Pass	6.52	-2.11	-1.06	-0.97	-0.67	4.82	10.48	11.34	17.00
5530MHz	Pass	6.52	-2.76	-1.32	-0.59	-0.79	4.62	10.48	11.14	17.00
5610MHz	Pass	6.52	-2.42	-0.59	-0.75	-0.10	5.11	10.48	11.63	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.52	-2.60	-1.64	-0.96	-0.52	4.47	10.48	10.99	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.52	-3.74	-2.93	-2.78	-1.79	3.20	29.48	9.72	36.00
5775MHz	Pass	6.52	2.98	3.47	3.21	4.45	9.51	29.48	16.03	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

16/07/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

16/07/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

16/07/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

5745MHz

PSD

16/03/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

08/02/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5180MHz

16/07/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5200MHz

16/07/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5240MHz

16/07/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz

PSD

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5785MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5825MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5190MHz

16/07/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5230MHz

16/07/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz

PSD

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5795MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5210MHz

16/07/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.725-5.85GHz

PSD

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz

PSD

16/03/2021



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	3.25	9.77
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-0.12	6.40
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-0.77	5.75
5.25-5.35GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	9.39	15.91
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	6.53	13.05
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	7.29	13.81
5.47-5.725GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	9.85	16.37
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	7.05	13.57
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	7.18	13.70
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	13.62	20.14
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	10.92	17.44
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	12.16	18.68

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.52	-2.86	-3.50	-5.19	-2.85	2.08	16.48	8.60	23.00
5200MHz	Pass	6.52	-3.08	-3.09	-0.78	-3.41	3.13	16.48	9.65	23.00
5240MHz	Pass	6.52	-3.05	-3.31	-0.82	-3.22	3.25	16.48	9.77	23.00
5260MHz	Pass	6.52	3.49	4.21	3.80	5.09	9.39	10.48	15.91	17.00
5300MHz	Pass	6.52	3.61	4.22	3.49	5.54	8.93	10.48	15.45	17.00
5320MHz	Pass	6.52	4.16	4.93	4.97	3.76	9.26	10.48	15.78	17.00
5500MHz	Pass	6.52	2.04	3.22	3.98	4.68	9.16	10.48	15.68	17.00
5580MHz	Pass	6.52	3.82	2.89	3.89	5.48	9.36	10.48	15.88	17.00
5700MHz	Pass	6.52	4.87	4.73	3.52	5.47	9.85	10.48	16.37	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.52	4.11	3.31	3.07	4.18	9.26	10.48	15.78	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.52	3.44	0.75	1.63	2.54	7.99	29.48	14.51	36.00
5745MHz	Pass	6.52	9.13	8.38	7.50	9.01	13.62	29.48	20.14	36.00
5785MHz	Pass	6.52	8.94	7.55	7.38	8.52	13.46	29.48	19.98	36.00
5825MHz	Pass	6.52	7.68	7.21	7.47	8.51	13.37	29.48	19.89	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.52	-5.50	-5.65	-7.91	-5.43	-0.63	16.48	5.89	23.00
5230MHz	Pass	6.52	-5.26	-5.25	-6.64	-5.47	-0.12	16.48	6.40	23.00
5270MHz	Pass	6.52	0.10	1.28	1.33	1.70	6.53	10.48	13.05	17.00
5310MHz	Pass	6.52	0.55	0.93	1.43	1.72	6.21	10.48	12.73	17.00
5510MHz	Pass	6.52	-0.30	-0.28	0.85	1.69	6.21	10.48	12.73	17.00
5550MHz	Pass	6.52	-0.02	-0.39	0.88	1.85	6.19	10.48	12.71	17.00
5670MHz	Pass	6.52	1.01	-0.00	1.81	1.59	6.70	10.48	13.22	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.52	2.12	0.94	0.32	1.85	7.05	10.48	13.57	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.52	0.66	-2.58	-1.16	-0.17	5.18	29.48	11.70	36.00
5755MHz	Pass	6.52	6.34	4.58	4.50	5.73	10.79	29.48	17.31	36.00
5795MHz	Pass	6.52	5.44	5.02	5.11	5.73	10.92	29.48	17.44	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.52	-6.01	-5.77	-7.15	-5.70	-0.77	16.48	5.75	23.00
5290MHz	Pass	6.52	0.99	1.34	2.49	2.18	7.29	10.48	13.81	17.00
5530MHz	Pass	6.52	1.61	0.81	1.96	2.45	7.07	10.48	13.59	17.00
5610MHz	Pass	6.52	0.91	0.83	1.86	2.87	7.18	10.48	13.70	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.52	-2.67	-2.33	-1.92	-1.27	3.88	10.48	10.40	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.52	-4.34	-7.11	-4.36	-3.31	1.30	29.48	7.82	36.00
5775MHz	Pass	6.52	6.64	6.65	5.79	6.92	12.16	29.48	18.68	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5180MHz

16/07/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5200MHz

16/07/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz

PSD

16/07/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz

PSD

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5300MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5320MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5500MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5580MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz

PSD

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz

PSD

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz

PSD

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5785MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5825MHz

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5190MHz

16/07/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5230MHz

16/07/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5270MHz

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5310MHz

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5510MHz

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5550MHz

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5670MHz

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz

PSD

18/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz

PSD

18/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz

PSD

16/07/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5290MHz

18/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

18/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

18/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

18/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

18/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

18/03/2021



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	1.00	7.52
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-0.22	6.30
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-0.78	5.74
5.25-5.35GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	9.75	16.27
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	6.66	13.18
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	6.51	13.03
5.47-5.725GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	9.79	16.31
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	6.55	13.07
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	6.52	13.04
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	13.65	20.17
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	10.38	16.90
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	9.79	16.31

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.52	-4.81	-4.78	-4.26	-4.59	0.86	16.48	7.38	23.00
5200MHz	Pass	6.52	-5.30	-4.75	-3.74	-4.78	0.84	16.48	7.36	23.00
5240MHz	Pass	6.52	-5.40	-4.97	-3.02	-4.82	1.00	16.48	7.52	23.00
5260MHz	Pass	6.52	3.24	4.12	5.03	5.28	9.75	10.48	16.27	17.00
5300MHz	Pass	6.52	2.83	3.57	3.82	5.35	9.44	10.48	15.96	17.00
5320MHz	Pass	6.52	3.19	3.50	4.65	4.60	9.46	10.48	15.98	17.00
5500MHz	Pass	6.52	2.42	3.37	4.75	5.39	8.71	10.48	15.23	17.00
5580MHz	Pass	6.52	1.39	3.57	3.63	5.08	8.93	10.48	15.45	17.00
5700MHz	Pass	6.52	3.62	3.51	3.55	5.96	9.30	10.48	15.82	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.52	4.98	4.98	4.59	3.77	9.79	10.48	16.31	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.52	2.98	3.36	2.35	2.39	8.46	29.48	14.98	36.00
5745MHz	Pass	6.52	8.04	8.66	7.52	9.76	13.26	29.48	19.78	36.00
5785MHz	Pass	6.52	3.41	4.73	0.12	8.01	9.77	29.48	16.29	36.00
5825MHz	Pass	6.52	8.55	9.06	7.73	9.24	13.65	29.48	20.17	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.52	-6.74	-6.08	-6.10	-6.11	-0.71	16.48	5.81	23.00
5230MHz	Pass	6.52	-6.79	-5.98	-4.68	-5.83	-0.22	16.48	6.30	23.00
5270MHz	Pass	6.52	1.44	1.81	1.62	1.37	6.66	10.48	13.18	17.00
5310MHz	Pass	6.52	0.84	0.80	0.84	1.46	6.52	10.48	13.04	17.00
5510MHz	Pass	6.52	-1.23	-0.90	0.32	1.51	4.59	10.48	11.11	17.00
5550MHz	Pass	6.52	-0.73	1.71	1.66	2.43	6.22	10.48	12.74	17.00
5670MHz	Pass	6.52	0.94	1.45	1.20	1.97	6.55	10.48	13.07	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.52	1.30	1.68	1.05	1.93	6.47	10.48	12.99	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.52	-2.28	-1.58	-1.97	-0.67	4.14	29.48	10.66	36.00
5755MHz	Pass	6.52	3.01	3.25	2.41	5.32	8.86	29.48	15.38	36.00
5795MHz	Pass	6.52	6.00	4.39	5.02	5.62	10.38	29.48	16.90	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.52	-7.08	-6.19	-5.09	-6.07	-0.78	16.48	5.74	23.00
5290MHz	Pass	6.52	0.62	2.44	2.00	1.92	6.51	10.48	13.03	17.00
5530MHz	Pass	6.52	-3.58	-5.48	-5.66	-2.86	0.93	10.48	7.45	17.00
5610MHz	Pass	6.52	0.57	1.86	1.40	2.25	6.52	10.48	13.04	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.52	-1.85	-1.49	-1.50	-1.11	3.49	10.48	10.01	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.52	-5.54	-2.86	-6.16	-2.91	1.83	29.48	8.35	36.00
5775MHz	Pass	6.52	6.04	4.70	5.27	4.95	9.79	29.48	16.31	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5180MHz

16/07/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5200MHz

16/07/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5240MHz

16/07/2021



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5260MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5300MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5320MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5500MHz

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5580MHz

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5700MHz

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz

PSD

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5785MHz

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5825MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5190MHz

16/07/2021



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5230MHz

16/07/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5270MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5310MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5510MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5550MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5670MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz

PSD

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz

PSD

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz

PSD

16/07/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5290MHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

19/03/2021





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	QP	71.26M	39.54	40.00	-0.46	3	Vertical	87	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	114.7M	38.60	43.50	-4.90	3	Vertical	360	1.00	-
5775MHz	Pass	PK	243.4M	33.97	46.00	-12.03	3	Vertical	360	1.00	-
5775MHz	Pass	PK	416.95M	35.68	46.00	-10.32	3	Vertical	360	1.00	-
5775MHz	Pass	PK	674.35M	36.61	46.00	-9.39	3	Vertical	360	1.00	-
5775MHz	Pass	PK	955.15M	32.46	46.00	-13.54	3	Vertical	360	1.00	-
5775MHz	Pass	QP	71.26M	39.54	40.00	-0.46	3	Vertical	87	1.00	-
5775MHz	Pass	PK	138.64M	40.80	43.50	-2.70	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	243.4M	38.92	46.00	-7.08	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	433.52M	42.98	46.00	-3.02	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	666.32M	39.44	46.00	-6.56	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	957.32M	32.67	46.00	-13.33	3	Horizontal	0	1.00	-
5775MHz	Pass	QP	75.25M	39.52	40.00	-0.48	3	Horizontal	196	2.25	-

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	114.7M	38.60	43.50	-4.90	-19.09	3	Vertical	360	1.00	-	57.69	16.52	1.05	36.66
PK	243.4M	33.97	46.00	-12.03	-18.07	3	Vertical	360	1.00	-	52.04	16.82	1.48	36.37
PK	416.95M	35.68	46.00	-10.32	-12.76	3	Vertical	360	1.00	-	48.44	21.86	1.97	36.59
PK	674.35M	36.61	46.00	-9.39	-9.01	3	Vertical	360	1.00	-	45.62	25.61	2.65	37.27
PK	955.15M	32.46	46.00	-13.54	-4.27	3	Vertical	360	1.00	-	36.73	30.16	3.10	37.53
QP	71.26M	39.54	40.00	-0.46	-24.68	3	Vertical	87	1.00	-	64.22	11.44	0.85	36.97

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	138.64M	40.80	43.50	-2.70	-18.52	3	Horizontal	0	1.00	-	59.32	16.75	1.16	36.43
PK	243.4M	38.92	46.00	-7.08	-18.07	3	Horizontal	0	1.00	-	56.99	16.82	1.48	36.37
PK	433.52M	42.98	46.00	-3.02	-12.38	3	Horizontal	0	1.00	-	55.36	22.18	2.04	36.60
PK	666.32M	39.44	46.00	-6.56	-9.11	3	Horizontal	0	1.00	-	48.55	25.51	2.64	37.26
PK	957.32M	32.67	46.00	-13.33	-4.19	3	Horizontal	0	1.00	-	36.86	30.20	3.11	37.50
QP	75.25M	39.52	40.00	-0.48	-24.30	3	Horizontal	196	2.25	-	63.81	11.77	0.86	36.93



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1426G	53.13	54.00	-0.87	3	Vertical	319	2.33	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.14	54.00	-0.86	3	Vertical	261	1.94	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.61	54.00	-0.39	3	Vertical	253	2.10	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.37	54.00	-0.63	3	Vertical	255	2.00	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.35G	53.10	54.00	-0.90	3	Vertical	95	2.92	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.58	54.00	-0.42	3	Vertical	87	2.16	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3512G	53.85	54.00	-0.15	3	Horizontal	252	2.12	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.352G	53.15	54.00	-0.85	3	Vertical	254	2.12	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.47G	68.03	68.20	-0.17	3	Vertical	88	1.62	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4696G	67.99	68.20	-0.21	3	Vertical	87	2.23	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.7312G	68.04	68.20	-0.16	3	Vertical	360	1.50	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.463G	67.85	68.20	-0.35	3	Vertical	219	2.93	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.47311G	60.56	68.20	-7.64	3	Vertical	180	1.50	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.47592G	60.19	68.20	-8.01	3	Horizontal	354	2.05	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.6482G	64.68	68.20	-3.52	3	Vertical	18	1.83	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.1426G	53.13	54.00	-0.87	3	Vertical	319	2.33	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1426G	53.13	54.00	-0.87	3	Vertical	319	2.33	-
5180MHz	Pass	AV	5.182G	106.22	Inf	-Inf	3	Vertical	319	2.33	-
5180MHz	Pass	PK	5.1438G	66.71	74.00	-7.29	3	Vertical	319	2.33	-
5180MHz	Pass	PK	5.1824G	115.33	Inf	-Inf	3	Vertical	319	2.33	-
5180MHz	Pass	AV	5.1494G	48.84	54.00	-5.16	3	Horizontal	333	2.45	-
5180MHz	Pass	AV	5.1816G	100.32	Inf	-Inf	3	Horizontal	333	2.45	-
5180MHz	Pass	PK	5.1426G	63.82	74.00	-10.18	3	Horizontal	333	2.45	-
5180MHz	Pass	PK	5.1812G	109.28	Inf	-Inf	3	Horizontal	333	2.45	-
5180MHz	Pass	AV	15.54888G	42.84	54.00	-11.16	3	Vertical	229	1.36	-
5180MHz	Pass	PK	10.3642G	53.64	68.20	-14.56	3	Vertical	316	1.91	-
5180MHz	Pass	PK	15.54456G	54.66	74.00	-19.34	3	Vertical	229	1.36	-
5180MHz	Pass	AV	15.53892G	42.59	54.00	-11.41	3	Horizontal	311	1.83	-
5180MHz	Pass	PK	10.35448G	53.83	68.20	-14.37	3	Horizontal	200	1.50	-
5180MHz	Pass	PK	15.53528G	54.23	74.00	-19.77	3	Horizontal	311	1.83	-
5200MHz	Pass	AV	5.1412G	52.81	54.00	-1.19	3	Vertical	318	2.30	-
5200MHz	Pass	AV	5.202G	109.41	Inf	-Inf	3	Vertical	318	2.30	-
5200MHz	Pass	PK	5.1412G	68.21	74.00	-5.79	3	Vertical	318	2.30	-
5200MHz	Pass	PK	5.2028G	117.34	Inf	-Inf	3	Vertical	318	2.30	-
5200MHz	Pass	AV	5.1416G	47.93	54.00	-6.07	3	Horizontal	331	2.14	-
5200MHz	Pass	AV	5.2024G	103.74	Inf	-Inf	3	Horizontal	331	2.14	-
5200MHz	Pass	PK	5.1416G	62.60	74.00	-11.40	3	Horizontal	331	2.14	-
5200MHz	Pass	PK	5.202G	111.58	Inf	-Inf	3	Horizontal	331	2.14	-
5200MHz	Pass	AV	15.59598G	42.56	54.00	-11.44	3	Vertical	251	2.11	-
5200MHz	Pass	PK	10.39892G	53.50	68.20	-14.70	3	Vertical	234	2.22	-
5200MHz	Pass	PK	15.60072G	54.42	74.00	-19.58	3	Vertical	251	2.11	-
5200MHz	Pass	AV	15.59712G	42.84	54.00	-11.16	3	Horizontal	101	1.50	-
5200MHz	Pass	PK	10.40352G	54.16	68.20	-14.04	3	Horizontal	334	1.88	-
5200MHz	Pass	PK	15.61236G	54.09	74.00	-19.91	3	Horizontal	101	1.50	-
5240MHz	Pass	AV	5.108G	45.53	54.00	-8.47	3	Vertical	320	2.40	-
5240MHz	Pass	AV	5.2424G	108.33	Inf	-Inf	3	Vertical	320	2.40	-
5240MHz	Pass	AV	5.351G	43.62	54.00	-10.38	3	Vertical	320	2.40	-
5240MHz	Pass	PK	5.1194G	56.62	74.00	-17.38	3	Vertical	320	2.40	-
5240MHz	Pass	PK	5.2418G	117.01	Inf	-Inf	3	Vertical	320	2.40	-
5240MHz	Pass	PK	5.372G	54.54	74.00	-19.46	3	Vertical	320	2.40	-
5240MHz	Pass	AV	5.1296G	44.02	54.00	-9.98	3	Horizontal	335	2.40	-
5240MHz	Pass	AV	5.2424G	103.04	Inf	-Inf	3	Horizontal	335	2.40	-
5240MHz	Pass	AV	5.366G	42.57	54.00	-11.43	3	Horizontal	335	2.40	-
5240MHz	Pass	PK	5.099G	54.99	74.00	-19.01	3	Horizontal	335	2.40	-
5240MHz	Pass	PK	5.2418G	111.93	Inf	-Inf	3	Horizontal	335	2.40	-
5240MHz	Pass	PK	5.3834G	53.69	74.00	-20.31	3	Horizontal	335	2.40	-
5240MHz	Pass	AV	15.7276G	43.07	54.00	-10.93	3	Vertical	189	2.50	-
5240MHz	Pass	PK	10.47888G	54.24	68.20	-13.96	3	Vertical	192	2.40	-
5240MHz	Pass	PK	15.71972G	54.82	74.00	-19.18	3	Vertical	189	2.50	-
5240MHz	Pass	AV	15.72032G	43.36	54.00	-10.64	3	Horizontal	288	1.57	-
5240MHz	Pass	PK	10.47808G	54.06	68.20	-14.14	3	Horizontal	256	1.50	-
5240MHz	Pass	PK	15.72404G	55.64	74.00	-18.36	3	Horizontal	288	1.57	-
5260MHz	Pass	AV	5.149G	45.19	54.00	-8.81	3	Vertical	316	2.40	-
5260MHz	Pass	AV	5.2618G	108.51	Inf	-Inf	3	Vertical	316	2.40	-
5260MHz	Pass	AV	5.3794G	44.12	54.00	-9.88	3	Vertical	316	2.40	-
5260MHz	Pass	PK	5.1424G	56.65	74.00	-17.35	3	Vertical	316	2.40	-
5260MHz	Pass	PK	5.263G	116.92	Inf	-Inf	3	Vertical	316	2.40	-
5260MHz	Pass	PK	5.3506G	55.18	74.00	-18.82	3	Vertical	316	2.40	-
5260MHz	Pass	AV	5.1436G	43.94	54.00	-10.06	3	Horizontal	74	1.50	-
5260MHz	Pass	AV	5.254G	101.53	Inf	-Inf	3	Horizontal	74	1.50	-
5260MHz	Pass	AV	5.3572G	42.62	54.00	-11.38	3	Horizontal	74	1.50	-
5260MHz	Pass	PK	5.1268G	55.36	74.00	-18.64	3	Horizontal	74	1.50	-
5260MHz	Pass	PK	5.2546G	110.43	Inf	-Inf	3	Horizontal	74	1.50	-
5260MHz	Pass	PK	5.3842G	54.45	74.00	-19.55	3	Horizontal	74	1.50	-
5260MHz	Pass	AV	15.78912G	44.01	54.00	-9.99	3	Vertical	213	1.02	-
5260MHz	Pass	PK	10.5298G	55.26	68.20	-12.94	3	Vertical	183	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.77016G	56.06	74.00	-17.94	3	Vertical	213	1.02	-
5260MHz	Pass	AV	15.78432G	42.72	54.00	-11.28	3	Horizontal	287	1.50	-
5260MHz	Pass	PK	10.52916G	55.83	68.20	-12.37	3	Horizontal	76	1.58	-
5260MHz	Pass	PK	15.7808G	54.30	74.00	-19.70	3	Horizontal	287	1.50	-
5300MHz	Pass	AV	5.3012G	108.67	Inf	-Inf	3	Vertical	314	2.18	-
5300MHz	Pass	AV	5.35G	47.40	54.00	-6.60	3	Vertical	314	2.18	-
5300MHz	Pass	PK	5.3016G	117.30	Inf	-Inf	3	Vertical	314	2.18	-
5300MHz	Pass	PK	5.3592G	61.55	74.00	-12.45	3	Vertical	314	2.18	-
5300MHz	Pass	AV	5.2932G	101.66	Inf	-Inf	3	Horizontal	70	1.06	-
5300MHz	Pass	AV	5.3544G	46.05	54.00	-7.95	3	Horizontal	70	1.06	-
5300MHz	Pass	PK	5.2936G	109.92	Inf	-Inf	3	Horizontal	70	1.06	-
5300MHz	Pass	PK	5.356G	60.22	74.00	-13.78	3	Horizontal	70	1.06	-
5300MHz	Pass	AV	15.90558G	42.61	54.00	-11.39	3	Vertical	109	2.18	-
5300MHz	Pass	PK	10.60486G	54.06	74.00	-19.94	3	Vertical	129	1.96	-
5300MHz	Pass	PK	15.8862G	54.27	74.00	-19.73	3	Vertical	109	2.18	-
5300MHz	Pass	AV	15.90618G	42.33	54.00	-11.67	3	Horizontal	121	2.37	-
5300MHz	Pass	PK	10.60988G	54.59	74.00	-19.41	3	Horizontal	319	2.47	-
5300MHz	Pass	PK	15.9147G	53.99	74.00	-20.01	3	Horizontal	121	2.37	-
5320MHz	Pass	AV	5.326G	105.06	Inf	-Inf	3	Vertical	95	2.92	-
5320MHz	Pass	AV	5.35G	53.10	54.00	-0.90	3	Vertical	95	2.92	-
5320MHz	Pass	PK	5.3262G	113.37	Inf	-Inf	3	Vertical	95	2.92	-
5320MHz	Pass	PK	5.3544G	67.26	74.00	-6.74	3	Vertical	95	2.92	-
5320MHz	Pass	AV	5.3142G	101.64	Inf	-Inf	3	Horizontal	72	1.64	-
5320MHz	Pass	AV	5.3538G	51.20	54.00	-2.80	3	Horizontal	72	1.64	-
5320MHz	Pass	PK	5.3148G	110.64	Inf	-Inf	3	Horizontal	72	1.64	-
5320MHz	Pass	PK	5.3544G	66.40	74.00	-7.60	3	Horizontal	72	1.64	-
5320MHz	Pass	AV	10.64436G	41.86	54.00	-12.14	3	Vertical	28	2.06	-
5320MHz	Pass	AV	15.96104G	42.01	54.00	-11.99	3	Vertical	41	2.49	-
5320MHz	Pass	PK	10.64644G	53.88	74.00	-20.12	3	Vertical	28	2.06	-
5320MHz	Pass	PK	15.95072G	53.53	74.00	-20.47	3	Vertical	41	2.49	-
5320MHz	Pass	AV	10.6304G	42.20	54.00	-11.80	3	Horizontal	21	1.45	-
5320MHz	Pass	AV	15.9678G	42.03	54.00	-11.97	3	Horizontal	235	1.84	-
5320MHz	Pass	PK	10.63072G	53.16	74.00	-20.84	3	Horizontal	21	1.45	-
5320MHz	Pass	PK	15.95252G	53.89	74.00	-20.11	3	Horizontal	235	1.84	-
5500MHz	Pass	AV	5.453G	47.36	54.00	-6.64	3	Vertical	88	1.62	-
5500MHz	Pass	AV	5.493G	105.29	Inf	-Inf	3	Vertical	88	1.62	-
5500MHz	Pass	PK	5.47G	68.03	68.20	-0.17	3	Vertical	88	1.62	-
5500MHz	Pass	PK	5.493G	113.84	Inf	-Inf	3	Vertical	88	1.62	-
5500MHz	Pass	AV	5.46G	46.70	54.00	-7.30	3	Horizontal	344	1.50	-
5500MHz	Pass	AV	5.5016G	101.08	Inf	-Inf	3	Horizontal	344	1.50	-
5500MHz	Pass	PK	5.4626G	64.73	68.20	-3.47	3	Horizontal	344	1.50	-
5500MHz	Pass	PK	5.501G	110.49	Inf	-Inf	3	Horizontal	344	1.50	-
5500MHz	Pass	AV	10.99448G	42.72	54.00	-11.28	3	Vertical	226	2.24	-
5500MHz	Pass	PK	10.99216G	55.04	74.00	-18.96	3	Vertical	226	2.24	-
5500MHz	Pass	PK	16.49944G	55.95	68.20	-12.25	3	Vertical	253	1.28	-
5500MHz	Pass	AV	11.0004G	42.68	54.00	-11.32	3	Horizontal	93	1.19	-
5500MHz	Pass	PK	10.99356G	54.38	74.00	-19.62	3	Horizontal	93	1.19	-
5500MHz	Pass	PK	16.49956G	56.27	68.20	-11.93	3	Horizontal	205	1.05	-
5580MHz	Pass	AV	5.4552G	43.68	54.00	-10.32	3	Vertical	358	1.33	-
5580MHz	Pass	AV	5.5818G	106.54	Inf	-Inf	3	Vertical	358	1.33	-
5580MHz	Pass	PK	5.4672G	54.65	68.20	-13.55	3	Vertical	358	1.33	-
5580MHz	Pass	PK	5.5812G	114.56	Inf	-Inf	3	Vertical	358	1.33	-
5580MHz	Pass	PK	5.7252G	55.60	68.20	-12.60	3	Vertical	358	1.33	-
5580MHz	Pass	AV	5.4588G	43.82	54.00	-10.18	3	Horizontal	164	1.50	-
5580MHz	Pass	AV	5.5818G	102.84	Inf	-Inf	3	Horizontal	164	1.50	-
5580MHz	Pass	PK	5.4642G	55.51	68.20	-12.69	3	Horizontal	164	1.50	-
5580MHz	Pass	PK	5.5812G	111.21	Inf	-Inf	3	Horizontal	164	1.50	-
5580MHz	Pass	PK	5.7258G	55.36	68.20	-12.84	3	Horizontal	164	1.50	-
5580MHz	Pass	AV	11.15991G	43.06	54.00	-10.94	3	Vertical	214	1.50	-
5580MHz	Pass	PK	11.16175G	54.82	74.00	-19.18	3	Vertical	214	1.50	-
5580MHz	Pass	PK	16.73754G	58.58	68.20	-9.62	3	Vertical	312	1.50	-
5580MHz	Pass	AV	11.15853G	43.03	54.00	-10.97	3	Horizontal	298	2.62	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	11.15841G	54.75	74.00	-19.25	3	Horizontal	298	2.62	-
5580MHz	Pass	PK	16.73763G	58.39	68.20	-9.81	3	Horizontal	308	1.01	-
5700MHz	Pass	AV	5.7012G	102.02	Inf	-Inf	3	Vertical	3	1.15	-
5700MHz	Pass	PK	5.7008G	110.81	Inf	-Inf	3	Vertical	3	1.15	-
5700MHz	Pass	PK	5.7276G	67.91	68.20	-0.29	3	Vertical	3	1.15	-
5700MHz	Pass	AV	5.7012G	96.46	Inf	-Inf	3	Horizontal	165	1.50	-
5700MHz	Pass	PK	5.7008G	105.03	Inf	-Inf	3	Horizontal	165	1.50	-
5700MHz	Pass	PK	5.7316G	58.38	68.20	-9.82	3	Horizontal	165	1.50	-
5700MHz	Pass	AV	11.39847G	43.34	54.00	-10.66	3	Vertical	94	2.57	-
5700MHz	Pass	PK	11.3988G	55.09	74.00	-18.91	3	Vertical	94	2.57	-
5700MHz	Pass	PK	17.09957G	58.61	68.20	-9.59	3	Vertical	59	2.66	-
5700MHz	Pass	AV	11.39978G	43.21	54.00	-10.79	3	Horizontal	356	1.50	-
5700MHz	Pass	PK	11.39815G	55.25	74.00	-18.75	3	Horizontal	356	1.50	-
5700MHz	Pass	PK	17.10199G	58.34	68.20	-9.86	3	Horizontal	129	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.1426G	53.13	54.00	-0.87	3	Vertical	319	2.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.182G	106.22	Inf	-Inf	3	Vertical	319	2.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.1438G	66.71	74.00	-7.29	3	Vertical	319	2.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.1824G	115.33	Inf	-Inf	3	Vertical	319	2.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.1494G	48.84	54.00	-5.16	3	Horizontal	333	2.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.1816G	100.32	Inf	-Inf	3	Horizontal	333	2.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.1426G	63.82	74.00	-10.18	3	Horizontal	333	2.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.1812G	109.28	Inf	-Inf	3	Horizontal	333	2.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	15.54888G	42.84	54.00	-11.16	3	Vertical	229	1.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	10.3642G	53.64	68.20	-14.56	3	Vertical	316	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	15.54456G	54.66	74.00	-19.34	3	Vertical	229	1.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	15.53892G	42.59	54.00	-11.41	3	Horizontal	311	1.83	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	10.35448G	53.83	68.20	-14.37	3	Horizontal	200	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	15.53528G	54.23	74.00	-19.77	3	Horizontal	311	1.83	-
5745MHz	Pass	AV	5.7462G	105.40	Inf	-Inf	3	Vertical	3	1.12	-
5745MHz	Pass	PK	5.5146G	55.77	68.20	-12.43	3	Vertical	3	1.12	-
5745MHz	Pass	PK	5.7462G	113.69	Inf	-Inf	3	Vertical	3	1.12	-
5745MHz	Pass	PK	5.925G	55.56	68.20	-12.64	3	Vertical	3	1.12	-
5745MHz	Pass	AV	5.751G	101.53	Inf	-Inf	3	Horizontal	12	1.47	-
5745MHz	Pass	PK	5.6502G	55.42	68.35	-12.93	3	Horizontal	12	1.47	-
5745MHz	Pass	PK	5.751G	110.12	Inf	-Inf	3	Horizontal	12	1.47	-
5745MHz	Pass	PK	5.9478G	54.89	68.20	-13.31	3	Horizontal	12	1.47	-
5745MHz	Pass	AV	11.48755G	43.66	54.00	-10.34	3	Vertical	232	1.02	-
5745MHz	Pass	PK	11.49233G	55.53	74.00	-18.47	3	Vertical	232	1.02	-
5745MHz	Pass	PK	17.23252G	58.29	68.20	-9.91	3	Vertical	359	1.50	-
5745MHz	Pass	AV	11.48948G	43.80	54.00	-10.20	3	Horizontal	108	1.45	-
5745MHz	Pass	PK	11.49021G	55.93	74.00	-18.07	3	Horizontal	108	1.45	-
5745MHz	Pass	PK	17.23382G	58.58	68.20	-9.62	3	Horizontal	326	1.50	-
5785MHz	Pass	AV	5.7862G	105.61	Inf	-Inf	3	Vertical	2	1.49	-
5785MHz	Pass	PK	5.6086G	55.96	68.20	-12.24	3	Vertical	2	1.49	-
5785MHz	Pass	PK	5.7862G	114.37	Inf	-Inf	3	Vertical	2	1.49	-
5785MHz	Pass	PK	5.9422G	56.14	68.20	-12.06	3	Vertical	2	1.49	-
5785MHz	Pass	AV	5.7874G	102.44	Inf	-Inf	3	Horizontal	194	1.18	-
5785MHz	Pass	PK	5.6314G	55.07	68.20	-13.13	3	Horizontal	194	1.18	-
5785MHz	Pass	PK	5.7862G	111.01	Inf	-Inf	3	Horizontal	194	1.18	-
5785MHz	Pass	PK	5.9446G	55.37	68.20	-12.83	3	Horizontal	194	1.18	-
5785MHz	Pass	AV	11.56878G	43.43	54.00	-10.57	3	Vertical	121	1.46	-
5785MHz	Pass	PK	11.57096G	54.91	74.00	-19.09	3	Vertical	121	1.46	-
5785MHz	Pass	PK	17.35653G	59.69	68.20	-8.51	3	Vertical	130	1.50	-
5785MHz	Pass	AV	11.57104G	43.28	54.00	-10.72	3	Horizontal	245	2.99	-
5785MHz	Pass	PK	11.57175G	55.24	74.00	-18.76	3	Horizontal	245	2.99	-
5785MHz	Pass	PK	17.35345G	59.00	68.20	-9.20	3	Horizontal	124	1.50	-
5825MHz	Pass	AV	5.8262G	106.46	Inf	-Inf	3	Vertical	352	1.68	-
5825MHz	Pass	PK	5.591G	55.03	68.20	-13.17	3	Vertical	352	1.68	-
5825MHz	Pass	PK	5.8274G	114.86	Inf	-Inf	3	Vertical	352	1.68	-
5825MHz	Pass	PK	5.9318G	55.91	68.20	-12.29	3	Vertical	352	1.68	-
5825MHz	Pass	AV	5.8322G	101.52	Inf	-Inf	3	Horizontal	6	1.08	-
5825MHz	Pass	PK	5.5694G	55.74	68.20	-12.46	3	Horizontal	6	1.08	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.831G	109.08	Inf	-Inf	3	Horizontal	6	1.08	-
5825MHz	Pass	PK	5.9918G	54.54	68.20	-13.66	3	Horizontal	6	1.08	-
5825MHz	Pass	AV	11.65004G	43.31	54.00	-10.69	3	Vertical	12	1.41	-
5825MHz	Pass	PK	11.65195G	54.69	74.00	-19.31	3	Vertical	12	1.41	-
5825MHz	Pass	PK	17.47311G	60.56	68.20	-7.64	3	Vertical	180	1.50	-
5825MHz	Pass	AV	11.6475G	42.94	54.00	-11.06	3	Horizontal	327	1.50	-
5825MHz	Pass	PK	11.64883G	54.79	74.00	-19.21	3	Horizontal	327	1.50	-
5825MHz	Pass	PK	17.47333G	59.79	68.20	-8.41	3	Horizontal	171	1.67	-
802.11ax HEW20_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1426G	53.13	54.00	-0.87	3	Vertical	319	2.33	-
5180MHz	Pass	AV	5.182G	106.22	Inf	-Inf	3	Vertical	319	2.33	-
5180MHz	Pass	PK	5.1438G	66.71	74.00	-7.29	3	Vertical	319	2.33	-
5180MHz	Pass	PK	5.1824G	115.33	Inf	-Inf	3	Vertical	319	2.33	-
5180MHz	Pass	AV	5.1494G	48.84	54.00	-5.16	3	Horizontal	333	2.45	-
5180MHz	Pass	AV	5.1816G	100.32	Inf	-Inf	3	Horizontal	333	2.45	-
5180MHz	Pass	PK	5.1426G	63.82	74.00	-10.18	3	Horizontal	333	2.45	-
5180MHz	Pass	PK	5.1812G	109.28	Inf	-Inf	3	Horizontal	333	2.45	-
5180MHz	Pass	AV	15.54888G	42.84	54.00	-11.16	3	Vertical	229	1.36	-
5180MHz	Pass	PK	10.3642G	53.64	68.20	-14.56	3	Vertical	316	1.91	-
5180MHz	Pass	PK	15.54456G	54.66	74.00	-19.34	3	Vertical	229	1.36	-
5180MHz	Pass	AV	15.53892G	42.59	54.00	-11.41	3	Horizontal	311	1.83	-
5180MHz	Pass	PK	10.35448G	53.83	68.20	-14.37	3	Horizontal	200	1.50	-
5180MHz	Pass	PK	15.53528G	54.23	74.00	-19.77	3	Horizontal	311	1.83	-
5200MHz	Pass	AV	5.15G	53.14	54.00	-0.86	3	Vertical	261	1.94	-
5200MHz	Pass	AV	5.1924G	104.19	Inf	-Inf	3	Vertical	261	1.94	-
5200MHz	Pass	PK	5.1488G	66.92	74.00	-7.08	3	Vertical	261	1.94	-
5200MHz	Pass	PK	5.1944G	116.63	Inf	-Inf	3	Vertical	261	1.94	-
5200MHz	Pass	AV	5.15G	49.37	54.00	-4.63	3	Horizontal	192	1.28	-
5200MHz	Pass	AV	5.1924G	98.09	Inf	-Inf	3	Horizontal	192	1.28	-
5200MHz	Pass	PK	5.1488G	65.44	74.00	-8.56	3	Horizontal	192	1.28	-
5200MHz	Pass	PK	5.1992G	109.76	Inf	-Inf	3	Horizontal	192	1.28	-
5200MHz	Pass	AV	15.60012G	42.15	54.00	-11.85	3	Vertical	208	2.07	-
5200MHz	Pass	PK	10.40096G	54.91	68.20	-13.29	3	Vertical	148	1.50	-
5200MHz	Pass	PK	15.60159G	56.40	74.00	-17.60	3	Vertical	208	2.07	-
5200MHz	Pass	AV	15.59895G	42.15	54.00	-11.85	3	Horizontal	234	1.50	-
5200MHz	Pass	PK	10.39995G	54.79	68.20	-13.41	3	Horizontal	86	1.50	-
5200MHz	Pass	PK	15.59829G	56.00	74.00	-18.00	3	Horizontal	234	1.50	-
5240MHz	Pass	AV	5.15G	45.54	54.00	-8.46	3	Vertical	50	2.23	-
5240MHz	Pass	AV	5.2472G	105.11	Inf	-Inf	3	Vertical	50	2.23	-
5240MHz	Pass	AV	5.3504G	42.93	54.00	-11.07	3	Vertical	50	2.23	-
5240MHz	Pass	PK	5.1398G	60.69	74.00	-13.31	3	Vertical	50	2.23	-
5240MHz	Pass	PK	5.2346G	116.57	Inf	-Inf	3	Vertical	50	2.23	-
5240MHz	Pass	PK	5.3618G	55.21	74.00	-18.79	3	Vertical	50	2.23	-
5240MHz	Pass	AV	5.15G	43.23	54.00	-10.77	3	Horizontal	190	1.26	-
5240MHz	Pass	AV	5.2322G	98.60	Inf	-Inf	3	Horizontal	190	1.26	-
5240MHz	Pass	AV	5.39G	41.57	54.00	-12.43	3	Horizontal	190	1.26	-
5240MHz	Pass	PK	5.1254G	56.03	74.00	-17.97	3	Horizontal	190	1.26	-
5240MHz	Pass	PK	5.2382G	111.09	Inf	-Inf	3	Horizontal	190	1.26	-
5240MHz	Pass	PK	5.3624G	54.46	74.00	-19.54	3	Horizontal	190	1.26	-
5240MHz	Pass	AV	15.71822G	44.72	54.00	-9.28	3	Vertical	218	1.00	-
5240MHz	Pass	PK	10.48133G	54.52	68.20	-13.68	3	Vertical	130	2.88	-
5240MHz	Pass	PK	15.71861G	58.56	74.00	-15.44	3	Vertical	218	1.00	-
5240MHz	Pass	AV	15.72137G	42.49	54.00	-11.51	3	Horizontal	291	1.50	-
5240MHz	Pass	PK	10.48058G	54.78	68.20	-13.42	3	Horizontal	354	1.50	-
5240MHz	Pass	PK	15.72208G	56.09	74.00	-17.91	3	Horizontal	291	1.50	-
5260MHz	Pass	AV	5.149G	43.80	54.00	-10.20	3	Vertical	257	2.10	-
5260MHz	Pass	AV	5.2522G	105.15	Inf	-Inf	3	Vertical	257	2.10	-
5260MHz	Pass	AV	5.35G	43.23	54.00	-10.77	3	Vertical	257	2.10	-
5260MHz	Pass	PK	5.1448G	56.39	74.00	-17.61	3	Vertical	257	2.10	-
5260MHz	Pass	PK	5.2516G	116.50	Inf	-Inf	3	Vertical	257	2.10	-
5260MHz	Pass	PK	5.35G	56.84	74.00	-17.16	3	Vertical	257	2.10	-
5260MHz	Pass	AV	5.1388G	42.96	54.00	-11.04	3	Horizontal	190	1.24	-