







2.4GHz 2400~2483.5MHz



BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																																		
ANT	BLE CH00 2402MHz																																																																																																																																																		
9+10	Horizontal	Fundamental																																																																																																																																																	
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000 0000Hz VSW 3000 0000Hz SRT Auto Date : FR272913 Mode : 3d Plane : Z Full-directivity : F IME1 : R70 <table><thead><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2384.88</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>47.30</td><td>32.23</td><td>6.58</td><td>32.88</td><td>166</td><td>126 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000 0000Hz VSW 3000 0000Hz SRT Auto Date : FR272913 Mode : 3d Plane : Z Full-directivity : F IME1 : R70 <table><thead><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>103.29</td><td>74.00</td><td>-29.77</td><td>47.30</td><td>32.23</td><td>6.61</td><td>32.84</td><td>166</td><td>126 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/Vm	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg		1	2384.88	53.23	74.00	-20.77	47.30	32.23	6.58	32.88	166	126 Peak	HORIZONTAL	IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/Vm	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg		1	2402.00	103.29	74.00	-29.77	47.30	32.23	6.61	32.84	166	126 Peak	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000 0000Hz VSW 3.1000Hz SRT Auto Date : FR272913 Mode : 3d Plane : Z Full-directivity : F IME1 : R70 <table><thead><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2348.22</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>38.85</td><td>32.10</td><td>6.53</td><td>32.92</td><td>166</td><td>126 Average</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000 0000Hz VSW 3.1000Hz SRT Auto Date : FR272913 Mode : 3d Plane : Z Full-directivity : F IME1 : R70 <table><thead><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>101.21</td><td>54.00</td><td>47.21</td><td>95.14</td><td>32.30</td><td>6.61</td><td>32.84</td><td>166</td><td>126 Average</td><td>HORIZONTAL</td></tr></tbody></table>	IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/Vm	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg		1	2348.22	44.56	54.00	-9.44	38.85	32.10	6.53	32.92	166	126 Average	HORIZONTAL	IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/Vm	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg		1	2402.00	101.21	54.00	47.21	95.14	32.30	6.61	32.84	166	126 Average	HORIZONTAL
	IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																							
	MHz	dBm/Vm	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg																																																																																																																																									
1	2384.88	53.23	74.00	-20.77	47.30	32.23	6.58	32.88	166	126 Peak	HORIZONTAL																																																																																																																																								
IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																								
	MHz	dBm/Vm	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg																																																																																																																																									
1	2402.00	103.29	74.00	-29.77	47.30	32.23	6.61	32.84	166	126 Peak	HORIZONTAL																																																																																																																																								
IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																								
	MHz	dBm/Vm	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg																																																																																																																																									
1	2348.22	44.56	54.00	-9.44	38.85	32.10	6.53	32.92	166	126 Average	HORIZONTAL																																																																																																																																								
IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																								
	MHz	dBm/Vm	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	deg																																																																																																																																									
1	2402.00	101.21	54.00	47.21	95.14	32.30	6.61	32.84	166	126 Average	HORIZONTAL																																																																																																																																								



U-NII 5 - 5925-6425MHzMHz



WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
9+10	Horizontal	Vertical
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH06-KS Condition : WIFI 6E PEAK 3m 2117.5M 60218652- HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SWT Auto Date : FR272913 Mode : 27 Plane : X Polar : Full-directivity Polarization : H Power setting : 17 Limit : 17 Over : 17 ReadAntenna : 15.22 Cable : 60.79 A/Pow : 300 T/Pow : 100 Remark : 0 Peak Pol/Phas : HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH06-KS Condition : WIFI 6E PEAK 3m 2117.5M 60218652- VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SWT Auto Date : FR272913 Mode : 27 Plane : X Polar : Full-directivity Polarization : V Power setting : 17 Limit : 17 Over : 17 ReadAntenna : 15.22 Cable : 60.79 A/Pow : 300 T/Pow : 100 Remark : 0 Peak Pol/Phas : VERTICAL



2.4GHz 2400~2483.5MHz

BLE (Harmonic @ 3m)





BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																			
ANT	BLE CH00 2402MHz																																																																																			
9+10	Horizontal						Vertical																																																																													
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030906-K5 Condition : FCC PART 15C 3m 3117 SN 00218650- HORIZONTAL Project : RSM 1000.000000 VSW: 3000.000000 SMT Auto Date : (78)272913 Plane : 2 Polarization : Full-directivity IME1 : 870  <table><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>63.36</td><td>34.30</td><td>9.45</td><td>61.23</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030906-K5 Condition : FCC PART 15C 3m 3117 SN 00218650- VERTICAL Project : RSM 1000.000000 VSW: 3000.000000 SMT Auto Date : (78)272913 Plane : 2 Polarization : Full-directivity IME1 : 870  <table><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>62.78</td><td>34.30</td><td>9.45</td><td>61.23</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>												IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBm/100kHz	dBm/100kHz	dB	dBm	dBm	dB	dB	dB	on	deg	1	4800.00	45.88	74.00	-28.12	63.36	34.30	9.45	61.23	300	0 Peak	HORIZONTAL	IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBm/100kHz	dBm/100kHz	dB	dBm	dBm	dB	dB	dB	on	deg	1	4800.00	45.30	74.00	-28.70	62.78	34.30	9.45	61.23	100	0 Peak	VERTICAL
	IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																								
	MHz	dBm/100kHz	dBm/100kHz	dB	dBm	dBm	dB	dB	dB	on	deg																																																																									
1	4800.00	45.88	74.00	-28.12	63.36	34.30	9.45	61.23	300	0 Peak	HORIZONTAL																																																																									
IME1	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																									
	MHz	dBm/100kHz	dBm/100kHz	dB	dBm	dBm	dB	dB	dB	on	deg																																																																									
1	4800.00	45.30	74.00	-28.70	62.78	34.30	9.45	61.23	100	0 Peak	VERTICAL																																																																									







WIFI 6G 802.11ax HE40 Full + WIFI 2.4G 11g CH11

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11g CH11 2462MHz																																																																	
9+10	Horizontal	Fundamental																																																																
Peak	SPORTON LAB No. 109B, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Data: 25 117 Level (dBuV/m)  Site Condition Project Mode Plane IMEI Powersetting Full-directivity ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.10</td><td>61.29</td><td>74.00</td><td>-12.71</td><td>54.77</td><td>32.43</td><td>6.73</td><td>32.64</td><td>100</td><td>195 Peak</td><td>HORIZONT</td></tr></tbody></table>	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg	1	2484.10	61.29	74.00	-12.71	54.77	32.43	6.73	32.64	100	195 Peak	HORIZONT	SPORTON LAB No. 109B, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Data: 27 117 Level (dBuV/m)  Site Condition Project Mode Plane IMEI Powersetting Full-directivity ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2456.00</td><td>112.58</td><td>74.00</td><td>38.58</td><td>106.22</td><td>32.37</td><td>6.70</td><td>32.71</td><td>100</td><td>195 Peak</td><td>HORIZONT</td></tr></tbody></table>	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg	1	2456.00	112.58	74.00	38.58	106.22	32.37	6.70	32.71	100	195 Peak	HORIZONT
	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg																																																									
1	2484.10	61.29	74.00	-12.71	54.77	32.43	6.73	32.64	100	195 Peak	HORIZONT																																																							
Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg																																																									
1	2456.00	112.58	74.00	38.58	106.22	32.37	6.70	32.71	100	195 Peak	HORIZONT																																																							
Avg.	SPORTON LAB No. 109B, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Data: 26 117 Level (dBuV/m)  Site Condition Project Mode Plane IMEI Powersetting Full-directivity ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>43.20</td><td>32.43</td><td>6.73</td><td>32.64</td><td>100</td><td>195 Average</td><td>HORIZONT</td></tr></tbody></table>	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg	1	2483.56	49.72	54.00	-4.28	43.20	32.43	6.73	32.64	100	195 Average	HORIZONT	SPORTON LAB No. 109B, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Data: 28 117 Level (dBuV/m)  Site Condition Project Mode Plane IMEI Powersetting Full-directivity ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>on</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2456.00</td><td>105.55</td><td>54.00</td><td>51.55</td><td>99.19</td><td>32.37</td><td>6.70</td><td>32.71</td><td>100</td><td>195 Average</td><td>HORIZONT</td></tr></tbody></table>	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg	1	2456.00	105.55	54.00	51.55	99.19	32.37	6.70	32.71	100	195 Average	HORIZONT
Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg																																																									
1	2483.56	49.72	54.00	-4.28	43.20	32.43	6.73	32.64	100	195 Average	HORIZONT																																																							
Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg																																																									
1	2456.00	105.55	54.00	51.55	99.19	32.37	6.70	32.71	100	195 Average	HORIZONT																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																						
ANT	802.11g CH11 2462MHz																																																						
9+10	Vertical	Fundamental																																																					
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 29 Level (dBm/Vm) Freq Level Line Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/Vm dBm/Vm dB dBm/Vm dB dB cm deg <table><tr><td>1</td><td>2483.56</td><td>59.95</td><td>74.00</td><td>-14.05</td><td>53.43</td><td>32.43</td><td>6.73</td><td>32.64</td><td>100</td><td>132</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 31 Level (dBm/Vm) Freq Level Line Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/Vm dBm/Vm dB dBm/Vm dB dB cm deg <table><tr><td>1</td><td>2456.00</td><td>108.75</td><td>74.00</td><td>34.75</td><td>102.39</td><td>32.37</td><td>6.70</td><td>32.71</td><td>100</td><td>132</td><td>Peak</td><td>VERTICAL</td></tr></table>	1	2483.56	59.95	74.00	-14.05	53.43	32.43	6.73	32.64	100	132	Peak	VERTICAL	1	2456.00	108.75	74.00	34.75	102.39	32.37	6.70	32.71	100	132	Peak	VERTICAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 30 Level (dBm/Vm) Freq Level Line Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/Vm dBm/Vm dB dBm/Vm dB dB cm deg <table><tr><td>1</td><td>2483.50</td><td>47.32</td><td>54.00</td><td>-6.68</td><td>40.80</td><td>32.43</td><td>6.73</td><td>32.64</td><td>100</td><td>132</td><td>Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 32 Level (dBm/Vm) Freq Level Line Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/Vm dBm/Vm dB dBm/Vm dB dB cm deg <table><tr><td>1</td><td>2456.00</td><td>101.32</td><td>54.00</td><td>47.32</td><td>94.96</td><td>32.37</td><td>6.70</td><td>32.71</td><td>100</td><td>132</td><td>Average</td><td>VERTICAL</td></tr></table>	1	2483.50	47.32	54.00	-6.68	40.80	32.43	6.73	32.64	100	132	Average	VERTICAL	1	2456.00	101.32	54.00	47.32	94.96	32.37	6.70	32.71	100	132	Average	VERTICAL
	1	2483.56	59.95	74.00	-14.05	53.43	32.43	6.73	32.64	100	132	Peak	VERTICAL																																										
1	2456.00	108.75	74.00	34.75	102.39	32.37	6.70	32.71	100	132	Peak	VERTICAL																																											
1	2483.50	47.32	54.00	-6.68	40.80	32.43	6.73	32.64	100	132	Average	VERTICAL																																											
1	2456.00	101.32	54.00	47.32	94.96	32.37	6.70	32.71	100	132	Average	VERTICAL																																											



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
9+10	Horizontal	Fundamental
Peak	Site: 030056-KS Condition: WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTA Economic & Technical Development Zone, Jiangsu, China Project: RSM 1000 000000 VSM 3000 000000 SMT Auto FR0272913 Mode: 26 Plane: X Full-directivity Power setting: #75 Limit: 17 Over: 17 ReadAntenna: Cable Preamp A/Pos T/Pos Loss Factor: 100 192 Peak HORIZONT	Site: 030056-KS Condition: WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTA Economic & Technical Development Zone, Jiangsu, China Project: RSM 1000 000000 VSM 3000 000000 SMT Auto FR0272913 Mode: 26 Plane: X Full-directivity Power setting: #75 Limit: 17 Over: 17 ReadAntenna: Cable Preamp A/Pos T/Pos Loss Factor: 100 192 Peak HORIZONT
	Site: 030056-KS Condition: WIFI 6E (AVG) 3m 3117 SN 00218652- HORIZONTA Economic & Technical Development Zone, Jiangsu, China Project: RSM 1000 000000 VSM 3000 000000 SMT Auto FR0272913 Mode: 26 Plane: X Full-directivity Power setting: #75 Limit: 17 Over: 17 ReadAntenna: Cable Preamp A/Pos T/Pos Loss Factor: 100 192 Average HORIZONT	Site: 030056-KS Condition: WIFI 6E (AVG) 3m 3117 SN 00218652- HORIZONTA Economic & Technical Development Zone, Jiangsu, China Project: RSM 1000 000000 VSM 3000 000000 SMT Auto FR0272913 Mode: 26 Plane: X Full-directivity Power setting: #75 Limit: 17 Over: 17 ReadAntenna: Cable Preamp A/Pos T/Pos Loss Factor: 100 192 Average HORIZONT

WIFI

ANT

9+10

U-NII 5 - 5925-6425MHz Band Edge @ 3m

802.11ax HE40 Full H03 5965MHz

Vertical

Fundamental

Peak

Site : 03D06-K5
Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL
Project : RSM 1000, 0000KHz VSW 3000, 0000KHz SRT Auto
Mode : (FR)272913
Plane : 36
Polarization : Full-directivity
Powersetting : #76

Freq	Level	Line	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg		
1	5924.26	63.10	-25.20	49.44	35.13	10.52	31.99	100	54 Peak	VERTICAL	

Site : 03D06-K5
Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL
Project : RSM 1000, 0000KHz VSW 3000, 0000KHz SRT Auto
Mode : (FR)272913
Plane : 36
Polarization : Full-directivity
Powersetting : #76

Freq	Level	Line	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg		
1	2458.00	99.42	88.30	11.32	90.11	32.99	9.23	32.71	100	54 Peak	VERTICAL
2	5929.00	105.87	88.30	17.57	92.06	35.27	10.55	32.01	100	54 Peak	VERTICAL

Site : 03D06-K5
Condition : WIFI 6E (AVG) 3m 3117 SN 00218652- VERTICAL
Project : RSM 1000, 0000KHz VSW 3000, 0000KHz SRT Auto
Mode : (FR)272913
Plane : 36
Polarization : Full-directivity
Powersetting : #76

Freq	Level	Line	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg		
1	5924.26	63.10	-25.20	49.44	35.13	10.52	31.99	100	54 Average	VERTICAL	



Site : 03D06-K5
Condition : WIFI 6E (AVG) 3m 3117 SN 00218652- VERTICAL
Project : RSM 1000, 0000KHz VSW 3000, 0000KHz SRT Auto
Mode : (FR)272913
Plane : 36
Polarization : Full-directivity
Powersetting : #76

Freq	Level	Line	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	on	deg		
1	2458.00	99.42	88.30	11.32	90.11	32.99	9.23	32.71	100	54 Average	VERTICAL
2	5929.00	105.87	88.30	17.57	92.06	35.27	10.55	32.01	100	54 Average	VERTICAL



2.4GHz 2400~2483.5MHz


WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
9+10	Horizontal	Vertical
Peak Avg.	 Site : 03005-KS Condition : FCC PART 15C 3m 2117.5M 60218652- HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SWT Auto Model : FR272913 Plane : S Polarization : Full-directivity Power setting : 19 Limit : 19 Over : 19 ReadAntenna : 19 Cable Preamp : 19 A/Poa : 19 T/Poa : 19 Remark : 0 Peak Pol/Phas : HORIZONTAL	 Site : 03005-KS Condition : FCC PART 15C 3m 2117.5M 60218652- VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SWT Auto Model : FR272913 Plane : S Polarization : Full-directivity Power setting : 19 Limit : 19 Over : 19 ReadAntenna : 19 Cable Preamp : 19 A/Poa : 19 T/Poa : 19 Remark : 0 Peak Pol/Phas : VERTICAL


Appendix E. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
9+10	802.11ax HE20-Full RU	100	-	-	10Hz
9+10	802.11ax HE40-Full RU	99.25	-	-	10Hz
9+10	802.11ax HE80-Full RU	97.74	0.942	1.062	1.1KHz
9+10	802.11ax HE160-Full RU	97.18	0.500	2.000	2.2KHz

802.11ax HE20-Full RU




802.11ax HE40-Full RU





802.11ax HE80-Full RU



802.11ax HE160-Full RU

