

Report No.: SUCR241200053002

01 Rev.: Page: 1 of 99

TEST REPORT

Application No.: SUCR2412000530MO

Quectel Wireless Solutions Co., Ltd. Applicant:

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, **Address of Applicant:**

Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Address of Manufacturer:

Minhang District, Shanghai, China 200233

Wi-Fi & Bluetooth Module **EUT Description:**

FGM840R Model No.: Trade Mark: Quectel

FCC ID: XMR2024FGM840R

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

Date of Receipt: December 8, 2024

Date of Test: December 9, 2024 to January 1, 2025

Date of Issue: January 13, 2025

PASS * Test Result:

In the configuration tested, the EUT detailed in this report complied with the standards specified

Prepared by: Nature Shen/ Project Manager

Nature Shen

Approved by: Cloud Peng/ **Technical Manager**

Cloud Peng

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions-and-Condi

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator



Report No.: SUCR241200053002

Rev.: 01 2 of 99 Page:

Version

	Revision Record								
Version	Version Chapter Date Modifier Remark								
01		January 13, 2025		Original					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01 Page: 3 of 99

Contents

Ve	rsion		
1	Te	est Summary	
2	Ge	eneral Information	
	2.1	Details of Client	5
	2.2	Test Location	5
	2.3	Test Facility	6
	2.4	General Description of EUT	7
	2.5	Test Environment	
	2.6	Description of Support Units	9
3	Te	est results and Measurement Data	
	3.1	Antenna Requirement	10
	3.2	AC Power Line Conducted Emissions	11
	3.3	Duty Cycle	15
	3.4	Conducted Output Power	16
	3.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	17
	3.6	Power Spectral Density	
	3.7	Band-edge for RF Conducted Emissions	19
	3.8	RF Conducted Spurious Emissions	20
	3.9	Radiated Spurious Emissions	21
	3.10	Restricted bands around fundamental frequency	24
4	Me	easurement Uncertainty (95% confidence levels, k=2)	
5		quipment List	
6	Ph	· · · · · · · · · · · · · · · · · · ·	30
7		pendix	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01 4 of 99 Page:

Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result	Test Lab*
Antenna Requirement	15.203/15.247(b)		Clause 3.1	PASS	
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013 Section 6.2	Clause 3.2	PASS	С
Duty cycle		ANSI C63.10 2013 Section 11.6	Clause 3.3	For Report Purpose	Α
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013 Section11.9.1.3	Clause 3.4	PASS	Α
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10 2013 Section 11.8 Option 2 / 6.9.3	Clause 3.5	PASS	Α
Power Spectral Density	15.247 (e)	ANSI C63.10 2013 Section 11.10.2	Clause 3.6	PASS	Α
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013 Section 11.13.3	Clause 3.7	PASS	Α
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013 Section 11.11	Clause 3.8	PASS	Α
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013 Section 11.12	Clause 3.9	PASS	С
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10 2013 Section 11.12	Clause 3.10	PASS	С

Remark:

Lab B SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Lab C SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory

^{1.} Lab A SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



Report No.: SUCR241200053002

Rev.: 01 5 of 99 Page:

General Information

2.1 Details of Client

Applicant:	Quectel Wireless Solutions Co., Ltd.
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233
Manufacturer:	Quectel Wireless Solutions Co., Ltd.
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233

2.2 Test Location

Lab A:	
Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Super Wu
Lab C:	
Company:	SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.
Address:	1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi' an, Shaanxi China
Post code:	710086
Test engineer:	Abbott Wang

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01 Page: 6 of 99

2.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327

Lab C:

•A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

FCC –Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited testing

Designation Number: CN1337.

Test Firm Registration Number: 917410

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

www.sgsgroup.com.cn



Report No.: SUCR241200053002

Rev.: 01 Page: 7 of 99

2.4 General Description of EUT

EUT Description:	Wi-Fi & Bluetooth Module				
Model No.:	FGM840R				
Trade Mark:	Quectel				
Hardware Version:	FGM840RAAMD-0L-04(R1.0),FGM840RAAMD-4X-04(R1.1)				
Software Version:	FGM840RAAR01A01M04				
Power Supply:	3.0~3.6V, typ3.3 V				
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.				
Bluetooth version:	Bluetooth V5.0				
Modulation Type:	GFSK				
Number of Channel:	40				
Rates Type*:	☑Provided by client 1M PHY 2M PHY				
Antenna Type:	External Antenna				
	2.1dBi(Y4RYM0MA0AA/Y4RYM0MA0BA/Y4RYM0MA0CA)				
Antenna Gain*:	Note: The antenna gain are derived from the gain information report provided by the manufacturer.				
RF Cable*:	1dB				

Note: *

- Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information, SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.
- FGM840R has two Hardware Version: FGM840RAAMD-0L-04, FGM840RAAMD-4X-04. FGM840RAAMD-4X-04 and FGM840RAAMD-0L-04 both use RTL8720DF chipset, share the same chipset baseline, same software and hardware design, the primary difference lies in the antenna pedestal. FGM840RAAMD-4X-04 use IPEX antenna port, FGM840RAAMD-0L-04 use LCC pad port, Distinguish by changing the position of one resistor. Based on the differences, main test FGM840RAAMD-0L-04(R1.0) version, FGM840RAAMD-4X-04(R1.1) version Check worse mode RSE, only the worst data is presented in the report.
- FGM840R has three antenna, respectively: Y4RYM0MA0AA/Y4RYM0MA0BA/Y4RYM0MA0CA. Y4RYM0MA0AA,Y4RYM0MA0BA,Y4RYM0MA0CA both are FPC + 1.13 + Ipex-1 antenna. Among them, Y4RYM0MA0CA is the mirror version of Y4RYM0MA0AA, and Y4RYM0MA0BA is the version where Y4RYM0MA0AA modifies the line length. Pre-scan was done on the above antennas, measurements

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



SUCR241200053002 Report No.:

Rev.: 01 8 of 99 Page:

were demonstrated by using the antenna with the highest gain as the worst case scenarios. Remark: As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

	Operation Frequency of each channel								
Channel	nnel Frequency Channel Freque		Frequency	Channel	Channel Frequency		Frequency		
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz		
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz		
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz		
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz		
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz		
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz		
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz		
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz		
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz		
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz		

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01 9 of 99 Page:

2.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests				
Relative Humidity	44-46 % RH Ambient				
Value	Temperature(°C)	Voltage(V)			
NTNV	22~23	3.3			

Remark:

NV: Normal Voltage NT: Normal Temperature

2.6 Description of Support Units

Description	Manufacturer	Model No.				
Mother board	Quectel	N/A				
Remark: all above the information of table are provided by client.						

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

01 Rev.:

10 of 99 Page:

3 **Test results and Measurement Data**

3.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is Dipole Antenna and no consideration of replacement.

The best case gain

of the antenna is 2.1dBi.

Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator



Report No.: SUCR241200053002

Rev.: 01

Page: 11 of 99

3.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section	n 15.207				
Test Method:	ANSI C63.10: 2013 Section 6.2					
Test Frequency Range:	150kHz to 30MHz					
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz				
Limit:	Limit (dBuV)					
	Frequency range(MHz)	Quasi-peak	Average			
	0.15-0.5	66 to 56*	56 to 46*			
	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the log	arithm of the frequency.				
Test Procedure:	room. 2) The EUT was connect Impedance Stabilizat impedance. The pow connected to a secon plane in the same was multiple socket outlet single LISN provided 3) The tabletop EUT was ground reference plane placed on the horizor 4) The test was performed the EUT shall be 0.4 vertical ground reference plane. The unit under test and be mounted on top of the the closest points of the and associated equip 5) In order to find the man and all of the interface.	sturbance voltage test was contend to AC power source through ion Network) which provides are cables of all other units of and LISN 2, which was bonded by as the LISN 1 for the unit be strip was used to connect must the rating of the LISN was not a placed upon a non-metallicate. And for floor-standing arranged with a vertical ground reference plane was bonded to the LISN 1 was placed 0.8 m from the LISN 1 was placed 0.8 m from the LISN 1 and the EUT. All of the LISN 1 and the EUT. All of the LISN 1 and the EUT. All of the cables must be changed an conducted measurement.	igh a LISN 1 (Line a 50Ω/50μH + 5Ω linear the EUT were I to the ground reference eing measured. A ultiple power cables to a position to the ground reference eing measured. A ultiple power cables to a position to the exceeded. It is a subject of the engement, the EUT was rence plane. The rear of ference plane. The end horizontal ground must be boundary of the plane for LISNs is distance was between other units of the EUT in the LISN 2.			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.ferms-end-Conditions

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980


0 t (86-512) 62992980 www.sgs



Report No.: SUCR241200053002

Rev.: 01

Page: 12 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.



Report No.: SUCR241200053002

Rev.: 01


13 of 99 Page:

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission

were detected.



Final	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1752	9.85	21.50	31.35	64.71	33.36	4.00	13.85	54.71	40.86	PASS
2	0.2217	9.86	20.20	30.06	62.76	32.70	4.50	14.36	52.76	38.40	PASS
3	0.6312	9.93	26.78	36.71	56.00	19.29	11.09	21.02	46.00	24.98	PASS
4	1.4166	9.84	15.13	24.97	56.00	31.03	0.31	10.15	46.00	35.85	PASS
5	5.5882	9.92	14.27	24.19	60.00	35.81	2.44	12.36	50.00	37.64	PASS
6	23.2561	10.31	17.82	28.13	60.00	31.87	9.87	20.18	50.00	29.82	PASS

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator



Report No.: SUCR241200053002

Rev.: 01

14 of 99 Page:



Final	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1808	9.82	23.91	33.73	64.45	30.72	9.26	19.08	54.45	35.37	PASS
2	0.2801	9.79	19.33	29.12	60.81	31.69	5.25	15.04	50.81	35.77	PASS
3	0.6390	9.85	29.21	39.06	56.00	16.94	17.86	27.71	46.00	18.29	PASS
4	1.4757	9.82	17.91	27.73	56.00	28.27	6.61	16.43	46.00	29.57	PASS
5	6.5804	10.07	14.08	24.15	60.00	35.85	3.80	13.87	50.00	36.13	PASS
6	23.2921	10.32	16.75	27.07	60.00	32.93	8.61	18.93	50.00	31.07	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBµV] Value[dBµV]

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

15 of 99 Page:

3.3 Duty Cycle



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Member of the SGS Group (SGS SA)




Report No.: SUCR241200053002

Rev.: 01

16 of 99 Page:

3.4 Conducted Output Power



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory




Report No.: SUCR241200053002

Rev.: 01

17 of 99 Page:

3.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions-ferms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/lerms-and-Conditions-ferms-e-Document_aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory




Report No.: SUCR241200053002

Rev.: 01

18 of 99 Page:

3.6 Power Spectral Density



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory




Report No.: SUCR241200053002

Rev.: 01

19 of 99 Page:

3.7 Band-edge for RF Conducted Emissions



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be chefit and this occument does not experied a parties to a transaction from exercising an interfrights and obligations under the transaction document. Sink document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator




Report No.: SUCR241200053002

Rev.: 01

20 of 99 Page:

3.8 RF Conducted Spurious Emissions



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions-ferms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/lerms-and-Conditions-ferms-e-Document_aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator



Report No.: SUCR241200053002


Rev.: 01

Page: 21 of 99

3.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205								
Test Method:	ANSI C63.10 :2013 Section 11.12								
rest Metriod.	ANSI C63.10 .2013 Sec	11011 11.12							
Test Site:	Measurement Distance:	3m (Semi-Anecho	ic Chamber)						
Test Frequency:	9kHz ~ 25GHz								
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)				
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300				
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30				
	1.705MHz-30MHz	30	-	-	30				
	30MHz-88MHz	100	40.0	Quasi-peak	3				
	88MHz-216MHz	150	43.5	Quasi-peak	3				
	216MHz-960MHz	200	46.0	Quasi-peak	3				
	960MHz-1GHz	500	54.0	Quasi-peak	3				
	Above 1GHz	500	54.0	Average	3				
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit								
	applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.								

Test Setup:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



SUCR241200053002 Report No.:

01 Rev.:

Page: 22 of 99




Figure 3. Above 1 GHz

Test Procedure:

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- The test-receiver system was set to Peak Detect Function and Specified f. Bandwidth with Maximum Hold Mode.
- Test the EUT in the lowest channel, the middle channel, the Highest channel.
- The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.
- The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
- The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
- At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be enters and this december does not expended by a transaction from exercising an area rights and obligations under the transaction document. This document calling the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator



Report No.: SUCR241200053002

Rev.: 01

23 of 99 Page:

Test Configuration:	Measurements below 30MHz RBW = 10 kHz VBW = 30 kHz Detector = Peak & Average & Quasi-peak Trace mode = max hold Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz
	VBW ≥ 3 MHz Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	• VBW = 10 Hz, when duty cycle is no less than 98 percent.
	 VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its
	maximum power control level for the tested mode of operation.
Exploratory Test	Transmitting with GFSK modulation.
Mode:	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode,
	For below 1GHz part, through pre-scan all channels, but only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	see: Appendix

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002


Rev.: 01

24 of 99 Page:

3.10Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10: 2013 Section	11.12					
Test Site:	Measurement Distance: 3m	Measurement Distance: 3m (Semi-Anechoic Chamber)					
Limit:	Frequency Limit (dBuV/m) Rem						
	30MHz-88MHz	40.0	Quasi-peak				
	88MHz-216MHz	43.5	Quasi-peak				
	216MHz-960MHz	46.0	Quasi-peak				
	960MHz-1GHz	54.0	Quasi-peak				
	Above 10Hz	54.0	Average Value				
	Above 1GHz	74.0	Peak Value				

Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be enters and this december does not expended by a transaction from exercising an area rights and obligations under the transaction document. This document calling the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator



Report No.: SUCR241200053002

Rev.: 01

Page: 25 of 99

	rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit
	frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
	h. Test the EUT in the lowest channel, the Highest channel
	 The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz
	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Quasi-peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	 VBW = 10 Hz, when duty cycle is no less than 98 percent.
	• VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with GFSK modulation.
	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode.
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data see	e: Appendix

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: cn.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

2) 62992980 www.sgsgroup.com



Report No.: SUCR241200053002

Rev.: 01

26 of 99 Page:

4 Measurement Uncertainty (95% confidence levels, k=2)

Lab A:		
No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	1%
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	1%

Lab C:

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 3.0dB (150kHz to 30MHz)		
		± 4.6dB (9KHz~30MHz)		
		± 4.9dB (30MHz~1GHz)		
2	Radiated Emission	± 4.9dB (1GHz to 6GHz)		
		± 4.7dB (6GHz to 18GHz)		
		± 5.26dB (Above 18GHz)		

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cisprieTSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

27 of 99 Page:

Equipment List

Lab A:										
	RF Test Equipment									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
Shielding Room	Brilliant-emc	N/A	SUWI-04-08-01	2022/11/9	2025/11/8					
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2024/2/18	2025/2/17					
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2024/5/8	2025/5/7					
Measurement Software	Tonscend	TST272 V2.0	SUWI-03-55-03	NCR	NCR					
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2024/5/8	2025/5/7					
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-02	2024/5/9	2025/5/8					
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2024/2/4	2025/2/3					
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2024/2/4	2025/2/3					
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2024/11/19	2025/11/18					
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2024/11/19	2025/11/18					
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2024/2/4	2025/2/3					
Router	ASUS	GT- AXE11000(FCC ID MSQ- RTAXJF00)	SUWI-03-14-02	NCR	NCR					
Router	TP-LINK	Archer BE800 (FCC ID 2AXJ4BE800)	SUWI-03-14-03	NCR	NCR					
RF Control Unit	Tonscend	JS0806-1	SUWI-02-20-01	NCR	NCR					
RF Control Unit	TST	TSCB3023R2	SUWI-02-21-01	NCR	NCR					
Signal Generator	ROHDE&SCHWARZ	SMM100A	SUWI-01-07-04	20242/16	2025/2/15					
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-07	2024/11/19	2025/11/18					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

28 of 99 Page:

Lab C:								
CE Test System								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date			
Shielding Room	Brilliant-emc	N/A	XAW04-03-01	N/A	N/A			
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2024/8/29	2025/8/28			
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2024/7/3	2025/7/2			
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2024/9/3	2025/9/2			
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-07-01	NCR	NCR			
Wireless Test platform	StarPoint	SP9500E	XAW01-45-02	2024/5/14	2025/5/13			
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-07	2024/8/16	2025/8/15			
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-02	2024/7/3	2025/7/2			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

29 of 99 Page:

Lab C:									
RSE Test Equipment									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date				
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2024/6/4	2027/6/3				
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2024/2/2	2025/2/1				
Spectrum Analyzer	ROHDE&SCHWARZ	FSV3044	XAW01-13-05	2024/5/8	2025/5/7				
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2024/8/29	2025/8/28				
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2022/7/28	2025/7/27				
Receiving antenna(1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2022/7/28	2025/7/27				
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2022/7/23	2025/7/22				
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR				
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR				
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR				
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR				
Amplifier	Tonscend	TAP9K3G32	XAW01-41-01	2024/5/14	2025/5/13				
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2024/8/29	2025/8/28				
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2024/8/16	2025/8/15				
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2024/8/29	2025/8/28				
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2024/9/3	2025/9/2				
Wireless Test platform	StarPoint	SP9500E	XAW01-45-02	2024/5/14	2025/5/13				
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-07	2024/8/16	2025/8/15				
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-05-01	NCR	NCR				
Radio Communication Analyzer	ANRITSU	MT8821	XAW01-03-24	2024/8/16	2025/8/15				
Loop Antenna	Schwarzbeck	FMZB 1519B	XAW01-48-02	2024/5/23	2026/5/22				

Remark: NCR=No Calibration Requirement.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 30 of 99

6 **Photographs - Setup Photos**

Refer to Appendix A.2 BT&WLAN Setup Photos.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 31 of 99

7 Appendix

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

	Ant1							
Mode TX Type		Frequency	T_on	Period	Duty Cycle	Duty Cycle	Max. DC	
		(MHz)	(ms)	(ms)	(%)	Correction Factor (dB)	Variation (%)	
		2402	0.395	0.626	63.10	2.00	0.03	
1M	SISO	2440	0.395	0.626	63.10	2.00	0.03	
		2480	0.395	0.625	63.20	1.99	0.03	
		2402	0.208	0.625	33.28	4.78	0.03	
2M SI	SISO	2440	0.208	0.625	33.28	4.78	0.03	
		2480	0.208	0.625	33.28	4.78	0.03	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

32 of 99 Page:

2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX	Frequency	ANT	99% Occupied Ba	Verdict	
iviode	Type	(MHz)	AINI	Result	Limit	verdict
		2402	1	1.032	/	Pass
1M	SISO	2440	1	1.027	/	Pass
		2480	1	1.025	/	Pass
		2402	1	2.057	/	Pass
2M	SISO	2440	1	2.049	/	Pass
		2480	1	2.069	/	Pass

2.1.2 6dB BW

Mode	TX	Frequency	ANT	6dB Bandwidth (MHz)		Verdict
	Type	(MHz)	ANI	Result	Limit	verdict
1M	SISO	2402	1	0.661	>=0.5	Pass
		2440	1	0.669	>=0.5	Pass
		2480	1	0.668	>=0.5	Pass
2M	SISO	2402	1	1.153	>=0.5	Pass
		2440	1	1.149	>=0.5	Pass
		2480	1	1.156	>=0.5	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory




Report No.: SUCR241200053002

Rev.: 01

Page: 33 of 99

2.2 Test Graph

2.2.1 OBW



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 34 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

35 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 36 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

37 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 38 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory




Report No.: SUCR241200053002

Rev.: 01

Page: 39 of 99

2.2.2 6dB BW



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 40 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

41 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 42 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

43 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 44 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

45 of 99 Page:

3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX	Frequency	Maximum Peak Conduc	\/ordiot	
	Type	(MHz)	ANT1	Limit	Verdict
1M	SISO	2402	4.96	<=30	Pass
		2440	5.43	<=30	Pass
		2480	5.60	<=30	Pass
2M	SISO	2402	4.98	<=30	Pass
		2440	5.53	<=30	Pass
		2480	5.59	<=30	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

46 of 99 Page:

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX	Frequency	Maximum PS	Verdict						
iviode	Type	(MHz)	ANT1	Limit	verdict					
		2402	-11.57	<=8	Pass					
1M	SISO	2440	-9.57	<=8	Pass					
		2480	-9.88	<=8	Pass					
		2402	-12.87	<=8	Pass					
2M	SISO	2440	-11.37	<=8	Pass					
		2480	-11.88	<=8	Pass					
Note1: Antenna	Note1: Antenna Gain: Ant1: 2.10dBi;									

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory




Report No.: SUCR241200053002

Rev.: 01

47 of 99 Page:

4.2 Test Graph

4.2.1 PSD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

48 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

49 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

50 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

51 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

52 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

53 of 99 Page:

5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
		2402	1	4.87
1M	SISO	2440	1	5.38
		2480	1	5.55
		2402	1	4.78
2M	SISO	2440	1	5.34
		2480	1	5.40

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.

5.1.2 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
		2402	1	5.55	-14.45	Pass
1M	SISO	2440	1	5.55	-14.45	Pass
		2480	1	5.55	-14.45	Pass
	SISO	2402	1	5.40	-14.60	Pass
2M		2440	1	5.40	-14.60	Pass
		2480	1	5.40	-14.60	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory




Report No.: SUCR241200053002

Rev.: 01

Page: 54 of 99

5.2 Test Graph

5.2.1 Ref



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.



Report No.: SUCR241200053002

Rev.: 01

Page: 55 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

56 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 57 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

58 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 59 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory




Report No.: SUCR241200053002

Rev.: 01

60 of 99 Page:

5.2.2 CSE



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 61 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

62 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 63 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

64 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 65 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

66 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 67 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

68 of 99 Page:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002

Rev.: 01

Page: 69 of 99



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laboratory



Report No.: SUCR241200053002


Rev.: 01

Page: 70 of 99

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: BLE 2M Channel 38



Data Lis	Data List									
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dB μV]	QP Value [dBµV/m]	QP Limit [dΒμV/m]	QP Margin [dB]	Polarity		
1	50.6011	13.92	-27.71	27.26	13.47	40.00	26.53	Horizontal		
2	92.0032	10.40	-27.42	31.76	14.74	43.50	28.76	Horizontal		
3	174.2074	9.26	-26.93	37.51	19.84	43.50	23.66	Horizontal		
4	230.8104	11.38	-26.29	35.12	20.21	46.00	25.79	Horizontal		
5	301.414	13.28	-25.66	34.89	22.51	46.00	23.49	Horizontal		
6	611.53	19.15	-24.18	27.27	22.24	46.00	23.76	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd. Wireless Laborator



Report No.: SUCR241200053002

Rev.: 01

71 of 99 Page:



Data Lis	Data List										
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dB μV]	QP Value [dBµV/m]	QP Limit [dΒμV/m]	QP Margin [dB]	Polarity			
1	40.6005	13.28	-28.02	34.64	19.90	40.00	20.10	Vertical			
2	50.201	14.04	-27.72	35.66	21.98	40.00	18.02	Vertical			
3	66.5519	11.24	-27.45	35.35	19.14	40.00	20.86	Vertical			
4	173.7574	9.28	-26.93	32.95	15.30	43.50	28.20	Vertical			
5	299.9139	13.20	-25.60	30.57	18.17	46.00	27.83	Vertical			
6	608.5298	19.27	-24.19	27.02	22.10	46.00	23.90	Vertical			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Value($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 72 of 99

Transmitter emission Above 1GHz BLE 1M Channel 00



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4804	52.07	30.78	-42.64	40.21	74.00	33.79	Horizontal		
2	7206	48.55	36.56	-38.24	46.87	74.00	27.13	Horizontal		
3	9608	46.77	37.85	-35.02	49.60	74.00	24.40	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 73 of 99

BLE 1M Channel 00



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4804	52.37	30.78	-42.64	40.51	74.00	33.49	Vertical			
2	7206	48.13	36.56	-38.24	46.45	74.00	27.55	Vertical			
3	9608	47.16	37.85	-35.02	49.99	74.00	24.01	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 74 of 99

BLE 1M Channel 19



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4880	52.61	30.78	-42.52	40.87	74.00	33.13	Horizontal		
2	7320	50.48	36.44	-38.32	48.60	74.00	25.40	Horizontal		
3	9760	45.40	38.34	-35.33	48.41	74.00	25.59	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 75 of 99

BLE 1M Channel 19



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4880	53.03	30.78	-42.52	41.29	74.00	32.71	Vertical			
2	7320	48.67	36.44	-38.32	46.79	74.00	27.21	Vertical			
3	9760	44.63	38.34	-35.33	47.64	74.00	26.36	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 76 of 99

BLE 1M Channel 39



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4960	52.65	31.04	-42.44	41.25	74.00	32.75	Horizontal		
2	7440	48.45	36.78	-37.77	47.46	74.00	26.54	Horizontal		
3	9920	47.29	38.62	-34.75	51.16	74.00	22.84	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 77 of 99

BLE 1M Channel 39



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4960	53.07	31.04	-42.44	41.67	74.00	32.33	Vertical			
2	7440	48.17	36.78	-37.77	47.18	74.00	26.82	Vertical			
3	9920	47.41	38.62	-34.75	51.28	74.00	22.72	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 78 of 99

BLE 2M Channel 01



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4808	51.72	30.77	-42.65	39.84	74.00	34.16	Horizontal			
2	7212	47.48	36.53	-38.28	45.73	74.00	28.27	Horizontal			
3	9616	46.79	37.90	-34.96	49.73	74.00	24.27	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 79 of 99

BLE 2M Channel 01



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4808	52.01	30.77	-42.65	40.13	74.00	33.87	Vertical		
2	7212	48.83	36.53	-38.28	47.08	74.00	26.92	Vertical		
3	9616	46.66	37.90	-34.96	49.60	74.00	24.40	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 80 of 99

BLE 2M Channel 19



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4880	52.63	30.78	-42.52	40.89	74.00	33.11	Horizontal			
2	7320	48.07	36.44	-38.32	46.19	74.00	27.81	Horizontal			
3	9760	45.83	38.34	-35.33	48.84	74.00	25.16	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 81 of 99

BLE 2M Channel 19



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4880	52.06	30.78	-42.52	40.32	74.00	33.68	Vertical			
2	7320	48.85	36.44	-38.32	46.97	74.00	27.03	Vertical			
3	9760	44.54	38.34	-35.33	47.55	74.00	26.45	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 82 of 99

BLE 2M Channel 38



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4956	51.79	31.02	-42.44	40.37	74.00	33.63	Horizontal			
2	7434	48.55	36.77	-37.81	47.51	74.00	26.49	Horizontal			
3	9912	45.97	38.61	-34.78	49.80	74.00	24.20	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

83 of 99 Page:

BLE 2M Channel 38



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4956	52.16	31.02	-42.44	40.74	74.00	33.26	Vertical			
2	7434	48.50	36.77	-37.81	47.46	74.00	26.54	Vertical			
3	9912	47.37	38.61	-34.78	51.20	74.00	22.80	Vertical			

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 84 of 99

Restricted bands around fundamental frequency **BLE 1M Channel 00**



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2378.7344	47.95	27.49	-17.30	58.14	74.00	15.86	Horizontal			
2	2387.4387	48.37	27.45	-17.26	58.56	74.00	15.44	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 85 of 99

BLE 1M Channel 00



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2361.926	28.25	27.55	-17.37	38.43	54.00	15.57	Horizontal			
2	2387.8889	26.93	27.45	-17.26	37.12	54.00	16.88	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 86 of 99

BLE 1M Channel 00



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2378.3592	47.93	27.49	-17.30	58.12	74.00	15.88	Vertical			
2	2389.2396	48.09	27.44	-17.26	58.27	74.00	15.73	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 87 of 99

BLE 1M Channel 00



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2377.0085	26.94	27.49	-17.31	37.12	54.00	16.88	Vertical			
2	2388.6393	27.03	27.45	-17.26	37.22	54.00	16.78	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 88 of 99

BLE 1M Channel 39



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.8419	49.24	27.74	-17.15	59.83	74.00	14.17	Horizontal			
2	2489.0445	47.97	27.76	-17.18	58.55	74.00	15.45	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 89 of 99

BLE 1M Channel 39



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.5918	30.25	27.73	-17.14	40.84	54.00	13.16	Horizontal			
2	2488.5943	26.58	27.75	-17.18	37.15	54.00	16.85	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 90 of 99

BLE 1M Channel 39



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.6418	47.45	27.73	-17.15	58.03	74.00	15.97	Vertical			
2	2489.2446	46.96	27.76	-17.18	57.54	74.00	16.46	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 91 of 99

BLE 1M Channel 39



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.6418	30.20	27.73	-17.15	40.78	54.00	13.22	Vertical			
2	2491.0955	26.98	27.76	-17.19	37.55	54.00	16.45	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 92 of 99

BLE 2M Channel 01



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2375.2076	48.13	27.50	-17.31	58.32	74.00	15.68	Horizontal			
2	2388.1141	47.54	27.45	-17.26	57.73	74.00	16.27	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 93 of 99

BLE 2M Channel 01



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2380.085	27.65	27.48	-17.29	37.84	54.00	16.16	Horizontal			
2	2388.4142	27.60	27.45	-17.26	37.79	54.00	16.21	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 94 of 99

BLE 2M Channel 01



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2374.8324	48.56	27.50	-17.32	58.74	74.00	15.26	Vertical			
2	2388.8644	47.70	27.44	-17.26	57.88	74.00	16.12	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 95 of 99

BLE 2M Channel 01



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2376.7834	27.73	27.49	-17.31	37.91	54.00	16.09	Vertical			
2	2389.7649	27.64	27.44	-17.25	37.83	54.00	16.17	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 96 of 99

BLE 2M Channel 38



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.5418	50.59	27.73	-17.14	61.18	74.00	12.82	Horizontal			
2	2488.2941	48.08	27.75	-17.18	58.65	74.00	15.35	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 97 of 99

BLE 2M Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2483.5918	28.85	27.73	-17.14	39.44	54.00	14.56	Horizontal	
2	2488.6443	27.59	27.75	-17.18	38.16	54.00	15.84	Horizontal	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

Page: 98 of 99

BLE 2M Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2483.6918	47.96	27.73	-17.15	58.54	74.00	15.46	Vertical	
2	2486.043	48.70	27.74	-17.16	59.28	74.00	14.72	Vertical	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.




Report No.: SUCR241200053002

Rev.: 01

99 of 99 Page:

BLE 2M Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2484.042	27.93	27.74	-17.15	38.52	54.00	15.48	Vertical	
2	2487.7939	27.47	27.75	-17.17	38.05	54.00	15.95	Vertical	

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

2) Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. Ltd.