



# SAR REPORT

		• • • • • • •		
Report Reference No:		C: 48574		
FCC ID:	YAMPD78XU2			
Applicant's name:	Hytera Communications Co.,Ltd			
Address	HYT Tower, Hi-Tech Industrial Park Shenzhen China	North, Nansshan District,		
Manufacturer	Hytera Communications Co.,Ltd			
Address	HYT Tower, Hi-Tech Industrial Park Shenzhen China	North, Nansshan District,		
Test item description:	DIGITAL PORTABLE RADIO			
Trade Mark:	Hytera			
Model/Type reference:	PD750 U(2)			
Listed Model(s)	PD752 U(2)/PD756 U(2)/PD758 U(2	2)/HD755 U(2)		
Standard:	OET 65C			
Date of receipt of test sample:	Jun 09, 2014			
Date of testing	Aug 06~Aug 07, 2014			
Date of issue	Aug 07, 2014			
Result:	PASS			
Compiled by		A fort 1 for		
( position+printed name+signature):	File administrators May Hu	pring the		
Supervised by		Tome law		
( position+printed name+signature):	Test Engineer Jerome Luo	Jerome lui		
Approved by		11		
( position+printed name+signature):	Manager Hans Hu	Hours Mu		
Testing Laboratory Name:	Shenzhen Huatongwei Internation	nal Inspection Co., Ltd		
Address	Keji Nan No.12 Road, Hi-tech Park,	Shenzhen, China		
Shenzhen Huatongwei International	Inspection Co., Ltd. All rights reser	ved.		
This publication may be reproduced in whole or in part for non-commercial purposes as long as the Shenzhen Huatongwei International Inspection Co., Ltd is acknowledged as copyright owner and source of the material. Shenzhen Huatongwei International Inspection Co., Ltd takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.				

The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

placement and context.

# Contents

<u>1.</u>	TEST STANDARDS	3
<u>2.</u>	SUMMARY	4
2.1.	Client Information	4
2.1.		
	Product Description	4
2.3.	Equipment under Test	4
2.4.	Short description of the Equipment under Test (EUT)	4
2.5.	TEST Configuration	4
2.6.	EUT operation mode	5
2.7.	EUT configuration	5
2.8.	Modifications	5
<u>3.</u>	TEST ENVIRONMENT	6
3.1.	Address of the test laboratory	6
3.2.	Test Facility	6
3.3.	Environmental conditions	7
3.4.	SAR Limits	7
3.5.	Equipments Used during the Test	7
<u>4.</u>	SAR MEASUREMENTS SYSTEM CONFIGURATION	8
4.1.	SAR Measurement Set-up	8
4.2.	DASY5 E-field Probe System	9
4.3.	Phantoms	10
4.4.	Device Holder	10
4.5.	Scanning Procedure	11
4.6.	Data Storage and Evaluation	12
4.7.	Tissue Dielectric Parameters for Head and Body Phantoms	13
4.8.	Dielectric Performance	14
4.9.	System Check	14
4.10.	Measurement Procedures	15
4.10.	Measurement Frocedures	15
<u>5.</u>	TEST CONDITIONS AND RESULTS	19
5.1.	Conducted Power Results	19
5.2.	Test reduction procedure	19
5.3.	SAR Measurement Results	19
5.4.	Measurement Uncertainty	20
5.5.	System Check Results	21
5.6.	SAR Test Graph Results	23
<u>6.</u>	CALIBRATION CERTIFICATE	28
6.1.	Probe Calibration Ceriticate	29
6.2.	D450V3 Dipole Calibration Ceriticate	40
6.3.	DAE4 Calibration Ceriticate	48
<u>7.</u>	TEST SETUP PHOTOS	51
8.	EUT PHOTOS	52

# 1. TEST STANDARDS

The tests were performed according to following standards:

<u>IEEE Std C95.1, 1999:</u> IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 KHz to 300 GHz.

<u>IEEE Std 1528™-2013</u>: IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques.

SUPPLEMENT C Edition 01-01 to OET BULLETIN 65 Edition 97-01 June 2001 including DA 02-1438 June 19, 2002: Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields Additional Information for Evaluation Compliance of Mobile and Portable Devices with FCC Limits for Human Exposure to Radiofrequency Emissions.

KDB 447498 D01 Mobile Portable RF Exposure v04: Mobile and Portable Device RF Exposure Procedures and Equipment Authorization Policies

# 2. <u>SUMMARY</u>

#### 2.1. Client Information

Applicant:	Hytera Communications Co.,Ltd
Address:	HYT Tower, Hi-Tech Industrial Park North, Nansshan District, Shenzhen China
Manufacturer:	Hytera Communications Co.,Ltd
Address:	HYT Tower, Hi-Tech Industrial Park North, Nansshan District, Shenzhen China

#### 2.2. Product Description

Name of EUT	DIGITAL PORTABLE RADIO
Model Number	PD750 U(2)
Device type	Portable device
Exposure category	Controlled environment/Occupational
Battery information	Model:BL2006
Ballery Information	DC7.4V 2000mAh/14.8Wh
Medilation Type	FM for Analog
Modilation Type	4FSK for Digital
Operating Frequency Range(s)	450.5MHz~519.5MHz
Test Frequency	450.5MHz-467.5MHz-485MHz-502.5MHz-519.5MHz
Maximum SAR Values	7.076 W/Kg For body worn(50% duty cycle)
	3.080 W/Kg For face held (50% duty cycle)

#### 2.3. Equipment under Test

#### Power supply system utilised

Power supply voltage	:	0	120V / 60 Hz	0	115V / 60Hz
		0	12 V DC	0	24 V DC
		•	Other (specified in blank bel	ow	)

#### DC 7.4V from battery

#### 2.4. Short description of the Equipment under Test (EUT)

Digital Portable Radio (Model: PD750 U(2)).

The spatial peak SAR values were assessed for UHF systems. Battery and accessories shell be specified by

the manufacturer. The EUT battery must be fully charged and checked periodically during the test to ascertain

uniform power output.

#### 2.5. TEST Configuration

Face-held Configuration

The front of the EUT is towards the phantom.

The front surface of the EUT is positioned at 25mm parallel to the flat phantom.

#### Body-worn Configuration

Body-worn Configuration - Default Battery Selection - per FCC KDB 447498,) A): Start by testing a PTT radio with the thinnest battery and a standard (default) Body-worn accessory.

Body-worn Configuration - Default Body-worn Accessory Selection - the belt-clip was selected as the default Body-worn accessory based on the smaller separation distance it provides between the radio and the user in comparison to the remaining accessories. Per FCC KDB 447498, A): "When multiple default Body-worn accessories are supplied with a radio, the standard Body-worn accessory expected to result in the highest SAR based on its construction and exposure conditions is considered the default Body-worn accessory for making Body-worn measurements."

Body-worn Configuration - Additional Body-worn Accessories - the remaining Body-worn accessories were evaluated based on the "additional Body-worn accessory" guidance provided in FCC KDB 447498). The remaining Body-worn accessories can be utilized with all the audio accessory options.

Body-worn Configuration - Selection of Default Audio Accessories by Category - the Default Audio Accessories by Category were selected based on the guidance provided in FCC KDB 447498, Section "Body SAR Test Considerations for Audio Accessories without Built-in Antenna", Page 10: "For audio accessories with similar construction and operating requirements, test only the audio accessory within the group that is expected to result in the highest SAR, with respect to changes in RF characteristics and exposure conditions for the combination. If it is unclear which audio accessory within a group of similar accessories is expected to result in the highest SAR, good engineering judgment and preliminary testing should be applied to select the accessory that is expected to result in the highest SAR." The Remaining Audio Accessories by Category were evaluated on the highest SAR channel from the Default Audio Accessory evaluations.

#### 2.6. EUT operation mode

The EUT has been tested under typical operating condition and The Transmitter was operated in the normal

operating mode. The TX frequency was fixed which was for the purpose of the measurements.

## 2.7. EUT configuration

#### The following peripheral devices and interface cables were connected during the measurement:

- - supplied by the manufacturer
- $\bigcirc$  supplied by the lab

0	Power Cable	Length (m) :	/
		Shield :	/
		Detachable :	/
0	Multimeter	Manufacturer :	/
		Model No. :	/

#### 2.8. Modifications

No modifications were implemented to meet testing criteria.

# 3. <u>TEST ENVIRONMENT</u>

#### 3.1. Address of the test laboratory

Shenzhen Huatongwei International Inspection Co., Ltd. Keji Nan No.12 Road, Hi-tech Park, Shenzhen, China Phone: 86-755-26748019 Fax: 86-755-26748089

#### 3.2. Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### CNAS-Lab Code: L1225

Shenzhen Huatongwei International Inspection Co., Ltd. has been assessed and proved to be in compliance with CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories, Date of Registration: Mar. 01, 2012. Valid time is until February 28, 2015.

#### A2LA-Lab Cert. No. 2243.01

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025: 2005 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing. Valid time is until Sept 30, 2015.

#### FCC-Registration No.: 662850

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration 662850, Renewal date Jul. 01, 2012, valid time is until Jun. 01, 2015.

#### **IC-Registration No.: 5377A**

The 3m Alternate Test Site of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 5377A on Dec. 31, 2013, valid time is until Dec. 31, 2016.

#### ACA

Shenzhen Huatongwei International Inspection Co., Ltd. EMC Laboratory can also perform testing for the Australian C-Tick mark as a result of our A2LA accreditation.

#### VCCI

The 3m Semi-anechoic chamber (12.2m×7.95m×6.7m) of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.:R-2484. Date of Registration: Dec. 20, 2012. Valid time is until Dec. 29, 2015.

Radiated disturbance above 1GHz measurement of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-292. Date of Registration: Dec. 24, 2013. Valid time is until Dec. 23, 2016.

Main Ports Conducted Interference Measurement of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: C-2726. Date of Registration: Dec. 20, 2012. Valid time is until Dec. 19, 2015.

Telecommunication Ports Conducted Interference Measurement of Shenzhen Huatongwei International Inspection Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: T-1837. Date of Registration: May 07, 2013. Valid time is until May 06, 2016.

#### DNV

Shenzhen Huatongwei International Inspection Co., Ltd. has been found to comply with the requirements of DNV towards subcontractor of EMC and safety testing services in conjunction with the EMC and Low voltage Directives and in the voluntary field. The acceptance is based on a formal quality Audit and follow-ups according to relevant parts of ISO/IEC Guide 17025 (2005), in accordance with the requirements of the DNV Laboratory Quality Manual towards subcontractors. Valid time is until Aug. 24, 2016.

#### 3.3. Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	18-25 ° C
Humidity:	40-65 %
Atmospheric pressure:	950-1050mbar

#### 3.4. SAR Limits

FCC Limit (1g Tissue)

	SAR (W/kg)				
EXPOSURE LIMITS	(General Population / Uncontrolled Exposure Environment)	(Occupational / Controlled Exposure Environment)			
Spatial Average (averaged over the whole body)	0.08	0.4			
Spatial Peak (averaged over any 1 g of tissue)	1.60	8.0			
Spatial Peak (hands/wrists/feet/ankles averaged over 10 g)	4.0	20.0			

Population/Uncontrolled Environments are defined as locations where there is the exposure of individual who have no knowledge or control of their exposure.

Occupational/Controlled Environments are defined as locations where there is exposure that may be incurred by people who are aware of the potential for exposure (i.e. as a result of employment or occupation).

#### 3.5. Equipments Used during the Test

				Calib	ration
Test Equipment	Manufacturer	Type/Model	Serial Number	Last Calibration	Calibration Interval
Data Acquisition Electronics DAEx	SPEAG	DAE4	1315	2013/11/25	1
E-field Probe	SPEAG	EX3DV4	3842	2014/06/06	1
System Validation Dipole D450V3	SPEAG	D450V3	1079	2014/2/28	1
Network analyzer	Agilent	8753E	US37390562	2014/3/26	1
Signal generator	IFR	2032	203002/100	2013/10/27	1
Amplifier	AR	75A250	302205	2013/10/27	1

## 4. SAR Measurements System configuration

#### 4.1. SAR Measurement Set-up

The DASY5 system for performing compliance tests consists of the following items:

A standard high precision 6-axis robot (Stäubli RX family) with controller and software. An arm extension for accommodating the data acquisition electronics (DAE).

A dosimetric probe, i.e. an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.

A data acquisition electronic (DAE) which performs the signal amplification, signal multiplexing, ADconversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.

A unit to operate the optical surface detector which is connected to the EOC.

The Electro-Optical Coupler (EOC) performs the conversion from the optical into a digital electric signal of the DAE. The EOC is connected to the DASY5 measurement server.

The DASY5 measurement server, which performs all real-time data evaluation for field measurements and surface detection, controls robot movements and handles safety operation. A computer operating Windows 2003.

DASY5 software and SEMCAD data evaluation software.


Remote control with teach panel and additional circuitry for robot safety such as warning lamps, etc.

The generic twin phantom enabling the testing of left-hand and right-hand usage.

The device holder for handheld mobile phones.

Tissue simulating liquid mixed according to the given recipes.

System validation dipoles allowing to validate the proper functioning of the system.



## 4.2. DASY5 E-field Probe System

The SAR measurements were conducted with the dosimetric probe ES3DV3 (manufactured by SPEAG), designed in the classical triangular configuration and optimized for dosimetric evaluation.


Probe Specification

Construction	Symmetrical design with triangular core Interleaved sensors Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)
Calibration	ISO/IEC 17025 calibration service available.
Frequency	10 MHz to 4 GHz; Linearity: ± 0.2 dB (30 MHz to 4 GHz)
Directivity	± 0.2 dB in HSL (rotation around probe axis) ± 0.3 dB in tissue material (rotation normal to probe axis)
Dynamic Range	5 μW/g to > 100 mW/g; Linearity: ± 0.2 dB
Dimensions	Overall length: 337 mm (Tip: 20 mm) Tip diameter: 3.9 mm (Body: 12 mm) Distance from probe tip to dipole centers: 2.0 mm
Application	General dosimetry up to 4 GHz Dosimetry in strong gradient fields Compliance tests of mobile phones
Compatibility	DASY3, DASY4, DASY52 SAR and higher, EASY4/MRI

Isotropic E-Field Probe

The isotropic E-Field probe has been fully calibrated and assessed for isotropicity, and boundary effect within a controlled environment. Depending on the frequency for which the probe is calibrated the method utilized for calibration will change.

The E-Field probe utilizes a triangular sensor arrangement as detailed in the diagram below:



#### 4.3. Phantoms

The phantom used for all tests i.e. for both system checks and device testing, was the twin-headed "SAM Phantom", manufactured by SPEAG. The SAM twin phantom is a fiberglass shell phantom with 2mm shell thickness (except the ear region, where shell thickness increases to 6mm).

System checking was performed using the flat section, whilst Head SAR tests used the left and right head profile sections. Body SAR testing also used the flat section between the head profiles.



SAM Twin Phantom

#### 4.4. Device Holder

The device was placed in the device holder (illustrated below) that is supplied by SPEAG as an integral part of the DASY system.

The DASY device holder is designed to cope with the different positions given in the standard. It has two scales for device rotation (with respect to the body axis) and device inclination (with respect to the line between the ear reference points). The rotation centers for both scales is the ear reference point (ERP). Thus the device needs no repositioning when changing the angles.



Device holder supplied by SPEAG

#### 4.5. Scanning Procedure

The DASY5 installation includes predefined files with recommended procedures for measurements and validation. They are read-only document files and destined as fully defined but unmeasured masks. All test positions (head or body-worn) are tested with the same configuration of test steps differing only in the grid definition for the different test positions.

The "reference" and "drift" measurements are located at the beginning and end of the batch process. They measure the field drift at one single point in the liquid over the complete procedure. The indicated drift is mainly the variation of the DUT's output power and should vary max.  $\pm 5$  %.

The "surface check" measurement tests the optical surface detection system of the DASY5 system by repeatedly detecting the surface with the optical and mechanical surface detector and comparing the results. The output gives the detecting heights of both systems, the difference between the two systems and the standard deviation of the detection repeatability. Air bubbles or refraction in the liquid due to separation of the sugar-water mixture gives poor repeatability (above  $\pm 0.1$ mm). To prevent wrong results tests are only executed when the liquid is free of air bubbles. The difference between the optical surface detection and the actual surface depends on the probe and is specified with each probe (It does not depend on the surface reflectivity or the probe angle to the surface within  $\pm 30^{\circ}$ .)

#### Area Scan

The Area Scan is used as a fast scan in two dimensions to find the area of high field values before running a detailed measurement around the hot spot.Before starting the area scan a grid spacing of 15 mm x 15 mm is set. During the scan the distance of the probe to the phantom remains unchanged. After finishing area scan, the field maxima within a range of 2 dB will be ascertained.

#### Zoom Scan

Zoom Scans are used to estimate the peak spatial SAR values within a cubic averaging volume containing 1 g and 10 g of simulated tissue. The default Zoom Scan is done by 7x7x7 points within a cube whose base is centered around the maxima found in the preceding area scan.

#### Spatial Peak Detection

The procedure for spatial peak SAR evaluation has been implemented and can determine values of masses of 1g and 10g, as well as for user-specific masses. The DASY5 system allows evaluations that combine measured data and robot positions, such as: • maximum search • extrapolation • boundary correction • peak search for averaged SAR During a maximum search, global and local maxima searches are automatically performed in 2-D after each Area Scan measurement with at least 6 measurement points. It is based on the evaluation of the local SAR gradient calculated by the Quadratic Shepard's method. The algorithm will find the global maximum and all local maxima within -2 dB of the global maxima for all SAR distributions.

Extrapolation routines are used to obtain SAR values between the lowest measurement points and the inner phantom surface. The extrapolation distance is determined by the surface detection distance and the probe sensor offset. Several measurements at different distances are necessary for the extrapolation. Extrapolation routines require at least 10 measurement points in 3-D space. They are used in the Zoom Scan to obtain SAR values between the lowest measurement points and the inner phantom surface. The routine uses the modified Quadratic Shepard's method for extrapolation. For a grid using 7x7x7 measurement points with 5mm resolution amounting to 343 measurement points, the uncertainty of the extrapolation routines is less than 1% for 1g and 10g cubes.

A Z-axis scan measures the total SAR value at the x-and y-position of the maximum SAR value found during the cube 7x7x7 scan. The probe is moved away in z-direction from the bottom of the SAM phantom in 5mm steps.

#### 4.6. Data Storage and Evaluation

#### Data Storage

The DASY5 software stores the acquired data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files with the extension ".DA4". The software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verification of the complete software setup even after the measurement and allows correction of incorrect parameter settings. For example, if a measurement has been performed with a wrong crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be re-evaluated.

The measured data can be visualized or exported in different units or formats, depending on the selected probe type ([V/m], [A/m], [°C], [mW/g], [mW/cm<sup>2</sup>], [dBrel], etc.). Some of these units are not available in certain situations or show meaningless results, e.g., a SAR output in a lossless media will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

#### Data Evaluation

The SEMCAD software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters: - Sensitivity	Normi, ai0, ai1, ai2
<ul> <li>Conversion factor</li> </ul>	ConvFi
<ul> <li>Diode compression point</li> </ul>	Dcpi
Device parameters: - Frequency	f
- Crest factor	cf
Media parameters: - Conductivity	σ
- Density	ρ

These parameters must be set correctly in the software. They can be found in the component documents or they can be imported into the software from the configuration files issued for the DASY5 components. In the direct measuring mode of the multimeter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics. If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot \frac{cf}{dcp_i}$$

With Vi = compensated signal of channel i	( i = x, y, z )
Ui = input signal of channel i	(i=x,y,z)
cf = crest factor of exciting field	(DASY parameter)
dcpi = diode compression point	(DASY parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

		E – fieldprobes : $E_i = \sqrt{\frac{V_i}{Norm_i \cdot ConvF}}$	
		H – field probes : $H_i = \sqrt{V_i} \cdot \frac{a_{i0} + a_{i1}f + a_{i2}f^2}{f}$	
With	Vi Normi	= compensated signal of channel i (i = x, y, z) = sensor sensitivity of channel i (i = x, y, z) [mV/(V/m)2] for E-field Probes	
	ConvF	= sensitivity enhancement in solution	
	aij	<ul> <li>sensor sensitivity factors for H-field probes</li> </ul>	
	f	= carrier frequency [GHz]	
	Ei	= electric field strength of channel i in V/m	
	Hi	= magnetic field strength of channel i in A/m	

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = \sqrt{E_x^2 + E_y^2 + E_z^2}$$

$$SAR = E_{tot}^2 \cdot \frac{\sigma}{\rho \cdot 1'000}$$

with SAR = local specific absorption rate in mW/g Etot = total field strength in V/m $\sigma$ = conductivity in [mho/m] or [Siemens/m] $\rho$ = equivalent tissue density in g/cm3	
---	--

Note that the density is normally set to 1 (or 1.06), to account for actual brain density rather than the density of the simulation liquid.

#### 4.7. Tissue Dielectric Parameters for Head and Body Phantoms

The head tissue dielectric parameters recommended by the IEEE SCC-34/SC-2 in P1528 have been incorporated in the following table. These head parameters are derived from planar layer models simulating the highest expected SAR for the dielectric properties and tissue thickness variations in a human head. Other head and body tissue parameters that have not been specified in P1528 are derived from the tissue dielectric parameters computed from the 4-Cole-Cole equations described in Reference [12] and extrapolated according to the head parameters specified in P1528.

Ingredients	Frequency (MHz)										
(% by weight)	450		835		915		1900		2450		
Tissue Type	Head	Body	Head	Body	Head	Body	Head	Body	Head	Body	
Water	38.56	51.16	41.45	52.4	41.05	56.0	54.9	40.4	62.7	73.2	
Salt (Nacl)	3.95	1.49	1.45	1.4	1.35	0.76	0.18	0.5	0.5	0.04	
Sugar	56.32	46.78	56.0	45.0	56.5	41.76	0.0	58.0	0.0	0.0	
HEC	0.98	0.52	1.0	1.0	1.0	1.21	0.0	1.0	0.0	0.0	
Bactericide	0.19	0.05	0.1	0.1	0.1	0.27	0.0	0.1	0.0	0.0	
Triton x-100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.8	0.0	
DGBE	0.0	0.0	0.0	0.0	0.0	0.0	44.92	0.0	0.0	26.7	
Dielectric Constant	43.42	58.0	42.54	56.1	42.0	56.8	39.9	54.0	39.8	52.5	
Conductivity (s/m)	0.85	0.83	0.91	0.95	1.0	1.07	1.42	1.45	1.88	1.78	

IEEE SCC-34/SC-2 P1528 Recommended Tissue Dielectric Parameters

Frequency	Head	Tissue	Body Tissue		
(MHz)	٤r	O' (S/m)	٤r	O' (S/m)	
150	52.3	0.76	61.9	0.80	
300	45.3	0.87	58.2	0.92	
450	43.5	0.87	56.7	0.94	
835	41.5	0.90	55.2	0.97	
900	41.5	0.97	55.0	1.05	
915	41.5	0.98	55.0	1.06	
1450	40.5	1.20	54.0	1.30	
1610	40.3	1.29	53.8	1.40	
1800-2000	40.0	1.40	53.3	1.52	
2450	39.2	1.80	52.7	1.95	
3000	38.5	2.40	52.0	2.73	
5800	35.3	5.27	48.2	6.00	

#### 4.8. Dielectric Performance

Dielectric Performance of Head Tissue Simulating Liquid									
Measurement is made at temperature 22.0°C and relative humidity 55%.									
Liquid temperature during the test: 22.0 °C									
Measurement Date: 450 M	Hz July 26 <sup>th</sup> , 2014								
/	Frequency	Frequency ε	Conductivity σ (S/m)						
Measurement value	Measurement value 450 MHz 44.04 0.87								

Dielectric Performance of Body Tissue Simulating Liquid


Measurement is made at temperature 22.0 $^\circ C$ and relative humidity 55%.									
Liquid temperature during the test: 22.0 °C									
Measurement Date: 450 MHz July 26 <sup>th</sup> , 2014									
1	Frequency	Frequency ε	Conductivity σ (S/m)						
Measurement value									

#### 4.9. System Check

The purpose of the system check is to verify that the system operates within its specifications at the decice test frequency. The system check is simple check of repeatability to make sure that the system works correctly at the time of the compliance test;

System check results have to be equal or near the values determined during dipole calibration with the relevant liquids and test system ( $\pm 10$  %).

System check is performed regularly on all frequency bands where tests are performed with the DASY5 system.



The output power on dipole port must be calibrated to 26 dBm (398mW) before dipole is connected.




Photo of Dipole Setup

System	Validation of Head
--------	--------------------

Measurement is made at temperature 22.0 $^\circ\!\!\mathbb{C}$ and relative humidity 55%.										
Measurement is made at temperature 22.0 °C and relative humidity 55%.										
Measurement Date: 450 MHz July 26 <sup>th</sup> , 2014										
Verification	Frequency	Target valueMeasured valueFrequency(W/kg)(W/kg)					Deviation			
results	(MHz)	1 g Average	10 g Average	1 g Average	10 g Average	1 g Average	10 g Average			
	450	1.81	1.21	1.75	1.17	-3.31%	-3.31%			

#### System Validation of Body

Measurement is made at temperature 22.0 °C and relative humidity 55%.										
Measurement is made at temperature 22.0 $^\circ C$ and relative humidity 55%.										
Measurement Date: 450 MHz July 26 <sup>th</sup> , 2014										
Verification	Frequency	•	t value /kg)		ed value /kg)	Deviation				
results	(MHz)	1 g Average	10 g Average	1 g Average	10 g Average	1 g Average	10 g Average			
	450	1.74	1.16	1.69	1.11	-2.87	-4.31%			

#### 4.10. Measurement Procedures

#### Tests to be performed

In order to determine the highest value of the peak spatial-average SAR of a handset, all device positions, configurations and operational modes shall be tested for each frequency band according to steps 1 to 3 below. A flowchart of the test process is shown in Picture 11


Step 1: The tests described in 11.2 shall be performed at the channel that is closest to the centre of the transmit frequency band ( $f_c$ ) for:

- a) all device positions (cheek and tilt, for both left and right sides of the SAM phantom, as described in Chapter 8),
- b) all configurations for each device position in a), e.g., antenna extended and retracted, and
- c) all operational modes, e.g., analogue and digital, for each device position in a) and configuration in b) in each frequency band.
- d) If more than three frequencies need to be tested according to 11.1 (i.e., N<sub>c</sub> > 3), then all frequencies, configurations and modes shall be tested for all of the above test conditions.


Step 2: For the condition providing highest peak spatial-average SAR determined in Step 1, perform all tests described in 11.2 at all other test frequencies, i.e., lowest and highest frequencies. In addition, for all other

conditions (device position, configuration and operational mode) where the peak spatial-average SAR value determined in Step 1 is within 3 dB of the applicable SAR limit, it is recommended that all other test frequencies shall be tested as well.

Step 3: Examine all data to determine the highest value of the peak spatial-average SAR found in Steps 1 to 2.



Picture 11 Block diagram of the tests to be performed



Picture 12 Block diagram of the tests to be performed

#### Measurement procedure

The following procedure shall be performed for each of the test conditions (see Picture 11) described in 11.1:

- a) Measure the local SAR at a test point within 8 mm or less in the normal direction from the inner surface of the phantom.
- b) Measure the two-dimensional SAR distribution within the phantom (area scan procedure). The boundary of the measurement area shall not be closer than 20 mm from the phantom side walls. The distance between the measurement points should enable the detection of the location of local maximum with an

accuracy of better than half the linear dimension of the tissue cube after interpolation. A maximum grip spacing of 20 mm for frequencies below 3 GHz and (60/f [GHz]) mm for frequencies of 3GHz and greater is recommended. The maximum distance between the geometrical centre of the probe detectors and the inner surface of the phantom shall be 5 mm for frequencies below 3 GHz and $\delta \ln(2)/2$  mm for frequencies of 3 GHz and greater, where $\delta$  is the plane wave skin depth and  $\ln(x)$  is the natural logarithm. The maximum variation of the sensor-phantom surface shall be ±1 mm for frequencies below 3 GHz and ±0.5 mm for frequencies of 3 GHz and greater. At all measurement points the angle of the probe with respect to the line normal to the surface should be less than 5°. If this cannot be achieved for a measurement distance to the phantom inner surface shorter than the probe diameter, additional measurement distance to the phantom inner surface shorter than the probe diameter, additional

- c) From the scanned SAR distribution, identify the position of the maximum SAR value, in addition identify the positions of any local maxima with SAR values within 2 dB of the maximum value that are not within the zoom-scan volume; additional peaks shall be measured only when the primary peak is within 2 dB of the SAR limit. This is consistent with the 2 dB threshold already stated;
- d) Measure the three-dimensional SAR distribution at the local maxima locations identified in step
- e) The horizontal grid step shall be (24 / f[GHz]) mm or less but not more than 8 mm. The minimum zoom size of 30 mm by 30 mm and 30 mm for frequencies below 3 GHz. For higher frequencies, the minimum zoom size of 22 mm by 22 mm and 22 mm. The grip step in the vertical direction shall be (8-f[GHz]) mm or less but not more than 5 mm, if uniform spacing is used. If variable spacing is used in the vertical direction, the maximum spacing between the two closest measured points to the phantom shell shall be (12 / f[GHz]) mm or less but not more than 4 mm, and the spacing between father points shall increase by an incremental factor not exceeding 1.5. When variable spacing is used, extrapolation routines shall be tested with the same spacing as used in measurements. The maximum distance between the geometrical centre of the probe detectors and the inner surface of the phantom shall be 5 mm for frequencies below 3 GHz and  $\delta \ln(2)/2$  mm for frequencies of 3 GHz and greater, where  $\delta is$  the plane wave skin depth and  $\ln(x)$ is the natural logarithm. Separate grids shall be centered on each of the local SAR maxima found in step c). Uncertainties due to field distortion between the media boundary and the dielectric enclosure of the probe should also be minimized, which is achieved is the distance between the phantom surface and physical tip of the probe is larger than probe tip diameter. Other methods may utilize correction procedures for these boundary effects that enable high precision measurements closer than half the probe diameter. For all measurement points, the angle of the probe with respect to the flat phantom surface shall be less than 5. If this cannot be achieved an additional uncertainty evaluation is needed.
- f) Use post processing( e.g. interpolation and extrapolation ) procedures to determine the local SAR values at the spatial resolution needed for mass averaging.

#### **Power Drift**

To control the output power stability during the SAR test, DASY5 system calculates the power drift by measuring the E-field at the same location at the beginning and at the end of the measurement for each test position. These drift values can be found in Table 2 to Table 6 labeled as: (Power Drift [dB]). This ensures that the power drift during one measurement is within 5%.

# 5. TEST CONDITIONS AND RESULTS

#### 5.1. Conducted Power Results

Conducted power measurement results

	Conducted Power(dBm)							
Analog 12.5K UHF	450.5MHz	467.5MHz	485MHz	502.5MHz	519.5MHz			
Ū	36.08	35.97	36.97	36.13	36.13			
	Conducted Power(dBm)							
Digital 12.5K UHF	450.5MHz	467.5MHz	485MHz	502.5MHz	519.5MHz			
	35.97	35.89	35.94	36.01	36.01			

#### 5.2. Test reduction procedure

#### Maximum power level

The maximum power level,  $P_{max,m}$ , that can be transmitted by a device before the SAR averaged over a mass, m, exceeds a given limit, SAR<sub>lim</sub>, can be defined. Any device transmitting at power levels below  $P_{max,m}$  can then be excluded from SAR testing. The lowest possible value for  $P_{max,m}$  is:  $P_{max,m} = SAR_{lim}*m$ .

#### 5.3. SAR Measurement Results

Test Frequency	Mode/Band	Test Configuration	over1g (Inclu	•••	Scaling Factor	Averag over1g (Inclu Powe and S fac 100%	(W/kg) uding r Drift caling	SAR limit 1g (W/kg)	Ref. Plot #
MHz			Duty	Duty		Duty	Duty		
			Cycle	Cycle		Cycle	Cycle		
	In	e EUT display to			1				1
450.5	Analog	Face Held	5.340	2.670	1.24	6.622	3.311	8.0	
467.5			4.850	2.425	1.27	6.160	3.080	8.0	
485.0	Analog 12.5KHz UHF		5.020	2.510	1.00	5.020	2.510	8.0	
502.5			4.120	2.060	1.22	5.026	2.513	8.0	
519.5			3.160	1.580	1.22	3.855	1.928	8.0	
	The EUT	display towards	ground	with belt	clip for 12	2.5KHz			
450.5			10.200	5.100	1.24	12.648	6.324	8.0	1
467.5	A		10.220	5.110	1.27	12.979	6.490	8.0	2
485.0	Analog	Body-worn	12.540	6.270	1.00	12.540	6.270	8.0	3
502.5	12.5KHz UHF		11.600	5.800	1.22	14.152	7.076	8.0	4
519.5			10.460	5.230	1.22	12.761	6.381	8.0	5
	The El	JT display towar	ds groun	d with D	igital Cha	nnel			
502.5	Analog 12.5KHz UHF	Body-worn	5.860	2.930	1.26	7.384	3.692	8.0	

Note: 1. The value with bile color is the maximum SAR value of each test band;

2. The exposure category about EUT: controlled environment /Occupational, so the SAR limit is 8.0 W/kg averaged over any 1g of tissue.

## 5.4. Measurement Uncertainty

Uncertainty Component	Unc. vaule ±%	Prob Dist.	Div.	Ci 1g	C <sub>i</sub> 10g	Std.Unc. ±%.1g	Std.Unc. ±%.10g	Vi
Measurement System							1	
Probe Calibration	5.9	Ν	1	1	1	5.9	5.9	∞
Axial Isotropy	4.7	R	$\sqrt{3}$	0.7	0.7	1.9	1.9	8
Hemispherical Isotropy	9.6	R	$\sqrt{3}$	0.7	0.7	3.9	3.9	∞
Boundary Effect	1.0	R	$\sqrt{3}$	1	1	0.6	0.6	∞
Linearity	4.7	R	$\sqrt{3}$	1	1	2.7	2.7	∞
System Detection Limits	1.0	R	$\sqrt{3}$	1	1	0.6	0.6	8
Readout Electronics	0.3	N	1	1	1	0.3	0.3	8
Response Time	0.8	R	$\sqrt{3}$	1	1	0.5	0.5	8
Integration Time	2.6	R	$\sqrt{3}$	1	1	1.5	1.5	∞
RF Ambient Conditions - Noise	3.0	R	$\sqrt{3}$	1	1	1.7	1.7	∞
RF Ambient Conditions - Reflections	3.0	R	$\sqrt{3}$	1	1	1.7	1.7	∞
Probe Positioner Mechanical Tolerance	0.4	R	$\sqrt{3}$	1	1	0.2	0.2	∞
Probe Positioning with respect to Phantom Shell	2.9	R	$\sqrt{3}$	1	1	1.7	1.7	8
Extrapolation, interpolation and Integration Algorithms for Max. SAR Evaluation	1.0	R	$\sqrt{3}$	1	1	0.6	0.6	8
Test Sample Related								
Test Sample Positioning	2.1	Ν	1	1	1	2.1	2.1	150
Device Holder Uncertainty	3.6	Ν	1	1	1	3.6	3.6	5
Output Power Variation - SAR drift measurement	5.0	R	$\sqrt{3}$	1	1	2.9	2.9	∞
Phantom and Tissue Parameters		1	1	1	1	T	I	1
Phantom Uncertainty (shape and thickness tolerances)	4.0	R	$\sqrt{3}$	1	1	2.3	2.3	∞
Conductivity Target - tolerance	5.0	R	$\sqrt{3}$	0.64	0.43	1.8	1.2	∞
Conductivity - measurement uncertainty	2.5	N	1	0.64	0.43	1.6	1.1	∞
Permittivity Target - tolerance	5.0	R	$\sqrt{3}$	0.60	0.49	1.7	1.4	∞
Permittivity - measurement uncertainty	1.9	N	1	0.60	0.49	1.5	1.2	5
Combined Standard Uncertainty		R				±11.2%	±10.8%	387
Coverage Factor for 95%			2					
Expanded STD Uncertainty						+22.4%	±21.6%	

#### 5.5. System Check Results

#### System Performance Check at 450 MHz Head TSL

DUT: Dipole450 MHz; Type: D450V3; Serial: 1079

Date/Time: 26/07/2014

Communication System: DuiJiangJi; Frequency: 450 MHz;Duty Cycle: 1:1

Medium parameters used (interpolated): f = 450 MHz;  $\sigma$  = 0.87 S/m;  $\epsilon_r$  = 44.04;  $\rho$  = 1000 kg/m

Phantom section: Flat Section

DASY5 Configuration:

Probe: ES3DV4 - SN3842; ConvF(10.00, 10.00, 10.00); Calibrated: 06/06/2013;

Sensor-Surface: 4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1315; Calibrated: 25/11/2013

Phantom: SAM 1; Type: SAM;

Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824)

Area Scan (41x131x1): Measurement grid: dx=15.00 mm, dy=15.00 mm

Maximum value of SAR (interpolated) = 2.14 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 53.453 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 3.24 mW/g

#### SAR(1 g) = 1.75 mW/g; SAR(10 g) = 1.17 mW/g

Maximum value of SAR (measured) = 3.24 W/kg



 $<sup>0 \,</sup> dB = 3.24 \, mW/g$ 

System Performance Check 450MHz 398mW

#### System Performance Check at 450 MHz Body TSL

DUT: Dipole450 MHz; Type: D450V3; Serial: 1079

Date/Time: 26/07/2014

Communication System: DuiJiangJi; Frequency: 450 MHz;Duty Cycle: 1:1

Medium parameters used (interpolated): f = 450 MHz;  $\sigma$  = 0.94 S/m;  $\epsilon_r$  = 56.46;  $\rho$  = 1000 kg/m

Phantom section: Flat Section

DASY5 Configuration:

Probe: ES3DV4 - SN3842; ConvF(10.34, 10.34, 10.34); Calibrated: 06/06/2013;

Sensor-Surface: 4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1315; Calibrated: 25/11/2013

Phantom: SAM 1; Type: SAM;

Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824)

Area Scan (41x131x1): Measurement grid: dx=15.00 mm, dy=15.00 mm

Maximum value of SAR (interpolated) = 1.83 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 50.358 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 2.64 mW/g

#### SAR(1 g) = 1.69 mW/g; SAR(10 g) = 1.11 mW/g

Maximum value of SAR (measured) = 2.64 W/kg



 $0 \, dB = 2.64 \, mW/g$ 

#### System Performance Check 450MHz 398mW

#### 5.6. SAR Test Graph Results

#### Body-worn, Back towards Ground for 12.5KHz 450.5MHz

Communication System: DuiJiangJi; Frequency: 450.5 MHz; Duty Cycle: 1:1 Medium parameters used (interpolated): f = 450.5 MHz;  $\sigma$  = 0.95 mho/m;  $\epsilon_r$  = 57.30;  $\rho$  = 1000 kg/m Phantom section: Flat Section DASY5 Configuration: Probe: ES3DV4 - SN3842; ConvF(10.34, 10.34, 10.34); Calibrated: 06/06/2013; Sensor-Surface: 4mm (Mechanical Surface Detection) Electronics: DAE4 Sn1315; Calibrated: 25/11/2013 Phantom: SAM 1; Type: SAM; Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824) Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm Maximum value of SAR (interpolated) = 11.26 W/kg Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 104.24 V/m; Power Drift = -0.04 dB Peak SAR (extrapolated) = 13.90 mW/g SAR(1 g) = 10.20 W/Kg; SAR(10 g) = 7.32 W/Kg Maximum value of SAR (measured) = 11.96 W/kg

Report No.: TRE14060065




Figure 1: Body-worn, Back towards Ground for 12.5KHz 450.5MHz

#### Body-worn, Back towards Ground for 12.5KHz 467.5MHz

Communication System: DuiJiangJi; Frequency: 467.5 MHz;Duty Cycle: 1:1

Medium parameters used (interpolated): f = 467.5 MHz;  $\sigma$  = 0.98 mho/m;  $\epsilon_r$  = 55.14;  $\rho$  = 1000 kg/m

Phantom section: Flat Section

DASY5 Configuration:

Probe: ES3DV4 - SN3842; ConvF(10.34, 10.34, 10.34); Calibrated: 06/06/2013;

Sensor-Surface: 4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1315; Calibrated: 25/11/2013

Phantom: SAM 1; Type: SAM;

Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824)

Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm

Maximum value of SAR (interpolated) =11.37 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 105.23 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 14.74 mW/g

#### SAR(1 g) = 10.22 W/Kg; SAR(10 g) = 7.47 W/Kg

Maximum value of SAR (measured) = 11.63 W/kg




Figure 2: Body-worn, Back towards Ground for 12.5KHz 467.5MHz

# Body-worn, Back towards Ground for 12.5KHz 485MHz Communication System: DuiJiangJi; Frequency: 485 MHz; Duty Cycle: 1:1 Medium parameters used (interpolated): f = 485 MHz; $\sigma$ = 0.96 mho/m; $\epsilon_r$ = 55.92; $\rho$ = 1000 kg/m Phantom section: Flat Section DASY5 Configuration: Probe: ES3DV4 - SN3842; ConvF(10.34, 10.34, 10.34); Calibrated: 06/06/2013; Sensor-Surface: 4mm (Mechanical Surface Detection) Electronics: DAE4 Sn1315; Calibrated: 25/11/2013 Phantom: SAM 1; Type: SAM; Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824) Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm Maximum value of SAR (interpolated) = 12.47 W/kg Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 112.24 V/m; Power Drift = -0.04 dB Peak SAR (extrapolated) = 15.46 mW/g SAR(1 g) = 12.54 W/Kg; SAR(10 g) = 8.49 W/Kg

Maximum value of SAR (measured) = 13.89 W/kg

Report No.: TRE14060065




Figure 3: Body-worn, Back towards Ground for 12.5KHz 485MHz

# Body-worn, Back towards Ground for 12.5KHz 502.5MHz Communication System: DuiJiangJi; Frequency: 502.5 MHz;Duty Cycle: 1:1 Medium parameters used (interpolated): f = 502.5 MHz; $\sigma$ = 0.95 mho/m; $\varepsilon_r$ = 55.89; $\rho$ = 1000 kg/m Phantom section: Flat Section DASY5 Configuration: Probe: ES3DV4 - SN3842; ConvF(10.34, 10.34, 10.34); Calibrated: 06/06/2013; Sensor-Surface: 4mm (Mechanical Surface Detection) Electronics: DAE4 Sn1315; Calibrated: 25/11/2013 Phantom: SAM 1; Type: SAM; Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824) Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm Maximum value of SAR (interpolated) =12.7 W/kg Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 111.63 V/m; Power Drift = -0.02 dB Peak SAR (extrapolated) = 16.66mW/g SAR(1 g) = 11.60 W/Kg; SAR(10 g) = 7.73 W/Kg

Maximum value of SAR (measured) = 12.73 W/kg




Figure 4: Body-worn, Back towards Ground for 12.5KHz 502.5MHz

# Body-worn, Back towards Ground for 12.5KHz 519.5MHz Communication System: DuiJiangJi; Frequency: 519.5 MHz; Duty Cycle: 1:1 Medium parameters used (interpolated): f = 519.5 MHz; $\sigma$ = 0.99 mho/m; $\epsilon_r$ = 56.74; $\rho$ = 1000 kg/m Phantom section: Flat Section DASY5 Configuration: Probe: ES3DV4 - SN3842; ConvF(10.34, 10.34, 10.34); Calibrated: 06/06/2013; Sensor-Surface: 4mm (Mechanical Surface Detection) Electronics: DAE4 Sn1315; Calibrated: 25/11/2013 Phantom: SAM 1; Type: SAM; Measurement SW: DASY52, Version 52.8 (2); SEMCAD X Version 14.6.6 (6824) Area Scan (51x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm Maximum value of SAR (interpolated) = 11.25 W/kg Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 102.53 V/m; Power Drift = -0.03 dB Peak SAR (extrapolated) = 15.47 mW/g SAR(1 g) = 10.46 W/Kg; SAR(10 g) = 7.58 W/Kg Maximum value of SAR (measured) = 11.43 W/kg




Figure 5: Body-worn, Back towards Ground for 12.5KHz 519.5MHz

# 6. Calibration Certificate

## 6.1. Probe Calibration Ceriticate

ccredited by the Swiss Accredit	ch, Switzerland ation Service (SAS)	S Storage S	Servizio svizzero di taratura Swiss Calibration Service Io.: SCS 108
he Swiss Accreditation Servic Iultilateral Agreement for the	ce is one of the signatories		
lient CIQ-SZ (Aude			EX3-3842_Jun13
CALIBRATION	CERTIFICATE		
Object	EX3DV4 - SN:384	42	
Calibration procedure(s)	QA CAL-01.v8, Q Calibration proces	A CAL-12.v7, QA CAL-23.v4, QA dure for dosimetric E-field probes	CAL-25.v4
Calibration date:	June 6, 2014		
The measurements and the unc All calibrations have been condi Calibration Equipment used (Mi	ucted in the closed laboratory	v facility: environment temperature (22 $\pm$ 3)°C a	and humidity < 70%.
All calibrations have been condi	ucted in the closed laboratory		and humidity < 70%.
All calibrations have been condi	ucted in the closed laboratory	v facility: environment temperature (22 ± 3)°C a	
All calibrations have been cond Calibration Equipment used (Mi Primary Standards	ucted in the closed laboratory &TE critical for calibration)	v facility: environment temperature (22 ± 3)°C a	Scheduled Calibration
All calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B	ucted in the closed laboratory STE critical for calibration) ID GB41293874	v facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733)	Scheduled Calibration Apr-14
All calibrations have been condent Calibration Equipment used (Ma Primary Standards Power meter E4419B Power sensor E4412A	ucted in the closed laboratory STE critical for calibration) ID GB41293874 MY41498087	v facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733)	Scheduled Calibration Apr-14 Apr-14
All calibrations have been condent Calibration Equipment used (Ma Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator	UCted in the closed laboratory STE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c)	Cal Date (Certificate No.)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01737)           04-Apr-13 (No. 217-01737)           04-Apr-13 (No. 217-01735)           04-Apr-13 (No. 217-01735)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14
All calibrations have been conde Calibration Equipment used (Ma Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator	LID GB41293874 MY41498087 SN: S5054 (3c) SN: S5277 (20x) SN: S5129 (30b) SN: 3013	Cal Date (Certificate No.)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01737)           04-Apr-13 (No. 217-01737)           04-Apr-13 (No. 217-01735)           04-Apr-13 (No. 217-01738)           28-Dec-12 (No. ES3-3013_Dec12)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13
All calibrations have been conde Calibration Equipment used (Ma Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator	ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5129 (30b)	Cal Date (Certificate No.)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01733)           04-Apr-13 (No. 217-01737)           04-Apr-13 (No. 217-01737)           04-Apr-13 (No. 217-01735)           04-Apr-13 (No. 217-01735)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14
All calibrations have been condi Calibration Equipment used (M& Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 30 dB Attenuator Reference 7robe ES3DV2 DAE4	ucted in the closed laboratory TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 3013 SN: 660	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013. Dec12) 31-Jan-13 (No. DAE4-660_Jan13)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14
All calibrations have been condi Calibration Equipment used (M& Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards	ucted in the closed laboratory TE critical for calibration) ID GB41293874 MY41498087 SN: \$5054 (3c) SN: \$5277 (20x) SN: \$55129 (30b) SN: 3013 SN: 660 ID	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013, Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check
All calibrations have been condi Calibration Equipment used (M& Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 9 nobe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C	ucted in the closed laboratory TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 3013 SN: 660	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013. Dec12) 31-Jan-13 (No. DAE4-660_Jan13)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14
All calibrations have been condi Calibration Equipment used (M& Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards	ucted in the closed laboratory ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585	Cal Date (Certificate No.)         04-Apr-13 (No. 217-01733)         04-Apr-13 (No. 217-01733)         04-Apr-13 (No. 217-01733)         04-Apr-13 (No. 217-01737)         04-Apr-13 (No. 217-01735)         04-Apr-13 (No. 217-01735)         04-Apr-13 (No. 217-01738)         28-Dec-12 (No. ES3-3013_Dec12)         31-Jan-13 (No. DAE4-660_Jan13)         Check Date (in house)         4-Aug-99 (in house check Apr-13)         18-Oct-01 (in house check Oct-12)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
All calibrations have been condi- Calibration Equipment used (M& Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E	ucted in the closed laboratory &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name	A facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013, Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15
All calibrations have been condi Calibration Equipment used (M& Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 9 nobe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C	ucted in the closed laboratory ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585	Cal Date (Certificate No.)         04-Apr-13 (No. 217-01733)         04-Apr-13 (No. 217-01733)         04-Apr-13 (No. 217-01733)         04-Apr-13 (No. 217-01737)         04-Apr-13 (No. 217-01735)         04-Apr-13 (No. 217-01735)         04-Apr-13 (No. 217-01738)         28-Dec-12 (No. ES3-3013_Dec12)         31-Jan-13 (No. DAE4-660_Jan13)         Check Date (in house)         4-Aug-99 (in house check Apr-13)         18-Oct-01 (in house check Oct-12)	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
All calibrations have been condi- Calibration Equipment used (M& Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E	ucted in the closed laboratory &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name	A facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013, Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
All calibrations have been conder Calibration Equipment used (M& Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E Calibrated by:	ucted in the closed laboratory TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name Jeton Kastrati	A facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013. Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function Laboratory Technician	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
All calibrations have been conde Calibration Equipment used (M& Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E Calibrated by: Approved by:	acted in the closed laboratory TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390585 Name Jeton Kastrati Katja Pokovic	A facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013. Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function Laboratory Technician	Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13

#### Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





С

s

S Schweizerischer Kalibrierdienst

Service suisse d'étalonnage

Servizio svizzero di taratura

Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

#### Glossary:

Giussary.	
TSL	tissue simulating liquid
NORMx,y,z	sensitivity in free space
ConvF	sensitivity in TSL / NORMx,y,z
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization $\phi$	oprotation around probe axis
Polarization 9	9 rotation around an axis that is in the plane normal to probe axis (at measurement center),
	i.e., 9 = 0 is normal to probe axis

#### Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2013
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005

#### Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E<sup>2</sup>-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z \* frequency\_response (see Frequency Response Chart). This linearization is
  implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included
  in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z \* ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom
  exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.

EX3DV4 - SN:3842

June 6, 2014

# Probe EX3DV4

# SN:3842

Manufactured: Repaired: Calibrated:

October 25, 2011 June 3, 2014 June 6, 2014

Calibrated for DASY/EASY Systems (Note: non-compatible with DASY2 system!)

Certificate No: EX3-3842\_Jun13

Page 3 of 11

EX3DV4- SN:3842

June 6, 2014

# DASY/EASY - Parameters of Probe: EX3DV4 - SN:3842

#### **Basic Calibration Parameters**

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm (μV/(V/m) <sup>2</sup> ) <sup>A</sup>	0.35	0.52	0.42	± 10.1 %
DCP (mV) <sup>B</sup>	104.7	100.4	100.5	

#### **Modulation Calibration Parameters**

UID	Communication System Name		A	В	С	D	VR	Unc <sup>E</sup>
			dB	dBõV		dB	mV	(k=2)
0	CW	X	0.0	0.0	1.0	0.00	132.3	±3.5 %
		Y	0.0	0.0	1.0		162.7	
		Z	0.0	0.0	1.0		147.6	

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

 <sup>A</sup> The uncertainties of NormX,Y,Z do not affect the E<sup>2</sup>-field uncertainty inside TSL (see Pages 5 and 6).
 <sup>B</sup> Numerical linearization parameter: uncertainty not required.
 <sup>E</sup> Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field unknown. field value.

Certificate No: EX3-3842\_Jun13

# DASY/EASY - Parameters of Probe: EX3DV4 - SN:3842

f (MHz) <sup>C</sup>	Relative Permittivity <sup>F</sup>	Conductivity (S/m) <sup>F</sup>	ConvF X	ConvF Y	ConvF Z	Alpha	Depth (mm)	Unct. (k=2)
450	43.5	0.87	10.00	10.00	10.00	0.15	1.10	± 13.4 %
835	41.5	0.91	8.83	8.83	8.83	0.28	1.07	± 12.0 %
900	41.5	0.97	8.78	8.78	8.78	0.32	1.00	± 12.0 %
1810	40.0	1.40	7.68	7.68	7.68	0.38	0.88	± 12.0 %
1900	40.0	1.40	7.55	7.55	7.55	0.50	0.77	± 12.0 %
2450	39.2	1.80	7.26	7.26	7.26	0.71	0.63	± 12.0 %

#### Calibration Parameter Determined in Head Tissue Simulating Media

<sup>c</sup> Frequency validity of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. <sup>F</sup> At frequencies below 3 GHz, the validity of tissue parameters (e and o) can be relaxed to ± 10% if liquid compensation formula is applied to

<sup>F</sup> At frequencies below 3 GHz, the validity of tissue parameters ( $\varepsilon$  and  $\sigma$ ) can be relaxed to  $\pm$  10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters ( $\varepsilon$  and  $\sigma$ ) is restricted to  $\pm$  5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

Certificate No: EX3-3842\_Jun13

Page 5 of 11

# DASY/EASY - Parameters of Probe: EX3DV4 - SN:3842

f (MHz) <sup>C</sup>	Relative Permittivity <sup>F</sup>	Conductivity (S/m) <sup>F</sup>	ConvF X	ConvF Y	ConvF Z	Alpha	Depth (mm)	Unct. (k=2)
450	56.7	0.94	10.34	10.34	10.34	0.09	1.00	± 13.4 %
835	55.2	0.98	9.09	9.09	9.09	0.42	0.84	± 12.0 %
900	55.0	1.05	9.16	9.16	9.16	0.47	0.79	± 12.0 %
1810	53.3	1.52	7.78	7.78	7.78	0.50	0.81	± 12.0 %
1900	53.3	1.52	7.43	7.43	7.43	0.29	1.07	± 12.0 %
2450	52.7	1.95	6.93	6.93	6.93	0.80	0.59	± 12.0 %

#### Calibration Parameter Determined in Body Tissue Simulating Media


<sup>C</sup> Frequency validity of  $\pm$  100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to  $\pm$  50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. <sup>F</sup> At frequencies below 3 GHz, the validity of tissue parameters ( $\epsilon$  and  $\sigma$ ) can be relaxed to  $\pm$  10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters ( $\epsilon$  and  $\sigma$ ) is restricted to  $\pm$  5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

Certificate No: EX3-3842\_Jun13

Page 6 of 11

EX3DV4-SN:3842

June 6, 2014



Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)


Certificate No: EX3-3842\_Jun13

Page 7 of 11

Page 36 of 54

EX3DV4- SN:3842

June 6, 2014



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Certificate No: EX3-3842\_Jun13

Page 8 of 11

EX3DV4-- SN:3842


June 6, 2014

# 10<sup>5</sup> Input Signal [uV] 104 **10**<sup>3</sup> 10-2 101 1<sup>'01</sup> 1<sup>02</sup> 1<sup>0</sup>0 10<sup>3</sup> SAR [mW/cm3] compensated • not compensated 2 Error [dB] 0 -2 10-2 10-1 100 102 101 103 SAR [mW/cm3] • compensated ٠ not compensated

Dynamic Range f(SAR<sub>head</sub>) (TEM cell , f = 900 MHz)

Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Page 9 of 11



EX3DV4- SN:3842

June 6, 2014

# DASY/EASY - Parameters of Probe: EX3DV4 - SN:3842

### **Other Probe Parameters**

Sensor Arrangement	Triangular
Connector Angle (°)	-117.4
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	2 mm

Page 11 of 11


# 6.2. D450V3 Dipole Calibration Ceriticate

Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zuricl	y Of n, Switzerland	BC MRA	Schweizerischer Kalibrierdiens Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service
Accredited by the Swiss Accredita The Swiss Accreditation Service	e is one of the signatories	to the EA	No.: SCS 108
Multilateral Agreement for the re			D450V3-1079_Feb13
CALIBRATION C			
	D450V3 - SN: 107		
Object	D450V3 - 514. 10		
Calibration procedure(s)	QA CAL-15.v6		Contraction and and
Calibration procedure(s)		dure for dipole validation kits belo	ow 700 MHz
Calibration date:	February 28, 201	4	Lot and the second second
This calibration certificate docum The measurements and the unce	ents the traceability to nation rtainties with confidence providence	onal standards, which realize the physical un obability are given on the following pages an	its of measurements (SI). d are part of the certificate.
The measurements and the unce	rtainties with confidence protection of the closed laborator	anal standards, which realize the physical un obability are given on the following pages an y facility: environment temperature $(22 \pm 3)^{\circ}$	d are part of the certificate.
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&7	rtainties with confidence protection of the closed laborator TE critical for calibration)	obability are given on the following pages an y facility: environment temperature $(22 \pm 3)^{\circ}($	d are part of the certificate. C and humidity < 70%.
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards	rtainties with confidence protected in the closed laborator TE critical for calibration)	obability are given on the following pages an y facility: environment temperature (22 ± 3)°( Cal Date (Certificate No.)	d are part of the certificate.
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&7	rtainties with confidence protection of the closed laborator TE critical for calibration)	obability are given on the following pages an y facility: environment temperature $(22 \pm 3)^{\circ}($	d are part of the certificate. C and humidity < 70%. Scheduled Calibration
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter E4419B	rtainties with confidence protected in the closed laborator TE critical for calibration) ID # GB41293874	obability are given on the following pages an         y facility: environment temperature (22 ± 3)°(         Cal Date (Certificate No.)         31-Mar-12 (No. 217-01372)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator	rtainties with confidence pr ted in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5086 (20b)	Obability are given on the following pages an           y facility: environment temperature (22 ± 3)°(           Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination	rtainties with confidence pr ted in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5086 (20b) SN: 55086 (20b) SN: 5047.3 / 06327	Obability are given on the following pages an           y facility: environment temperature (22 ± 3)°(           Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01168)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Apr-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& <sup>*</sup> Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6	rtainties with confidence pr ted in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5086 (20b) SN: 55086 (20b) SN: 507	Obability are given on the following pages an           y facility: environment temperature (22 ± 3)°(           Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Dec-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination	rtainties with confidence pr ted in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5086 (20b) SN: 55086 (20b) SN: 5047.3 / 06327	Obability are given on the following pages an           y facility: environment temperature (22 ± 3)°(           Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01168)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Apr-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& <sup>*</sup> Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6	rtainties with confidence pr ted in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5086 (20b) SN: 55086 (20b) SN: 507	Obability are given on the following pages an           y facility: environment temperature (22 ± 3)°(           Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Dec-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6 DAE4	rtainties with confidence pro- sted in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5086 (20b) SN: 5047.3 / 06327 SN: 1507 SN: 654	Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01367) <td>d are part of the certificate. C and humidity &lt; 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 May-13</td>	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 May-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6 DAE4 Secondary Standards	rtainties with confidence protected in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5086 (20b) SN: 5047.3 / 06327 SN: 1507 SN: 654 ID #	Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           39-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01367)           30-Dec-12 (No. E17-1168)           30-Dec-12 (No. E13-1507_Dec11)           03-May-12 (No. DAE4-654_May11)           Check Date (in house)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check In house check: Oct-13 In house check: Oct-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6 DAE4 Secondary Standards Power sensor HP 8481A	rtainties with confidence pr ted in the closed laborator FE critical for calibration) ID # GB41293874 MY41498087 SN: 55086 (20b) SN: 55086 (20b) SN: 55086 (20b) SN: 55086 (20b) SN: 5507 SN: 654 ID # MY41092317	Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01168)           30-Dec-12 (No. DAE4-654_May11)           Check Date (in house)           18-Oct-02 (in house check Oct-11)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check In house check: Oct-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	rtainties with confidence pr ted in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5056 (20b) SN: 5047.3 / 06327 SN: 1507 SN: 654 ID # MY41092317 100005	Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. DAE4-654_May11)           03-May-12 (No. DAE4-654_May11)           Check Date (in house)           18-Oct-02 (in house check Oct-11)           04-Aug-99 (in house check Oct-11)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check In house check: Oct-13 In house check: Oct-13
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	rtainties with confidence protected in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5054 (2b) SN: S5047.3 / 06327 SN: 1507 SN: 654 ID # MY41092317 100005 US37390585 S4206	Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01367)           29-Mar-12 (No. 217-01168)           30-Dec-12 (No. 217-01168)           30-Dec-12 (No. ET3-1507_Dec11)           03-May-12 (No. DAE4-654_May11)           Check Date (in house)           18-Oct-02 (in house check Oct-11)           04-Aug-99 (in house check Oct-11)           18-Oct-01 (in house check Oct-11)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check In house check: Oct-13 In house check: Oct-12
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E	rtainties with confidence protect in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5086 (20b) SN: S5086 (20b) SN: 5047.3 / 06327 SN: 1507 SN: 654 ID # MY41092317 100005 US37390585 S4206 Name	Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01168)           30-Dec-12 (No. 217-01168)           30-Dec-12 (No. ET3-1507_Dec11)           03-May-12 (No. DAE4-654_May11)           Check Date (in house)           18-Oct-02 (in house check Oct-11)           04-Aug-99 (in house check Oct-11)           18-Oct-01 (in house check Oct-11)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check In house check: Oct-13 In house check: Oct-12
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E	rtainties with confidence protect in the closed laborator TE critical for calibration) ID # GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5086 (20b) SN: S5086 (20b) SN: 5047.3 / 06327 SN: 1507 SN: 654 ID # MY41092317 100005 US37390585 S4206 Name	Cal Date (Certificate No.)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           31-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01372)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01369)           29-Mar-12 (No. 217-01168)           30-Dec-12 (No. 217-01168)           30-Dec-12 (No. ET3-1507_Dec11)           03-May-12 (No. DAE4-654_May11)           Check Date (in house)           18-Oct-02 (in house check Oct-11)           04-Aug-99 (in house check Oct-11)           18-Oct-01 (in house check Oct-11)	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check In house check: Oct-13 In house check: Oct-12
The measurements and the unce All calibrations have been conduct Calibration Equipment used (M&T Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ET3DV6 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E Calibrated by:	rtainties with confidence pro- sted in the closed laborator FE critical for calibration) ID # GB41293874 MY41498087 SN: 55054 (3c) SN: 55054 (3c) SN: 55056 (20b) SN: 55047.3 / 06327 SN: 1507 SN: 654 ID # MY41092317 10005 US37390585 S4206 Name Jeton Kastrati	Cal Date (Certificate No.) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 31-Mar-12 (No. 217-01372) 29-Mar-12 (No. 217-01369) 29-Mar-12 (No. 217-01367) 29-Mar-12 (No. 217-01367) 29-Mar-12 (No. 217-01168) 30-Dec-12 (No. ET3-1507_Dec11) 03-May-12 (No. DAE4-654_May11) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11) 18-Oct-01 (in house check Oct-11) Function Laboratory Technician	d are part of the certificate. C and humidity < 70%. Scheduled Calibration Apr-13 Apr-13 Apr-13 Apr-13 Dec-13 Dec-13 May-13 Scheduled Check In house check: Oct-13 In house check: Oct-12

TSL

N/A

ConvF



# Calibration is Performed According to the Following Standards:

not applicable or not measured

- a) IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) Federal Communications Commission Office of Engineering & Technology (FCC OET), "Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields; Additional Information for Evaluating Compliance of Mobile and Portable Devices with FCC Limits for Human Exposure to Radiofrequency Emissions", Supplement C (Edition 01-01) to Bulletin 65

#### Additional Documentation:

d) DASY4/5 System Handbook

#### Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed . point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

Certificate No: D450V3-1079 Feb13

Page 2 of 8

### **Measurement Conditions**

ar as not given on page 1

DASY Version	DASY5	V52.8.0
Extrapolation	Advanced Extrapolation	
Phantom	ELI4 Flat Phantom	Shell thickness: 2 ± 0.2 mm
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	450 MHz ± 1 MHz	

Head TSL parameters The following parameters and calculations were applied.

He following parameters and	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	43.5	0.87 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	43.6 ± 6 %	0.85 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		

### SAR result with Head TSL

SAR averaged over 1 cm <sup>3</sup> (1 g) of Head TSL	Condition	and the second and the
SAR measured	398 mW input power	1.81 mW / g
SAR for nominal Head TSL parameters	normalized to 1W	4.63 mW /g ± 18.1 % (k=2)
at a set of the set of the set the set the set the set the set of	condition	
SAR averaged over 10 cm <sup>3</sup> (10 g) of Head TSL SAR measured	condition 398 mW input power	1.21 mW / g

normalized to 1W

### **Body TSL parameters**

The following parameters and calculations were applied.

SAR for nominal Head TSL parameters

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	56.7	0.94 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	55.0 ± 6 %	0.91 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		

### SAR result with Body TSL

SAR averaged over 1 cm <sup>3</sup> (1 g) of Body TSL	Condition	
SAR measured	398 mW input power	1.74 mW / g
SAR for nominal Body TSL parameters	normalized to 1W	4.45 mW / g ± 18.1 % (k=2)

SAR averaged over 10 cm <sup>3</sup> (10 g) of Body TSL	condition	
SAR measured	398 mW input power	1.16 mW / g
SAR for nominal Body TSL parameters	normalized to 1W	2.97 mW / g ± 17.6 % (k=2)

Certificate No: D450V3-1079\_Feb13

Page 3 of 8

#### Appendix

#### Antenna Parameters with Head TSL

Impedance, transformed to feed point	59.8 Ω - 0.5 jΩ	
Return Loss	- 21.0 dB	

# Antenna Parameters with Body TSL

Impedance, transformed to feed point	56.4 Ω - 5.9 jΩ	
Return Loss	- 21.7 dB	

#### **General Antenna Parameters and Design**

Electrical Delay (one direction)	1.350 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.


No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.


#### **Additional EUT Data**


Manufactured by	SPEAG
Manufactured on	March 03, 2011


Certificate No: D450V3-1079\_Feb13

Page 4 of 8









# 6.3. DAE4 Calibration Ceriticate

ТМ	5	ollaboration with	CNAS		
Add: No.52 Hu Tel: +86-10-623 E-mail: Info@e	ayuanbei Road, Haidian 104633-2079 Fax:	IBRATION LABORATORY District, Beijing, 100191, China +86-10-62304633-2504 ://www.emcite.com	· 校准 CNAS L0442		
Client : CIQ	SZ (Auden)		Certificate No: J13-2-3048		
CALIBRATION	CERTIFICA	TE .			
Object	DAE4	- SN: 1315			
Calibration Procedure(s)	Calibr	TMC-OS-E-01-198 Calibration Procedure for the Data Acquisition Electronics (DAEx)			
Calibration date:	Nover	November 25, 2013			
measurements(SI). The pages and are part of the	measurements and e certificate.	d the uncertainties with co	standards, which realize the physical units of onfidence probability are given on the following facility: environment temperature(22±3)℃ and		
Calibration Equipment us	sed (M&TE critical	for calibration)			
Primary Standards	ID# Ca	al Date(Calibrated by, Ce	rtificate No.) Scheduled Calibration		
Documenting Process Calibrator 753	1971018	01-July-13 (TMC, No:JV	V13-049) July-14		
Calibrated by:	Name	Function SAR Test Engine	Signature		
1794 17 XIX	Yu zongying	OAR lest Engine	a servine		
Reviewed by:	Qi Dianyuan	SAR Project Leade	er		
Approved by:	Lu Bingsong	Deputy Director of	the laboratory 72 -1274 JB		
This calibration certificate	e shall not be repr	oduced except in full with	Issued: November 25, 2013 out written approval of the laboratoty.		

Certificate No: J13-2-3048

Page 1 of 3



# Glossary:

DAE Connector angle data acquisition electronics information used in DASY system to align probe sensor X to the robot coordinate system.

### Methods Applied and Interpretation of Parameters:

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The report provide only calibration results for DAE, it does not contain other performance test results.



E-mail: Info@emcite.com Http://www.emcite.com

#### **DC Voltage Measurement**

A/D - Converter Resolution nominal

- Converter ... High Range: 1LSB = 1LSB = 

 High Range:
 1LSB =
 6.1μV ,
 full range =
 -100...+300 mV

 Low Range:
 1LSB =
 61nV ,
 full range =
 -1.....+3mV

 DASY measurement parameters:
 Auto Zero Time:
 3 sec;
 Measuring time:
 3 sec;

Calibration Factors	x	Y	z
High Range	403.915 ± 0.15% (k=2)	405.171 ± 0.15% (k=2)	404.667 ± 0.15% (k=2)
Low Range	3.98903 ± 0.7% (k=2)	3.94180 ± 0.7% (k=2)	3.93862 ± 0.7% (k=2)

#### **Connector Angle**

1	1.041747
Connector Angle to be used in DASY system	162.5°±1°

Certificate No: J13-2-3048

Page 3 of 3

# 7. <u>Test Setup Photos</u>



450MHz Liquid of Body



Face-held, The EUT display towards phantom 25mm



Body-worn, The EUT display towards ground, belt clip attach the phantom

# 8. <u>EUT Photos</u>



