

Request for Modular/Limited Modular Approval

Date: January 31, 2024				
Subject: Manufacturer's Declaration for	☑ - Modular Approval☐ - Limited Modular Approval	□ - Split Modu □ - Limited Sp		
Confidentiality Request for: 2A31	FV-ECB02			
	asic Requirements – FCC Part 15.212(Limited Module Description Must be l		ollowing Pag	es
	Approval Requirement			ment Met
The modular transmitter must have its own does not have to rely upon the shielding pall modular transmitter emissions to compute between the RF circuitry of the module as module is installed. Such coupling may retuning capacitors may be located external.	orn RF shielding. This is intended to ensur- provided by the device into which it is insulty with FCC limits. It is also intended to and any wires or circuits in the device into esult in non-compliant operation. The ph	stalled in order for prevent coupling which the sysical crystal and	⊠ - YES	□ - NO(*)
Details: The module contains a metal sl	nield which covers all RF components a	nd circuitry. Pleaso	e refer to EUI	T photos.
2. The modular transmitter must have buffer ensure that the module will comply with or over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)
Details: Data to the modulation circuit to The component number is CYW20704	is buffered as described in the operation	al description provi	ided with the d	application.
The modular transmitter must have its ow to ensure that the module will comply wit supplying circuitry in the device into whi	th FCC requirements regardless of the de-	sign of the power	⊠ - YES	□ - NO(*)
DetailsThe module contains its own pow	er supply regulation. Please refer to sci	hematic filed with t	his application	n
4. The modular transmitter must comply wir §§ 15.203, 15.204(b), 15.204(c), 15.212(a attached or employ a "unique" antenna c antenna, including the cable). The "profe applicable to modules but can apply to lir 15.212(a)(1)(iv)	a), and 2.929(b). The antenna must either coupler (at all connections between the messional installation" provision of § 15.20	be permanently odule and the 03 is not	⊠ - YES	□ - NO(*)
Details: A list of antennas tested and ap	proved with this device may be found in	users manual prov	rided with the	application
5. The modular transmitter must be tested in inside another device during testing. This complying with Part 15 emission limits re Unless the transmitter module will be bat requirements found in Section 15.207. At to the module must not contain ferrites, u 15.27(a)). The length of these lines shall unknown, at least 10 centimeters to insurand supporting equipment. Any accessori module during testing shall be unmodified 15.212(a)(1)(v)	is intended to demonstrate that the module gardless of the device into which it is every powered, it must comply with the AC or DC power lines and data input/output nless they will be marketed with the module length typical of actual use or, if that he ethat there is no coupling between the cases, peripherals, or support equipment cor	ale is capable of centually installed. C line conducted at lines connected lule (see Section ength is use of the module enected to the	⊠ - YES	□ - NO(*)
Details: The module was tested stand-al	one as shown in test setup photographs	filed with this appl	ication	



	Modular Approval Requirement	Require	ment Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in	⊠ - YES	□ - NO(*)
	which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)	Host on acidi	
	Details: There is a label on the module as shown in the labeling exhibit filed with this application. instructions are shown in the installation manual filed with this application.	Host specific	uabeung
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: The module complies with FCC Part 15C requirements. Instructions to the OEM installed installation manual filed with this application.	r are provided	l in the
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
	Details: The module complies with this requirement as shown in the RF exposure information filed	d with this ap	plication.



Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: N/A

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)				
Requirement	Requirement Met			
 For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280. 	□ - Provided in Separate Cover Letter	□ - N/A		
Details: The firmware of the device can not be modified or adjusted by the end user.				
 For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812. 	☐ - Provided in Separate Cover Letter	⊠ - N/A		
Details: N/A				

Split Modular Requirements				
Requirement	Provided in Manual			
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	⊠ - N/A		
Details: N/A				

Tel: 918-317-4100



OEM Integration Manual Guidance – KDB 996369 D03 Section 2				
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.				
	Γ			
Requirement		_		
Is this module intended for sale to third parties?	□ - YES	☐ - No, If No, and LMA applies, the applicant not make the following detailed info pu needs to be basic integration instruction the information below must still be inc description. If the applicant wishes to k this will require a separate statement or module is not for sale to third partie instructions are internal confide	ablic. However there still as for a users manual and cluded in the operational eep this info confidential, over letter explaining the and that integration	
Items	required to be in the manu			
Items required to be in the manual – See KDB 996369 D03, Section 2 As of May 1, 2019, the FCC requires ALL the following information to be in the installation manual. Modular transmitter applicants should include information in their instructions for all these items indicating clearly when they are not applicable. For example information on trace antenna design could indicate "Not Applicable". Also if a module is limited to only a grantees own products and not intended for sale to third parties, the user instructions may not need to be detailed and the following items can be placed in the operational description, but this should include a cover letter as cited above.				
1. List of applicable FCC rules. K		2		
-	lated to the transmitter.			
2. Summarize the specific operation				
		oss, reduction of power for point to point		
3. Limited Module Procedures. KI	ional installation info			
		ses to verify the host meets the necessary		
limiting conditio		ses to verify the nost meets the necessary		
		tate how control will be maintained such	□ All Items shown to	
	is ensured, such as Class II for		the left are provided in	
4. Trace antenna designs. KDB 99		,	the Modular Integration	
		nnectors, isolation requirements, tests for	Guide (or UM) for Full Modular Approval	
		dures for ensuring compliance. If	(MA) or LMA.	
		ential must be identified and information	(MA) of LMA.	
	perational description.		☐ - An LMA applies	
5. RF exposure considerations. KI		1	and is approved ONLY	
		ow host manufacturers to use the	for use by the grantee in	
		ary: first to the host manufacturer to rom body) and second additional text	their own products, and	
	vided to the end user in the h		not intended for sale to	
6. Antennas. KDB 996369 D03, S		ost product mandais.	3 rd parties as provided in	
		nd all applicable professional installer	a separate cover letter.	
instructions when applicable. The antenna list shall also identify the antenna types Therefore the				
		ni-directional" is not considered a type)	information shown to	
7. Label and compliance informati			the left is found in the	
a. Advice to host integrators that they need to provide a physical or e-label stating "Contains FCC ID: " with their finished product theory of operation.				
8. Information on test modes and a				
	a. Test modes that should be taken into consideration by host integrators including clarifications necessary for stand-alone and simultaneous configurations.			
b. Provide information 9. Additional testing, Part 15 Subp	tion on how to configure test			
7. Additional testing, I art 13 Subj	art is discianner. KDD 9903	07 D03, Section 2.10		

Sincerely,

By: Director, Market Hardware Development Jim Fox (Print name)

Tel: 918-317-4100