Description of Operation

EUT is a <u>Wireless Mini PCI</u> with 11 channels. This device provided 1/2/5.5/11/6/9/12/18/24/36/48/54 Mbps of transmitting speed. The device of RF carrier is DQPSK,DBPSK,CCK and OFDM. The device adapts direct sequence spread spectrum modulation. The antenna is <u>Dipole Antenna</u>.

This <u>Wireless Mini PCI</u> is an IEEE 802.11b/g Wireless LAN adapter. It allows your computer to connect to a wireless network and to share resources, such as files or printers without being bound to the network wires. Operation in 2.4GHz Direct Sequence Spread Spectrum (DSSS) and Orthogonal Frequency Division Multiplex-ing (OFDM) radio transmission, the <u>Wireless Mini PCI</u> transfers data at speeds up to 64/128-bit Wired Equivalent Protection(WEP) algorithm and the new industrial-strength WPA (Wi-Fi Protected AccessTM) security is used. In addition, its standard compliance ensures that it can communicate with any 802.11b/g network.

This card is going to be installed in the end product which the antenna and the human body can maintain at least 20cm.

Product Details

For more detailed features description, please refer to the manufacturer's specifications or user's manual.

Items	Description	
Product Type	WLAN	
Radio Type	Intentional Transceiver	
Power Type	3.3V DC from host	
Interface Type	Mini-PCI	
Modulation	DSSS for IEEE 802.11b; OFDM for IEEE 802.11g	
Data Modulation	DSSS (BPSK / QPSK / CCK); OFDM (BPSK / QPSK / 16QAM / 64QAM)	
Data Rate (Mbps)	DSSS (1/ 2/ 5.5/11); OFDM (6/9/12/18/24/36/48/54)	
Frequency Range	2400 ~ 2483.5MHz	
Channel Number	11	
Channel Band Width (99%)	11b: 15.04 MHz ; 11g: 17.04 MHz	
Conducted Output Power	nducted Output Power 11b: 21.33 dBm; 11g: 21.96 dBm	
Carrier Frequencies	2412 ~2462 MHz	

Antenna	Dipole Antenna
Table for Filed Antenna	

Iable	ior	riiea	Anı	enr	1

Table for Filed Antenna							
Ant.	Antenna Type	Connector	Gain (dBi)				
1	Dipole Antenna	I-PEX	2.00				