

WIFI5GB4-AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_16.19.34

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1204.500	36.82	-15.11	74.0	37.18	Peak	0.00	100	Horizontal	Pass
1**	1204.500	26.44	-15.11	54.0	27.56	AV	0.00	100	Horizontal	Pass
2	1536.750	47.68	-14.82	74.0	26.32	Peak	54.40	100	Horizontal	Pass
2**	1536.750	35.18	-14.82	54.0	18.82	AV	54.40	100	Horizontal	Pass
3	2163.250	41.03	-10.97	68.2	27.17	Peak	345.00	100	Horizontal	Pass
3**	2163.250	30.79	-10.97	--	-30.79	AV	345.00	100	Horizontal	N/A
4	3031.500	47.70	-4.39	68.2	20.50	Peak	296.50	100	Horizontal	Pass
4**	3031.500	35.52	-4.39	--	-35.52	AV	296.50	100	Horizontal	N/A
5	4883.000	53.10	0.06	74.0	20.90	Peak	310.70	100	Horizontal	Pass
5**	4883.000	42.25	0.06	54.0	11.75	AV	310.70	100	Horizontal	Pass
6	5744.000	103.26	1.88	--	-102.96	Peak	0.30	100	Horizontal	N/A
6**	5744.000	95.46	1.88	--	-95.46	AV	0.30	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2023-03-13_17.47.06

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.1

Hum.: 49%


Test Engineer: LYG

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7825.000	28.71	7.76	68.2	39.49	Peak	149.30	100	Horizontal	Pass
1**	7825.000	18.82	7.76	--	-18.82	AV	149.30	100	Horizontal	N/A
2	8837.000	31.32	10.26	68.2	36.88	Peak	254.30	100	Horizontal	Pass
2**	8837.000	22.44	10.26	--	-22.44	AV	254.30	100	Horizontal	N/A
3	10572.250	35.95	15.32	68.2	32.25	Peak	136.00	100	Horizontal	Pass
3**	10572.250	27.29	15.32	--	-27.29	AV	136.00	100	Horizontal	N/A
4	13264.500	41.47	18.84	74.0	32.53	Peak	149.30	100	Horizontal	Pass
4**	13264.500	31.91	18.84	54.0	22.09	AV	149.30	100	Horizontal	Pass
5	14180.250	44.95	24.52	68.2	23.25	Peak	254.30	100	Horizontal	Pass
5**	14180.250	36.78	24.52	--	-36.78	AV	254.30	100	Horizontal	N/A
6	17986.251	52.53	32.07	74.0	21.47	Peak	83.90	100	Horizontal	Pass
6**	17986.251	45.33	32.07	54.0	8.67	AV	83.90	100	Horizontal	Pass

WIFI5GB4-AC20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_17.20.27

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1246.500	38.00	-14.81	68.2	30.20	Peak	1.00	100	Vertical	Pass
1**	1246.500	27.14	-14.81	--	-27.14	AV	1.00	100	Vertical	N/A
2	1439.500	39.85	-14.44	74.0	34.15	Peak	145.60	100	Vertical	Pass
2**	1439.500	31.75	-14.44	54.0	22.25	AV	145.60	100	Vertical	Pass
3	2062.250	40.67	-12.07	68.2	27.53	Peak	160.10	100	Vertical	Pass
3**	2062.250	29.08	-12.07	--	-29.08	AV	160.10	100	Vertical	N/A
4	3020.000	45.97	-4.62	68.2	22.23	Peak	347.40	100	Vertical	Pass
4**	3020.000	36.20	-4.62	--	-36.20	AV	347.40	100	Vertical	N/A
5	4071.000	50.04	-0.58	74.0	23.96	Peak	0.00	100	Vertical	Pass
5**	4071.000	39.03	-0.58	54.0	14.97	AV	0.00	100	Vertical	Pass
6	5747.500	88.14	1.93	--	-7.64	Peak	80.50	100	Vertical	N/A
6**	5747.500	80.39	1.93	--	-80.39	AV	80.50	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2023-03-14_09:27:46

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23.7

Load: Full load

Hum.: 52%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8009.250	28.04	9.00	68.2	40.16	Peak	0.00	100	Vertical	Pass
1**	8009.250	18.98	9.00	--	-18.98	AV	0.00	100	Vertical	N/A
2	9095.500	30.44	11.39	74.0	43.56	Peak	0.00	100	Vertical	Pass
2**	9095.500	22.26	11.39	54.0	31.74	AV	0.00	100	Vertical	Pass
3	10016.750	35.04	14.10	68.2	33.16	Peak	348.60	100	Vertical	Pass
3**	10016.750	25.71	14.10	--	-25.71	AV	348.60	100	Vertical	N/A
4	11221.250	37.83	16.51	74.0	36.17	Peak	0.00	100	Vertical	Pass
4**	11221.250	28.51	16.51	54.0	25.49	AV	0.00	100	Vertical	Pass
5	14155.500	44.56	23.73	68.2	23.64	Peak	241.20	100	Vertical	Pass
5**	14155.500	35.43	23.73	--	-35.43	AV	241.20	100	Vertical	N/A
6	17997.251	52.25	32.75	74.0	21.75	Peak	241.20	100	Vertical	Pass
6**	17997.251	45.48	32.75	54.0	8.52	AV	241.20	100	Vertical	Pass

WIFI5GB4-AC20-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_16.22.20

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.000	38.60	-14.56	74.0	35.40	Peak	360.00	100	Horizontal	Pass
1**	1316.000	27.32	-14.56	54.0	26.68	AV	360.00	100	Horizontal	Pass
2	1580.250	42.36	-14.82	74.0	31.64	Peak	207.10	100	Horizontal	Pass
2**	1580.250	32.83	-14.82	54.0	21.17	AV	207.10	100	Horizontal	Pass
3	2210.500	42.39	-10.39	74.0	31.61	Peak	108.50	100	Horizontal	Pass
3**	2210.500	31.14	-10.39	54.0	22.86	AV	108.50	100	Horizontal	Pass
4	3025.000	46.64	-4.48	68.2	21.56	Peak	203.20	100	Horizontal	Pass
4**	3025.000	36.57	-4.48	--	-36.57	AV	203.20	100	Horizontal	N/A
5	4494.500	50.46	-0.38	68.2	17.74	Peak	203.20	100	Horizontal	Pass
5**	4494.500	39.48	-0.38	--	-39.48	AV	203.20	100	Horizontal	N/A
6	5782.000	100.14	2.44	--	-29.44	Peak	70.70	100	Horizontal	N/A
6**	5782.000	92.09	2.44	--	-92.09	AV	70.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2023-03-13_17.48.42

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.1

Hum.: 49%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7786.500	27.39	7.30	68.2	40.81	Peak	199.20	100	Horizontal	Pass
1**	7786.500	20.50	7.30	--	-20.50	AV	199.20	100	Horizontal	N/A
2	9156.000	31.53	12.43	74.0	42.47	Peak	360.00	100	Horizontal	Pass
2**	9156.000	23.50	12.43	54.0	30.50	AV	360.00	100	Horizontal	Pass
3	10558.500	35.70	15.30	68.2	32.50	Peak	290.60	100	Horizontal	Pass
3**	10558.500	26.99	15.30	--	-26.99	AV	290.60	100	Horizontal	N/A
4	11281.750	38.42	17.30	74.0	35.58	Peak	186.20	100	Horizontal	Pass
4**	11281.750	29.47	17.30	54.0	24.53	AV	186.20	100	Horizontal	Pass
5	14194.000	44.80	24.63	68.2	23.40	Peak	238.40	100	Horizontal	Pass
5**	14194.000	36.70	24.63	--	-36.70	AV	238.40	100	Horizontal	N/A
6	17999.999	53.70	32.92	74.0	20.30	Peak	360.00	100	Horizontal	Pass
6**	17999.999	45.93	32.92	54.0	8.07	AV	360.00	100	Horizontal	Pass

WIFI5GB4-AC20-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_17.23.33

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1239.000	37.32	-14.73	74.0	36.68	Peak	123.10	100	Vertical	Pass
1**	1239.000	27.04	-14.73	54.0	26.96	AV	123.10	100	Vertical	Pass
2	1440.250	38.46	-14.43	74.0	35.54	Peak	0.00	100	Vertical	Pass
2**	1440.250	30.33	-14.43	54.0	23.67	AV	0.00	100	Vertical	Pass
3	2434.500	42.91	-9.51	68.2	25.29	Peak	0.00	100	Vertical	Pass
3**	2434.500	31.78	-9.51	--	-31.78	AV	0.00	100	Vertical	N/A
4	3000.500	45.74	-5.05	68.2	22.46	Peak	99.40	100	Vertical	Pass
4**	3000.500	35.45	-5.05	--	-35.45	AV	99.40	100	Vertical	N/A
5	4697.000	51.09	0.01	74.0	22.91	Peak	113.60	100	Vertical	Pass
5**	4697.000	39.94	0.01	54.0	14.06	AV	113.60	100	Vertical	Pass
6	5781.500	88.56	2.43	--	103.74	Peak	192.30	100	Vertical	Pass
6**	5781.500	81.17	2.43	--	-81.17	AV	192.30	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2023-03-13_17.43.36

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23.4

Load: Full load

Hum.: 49%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7561.000	25.84	6.97	74.0	48.16	Peak	360.00	100	Vertical	Pass
1**	7561.000	18.03	6.97	54.0	35.97	AV	360.00	100	Vertical	Pass
2	8416.250	28.94	8.71	74.0	45.06	Peak	360.00	100	Vertical	Pass
2**	8416.250	18.45	8.71	54.0	35.55	AV	360.00	100	Vertical	Pass
3	9139.500	33.19	12.15	74.0	40.81	Peak	97.10	100	Vertical	Pass
3**	9139.500	23.90	12.15	54.0	30.10	AV	97.10	100	Vertical	Pass
4	10841.750	37.25	16.06	74.0	36.75	Peak	241.30	100	Vertical	Pass
4**	10841.750	28.59	16.06	54.0	25.41	AV	241.30	100	Vertical	Pass
5	14185.750	45.16	24.69	68.2	23.04	Peak	357.00	100	Vertical	Pass
5**	14185.750	37.04	24.69	--	-37.04	AV	357.00	100	Vertical	N/A
6	17988.999	53.21	32.24	74.0	20.79	Peak	267.90	100	Vertical	Pass
6**	17988.999	45.84	32.24	54.0	8.16	AV	267.90	100	Vertical	Pass

WIFI5GB4-AC20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_16.25.51

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1275.750	38.84	-14.53	68.2	29.36	Peak	71.00	100	Horizontal	Pass
1**	1275.750	26.98	-14.53	--	-26.98	AV	71.00	100	Horizontal	N/A
2	1619.250	42.81	-14.82	74.0	31.19	Peak	56.80	100	Horizontal	Pass
2**	1619.250	29.03	-14.82	54.0	24.97	AV	56.80	100	Horizontal	Pass
3	2258.500	42.61	-9.72	74.0	31.39	Peak	177.30	100	Horizontal	Pass
3**	2258.500	31.32	-9.72	54.0	22.68	AV	177.30	100	Horizontal	Pass
4	3028.000	46.74	-4.40	68.2	21.46	Peak	325.80	100	Horizontal	Pass
4**	3028.000	36.53	-4.40	--	-36.53	AV	325.80	100	Horizontal	N/A
5	4513.500	50.60	-0.07	74.0	23.40	Peak	166.40	100	Horizontal	Pass
5**	4513.500	39.70	-0.07	54.0	14.30	AV	166.40	100	Horizontal	Pass
6	5822.000	99.53	2.32	--	-74.33	Peak	25.20	100	Horizontal	N/A
6**	5822.000	91.46	2.32	--	-91.46	AV	25.20	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2023-03-13_17.50.18

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.1

Hum.: 49%


Test Engineer: LYG

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7770.000	27.34	6.89	68.2	40.86	Peak	0.00	100	Horizontal	Pass
1**	7770.000	17.92	6.89	--	-17.92	AV	0.00	100	Horizontal	N/A
2	9103.750	32.67	11.51	74.0	41.33	Peak	68.40	100	Horizontal	Pass
2**	9103.750	23.90	11.51	54.0	30.10	AV	68.40	100	Horizontal	Pass
3	10839.000	36.65	16.02	74.0	37.35	Peak	68.40	100	Horizontal	Pass
3**	10839.000	27.43	16.02	54.0	26.57	AV	68.40	100	Horizontal	Pass
4	13209.500	40.85	19.12	68.2	27.35	Peak	159.80	100	Horizontal	Pass
4**	13209.500	32.51	19.12	--	-32.51	AV	159.80	100	Horizontal	N/A
5	14766.000	46.08	23.84	68.2	22.12	Peak	29.50	100	Horizontal	Pass
5**	14766.000	36.79	23.84	--	-36.79	AV	29.50	100	Horizontal	N/A
6	17999.999	55.59	32.92	74.0	18.41	Peak	186.40	100	Horizontal	Pass
6**	17999.999	45.82	32.92	54.0	8.18	AV	186.40	100	Horizontal	Pass

WIFI5GB4-AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_17.26.24

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1192.750	37.20	-15.13	74.0	36.80	Peak	89.70	100	Vertical	Pass
1**	1192.750	26.17	-15.13	54.0	27.83	AV	89.70	100	Vertical	Pass
2	1440.000	37.94	-14.43	74.0	36.06	Peak	313.30	100	Vertical	Pass
2**	1440.000	30.73	-14.43	54.0	23.27	AV	313.30	100	Vertical	Pass
3	2002.000	40.53	-13.00	68.2	27.67	Peak	78.00	100	Vertical	Pass
3**	2002.000	29.19	-13.00	--	-29.19	AV	78.00	100	Vertical	N/A
4	3024.500	46.55	-4.50	68.2	21.65	Peak	37.90	100	Vertical	Pass
4**	3024.500	36.32	-4.50	--	-36.32	AV	37.90	100	Vertical	N/A
5	5117.500	52.61	1.28	74.0	21.39	Peak	137.00	100	Vertical	Pass
5**	5117.500	41.90	1.28	54.0	12.10	AV	137.00	100	Vertical	Pass
6	5826.500	86.00	2.32	--	-3.70	Peak	82.30	100	Vertical	N/A
6**	5826.500	78.12	2.32	--	-78.12	AV	82.30	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2023-03-13_17.45.22

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23.1

Load: Full load

Hum.: 49%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7855.250	27.87	7.58	68.2	40.33	Peak	2.90	100	Vertical	Pass
1**	7855.250	18.18	7.58	--	-18.18	AV	2.90	100	Vertical	N/A
2	8655.500	30.17	9.72	68.2	38.03	Peak	146.50	100	Vertical	Pass
2**	8655.500	20.42	9.72	--	-20.42	AV	146.50	100	Vertical	N/A
3	9453.000	32.77	12.67	74.0	41.23	Peak	318.10	100	Vertical	Pass
3**	9453.000	23.04	12.67	54.0	30.96	AV	318.10	100	Vertical	Pass
4	11886.750	38.98	16.98	74.0	35.02	Peak	251.40	100	Vertical	Pass
4**	11886.750	29.01	16.98	54.0	24.99	AV	251.40	100	Vertical	Pass
5	14771.500	45.90	23.75	68.2	22.30	Peak	0.00	100	Vertical	Pass
5**	14771.500	36.72	23.75	--	-36.72	AV	0.00	100	Vertical	N/A
6	17983.500	52.43	31.90	74.0	21.57	Peak	360.00	100	Vertical	Pass
6**	17983.500	44.77	31.90	54.0	9.23	AV	360.00	100	Vertical	Pass

WIFI5GB4-AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_16.51.25

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1298.500	39.13	-14.42	68.2	29.07	Peak	211.10	100	Horizontal	Pass
1**	1298.500	27.55	-14.42	--	-27.55	AV	211.10	100	Horizontal	N/A
2	1549.500	49.10	-14.89	74.0	24.90	Peak	16.80	100	Horizontal	Pass
2**	1549.500	38.83	-14.89	54.0	15.17	AV	16.80	100	Horizontal	Pass
3	2263.750	42.18	-9.67	74.0	31.82	Peak	16.80	100	Horizontal	Pass
3**	2263.750	31.39	-9.67	54.0	22.61	AV	16.80	100	Horizontal	Pass
4	3017.500	46.73	-4.68	68.2	21.47	Peak	47.50	100	Horizontal	Pass
4**	3017.500	35.41	-4.68	--	-35.41	AV	47.50	100	Horizontal	N/A
5	4056.000	48.86	-0.74	74.0	25.14	Peak	47.50	100	Horizontal	Pass
5**	4056.000	38.69	-0.74	54.0	15.31	AV	47.50	100	Horizontal	Pass
6	5758.000	104.43	2.10	--	-56.93	Peak	47.50	100	Horizontal	N/A
6**	5758.000	96.61	2.10	--	-96.61	AV	47.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2023-03-14_09:37:47

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23.7

Load: Full load

Hum.: 52%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8014.750	28.55	9.08	68.2	39.65	Peak	351.80	100	Horizontal	Pass
1**	8014.750	19.46	9.08	--	-19.46	AV	351.80	100	Horizontal	N/A
2	9013.000	31.56	12.33	74.0	42.44	Peak	351.80	100	Horizontal	Pass
2**	9013.000	22.65	12.33	54.0	31.35	AV	351.80	100	Horizontal	Pass
3	10121.250	35.64	14.48	68.2	32.56	Peak	122.30	100	Horizontal	Pass
3**	10121.250	26.10	14.48	--	-26.10	AV	122.30	100	Horizontal	N/A
4	11306.500	38.01	17.21	74.0	35.99	Peak	215.60	100	Horizontal	Pass
4**	11306.500	28.54	17.21	54.0	25.46	AV	215.60	100	Horizontal	Pass
5	14180.250	44.28	24.52	68.2	23.92	Peak	360.00	100	Horizontal	Pass
5**	14180.250	36.77	24.52	--	-36.77	AV	360.00	100	Horizontal	N/A
6	17997.251	53.11	32.75	74.0	20.89	Peak	68.30	100	Horizontal	Pass
6**	17997.251	44.64	32.75	54.0	9.36	AV	68.30	100	Horizontal	Pass

WIFI5GB4-AC40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_17.47.47

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.250	37.45	-15.12	74.0	36.55	Peak	279.00	100	Vertical	Pass
1**	1185.250	27.06	-15.12	54.0	26.94	AV	279.00	100	Vertical	Pass
2	1562.500	39.58	-14.85	74.0	34.42	Peak	360.00	100	Vertical	Pass
2**	1562.500	27.70	-14.85	54.0	26.30	AV	360.00	100	Vertical	Pass
3	2581.000	43.22	-9.21	68.2	24.98	Peak	136.00	100	Vertical	Pass
3**	2581.000	31.99	-9.21	--	-31.99	AV	136.00	100	Vertical	N/A
4	3024.500	46.46	-4.50	68.2	21.74	Peak	325.40	100	Vertical	Pass
4**	3024.500	36.18	-4.50	--	-36.18	AV	325.40	100	Vertical	N/A
5	5110.000	51.71	1.31	74.0	22.29	Peak	230.00	100	Vertical	Pass
5**	5110.000	41.56	1.31	54.0	12.44	AV	230.00	100	Vertical	Pass
6	5737.000	88.38	1.77	--	141.62	Peak	230.00	100	Vertical	Pass
6**	5737.000	81.10	1.77	--	-81.10	AV	230.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2023-03-14_09:32.46

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.7

Hum.: 52%


Test Engineer: LYG

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7635.250	27.24	6.45	74.0	46.76	Peak	131.90	100	Vertical	Pass
1**	7635.250	17.41	6.45	54.0	36.59	AV	131.90	100	Vertical	Pass
2	9037.750	31.30	11.74	74.0	42.70	Peak	359.40	100	Vertical	Pass
2**	9037.750	21.94	11.74	54.0	32.06	AV	359.40	100	Vertical	Pass
3	10154.250	35.22	14.21	68.2	32.98	Peak	360.00	100	Vertical	Pass
3**	10154.250	26.92	14.21	--	-26.92	AV	360.00	100	Vertical	N/A
4	12511.000	38.77	16.49	74.0	35.23	Peak	131.90	100	Vertical	Pass
4**	12511.000	30.00	16.49	54.0	24.00	AV	131.90	100	Vertical	Pass
5	14185.750	45.52	24.69	68.2	22.68	Peak	212.50	100	Vertical	Pass
5**	14185.750	36.97	24.69	--	-36.97	AV	212.50	100	Vertical	N/A
6	17988.999	52.02	32.24	74.0	21.98	Peak	309.20	100	Vertical	Pass
6**	17988.999	44.78	32.24	54.0	9.22	AV	309.20	100	Vertical	Pass

WIFI5GB4-AC40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_16.53.43

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1285.000	37.69	-14.50	68.2	30.51	Peak	209.20	100	Horizontal	Pass
1**	1285.000	27.15	-14.50	--	-27.15	AV	209.20	100	Horizontal	N/A
2	1591.250	41.17	-14.87	74.0	32.83	Peak	2.50	100	Horizontal	Pass
2**	1591.250	31.97	-14.87	54.0	22.03	AV	2.50	100	Horizontal	Pass
3	2313.500	43.17	-10.15	74.0	30.83	Peak	209.20	100	Horizontal	Pass
3**	2313.500	31.48	-10.15	54.0	22.52	AV	209.20	100	Horizontal	Pass
4	3029.500	46.61	-4.36	68.2	21.59	Peak	177.10	100	Horizontal	Pass
4**	3029.500	36.43	-4.36	--	-36.43	AV	177.10	100	Horizontal	N/A
5	4709.500	49.96	-0.06	74.0	24.04	Peak	275.60	100	Horizontal	Pass
5**	4709.500	40.45	-0.06	54.0	13.55	AV	275.60	100	Horizontal	Pass
6	5788.000	99.13	2.47	--	136.97	Peak	236.10	100	Horizontal	Pass
6**	5788.000	91.05	2.47	--	-91.05	AV	236.10	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2023-03-14_09:39:34

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.7

Hum.: 52%


Test Engineer: LYG

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7814.000	28.36	7.84	68.2	39.84	Peak	251.50	100	Horizontal	Pass
1**	7814.000	18.48	7.84	--	-18.48	AV	251.50	100	Horizontal	N/A
2	9092.750	30.76	11.36	74.0	43.24	Peak	224.10	100	Horizontal	Pass
2**	9092.750	22.20	11.36	54.0	31.80	AV	224.10	100	Horizontal	Pass
3	10484.250	35.77	14.83	68.2	32.43	Peak	85.70	100	Horizontal	Pass
3**	10484.250	26.05	14.83	--	-26.05	AV	85.70	100	Horizontal	N/A
4	12318.500	37.84	16.80	74.0	36.16	Peak	360.00	100	Horizontal	Pass
4**	12318.500	29.39	16.80	54.0	24.61	AV	360.00	100	Horizontal	Pass
5	14526.750	45.33	22.51	68.2	22.87	Peak	196.90	100	Horizontal	Pass
5**	14526.750	34.75	22.51	--	-34.75	AV	196.90	100	Horizontal	N/A
6	17994.500	52.78	32.58	74.0	21.22	Peak	115.00	100	Horizontal	Pass
6**	17994.500	44.20	32.58	54.0	9.80	AV	115.00	100	Horizontal	Pass

WIFI5GB4-AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_17.50.35

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 24

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1243.750	37.39	-14.78	68.2	30.81	Peak	89.10	100	Vertical	Pass
1**	1243.750	27.13	-14.78	--	-27.13	AV	89.10	100	Vertical	N/A
2	1440.250	39.32	-14.43	74.0	34.68	Peak	278.10	100	Vertical	Pass
2**	1440.250	29.62	-14.43	54.0	24.38	AV	278.10	100	Vertical	Pass
3	2840.250	46.03	-6.67	74.0	27.97	Peak	278.10	100	Vertical	Pass
3**	2840.250	34.33	-6.67	54.0	19.67	AV	278.10	100	Vertical	Pass
4	3800.500	48.53	-2.45	74.0	25.47	Peak	356.50	100	Vertical	Pass
4**	3800.500	37.22	-2.45	54.0	16.78	AV	356.50	100	Vertical	Pass
5	5537.500	53.01	1.36	68.2	15.19	Peak	332.80	100	Vertical	Pass
5**	5537.500	41.71	1.36	--	-41.71	AV	332.80	100	Vertical	N/A
6	5791.500	86.50	2.45	--	115.70	Peak	202.20	100	Vertical	Pass
6**	5791.500	78.03	2.45	--	-78.03	AV	202.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2023-03-14_09:35:36

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23.7

Load: Full load

Hum.: 52%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7965.250	29.22	8.51	68.2	38.98	Peak	166.00	100	Vertical	Pass
1**	7965.250	20.24	8.51	--	-20.24	AV	166.00	100	Vertical	N/A
2	8991.000	31.60	12.75	68.2	36.60	Peak	9.70	100	Vertical	Pass
2**	8991.000	22.86	12.75	--	-22.86	AV	9.70	100	Vertical	N/A
3	9934.250	36.01	14.81	68.2	32.19	Peak	290.50	100	Vertical	Pass
3**	9934.250	27.91	14.81	--	-27.91	AV	290.50	100	Vertical	N/A
4	12431.250	37.92	17.41	74.0	36.08	Peak	193.80	100	Vertical	Pass
4**	12431.250	30.38	17.41	54.0	23.62	AV	193.80	100	Vertical	Pass
5	14815.500	45.43	23.07	68.2	22.77	Peak	138.50	100	Vertical	Pass
5**	14815.500	35.55	23.07	--	-35.55	AV	138.50	100	Vertical	N/A
6	17997.251	52.42	32.75	74.0	21.58	Peak	166.00	100	Vertical	Pass
6**	17997.251	45.12	32.75	54.0	8.88	AV	166.00	100	Vertical	Pass

WIFI5GB4-AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_16.57.29

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24

Hum.: 53%


Test Engineer: LYG

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1352.000	38.80	-14.42	74.0	35.20	Peak	84.40	100	Horizontal	Pass
1**	1352.000	27.68	-14.42	54.0	26.32	AV	84.40	100	Horizontal	Pass
2	2199.000	42.55	-10.33	68.2	25.65	Peak	197.80	100	Horizontal	Pass
2**	2199.000	31.21	-10.33	--	-31.21	AV	197.80	100	Horizontal	N/A
3	3025.000	46.49	-4.48	68.2	21.71	Peak	0.00	100	Horizontal	Pass
3**	3025.000	36.25	-4.48	--	-36.25	AV	0.00	100	Horizontal	N/A
4	4127.000	49.43	-1.29	74.0	24.57	Peak	131.20	100	Horizontal	Pass
4**	4127.000	38.42	-1.29	54.0	15.58	AV	131.20	100	Horizontal	Pass
5	4920.000	52.71	0.14	74.0	21.29	Peak	358.30	100	Horizontal	Pass
5**	4920.000	43.38	0.14	54.0	10.62	AV	358.30	100	Horizontal	Pass
6	5798.500	101.40	2.42	--	-24.30	Peak	77.10	100	Horizontal	N/A
6**	5798.500	92.37	2.42	--	-92.37	AV	77.10	100	Horizontal	N/A

Test result

Project Number: 验证测试

Test Time: 2021-03-10_17.21.43

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: LYG

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9933.517	42.36	13.45	68.2	-25.84	Peak	195.00	100	Horizontal	Pass
1**	9933.517	33.38	13.45	--	33.38	AV	195.00	100	Horizontal	N/A
2	11346.663	45.42	15.39	74.0	-28.58	Peak	7.80	100	Horizontal	Pass
2**	11346.663	36.13	15.39	54.0	-17.87	AV	7.80	100	Horizontal	Pass
3	12465.634	47.22	17.20	74.0	-26.78	Peak	37.10	100	Horizontal	Pass
3**	12465.634	39.08	17.20	54.0	-14.92	AV	37.10	100	Horizontal	Pass
4	14197.701	53.14	22.13	68.2	-15.06	Peak	267.60	100	Horizontal	Pass
4**	14197.701	43.84	22.13	--	43.84	AV	267.60	100	Horizontal	N/A
5	16086.478	52.66	20.46	74.0	-21.34	Peak	97.10	100	Horizontal	Pass
5**	16086.478	44.38	20.46	54.0	-9.62	AV	97.10	100	Horizontal	Pass
6	17804.799	57.89	24.91	74.0	-16.11	Peak	4.40	100	Horizontal	Pass
6**	17804.799	49.05	24.91	54.0	-4.95	AV	4.40	100	Horizontal	Pass

WIFI5GB4-AC80-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-03-14_17.54.10

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24

Hum.: 53%


Test Engineer: LYG

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.500	40.24	-14.43	74.0	33.76	Peak	0.00	100	Vertical	Pass
1**	1440.500	32.45	-14.43	54.0	21.55	AV	0.00	100	Vertical	Pass
2	2305.500	42.85	-10.11	68.2	25.35	Peak	360.00	100	Vertical	Pass
2**	2305.500	31.72	-10.11	--	-31.72	AV	360.00	100	Vertical	N/A
3	3029.500	46.37	-4.36	68.2	21.83	Peak	341.30	100	Vertical	Pass
3**	3029.500	36.24	-4.36	--	-36.24	AV	341.30	100	Vertical	N/A
4	4053.000	49.96	-0.78	74.0	24.04	Peak	341.30	100	Vertical	Pass
4**	4053.000	38.80	-0.78	54.0	15.20	AV	341.30	100	Vertical	Pass
5	5176.500	52.42	1.13	68.2	15.78	Peak	183.80	100	Vertical	Pass
5**	5176.500	41.55	1.13	--	-41.55	AV	183.80	100	Vertical	N/A
6	5798.000	87.08	2.42	--	3.52	Peak	90.60	100	Vertical	Pass
6**	5798.000	78.42	2.42	--	-78.42	AV	90.60	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-03-10_17.23.31

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9193.952	40.34	10.48	74.0	-33.66	Peak	203.50	100	Vertical	Pass
1**	9193.952	30.71	10.48	54.0	-23.29	AV	203.50	100	Vertical	Pass
2	11266.933	45.79	15.44	74.0	-28.21	Peak	355.60	100	Vertical	Pass
2**	11266.933	36.05	15.44	54.0	-17.95	AV	355.60	100	Vertical	Pass
3	13194.201	50.63	18.51	68.2	-17.57	Peak	32.90	100	Vertical	Pass
3**	13194.201	40.50	18.51	--	40.50	AV	32.90	100	Vertical	N/A
4	14186.703	52.69	22.33	68.2	-15.51	Peak	314.80	100	Vertical	Pass
4**	14186.703	44.52	22.33	--	44.52	AV	314.80	100	Vertical	N/A
5	16091.977	52.95	20.45	74.0	-21.05	Peak	203.50	100	Vertical	Pass
5**	16091.977	44.80	20.45	54.0	-9.20	AV	203.50	100	Vertical	Pass
6	17813.047	57.68	24.67	74.0	-16.32	Peak	146.00	100	Vertical	Pass
6**	17813.047	49.37	24.67	54.0	-4.63	AV	146.00	100	Vertical	Pass

WIFI5GB1-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.32.16

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.68	1.15	74.0	25.32	Peak	273.38	100	H	Pass
1**	5150.000	41.17	1.15	54.0	12.83	AV	273.38	100	H	Pass

WIFI5GB1-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.39.33

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.55	1.15	74.0	24.45	Peak	240.40	100	V	Pass
1**	5150.000	41.61	1.15	54.0	12.39	AV	240.40	100	V	Pass

WIFI5GB1-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.33.34

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.74	0.51	74.0	24.26	Peak	226.43	100	H	Pass
1**	5350.000	41.42	0.51	54.0	12.58	AV	226.43	100	H	Pass

WIFI5GB1-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.38.11

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

R:Emission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.16	0.51	74.0	23.84	Peak	126.35	100	V	Pass
1**	5350.000	41.05	0.51	54.0	12.95	AV	126.35	100	V	Pass

WIFI5GB1-Bandedge –N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.35.37

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.78	1.15	74.0	24.22	Peak	123.88	100	H	Pass
1**	5150.000	41.00	1.15	54.0	13.00	AV	123.88	100	H	Pass

WIFI5GB1-Bandedge -N20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.41.05

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.85	1.15	74.0	25.15	Peak	0.00	100	V	Pass
1**	5150.000	41.11	1.15	54.0	12.89	AV	0.00	100	V	Pass

WIFI5GB1-Bandedge –N20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.37.24

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.71	0.51	74.0	24.29	Peak	198.26	100	H	Pass
1**	5350.000	41.30	0.51	54.0	12.70	AV	198.26	100	H	Pass

WIFI5GB1-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.42.29

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

R/Emission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.31	0.51	74.0	24.69	Peak	26.37	100	V	Pass
1**	5350.000	41.37	0.51	54.0	12.63	AV	26.37	100	V	Pass

WIFI5GB1-Bandedge -N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.43.19

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	51.31	1.15	74.0	22.69	Peak	267.33	100	H	Pass
1**	5150.000	41.75	1.15	54.0	12.25	AV	267.33	100	H	Pass

WIFI5GB1-Bandedge -N40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.49.14

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

R/Emission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.97	1.15	74.0	25.03	Peak	314.60	100	V	Pass
1**	5150.000	40.76	1.15	54.0	13.24	AV	314.60	100	V	Pass

WIFI5GB1-Bandedge –N40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.42.09

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.29	0.51	74.0	24.71	Peak	141.55	100	H	Pass
1**	5350.000	41.13	0.51	54.0	12.87	AV	141.55	100	H	Pass

WIFI5GB1-Bandedge -N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.47.32

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

R:Emission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.41	0.51	74.0	24.59	Peak	281.40	100	V	Pass
1**	5350.000	40.86	0.51	54.0	13.14	AV	281.40	100	V	Pass

WIFI5GB1-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.28.26

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.60	1.15	74.0	24.40	Peak	98.97	100	H	Pass
1**	5150.000	41.43	1.15	54.0	12.57	AV	98.97	100	H	Pass

WIFI5GB1-Bandedge –AC20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.34.58

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.38	1.15	74.0	25.62	Peak	145.58	100	V	Pass
1**	5150.000	40.72	1.15	54.0	13.28	AV	145.58	100	V	Pass

WIFI5GB1-Bandedge –AC20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.30.25

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.07	0.51	74.0	23.93	Peak	117.36	100	H	Pass
1**	5350.000	41.27	0.51	54.0	12.73	AV	117.36	100	H	Pass

WIFI5GB1-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.36.30

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.08	0.51	74.0	23.92	Peak	88.43	100	V	Pass
1**	5350.000	40.96	0.51	54.0	13.04	AV	88.43	100	V	Pass

WIFI5GB1-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.39.03

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.64	1.15	74.0	24.36	Peak	248.20	100	H	Pass
1**	5150.000	41.74	1.15	54.0	12.26	AV	248.20	100	H	Pass

WIFI5GB1-Bandedge –AC40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.44.13

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

R Emission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.36	1.15	74.0	24.64	Peak	78.20	100	V	Pass
1**	5150.000	41.13	1.15	54.0	12.87	AV	78.20	100	V	Pass

WIFI5GB1-Bandedge –AC40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.40.37

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.69	0.51	74.0	25.31	Peak	151.28	100	H	Pass
1**	5350.000	41.32	0.51	54.0	12.68	AV	151.28	100	H	Pass

WIFI5GB1-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.45.51

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.88	0.51	74.0	25.12	Peak	211.54	100	V	Pass
1**	5350.000	41.09	0.51	54.0	12.91	AV	211.54	100	V	Pass

WIFI5GB1-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_15.45.16

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.61	1.15	74.0	24.39	Peak	224.17	100	H	Pass
1**	5150.000	41.85	1.15	54.0	12.15	AV	224.17	100	H	Pass
2	5350.000	49.35	0.51	74.0	24.65	Peak	165.35	100	H	Pass
2**	5350.000	41.40	0.51	54.0	12.60	AV	165.35	100	H	Pass

WIFI5GB1-Bandedge –AC80-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.51.25

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	50.17	1.15	74.0	23.83	Peak	168.19	100	V	Pass
1**	5150.000	40.97	1.15	54.0	13.03	AV	168.19	100	V	Pass
2	5350.000	50.96	0.51	74.0	23.04	Peak	152.87	100	V	Pass
2**	5350.000	41.53	0.51	54.0	12.47	AV	152.87	100	V	Pass

WIFI5GB2-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.41.42

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.90	1.15	74.0	24.10	Peak	225.59	100	H	Pass
1**	5150.000	40.83	1.15	54.0	13.17	AV	225.59	100	H	Pass

WIFI5GB2-Bandedge -A-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.58.21

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	50.04	1.15	74.0	23.96	Peak	100.73	100	V	Pass
1**	5150.000	40.79	1.15	54.0	13.21	AV	100.73	100	V	Pass

WIFI5GB2-Bandedge -A-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.40.07

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.03	0.51	74.0	23.97	Peak	207.77	100	H	Pass
1**	5350.000	41.16	0.51	54.0	12.84	AV	207.77	100	H	Pass

WIFI5GB2-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.56.20

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.65	0.51	74.0	24.35	Peak	62.14	100	V	Pass
1**	5350.000	41.18	0.51	54.0	12.82	AV	62.14	100	V	Pass

WIFI5GB2-Bandedge -N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.44.07

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.80	1.15	74.0	24.20	Peak	122.80	100	H	Pass
1**	5150.000	41.39	1.15	54.0	12.61	AV	122.80	100	H	Pass

WIFI5GB2-Bandedge -N20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.00.08

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.80	1.15	74.0	25.20	Peak	256.71	100	V	Pass
1**	5150.000	41.07	1.15	54.0	12.93	AV	256.71	100	V	Pass

WIFI5GB2-Bandedge –N20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.45.22

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.89	0.51	74.0	24.11	Peak	225.15	100	H	Pass
1**	5350.000	41.80	0.51	54.0	12.20	AV	225.15	100	H	Pass

WIFI5GB2-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.01.35

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.48	0.51	74.0	24.52	Peak	207.13	100	V	Pass
1**	5350.000	41.25	0.51	54.0	12.75	AV	207.13	100	V	Pass

WIFI5GB2-Bandedge -N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.51.11

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.42	1.15	74.0	24.58	Peak	180.10	100	H	Pass
1**	5150.000	41.10	1.15	54.0	12.90	AV	180.10	100	H	Pass

WIFI5GB2-Bandedge –N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.08.49

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.63	1.15	74.0	24.37	Peak	347.04	100	V	Pass
1**	5150.000	41.40	1.15	54.0	12.60	AV	347.04	100	V	Pass

WIFI5GB2-Bandedge –N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.49.45

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.71	0.51	74.0	23.29	Peak	249.86	100	H	Pass
1**	5350.000	42.16	0.51	54.0	11.84	AV	249.86	100	H	Pass

WIFI5GB2-Bandedge –N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.07.13

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.32	0.51	74.0	24.68	Peak	262.71	100	V	Pass
1**	5350.000	41.44	0.51	54.0	12.56	AV	262.71	100	V	Pass

WIFI5GB2-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.35.59

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.44	1.15	74.0	25.56	Peak	284.76	100	H	Pass
1**	5150.000	41.06	1.15	54.0	12.94	AV	284.76	100	H	Pass

WIFI5GB2-Bandedge –AC20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.53.29

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.52	1.15	74.0	25.48	Peak	257.80	100	V	Pass
1**	5150.000	41.03	1.15	54.0	12.97	AV	257.80	100	V	Pass

WIFI5GB2-Bandedge –AC20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.38.22

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.81	0.51	74.0	25.19	Peak	154.73	100	H	Pass
1**	5350.000	41.36	0.51	54.0	12.64	AV	154.73	100	H	Pass

WIFI5GB2-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.54.50

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.91	0.51	74.0	25.09	Peak	255.51	100	V	Pass
1**	5350.000	41.64	0.51	54.0	12.36	AV	255.51	100	V	Pass

WIFI5GB2-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.47.02

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.57	1.15	74.0	25.43	Peak	338.32	100	H	Pass
1**	5150.000	40.95	1.15	54.0	13.05	AV	338.32	100	H	Pass

WIFI5GB2-Bandedge –AC40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.04.06

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.45	1.15	74.0	24.55	Peak	283.89	100	V	Pass
1**	5150.000	41.21	1.15	54.0	12.79	AV	283.89	100	V	Pass

WIFI5GB2-Bandedge –AC40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.48.15

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.21	0.51	74.0	22.79	Peak	76.87	100	H	Pass
1**	5350.000	42.29	0.51	54.0	11.71	AV	76.87	100	H	Pass

WIFI5GB2-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.05.39

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.89	0.51	74.0	25.11	Peak	209.02	100	V	Pass
1**	5350.000	41.20	0.51	54.0	12.80	AV	209.02	100	V	Pass

WIFI5GB2-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.52.53

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.19	1.15	74.0	24.81	Peak	56.69	100	H	Pass
1**	5150.000	41.37	1.15	54.0	12.63	AV	56.69	100	H	Pass
2	5350.000	50.59	0.51	74.0	23.41	Peak	47.86	100	H	Pass
2**	5350.000	42.77	0.51	54.0	11.23	AV	47.86	100	H	Pass

WIFI5GB2-Bandedge –AC80-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.10.51

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.61	1.15	74.0	24.39	Peak	281.99	100	V	Pass
1**	5150.000	40.61	1.15	54.0	13.39	AV	281.99	100	V	Pass
2	5350.000	49.83	0.51	74.0	24.17	Peak	44.93	100	V	Pass
2**	5350.000	40.98	0.51	54.0	13.02	AV	44.93	100	V	Pass

WIFI5GB3-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.57.56

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

Rémission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	51.20	1.11	74.0	22.80	Peak	224.70	100	H	Pass
1**	5470.000	42.76	1.11	54.0	11.24	AV	224.70	100	H	Pass

WIFI5GB3-Bandedge -A-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.19.25

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	48.76	1.11	74.0	25.24	Peak	329.02	100	V	Pass
1**	5470.000	41.76	1.11	54.0	12.24	AV	329.02	100	V	Pass

WiFi5GB3-Bandedge -A-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.59.03

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.31	1.61	74.0	23.69	Peak	5.40	100	H	Pass
1**	5725.000	42.61	1.61	54.0	11.39	AV	5.40	100	H	Pass

WIFI5GB3-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.18.06

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.00	1.61	74.0	24.00	Peak	0.27	100	V	Pass
1**	5725.000	41.75	1.61	54.0	12.25	AV	0.27	100	V	Pass

WIFI5GB3-Bandedge -N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.00.43

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	49.91	1.11	74.0	24.09	Peak	357.89	100	H	Pass
1**	5470.000	42.00	1.11	54.0	12.00	AV	357.89	100	H	Pass

WIFI5GB3-Bandedge -N20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.20.43

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	49.30	1.11	74.0	24.70	Peak	121.89	100	V	Pass
1**	5470.000	41.54	1.11	54.0	12.46	AV	121.89	100	V	Pass

WIFI5GB3-Bandedge –N20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.01.52

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.13	1.61	74.0	23.87	Peak	285.03	100	H	Pass
1**	5725.000	42.03	1.61	54.0	11.97	AV	285.03	100	H	Pass

WIFI5GB3-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.21.59

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	49.47	1.61	74.0	24.53	Peak	0.48	100	V	Pass
1**	5725.000	42.17	1.61	54.0	11.83	AV	0.48	100	V	Pass

WiFi5GB3-Bandedge -N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.08.28

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	49.90	1.11	74.0	24.10	Peak	61.83	100	H	Pass
1**	5470.000	42.48	1.11	54.0	11.52	AV	61.83	100	H	Pass

WIFI5GB3-Bandedge –N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.28.23

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	49.17	1.11	74.0	24.83	Peak	110.86	100	V	Pass
1**	5470.000	41.67	1.11	54.0	12.33	AV	110.86	100	V	Pass

WiFi5GB3-Bandedge –N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.07.08

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	51.20	1.61	74.0	22.80	Peak	0.00	100	H	Pass
1**	5725.000	42.56	1.61	54.0	11.44	AV	0.00	100	H	Pass

WIFI5GB3-Bandedge –N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.27.07

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	49.66	1.61	74.0	24.34	Peak	78.33	100	V	Pass
1**	5725.000	41.82	1.61	54.0	12.18	AV	78.33	100	V	Pass

WIFI5GB3-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.55.06

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	49.77	1.11	74.0	24.23	Peak	336.94	100	H	Pass
1**	5470.000	41.89	1.11	54.0	12.11	AV	336.94	100	H	Pass

WIFI5GB3-Bandedge –AC20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.15.18

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	50.60	1.11	74.0	23.40	Peak	0.00	100	V	Pass
1**	5470.000	41.45	1.11	54.0	12.55	AV	0.00	100	V	Pass

WIFI5GB3-Bandedge –AC20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_16.56.37

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	51.25	1.61	74.0	22.75	Peak	125.01	100	H	Pass
1**	5725.000	42.11	1.61	54.0	11.89	AV	125.01	100	H	Pass

WIFI5GB3-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.16.42

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

R Emission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.38	1.61	74.0	23.62	Peak	313.23	100	V	Pass
1**	5725.000	41.60	1.61	54.0	12.40	AV	313.23	100	V	Pass

WIFI5GB3-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.03.50

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	53.06	1.11	74.0	20.94	Peak	224.50	100	H	Pass
1**	5470.000	41.10	1.11	54.0	12.90	AV	224.50	100	H	Pass

WIFI5GB3-Bandedge –AC40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.23.52

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	49.69	1.11	74.0	24.31	Peak	123.60	100	V	Pass
1**	5470.000	41.91	1.11	54.0	12.09	AV	123.60	100	V	Pass

WIFI5GB3-Bandedge –AC40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.05.25

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.47	1.61	74.0	23.53	Peak	359.84	100	H	Pass
1**	5725.000	42.82	1.61	54.0	11.18	AV	359.84	100	H	Pass

WIFI5GB3-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.25.26

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	49.66	1.61	74.0	24.34	Peak	225.43	100	V	Pass
1**	5725.000	41.96	1.61	54.0	12.04	AV	225.43	100	V	Pass

WIFI5GB3-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.10.15

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	54.57	1.11	74.0	19.43	Peak	212.85	100	H	Pass
1**	5470.000	43.95	1.11	54.0	10.05	AV	212.85	100	H	Pass
2	5725.000	50.36	1.61	74.0	23.64	Peak	273.83	100	H	Pass
2**	5725.000	41.53	1.61	54.0	12.47	AV	273.83	100	H	Pass

WIFI5GB3-Bandedge –AC80-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.30.13

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 3)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	49.90	1.11	74.0	24.10	Peak	307.88	100	V	Pass
1**	5470.000	41.86	1.11	54.0	12.14	AV	307.88	100	V	Pass
2	5725.000	50.55	1.61	74.0	23.45	Peak	0.15	100	V	Pass
2**	5725.000	42.09	1.61	54.0	11.91	AV	0.15	100	V	Pass

WIFI5GB3-Bandedge –AC80-High channel-Horizontal-TX

WIFI5GB3-Bandedge –AC80-High channel-Vertical-TX

WIFI5GB4-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.16.52

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.96	1.61	122.2	71.24	Peak	355.11	100	H	Pass

WIFI5GB4-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.39.50

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	49.53	1.61	122.2	72.67	Peak	46.85	100	V	Pass

WIFI5GB4-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.15.19

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	50.23	2.30	122.2	71.97	Peak	164.65	100	H	Pass

WIFI5GB4-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.38.28

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	50.74	2.30	122.2	71.46	Peak	320.79	100	V	Pass

WIFI5GB4-Bandedge –N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.18.19

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	51.43	1.61	122.2	70.77	Peak	181.20	100	H	Pass

WIFI5GB4-Bandedge -N20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.41.00

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

RÉmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	49.23	1.61	122.2	72.97	Peak	140.59	100	V	Pass

WIFI5GB4-Bandedge –N20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.19.29

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	51.12	2.30	122.2	71.08	Peak	160.85	100	H	Pass

WIFI5GB4-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.42.12

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	49.90	2.30	122.2	72.30	Peak	341.07	100	V	Pass

WIFI5GB4-Bandedge -N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.26.03

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.00	1.61	122.2	69.20	Peak	211.80	100	H	Pass

WIFI5GB4-Bandedge –N40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.48.08

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LS


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	49.62	1.61	122.2	72.58	Peak	328.07	100	V	Pass

WIFI5GB4-Bandedge –N40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.24.40

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 25

Hum.: 53%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	50.75	2.30	122.2	71.45	Peak	357.93	100	H	Pass

WIFI5GB4-Bandedge –N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.46.38

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	51.55	2.30	122.2	70.65	Peak	313.62	100	V	Pass

WIFI5GB4-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.12.27

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	51.70	1.61	122.2	70.50	Peak	242.95	100	H	Pass

WIFI5GB4-Bandedge –AC20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.35.49

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	49.85	1.61	122.2	72.35	Peak	18.65	100	V	Pass

WIFI5GB4-Bandedge –AC20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.14.03

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	51.68	2.30	122.2	70.52	Peak	247.43	100	H	Pass

WIFI5GB4-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.37.07

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	50.62	2.30	122.2	71.58	Peak	220.30	100	V	Pass

WIFI5GB4-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.21.40

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.89	1.61	122.2	68.31	Peak	37.00	100	H	Pass

WIFI5GB4-Bandedge –AC40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.43.56

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	51.57	1.61	122.2	70.63	Peak	75.14	100	V	Pass

WIFI5GB4-Bandedge –AC40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.23.12

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	50.63	2.30	122.2	71.57	Peak	156.53	100	H	Pass

WIFI5GB4-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_18.45.20

EUT Name: N.A

Test Engineer: LS

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	51.83	2.30	122.2	70.37	Peak	83.00	100	V	Pass

WIFI5GB4-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.28.07

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.25	1.61	122.2	65.95	Peak	95.70	100	H	Pass
2	5850.000	51.55	2.30	122.2	70.65	Peak	96.04	100	H	Pass

WIFI5GB4-Bandedge –AC80-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-04-08_17.32.49

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E2211054-01#08

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.87	1.61	122.2	71.33	Peak	195.91	100	V	Pass
2	5850.000	51.53	2.30	122.2	70.67	Peak	188.10	100	V	Pass