

Antenna Specification

Shenzhen Yishengbang Technology Co., Ltd.

Shenzhen Yishengbang Technology Co., Ltd Antenna Test Report

Customer: Fengmi

Project: Laser TV

Product: WIFI Antenna—FPC

Report date: 2023.06.16

Prepared by : Fan Xinzhu

Checked by: Huang Zhen

Approved by : Lin Meicai

18666299104

18025305599

Purpose

This report is to measure the performance of SLK for Master Antenna on 5G. All measure data are showed below.

Content

1. Product Overview

2. Test Result

2.1 VSWR/S11


2.2 Antenna Parameters

2.3 WIFI Antenna TRP/TIS

2.4 WIFI Antenna Gain/Efficiency/3D DATA

3. Conclusions

1. Product Overview



2. Test Result

2.1 VSWR/S11

Black line-WIFI 1



2. Test Result

2.1 VSWR/S11

Blue line-WIFI 2



2. Test Result


2.1 VSWR/S11

White wire-BT



2. Test Result

2.2 Antenna Parameters



2. Test Result

2.3 WIFI Antenna TRP/TIS


WIFI	CH	Power(54M)	Sensitivity (54M)	WIFI	CH	Power(54M)	Sensitivity (54M)
802.11a	36	11.24	-70.04	802.11g	1	14.09	-71.07
	149	11.19	-72.13		6	13.83	-72.04
	165	11.34	-71.17		11	13.89	-71.08
WIFI	CH	Power(11M)	Sensitivity (11M)	WIFI	CH power(MCS7)	Sensitivity (MCS7)	
802.11b	1	14.13	-82.3	802.11n	1	14.16	-69.09
	6	14.05	-82.71		6	13.57	-68.83
	11	14.08	-82.92		11	13.87	-68.92

2. Test Result

2.4 WIFI Antenna Gain/Efficiency/3D DATA

Black line-WIFI 1

Frequency (MHz)	2400.0	2410.0	2420.0	2430.0	2440.0	2450.0	2460.0	2470.0	2480.0	2490.0	2500.0	5150.0	5350.0	5500.0	5650.0	5850.0
Efficiency (dBi)	-3.22	-3.04	-2.90	-2.82	-3.03	-3.14	-3.03	-3.46	-3.60	-3.55	-3.67	-3.99	-3.74	-3.45	-4.20	-3.71
Gain (dBi)	3.32	3.45	3.69	3.89	3.86	3.69	3.64	3.00	2.64	2.76	2.75	3.94	5.15	4.22	2.14	3.30
Efficiency (%)	47.62	49.63	51.30	52.27	49.81	48.53	49.77	45.09	43.61	44.14	42.91	39.92	42.30	45.18	38.05	42.55





2. Test Result

2.4 WIFI Antenna Gain/Efficiency/3D DATA

Blue line-WIFI 2

Frequency (MHz)	2400.0	2410.0	2420.0	2430.0	2440.0	2450.0	2460.0	2470.0	2480.0	2490.0	2500.0	5150.0	5350.0	5500.0	5650.0	5850.0
Efficiency (dBi)	-3.83	-3.65	-3.69	-3.44	-3.70	-3.62	-3.40	-3.51	-3.35	-3.40	-3.45	-3.70	-3.66	-3.44	-3.83	-3.36
Gain (dBi)	2.00	2.19	2.22	2.58	2.29	2.22	2.48	2.49	2.38	2.04	2.08	2.93	2.53	3.80	3.99	5.37
Efficiency (%)	41.44	43.17	42.72	45.31	42.63	43.44	45.68	44.57	46.29	45.68	45.17	42.67	43.01	45.32	41.37	46.13




2. Test Result

2.4 WIFI Antenna Gain/Efficiency/3D DATA


White wire-BT

Frequency (MHz)	2400.0	2410.0	2420.0	2430.0	2440.0	2450.0	2460.0	2470.0	2480.0	2490.0	2500.0
Efficiency (dBi)	-3.95	-3.79	-3.58	-3.68	-3.74	-3.87	-3.75	-4.10	-4.23	-4.15	-4.17
Gain (dBi)	3.16	3.76	4.21	4.14	4.19	4.21	4.30	4.14	4.42	4.86	5.15
Efficiency (%)	40.26	41.76	43.89	42.85	42.29	41.06	42.13	38.86	37.72	38.43	38.28

2450.0MHz H+V, Eff: 41.1%



Back View



3. Conclusions

THANK YOU!


1. Product specifications

BT Antenna (3112H)

Explanation of Product number :

S L K - F M - 3 1 1 2 H - R - 4 0 0 I - W

1 2 3 4 5







1. Product specifications

WIFI 1 Antenna (2813C1)

Explanation of Product number :

SLK-FM-2813C1-M-350I-B

1 2 3 4 5



1. Product specifications

WIFI 2 Antenna (2813C2)

Explanation of Product number :

SLK-FM-2813C2-M-490I-BL

1 2 3 4 5

