


## Appendix-C Field Strength of Spurious Radiation


Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	/		
Test Standard: FCC PART 24			

### Test Graph




Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	/		
Test Standard: FCC PART 24			

### Test Graph



Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

### Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1673.2	69.22	-114.14	-44.92	-13.00	31.92	RMS	Horizontal	PASS
2	3346	61.43	-108.36	-46.93	-13.00	33.93	RMS	Horizontal	PASS
3	4182.8	64.41	-105.46	-41.05	-13.00	28.05	RMS	Horizontal	PASS

## Project Information

Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1673.2	70.34	-114.14	-43.80	-13.00	30.80	RMS	Vertical	PASS
2	3346.4	65.26	-108.36	-43.10	-13.00	30.10	RMS	Vertical	PASS
3	4183.2	64.94	-105.46	-40.52	-13.00	27.52	RMS	Vertical	PASS

## Project Information

Mode:	GSM 1900	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1879.943997	114.60	-93.46	21.14	-	-	RMS	Horizontal	NA
2	2975.59878	40.92	-88.84	-47.92	-13.00	34.92	RMS	Horizontal	PASS
3	3760	70.03	-107.25	-37.22	-13.00	24.22	RMS	Horizontal	PASS
4	17360	36.51	-82.79	-46.28	-13.00	33.28	RMS	Horizontal	PASS

## Project Information

Mode:	GSM 1900	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1880.044002	119.74	-93.46	26.28	-	-	RMS	Vertical	NA
2	3760	69.85	-107.25	-37.40	-13.00	24.40	RMS	Vertical	PASS
3	5640	50.05	-100.83	-50.78	-13.00	37.78	RMS	Vertical	PASS
4	17361	35.57	-82.83	-47.26	-13.00	34.26	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

### Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1871.043552	110.91	-93.48	17.43	-	-	RMS	Horizontal	NA
2	3742	56.83	-107.43	-50.60	-13.00	37.60	RMS	Horizontal	PASS
3	5613.5	45.90	-101.19	-55.29	-13.00	42.29	RMS	Horizontal	PASS
4	7484.5	45.76	-96.83	-51.07	-13.00	38.07	RMS	Horizontal	PASS

## Project Information

Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

## Test Graph



## Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1871.143557	113.39	-93.48	19.91	-	-	RMS	Vertical	NA
2	3742	58.66	-107.43	-48.77	-13.00	35.77	RMS	Vertical	PASS
3	5613	51.43	-101.20	-49.77	-13.00	36.77	RMS	Vertical	PASS
4	7484	51.39	-96.83	-45.44	-13.00	32.44	RMS	Vertical	PASS



## Project Information

Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1723.5	108.39	-94.04	14.35	-	-	RMS	Horizontal	NA
2	3447	67.71	-107.30	-39.59	-13.00	26.59	RMS	Horizontal	PASS
3	5170.5	41.80	-102.05	-60.25	-13.00	47.25	RMS	Horizontal	PASS
4	6894.5	45.21	-97.40	-52.19	-13.00	39.19	RMS	Horizontal	PASS

## Project Information

Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1723.5	113.03	-94.04	18.99	-	-	RMS	Vertical	NA
2	3447	70.18	-107.30	-37.12	-13.00	24.12	RMS	Vertical	PASS
3	6894.5	52.25	-97.40	-45.15	-13.00	32.15	RMS	Vertical	PASS
4	8618	44.75	-94.53	-49.78	-13.00	36.78	RMS	Vertical	PASS

## Project Information

Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1664	55.99	-114.12	-58.13	-13.00	45.13	RMS	Horizontal	PASS
2	6924	39.08	-97.76	-58.68	-13.00	45.68	RMS	Horizontal	PASS
3	8886.8	37.29	-93.09	-55.80	-13.00	42.80	RMS	Horizontal	PASS

## Project Information

Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1664	55.33	-114.12	-58.79	-13.00	45.79	RMS	Vertical	PASS
2	3526	43.82	-107.59	-63.77	-13.00	50.77	RMS	Vertical	PASS
3	8859.2	37.09	-92.93	-55.84	-13.00	42.84	RMS	Vertical	PASS

## Project Information

Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2526.2	104.99	-90.88	14.11	-	-	RMS	Horizontal	NA
2	2999.8	40.67	-88.69	-48.02	-25.00	23.02	RMS	Horizontal	PASS
3	7578.5	46.51	-96.57	-50.06	-25.00	25.06	RMS	Horizontal	PASS
4	17349.5	33.06	-82.42	-49.36	-25.00	24.36	RMS	Horizontal	PASS

## Project Information

Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2526	105.93	-90.88	15.05	-	-	RMS	Vertical	NA
2	5052	46.76	-102.82	-56.06	-25.00	31.06	RMS	Vertical	PASS
3	7578.5	48.79	-96.57	-47.78	-25.00	22.78	RMS	Vertical	PASS
4	10104	42.50	-92.07	-49.57	-25.00	24.57	RMS	Vertical	PASS

## Project Information

Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2586.1	107.14	-90.55	16.59	-	-	RMS	Horizontal	NA
2	5172	50.23	-102.06	-51.83	-25.00	26.83	RMS	Horizontal	PASS
3	7758	42.16	-96.44	-54.28	-25.00	29.28	RMS	Horizontal	PASS
4	10344.5	38.09	-91.52	-53.43	-25.00	28.43	RMS	Horizontal	PASS

## Project Information

Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph



## Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2585.9	104.88	-90.55	14.33	-	-	RMS	Vertical	NA
2	5172	54.37	-102.06	-47.69	-25.00	22.69	RMS	Vertical	PASS
3	7758.5	48.03	-96.43	-48.40	-25.00	23.40	RMS	Vertical	PASS
4	10344.5	41.76	-91.52	-49.76	-25.00	24.76	RMS	Vertical	PASS



## Project Information

Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2584	106.70	-90.57	16.13	-	-	RMS	Horizontal	NA
2	5168	47.86	-102.04	-54.18	-25.00	29.18	RMS	Horizontal	PASS
3	7752	45.36	-96.49	-51.13	-25.00	26.13	RMS	Horizontal	PASS
4	10336.5	38.42	-91.51	-53.09	-25.00	28.09	RMS	Horizontal	PASS

## Project Information

Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2584	105.48	-90.57	14.91	-	-	RMS	Vertical	NA
2	5168	52.71	-102.04	-49.33	-25.00	24.33	RMS	Vertical	PASS
3	7752	48.31	-96.49	-48.18	-25.00	23.18	RMS	Vertical	PASS
4	10336.5	44.38	-91.51	-47.13	-25.00	22.13	RMS	Vertical	PASS

## Project Information

Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736	107.79	-94.00	13.79	-	-	RMS	Horizontal	NA
2	3472	67.36	-107.15	-39.79	-13.00	26.79	RMS	Horizontal	PASS
3	5208.5	44.32	-102.19	-57.87	-13.00	44.87	RMS	Horizontal	PASS
4	6944.5	47.39	-97.81	-50.42	-13.00	37.42	RMS	Horizontal	PASS

## Project Information

Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736	113.15	-94.00	19.15	-	-	RMS	Vertical	NA
2	3472	68.60	-107.15	-38.55	-13.00	25.55	RMS	Vertical	PASS
3	5208.5	53.08	-102.19	-49.11	-13.00	36.11	RMS	Vertical	PASS
4	6944.5	56.65	-97.81	-41.16	-13.00	28.16	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

### Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18839.333333	42.91	-103.42	-60.51	-25.00	35.51	RMS	Horizontal	PASS
2	26051.333333	40.51	-99.43	-58.92	-25.00	33.92	RMS	Horizontal	PASS
3	27567.333333	40.46	-99.11	-58.65	-25.00	33.65	RMS	Horizontal	PASS

## Project Information

Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868259070002681	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

## Test Graph



## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18307.333333	43.14	-103.63	-60.49	-25.00	35.49	RMS	Vertical	PASS
2	24792	39.48	-99.49	-60.01	-25.00	35.01	RMS	Vertical	PASS
3	26852.666667	39.58	-98.73	-59.15	-25.00	34.15	RMS	Vertical	PASS