Page: 1 of 7

# Appendix B.19

NR CA\_n77C(3700-3980)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.">https://www.sgs.com/en/Terms-and-Conditions.</a>
Intention and jurisdiction issues defined therein. Any holder of this document is advised that inmortation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unally and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the lam. Online was a sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86-755) 26012053 t (86-755) 26012053

2 of 7

#### **Effective (Isotropic) Radiated Power Output Data for SA**

#### **Test Result**

ANT3

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power	EIRP	LIMIT	Verdict
N77C	30	100+80	DFT-QPSK	650000+655994	Inner_1RB_Left	21.34	19.04	30	PASS
N77C	30	100+80	DFT-QPSK	650000+655994	Inner_1RB_Right	21.33	19.03	30	PASS
N77C	30	100+80	DFT-QPSK	650000+655994	Outer_Full	17.26	14.96	30	PASS
N77C	30	100+80	DFT-256QAM	650000+655994	Inner_1RB_Left	16.33	14.03	30	PASS
N77C	30	100+80	DFT-256QAM	650000+655994	Inner_1RB_Right	16.27	13.97	30	PASS
N77C	30	100+80	DFT-256QAM	650000+655994	Outer_Full	16.33	14.03	30	PASS
N77C	30	100+90	DFT-QPSK	650000+656330	Inner_1RB_Left	21.48	19.18	30	PASS
N77C	30	100+90	DFT-QPSK	650000+656330	Inner_1RB_Right	21.45	19.15	30	PASS
N77C	30	100+90	DFT-QPSK	650000+656330	Outer_Full	19.53	17.23	30	PASS
N77C	30	100+90	DFT-256QAM	650000+656330	Inner_1RB_Left	17.23	14.93	30	PASS
N77C	30	100+90	DFT-256QAM	650000+656330	Inner_1RB_Right	16.66	14.36	30	PASS
N77C	30	100+90	DFT-256QAM	650000+656330	Outer_Full	16.62	14.32	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's series esponsibility is to its Client and this document does not exonerate parties to a transaction from exercing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emil: CND. Doccheck@sas.com"

邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com

t (86-755) 26012053

3 of 7

## 26dB Bandwidth and Occupied Bandwidth for SA

#### **Test Result**

Band	scs	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
77	30	100+80	DFT-QPSK	650000+655994	Outer_Full	175.87	179.1	PASS
77	30	100+80	DFT-16QAM	650000+655994	Outer_Full	176.09	180.2	PASS
77	30	100+90	DFT-QPSK	650000+656330	Outer_Full	185.75	188.9	PASS
77	30	100+90	DFT-16QAM	650000+656330	Outer_Full	185.85	190.0	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's series esponsibility is to its Client and this document does not exonerate parties to a transaction from exercing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emil: CND. Doccheck@sas.com"

99.00 % -26.00 dB


13.8 dBm

-26.00 dB

N77C-100+90-DFT-16QAM-Outer Full

Page: 4 of 7

### **Occupied Bandwidth Test Graphs**



-26.00 dB





188.9 MHz

N77C-100+90-DFT-QPSK-Outer Full

Page: 5 of 7

### **Field Strength of Spurious Radiation**

Test Band = NR Band77C\_ TM1 **Test Channel = Low 3700-3980** 

Final	Final Data List													
	Frequency	Reading	Factor	A ECID/1	Level	Limit	Margin	Polarity						
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]							
1	7211.275	39.93	-43.58	35.79	-63.12	-13.00	50.12	Horizontal						
2	8409.575	38.11	-41.41	36.60	-61.97	-13.00	48.97	Horizontal						
3	8946.625	36.21	-40.89	36.33	-63.61	-13.00	50.61	Horizontal						
4	10625.625	29.86	-37.88	38.51	-64.76	-13.00	51.76	Horizontal						
5	12193.65	27.80	-37.12	38.86	-65.72	-13.00	52.72	Horizontal						
6	14330.925	25.76	-35.62	41.03	-64.09	-13.00	51.09	Horizontal						

Final	Final Data List												
	Frequency Reading		Factor	AFUD/w1	Level	Limit	Margin	Delevite					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	8040.425	37.64	-41.81	36.78	-62.65	-13.00	49.65	Vertical					
2	9600.975	34.19	-39.20	37.44	-62.83	-13.00	49.83	Vertical					
3	10671.05	29.75	-37.64	38.54	-64.62	-13.00	51.62	Vertical					
4	11247.2	28.93	-36.90	38.72	-64.50	-13.00	51.50	Vertical					
5	12198.825	27.72	-37.11	38.86	-65.79	-13.00	52.79	Vertical					
6	13972.125	25.35	-35.00	40.85	-64.06	-13.00	51.06	Vertical					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's series esponsibility is to its Client and this document does not exonerate parties to a transaction from exercing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emil: CND. Doccheck@sas.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

Page: 6 of 7

# Test Band = NR Band77C\_ TM1 Test Channel = Mid 3700-3980

Final	Final Data List													
NO	Frequency	Reading	Factor	A [[dD/m]	Level	Limit	Margin	Delevitor						
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity						
1	7652.3	39.79	-42.85	36.66	-61.66	-13.00	48.66	Horizontal						
2	8547.575	37.20	-41.37	36.53	-62.90	-13.00	49.90	Horizontal						
3	9425.025	35.20	-39.93	37.11	-62.88	-13.00	49.88	Horizontal						
4	10098.35	32.44	-38.71	38.25	-63.28	-13.00	50.28	Horizontal						
5	11139.675	30.24	-37.29	38.71	-63.60	-13.00	50.60	Horizontal						
6	12098.775	28.35	-37.19	38.83	-65.27	-13.00	52.27	Horizontal						

Final	Final Data List													
NO	Frequency Reading		Factor	A EUID /····1	Level	Limit	Margin	Delevite						
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity						
1	7369.975	40.09	-42.95	36.24	-61.89	-13.00	48.89	Vertical						
2	9097.85	35.83	-40.42	36.49	-63.36	-13.00	50.36	Vertical						
3	10117.9	32.91	-38.80	38.26	-62.89	-13.00	49.89	Vertical						
4	11332.875	30.47	-37.32	38.73	-63.38	-13.00	50.38	Vertical						
5	12870.425	27.75	-36.80	39.06	-65.24	-13.00	52.24	Vertical						
6	14562.075	26.47	-34.93	41.12	-62.59	-13.00	49.59	Vertical						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. At tentation is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised thin information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@oss.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs\_c.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, Chlina 518057 t (86-755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮貨: 518057 t (86-755) 26012053 sgs.china@sgs.com

Page: 7 of 7

# Test Band = NR Band77C\_ TM1 Test Channel = High 3700-3980

Final	Final Data List												
NO.	Frequency Reading Factor		A [[dD/m]	Level	Limit	Margin	Dalavitus						
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	7669.55	39.40	-42.89	36.67	-62.08	-13.00	49.08	Horizontal					
2	9609.025	34.46	-39.23	37.46	-62.57	-13.00	49.57	Horizontal					
3	10485.325	32.10	-38.75	38.44	-63.47	-13.00	50.47	Horizontal					
4	11587.6	27.37	-36.92	38.76	-66.05	-13.00	53.05	Horizontal					
5	12870.425	28.05	-36.80	39.06	-64.94	-13.00	51.94	Horizontal					
6	14643.725	26.50	-35.09	41.16	-62.69	-13.00	49.69	Horizontal					

Final	Final Data List												
	Frequency	Reading	Factor	A [[dD/m]	Level	Limit	Margin	Delevite					
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity					
1	7846.65	38.74	-42.65	36.74	-62.44	-13.00	49.44	Vertical					
2	8967.325	37.02	-40.88	36.32	-62.81	-13.00	49.81	Vertical					
3	10660.7	30.60	-37.69	38.53	-63.82	-13.00	50.82	Vertical					
4	11220.175	29.72	-36.73	38.72	-63.55	-13.00	50.55	Vertical					
5	12708.85	28.24	-36.81	39.01	-64.82	-13.00	51.82	Vertical					
6	13915.2	27.45	-35.45	40.75	-62.51	-13.00	49.51	Vertical					

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solor responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unalural and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

to the fullest extent or the law. Common State of the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@gs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan Districk, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn