

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

Band: 5								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	21.59	-2.33	17.11	<=38.45	Pass
			836.6	21.62	-2.33	17.14	<=38.45	Pass
			846.6	21.44	-2.33	16.96	<=38.45	Pass
	HSDPA	Subtest 1	826.4	19.33	-2.33	14.85	<=38.45	Pass
		Subtest 2	826.4	19.33	-2.33	14.85	<=38.45	Pass
		Subtest 3	826.4	19.34	-2.33	14.86	<=38.45	Pass
		Subtest 4	826.4	19.32	-2.33	14.84	<=38.45	Pass
		Subtest 1	836.6	19.44	-2.33	14.96	<=38.45	Pass
		Subtest 2	836.6	19.44	-2.33	14.96	<=38.45	Pass
		Subtest 3	836.6	19.46	-2.33	14.98	<=38.45	Pass
		Subtest 4	836.6	19.44	-2.33	14.96	<=38.45	Pass
		Subtest 1	846.6	19.20	-2.33	14.72	<=38.45	Pass
		Subtest 2	846.6	19.21	-2.33	14.73	<=38.45	Pass
		Subtest 3	846.6	19.19	-2.33	14.71	<=38.45	Pass
		Subtest 4	846.6	19.17	-2.33	14.69	<=38.45	Pass
	HSUPA	Subtest 1	826.4	17.34	-2.33	12.86	<=38.45	Pass
		Subtest 2	826.4	16.86	-2.33	12.38	<=38.45	Pass
		Subtest 3	826.4	17.12	-2.33	12.64	<=38.45	Pass
		Subtest 4	826.4	17.35	-2.33	12.87	<=38.45	Pass
		Subtest 5	826.4	17.35	-2.33	12.87	<=38.45	Pass
		Subtest 1	836.6	17.37	-2.33	12.89	<=38.45	Pass
		Subtest 2	836.6	16.86	-2.33	12.38	<=38.45	Pass
		Subtest 3	836.6	17.38	-2.33	12.90	<=38.45	Pass
		Subtest 4	836.6	17.37	-2.33	12.89	<=38.45	Pass
		Subtest 5	836.6	17.14	-2.33	12.66	<=38.45	Pass
		Subtest 1	846.6	17.22	-2.33	12.74	<=38.45	Pass
		Subtest 2	846.6	17.03	-2.33	12.55	<=38.45	Pass
		Subtest 3	846.6	17.01	-2.33	12.53	<=38.45	Pass
		Subtest 4	846.6	17.26	-2.33	12.78	<=38.45	Pass
		Subtest 5	846.6	17.25	-2.33	12.77	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	

RMC	826.4	20	3.27	-13.754	-0.0166	-2.5 to 2.5	Pass
			3.85	-14.613	-0.0177	-2.5 to 2.5	Pass
			4.43	-12.124	-0.0147	-2.5 to 2.5	Pass
		-30	3.85	-13.919	-0.0168	-2.5 to 2.5	Pass
		-20	3.85	-6.516	-0.0079	-2.5 to 2.5	Pass
		-10	3.85	-14.405	-0.0174	-2.5 to 2.5	Pass
		0	3.85	-12.975	-0.0157	-2.5 to 2.5	Pass
		10	3.85	-11.094	-0.0134	-2.5 to 2.5	Pass
		30	3.85	-11.244	-0.0136	-2.5 to 2.5	Pass
		40	3.85	-13.740	-0.0166	-2.5 to 2.5	Pass
		50	3.85	-14.327	-0.0173	-2.5 to 2.5	Pass
	836.6	20	3.27	-13.847	-0.0166	-2.5 to 2.5	Pass
			3.85	-12.059	-0.0144	-2.5 to 2.5	Pass
			4.43	-14.606	-0.0175	-2.5 to 2.5	Pass
		-30	3.85	-13.611	-0.0163	-2.5 to 2.5	Pass
		-20	3.85	-11.280	-0.0135	-2.5 to 2.5	Pass
		-10	3.85	-11.880	-0.0142	-2.5 to 2.5	Pass
		0	3.85	-9.027	-0.0108	-2.5 to 2.5	Pass
		10	3.85	-8.805	-0.0105	-2.5 to 2.5	Pass
		30	3.85	-13.747	-0.0164	-2.5 to 2.5	Pass
		40	3.85	-11.265	-0.0135	-2.5 to 2.5	Pass
		50	3.85	-15.750	-0.0188	-2.5 to 2.5	Pass
	846.6	20	3.27	-9.863	-0.0117	-2.5 to 2.5	Pass
			3.85	-9.570	-0.0113	-2.5 to 2.5	Pass
			4.43	-14.856	-0.0175	-2.5 to 2.5	Pass
		-30	3.85	-13.475	-0.0159	-2.5 to 2.5	Pass
		-20	3.85	-12.066	-0.0143	-2.5 to 2.5	Pass
		-10	3.85	-9.878	-0.0117	-2.5 to 2.5	Pass
		0	3.85	-7.374	-0.0087	-2.5 to 2.5	Pass
		10	3.85	-11.287	-0.0133	-2.5 to 2.5	Pass
		30	3.85	-5.035	-0.0059	-2.5 to 2.5	Pass
		40	3.85	-10.800	-0.0128	-2.5 to 2.5	Pass
HSDPA	826.4	20	3.27	-7.231	-0.0088	-2.5 to 2.5	Pass
			3.85	-8.390	-0.0102	-2.5 to 2.5	Pass
			4.43	-10.879	-0.0132	-2.5 to 2.5	Pass
		-30	3.85	-15.986	-0.0193	-2.5 to 2.5	Pass
		-20	3.85	-11.530	-0.0140	-2.5 to 2.5	Pass
		-10	3.85	-13.740	-0.0166	-2.5 to 2.5	Pass
		0	3.85	-13.804	-0.0167	-2.5 to 2.5	Pass
		10	3.85	-14.563	-0.0176	-2.5 to 2.5	Pass
		30	3.85	-15.407	-0.0186	-2.5 to 2.5	Pass
		40	3.85	-10.271	-0.0124	-2.5 to 2.5	Pass
		50	3.85	-16.150	-0.0195	-2.5 to 2.5	Pass
	836.6	20	3.27	-8.962	-0.0107	-2.5 to 2.5	Pass
			3.85	-9.634	-0.0115	-2.5 to 2.5	Pass
			4.43	-8.283	-0.0099	-2.5 to 2.5	Pass
		-30	3.85	-16.165	-0.0193	-2.5 to 2.5	Pass
		-20	3.85	-14.040	-0.0168	-2.5 to 2.5	Pass
		-10	3.85	-12.474	-0.0149	-2.5 to 2.5	Pass
		0	3.85	-11.938	-0.0143	-2.5 to 2.5	Pass
		10	3.85	-9.570	-0.0114	-2.5 to 2.5	Pass
		30	3.85	-12.345	-0.0148	-2.5 to 2.5	Pass
		40	3.85	-12.996	-0.0155	-2.5 to 2.5	Pass
		50	3.85	-8.698	-0.0104	-2.5 to 2.5	Pass

	846.6	20	3.27	-15.821	-0.0187	-2.5 to 2.5	Pass
			3.85	-15.442	-0.0182	-2.5 to 2.5	Pass
			4.43	-15.492	-0.0183	-2.5 to 2.5	Pass
		-30	3.85	-16.236	-0.0192	-2.5 to 2.5	Pass
		-20	3.85	-16.043	-0.0189	-2.5 to 2.5	Pass
		-10	3.85	-18.775	-0.0222	-2.5 to 2.5	Pass
		0	3.85	-13.118	-0.0155	-2.5 to 2.5	Pass
		10	3.85	-18.268	-0.0216	-2.5 to 2.5	Pass
		30	3.85	-13.454	-0.0159	-2.5 to 2.5	Pass
		40	3.85	-12.760	-0.0151	-2.5 to 2.5	Pass
HSUPA	826.4	20	3.27	-8.440	-0.0102	-2.5 to 2.5	Pass
			3.85	-10.793	-0.0131	-2.5 to 2.5	Pass
			4.43	-9.584	-0.0116	-2.5 to 2.5	Pass
		-30	3.85	-10.428	-0.0126	-2.5 to 2.5	Pass
		-20	3.85	-13.225	-0.0160	-2.5 to 2.5	Pass
		-10	3.85	-8.168	-0.0099	-2.5 to 2.5	Pass
		0	3.85	-8.433	-0.0102	-2.5 to 2.5	Pass
		10	3.85	-10.972	-0.0133	-2.5 to 2.5	Pass
		30	3.85	-7.474	-0.0090	-2.5 to 2.5	Pass
		40	3.85	-10.722	-0.0130	-2.5 to 2.5	Pass
		50	3.85	-3.734	-0.0045	-2.5 to 2.5	Pass
	836.6	20	3.27	-7.868	-0.0094	-2.5 to 2.5	Pass
			3.85	-10.707	-0.0128	-2.5 to 2.5	Pass
			4.43	-11.802	-0.0141	-2.5 to 2.5	Pass
		-30	3.85	-9.756	-0.0117	-2.5 to 2.5	Pass
		-20	3.85	-10.600	-0.0127	-2.5 to 2.5	Pass
		-10	3.85	-9.155	-0.0109	-2.5 to 2.5	Pass
		0	3.85	-15.399	-0.0184	-2.5 to 2.5	Pass
		10	3.85	-13.676	-0.0163	-2.5 to 2.5	Pass
		30	3.85	-10.214	-0.0122	-2.5 to 2.5	Pass
		40	3.85	-11.501	-0.0137	-2.5 to 2.5	Pass
		50	3.85	-8.233	-0.0098	-2.5 to 2.5	Pass
	846.6	20	3.27	-12.016	-0.0142	-2.5 to 2.5	Pass
			3.85	-13.826	-0.0163	-2.5 to 2.5	Pass
			4.43	-14.226	-0.0168	-2.5 to 2.5	Pass
		-30	3.85	-10.271	-0.0121	-2.5 to 2.5	Pass
		-20	3.85	-14.584	-0.0172	-2.5 to 2.5	Pass
		-10	3.85	-11.315	-0.0134	-2.5 to 2.5	Pass
		0	3.85	-12.066	-0.0143	-2.5 to 2.5	Pass
		10	3.85	-14.055	-0.0166	-2.5 to 2.5	Pass
		30	3.85	-8.798	-0.0104	-2.5 to 2.5	Pass
		40	3.85	-10.872	-0.0128	-2.5 to 2.5	Pass
		50	3.85	-13.983	-0.0165	-2.5 to 2.5	Pass

3. Modulation Characteristics


3.1 Band5

3.1.1 Test Result


Band: 5

ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

3.1.2 Test Graph



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN




4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.188	Pass
			836.6	4.167	Pass
			846.6	4.182	Pass
	HSDPA	Subtest 1	826.4	4.228	Pass
			836.6	4.226	Pass
			846.6	4.230	Pass
	HSUPA	Subtest 1	826.4	4.242	Pass
			836.6	4.237	Pass
			846.6	4.235	Pass


4.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




4.2 Band5_XDB


4.2.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.723	Pass
			836.6	4.744	Pass
			846.6	4.743	Pass
	HSDPA	Subtest 1	826.4	5.308	Pass
			836.6	5.446	Pass
			846.6	5.359	Pass
	HSUPA	Subtest 1	826.4	5.528	Pass
			836.6	5.518	Pass
			846.6	5.560	Pass


4.2.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.30	<=13	Pass
			836.6	2.68	<=13	Pass
			846.6	2.63	<=13	Pass
	HSDPA	Subtest 1	826.4	5.76	<=13	Pass
			836.6	5.80	<=13	Pass
			846.6	5.81	<=13	Pass
	HSUPA	Subtest 1	826.4	5.60	<=13	Pass
			836.6	5.70	<=13	Pass
			846.6	5.91	<=13	Pass


5.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




6. Spurious Emission

6.1 Band5


6.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	
	HSDPA	Subtest 1	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	
	HSUPA	Subtest 1	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	


6.1.2 Test Graph




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1452	0.0193	ppm	4M24F9W	24E	21.62

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.0518	0.0193	ppm	4M24F9W	24E	17.14