

Report No.:

06081651

Rx & Alarm On Mode

(With Projection On)

AC Mains “L”

Tested By:Ben, Report No.:06081651

Scan Settings (1 Range)

----- Frequencies -----

----- Receiver Settings -----

Start

Stop

Step

IF BW

Detector

M-Time

Atten

Preamp

OpRge

150k

30M

5k

10k

PK+AV

10ms

AUTO

LN

OFF

60dB

Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.

Start

Stop

Name

2

1

9k

30M


EW0699

12

9k

30M

EW0192





Report No.: 06081651
Rx & Alarm On Mode
(With Projection On)
AC Mains "L"

Tested By: Ben, Report No.: 06081651

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Report No.:

06081651

Rx & Alarm On Mode

(With Projection On)

AC Mains “N”

Tested By:Ben, Report No.:06081651

Scan Settings (1 Range)

----- Frequencies -----

----- Receiver Settings -----

Start

Stop

Step

IF BW

Detector

M-Time

Atten

Preamp

OpRge

150k

30M

5k

10k

PK+AV

10ms

AUTO

LN

OFF

60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1	9k	30M
	12	9k	30M
			EW0699
			EW0192





Report No.: 06081651
Rx & Alarm On Mode
(With Projection On)
AC Mains "N"

Tested By:Ben, Report No.:06081651
Scan Settings (1 Range)
|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB
Final Measurement Results:

no Results