



Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.89	17.80
60	5300	22.71	17.90
64	5320	22.61	17.80

CH52




Date: 4.JAN.2021 14:19:00

CH60
26 dB Bandwidth



Date: 4.JAN.2021 14:19:57

CH64




Date: 4.JAN.2021 14:20:53


99 % Occupied Bandwidth



Date: 4.JAN.2021 14:18:37



Date: 4.JAN.2021 14:19:34




Date: 4.JAN.2021 14:20:31

Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.80	75.6

CH58 26 dB Bandwidth



Date: 4.JAN.2021 14:48:05

99 % Occupied Bandwidth




Date: 4.JAN.2021 14:47:37


Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	24.75	17.90
116	5580	23.75	17.80
140	5700	23.10	17.80


CH100






CH116
26 dB Bandwidth



CH140




99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.20	36.40
110	5550	40.40	36.40
134	5670	39.80	36.40


CH102






CH110
26 dB Bandwidth



CH134




99 % Occupied Bandwidth



Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.40	75.60
122	5610	87.60	76.00

CH106




Date: 4.JAN.2021 14:49:11

CH122
26 dB Bandwidth




Date: 4.JAN.2021 14:51:44

99 % Occupied Bandwidth



Date: 4.JAN.2021 14:48:42




Date: 4.JAN.2021 14:50:55

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	13.91	17.80	0.5	Complies
157	5785	13.85	17.80	0.5	Complies
165	5825	15.05	17.70	0.5	Complies

CH149




Date: 4.JAN.2021 14:24:53

CH157
26 dB Bandwidth




Date: 4.JAN.2021 14:25:57

CH165




Date: 4.JAN.2021 14:27:15


99 % Occupied Bandwidth



Date: 4.JAN.2021 14:24:26



Date: 4.JAN.2021 14:25:29




Date: 4.JAN.2021 14:26:49

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.00	36.20	0.5	Complies
159	5795	32.79	36.40	0.5	Complies

CH151




Date: 4.JAN.2021 14:43:56

CH159 26 dB Bandwidth




Date: 4.JAN.2021 14:45:17

99 % Occupied Bandwidth



Date: 4.JAN.2021 14:43:24




Date: 4.JAN.2021 14:44:38

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	68.20	75.60	0.5	Complies

CH155 26 dB Bandwidth



Date: 4.JAN.2021 14:54:43

99 % Occupied Bandwidth



Date: 4.JAN.2021 14:52:32

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.72	0.00	15.72	23.98	0.25	Complies
40	5200	17.13	0.00	17.13	23.98	0.25	Complies
48	5240	17.35	0.00	17.35	23.98	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.58	0.00	15.58	23.98	0.25	Complies
40	5200	16.45	0.00	16.45	23.98	0.25	Complies
48	5240	16.35	0.00	16.35	23.98	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.33	0.20	10.53	23.98	0.25	Complies
46	5230	15.49	0.20	15.69	23.98	0.25	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.54	0.00	15.54	23.98	0.25	Complies
40	5200	17.36	0.00	17.36	23.98	0.25	Complies
48	5240	17.13	0.00	17.13	23.98	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.38	0.17	10.55	23.98	0.25	Complies
46	5230	16.01	0.17	16.18	23.98	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.61	0.35	8.96	23.98	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.43	0.00	17.43	23.98	0.25	Complies
60	5300	17.32	0.00	17.32	23.98	0.25	Complies
64	5320	15.45	0.00	15.45	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.44	0.00	16.44	23.98	0.25	Complies
60	5300	16.33	0.00	16.33	23.98	0.25	Complies
64	5320	14.76	0.00	14.76	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.37	0.20	15.57	23.98	0.25	Complies
62	5310	9.25	0.20	9.45	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.18	0.00	17.18	23.98	0.25	Complies
60	5300	17.47	0.00	17.47	23.98	0.25	Complies
64	5320	14.74	0.00	14.74	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.34	0.17	16.51	23.98	0.25	Complies
62	5310	9.42	0.17	9.59	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.47	0.35	8.82	23.98	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.29	0.00	17.29	23.98	0.25	Complies
116	5580	17.17	0.00	17.17	23.98	0.25	Complies
140	5700	16.69	0.00	16.69	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.21	0.00	16.21	23.98	0.25	Complies
116	5580	16.13	0.00	16.13	23.98	0.25	Complies
140	5700	16.21	0.00	16.21	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.54	0.20	12.74	23.98	0.25	Complies
110	5550	15.01	0.20	15.21	23.98	0.25	Complies
134	5670	15.42	0.20	15.62	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.11	0.00	17.11	23.98	0.25	Complies
116	5580	17.37	0.00	17.37	23.98	0.25	Complies
140	5700	15.53	0.00	15.53	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.52	0.17	12.69	23.98	0.25	Complies
110	5550	16.42	0.17	16.59	23.98	0.25	Complies
134	5670	16.34	0.17	16.51	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.96	0.35	9.31	23.98	0.25	Complies
122	5610	15.33	0.35	15.68	23.98	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.72	0.00	14.72	30.00	1.00	Complies
157	5785	14.64	0.00	14.64	30.00	1.00	Complies
165	5825	14.78	0.00	14.78	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.51	0.00	14.51	30.00	1.00	Complies
157	5785	14.93	0.00	14.93	30.00	1.00	Complies
165	5825	14.59	0.00	14.59	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.72	0.20	14.92	30.00	1.00	Complies
159	5795	14.57	0.20	14.77	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.52	0.00	14.52	30.00	1.00	Complies
157	5785	14.92	0.00	14.92	30.00	1.00	Complies
165	5825	14.53	0.00	14.53	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.76	0.17	14.93	30.00	1.00	Complies
159	5795	14.64	0.17	14.81	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.62	0.35	14.97	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.38	0.00	9.38	11.00	Complies
40	5200	9.25	0.00	9.25	11.00	Complies
48	5240	9.61	0.00	9.61	11.00	Complies



Date: 4.JAN.2021 09:48:20




Date: 4.JAN.2021 09:50:17




Date: 4.JAN.2021 09:51:38

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.95	0.00	7.95	11.00	Complies
40	5200	8.37	0.00	8.37	11.00	Complies
48	5240	8.37	0.00	8.37	11.00	Complies



Date: 4.JAN.2021 10:02:32



Date: 4.JAN.2021 10:03:33




Date: 4.JAN.2021 10:04:39

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.01	0.20	3.21	11.00	Complies
46	5230	3.50	0.20	3.70	11.00	Complies

CH38



Date: 4.JAN.2021 14:03:31

CH46




Date: 4.JAN.2021 14:04:41

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.58	0.00	7.58	11.00	Complies
40	5200	8.13	0.00	8.13	11.00	Complies
48	5240	8.22	0.00	8.22	11.00	Complies

CH36




Date: 4.JAN.2021 14:16:24

CH40



Date: 4.JAN.2021 14:17:23

CH48




Date: 4.JAN.2021 14:18:18

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.31	0.17	4.48	11.00	Complies
46	5230	4.20	0.17	4.37	11.00	Complies

CH38



Date: 4.JAN.2021 14:35:14


CH46



Date: 4.JAN.2021 14:36:15

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.43	0.35	0.78	11.00	Complies




Date: 4.JAN.2021 14:47:20

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.53	0.00	9.53	11.00	Complies
60	5300	9.29	0.00	9.29	11.00	Complies
64	5320	9.39	0.00	9.39	11.00	Complies



Date: 4.JAN.2021 09:53:25




Date: 4.JAN.2021 09:54:21




Date: 4.JAN.2021 09:55:06

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.35	0.00	8.35	11.00	Complies
60	5300	7.84	0.00	7.84	11.00	Complies
64	5320	7.96	0.00	7.96	11.00	Complies



Date: 4.JAN.2021 10:05:35



Date: 4.JAN.2021 10:06:39




Date: 4.JAN.2021 10:07:27

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.72	0.20	3.92	11.00	Complies
62	5310	4.00	0.20	4.20	11.00	Complies

CH54



Date: 4.JAN.2021 14:06:04


CH62




Date: 4.JAN.2021 14:07:34

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.41	0.00	8.41	11.00	Complies
60	5300	8.90	0.00	8.90	11.00	Complies
64	5320	8.80	0.00	8.80	11.00	Complies



Date: 4.JAN.2021 14:19:14




Date: 4.JAN.2021 14:20:11




Date: 4.JAN.2021 14:21:07

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.75	0.17	4.92	11.00	Complies
62	5310	5.19	0.17	5.36	11.00	Complies




Date: 4.JAN.2021 14:37:25



Date: 4.JAN.2021 14:38:48

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.31	0.35	1.66	11.00	Complies




Date: 4.JAN.2021 14:48:25

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.22	0.00	9.22	11.00	Complies
116	5580	9.27	0.00	9.27	11.00	Complies
140	5700	9.34	0.00	9.34	11.00	Complies



Date: 4.JAN.2021 09:55:56




Date: 4.JAN.2021 09:57:02




Date: 4.JAN.2021 09:58:04

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.91	0.00	7.91	11.00	Complies
116	5580	7.90	0.00	7.90	11.00	Complies
140	5700	8.07	0.00	8.07	11.00	Complies



Date: 4.JAN.2021 10:08:19




Date: 4.JAN.2021 10:09:20




Date: 4.JAN.2021 10:10:18

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.63	0.20	3.83	11.00	Complies
110	5550	3.54	0.20	3.74	11.00	Complies
134	5670	3.27	0.20	3.47	11.00	Complies



Date: 4.JAN.2021 14:09:49




Date: 4.JAN.2021 14:10:01




Date: 4.JAN.2021 14:11:19

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.24	0.00	8.24	11.00	Complies
116	5580	8.30	0.00	8.30	11.00	Complies
140	5700	7.56	0.00	7.56	11.00	Complies



Date: 4.JAN.2021 14:22:04




Date: 4.JAN.2021 14:23:04




Date: 4.JAN.2021 14:24:03

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.57	0.17	4.74	11.00	Complies
110	5550	4.86	0.17	5.03	11.00	Complies
134	5670	3.80	0.17	3.97	11.00	Complies



Date: 4.JAN.2021 14:39:59




Date: 4.JAN.2021 14:41:18




Date: 4.JAN.2021 14:43:02

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.14	0.35	1.49	11.00	Complies
122	5610	0.48	0.35	0.83	11.00	Complies




Date: 4.JAN.2021 14:49:31




Date: 4.JAN.2021 14:52:04

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.77	0.00	5.77	30.00	Complies
157	5785	5.60	0.00	5.60	30.00	Complies
165	5825	5.16	0.00	5.16	30.00	Complies



Date: 4.JAN.2021 09:58:58




Date: 4.JAN.2021 10:00:06




Date: 4.JAN.2021 10:00:59

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.26	0.00	5.26	30.00	Complies
157	5785	5.72	0.00	5.72	30.00	Complies
165	5825	5.01	0.00	5.01	30.00	Complies



Date: 4.JAN.2021 10:11:53




Date: 4.JAN.2021 10:14:30




Date: 4.JAN.2021 10:15:34

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.61	0.20	0.81	30.00	Complies
159	5795	0.24	0.20	0.44	30.00	Complies

CH151



Date: 4.JAN.2021 14:13:07

CH159



Date: 4.JAN.2021 14:14:18

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.80	0.00	3.80	30.00	Complies
157	5785	3.91	0.00	3.91	30.00	Complies
165	5825	3.10	0.00	3.10	30.00	Complies

CH149


Date: 4.JAN.2021 14:25:07

CH157


Date: 4.JAN.2021 14:26:11


CH165


Date: 4.JAN.2021 14:27:29

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.53	0.17	0.70	30.00	Complies
159	5795	0.17	0.17	0.34	30.00	Complies

CH151



Date: 4.JAN.2021 14:44:16

CH159




Date: 4.JAN.2021 14:45:37

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.74	0.35	-2.39	30.00	Complies

CH155



Date: 4.JAN.2021 14:55:03

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9916
120	5179.9912
102	5179.9900
Maximum Deviation (MHz)	0.0100
Maximum Deviation (ppm)	1.9305

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9904
10	5179.9912
20	5179.9900
30	5179.9892
35	5179.9896
Maximum Deviation (MHz)	0.0108
Maximum Deviation (ppm)	2.0849

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9904
120	5259.9900
102	5259.9896
Maximum Deviation (MHz)	0.0104
Maximum Deviation (ppm)	1.9772

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9892
10	5259.9896
20	5259.9904
30	5259.9896
35	5259.9900
Maximum Deviation (MHz)	0.0108
Maximum Deviation (ppm)	2.0532

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5499.9892
120	5499.9884
102	5499.9892
Maximum Deviation (MHz)	0.0116
Maximum Deviation (ppm)	2.1091

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9892
10	5499.9884
20	5499.9876
30	5499.9892
35	5499.9880
Maximum Deviation (MHz)	0.0124
Maximum Deviation (ppm)	2.2545

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9892
120	5744.9884
102	5744.9884
Maximum Deviation (MHz)	0.0116
Maximum Deviation (ppm)	2.0191

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9872
10	5744.9876
20	5744.9884
30	5744.9880
35	5744.9876
Maximum Deviation (MHz)	0.0128
Maximum Deviation (ppm)	2.2280

End of Test Report