





13 Sep 1999 15:23:46

3. FCC CFR 47, Pt 15

3.1 FCC, Pt 15 -- AC LINE CONDUCTED

GRE AMERICA

SCANNING RECEIVER

M/N: 20-314 (PRO-79)

HOT I 1, NEUTRAL IX1, 115V 60Hz

PEAKS FOUND ABOVE 32 dBuV

PEAK#	FREQ (MHz)	AMPL (dBuV)
1	.8131	34.5
2	.8738	32.7
3	1.157	32.8
4	1.258	33.0
5	1.351	33.4
6	1.879	32.7
7	2.081	32.4
8	2.235	32.6
9	2.711	32.9
10	5.230	32.5
11	7.936	32.7
12	11.29	32.6
13	14.29	32.6
14	17.98	32.4
15	23.72	33.2

13 Sep 1988 15:25:15

3. FCC DFR #7, Pt 15

3.1 FCC, Pt 15 - AC LINE CONDUCTED

GRE AMERICA

SCANNING RECEIVER

M/N: 20-314 (PRO-79)

HOT [X], NEUTRAL [], 115V 60Hz

PEAKS FOUND ABOVE 32 dBuV

PEAK#	FREQ (MHz)	AMPL (dBuV)
1	.5522	32.7
2	.6812	32.8
3	.7635	33.1
4	1.114	33.4
5	1.328	32.7
6	1.578	32.7
7	1.767	32.6
8	1.930	33.0
9	2.665	32.7
10	3.206	32.4
11	4.088	32.8
12	5.348	32.6
13	5.866	32.4
14	12.12	32.8
15	12.89	32.6
16	13.18	32.2
17	14.89	33.3
18	26.57	32.5