



Page: 59 of 180


WCDMA_B2_LowCH9262-1852.4




WCDMA B2 MidCH9400-1880




WCDMA_B2_HighCH9538-1907.6




HSDPA_B2_LowCH9262-1852.4



HSDPA B2 MidCH9400-1880



HSDPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 60 of 180


HSUPA_B2_LowCH9262-1852.4




HSUPA B2 MidCH9400-1880




HSUPA_B2_HighCH9538-1907.6




WCDMA_B4_LowCH1312-1712.4



WCDMA B4 MidCH1413-1732.6



WCDMA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd




Page: 61 of 180


HSDPA_B4_LowCH1312-1712.4




HSDPA B4 MidCH1413-1732.6




HSDPA_B4_HighCH1513-1752.6




HSUPA_B4_LowCH1312-1712.4



HSUPA B4 MidCH1413-1732.6



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 62 of 180


WCDMA_B5_LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




WCDMA_B5_HighCH4233-846.6




HSDPA_B5_LowCH4132-826.4



HSDPA B5 MidCH4183-836.6



HSDPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 63 of 180


HSUPA_B5_LowCH4132-826.4



HSUPA B5 MidCH4183-836.6



HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 64 of 180

SIM 2 Spurious Emission Low


GSM_850MHz_LowCH128-824.2




GSM_850MHz_MidCH190-836.6




GSM_850MHz_HighCH251-848.8




GPRS 850MHz LowCH128-824.2



GPRS 850MHz MidCH190-836.6



GPRS_850MHz__HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd




Page: 65 of 180


EDGE_850MHz__LowCH128-824.2




EDGE 850MHz MidCH190-836.6




EDGE_850MHz__HighCH251-848.8




GSM_1900MHz_LowCH512-1850.2



GSM 1900MHz MidCH661-1880



GSM_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd




Page: 66 of 180


GPRS_1900MHz_LowCH512-1850.2




GPRS 1900MHz MidCH661-1880




GPRS_1900MHz_HighCH810-1909.8




EDGE 1900MHz LowCH512-1850.2



EDGE 1900MHz MidCH661-1880



EDGE_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd




Page: 67 of 180

SIM 2 Spurious Emission High


GSM 850MHz LowCH128-824.2




GSM_850MHz_MidCH190-836.6




GSM_850MHz_HighCH251-848.8




GPRS 850MHz LowCH128-824.2



GPRS 850MHz MidCH190-836.6



GPRS_850MHz__HighCH251-848.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 68 of 180


EDGE_850MHz__LowCH128-824.2




EDGE 850MHz MidCH190-836.6




EDGE_850MHz__HighCH251-848.8




GSM_1900MHz_LowCH512-1850.2



GSM 1900MHz MidCH661-1880



GSM_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 69 of 180


GPRS_1900MHz_LowCH512-1850.2




GPRS 1900MHz MidCH661-1880




GPRS_1900MHz_HighCH810-1909.8




EDGE 1900MHz LowCH512-1850.2



EDGE 1900MHz MidCH661-1880



EDGE_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd



Page: 70 of 180

11 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Standard Applicable


According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h) and RSS-132 §5.5, RSS-133 §6.5.1, RSS-139 §5.6


Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

EUT Setup 11.2

Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 71 of 180

Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 72 of 180

Measurement Result:

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM850 :2024-06-26 Test Date

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency: 824.2 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
54.250	-49.81	-38.12	-10.75	-0.94	-13.00	-36.81
65.890	-51.16	-42.84	-7.29	-1.03	-13.00	-38.16
85.290	-50.07	-47.44	-1.48	-1.15	-13.00	-37.07
139.610	-57.19	-53.94	-1.76	-1.49	-13.00	-44.19
214.300	-61.92	-64.76	4.70	-1.86	-13.00	-48.92
947.620	-60.43	-59.96	3.36	-3.83	-13.00	-47.43
1648.400	-59.31	-63.76	9.50	-5.05	-13.00	-46.31
2472.600	-58.45	-62.71	10.50	-6.24	-13.00	-45.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 73 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :824.2 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
65.890	-56.26	-47.94	-7.29	-1.03	-13.00	-43.26
85.290	-51.42	-48.79	-1.48	-1.15	-13.00	-38.42
139.610	-48.80	-45.55	-1.76	-1.49	-13.00	-35.80
216.240	-58.69	-61.62	4.81	-1.88	-13.00	-45.69
264.740	-61.88	-63.96	4.14	-2.06	-13.00	-48.88
997.090	-63.32	-63.34	3.96	-3.94	-13.00	-50.32
1648.400	-61.20	-65.65	9.50	-5.05	-13.00	-48.20
2472.600	-57.55	-61.81	10.50	-6.24	-13.00	-44.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 74 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-51.82	-39.89	-11.01	-0.92	-13.00	-38.82
64.920	-51.07	-42.26	-7.79	-1.02	-13.00	-38.07
83.350	-50.86	-47.85	-1.87	-1.14	-13.00	-37.86
137.670	-58.51	-55.39	-1.64	-1.48	-13.00	-45.51
201.690	-59.52	-61.80	4.07	-1.79	-13.00	-46.52
944.710	-61.03	-60.60	3.39	-3.82	-13.00	-48.03
1673.200	-59.11	-63.87	9.83	-5.07	-13.00	-46.11
2509.800	-59.34	-63.66	10.60	-6.28	-13.00	-46.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 75 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 1



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-53.88	-45.73	-7.12	-1.03	-13.00	-40.88
-46.39	-42.90	-2.35	-1.14	-13.00	-33.39
-51.41	-48.29	-1.64	-1.48	-13.00	-38.41
-54.51	-56.59	3.85	-1.77	-13.00	-41.51
-61.82	-63.75	4.01	-2.08	-13.00	-48.82
-62.68	-62.22	3.38	-3.84	-13.00	-49.68
-55.21	-59.97	9.83	-5.07	-13.00	-42.21
-57.79	-62.11	10.60	-6.28	-13.00	-44.79
	-53.88 -46.39 -51.41 -54.51 -61.82 -62.68 -55.21	Output Level dBm -53.88	dBm Output Level dBm Gain dBi/dBd -53.88 -45.73 -7.12 -46.39 -42.90 -2.35 -51.41 -48.29 -1.64 -54.51 -56.59 3.85 -61.82 -63.75 4.01 -62.68 -62.22 3.38 -55.21 -59.97 9.83	dBm Output Level dBm Gain dBi/dBd Loss dB -53.88 -45.73 -7.12 -1.03 -46.39 -42.90 -2.35 -1.14 -51.41 -48.29 -1.64 -1.48 -54.51 -56.59 3.85 -1.77 -61.82 -63.75 4.01 -2.08 -62.68 -62.22 3.38 -3.84 -55.21 -59.97 9.83 -5.07	dBm Output Level dBm Gain dBi/dBd Loss dB dBm -53.88 -45.73 -7.12 -1.03 -13.00 -46.39 -42.90 -2.35 -1.14 -13.00 -51.41 -48.29 -1.64 -1.48 -13.00 -54.51 -56.59 3.85 -1.77 -13.00 -61.82 -63.75 4.01 -2.08 -13.00 -62.68 -62.22 3.38 -3.84 -13.00 -55.21 -59.97 9.83 -5.07 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 76 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :848.8 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
52.310	-52.05	-40.12	-11.01	-0.92	-13.00	-39.05
64.920	-51.36	-42.55	-7.79	-1.02	-13.00	-38.36
83.350	-50.27	-47.26	-1.87	-1.14	-13.00	-37.27
136.700	-59.70	-56.68	-1.54	-1.48	-13.00	-46.70
214.300	-62.08	-64.92	4.70	-1.86	-13.00	-49.08
975.750	-61.29	-61.07	3.67	-3.89	-13.00	-48.29
1697.600	-60.52	-65.40	9.98	-5.10	-13.00	-47.52
2546.400	-58.33	-62.64	10.66	-6.35	-13.00	-45.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 77 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM850 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :848.8 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
65.890	-55.18	-46.86	-7.29	-1.03	-13.00	-42.18
86.260	-51.88	-49.62	-1.10	-1.16	-13.00	-38.88
140.580	-50.41	-47.14	-1.78	-1.49	-13.00	-37.41
209.450	-56.77	-59.44	4.49	-1.82	-13.00	-43.77
264.740	-61.57	-63.65	4.14	-2.06	-13.00	-48.57
994.180	-62.71	-62.70	3.93	-3.94	-13.00	- 49.71
1697.600	-60.65	-65.53	9.98	- 5.10	-13.00	-47.65
2546.400	-58.86	-63.17	10.66	-6.35	-13.00	-45.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 78 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :824.2 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.24	-40.31	-11.01	-0.92	-13.00	-39.24
65.890	-51.11	-42.79	-7.29	-1.03	-13.00	-38.11
83.350	-48.01	-45.00	-1.87	-1.14	-13.00	-35.01
136.700	-55.96	-52.94	-1.54	-1.48	-13.00	-42.96
213.330	-61.31	-64.12	4.66	-1.85	-13.00	-48.31
947.620	-60.41	-59.94	3.36	-3.83	-13.00	-47.41
1648.400	-59.21	-63.66	9.50	-5.05	-13.00	-46.21
2472.600	-58.99	-63.25	10.50	-6.24	-13.00	-45.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 79 of 180

Report Number :TERF2405001537E2 **Test Site** :SAC C


Operation Mode: GPRS850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :824.2 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-54.96	-46.64	-7.29	-1.03	-13.00	-41.96
84.320	-50.98	-48.13	-1.70	-1.15	-13.00	-37.98
149.310	-50.83	-47.53	-1.77	-1.53	-13.00	-37.83
195.870	-59.28	-61.22	3.71	-1.77	-13.00	-46.28
294.810	-60.82	-62.74	4.08	-2.16	-13.00	-47.82
992.240	-62.89	-62.88	3.91	-3.92	-13.00	-49.89
1648.400	-61.23	-65.68	9.50	-5.05	-13.00	-48.23
2472.600	-58.76	-63.02	10.50	-6.24	-13.00	-45.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 80 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-48.11	-36.18	-11.01	-0.92	-13.00	-35.11
66.860	-50.97	-42.82	-7.12	-1.03	-13.00	-37.97
84.320	-48.55	- 45.70	-1.70	-1.15	-13.00	-35.55
140.580	-57.61	-54.34	-1.78	-1.49	-13.00	-44.61
196.840	-60.26	-62.34	3.85	-1.77	-13.00	-47.26
986.420	-61.30	-61.26	3.86	-3.90	-13.00	-48.30
1673.200	-57.58	-62.34	9.83	-5.07	-13.00	-44.58
2509.800	-58.13	-62.45	10.60	-6.28	-13.00	-45.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 81 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS850 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :836.6 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-55.41	-47.09	-7.29	-1.03	-13.00	-42.41
85.290	-50.36	-47.73	-1.48	-1.15	-13.00	-37.36
145.430	-49.32	-45.94	-1.85	-1.53	-13.00	-36.32
221.090	-57.32	-60.51	5.09	-1.90	-13.00	-44.32
264.740	-62.66	-64.74	4.14	-2.06	-13.00	-49.66
934.040	-62.82	-62.52	3.51	-3.81	-13.00	-49.82
1673.200	-56.94	-61.70	9.83	-5.07	-13.00	-43.94
2509.800	-57.86	-62.18	10.60	-6.28	-13.00	-44.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 82 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GPRS850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :848.8 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
53.280	-52.34	-40.43	-10.98	-0.93	-13.00	-39.34
66.860	-51.44	-43.29	-7.12	-1.03	-13.00	-38.44
83.350	-49.07	-46.06	-1.87	-1.14	-13.00	-36.07
137.670	-59.33	-56.21	-1.64	-1.48	-13.00	-46.33
202.660	-61.90	-64.22	4.12	-1.80	-13.00	-48.90
942.770	-60.77	-60.36	3.41	-3.82	-13.00	-47.77
1697.600	-60.59	-65.47	9.98	-5.10	-13.00	- 47.59
2546.400	-59.33	-63.64	10.66	-6.35	-13.00	-46.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 83 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS850 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :848.8 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
70.740	-50.73	-43.61	-6.05	-1.07	-13.00	-37.73
86.260	-51.24	-48.98	-1.10	-1.16	-13.00	-38.24
128.940	-52.82	-50.15	-1.22	-1.45	-13.00	-39.82
216.240	-54.13	-57.06	4.81	-1.88	-13.00	-41.13
292.870	-61.75	-63.65	4.06	-2.16	-13.00	-48.75
994.180	-62.44	-62.43	3.93	-3.94	-13.00	-49.44
1697.600	-61.24	-66.12	9.98	- 5.10	-13.00	-48.24
2546.400	-58.98	-63.29	10.66	-6.35	-13.00	-45.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 84 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :824.2 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-51.51	-39.58	-11.01	-0.92	-13.00	-38.51
65.890	-49.97	-41.65	-7.29	-1.03	-13.00	-36.97
85.290	-48.47	-45.84	-1.48	-1.15	-13.00	-35.47
136.700	-57.50	-54.48	-1.54	-1.48	-13.00	-44.50
197.810	-62.94	-65.06	3.90	-1.78	-13.00	-49.94
983.510	-60.99	-60.91	3.81	-3.89	-13.00	- 47.99
1648.400	-60.86	-65.31	9.50	-5.05	-13.00	-47.86
2472.600	-58.62	-62.88	10.50	-6.24	-13.00	-45.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 85 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 824.2 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
67.830	-54.88	-46.85	-6.99	-1.04	-13.00	-41.88
84.320	-52.86	-50.01	-1.70	-1.15	-13.00	-39.86
126.030	-47.88	-45.25	-1.21	-1.42	-13.00	-34.88
211.390	-54.59	-57.34	4.58	-1.83	-13.00	- 41.59
264.740	-62.11	-64.19	4.14	-2.06	-13.00	-49.11
988.360	-62.49	-62.47	3.88	-3.90	-13.00	- 49.49
1648.400	-60.44	-64.89	9.50	-5.05	-13.00	-47.44
2472.600	-59.34	-63.60	10.50	-6.24	-13.00	-46.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 86 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
53.280	-52.45	-40.54	-10.98	-0.93	-13.00	-39.45
66.860	-50.51	-42.36	-7.12	-1.03	-13.00	-37.51
84.320	-49.59	-46.74	-1.70	-1.15	-13.00	-36.59
137.670	-59.01	-55.89	-1.64	-1.48	-13.00	-46.01
197.810	-61.40	-63.52	3.90	-1.78	-13.00	-48.40
987.390	-60.80	-60.77	3.87	-3.90	-13.00	-47.80
1673.200	-59.11	-63.87	9.83	-5.07	-13.00	-46.11
2509.800	-57.80	-62.12	10.60	-6.28	-13.00	-44.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 87 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
65.890	-52.99	-44.67	-7.29	-1.03	-13.00	-39.99	
86.260	-51.56	-49.30	-1.10	-1.16	-13.00	-38.56	
135.730	-52.92	-49.81	-1.64	-1.47	-13.00	-39.92	
196.840	-57.42	-59.50	3.85	-1.77	-13.00	-44.42	
263.770	-61.45	-63.55	4.15	-2.05	-13.00	-48.45	
969.930	-62.97	-62.62	3.52	-3.87	-13.00	-49.97	
1673.200	-57.20	-61.96	9.83	-5.07	-13.00	-44.20	
2509.800	-57.74	-62.06	10.60	-6.28	-13.00	-44.74	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 88 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 848.8 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
48.430	-51.22	-38.47	-11.88	-0.87	-13.00	-38.22
65.890	-50.19	-41.87	-7.29	-1.03	-13.00	-37.19
83.350	-49.77	-46.76	-1.87	-1.14	-13.00	-36.77
129.910	-57.78	-54.81	-1.51	-1.46	-13.00	-44.78
211.390	-58.83	-61.58	4.58	-1.83	-13.00	-45.83
992.240	-61.03	-61.02	3.91	-3.92	-13.00	-48.03
1697.600	-60.73	-65.61	9.98	- 5.10	-13.00	-47.73
2546.400	-59.03	-63.34	10.66	-6.35	-13.00	-46.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488 台灣檢驗科技股份有限公司



Page: 89 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 848.8 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-55.62	-47.30	-7.29	-1.03	-13.00	-42.62
87.230	-52.11	-49.91	-1.03	-1.17	-13.00	-39.11
138.640	-51.45	-48.16	-1.81	-1.48	-13.00	-38.45
219.150	-56.43	-59.52	4.98	-1.89	-13.00	-43.43
294.810	-62.85	-64.77	4.08	-2.16	-13.00	-49.85
950.530	-63.10	-62.60	3.34	-3.84	-13.00	-50.10
1697.600	-60.07	-64.95	9.98	-5.10	-13.00	-47.07
2546.400	-58.93	-63.24	10.66	-6.35	-13.00	-45.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 90 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1850.2 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.29	-40.36	-11.01	-0.92	-13.00	-39.29
65.890	-51.57	-43.25	-7.29	-1.03	-13.00	-38.57
85.290	-51.36	-48.73	-1.48	-1.15	-13.00	-38.36
151.250	-55.22	-51.93	-1.75	-1.54	-13.00	-42.22
195.870	-58.77	-60.71	3.71	-1.77	-13.00	-45.77
945.680	-61.55	-61.11	3.38	-3.82	-13.00	-48.55
3700.400	-56.76	-61.74	12.60	-7.62	-13.00	-43.76
5550.600	-55.72	-59.45	13.20	-9.47	-13.00	-42.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 91 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1850.2 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-54.82	-46.67	-7.12	-1.03	-13.00	-41.82
84.320	-51.79	-48.94	-1.70	-1.15	-13.00	-38.79
127.970	-49.85	-47.03	-1.38	-1.44	-13.00	-36.85
210.420	-56.14	-58.86	4.54	-1.82	-13.00	-43.14
283.170	-61.30	-63.17	3.99	-2.12	-13.00	-48.30
983.510	-63.10	-63.02	3.81	-3.89	-13.00	-50.10
3700.400	-56.70	-61.68	12.60	-7.62	-13.00	-43.70
5550.600	-56.20	-59.93	13.20	-9.47	-13.00	-43.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 92 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-51.79	-39.86	-11.01	-0.92	-13.00	-38.79
66.860	-49.98	-41.83	-7.12	-1.03	-13.00	-36.98
85.290	-49.09	-46.46	-1.48	-1.15	-13.00	-36.09
149.310	-54.33	-51.03	-1.77	-1.53	-13.00	-41.33
200.720	-60.13	-62.37	4.03	-1.79	-13.00	-47.13
935.010	-60.68	-60.37	3.50	-3.81	-13.00	-47.68
3760.000	-57.28	-62.02	12.46	-7.72	-13.00	-44.28
5640.000	-55.29	-59.24	13.48	-9.53	-13.00	-42.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 93 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 1



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-54.98	-46.66	-7.29	-1.03	-13.00	-41.98
-51.84	-49.21	-1.48	-1.15	-13.00	-38.84
-48.63	-46.00	-1.21	-1.42	-13.00	-35.63
-58.02	-60.10	3.85	-1.77	-13.00	-45.02
-54.91	-56.86	4.16	-2.21	-13.00	-41.91
-62.83	-62.83	3.94	-3.94	-13.00	-49.83
-56.86	-61.60	12.46	-7.72	-13.00	-43.86
-54.77	-58.72	13.48	-9.53	-13.00	-41.77
	-54.98 -51.84 -48.63 -58.02 -54.91 -62.83 -56.86	Output Level dBm -54.98	dBm Output Level dBm Gain dBi/dBd -54.98 -46.66 -7.29 -51.84 -49.21 -1.48 -48.63 -46.00 -1.21 -58.02 -60.10 3.85 -54.91 -56.86 4.16 -62.83 -62.83 3.94 -56.86 -61.60 12.46	dBm Output Level dBm Gain dBi/dBd Loss dB -54.98 -46.66 -7.29 -1.03 -51.84 -49.21 -1.48 -1.15 -48.63 -46.00 -1.21 -1.42 -58.02 -60.10 3.85 -1.77 -54.91 -56.86 4.16 -2.21 -62.83 -62.83 3.94 -3.94 -56.86 -61.60 12.46 -7.72	dBm Output Level dBm Gain dBi/dBd Loss dB -54.98 -46.66 -7.29 -1.03 -13.00 -51.84 -49.21 -1.48 -1.15 -13.00 -48.63 -46.00 -1.21 -1.42 -13.00 -58.02 -60.10 3.85 -1.77 -13.00 -54.91 -56.86 4.16 -2.21 -13.00 -62.83 -62.83 3.94 -3.94 -13.00 -56.86 -61.60 12.46 -7.72 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 94 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 1909.8 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
51.340	-39.84	-27.56	-11.37	-0.91	-13.00	-26.84
67.830	-51.02	-42.99	-6.99	-1.04	-13.00	-38.02
85.290	-49.38	-46.75	-1.48	-1.15	-13.00	-36.38
144.460	-57.99	-54.53	-1.93	-1.53	-13.00	-44.99
222.060	-61.56	-64.82	5.15	-1.89	-13.00	-48.56
943.740	-61.43	-61.01	3.40	-3.82	-13.00	-48.43
3819.600	-56.43	-60.92	12.30	-7.81	-13.00	-43.43
5729.400	-55.16	-58.80	13.24	- 9.60	-13.00	-42.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488

www.sgs.com.tw



Page: 95 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 1909.8 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-55.07	-46.75	-7.29	-1.03	-13.00	-42.07
82.380	-45.93	-42.60	-2.19	-1.14	-13.00	-32.93
133.790	-53.11	-50.07	-1.57	-1.47	-13.00	-40.11
216.240	-57.16	-60.09	4.81	-1.88	-13.00	-44.16
264.740	-61.43	-63.51	4.14	-2.06	-13.00	-48.43
950.530	-62.66	-62.16	3.34	-3.84	-13.00	-49.66
3819.600	-56.26	-60.75	12.30	-7.81	-13.00	-43.26
5729.400	-54.62	-58.26	13.24	- 9.60	-13.00	-41.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 96 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :1850.2 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-53.00	-41.07	-11.01	-0.92	-13.00	-40.00
61.040	-48.16	-38.20	-8.99	-0.97	-13.00	-35.16
84.320	-48.48	-45.63	-1.70	-1.15	-13.00	-35.48
145.430	-58.51	-55.13	-1.85	-1.53	-13.00	-45.51
220.120	-61.34	-64.48	5.04	-1.90	-13.00	-48.34
994.180	-61.06	-61.05	3.93	-3.94	-13.00	-48.06
3700.400	-56.50	-61.48	12.60	-7.62	-13.00	-43.50
5550.600	-55.87	-59.60	13.20	-9.47	-13.00	-42.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 97 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1850.2 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
67.830	-55.06	-47.03	-6.99	-1.04	-13.00	-42.06
86.260	-51.66	-49.40	-1.10	-1.16	-13.00	-38.66
125.060	-49.74	-47.05	-1.28	-1.41	-13.00	-36.74
197.810	-58.42	-60.54	3.90	-1.78	-13.00	-45.42
295.780	-61.90	-63.83	4.09	-2.16	-13.00	-48.90
987.390	-62.98	-62.95	3.87	-3.90	-13.00	-49.98
3700.400	-57.05	-62.03	12.60	-7.62	-13.00	-44.05
5550.600	-55.75	-59.48	13.20	-9.47	-13.00	-42.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 98 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.28	-40.35	-11.01	-0.92	-13.00	-39.28
65.890	-51.57	-43.25	-7.29	-1.03	-13.00	-38.57
84.320	-49.95	-47.10	-1.70	-1.15	-13.00	-36.95
136.700	-58.58	-55.56	-1.54	-1.48	-13.00	-45.58
213.330	-58.41	-61.22	4.66	-1.85	-13.00	-45.41
945.680	-60.97	-60.53	3.38	-3.82	-13.00	-47.97
3760.000	-57.51	-62.25	12.46	-7.72	-13.00	-44.51
5640.000	-55.35	-59.30	13.48	-9.53	-13.00	-42.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 99 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1880 MHz Engineer :Howard Huang

Note :SIM 1



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-54.21	-48.42	-4.67	-1.12	-13.00	-41.21
-50.94	-48.31	-1.48	-1.15	-13.00	-37.94
-51.67	-48.42	-1.76	-1.49	-13.00	-38.67
-57.90	-60.83	4.81	-1.88	-13.00	-44.90
-61.30	-63.38	4.14	-2.06	-13.00	-48.30
-62.81	-62.70	3.78	-3.89	-13.00	-49.81
-56.54	-61.28	12.46	-7.72	-13.00	-43.54
-54.47	-58.42	13.48	-9.53	-13.00	-41.47
	-54.21 -50.94 -51.67 -57.90 -61.30 -62.81 -56.54	Output Level dBm -54.21	Output Level Gain dBi/dBd -54.21	dBm Output Level dBm Gain dBi/dBd Loss dB -54.21 -48.42 -4.67 -1.12 -50.94 -48.31 -1.48 -1.15 -51.67 -48.42 -1.76 -1.49 -57.90 -60.83 4.81 -1.88 -61.30 -63.38 4.14 -2.06 -62.81 -62.70 3.78 -3.89 -56.54 -61.28 12.46 -7.72	dBm Output Level dBm Gain dBi/dBd Loss dBm -54.21 -48.42 -4.67 -1.12 -13.00 -50.94 -48.31 -1.48 -1.15 -13.00 -51.67 -48.42 -1.76 -1.49 -13.00 -57.90 -60.83 4.81 -1.88 -13.00 -61.30 -63.38 4.14 -2.06 -13.00 -62.81 -62.70 3.78 -3.89 -13.00 -56.54 -61.28 12.46 -7.72 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 100 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 1909.8 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.18	-40.25	-11.01	-0.92	-13.00	-39.18
64.920	-49.91	-41.10	-7.79	-1.02	-13.00	-36.91
83.350	-49.69	-46.68	-1.87	-1.14	-13.00	-36.69
129.910	-54.30	-51.33	-1.51	-1.46	-13.00	-41.30
198.780	-61.12	-63.37	4.03	-1.78	-13.00	-48.12
941.800	-61.21	-60.81	3.42	-3.82	-13.00	-48.21
3819.600	-55.84	-60.33	12.30	-7.81	-13.00	-42.84
5729.400	-55.36	-59.00	13.24	-9.60	-13.00	-42.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 101 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1909.8 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-54.92	-47.57	-6.29	-1.06	-13.00	-41.92
86.260	-51.30	-49.04	-1.10	-1.16	-13.00	-38.30
140.580	-50.34	-47.07	-1.78	-1.49	-13.00	-37.34
198.780	-58.11	-60.36	4.03	-1.78	-13.00	-45.11
297.720	-62.36	-64.28	4.10	-2.18	-13.00	-49.36
999.030	-61.37	-61.40	3.97	-3.94	-13.00	-48.37
3819.600	-57.35	-61.84	12.30	-7.81	-13.00	-44.35
5729.400	-55.26	-58.90	13.24	-9.60	-13.00	-42.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 102 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1850.2 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
54.250	-51.66	-39.97	-10.75	-0.94	-13.00	-38.66
64.920	-51.22	-42.41	-7.79	-1.02	-13.00	-38.22
83.350	-49.44	-46.43	-1.87	-1.14	-13.00	-36.44
138.640	-59.66	-56.37	-1.81	-1.48	-13.00	-46.66
196.840	-61.34	-63.42	3.85	-1.77	-13.00	-48.34
988.360	-61.32	-61.30	3.88	-3.90	-13.00	-48.32
3700.400	-57.39	-62.37	12.60	-7.62	-13.00	-44.39
5550.600	-55.66	- 59.39	13.20	-9.47	-13.00	-42.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.sgs.com.tw



Page: 103 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1850.2 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-54.30	-45.98	-7.29	-1.03	-13.00	-41.30
87.230	-50.45	-48.25	-1.03	-1.17	-13.00	-37.45
145.430	-49.49	-46.11	-1.85	-1.53	-13.00	-36.49
197.810	-56.18	-58.30	3.90	-1.78	-13.00	-43.18
263.770	-61.48	-63.58	4.15	-2.05	-13.00	-48.48
999.030	-63.02	-63.05	3.97	-3.94	-13.00	-50.02
3700.400	-57.11	-62.09	12.60	-7.62	-13.00	-44.11
5550.600	-55.62	-59.35	13.20	-9.47	-13.00	-42.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 104 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.34	-40.41	-11.01	-0.92	-13.00	-39.34
65.890	-51.43	-43.11	-7.29	-1.03	-13.00	-38.43
85.290	-50.47	-47.84	-1.48	-1.15	-13.00	-37.47
128.940	-55.83	-53.16	-1.22	-1.45	-13.00	-42.83
208.480	-61.48	-64.10	4.43	-1.81	-13.00	-48.48
993.210	-60.58	-60.57	3.92	-3.93	-13.00	-47.58
3760.000	-56.43	-61.17	12.46	-7.72	-13.00	-43.43
5640.000	-55.27	-59.22	13.48	-9.53	-13.00	-42.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 105 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
67.830	-55.99	-47.96	-6.99	-1.04	-13.00	-42.99
84.320	-52.67	-49.82	-1.70	-1.15	-13.00	-39.67
150.280	-50.58	-47.27	-1.78	-1.53	-13.00	-37.58
217.210	-54.74	-57.72	4.86	-1.88	-13.00	-41.74
297.720	-62.13	-64.05	4.10	-2.18	-13.00	-49.13
991.270	-62.53	-62.51	3.90	-3.92	-13.00	-49.53
3760.000	-56.90	-61.64	12.46	-7.72	-13.00	-43.90
5640.000	-55.45	-59.40	13.48	-9.53	-13.00	-42.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。本都學主德本公司書面對面,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 106 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 1909.8 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.30	-40.37	-11.01	-0.92	-13.00	-39.30
65.890	-50.14	-41.82	-7.29	-1.03	-13.00	-37.14
83.350	-50.54	-47.53	-1.87	-1.14	-13.00	-37.54
135.730	-58.54	-55.43	-1.64	-1.47	-13.00	-45.54
201.690	-60.34	-62.62	4.07	-1.79	-13.00	-47.34
932.100	-61.01	-60.72	3.53	-3.82	-13.00	-48.01
3819.600	-57.28	-61.77	12.30	-7.81	-13.00	-44.28
5729.400	-54.74	-58.38	13.24	-9.60	-13.00	-41.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 107 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 1909.8 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-53.86	-46.51	-6.29	-1.06	-13.00	-40.86
85.290	-51.52	-48.89	-1.48	-1.15	-13.00	-38.52
139.610	-51.09	-47.84	-1.76	-1.49	-13.00	-38.09
216.240	-57.04	-59.97	4.81	-1.88	-13.00	-44.04
284.140	-62.06	-63.93	3.99	-2.12	-13.00	-49.06
941.800	-62.82	-62.42	3.42	-3.82	-13.00	-49.82
3819.600	-57.11	-61.60	12.30	-7.81	-13.00	-44.11
5729.400	-53.16	-56.80	13.24	-9.60	-13.00	-40.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 108 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :824.2 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
52.310	-52.86	-40.93	-11.01	-0.92	-13.00	-39.86
64.920	-50.82	-42.01	-7.79	-1.02	-13.00	-37.82
84.320	-48.24	-45.39	-1.70	-1.15	-13.00	-35.24
143.490	-58.04	-54.54	-1.98	-1.52	-13.00	-45.04
206.540	-57.18	-59.68	4.31	-1.81	-13.00	- 44.18
943.740	-61.37	-60.95	3.40	-3.82	-13.00	-48.37
1648.400	-60.98	-65.43	9.50	-5.05	-13.00	- 47.98
2472.600	-58.76	-63.02	10.50	-6.24	-13.00	-45.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 109 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :824.2 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-54.46	-46.31	-7.12	-1.03	-13.00	-41.46
86.260	-52.97	-50.71	-1.10	-1.16	-13.00	-39.97
141.550	-51.18	-47.82	-1.86	-1.50	-13.00	-38.18
195.870	-58.55	-60.49	3.71	-1.77	-13.00	-45.55
296.750	-61.78	-63.70	4.09	-2.17	-13.00	-48.78
999.030	-62.42	-62.45	3.97	-3.94	-13.00	-49.42
1648.400	-60.88	-65.33	9.50	-5.05	-13.00	-47.88
2472.600	-58.33	-62.59	10.50	-6.24	-13.00	-45.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 110 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
54.250	-53.06	-41.37	-10.75	-0.94	-13.00	-40.06
65.890	-50.83	-42.51	-7.29	-1.03	-13.00	-37.83
83.350	-50.32	-47.31	-1.87	-1.14	-13.00	-37.32
136.700	-58.40	-55.38	-1.54	-1.48	-13.00	-45.40
202.660	-60.72	-63.04	4.12	-1.80	-13.00	-47.72
985.450	-60.86	-60.82	3.85	-3.89	-13.00	- 47.86
1673.200	-59.80	-64.56	9.83	-5.07	-13.00	-46.80
2509.800	-58.11	-62.43	10.60	-6.28	-13.00	-45.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 111 of 180

Report Number :TERF2405001537E2 **Test Site** :SAC C


Operation Mode: GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	['] dBm	dBi/dBd	dB	dBm	dB
62.010	-47.98	-38.43	-8.57	-0.98	-13.00	-34.98
89.170	-52.92	-50.98	-0.75	-1.19	-13.00	-39.92
140.580	-51.08	-47.81	-1.78	-1.49	-13.00	-38.08
216.240	-56.29	-59.22	4.81	-1.88	-13.00	-43.29
262.800	-61.61	-63.72	4.16	-2.05	-13.00	-48.61
989.330	-63.02	-62.99	3.88	-3.91	-13.00	-50.02
1673.200	-54.28	-59.04	9.83	-5.07	-13.00	-41.28
2509.800	-58.78	-63.10	10.60	-6.28	-13.00	-45.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 112 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 848.8 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
47.460	-43.11	-30.37	-11.88	-0.86	-13.00	-30.11
66.860	-51.07	-42.92	-7.12	-1.03	-13.00	-38.07
87.230	-50.26	-48.06	-1.03	-1.17	-13.00	-37.26
151.250	-57.69	-54.40	-1.75	-1.54	-13.00	-44.69
210.420	-56.78	-59.50	4.54	-1.82	-13.00	-43.78
983.510	-60.91	-60.83	3.81	-3.89	-13.00	-47.91
1697.600	-60.42	-65.30	9.98	-5.10	-13.00	-47.42
2546.400	-59.23	-63.54	10.66	-6.35	-13.00	-46.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 113 of 180

Report Number :TERF2405001537E2 **Test Site** :SAC C


Operation Mode: GSM850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 848.8 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-54.28	-45.96	-7.29	-1.03	-13.00	-41.28
83.350	-52.10	-49.09	-1.87	-1.14	-13.00	-39.10
143.490	-48.38	-44.88	-1.98	-1.52	-13.00	-35.38
216.240	-56.85	-59.78	4.81	-1.88	-13.00	-43.85
295.780	-60.52	-62.45	4.09	-2.16	-13.00	-47.52
993.210	-63.26	-63.25	3.92	-3.93	-13.00	-50.26
1697.600	-60.14	-65.02	9.98	- 5.10	-13.00	-47.14
2546.400	-58.73	-63.04	10.66	-6.35	-13.00	-45.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 114 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 824.2 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
53.280	-51.72	-39.81	-10.98	-0.93	-13.00	-38.72
64.920	-51.51	-42.70	-7.79	-1.02	-13.00	-38.51
85.290	-49.57	-46.94	-1.48	-1.15	-13.00	-36.57
129.910	-55.70	-52.73	-1.51	-1.46	-13.00	-42.70
196.840	-61.43	-63.51	3.85	-1.77	-13.00	-48.43
996.120	-60.86	-60.87	3.95	-3.94	-13.00	-47.86
1648.400	-60.35	-64.80	9.50	-5.05	-13.00	-47.35
2472.600	-57.62	-61.88	10.50	-6.24	-13.00	-44.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 115 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS850 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :824.2 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
67.830	-53.76	-45.73	-6.99	-1.04	-13.00	-40.76
84.320	-51.92	-49.07	-1.70	-1.15	-13.00	-38.92
124.090	-49.49	-47.10	-0.98	-1.41	-13.00	-36.49
210.420	-55.33	-58.05	4.54	-1.82	-13.00	-42.33
263.770	-61.89	-63.99	4.15	-2.05	-13.00	-48.89
946.650	-63.09	-62.63	3.37	-3.83	-13.00	-50.09
1648.400	-60.54	-64.99	9.50	-5.05	-13.00	-47.54
2472.600	-59.82	-64.08	10.50	-6.24	-13.00	-46.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。本都學主德本公司書面對面,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 116 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GPRS850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :836.6 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
53.280	-51.90	-39.99	-10.98	-0.93	-13.00	-38.90
65.890	-50.53	-42.21	-7.29	-1.03	-13.00	-37.53
84.320	-50.66	-47.81	-1.70	-1.15	-13.00	-37.66
140.580	-58.29	-55.02	-1.78	-1.49	-13.00	-45.29
213.330	-59.61	-62.42	4.66	-1.85	-13.00	-46.61
955.380	-61.02	-60.56	3.38	-3.84	-13.00	-48.02
1673.200	-58.36	-63.12	9.83	-5.07	-13.00	-45.36
2509.800	-58.07	-62.39	10.60	-6.28	-13.00	-45.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 117 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GPRS850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :836.6 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-54.61	-46.46	-7.12	-1.03	-13.00	-41.61
84.320	-51.62	-48.77	-1.70	-1.15	-13.00	-38.62
142.520	-49.34	-45.94	-1.89	-1.51	-13.00	-36.34
198.780	-53.54	-55.79	4.03	-1.78	-13.00	-40.54
294.810	-62.07	-63.99	4.08	-2.16	-13.00	-49.07
955.380	-62.54	-62.08	3.38	-3.84	-13.00	-49.54
1673.200	-56.81	-61.57	9.83	-5.07	-13.00	-43.81
2509.800	-57.27	-61.59	10.60	-6.28	-13.00	-44.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 $134 \,$ 號

www.sgs.com.tw



Page: 118 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 848.8 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.17	-40.24	-11.01	-0.92	-13.00	-39.17
63.950	-50.83	-41.71	-8.11	-1.01	-13.00	-37.83
84.320	-48.67	-45.82	-1.70	-1.15	-13.00	-35.67
137.670	-59.18	-56.06	-1.64	-1.48	-13.00	-46.18
216.240	-59.34	-62.27	4.81	-1.88	-13.00	-46.34
998.060	-61.02	-61.04	3.96	-3.94	-13.00	-48.02
1697.600	-60.89	-65.77	9.98	- 5.10	-13.00	-47.89
2546.400	-58.14	-62.45	10.66	-6.35	-13.00	-45.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 119 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS850 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :848.8 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	['] dBm	dBi/dBd	dB	dBm	dB
65.890	-55.04	-46.72	-7.29	-1.03	-13.00	-42.04
84.320	-52.04	-49.19	-1.70	-1.15	-13.00	-39.04
137.670	-50.60	-47.48	-1.64	-1.48	-13.00	-37.60
214.300	-57.76	-60.60	4.70	-1.86	-13.00	-44.76
262.800	-61.98	-64.09	4.16	-2.05	-13.00	-48.98
995.150	-63.17	-63.17	3.94	-3.94	-13.00	-50.17
1697.600	-60.49	-65.37	9.98	-5.10	-13.00	-47.49
2546.400	-59.36	-63.67	10.66	-6.35	-13.00	-46.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 120 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 824.2 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.38	-40.45	-11.01	-0.92	-13.00	-39.38
67.830	-51.11	-43.08	-6.99	-1.04	-13.00	-38.11
86.260	-49.91	-47.65	-1.10	-1.16	-13.00	-36.91
127.000	-55.16	-52.49	-1.24	-1.43	-13.00	-42.16
203.630	-59.39	-61.75	4.16	-1.80	-13.00	-46.39
998.060	-61.48	-61.50	3.96	-3.94	-13.00	-48.48
1648.400	-61.05	-65.50	9.50	-5.05	-13.00	-48.05
2472.600	-57.72	-61.98	10.50	-6.24	-13.00	-44.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Member of SGS Group



Page: 121 of 180

Report Number :TERF2405001537E2 **Test Site** :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :824.2 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-54.62	-46.30	-7.29	-1.03	-13.00	-41.62
86.260	-50.17	-47.91	-1.10	-1.16	-13.00	-37.17
127.000	-47.77	-45.10	-1.24	-1.43	-13.00	-34.77
216.240	-54.91	-57.84	4.81	-1.88	-13.00	-41.91
263.770	-61.80	-63.90	4.15	-2.05	-13.00	-48.80
967.020	-62.74	-62.36	3.49	-3.87	-13.00	-49.74
1648.400	-60.15	-64.60	9.50	-5.05	-13.00	-47.15
2472.600	-59.21	-63.47	10.50	-6.24	-13.00	-46.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 122 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
53.280	-52.74	-40.83	-10.98	-0.93	-13.00	-39.74
66.860	-50.84	-42.69	-7.12	-1.03	-13.00	-37.84
84.320	-51.41	-48.56	-1.70	-1.15	-13.00	-38.41
141.550	-57.93	-54.57	-1.86	-1.50	-13.00	-44.93
198.780	-57.83	-60.08	4.03	-1.78	-13.00	-44.83
943.740	-60.84	-60.42	3.40	-3.82	-13.00	-47.84
1673.200	-59.44	-64.20	9.83	-5.07	-13.00	-46.44
2509.800	-58.93	-63.25	10.60	-6.28	-13.00	-45.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 123 of 180

Report Number :TERF2405001537E2 **Test Site** :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-55.05	-46.73	-7.29	-1.03	-13.00	-42.05
84.320	-51.27	-48.42	-1.70	-1.15	-13.00	-38.27
136.700	-50.65	-47.63	-1.54	-1.48	-13.00	-37.65
221.090	-54.54	-57.73	5.09	-1.90	-13.00	-41.54
264.740	-61.42	-63.50	4.14	-2.06	-13.00	-48.42
991.270	-62.87	-62.85	3.90	-3.92	-13.00	-49.87
1673.200	-58.13	-62.89	9.83	-5.07	-13.00	-45.13
2509.800	-56.98	-61.30	10.60	-6.28	-13.00	-43.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 124 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 848.8 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.58	-40.65	-11.01	-0.92	-13.00	-39.58
65.890	-50.48	-42.16	-7.29	-1.03	-13.00	-37.48
84.320	-51.81	-48.96	-1.70	-1.15	-13.00	-38.81
138.640	-58.09	-54.80	-1.81	-1.48	-13.00	-45.09
197.810	-57.67	-59.79	3.90	-1.78	-13.00	-44.67
979.630	-61.52	-61.34	3.70	-3.88	-13.00	-48.52
1697.600	-60.60	-65.48	9.98	-5.10	-13.00	-47.60
2546.400	-58.09	-62.40	10.66	-6.35	-13.00	-45.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 125 of 180

Report Number :TERF2405001537E2 **Test Site** :SAC C


Operation Mode: EDGE850 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 848.8 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-54.45	-47.10	-6.29	-1.06	-13.00	-41.45
85.290	-52.34	-49.71	-1.48	-1.15	-13.00	-39.34
136.700	-50.34	-47.32	-1.54	-1.48	-13.00	-37.34
220.120	-56.29	-59.43	5.04	-1.90	-13.00	-43.29
262.800	-61.75	-63.86	4.16	-2.05	-13.00	-48.75
995.150	-63.11	-63.11	3.94	-3.94	-13.00	-50.11
1697.600	-60.87	-65.75	9.98	-5.10	-13.00	-47.87
2546.400	-58.24	-62.55	10.66	-6.35	-13.00	-45.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 126 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1850.2 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.58	-40.65	-11.01	-0.92	-13.00	-39.58
64.920	-51.57	-42.76	-7.79	-1.02	-13.00	-38.57
86.260	-49.74	-47.48	-1.10	-1.16	-13.00	-36.74
135.730	-58.91	-55.80	-1.64	-1.47	-13.00	-45.91
203.630	-62.06	-64.42	4.16	-1.80	-13.00	-49.06
971.870	-61.67	-61.36	3.57	-3.88	-13.00	-48.67
3700.400	-57.74	-62.72	12.60	-7.62	-13.00	-44.74
5550.600	-56.14	-59.87	13.20	-9.47	-13.00	-43.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Member of SGS Group



Page: 127 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1850.2 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-54.52	-46.37	-7.12	-1.03	-13.00	-41.52
87.230	-51.89	-49.69	-1.03	-1.17	-13.00	-38.89
122.150	-52.20	-49.51	-1.28	-1.41	-13.00	-39.20
202.660	-56.02	-58.34	4.12	-1.80	-13.00	-43.02
263.770	-60.74	-62.84	4.15	-2.05	-13.00	-47.74
994.180	-63.05	-63.04	3.93	-3.94	-13.00	-50.05
3700.400	-57.19	-62.17	12.60	-7.62	-13.00	-44.19
5550.600	-55.28	-59.01	13.20	-9.47	-13.00	-42.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 128 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 2



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
					_
-52.35	-40.42	-11.01	-0.92	-13.00	-39.35
-50.72	-42.57	-7.12	-1.03	-13.00	-37.72
-47.92	-45.07	-1.70	-1.15	-13.00	-34.92
-57.66	-54.34	-1.79	-1.53	-13.00	-44.66
-56.87	-59.59	4.54	-1.82	-13.00	-43.87
-61.45	-61.01	3.38	-3.82	-13.00	-48.45
-56.21	-60.95	12.46	-7.72	-13.00	-43.21
-55.08	-59.03	13.48	-9.53	-13.00	-42.08
	-52.35 -50.72 -47.92 -57.66 -56.87 -61.45 -56.21	Output Level dBm -52.35	dBm Output Level dBm Gain dBi/dBd -52.35 -40.42 -11.01 -50.72 -42.57 -7.12 -47.92 -45.07 -1.70 -57.66 -54.34 -1.79 -56.87 -59.59 4.54 -61.45 -61.01 3.38 -56.21 -60.95 12.46	dBm Output Level dBm Gain dBi/dBd Loss dB -52.35 -40.42 -11.01 -0.92 -50.72 -42.57 -7.12 -1.03 -47.92 -45.07 -1.70 -1.15 -57.66 -54.34 -1.79 -1.53 -56.87 -59.59 4.54 -1.82 -61.45 -61.01 3.38 -3.82 -56.21 -60.95 12.46 -7.72	dBm Output Level dBm Gain dBi/dBd Loss dB -52.35 -40.42 -11.01 -0.92 -13.00 -50.72 -42.57 -7.12 -1.03 -13.00 -47.92 -45.07 -1.70 -1.15 -13.00 -57.66 -54.34 -1.79 -1.53 -13.00 -56.87 -59.59 4.54 -1.82 -13.00 -61.45 -61.01 3.38 -3.82 -13.00 -56.21 -60.95 12.46 -7.72 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 129 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1880 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
67.830	-53.89	-45.86	-6.99	-1.04	-13.00	-40.89
86.260	-50.27	-48.01	-1.10	-1.16	-13.00	-37.27
136.700	-51.51	-48.49	-1.54	-1.48	-13.00	-38.51
216.240	-57.36	-60.29	4.81	-1.88	-13.00	-44.36
295.780	-61.48	-63.41	4.09	-2.16	-13.00	-48.48
967.020	-62.97	-62.59	3.49	-3.87	-13.00	-49.97
3760.000	-57.01	-61.75	12.46	-7.72	-13.00	-44.01
5640.000	-54.34	-58.29	13.48	-9.53	-13.00	-41.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 130 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 1909.8 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.12	-40.19	-11.01	-0.92	-13.00	-39.12
65.890	-51.15	-42.83	-7.29	-1.03	-13.00	-38.15
89.170	-51.44	-49.50	-0.75	-1.19	-13.00	-38.44
137.670	-58.69	-55.57	-1.64	-1.48	-13.00	-45.69
199.750	-61.24	-63.46	4.01	-1.79	-13.00	-48.24
949.560	-60.16	-59.66	3.34	-3.84	-13.00	-47.16
3819.600	-56.31	-60.80	12.30	-7.81	-13.00	-43.31
5729.400	-55.17	-58.81	13.24	-9.60	-13.00	-42.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 131 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GSM1900 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1909.8 MHz Engineer :Howard Huang

Note :SIM 2



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-53.12	-44.97	-7.12	-1.03	-13.00	-40.12
-42.04	-39.19	-1.70	-1.15	-13.00	-29.04
-51.10	-48.08	-1.54	-1.48	-13.00	-38.10
-57.67	-60.55	4.75	-1.87	-13.00	-44.67
-62.94	-64.86	4.10	-2.18	-13.00	-49.94
-63.12	-62.88	3.57	-3.81	-13.00	-50.12
-57.09	-61.58	12.30	-7.81	-13.00	-44.09
-53.99	-57.63	13.24	-9.60	-13.00	-40.99
	-53.12 -42.04 -51.10 -57.67 -62.94 -63.12 -57.09	Output Level dBm -53.12 -44.97 -42.04 -39.19 -51.10 -48.08 -57.67 -60.55 -62.94 -64.86 -63.12 -62.88 -57.09 -61.58	Output Level Gain dBm dBi/dBd -53.12 -44.97 -7.12 -42.04 -39.19 -1.70 -51.10 -48.08 -1.54 -57.67 -60.55 4.75 -62.94 -64.86 4.10 -63.12 -62.88 3.57 -57.09 -61.58 12.30	dBm Output Level dBm Gain dBi/dBd Loss dB -53.12 -44.97 -7.12 -1.03 -42.04 -39.19 -1.70 -1.15 -51.10 -48.08 -1.54 -1.48 -57.67 -60.55 4.75 -1.87 -62.94 -64.86 4.10 -2.18 -63.12 -62.88 3.57 -3.81 -57.09 -61.58 12.30 -7.81	dBm Output Level dBm Gain dBi/dBd Loss dB dBm -53.12 -44.97 -7.12 -1.03 -13.00 -42.04 -39.19 -1.70 -1.15 -13.00 -51.10 -48.08 -1.54 -1.48 -13.00 -57.67 -60.55 4.75 -1.87 -13.00 -62.94 -64.86 4.10 -2.18 -13.00 -63.12 -62.88 3.57 -3.81 -13.00 -57.09 -61.58 12.30 -7.81 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 132 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1850.2 MHz :Howard Huang

Note :SIM 2



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-45.99	-33.07	-12.07	-0.85	-13.00	-32.99
-52.42	-44.27	-7.12	-1.03	-13.00	-39.42
-48.33	-45.48	-1.70	-1.15	-13.00	-35.33
-55.92	-52.42	-1.98	-1.52	-13.00	-42.92
-60.26	-62.88	4.43	-1.81	-13.00	-47.26
-61.30	-60.79	3.34	-3.85	-13.00	-48.30
-56.85	-61.83	12.60	-7.62	-13.00	-43.85
-56.46	-60.19	13.20	-9.47	-13.00	-43.46
	-45.99 -52.42 -48.33 -55.92 -60.26 -61.30 -56.85	Output Level dBm -45.99	dBm Output Level dBm Gain dBi/dBd -45.99 -33.07 -12.07 -52.42 -44.27 -7.12 -48.33 -45.48 -1.70 -55.92 -52.42 -1.98 -60.26 -62.88 4.43 -61.30 -60.79 3.34 -56.85 -61.83 12.60	dBm Output Level dBm Gain dBi/dBd Loss dB -45.99 -33.07 -12.07 -0.85 -52.42 -44.27 -7.12 -1.03 -48.33 -45.48 -1.70 -1.15 -55.92 -52.42 -1.98 -1.52 -60.26 -62.88 4.43 -1.81 -61.30 -60.79 3.34 -3.85 -56.85 -61.83 12.60 -7.62	dBm Output Level dBm Gain dBi/dBd Loss dB dBm -45.99 -33.07 -12.07 -0.85 -13.00 -52.42 -44.27 -7.12 -1.03 -13.00 -48.33 -45.48 -1.70 -1.15 -13.00 -55.92 -52.42 -1.98 -1.52 -13.00 -60.26 -62.88 4.43 -1.81 -13.00 -61.30 -60.79 3.34 -3.85 -13.00 -56.85 -61.83 12.60 -7.62 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 133 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode :GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1850.2 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	['] dBm	dBi/dBd	dB	dBm	dB
66.860	-54.44	-46.29	-7.12	-1.03	-13.00	-41.44
84.320	-51.00	-48.15	-1.70	-1.15	-13.00	-38.00
148.340	-48.90	-45.58	-1.79	-1.53	-13.00	-35.90
204.600	-56.51	-58.91	4.20	-1.80	-13.00	-43.51
264.740	-62.06	-64.14	4.14	-2.06	-13.00	-49.06
967.020	-62.50	-62.12	3.49	-3.87	-13.00	-49.50
3700.400	-57.19	-62.17	12.60	-7.62	-13.00	-44.19
5550.600	-55.21	-58.94	13.20	-9.47	-13.00	-42.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 134 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
52.310	-52.23	-40.30	-11.01	-0.92	-13.00	-39.23
64.920	-50.78	-41.97	-7.79	-1.02	-13.00	-37.78
84.320	-50.26	-47.41	-1.70	-1.15	-13.00	-37.26
137.670	-57.28	-54.16	-1.64	-1.48	-13.00	-44.28
200.720	-58.83	-61.07	4.03	-1.79	-13.00	-45.83
999.030	-61.22	-61.25	3.97	-3.94	-13.00	-48.22
3760.000	-56.00	-60.74	12.46	-7.72	-13.00	-43.00
5640.000	-55.25	-59.20	13.48	-9.53	-13.00	-42.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 135 of 180

Report Number :TERF2405001537E2 **Test Site** :SAC C


Operation Mode: GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 2



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
					_
-55.23	-46.91	-7.29	-1.03	-13.00	-42.23
-51.26	-49.06	-1.03	-1.17	-13.00	-38.26
-50.66	-47.99	-1.22	-1.45	-13.00	-37.66
-59.01	-61.79	4.62	-1.84	-13.00	-46.01
-60.40	-62.50	4.15	-2.05	-13.00	-47.40
-62.61	-62.17	3.38	-3.82	-13.00	-49.61
-56.32	-61.06	12.46	-7.72	-13.00	-43.32
-55.45	-59.40	13.48	-9.53	-13.00	-42.45
	-55.23 -51.26 -50.66 -59.01 -60.40 -62.61 -56.32	Output Level dBm -55.23	dBm Output Level dBm Gain dBi/dBd -55.23 -46.91 -7.29 -51.26 -49.06 -1.03 -50.66 -47.99 -1.22 -59.01 -61.79 4.62 -60.40 -62.50 4.15 -62.61 -62.17 3.38 -56.32 -61.06 12.46	dBm Output Level dBm Gain dBi/dBd Loss dB -55.23 -46.91 -7.29 -1.03 -51.26 -49.06 -1.03 -1.17 -50.66 -47.99 -1.22 -1.45 -59.01 -61.79 4.62 -1.84 -60.40 -62.50 4.15 -2.05 -62.61 -62.17 3.38 -3.82 -56.32 -61.06 12.46 -7.72	dBm Output Level dBm Gain dBi/dBd Loss dBm -55.23 -46.91 -7.29 -1.03 -13.00 -51.26 -49.06 -1.03 -1.17 -13.00 -50.66 -47.99 -1.22 -1.45 -13.00 -59.01 -61.79 4.62 -1.84 -13.00 -60.40 -62.50 4.15 -2.05 -13.00 -62.61 -62.17 3.38 -3.82 -13.00 -56.32 -61.06 12.46 -7.72 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 136 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1909.8 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	- 51.99	-40.06	-11.01	-0.92	-13.00	-38.99
64.920	-49.77	-40.96	-7.79	-1.02	-13.00	-36.77
83.350	-49.28	-46.27	-1.87	-1.14	-13.00	-36.28
126.030	-56.80	-54.17	-1.21	-1.42	-13.00	-43.80
198.780	-61.70	-63.95	4.03	-1.78	-13.00	-48.70
995.150	-61.01	-61.01	3.94	-3.94	-13.00	-48.01
3819.600	-56.43	-60.92	12.30	-7.81	-13.00	-43.43
5729.400	-55.29	-58.93	13.24	-9.60	-13.00	-42.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 137 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: GPRS1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 1909.8 MHz :Howard Huang

Note :SIM 2



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	['] dBm	dBi/dBd	dB	dBm	dB
-53.87	-45.55	-7.29	-1.03	-13.00	-40.87
-51.89	-49.26	-1.48	-1.15	-13.00	-38.89
-50.85	-48.22	-1.21	-1.42	-13.00	-37.85
-55.05	-56.99	3.71	-1.77	-13.00	-42.05
-62.39	-64.47	4.14	-2.06	-13.00	-49.39
-62.17	-62.09	3.81	-3.89	-13.00	- 49.17
-55.97	-60.46	12.30	-7.81	-13.00	-42.97
-54.70	-58.34	13.24	-9.60	-13.00	-41.70
	-53.87 -51.89 -50.85 -55.05 -62.39 -62.17 -55.97	Output Level dBm -53.87 -51.89 -49.26 -50.85 -55.05 -56.99 -62.39 -62.17 -62.09 -55.97 -60.46	dBm Output Level dBm Gain dBi/dBd -53.87 -45.55 -7.29 -51.89 -49.26 -1.48 -50.85 -48.22 -1.21 -55.05 -56.99 3.71 -62.39 -64.47 4.14 -62.17 -62.09 3.81 -55.97 -60.46 12.30	dBm Output Level dBm Gain dBi/dBd Loss dB -53.87 -45.55 -7.29 -1.03 -51.89 -49.26 -1.48 -1.15 -50.85 -48.22 -1.21 -1.42 -55.05 -56.99 3.71 -1.77 -62.39 -64.47 4.14 -2.06 -62.17 -62.09 3.81 -3.89 -55.97 -60.46 12.30 -7.81	dBm Output Level dBm Gain dBi/dBd Loss dB dBm -53.87 -45.55 -7.29 -1.03 -13.00 -51.89 -49.26 -1.48 -1.15 -13.00 -50.85 -48.22 -1.21 -1.42 -13.00 -55.05 -56.99 3.71 -1.77 -13.00 -62.39 -64.47 4.14 -2.06 -13.00 -62.17 -62.09 3.81 -3.89 -13.00 -55.97 -60.46 12.30 -7.81 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 138 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1850.2 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-52.02	-40.09	-11.01	-0.92	-13.00	-39.02
66.860	-52.01	-43.86	-7.12	-1.03	-13.00	-39.01
84.320	-50.70	-47.85	-1.70	-1.15	-13.00	-37.70
136.700	-59.52	-56.50	-1.54	-1.48	-13.00	-46.52
202.660	-61.44	-63.76	4.12	-1.80	-13.00	-48.44
946.650	-61.22	-60.76	3.37	-3.83	-13.00	-48.22
3700.400	-56.67	-61.65	12.60	-7.62	-13.00	-43.67
5550.600	-55.63	-59.36	13.20	-9.47	-13.00	-42.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 139 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date: 2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1850.2 MHz Engineer :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-55.30	-46.98	-7.29	-1.03	-13.00	-42.30
87.230	-52.63	-50.43	-1.03	-1.17	-13.00	-39.63
139.610	-51.02	-47.77	-1.76	-1.49	-13.00	-38.02
197.810	-57.35	-59.47	3.90	-1.78	-13.00	-44.35
263.770	-61.59	-63.69	4.15	-2.05	-13.00	-48.59
986.420	-62.75	-62.71	3.86	-3.90	-13.00	-49.75
3700.400	-57.24	-62.22	12.60	-7.62	-13.00	-44.24
5550.600	-54.62	-58.35	13.20	-9.47	-13.00	-41.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 140 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
52.310	-57.91	-45.98	-11.01	-0.92	-13.00	-44.91
65.890	-53.62	-45.30	-7.29	-1.03	-13.00	-40.62
84.320	-52.07	-49.22	-1.70	-1.15	-13.00	-39.07
137.670	-60.12	-57.00	-1.64	-1.48	-13.00	-47.12
199.750	-61.07	-63.29	4.01	-1.79	-13.00	-48.07
949.560	-61.18	-60.68	3.34	-3.84	-13.00	- 48.18
3760.000	-57.04	-61.78	12.46	-7.72	-13.00	-44.04
5640.000	-55.16	-59.11	13.48	-9.53	-13.00	-42.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 141 of 180

Report Number :TERF2405001537E2 Test Site :SAC C

Operation Mode: EDGE1900 Test Date: 2024-06-26


Test Mode :Tx Temp./Humi. :22.6℃/52%

:E2 Plane Antenna Pol. :Horizontal

Test Frequency :1880 MHz Engineer :Howard Huang

Note :SIM 2

EUT Pol



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
69.770	-52.43	-45.08	-6.29	-1.06	-13.00	-39.43
80.440	-49.62	-45.86	-2.63	-1.13	-13.00	-36.62
141.550	-49.76	-46.40	-1.86	-1.50	-13.00	-36.76
213.330	-55.31	-58.12	4.66	-1.85	-13.00	-42.31
262.800	-60.42	-62.53	4.16	-2.05	-13.00	-47.42
926.280	-62.92	-62.71	3.59	-3.80	-13.00	- 49.92
3760.000	-56.89	-61.63	12.46	-7.72	-13.00	-43.89
5640.000	-54.49	-58.44	13.48	- 9.53	-13.00	-41.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 $134 \,$ 號

www.sgs.com.tw



Page: 142 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 1909.8 MHz :Howard Huang

Note :SIM 2



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
53.280	-57.69	-45.78	-10.98	-0.93	-13.00	-44.69
65.890	-52.93	-44.61	-7.29	-1.03	-13.00	-39.93
82.380	-52.20	-48.87	-2.19	-1.14	-13.00	-39.20
144.460	-59.33	-55.87	-1.93	-1.53	-13.00	-46.33
195.870	-58.29	-60.23	3.71	-1.77	-13.00	-45.29
938.890	-61.48	-61.11	3.45	-3.82	-13.00	-48.48
3819.600	-56.92	-61.41	12.30	-7.81	-13.00	-43.92
5729.400	-55.38	-59.02	13.24	-9.60	-13.00	-42.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 143 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: EDGE1900 Test Date :2024-06-26

Test Mode :Tx Temp./Humi. :22.6°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1909.8 MHz :Howard Huang

Note :SIM 2



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-52.53	-44.85	-6.63	-1.05	-13.00	-39.53
-53.73	-51.47	-1.10	-1.16	-13.00	-40.73
-51.39	-48.42	-1.50	-1.47	-13.00	-38.39
-56.83	-59.08	4.03	-1.78	-13.00	-43.83
-61.30	-63.38	4.14	-2.06	-13.00	-48.30
-62.05	-61.58	3.37	-3.84	-13.00	-49.05
-56.54	-61.03	12.30	-7.81	-13.00	-43.54
-54.71	-58.35	13.24	-9.60	-13.00	-41.71
	-52.53 -53.73 -51.39 -56.83 -61.30 -62.05 -56.54	Output Level dBm -52.53	dBm Output Level dBm Gain dBi/dBd -52.53 -44.85 -6.63 -53.73 -51.47 -1.10 -51.39 -48.42 -1.50 -56.83 -59.08 4.03 -61.30 -63.38 4.14 -62.05 -61.58 3.37 -56.54 -61.03 12.30	dBm Output Level dBm Gain dBi/dBd Loss dB -52.53 -44.85 -6.63 -1.05 -53.73 -51.47 -1.10 -1.16 -51.39 -48.42 -1.50 -1.47 -56.83 -59.08 4.03 -1.78 -61.30 -63.38 4.14 -2.06 -62.05 -61.58 3.37 -3.84 -56.54 -61.03 12.30 -7.81	dBm Output Level dBm Gain dBi/dBd Loss dB dBm -52.53 -44.85 -6.63 -1.05 -13.00 -53.73 -51.47 -1.10 -1.16 -13.00 -51.39 -48.42 -1.50 -1.47 -13.00 -56.83 -59.08 4.03 -1.78 -13.00 -61.30 -63.38 4.14 -2.06 -13.00 -62.05 -61.58 3.37 -3.84 -13.00 -56.54 -61.03 12.30 -7.81 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 144 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B2 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1852.4 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-57.73	-45.80	-11.01	-0.92	-13.00	-44.73
66.860	-53.24	-45.09	-7.12	-1.03	-13.00	-40.24
83.350	-52.37	-49.36	-1.87	-1.14	-13.00	-39.37
133.790	-60.95	-57.91	-1.57	-1.47	-13.00	-47.95
201.690	-58.04	-60.32	4.07	-1.79	-13.00	-45.04
999.030	-61.07	-61.10	3.97	-3.94	-13.00	-48.07
3704.800	-56.96	-61.92	12.59	-7.63	-13.00	-43.96
5557.200	-53.68	-57.42	13.23	-9.49	-13.00	-40.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 145 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B2 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1852.4 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
70.740	-52.73	-45.61	-6.05	-1.07	-13.00	-39.73
93.050	-53.08	-50.94	-0.93	-1.21	-13.00	-40.08
129.910	-51.18	-48.21	-1.51	-1.46	-13.00	-38.18
197.810	-54.90	-57.02	3.90	-1.78	-13.00	-41.90
272.500	-55.28	-57.24	4.04	-2.08	-13.00	-42.28
990.300	-62.93	-62.91	3.89	-3.91	-13.00	-49.93
3704.800	-57.12	-62.08	12.59	-7.63	-13.00	-44.12
5557.200	-55.89	-59.63	13.23	-9.49	-13.00	-42.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 146 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B2 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-57.83	-45.90	-11.01	-0.92	-13.00	-44.83
65.890	-52.37	-44.05	-7.29	-1.03	-13.00	-39.37
84.320	-51.48	-48.63	-1.70	-1.15	-13.00	-38.48
144.460	-57.44	-53.98	-1.93	-1.53	-13.00	-44.44
195.870	-58.92	-60.86	3.71	-1.77	-13.00	-45.92
944.710	-60.86	-60.43	3.39	-3.82	-13.00	-47.86
3760.000	-56.41	-61.15	12.46	-7.72	-13.00	-43.41
5640.000	-53.85	-57.80	13.48	-9.53	-13.00	-40.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 147 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B2 Test Date: 2024-06-20

Test Mode :Tx Temp./Humi. :23.8℃/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-53.33	-45.98	-6.29	-1.06	-13.00	-40.33
81.410	-43.82	-40.33	-2.35	-1.14	-13.00	-30.82
145.430	-49.15	-45.77	-1.85	-1.53	-13.00	-36.15
201.690	-54.69	-56.97	4.07	-1.79	-13.00	-41.69
262.800	-61.13	-63.24	4.16	-2.05	-13.00	-48.13
978.660	-62.88	-62.69	3.69	-3.88	-13.00	-49.88
3760.000	-57.39	-62.13	12.46	-7.72	-13.00	-44.39
5640.000	-54.70	-58.65	13.48	-9.53	-13.00	-41.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.