











WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Full CH46 5230MHz - L																																																																														
CDD 1+2	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Site Condition Project Mode Plane Polarization Power Power setting : 030607-KS : 5G BAND 1----3 3e 3117 00240132 VERTICAL : RRM 1000.000KHz VBR 3000.000KHz SMT Auto : (FR) 230408 : 9 : X- Full-directivity : 421 : 46 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5148.96</td><td>63.51</td><td>-10.49</td><td>74.00</td><td>47.80</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>298 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	5148.96	63.51	-10.49	74.00	47.80	34.40	10.62	29.31	100	298 Peak VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Site Condition Project Mode Plane Polarization Power Power setting : 030607-KS : 5G BAND 1----3 3e 3117 00240132 VERTICAL : RRM 1000.000KHz VBR 3000.000KHz SMT Auto : (FR) 230408 : 9 : X- Full-directivity : 421 : 46 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5212.00</td><td>106.03</td><td>37.73</td><td>48.30</td><td>90.23</td><td>34.50</td><td>10.66</td><td>29.36</td><td>100</td><td>298 Peak VERTICAL</td></tr><tr><td>2</td><td>5212.00</td><td>99.70</td><td>82.90</td><td>34.50</td><td>10.66</td><td>29.36</td><td>100</td><td>298 Average</td><td>VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	5212.00	106.03	37.73	48.30	90.23	34.50	10.66	29.36	100	298 Peak VERTICAL	2	5212.00	99.70	82.90	34.50	10.66	29.36	100	298 Average	VERTICAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																							
1	5148.96	63.51	-10.49	74.00	47.80	34.40	10.62	29.31	100	298 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																							
1	5212.00	106.03	37.73	48.30	90.23	34.50	10.66	29.36	100	298 Peak VERTICAL																																																																					
2	5212.00	99.70	82.90	34.50	10.66	29.36	100	298 Average	VERTICAL																																																																						
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Site Condition Project Mode Plane Polarization Power Power setting : 030607-KS : 5G BAND 1----3 (AVG) 3e 3117 00240132 VERTICAL : RRM 1000.000KHz VBR 0.0100KHz SMT Auto : (FR) 230408 : 9 : X- Full-directivity : 421 : 46 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5147.36</td><td>51.77</td><td>-2.73</td><td>54.00</td><td>35.56</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>298 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	5147.36	51.77	-2.73	54.00	35.56	34.40	10.62	29.31	100	298 Average VERTICAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																							
1	5147.36	51.77	-2.73	54.00	35.56	34.40	10.62	29.31	100	298 Average VERTICAL																																																																					





WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11ax HE40 Full CH46 5230MHz - R																																
CDD 1+2	Vertical	Fundamental																															
Peak	 Site : 030807-KS Condition : 5G BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 000KHz SMT:Auto Mode : (FR)230408 Plane : 9 Polar : Full-directivity Polar : #21 Power setting : dB <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5274.98</td><td>57.71</td><td>-16.29</td><td>74.00</td><td>41.91</td><td>34.50</td><td>10.85</td><td>29.55</td><td>100</td><td>298</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5274.98	57.71	-16.29	74.00	41.91	34.50	10.85	29.55	100	298	Peak	VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																										
1	5274.98	57.71	-16.29	74.00	41.91	34.50	10.85	29.55	100	298	Peak	VERTICAL																					
Avg.	 Site : 030807-KS Condition : 5G BAND 1-----3 (AVG) 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 0 5100KHz SMT:Auto Mode : (FR)230408 Plane : 9 Polar : Full-directivity Polar : #21 Power setting : dB <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5371.74</td><td>48.57</td><td>-5.43</td><td>54.00</td><td>32.74</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>298</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5371.74	48.57	-5.43	54.00	32.74	34.50	10.85	29.52	100	298	Average	VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																										
1	5371.74	48.57	-5.43	54.00	32.74	34.50	10.85	29.52	100	298	Average	VERTICAL																					






UNII-1 5150~5250MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE80 Full CH42 5210MHz - L																																																																																	
CDD 1+2	Horizontal	Fundamental																																																																																
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane MEI power setting : 030607-KS : SG BAND 1-3 3m 3117 00240132 HORIZONT : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto : (PR)230408 : 10 : X- Full-directivity : #21 : 50 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1 5145.76</td><td>65.56</td><td>-8.44</td><td>74.00</td><td>49.85</td><td>34.40</td><td>10.62</td><td>29.31</td></tr><tr><td>100</td><td>179</td><td>Peak</td><td></td><td></td><td></td><td></td><td>HORIZONT</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane MEI power setting : 030607-KS : SG BAND 1-3 3m 3117 00240132 HORIZONT : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto : (PR)230408 : 10 : X- Full-directivity : #21 : 50 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1 * 5200.00</td><td>102.58</td><td>34.28</td><td>68.30</td><td>86.80</td><td>34.50</td><td>10.64</td><td>29.36</td></tr><tr><td>100</td><td>179</td><td>Peak</td><td></td><td></td><td></td><td></td><td>HORIZONT</td></tr><tr><td>2 5200.00</td><td>95.88</td><td></td><td>80.10</td><td>34.50</td><td>10.64</td><td>29.36</td><td></td></tr><tr><td>100</td><td>179</td><td>Average</td><td></td><td></td><td></td><td></td><td>HORIZONT</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1 5145.76	65.56	-8.44	74.00	49.85	34.40	10.62	29.31	100	179	Peak					HORIZONT	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1 * 5200.00	102.58	34.28	68.30	86.80	34.50	10.64	29.36	100	179	Peak					HORIZONT	2 5200.00	95.88		80.10	34.50	10.64	29.36		100	179	Average					HORIZONT	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																											
1 5145.76	65.56	-8.44	74.00	49.85	34.40	10.62	29.31																																																																											
100	179	Peak					HORIZONT																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																											
1 * 5200.00	102.58	34.28	68.30	86.80	34.50	10.64	29.36																																																																											
100	179	Peak					HORIZONT																																																																											
2 5200.00	95.88		80.10	34.50	10.64	29.36																																																																												
100	179	Average					HORIZONT																																																																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane MEI power setting : 030607-KS : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONT : RRM 1000.000KHz VSW:1.100KHz SRT:Auto : (PR)230408 : 10 : X- Full-directivity : #21 : 50 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1 5145.92</td><td>52.73</td><td>-1.27</td><td>54.00</td><td>37.02</td><td>34.40</td><td>10.62</td><td>29.31</td></tr><tr><td>100</td><td>179</td><td>Average</td><td></td><td></td><td></td><td></td><td>HORIZONT</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1 5145.92	52.73	-1.27	54.00	37.02	34.40	10.62	29.31	100	179	Average					HORIZONT																																																	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																											
1 5145.92	52.73	-1.27	54.00	37.02	34.40	10.62	29.31																																																																											
100	179	Average					HORIZONT																																																																											





WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																														
ANT	802.11ax HE80 Full CH42 5210MHz - R																														
CDD 1+2	Horizontal	Fundamental																													
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VSW: 3000 000KHz SWT: Auto Mode : (FR) 230408 Plane : 10 Polar : 2- Full-directivity IMEI : #21 Power setting : 26 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>deg</th><th></th></tr><tr><td>1</td><td>5363.82</td><td>58.02</td><td>-15.99</td><td>74.00</td><td>42.19</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>179</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg		1	5363.82	58.02	-15.99	74.00	42.19	34.50	10.85	29.52	100	179	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase																								
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg																									
1	5363.82	58.02	-15.99	74.00	42.19	34.50	10.85	29.52	100	179	Peak	HORIZONTAL																			
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VSW: 1 1000KHz SWT: Auto Mode : (FR) 230408 Plane : 10 Polar : 2- Full-directivity IMEI : #21 Power setting : 26 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>deg</th><th></th></tr><tr><td>1</td><td>5399.82</td><td>48.88</td><td>-5.12</td><td>54.00</td><td>33.06</td><td>34.50</td><td>10.89</td><td>29.57</td><td>100</td><td>179</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg		1	5399.82	48.88	-5.12	54.00	33.06	34.50	10.89	29.57	100	179	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase																								
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	deg																									
1	5399.82	48.88	-5.12	54.00	33.06	34.50	10.89	29.57	100	179	Average	HORIZONTAL																			






WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE80 Full CH42 5210MHz - L																																																																						
CDD 1+2	Vertical	Fundamental																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sparton.com.cn Site Condition Project Mode Plane Polar IMEI PowerSetting : 030607-KS : SG BAND 1---3 3m 3117 00340132 VERTICAL : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto : FPC1230408 : 10 : X-Full-directivity : #21 : 50 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5147.68</td><td>66.73</td><td>-7.27</td><td>74.00</td><td>51.02</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>299 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 5147.68	66.73	-7.27	74.00	51.02	34.40	10.62	29.31	100	299 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sparton.com.cn Site Condition Project Mode Plane Polar IMEI PowerSetting : 030607-KS : SG BAND 1---3 3m 3117 00340132 VERTICAL : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto : FPC1230408 : 10 : X-Full-directivity : #21 : 50 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5194.00</td><td>102.59</td><td>35.29</td><td>68.30</td><td>87.79</td><td>34.50</td><td>10.64</td><td>29.34</td><td>100</td><td>299 Peak</td><td>VERTICAL</td></tr><tr><td>2 5194.00</td><td>75.56</td><td></td><td>80.56</td><td>34.50</td><td>10.64</td><td>29.34</td><td></td><td>100</td><td>299 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 5194.00	102.59	35.29	68.30	87.79	34.50	10.64	29.34	100	299 Peak	VERTICAL	2 5194.00	75.56		80.56	34.50	10.64	29.34		100	299 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																
1 5147.68	66.73	-7.27	74.00	51.02	34.40	10.62	29.31	100	299 Peak	VERTICAL																																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																
1 5194.00	102.59	35.29	68.30	87.79	34.50	10.64	29.34	100	299 Peak	VERTICAL																																																													
2 5194.00	75.56		80.56	34.50	10.64	29.34		100	299 Average	VERTICAL																																																													
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sparton.com.cn Site Condition Project Mode Plane Polar IMEI PowerSetting : 030607-KS : SG BAND 1---3 (Ave) 3m 3117 00340132 VERTICAL : RRM 1000.000KHz VBR 1.100KHz SRT:Auto : FPC1230408 : 10 : X-Full-directivity : #21 : 50 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5149.89</td><td>52.93</td><td>-1.07</td><td>54.00</td><td>37.22</td><td>34.40</td><td>18.62</td><td>29.31</td><td>100</td><td>299 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 5149.89	52.93	-1.07	54.00	37.22	34.40	18.62	29.31	100	299 Average	VERTICAL	Left blank																																								
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																
1 5149.89	52.93	-1.07	54.00	37.22	34.40	18.62	29.31	100	299 Average	VERTICAL																																																													






WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																						
ANT	802.11ax HE80 Full CH42 5210MHz - R																																						
CDD 1+2	Vertical	Fundamental																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SMT Auto Mode : (FR) 230408 Plane : 10 Polar : 2- Full-directivity IMEI : #21 power setting : 26 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.56</td><td>56.97</td><td>-17.03</td><td>74.00</td><td>41.16</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>299</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5353.56	56.97	-17.03	74.00	41.16	34.50	10.83	29.52	100	299	Peak	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase																																
Freq	Level	Limit	Line	Level Factor	Loss Factor																																		
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																
1	5353.56	56.97	-17.03	74.00	41.16	34.50	10.83	29.52	100	299	Peak	VERTICAL																											
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000 0000Hz VBR 1 1000Hz SMT Auto Mode : (FR) 230408 Plane : 10 Polar : 2- Full-directivity IMEI : #21 power setting : 26 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5371.38</td><td>48.05</td><td>-5.95</td><td>54.00</td><td>32.22</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>299</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5371.38	48.05	-5.95	54.00	32.22	34.50	10.85	29.52	100	299	Average	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase																																
Freq	Level	Limit	Line	Level Factor	Loss Factor																																		
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																
1	5371.38	48.05	-5.95	54.00	32.22	34.50	10.85	29.52	100	299	Average	VERTICAL																											






UNII-1 - 5150~5250MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH36 5180MHz	
TxBF 1+2	Horizontal	Fundamental
Peak	 Data: 1 Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 16.3 5100 5130 5150 5170 5190 5210 5230 5250 5260 Frequency (MHz) Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000MHz VSW 3000.000MHz DUT Auto Mode : (FR) 230408 Plane : 49 Polar : X- Full-directivity MEI : 421 power setting : 61 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 5146.08 62.80 -11.20 74.00 47.09 34.40 10.62 29.31 158 0 Peak HORIZONTAL	 Data: 3 Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 16.3 1000 2000 3000 4000 5000 6000 7000 Frequency (MHz) Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000MHz VSW 3000.000MHz DUT Auto Mode : (FR) 230408 Plane : 49 Polar : X- Full-directivity MEI : 421 power setting : 61 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 * 5182.00 111.86 43.56 68.30 96.10 34.47 10.63 29.34 158 0 Peak HORIZONTAL 2 5182.00 93.36 77.60 34.47 10.63 29.34 158 0 Average HORIZONTAL
Avg.	 Data: 2 Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 16.3 5100 5130 5150 5170 5190 5210 5230 5250 5260 Frequency (MHz) Site : 030607-KS Condition : SG BAND 1----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000MHz VSW 3000.000MHz DUT Auto Mode : (FR) 230408 Plane : 49 Polar : X- Full-directivity MEI : 421 power setting : 61 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 5116.96 52.70 -1.30 54.00 37.02 34.33 10.61 29.26 158 0 Average HORIZONTAL	Left blank





WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Full CH36 5180MHz																																																																														
TxBF 1+2	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FR2320408 Plane : 49 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 43 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5148.00</td><td>63.74</td><td>-10.26</td><td>74.00</td><td>48.03</td><td>34.40</td><td>10.62</td><td>29.31</td><td>104</td><td>100 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FR2320408 Plane : 49 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 43 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5182.00</td><td>109.84</td><td>41.54</td><td>48.30</td><td>94.08</td><td>34.47</td><td>10.63</td><td>29.34</td><td>104</td><td>100 Peak</td><td>VERTICAL</td></tr><tr><td>2 5182.00</td><td>19.56</td><td>-----</td><td>77.30</td><td>34.47</td><td>10.63</td><td>29.34</td><td>104</td><td>100 Average</td><td></td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5148.00	63.74	-10.26	74.00	48.03	34.40	10.62	29.31	104	100 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5182.00	109.84	41.54	48.30	94.08	34.47	10.63	29.34	104	100 Peak	VERTICAL	2 5182.00	19.56	-----	77.30	34.47	10.63	29.34	104	100 Average		VERTICAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5148.00	63.74	-10.26	74.00	48.03	34.40	10.62	29.31	104	100 Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5182.00	109.84	41.54	48.30	94.08	34.47	10.63	29.34	104	100 Peak	VERTICAL																																																																					
2 5182.00	19.56	-----	77.30	34.47	10.63	29.34	104	100 Average		VERTICAL																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FR2320408 Plane : 49 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 43 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5146.72</td><td>52.63</td><td>-1.37</td><td>54.00</td><td>36.92</td><td>34.40</td><td>10.62</td><td>29.31</td><td>104</td><td>100 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5146.72	52.63	-1.37	54.00	36.92	34.40	10.62	29.31	104	100 Average	VERTICAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5146.72	52.63	-1.37	54.00	36.92	34.40	10.62	29.31	104	100 Average	VERTICAL																																																																					







WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Full CH44 5220MHz - L																																																																													
TxBF 1+2	Horizontal	Fundamental																																																																												
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 50 Polar : Full-directivity IMEI : 821 Power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5143.68</td><td>59.34</td><td>-14.66</td><td>74.00</td><td>43.60</td><td>34.40</td><td>10.62</td><td>29.28</td><td>101</td><td>360 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 50 Polar : Full-directivity IMEI : 821 Power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5212.00</td><td>110.21</td><td>41.91</td><td>68.30</td><td>94.41</td><td>34.50</td><td>10.66</td><td>29.36</td><td>101</td><td>360 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5212.00</td><td>99.29</td><td></td><td>63.49</td><td>34.50</td><td>10.66</td><td>29.36</td><td>101</td><td>360 Average HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5143.68	59.34	-14.66	74.00	43.60	34.40	10.62	29.28	101	360 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5212.00	110.21	41.91	68.30	94.41	34.50	10.66	29.36	101	360 Peak HORIZONTAL	2	5212.00	99.29		63.49	34.50	10.66	29.36	101	360 Average HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5143.68	59.34	-14.66	74.00	43.60	34.40	10.62	29.28	101	360 Peak HORIZONTAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5212.00	110.21	41.91	68.30	94.41	34.50	10.66	29.36	101	360 Peak HORIZONTAL																																																																				
2	5212.00	99.29		63.49	34.50	10.66	29.36	101	360 Average HORIZONTAL																																																																					
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 50 Polar : Full-directivity IMEI : 821 Power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5140.00</td><td>52.21</td><td>-1.79</td><td>54.00</td><td>36.47</td><td>34.40</td><td>10.62</td><td>29.28</td><td>101</td><td>360 Average HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5140.00	52.21	-1.79	54.00	36.47	34.40	10.62	29.28	101	360 Average HORIZONTAL																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5140.00	52.21	-1.79	54.00	36.47	34.40	10.62	29.28	101	360 Average HORIZONTAL																																																																				





WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																														
ANT	802.11ax HE20 Full CH44 5220MHz - R																														
TxBF	Horizontal	Fundamental																													
1+2																															
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date 4 Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SWT Auto Mode : (FR) 230408 Plane : 50 Polar : X- Full-directivity IMEI : #21 power setting : 41 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.06</td><td>57.41</td><td>-16.59</td><td>74.00</td><td>41.60</td><td>34.50</td><td>10.83</td><td>29.52</td><td>101</td><td>360</td><td>Peak</td><td>HORIZONTAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5358.06	57.41	-16.59	74.00	41.60	34.50	10.83	29.52	101	360	Peak	HORIZONTAL	
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5358.06	57.41	-16.59	74.00	41.60	34.50	10.83	29.52	101	360	Peak	HORIZONTAL																			
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date 5 Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SWT Auto Mode : (FR) 230408 Plane : 50 Polar : X- Full-directivity IMEI : #21 power setting : 41 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.48</td><td>49.84</td><td>-4.16</td><td>54.00</td><td>34.00</td><td>34.50</td><td>10.89</td><td>29.55</td><td>101</td><td>360</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5397.48	49.84	-4.16	54.00	34.00	34.50	10.89	29.55	101	360	Average	HORIZONTAL	
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5397.48	49.84	-4.16	54.00	34.00	34.50	10.89	29.55	101	360	Average	HORIZONTAL																			






WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Full CH44 5220MHz - L																																																																														
TxBF 1+2	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 6  Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : (FR)230408 Plane : 50 Polar : Full-directivity IMEI : #21 PowerSetting : 41 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5147.68</td><td>59.87</td><td>-14.13</td><td>74.00</td><td>44.16</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>112 Peak VERTICAL</td></tr></table> <td>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 8  Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : (FR)230408 Plane : 50 Polar : Full-directivity IMEI : #21 PowerSetting : 41 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5224.00</td><td>110.25</td><td>41.95</td><td>68.30</td><td>94.48</td><td>34.50</td><td>10.66</td><td>29.39</td><td>100</td><td>112 Peak VERTICAL</td></tr><tr><td>2</td><td>5224.00</td><td>95.94</td><td></td><td>79.27</td><td>34.50</td><td>10.66</td><td>29.39</td><td></td><td>100</td><td>112 Average VERTICAL</td></tr></table> </td>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5147.68	59.87	-14.13	74.00	44.16	34.40	10.62	29.31	100	112 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 8  Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : (FR)230408 Plane : 50 Polar : Full-directivity IMEI : #21 PowerSetting : 41 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5224.00</td><td>110.25</td><td>41.95</td><td>68.30</td><td>94.48</td><td>34.50</td><td>10.66</td><td>29.39</td><td>100</td><td>112 Peak VERTICAL</td></tr><tr><td>2</td><td>5224.00</td><td>95.94</td><td></td><td>79.27</td><td>34.50</td><td>10.66</td><td>29.39</td><td></td><td>100</td><td>112 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5224.00	110.25	41.95	68.30	94.48	34.50	10.66	29.39	100	112 Peak VERTICAL	2	5224.00	95.94		79.27	34.50	10.66	29.39		100	112 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5147.68	59.87	-14.13	74.00	44.16	34.40	10.62	29.31	100	112 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5224.00	110.25	41.95	68.30	94.48	34.50	10.66	29.39	100	112 Peak VERTICAL																																																																					
2	5224.00	95.94		79.27	34.50	10.66	29.39		100	112 Average VERTICAL																																																																					
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 7  Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : (FR)230408 Plane : 50 Polar : Full-directivity IMEI : #21 PowerSetting : 41 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5108.64</td><td>51.96</td><td>-2.04</td><td>54.00</td><td>36.28</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>112 Average VERTICAL</td></tr></table> <td>Left blank</td>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5108.64	51.96	-2.04	54.00	36.28	34.33	10.61	29.26	100	112 Average VERTICAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5108.64	51.96	-2.04	54.00	36.28	34.33	10.61	29.26	100	112 Average VERTICAL																																																																					






WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																															
ANT	802.11ax HE20 Full CH44 5220MHz - R																															
TxBF 1+2	Vertical	Fundamental																														
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Data: 9 Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 50 Polar : 2- Full-directivity IMEI : #21 power setting : 41 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5302.30</td><td>56.93</td><td>-17.07</td><td>74.00</td><td>41.12</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>112</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	deg	1	5302.30	56.93	-17.07	74.00	41.12	34.50	10.83	29.52	100	112	Peak	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phas																									
MHz	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	deg																								
1	5302.30	56.93	-17.07	74.00	41.12	34.50	10.83	29.52	100	112	Peak	VERTICAL																				
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Data: 10 Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 50 Polar : 2- Full-directivity IMEI : #21 power setting : 41 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5367.42</td><td>49.89</td><td>-4.11</td><td>54.00</td><td>34.06</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>112</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	deg	1	5367.42	49.89	-4.11	54.00	34.06	34.50	10.85	29.52	100	112	Average	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phas																									
MHz	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	deg																								
1	5367.42	49.89	-4.11	54.00	34.06	34.50	10.85	29.52	100	112	Average	VERTICAL																				






WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Full CH48 5240MHz																																																																																	
TxBF 1+2	Horizontal	Fundamental																																																																																
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.spartan.co.uk.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Bode : FR230408 Plane : S Full-directivity IMEI : #21 PowerSetting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5307.88</td><td>57.46</td><td>-16.54</td><td>74.00</td><td>41.65</td><td>34.50</td><td>10.83</td><td>29.52</td><td>106</td><td>352 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5307.88	57.46	-16.54	74.00	41.65	34.50	10.83	29.52	106	352 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.spartan.co.uk.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Bode : FR230408 Plane : S Full-directivity IMEI : #21 PowerSetting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5236.00</td><td>111.15</td><td>42.85</td><td>68.30</td><td>95.36</td><td>34.50</td><td>10.68</td><td>29.39</td><td>106</td><td>352 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5236.00</td><td>106.77</td><td>40.18</td><td>34.50</td><td>10.68</td><td>29.39</td><td></td><td></td><td>106</td><td>352 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5236.00	111.15	42.85	68.30	95.36	34.50	10.68	29.39	106	352 Peak	HORIZONTAL	2	5236.00	106.77	40.18	34.50	10.68	29.39			106	352 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	5307.88	57.46	-16.54	74.00	41.65	34.50	10.83	29.52	106	352 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	5236.00	111.15	42.85	68.30	95.36	34.50	10.68	29.39	106	352 Peak	HORIZONTAL																																																																							
2	5236.00	106.77	40.18	34.50	10.68	29.39			106	352 Average	HORIZONTAL																																																																							
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.spartan.co.uk.cn Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Bode : FR230408 Plane : S Full-directivity IMEI : #21 PowerSetting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5369.22</td><td>50.00</td><td>-4.00</td><td>54.00</td><td>34.17</td><td>34.50</td><td>10.85</td><td>29.52</td><td>106</td><td>352 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5369.22	50.00	-4.00	54.00	34.17	34.50	10.85	29.52	106	352 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	5369.22	50.00	-4.00	54.00	34.17	34.50	10.85	29.52	106	352 Average	HORIZONTAL																																																																							





WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE20 Full CH48 5240MHz																																																																								
TxBF 1+2	Vertical	Fundamental																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : FR2.230408 Plane : S1 Polar : Full-directivity IMEI : #21 Power setting : 40 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.80</td><td>57.06</td><td>-16.94</td><td>74.00</td><td>41.25</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>120</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1	5240.80	57.06	-16.94	74.00	41.25	34.50	10.83	29.52	100	120	Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : FR2.230408 Plane : S1 Polar : Full-directivity IMEI : #21 Power setting : 40 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5242.00</td><td>107.22</td><td>38.92</td><td>68.30</td><td>91.41</td><td>34.50</td><td>10.70</td><td>29.39</td><td>100</td><td>120</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5242.00</td><td>14.76</td><td></td><td>78.19</td><td>34.50</td><td>10.70</td><td>29.39</td><td></td><td>100</td><td>120</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1	5242.00	107.22	38.92	68.30	91.41	34.50	10.70	29.39	100	120	Peak	VERTICAL	2	5242.00	14.76		78.19	34.50	10.70	29.39		100	120	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																		
1	5240.80	57.06	-16.94	74.00	41.25	34.50	10.83	29.52	100	120	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																		
1	5242.00	107.22	38.92	68.30	91.41	34.50	10.70	29.39	100	120	Peak	VERTICAL																																																													
2	5242.00	14.76		78.19	34.50	10.70	29.39		100	120	Average	VERTICAL																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : FR2.230408 Plane : S1 Polar : Full-directivity IMEI : #21 Power setting : 40 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5244.54</td><td>50.13</td><td>-3.87</td><td>54.00</td><td>34.30</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>120</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1	5244.54	50.13	-3.87	54.00	34.30	34.50	10.85	29.52	100	120	Average	VERTICAL	Left blank																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																		
1	5244.54	50.13	-3.87	54.00	34.30	34.50	10.85	29.52	100	120	Average	VERTICAL																																																													






UNII-1 - 5150~5250MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE40 Full CH38 5190MHz - L																																																																								
TxBF 1+2	Horizontal	Fundamental																																																																							
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902958 http://www.spartan.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Mode : (FR) 230408 Plane : 08 Polar : X- Full-directivity MEI : 47 Power : 72 power : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1</td><td>5148.00</td><td>69.02</td><td>-4.98</td><td>74.00</td><td>53.31</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>162</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902958 http://www.spartan.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Mode : (FR) 230408 Plane : 08 Polar : X- Full-directivity MEI : 47 Power : 72 power : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>5200.00</td><td>108.32</td><td>40.02</td><td>68.30</td><td>92.54</td><td>34.50</td><td>10.64</td><td>29.36</td><td>100</td><td>162</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5200.00</td><td>91.99</td><td>-----</td><td>76.21</td><td>34.50</td><td>10.64</td><td>29.36</td><td></td><td>100</td><td>162</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg		1 1	5148.00	69.02	-4.98	74.00	53.31	34.40	10.62	29.31	100	162	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg		1 *	5200.00	108.32	40.02	68.30	92.54	34.50	10.64	29.36	100	162	Peak	HORIZONTAL	2	5200.00	91.99	-----	76.21	34.50	10.64	29.36		100	162	Average	HORIZONTAL	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg																																																																			
1 1	5148.00	69.02	-4.98	74.00	53.31	34.40	10.62	29.31	100	162	Peak	HORIZONTAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg																																																																			
1 *	5200.00	108.32	40.02	68.30	92.54	34.50	10.64	29.36	100	162	Peak	HORIZONTAL																																																													
2	5200.00	91.99	-----	76.21	34.50	10.64	29.36		100	162	Average	HORIZONTAL																																																													
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902958 http://www.spartan.com.cn Site : 030607-KS Condition : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Mode : (FR) 230408 Plane : 08 Polar : X- Full-directivity MEI : 47 Power : 72 power : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1</td><td>5141.28</td><td>52.51</td><td>-1.49</td><td>54.00</td><td>36.77</td><td>34.40</td><td>10.62</td><td>29.28</td><td>100</td><td>162</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg		1 1	5141.28	52.51	-1.49	54.00	36.77	34.40	10.62	29.28	100	162	Average	HORIZONTAL																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg																																																																			
1 1	5141.28	52.51	-1.49	54.00	36.77	34.40	10.62	29.28	100	162	Average	HORIZONTAL																																																													



WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																		
ANT	802.11ax HE40 Full CH38 5190MHz - R																																		
TxBF	Horizontal	Fundamental																																	
1+2																																			
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 58 Plane : X- Full-directivity IMEI : #21 Power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5375.70</td><td>56.91</td><td>-17.09</td><td>74.00</td><td>41.11</td><td>34.50</td><td>10.85</td><td>29.55</td><td>100</td><td>162</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cm	deg			1	5375.70	56.91	-17.09	74.00	41.11	34.50	10.85	29.55	100	162	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phase																												
MHz	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cm	deg																										
1	5375.70	56.91	-17.09	74.00	41.11	34.50	10.85	29.55	100	162	Peak	HORIZONTAL																							
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 5  Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 58 Plane : X- Full-directivity IMEI : #21 Power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5351.04</td><td>50.00</td><td>-4.00</td><td>54.00</td><td>34.19</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>162</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cm	deg			1	5351.04	50.00	-4.00	54.00	34.19	34.50	10.83	29.52	100	162	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phase																												
MHz	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cm	deg																										
1	5351.04	50.00	-4.00	54.00	34.19	34.50	10.83	29.52	100	162	Average	HORIZONTAL																							



WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH38 5190MHz - L	
TxBF 1+2	Vertical	Fundamental
Peak		
Avg.		Left blank

WIFI

ANT

TxBF
1+2

UNII-1 - 5150~5250MHz Band Edge @ 3m

802.11ax HE40 Full CH38 5190MHz - R

Vertical

Fundamental




Peak

Left blank



Avg.

Left blank



WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE40 Full CH46 5230MHz - L																																																																													
TxBF	Horizontal	Fundamental																																																																												
1+2																																																																														
Peak	 No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 59 Polar : X- Full-directivity IMEI : 821 PowerSetting : 72 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5129.28</td><td>59.95</td><td>-14.05</td><td>74.00</td><td>44.25</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>183 Peak HORIZONTAL</td></tr></table>  No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 3 Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 59 Polar : X- Full-directivity IMEI : 821 PowerSetting : 72 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5242.00</td><td>108.79</td><td>40.49</td><td>48.30</td><td>92.98</td><td>34.50</td><td>10.70</td><td>29.39</td><td>100</td><td>183 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5242.00</td><td>95.39</td><td></td><td>74.78</td><td>34.50</td><td>10.70</td><td>29.39</td><td>100</td><td>183 Average HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5129.28	59.95	-14.05	74.00	44.25	34.37	10.61	29.28	100	183 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5242.00	108.79	40.49	48.30	92.98	34.50	10.70	29.39	100	183 Peak HORIZONTAL	2	5242.00	95.39		74.78	34.50	10.70	29.39	100	183 Average HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5129.28	59.95	-14.05	74.00	44.25	34.37	10.61	29.28	100	183 Peak HORIZONTAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5242.00	108.79	40.49	48.30	92.98	34.50	10.70	29.39	100	183 Peak HORIZONTAL																																																																				
2	5242.00	95.39		74.78	34.50	10.70	29.39	100	183 Average HORIZONTAL																																																																					
Avg.	 No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 59 Polar : X- Full-directivity IMEI : 821 PowerSetting : 72 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5116.16</td><td>52.70</td><td>-1.30</td><td>54.00</td><td>37.02</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>183 Average HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5116.16	52.70	-1.30	54.00	37.02	34.33	10.61	29.26	100	183 Average HORIZONTAL																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5116.16	52.70	-1.30	54.00	37.02	34.33	10.61	29.26	100	183 Average HORIZONTAL																																																																				





WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																
ANT	802.11ax HE40 Full CH46 5230MHz - R																																
TxBF	Horizontal	Fundamental																															
1+2																																	
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 09 Polar : X- Full-directivity IMEI : #21 Power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>5389.20</td><td>56.94</td><td>-17.06</td><td>74.00</td><td>41.12</td><td>34.50</td><td>10.87</td><td>29.55</td><td>100</td><td>183</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	deg		1	5389.20	56.94	-17.06	74.00	41.12	34.50	10.87	29.55	100	183	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	deg																										
1	5389.20	56.94	-17.06	74.00	41.12	34.50	10.87	29.55	100	183	Peak	HORIZONTAL																					
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 09 Polar : X- Full-directivity IMEI : #21 Power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>5364.00</td><td>50.54</td><td>-3.46</td><td>54.00</td><td>34.71</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>183</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	deg		1	5364.00	50.54	-3.46	54.00	34.71	34.50	10.85	29.52	100	183	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	deg																										
1	5364.00	50.54	-3.46	54.00	34.71	34.50	10.85	29.52	100	183	Average	HORIZONTAL																					






WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																											
ANT	802.11ax HE40 Full CH46 5230MHz - L																																																																											
TxBF 1+2	Vertical	Fundamental																																																																										
Peak	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FR230408 Plane : 59 Polar : Full-directivity IMEI : 821 Power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5101.28</td><td>58.87</td><td>-15.13</td><td>74.00</td><td>43.23</td><td>34.30</td><td>10.60</td><td>29.26</td><td>368</td><td>310</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5101.28	58.87	-15.13	74.00	43.23	34.30	10.60	29.26	368	310	Peak	VERTICAL	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FR230408 Plane : 59 Polar : Full-directivity IMEI : 821 Power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5236.00</td><td>166.22</td><td>37.92</td><td>48.30</td><td>90.43</td><td>34.50</td><td>10.68</td><td>29.39</td><td>368</td><td>310</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5236.00</td><td>87.77</td><td></td><td>71.18</td><td>34.50</td><td>10.68</td><td>29.39</td><td>368</td><td>310</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5236.00	166.22	37.92	48.30	90.43	34.50	10.68	29.39	368	310	Peak	VERTICAL	2	5236.00	87.77		71.18	34.50	10.68	29.39	368	310	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																					
1	5101.28	58.87	-15.13	74.00	43.23	34.30	10.60	29.26	368	310	Peak	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																					
1	5236.00	166.22	37.92	48.30	90.43	34.50	10.68	29.39	368	310	Peak	VERTICAL																																																																
2	5236.00	87.77		71.18	34.50	10.68	29.39	368	310	Average	VERTICAL																																																																	
Avg.	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FR230408 Plane : 59 Polar : Full-directivity IMEI : 821 Power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5138.24</td><td>52.31</td><td>-1.69</td><td>54.00</td><td>36.61</td><td>34.37</td><td>10.61</td><td>29.28</td><td>368</td><td>309</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5138.24	52.31	-1.69	54.00	36.61	34.37	10.61	29.28	368	309	Average	VERTICAL	Left blank																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																					
1	5138.24	52.31	-1.69	54.00	36.61	34.37	10.61	29.28	368	309	Average	VERTICAL																																																																





WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																														
ANT	802.11ax HE40 Full CH46 5230MHz - R																														
TxBF 1+2	Vertical	Fundamental																													
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 59 Plane : 5- Full-directivity IMEI : #21 power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5251.58</td><td>56.48</td><td>-17.52</td><td>74.00</td><td>40.67</td><td>34.50</td><td>10.83</td><td>29.52</td><td>368</td><td>310</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB dBuV/m	dBuV	dB/m	dB	cm	deg	1	5251.58	56.48	-17.52	74.00	40.67	34.50	10.83	29.52	368	310	Peak	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB dBuV/m	dBuV	dB/m	dB	cm	deg																								
1	5251.58	56.48	-17.52	74.00	40.67	34.50	10.83	29.52	368	310	Peak	VERTICAL																			
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 59 Plane : 5- Full-directivity IMEI : #21 power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5284.88</td><td>50.38</td><td>-3.62</td><td>54.00</td><td>34.56</td><td>34.50</td><td>10.87</td><td>29.55</td><td>368</td><td>309</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB dBuV/m	dBuV	dB/m	dB	cm	deg	1	5284.88	50.38	-3.62	54.00	34.56	34.50	10.87	29.55	368	309	Average	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB dBuV/m	dBuV	dB/m	dB	cm	deg																								
1	5284.88	50.38	-3.62	54.00	34.56	34.50	10.87	29.55	368	309	Average	VERTICAL																			






UNII-1 - 5150~5250MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE80 Full CH42 5210MHz - L																																																																								
TxBF 1+2	Horizontal	Fundamental																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Project : (FR) 230408 Mode : 60 Plane : X- Full-directivity MEI : 421 power setting : 76 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>66.03</td><td>-7.97</td><td>74.00</td><td>50.32</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>138</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5149.76	66.03	-7.97	74.00	50.32	34.40	10.62	29.31	100	138	Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Project : (FR) 230408 Mode : 60 Plane : X- Full-directivity MEI : 421 power setting : 76 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 *</td><td>5218.00</td><td>101.42</td><td>33.12</td><td>68.30</td><td>85.62</td><td>34.50</td><td>10.66</td><td>29.36</td><td>100</td><td>138</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5218.00</td><td>85.79</td><td>-----</td><td>69.99</td><td>34.50</td><td>10.66</td><td>29.36</td><td>-----</td><td>100</td><td>138</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 *	5218.00	101.42	33.12	68.30	85.62	34.50	10.66	29.36	100	138	Peak	HORIZONTAL	2	5218.00	85.79	-----	69.99	34.50	10.66	29.36	-----	100	138	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																		
1	5149.76	66.03	-7.97	74.00	50.32	34.40	10.62	29.31	100	138	Peak	HORIZONTAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																		
1 *	5218.00	101.42	33.12	68.30	85.62	34.50	10.66	29.36	100	138	Peak	HORIZONTAL																																																													
2	5218.00	85.79	-----	69.99	34.50	10.66	29.36	-----	100	138	Average	HORIZONTAL																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Project : (FR) 230408 Mode : 60 Plane : X- Full-directivity MEI : 421 power setting : 76 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.20</td><td>52.49</td><td>-1.51</td><td>54.00</td><td>36.79</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>138</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5135.20	52.49	-1.51	54.00	36.79	34.37	10.61	29.28	100	138	Average	HORIZONTAL	Left blank																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																		
1	5135.20	52.49	-1.51	54.00	36.79	34.37	10.61	29.28	100	138	Average	HORIZONTAL																																																													





WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																														
ANT	802.11ax HE80 Full CH42 5210MHz - R																														
TxBF 1+2	Horizontal	Fundamental																													
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VSW 3000 0000KHz SWT Auto Plane : (FR) 230408 Mode : 65 Plane : 5 - Full-directivity IMEI : #21 power setting : 76 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5384.70</td><td>59.18</td><td>-14.82</td><td>74.00</td><td>43.36</td><td>34.50</td><td>10.87</td><td>29.55</td><td>100</td><td>138</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm	deg			1	5384.70	59.18	-14.82	74.00	43.36	34.50	10.87	29.55	100	138	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm	deg																										
1	5384.70	59.18	-14.82	74.00	43.36	34.50	10.87	29.55	100	138	Peak	HORIZONTAL																			
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 5  Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VSW 3000 0000KHz SWT Auto Plane : (FR) 230408 Mode : 65 Plane : 5 - Full-directivity IMEI : #21 power setting : 76 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5351.58</td><td>52.41</td><td>-11.59</td><td>54.00</td><td>36.60</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>138</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm	deg			1	5351.58	52.41	-11.59	54.00	36.60	34.50	10.83	29.52	100	138	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm	deg																										
1	5351.58	52.41	-11.59	54.00	36.60	34.50	10.83	29.52	100	138	Average	HORIZONTAL																			



WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																																																																																
ANT	802.11ax HE80 Full CH42 5210MHz - L																																																																																																																
TxBF 1+2	Vertical	Fundamental																																																																																																															
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : FR2.230408 Plane : 65 Polar : Full-directivity IMEI : 821 PowerSetting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/MHz</th><th>dB</th><th>dBm/MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5146.56</td><td>70.41</td><td>-3.59</td><td>74.00</td><td>54.70</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>300 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : FR2.230408 Plane : 65 Polar : Full-directivity IMEI : 821 PowerSetting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/MHz</th><th>dB</th><th>dBm/MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5200.00</td><td>103.08</td><td>34.78</td><td>68.30</td><td>87.30</td><td>34.50</td><td>10.64</td><td>29.36</td><td>100</td><td>300 Peak</td><td>VERTICAL</td></tr><tr><td>2 5200.00</td><td>86.13</td><td></td><td>70.35</td><td>34.50</td><td>10.64</td><td>29.36</td><td></td><td></td><td>300 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg			1 5146.56	70.41	-3.59	74.00	54.70	34.40	10.62	29.31	100	300 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg			1 5200.00	103.08	34.78	68.30	87.30	34.50	10.64	29.36	100	300 Peak	VERTICAL	2 5200.00	86.13		70.35	34.50	10.64	29.36			300 Average	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : FR2.230408 Plane : 65 Polar : Full-directivity IMEI : 821 PowerSetting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/MHz</th><th>dB</th><th>dBm/MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5140.32</td><td>52.47</td><td>-1.53</td><td>54.00</td><td>36.73</td><td>34.40</td><td>10.62</td><td>29.28</td><td>100</td><td>300 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg			1 5140.32	52.47	-1.53	54.00	36.73	34.40	10.62	29.28	100	300 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg																																																																																																									
1 5146.56	70.41	-3.59	74.00	54.70	34.40	10.62	29.31	100	300 Peak	VERTICAL																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg																																																																																																									
1 5200.00	103.08	34.78	68.30	87.30	34.50	10.64	29.36	100	300 Peak	VERTICAL																																																																																																							
2 5200.00	86.13		70.35	34.50	10.64	29.36			300 Average	VERTICAL																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg																																																																																																									
1 5140.32	52.47	-1.53	54.00	36.73	34.40	10.62	29.28	100	300 Average	VERTICAL																																																																																																							





WIFI	UNII-1 - 5150~5250MHz Band Edge @ 3m																																																	
ANT	802.11ax HE80 Full CH42 5210MHz - R																																																	
TxBF 1+2	Vertical	Fundamental																																																
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 65 Plane : 5- Full-directivity IMEI : 871 power setting : 76 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5277.50</td><td>58.10 -15.90</td><td>74.00</td><td>42.28</td><td>34.50</td><td>10.87</td><td>29.55</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	1	5277.50	58.10 -15.90	74.00	42.28	34.50	10.87	29.55							100	300							Peak	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																											
Freq	Level	Limit	Line	Level Factor	Loss Factor																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm																																											
1	5277.50	58.10 -15.90	74.00	42.28	34.50	10.87	29.55																																											
						100	300																																											
						Peak	VERTICAL																																											
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 65 Plane : 5- Full-directivity IMEI : 871 power setting : 76 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5378.40</td><td>52.31 -1.69</td><td>54.00</td><td>36.49</td><td>34.50</td><td>10.87</td><td>29.55</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	1	5378.40	52.31 -1.69	54.00	36.49	34.50	10.87	29.55							100	300							Average	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																											
Freq	Level	Limit	Line	Level Factor	Loss Factor																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm																																											
1	5378.40	52.31 -1.69	54.00	36.49	34.50	10.87	29.55																																											
						100	300																																											
						Average	VERTICAL																																											





UNII-1- 5150~5250MHz



WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																												
ANT	802.11a CH36 5180MHz																																																												
CDD 1+2	Horizontal	Vertical																																																											
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Plane : FRS 230408 Mode : 1 X-Full-directivity Flare : R21 IME1 : 62 powersetting : 62 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>10355.00</td><td>45.76</td><td>-22.54</td><td>68.30</td><td>59.30</td><td>37.39</td><td>15.55</td><td>66.48</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Plane : FRS 230408 Mode : 1 X-Full-directivity Flare : R21 IME1 : 62 powersetting : 62 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>10355.00</td><td>45.97</td><td>-22.33</td><td>68.30</td><td>59.51</td><td>37.39</td><td>15.55</td><td>66.48</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	Level	Line	Level	Factor	Loss	Factor	cn	deg	1	10355.00	45.76	-22.54	68.30	59.30	37.39	15.55	66.48	300	0 Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	Level	Line	Level	Factor	Loss	Factor	cn	deg	1	10355.00	45.97	-22.33	68.30	59.51	37.39	15.55	66.48	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																				
WZ	Level	Line	Level	Factor	Loss	Factor	cn	deg																																																					
1	10355.00	45.76	-22.54	68.30	59.30	37.39	15.55	66.48	300	0 Peak	HORIZONTAL																																																		
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																					
WZ	Level	Line	Level	Factor	Loss	Factor	cn	deg																																																					
1	10355.00	45.97	-22.33	68.30	59.51	37.39	15.55	66.48	100	0 Peak	VERTICAL																																																		





WIFI	UNII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11a CH44 5220MHz	
CDD 1+2	Horizontal	Vertical
Peak Avg.	 No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn Date: 1 Level (dBm/100kHz)  Site : 030607-KS Condition : 5G BAND 1-3 @ 3m 3117 00740132 HORIZONTAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT-Auto Plane : FR230408 Mode : 2 Plane : Full-directivity IMEI : #21 Power setting : #4 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas MHz dBm/100kHz dB dBm/100kHz dBm/100kHz dB dB cm deg 1 10443.00 44.64 -23.66 68.30 57.94 37.48 15.60 66.38 100 0 Peak HORIZONTAL	 No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn Date: 2 Level (dBm/100kHz)  Site : 030607-KS Condition : 5G BAND 1-3 @ 3m 3117 00740132 VERTICAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT-Auto Plane : FR230408 Mode : 2 Plane : Full-directivity IMEI : #21 Power setting : #4 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas MHz dBm/100kHz dB dBm/100kHz dBm/100kHz dB dB cm deg 1 10443.00 44.55 -23.75 68.30 57.85 37.48 15.60 66.38 300 0 Peak VERTICAL







WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																			
ANT	802.11a CH48 5240MHz																																																																			
CDD 1+2	Horizontal	Vertical																																																																		
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 1 Level (dBuV/m) Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FIS)230408 Node : 3 Plane : X Full-directivity IMEI : #21 Power setting : 64 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10476.00</td><td>44.23</td><td>-24.07</td><td>68.30</td><td>57.43</td><td>37.52</td><td>15.62</td><td>66.34</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10476.00	44.23	-24.07	68.30	57.43	37.52	15.62	66.34	100	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 2 Level (dBuV/m) Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FIS)230408 Node : 3 Plane : X Full-directivity IMEI : #21 Power setting : 64 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10476.00</td><td>44.72</td><td>-23.58</td><td>68.30</td><td>57.92</td><td>37.52</td><td>15.62</td><td>66.34</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10476.00	44.72	-23.58	68.30	57.92	37.52	15.62	66.34	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10476.00	44.23	-24.07	68.30	57.43	37.52	15.62	66.34	100	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10476.00	44.72	-23.58	68.30	57.92	37.52	15.62	66.34	100	0 Peak	VERTICAL																																																										



UNII-1 5150~5250MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																																
ANT	802.11ax HE20 Full CH36 5180MHz																																																																																
CDD 1+2	Horizontal	Vertical																																																																															
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030607-KS Condition : SS BAND 1---3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WVR 3000.000000 dB Auto Project : (FR) 230408 Mode : 4 Plane : X- Full-directivity MEI : #21 power setting : 62 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 10355.00</td><td>44.95</td><td>-23.35</td><td>68.30</td><td>58.49</td><td>37.39</td><td>15.55</td><td>66.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>360 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030607-KS Condition : SS BAND 1---3 3m 3117 00240132 VERTICAL Power : 1000.000000 WVR 3000.000000 dB Auto Project : (FR) 230408 Mode : 4 Plane : X- Full-directivity MEI : #21 power setting : 62 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 10355.00</td><td>45.60</td><td>-22.70</td><td>68.30</td><td>59.14</td><td>37.39</td><td>15.55</td><td>66.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>0 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		1 10355.00	44.95	-23.35	68.30	58.49	37.39	15.55	66.48							100	360 Peak								HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		1 10355.00	45.60	-22.70	68.30	59.14	37.39	15.55	66.48							100	0 Peak								VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																											
1 10355.00	44.95	-23.35	68.30	58.49	37.39	15.55	66.48																																																																										
						100	360 Peak																																																																										
							HORIZONTAL																																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																											
1 10355.00	45.60	-22.70	68.30	59.14	37.39	15.55	66.48																																																																										
						100	0 Peak																																																																										
							VERTICAL																																																																										





WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE20 Full CH44 5220MHz																																																																																																																																					
CDD 1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Data: 11  Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR230408) Mode : 6 Plane : X Full-directivity IMEI : #21 power setting : 60 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 10443.00</td><td>44.91</td><td>-23.39</td><td>68.30</td><td>58.21</td><td>37.48</td><td>15.60</td><td>66.38</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Data: 11  Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR230408) Mode : 6 Plane : X Full-directivity IMEI : #21 power setting : 60 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 10443.00</td><td>44.91</td><td>-23.39</td><td>68.30</td><td>58.21</td><td>37.48</td><td>15.60</td><td>66.38</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10443.00	44.91	-23.39	68.30	58.21	37.48	15.60	66.38	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10443.00	44.91	-23.39	68.30	58.21	37.48	15.60	66.38	300	0 Peak	HORIZONTAL	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Data: 12  Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR230408) Mode : 6 Plane : X Full-directivity IMEI : #21 power setting : 60 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 10443.00</td><td>44.99</td><td>-23.31</td><td>68.30</td><td>58.29</td><td>37.48</td><td>15.60</td><td>66.38</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>  No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Data: 12  Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR230408) Mode : 6 Plane : X Full-directivity IMEI : #21 power setting : 60 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 10443.00</td><td>44.99</td><td>-23.31</td><td>68.30</td><td>58.29</td><td>37.48</td><td>15.60</td><td>66.38</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10443.00	44.99	-23.31	68.30	58.29	37.48	15.60	66.38	100	0 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10443.00	44.99	-23.31	68.30	58.29	37.48	15.60	66.38	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 10443.00	44.91	-23.39	68.30	58.21	37.48	15.60	66.38	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 10443.00	44.91	-23.39	68.30	58.21	37.48	15.60	66.38	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 10443.00	44.99	-23.31	68.30	58.29	37.48	15.60	66.38	100	0 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 10443.00	44.99	-23.31	68.30	58.29	37.48	15.60	66.38	100	0 Peak	VERTICAL																																																																																																																												



UNII-1 5150~5250MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH38 5190MHz	
CDD 1+2	Horizontal	Vertical
Peak Avg.	 Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 1000.000MHz VSW:3.000 500MHz DBT:Auto Project : (FR)230408 Mode : 0 Plane : X- Full-directivity Polar : 0 power setting : 54 Over Limit : 54 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 10377.00 44.61 -23.69 68.30 58.05 37.43 15.57 66.44 300 0 Peak HORIZONTAL	 Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 VERTICAL Power : 1000.000MHz VSW:3.000 500MHz DBT:Auto Project : (FR)230408 Mode : 0 Plane : X- Full-directivity Polar : 0 power setting : 54 Over Limit : 54 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 10377.00 45.55 -22.75 68.30 58.99 37.43 15.57 66.44 100 0 Peak VERTICAL



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																											
ANT	802.11ax HE40 Full CH46 5230MHz																																																																											
CDD 1+2	Horizontal					Vertical																																																																						
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Site : 030607-KS Condition : SG BAND 1---3 @ 3117 00340132 HORIZONTAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT Auto Plane : (FR230408E) Mode : 9 Plane : X Full-directivity IMEI : #21 power setting : dB <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10465.00</td><td>46.04</td><td>-22.26</td><td>68.30</td><td>59.24</td><td>37.52</td><td>15.62</td><td>66.34</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Site : 030607-KS Condition : SG BAND 1---3 @ 3117 00340132 VERTICAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT Auto Plane : (FR230408E) Mode : 9 Plane : X Full-directivity IMEI : #21 power setting : dB <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10465.00</td><td>44.89</td><td>-23.41</td><td>68.30</td><td>58.09</td><td>37.52</td><td>15.62</td><td>66.34</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10465.00	46.04	-22.26	68.30	59.24	37.52	15.62	66.34	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10465.00	44.89	-23.41	68.30	58.09	37.52	15.62	66.34	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																				
1 10465.00	46.04	-22.26	68.30	59.24	37.52	15.62	66.34	300	0 Peak	HORIZONTAL																																																																		
Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																				
1 10465.00	44.89	-23.41	68.30	58.09	37.52	15.62	66.34	100	0 Peak	VERTICAL																																																																		





UNII-1 5150~5250MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH42 5210MHz	
CDD 1+2	Horizontal	Vertical
Peak Avg.	 Site : 030607-KS Condition : SS BAND 1---3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 10 Plane : X- Full-directivity Ant : #21 power setting : 50 Over Limit : 50 Frag Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 10421.00 45.00 -23.30 68.30 58.34 37.47 15.59 66.40 100 300 Peak HORIZONTAL	 Site : 030607-KS Condition : SS BAND 1---3 3m 3117 00240132 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 10 Plane : X- Full-directivity Ant : #21 power setting : 50 Over Limit : 50 Frag Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 10421.00 44.00 -24.30 68.30 57.34 37.47 15.59 66.40 100 0 Peak VERTICAL





UNII-1 - - 5150~5250MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-1 - 5150~5250MHz Harmonic @ 3m																																																			
ANT	802.11ax HE20 Full CH36 5180MHz																																																			
TxBF	Horizontal						Vertical																																													
1+2																																																				
Peak Avg.	 No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030407-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRR 1000 0000Kz VWR 3000 0000Kz DRT Auto Mode : 74 Plane : X- Full-directivity MEI : 871 power setting : 61 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><td>1</td><td>10360.00</td><td>44.59</td><td>-23.71</td><td>68.30</td><td>58.08</td><td>37.41</td><td>15.56</td><td>66.46</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>						Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	10360.00	44.59	-23.71	68.30	58.08	37.41	15.56	66.46	100	0 Peak	HORIZONTAL	 No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030407-KS Condition : 5G BAND 1-3 3m 3117 00240132 VERTICAL Project : RRR 1000 0000Kz VWR 3000 0000Kz DRT Auto Mode : 74 Plane : X- Full-directivity MEI : 871 power setting : 61 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><td>1</td><td>10360.00</td><td>44.43</td><td>-23.87</td><td>68.30</td><td>57.92</td><td>37.41</td><td>15.56</td><td>66.46</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>						Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	10360.00	44.43	-23.87	68.30	57.92	37.41	15.56	66.46	100	360 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																													
1	10360.00	44.59	-23.71	68.30	58.08	37.41	15.56	66.46	100	0 Peak	HORIZONTAL																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																													
1	10360.00	44.43	-23.87	68.30	57.92	37.41	15.56	66.46	100	360 Peak	VERTICAL																																									





WIFI	UNII-1 - 5150~5250MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH44 5220MHz	
TxBF 1+2	Horizontal	Vertical
Peak Avg.		





WIFI	UNII-1 - 5150~5250MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH48 5240MHz																																																																			
TxBF 1+2	Horizontal	Vertical																																																																		
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS230408 Plane : S1 Polar : Full-directivity IMEI : #21 PowerSetting : 40 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 10480.00</td><td>-22.09</td><td></td><td>68.30</td><td>59.36</td><td>37.54</td><td>15.63</td><td>66.32</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	m	dB	dB	dB	dB	cm	deg			1 10480.00	-22.09		68.30	59.36	37.54	15.63	66.32	100	0 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS230408 Plane : S1 Polar : Full-directivity IMEI : #21 PowerSetting : 40 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 10480.00</td><td>-23.49</td><td></td><td>68.30</td><td>57.96</td><td>37.54</td><td>15.63</td><td>66.32</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	m	dB	dB	dB	dB	cm	deg			1 10480.00	-23.49		68.30	57.96	37.54	15.63	66.32	100	360 Peak	VERTICAL
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	m	dB	dB	dB	dB	cm	deg																																																												
1 10480.00	-22.09		68.30	59.36	37.54	15.63	66.32	100	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	m	dB	dB	dB	dB	cm	deg																																																												
1 10480.00	-23.49		68.30	57.96	37.54	15.63	66.32	100	360 Peak	VERTICAL																																																										



UNII-1 - 5150~5250MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	UNII-1 - 5150~5250MHz Harmonic @ 3m																																																																									
ANT	802.11ax HE40 Full CH38 5190MHz																																																																									
TxBF	Horizontal						Vertical																																																																			
1+2																																																																										
Peak Avg.	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 11 Level (dBuV/m)  Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRR 1000 0000Hz VSW 3000 0000Hz DBT Auto Project : (FR) 230408 Mode : S8 Plane : X- Full-directivity MEI : 821 power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><td>1</td><td>10380.00</td><td>44.63</td><td>-23.67</td><td>68.30</td><td>58.07</td><td>37.43</td><td>15.57</td><td>66.44</td><td>100</td><td>300</td><td>Peak</td><td>HORIZONTAL</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	1	10380.00	44.63	-23.67	68.30	58.07	37.43	15.57	66.44	100	300	Peak	HORIZONTAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 12 Level (dBuV/m)  Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 VERTICAL Project : RRR 1000 0000Hz VSW 3000 0000Hz DBT Auto Project : (FR) 230408 Mode : S8 Plane : X- Full-directivity MEI : 821 power setting : 72 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><td>1</td><td>10380.00</td><td>44.47</td><td>-23.83</td><td>68.30</td><td>57.91</td><td>37.43</td><td>15.57</td><td>66.44</td><td>300</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	1	10380.00	44.47	-23.83	68.30	57.91	37.43	15.57	66.44	300	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																																		
1	10380.00	44.63	-23.67	68.30	58.07	37.43	15.57	66.44	100	300	Peak	HORIZONTAL																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																																		
1	10380.00	44.47	-23.83	68.30	57.91	37.43	15.57	66.44	300	0	Peak	VERTICAL																																																														






WIFI	UNII-1 - 5150~5250MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH46 5230MHz																																																																			
TxBF 1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT Auto Mode : FFS 230408 Plane : X Full-directivity IMEI : #21 Power setting : 72 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10460.00</td><td>45.39</td><td>-22.91</td><td>68.30</td><td>58.64</td><td>37.50</td><td>15.61</td><td>66.36</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10460.00	45.39	-22.91	68.30	58.64	37.50	15.61	66.36	100	0 Peak	HORIZONTAL	 Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT Auto Mode : FFS 230408 Plane : X Full-directivity IMEI : #21 Power setting : 72 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10460.00</td><td>44.64</td><td>-23.66</td><td>68.30</td><td>57.89</td><td>37.50</td><td>15.61</td><td>66.36</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10460.00	44.64	-23.66	68.30	57.89	37.50	15.61	66.36	100	360 Peak	VERTICAL
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 10460.00	45.39	-22.91	68.30	58.64	37.50	15.61	66.36	100	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 10460.00	44.64	-23.66	68.30	57.89	37.50	15.61	66.36	100	360 Peak	VERTICAL																																																										









UNII-1 - 5150~5250MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	UNII-1 - 5150~5250MHz Harmonic @ 3m																																																															
ANT	802.11ax HE80 Full CH42 5210MHz																																																															
TxBF	Horizontal	Vertical																																																														
1+2																																																																
Peak Avg.	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11  Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRB 1000 0000KHz VSW 3000 0000KHz DBT Auto Project : (FR) 230408 Mode : 60 Plane : X- Full-directivity MEI : 621 power setting : 76 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>46.19</td><td>-22.11</td><td>68.30</td><td>59.53</td><td>37.47</td><td>15.59</td><td>66.40</td><td>100</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	cm	deg			1	10420.00	46.19	-22.11	68.30	59.53	37.47	15.59	66.40	100	0	Peak	HORIZONTAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 12  Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 VERTICAL Project : RRB 1000 0000KHz VSW 3000 0000KHz DBT Auto Project : (FR) 230408 Mode : 60 Plane : X- Full-directivity MEI : 621 power setting : 76 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>44.70</td><td>-23.60</td><td>68.30</td><td>58.04</td><td>37.47</td><td>15.59</td><td>66.40</td><td>100</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	cm	deg			1	10420.00	44.70	-23.60	68.30	58.04	37.47	15.59	66.40	100	360	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	cm	deg																																																										
1	10420.00	46.19	-22.11	68.30	59.53	37.47	15.59	66.40	100	0	Peak	HORIZONTAL																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	cm	deg																																																										
1	10420.00	44.70	-23.60	68.30	58.04	37.47	15.59	66.40	100	360	Peak	VERTICAL																																																				





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																											
ANT	802.11a CH52 5260MHz - R																																																																											
CDD 1+2	Horizontal	Fundamental																																																																										
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 52 BAND 1-----3 3m 3117 00240132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR) 230408 Plane : 11 Polarization : 2- Full-directivity IEI : #21 Power setting : 60 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>W/m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5116.96</td><td>58.73</td><td>-15.27</td><td>74.00</td><td>43.05</td><td>34.33</td><td>10.61</td><td>29.26</td><td>298</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	W/m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg		1	5116.96	58.73	-15.27	74.00	43.05	34.33	10.61	29.26	298	360	Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 52 BAND 1-----3 3m 3117 00240132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR) 230408 Plane : 11 Polarization : 2- Full-directivity IEI : #21 Power setting : 60 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>W/m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5260.00</td><td>109.07</td><td>40.77</td><td>68.30</td><td>93.27</td><td>34.50</td><td>10.72</td><td>29.42</td><td>298</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5260.00</td><td>101.97</td><td>-----</td><td>66.17</td><td>34.50</td><td>10.72</td><td>29.42</td><td>298</td><td>360</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	W/m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg		1	5260.00	109.07	40.77	68.30	93.27	34.50	10.72	29.42	298	360	Peak	VERTICAL	2	5260.00	101.97	-----	66.17	34.50	10.72	29.42	298	360	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
W/m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																					
1	5116.96	58.73	-15.27	74.00	43.05	34.33	10.61	29.26	298	360	Peak	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
W/m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																					
1	5260.00	109.07	40.77	68.30	93.27	34.50	10.72	29.42	298	360	Peak	VERTICAL																																																																
2	5260.00	101.97	-----	66.17	34.50	10.72	29.42	298	360	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 52 BAND 1-----3 (AVG) 3m 3117 00240132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR) 230408 Plane : 11 Polarization : 2- Full-directivity IEI : #21 Power setting : 60 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>W/m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5134.08</td><td>48.91</td><td>-5.09</td><td>54.00</td><td>33.21</td><td>34.37</td><td>10.61</td><td>29.28</td><td>298</td><td>360</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	W/m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg		1	5134.08	48.91	-5.09	54.00	33.21	34.37	10.61	29.28	298	360	Average	VERTICAL	Left blank																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
W/m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																					
1	5134.08	48.91	-5.09	54.00	33.21	34.37	10.61	29.28	298	360	Average	VERTICAL																																																																











WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																						
ANT	802.11a CH60 5300MHz - L																																																																						
CDD 1+2	Horizontal	Fundamental																																																																					
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 3  Site : 030607-KS Condition : 5G BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : 12 Plane : X- Full-directivity Polarization : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5147.20</td><td>58.91</td><td>-15.09</td><td>74.00</td><td>43.20</td><td>34.40</td><td>10.62</td><td>29.31</td><td>300</td><td>331 Peak VERTICAL</td></tr></table>	Freq	Level	Unit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5147.20	58.91	-15.09	74.00	43.20	34.40	10.62	29.31	300	331 Peak VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5  Site : 030607-KS Condition : 5G BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : 12 Plane : X- Full-directivity Polarization : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5302.00</td><td>108.88</td><td>40.58</td><td>68.30</td><td>93.08</td><td>34.50</td><td>10.77</td><td>29.47</td><td>300</td><td>331 Peak VERTICAL</td></tr><tr><td>2 5302.00</td><td>102.11</td><td>-----</td><td>66.31</td><td>34.50</td><td>10.77</td><td>29.47</td><td>300</td><td>331 Average VERTICAL</td></tr></table>	Freq	Level	Unit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5302.00	108.88	40.58	68.30	93.08	34.50	10.77	29.47	300	331 Peak VERTICAL	2 5302.00	102.11	-----	66.31	34.50	10.77	29.47	300	331 Average VERTICAL
	Freq	Level	Unit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5147.20	58.91	-15.09	74.00	43.20	34.40	10.62	29.31	300	331 Peak VERTICAL																																																														
Freq	Level	Unit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5302.00	108.88	40.58	68.30	93.08	34.50	10.77	29.47	300	331 Peak VERTICAL																																																														
2 5302.00	102.11	-----	66.31	34.50	10.77	29.47	300	331 Average VERTICAL																																																															
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 4  Site : 030607-KS Condition : 5G BAND 1-----3 (AVG) 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.7500KHz SMT-Auto Mode : 12 Plane : X- Full-directivity Polarization : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5110.72</td><td>48.87</td><td>-5.13</td><td>54.00</td><td>33.19</td><td>34.33</td><td>10.61</td><td>29.26</td><td>300</td><td>331 Average VERTICAL</td></tr></table>	Freq	Level	Unit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5110.72	48.87	-5.13	54.00	33.19	34.33	10.61	29.26	300	331 Average VERTICAL	Left blank																																							
Freq	Level	Unit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5110.72	48.87	-5.13	54.00	33.19	34.33	10.61	29.26	300	331 Average VERTICAL																																																														





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11a CH60 5300MHz - R	
CDD 1+2	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																																						
ANT	802.11a CH60 5300MHz - L																																																																																																						
CDD 1+2	Vertical	Fundamental																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900058 http://www.sporton.com.cn Site Condition : 030607-KS SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR) 235408 Mode : 12 Plane : 3- Full-directivity IWE1 : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5119.20</td><td>59.05</td><td>-14.95</td><td>74.00</td><td>43.39</td><td>34.33</td><td>10.61</td><td>29.28</td><td>100</td><td>188 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900058 http://www.sporton.com.cn Site Condition : 030607-KS SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR) 235408 Mode : 12 Plane : 3- Full-directivity IWE1 : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5302.00</td><td>112.81</td><td>45.51</td><td>68.30</td><td>98.01</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>188 Peak</td></tr><tr><td>2 5302.00</td><td>107.04</td><td>-----</td><td>91.24</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>188 Average</td><td>HORIZONTAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900058 http://www.sporton.com.cn Site Condition : 030607-KS SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 0.7500KHz SMT Auto Plane : (FR) 235408 Mode : 12 Plane : 3- Full-directivity IWE1 : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5117.28</td><td>49.80</td><td>-4.20</td><td>54.00</td><td>34.12</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>188 Average</td></tr></table>  Left blank </td></tr>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5119.20	59.05	-14.95	74.00	43.39	34.33	10.61	29.28	100	188 Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5302.00	112.81	45.51	68.30	98.01	34.50	10.77	29.47	100	188 Peak	2 5302.00	107.04	-----	91.24	34.50	10.77	29.47	100	188 Average	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900058 http://www.sporton.com.cn Site Condition : 030607-KS SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 0.7500KHz SMT Auto Plane : (FR) 235408 Mode : 12 Plane : 3- Full-directivity IWE1 : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5117.28</td><td>49.80</td><td>-4.20</td><td>54.00</td><td>34.12</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>188 Average</td></tr></table>  Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5117.28	49.80	-4.20	54.00	34.12	34.33	10.61	29.26	100	188 Average
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																
1 5119.20	59.05	-14.95	74.00	43.39	34.33	10.61	29.28	100	188 Peak																																																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																
1 5302.00	112.81	45.51	68.30	98.01	34.50	10.77	29.47	100	188 Peak																																																																																														
2 5302.00	107.04	-----	91.24	34.50	10.77	29.47	100	188 Average	HORIZONTAL																																																																																														
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900058 http://www.sporton.com.cn Site Condition : 030607-KS SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 0.7500KHz SMT Auto Plane : (FR) 235408 Mode : 12 Plane : 3- Full-directivity IWE1 : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5117.28</td><td>49.80</td><td>-4.20</td><td>54.00</td><td>34.12</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>188 Average</td></tr></table>  Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5117.28	49.80	-4.20	54.00	34.12	34.33	10.61	29.26	100	188 Average																																																																								
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																
1 5117.28	49.80	-4.20	54.00	34.12	34.33	10.61	29.26	100	188 Average																																																																																														






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11a CH60 5300MHz - R																																
CDD 1+2	Vertical	Fundamental																															
Peak	 Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 000KHz SMT Auto Bode : (FR) 230408 Plane : 12 Polar : Full-directivity Polar : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5362.20</td><td>99.56</td><td>-14.44</td><td>74.00</td><td>43.73</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>188</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5362.20	99.56	-14.44	74.00	43.73	34.50	10.85	29.52	100	188	Peak	HORIZONTAL	Left blank
	Freq	Level	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																										
1	5362.20	99.56	-14.44	74.00	43.73	34.50	10.85	29.52	100	188	Peak	HORIZONTAL																					
Avg.	 Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 0 2500KHz SMT Auto Bode : (FR) 230408 Plane : 12 Polar : Full-directivity Polar : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.40</td><td>50.35</td><td>-3.65</td><td>54.00</td><td>34.54</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>188</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5350.40	50.35	-3.65	54.00	34.54	34.50	10.83	29.52	100	188	Average	HORIZONTAL	Left blank
	Freq	Level	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																										
1	5350.40	50.35	-3.65	54.00	34.54	34.50	10.83	29.52	100	188	Average	HORIZONTAL																					






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11a CH64 5320MHz																																																																							
CDD 1+2	Horizontal	Fundamental																																																																						
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (F) 230408 Mode : 13 Plane : X Full-directivity IMEI : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5324.50</td><td>61.60</td><td>-12.40</td><td>74.00</td><td>45.79</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>187 Peak HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5324.50	61.60	-12.40	74.00	45.79	34.50	10.83	29.52	100	187 Peak HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (F) 230408 Mode : 13 Plane : X Full-directivity IMEI : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5320.00</td><td>111.91</td><td>43.61</td><td>68.30</td><td>96.09</td><td>34.50</td><td>10.79</td><td>29.47</td><td>100</td><td>187 Peak HORIZONTAL</td></tr><tr><td>2 5320.00</td><td>105.14</td><td>43.61</td><td>68.30</td><td>96.09</td><td>34.50</td><td>10.79</td><td>29.47</td><td>100</td><td>187 Average HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5320.00	111.91	43.61	68.30	96.09	34.50	10.79	29.47	100	187 Peak HORIZONTAL	2 5320.00	105.14	43.61	68.30	96.09	34.50	10.79	29.47	100	187 Average HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																	
1 5324.50	61.60	-12.40	74.00	45.79	34.50	10.83	29.52	100	187 Peak HORIZONTAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																	
1 5320.00	111.91	43.61	68.30	96.09	34.50	10.79	29.47	100	187 Peak HORIZONTAL																																																															
2 5320.00	105.14	43.61	68.30	96.09	34.50	10.79	29.47	100	187 Average HORIZONTAL																																																															
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (F) 230408 Mode : 13 Plane : X Full-directivity IMEI : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5350.40</td><td>52.01</td><td>-1.99</td><td>54.00</td><td>36.20</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>187 Average HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5350.40	52.01	-1.99	54.00	36.20	34.50	10.83	29.52	100	187 Average HORIZONTAL	Left blank																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																	
1 5350.40	52.01	-1.99	54.00	36.20	34.50	10.83	29.52	100	187 Average HORIZONTAL																																																															






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11a CH64 5320MHz																																																																							
CDD 1+2	Vertical	Fundamental																																																																						
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR)230408 Plane : X- Full-directivity Polarization : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/m</th><th>dB</th><th>dBm/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.30</td><td>62.51</td><td>-11.49</td><td>74.00</td><td>46.70</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100 294 Peak VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR)230408 Plane : X- Full-directivity Polarization : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/m</th><th>dB</th><th>dBm/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>110.14</td><td>41.84</td><td>48.30</td><td>94.32</td><td>34.50</td><td>10.79</td><td>29.47</td><td>100 294 Peak VERTICAL</td></tr><tr><td>2</td><td>5320.00</td><td>103.07</td><td>-----</td><td>-----</td><td>87.25</td><td>34.50</td><td>10.79</td><td>29.47</td><td>100 294 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg		1	5320.30	62.51	-11.49	74.00	46.70	34.50	10.83	29.52	100 294 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg		1	5320.00	110.14	41.84	48.30	94.32	34.50	10.79	29.47	100 294 Peak VERTICAL	2	5320.00	103.07	-----	-----	87.25	34.50	10.79	29.47	100 294 Average VERTICAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																
1	5320.30	62.51	-11.49	74.00	46.70	34.50	10.83	29.52	100 294 Peak VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																
1	5320.00	110.14	41.84	48.30	94.32	34.50	10.79	29.47	100 294 Peak VERTICAL																																																															
2	5320.00	103.07	-----	-----	87.25	34.50	10.79	29.47	100 294 Average VERTICAL																																																															
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.7500KHz SMT-Auto Mode : (FR)230408 Plane : X- Full-directivity Polarization : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/m</th><th>dB</th><th>dBm/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.00</td><td>51.45</td><td>-2.55</td><td>54.00</td><td>35.64</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100 294 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg		1	5350.00	51.45	-2.55	54.00	35.64	34.50	10.83	29.52	100 294 Average VERTICAL																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																
1	5350.00	51.45	-2.55	54.00	35.64	34.50	10.83	29.52	100 294 Average VERTICAL																																																															







UNII-2A 5250~5350MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Full CH52 5260MHz - L																																																																			
CDD 1+2	Horizontal	Fundamental																																																																		
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WVR 3000.000000 SRT Auto Project : (FR) 230408 Mode : 14 Plane : X- Full-directivity MEI : #21 power setting : #8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5150.08</td><td>60.66</td><td>-7.44</td><td>68.30</td><td>44.95</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>178 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 5150.08	60.66	-7.44	68.30	44.95	34.40	10.62	29.31	100	178 Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WVR 3000.000000 SRT Auto Project : (FR) 230408 Mode : 14 Plane : X- Full-directivity MEI : #21 power setting : #8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 5260.00</td><td>113.34</td><td>45.04</td><td>68.30</td><td>97.54</td><td>34.50</td><td>10.72</td><td>29.42</td><td>100</td><td>178 Peak</td></tr><tr><td>2 5260.00</td><td>104.75</td><td>-----</td><td>88.95</td><td>34.50</td><td>10.72</td><td>29.42</td><td>100</td><td>178 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 * 5260.00	113.34	45.04	68.30	97.54	34.50	10.72	29.42	100	178 Peak	2 5260.00	104.75	-----	88.95	34.50	10.72	29.42	100	178 Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 5150.08	60.66	-7.44	68.30	44.95	34.40	10.62	29.31	100	178 Peak																																																											
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 * 5260.00	113.34	45.04	68.30	97.54	34.50	10.72	29.42	100	178 Peak																																																											
2 5260.00	104.75	-----	88.95	34.50	10.72	29.42	100	178 Average	HORIZONTAL																																																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WVR 0.270000 SRT Auto Project : (FR) 230408 Mode : 14 Plane : X- Full-directivity MEI : #21 power setting : #8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5148.48</td><td>49.63</td><td>-4.37</td><td>54.00</td><td>33.92</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>178 Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 5148.48	49.63	-4.37	54.00	33.92	34.40	10.62	29.31	100	178 Average	Left blank																																						
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 5148.48	49.63	-4.37	54.00	33.92	34.40	10.62	29.31	100	178 Average																																																											





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Full CH52 5260MHz - R																																																																						
CDD 1+2	Vertical	Fundamental																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 6 Site Condition : 030607-KS SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Plane : (FR)230408 Mode : 14 Plane : 2- Full-directivity IWE1 : #21 powersetting : 68 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5149.28</td><td>60.33</td><td>-13.67</td><td>74.00</td><td>44.62</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>287 Peak VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 6 Site Condition : 030607-KS SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Plane : (FR)230408 Mode : 14 Plane : 2- Full-directivity IWE1 : #21 powersetting : 68 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5260.00</td><td>109.40</td><td>41.10</td><td>68.30</td><td>93.60</td><td>34.50</td><td>10.72</td><td>29.42</td><td>100</td><td>287 Peak VERTICAL</td></tr><tr><td>2 5260.00</td><td>102.58</td><td>-----</td><td>66.78</td><td>34.50</td><td>10.72</td><td>29.42</td><td>100</td><td>287 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5149.28	60.33	-13.67	74.00	44.62	34.40	10.62	29.31	100	287 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5260.00	109.40	41.10	68.30	93.60	34.50	10.72	29.42	100	287 Peak VERTICAL	2 5260.00	102.58	-----	66.78	34.50	10.72	29.42	100	287 Average VERTICAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																
1 5149.28	60.33	-13.67	74.00	44.62	34.40	10.62	29.31	100	287 Peak VERTICAL																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																
1 5260.00	109.40	41.10	68.30	93.60	34.50	10.72	29.42	100	287 Peak VERTICAL																																																														
2 5260.00	102.58	-----	66.78	34.50	10.72	29.42	100	287 Average VERTICAL																																																															
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 7 Site Condition : 030607-KS SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.2700KHz SMT-Auto Plane : (FR)230408 Mode : 14 Plane : 2- Full-directivity IWE1 : #21 powersetting : 68 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5132.32</td><td>49.32</td><td>-4.68</td><td>54.00</td><td>33.62</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>287 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5132.32	49.32	-4.68	54.00	33.62	34.37	10.61	29.28	100	287 Average VERTICAL																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																
1 5132.32	49.32	-4.68	54.00	33.62	34.37	10.61	29.28	100	287 Average VERTICAL																																																														






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																																																		
ANT	802.11ax HE20 Full CH60 5300MHz - L																																																																																																																		
CDD 1+2	Horizontal	Fundamental																																																																																																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 3 <table><tr><th>Level (dBm/Hz)</th><th>117</th><th>105.3</th><th>93.6</th><th>81.9</th><th>70.2</th><th>58.5</th><th>46.8</th><th>35.1</th><th>23.4</th><th>11.7</th></tr><tr><th>Frequency (MHz)</th><td>5100</td><td>5130</td><td>5150</td><td>5170</td><td>5190</td><td>5210</td><td>5230</td><td>5250</td><td>5260</td><td></td></tr></table> Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 000KHz VBR 3000 000KHz SMT Auto Plane : (FR) 230408 Mode : 15 Plane : X- Full-directivity Plane : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1 5109.76</td><td>59.14</td><td>-14.86</td><td>74.00</td><td>43.46</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>180 Peak</td><td>HORIZONTAL</td></tr></table> <td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 5 <table><tr><th>Level (dBm/Hz)</th><th>117</th><th>105.3</th><th>93.6</th><th>81.9</th><th>70.2</th><th>58.5</th><th>46.8</th><th>35.1</th><th>23.4</th><th>11.7</th></tr><tr><th>Frequency (MHz)</th><td>1000</td><td>2000</td><td>3000</td><td>4000</td><td>5000</td><td>6000</td><td>7000</td><td></td><td></td><td></td></tr></table> Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 000KHz VBR 3000 000KHz SMT Auto Plane : (FR) 230408 Mode : 15 Plane : X- Full-directivity Plane : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1 5302.00</td><td>110.67</td><td>42.37</td><td>68.30</td><td>94.87</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>180 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5302.00</td><td>102.83</td><td></td><td></td><td>87.03</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>180 Average</td><td>HORIZONTAL</td></tr></table> </td>	Level (dBm/Hz)	117	105.3	93.6	81.9	70.2	58.5	46.8	35.1	23.4	11.7	Frequency (MHz)	5100	5130	5150	5170	5190	5210	5230	5250	5260		Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	deg		1 5109.76	59.14	-14.86	74.00	43.46	34.33	10.61	29.26	100	180 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 5 <table><tr><th>Level (dBm/Hz)</th><th>117</th><th>105.3</th><th>93.6</th><th>81.9</th><th>70.2</th><th>58.5</th><th>46.8</th><th>35.1</th><th>23.4</th><th>11.7</th></tr><tr><th>Frequency (MHz)</th><td>1000</td><td>2000</td><td>3000</td><td>4000</td><td>5000</td><td>6000</td><td>7000</td><td></td><td></td><td></td></tr></table> Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 000KHz VBR 3000 000KHz SMT Auto Plane : (FR) 230408 Mode : 15 Plane : X- Full-directivity Plane : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1 5302.00</td><td>110.67</td><td>42.37</td><td>68.30</td><td>94.87</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>180 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5302.00</td><td>102.83</td><td></td><td></td><td>87.03</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>180 Average</td><td>HORIZONTAL</td></tr></table>	Level (dBm/Hz)	117	105.3	93.6	81.9	70.2	58.5	46.8	35.1	23.4	11.7	Frequency (MHz)	1000	2000	3000	4000	5000	6000	7000				Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	deg		1 5302.00	110.67	42.37	68.30	94.87	34.50	10.77	29.47	100	180 Peak	HORIZONTAL	2 5302.00	102.83			87.03	34.50	10.77	29.47	100	180 Average	HORIZONTAL
Level (dBm/Hz)	117	105.3	93.6	81.9	70.2	58.5	46.8	35.1	23.4	11.7																																																																																																									
Frequency (MHz)	5100	5130	5150	5170	5190	5210	5230	5250	5260																																																																																																										
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																											
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	deg																																																																																																												
1 5109.76	59.14	-14.86	74.00	43.46	34.33	10.61	29.26	100	180 Peak	HORIZONTAL																																																																																																									
Level (dBm/Hz)	117	105.3	93.6	81.9	70.2	58.5	46.8	35.1	23.4	11.7																																																																																																									
Frequency (MHz)	1000	2000	3000	4000	5000	6000	7000																																																																																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																											
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	deg																																																																																																												
1 5302.00	110.67	42.37	68.30	94.87	34.50	10.77	29.47	100	180 Peak	HORIZONTAL																																																																																																									
2 5302.00	102.83			87.03	34.50	10.77	29.47	100	180 Average	HORIZONTAL																																																																																																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 4 <table><tr><th>Level (dBm/Hz)</th><th>117</th><th>105.3</th><th>93.6</th><th>81.9</th><th>70.2</th><th>58.5</th><th>46.8</th><th>35.1</th><th>23.4</th><th>11.7</th></tr><tr><th>Frequency (MHz)</th><td>5100</td><td>5130</td><td>5150</td><td>5170</td><td>5190</td><td>5210</td><td>5230</td><td>5250</td><td>5260</td><td></td></tr></table> Site : 030607-KS Condition : SG BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000 000KHz VBR 0 2700KHz SMT Auto Plane : (FR) 230408 Mode : 15 Plane : X- Full-directivity Plane : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1 5117.60</td><td>48.66</td><td>-5.34</td><td>54.00</td><td>32.98</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>180 Average</td><td>HORIZONTAL</td></tr></table> <td>Left blank</td>	Level (dBm/Hz)	117	105.3	93.6	81.9	70.2	58.5	46.8	35.1	23.4	11.7	Frequency (MHz)	5100	5130	5150	5170	5190	5210	5230	5250	5260		Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	deg		1 5117.60	48.66	-5.34	54.00	32.98	34.33	10.61	29.26	100	180 Average	HORIZONTAL	Left blank																																																														
Level (dBm/Hz)	117	105.3	93.6	81.9	70.2	58.5	46.8	35.1	23.4	11.7																																																																																																									
Frequency (MHz)	5100	5130	5150	5170	5190	5210	5230	5250	5260																																																																																																										
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																											
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	deg																																																																																																												
1 5117.60	48.66	-5.34	54.00	32.98	34.33	10.61	29.26	100	180 Average	HORIZONTAL																																																																																																									





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																			
ANT	802.11ax HE20 Full CH60 5300MHz - R																																			
CDD 1+2	Horizontal	Fundamental																																		
Peak	 Site : 030607-KS Condition : 5G BAND 1-----3 3e 3117 00240132 HORIZONTAL RBM 1000.000KHz VSW 3000.000KHz SWT Auto Project : (FR)230408 Mode : 15 Plane : X- Full-directivity IRE1 : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5351.50</td><td>57.74</td><td>-16.26</td><td>74.00</td><td>41.93</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>180 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5351.50	57.74	-16.26	74.00	41.93	34.50	10.83	29.52	100	180 Peak	HORIZONTAL	Left blank
Freq	Level	Limit	Over	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																												
1	5351.50	57.74	-16.26	74.00	41.93	34.50	10.83	29.52	100	180 Peak	HORIZONTAL																									
Avg.	 Site : 030607-KS Condition : 5G BAND 1-----3 (AVG) 3e 3117 00240132 HORIZONTAL RBM 1000.000KHz VSW 0.2700KHz SWT Auto Project : (FR)230408 Mode : 15 Plane : X- Full-directivity IRE1 : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5350.10</td><td>48.39</td><td>-5.61</td><td>54.00</td><td>32.58</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>180 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5350.10	48.39	-5.61	54.00	32.58	34.50	10.83	29.52	100	180 Average	HORIZONTAL	Left blank
Freq	Level	Limit	Over	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																												
1	5350.10	48.39	-5.61	54.00	32.58	34.50	10.83	29.52	100	180 Average	HORIZONTAL																									






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																					
ANT	802.11ax HE20 Full CH60 5300MHz - L																																																																																					
CDD 1+2	Vertical	Fundamental																																																																																				
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 8 Site Condition : 030607-KS SG BAND 1-----3 3m 3117 00240132 VERTICAL RRM 1000.000KHz VBR 3000.000KHz SMT Auto Project Mode : (FR)230408 Plane : 15 Plane : X- Full-directivity IMEI : #21 Power setting : 60 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.88</td><td>60.00</td><td>-14.00</td><td>74.00</td><td>44.32</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>296 Peak</td><td>VERTICAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5310.88	60.00	-14.00	74.00	44.32	34.33	10.61	29.26	100	296 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 10 Site Condition : 030607-KS SG BAND 1-----3 3m 3117 00240132 VERTICAL RRM 1000.000KHz VBR 3000.000KHz SMT Auto Project Mode : (FR)230408 Plane : 15 Plane : X- Full-directivity IMEI : #21 Power setting : 60 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 *</td><td>5302.00</td><td>109.63</td><td>41.33</td><td>68.30</td><td>93.83</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>296 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5302.00</td><td>101.64</td><td>-----</td><td>60.84</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>296 Average</td><td>VERTICAL</td><td></td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 *	5302.00	109.63	41.33	68.30	93.83	34.50	10.77	29.47	100	296 Peak	VERTICAL	2	5302.00	101.64	-----	60.84	34.50	10.77	29.47	100	296 Average	VERTICAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																													
1	5310.88	60.00	-14.00	74.00	44.32	34.33	10.61	29.26	100	296 Peak	VERTICAL																																																																											
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																													
1 *	5302.00	109.63	41.33	68.30	93.83	34.50	10.77	29.47	100	296 Peak	VERTICAL																																																																											
2	5302.00	101.64	-----	60.84	34.50	10.77	29.47	100	296 Average	VERTICAL																																																																												
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 9 Site Condition : 030607-KS SG BAND 1-----3 (AVG) 3m 3117 00240132 VERTICAL RRM 1000.000KHz VBR 0.2700KHz SMT Auto Project Mode : (FR)230408 Plane : 15 Plane : X- Full-directivity IMEI : #21 Power setting : 60 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5317.28</td><td>48.64</td><td>-5.36</td><td>54.00</td><td>32.96</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>296 Average</td><td>VERTICAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5317.28	48.64	-5.36	54.00	32.96	34.33	10.61	29.26	100	296 Average	VERTICAL	Left blank																																																
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																													
1	5317.28	48.64	-5.36	54.00	32.96	34.33	10.61	29.26	100	296 Average	VERTICAL																																																																											






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																															
ANT	802.11ax HE20 Full CH60 5300MHz - R																															
CDD 1+2	Vertical	Fundamental																														
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 15 Polar : Full-directivity IREI : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5384.70</td><td>57.37</td><td>-16.63</td><td>74.00</td><td>41.55</td><td>34.50</td><td>10.87</td><td>29.55</td><td>100 296 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	5384.70	57.37	-16.63	74.00	41.55	34.50	10.87	29.55	100 296 Peak VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																								
1	5384.70	57.37	-16.63	74.00	41.55	34.50	10.87	29.55	100 296 Peak VERTICAL																							
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 15 Polar : Full-directivity IREI : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5353.80</td><td>47.81</td><td>-6.19</td><td>54.00</td><td>32.00</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100 296 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	5353.80	47.81	-6.19	54.00	32.00	34.50	10.83	29.52	100 296 Average VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																								
1	5353.80	47.81	-6.19	54.00	32.00	34.50	10.83	29.52	100 296 Average VERTICAL																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Full CH64 5320MHz																																																																													
CDD 1+2	Horizontal	Fundamental																																																																												
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57909958 http://www.sportan.com.cn Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Plane : 16 Mode : 2- Full-directivity Polarization : 821 Power setting : 66 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5353.20</td><td>60.12</td><td>-13.88</td><td>74.00</td><td>44.31</td><td>34.50</td><td>10.83</td><td>29.52</td><td>120</td><td>179 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57909958 http://www.sportan.com.cn Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Plane : 16 Mode : 2- Full-directivity Polarization : 821 Power setting : 66 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5320.00</td><td>111.42</td><td>43.12</td><td>68.30</td><td>95.60</td><td>34.50</td><td>10.79</td><td>29.47</td><td>120</td><td>179 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5320.00</td><td>102.76</td><td></td><td>87.16</td><td>34.50</td><td>10.79</td><td>29.47</td><td>120</td><td>179 Average</td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5353.20	60.12	-13.88	74.00	44.31	34.50	10.83	29.52	120	179 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5320.00	111.42	43.12	68.30	95.60	34.50	10.79	29.47	120	179 Peak	HORIZONTAL	2	5320.00	102.76		87.16	34.50	10.79	29.47	120	179 Average		HORIZONTAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	5353.20	60.12	-13.88	74.00	44.31	34.50	10.83	29.52	120	179 Peak	HORIZONTAL																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	5320.00	111.42	43.12	68.30	95.60	34.50	10.79	29.47	120	179 Peak	HORIZONTAL																																																																			
2	5320.00	102.76		87.16	34.50	10.79	29.47	120	179 Average		HORIZONTAL																																																																			
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57909958 http://www.sportan.com.cn Site : 030607-KS Condition : SG BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 0.27000KHz SRT Auto Plane : 16 Mode : 2- Full-directivity Polarization : 821 Power setting : 66 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5350.80</td><td>51.06</td><td>-2.94</td><td>54.00</td><td>35.25</td><td>34.50</td><td>10.83</td><td>29.52</td><td>120</td><td>179 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5350.80	51.06	-2.94	54.00	35.25	34.50	10.83	29.52	120	179 Average	HORIZONTAL																																													
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	5350.80	51.06	-2.94	54.00	35.25	34.50	10.83	29.52	120	179 Average	HORIZONTAL																																																																			









WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Full CH64 5320MHz																																																																														
CDD 1+2	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : 16 Plane : 3- Full-directivity Polarization : 821 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dB</th><th>dBm/10m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5317.00</td><td>62.11</td><td>-11.89</td><td>74.00</td><td>46.30</td><td>34.50</td><td>10.83</td><td>29.52</td><td>315</td><td>172 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg			1 5317.00	62.11	-11.89	74.00	46.30	34.50	10.83	29.52	315	172 Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : 16 Plane : 3- Full-directivity Polarization : 821 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dB</th><th>dBm/10m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5314.00</td><td>110.55</td><td>42.25</td><td>68.30</td><td>94.73</td><td>34.50</td><td>10.79</td><td>29.47</td><td>315</td><td>172 Peak</td><td>VERTICAL</td></tr><tr><td>2 5314.00</td><td>102.22</td><td>34.50</td><td>68.30</td><td>94.73</td><td>34.50</td><td>10.79</td><td>29.47</td><td>315</td><td>172 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg			1 5314.00	110.55	42.25	68.30	94.73	34.50	10.79	29.47	315	172 Peak	VERTICAL	2 5314.00	102.22	34.50	68.30	94.73	34.50	10.79	29.47	315	172 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg																																																																							
1 5317.00	62.11	-11.89	74.00	46.30	34.50	10.83	29.52	315	172 Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg																																																																							
1 5314.00	110.55	42.25	68.30	94.73	34.50	10.79	29.47	315	172 Peak	VERTICAL																																																																					
2 5314.00	102.22	34.50	68.30	94.73	34.50	10.79	29.47	315	172 Average	VERTICAL																																																																					
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : 16 Plane : 3- Full-directivity Polarization : 821 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dB</th><th>dBm/10m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5317.00</td><td>51.02</td><td>-2.98</td><td>54.00</td><td>35.21</td><td>34.50</td><td>10.83</td><td>29.52</td><td>315</td><td>172 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg			1 5317.00	51.02	-2.98	54.00	35.21	34.50	10.83	29.52	315	172 Average	VERTICAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg																																																																							
1 5317.00	51.02	-2.98	54.00	35.21	34.50	10.83	29.52	315	172 Average	VERTICAL																																																																					






UNII-2A - 5250~5350MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Partial 106/54 CH64 5320MHz																																																																						
CDD 1+2	Horizontal	Fundamental																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Logo Data: 1  Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 100.0000W VSW: 3.000 0.000dB SRT: Auto Project : (FR) 230408 Mode : 17 Plane : X- Full-directivity MEI : #21 power setting : #21 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>deg</th><th>deg</th></tr><tr><td>1 5353.10</td><td>58.44</td><td>-15.56</td><td>74.00</td><td>42.63</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>9 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Logo Data: 3  Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 100.0000W VSW: 3.000 0.000dB SRT: Auto Project : (FR) 230408 Mode : 17 Plane : X- Full-directivity MEI : #21 power setting : #21 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>deg</th><th>deg</th></tr><tr><td>1 * 5320.00</td><td>112.55</td><td>44.25</td><td>48.30</td><td>56.73</td><td>34.50</td><td>10.79</td><td>29.47</td><td>100</td><td>9 Peak HORIZONTAL</td></tr><tr><td>2 5320.00</td><td>103.79</td><td>-----</td><td>87.97</td><td>34.50</td><td>10.79</td><td>29.47</td><td>100</td><td>9 Average HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg	1 5353.10	58.44	-15.56	74.00	42.63	34.50	10.83	29.52	100	9 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg	1 * 5320.00	112.55	44.25	48.30	56.73	34.50	10.79	29.47	100	9 Peak HORIZONTAL	2 5320.00	103.79	-----	87.97	34.50	10.79	29.47	100	9 Average HORIZONTAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg																																																														
1 5353.10	58.44	-15.56	74.00	42.63	34.50	10.83	29.52	100	9 Peak HORIZONTAL																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg																																																														
1 * 5320.00	112.55	44.25	48.30	56.73	34.50	10.79	29.47	100	9 Peak HORIZONTAL																																																														
2 5320.00	103.79	-----	87.97	34.50	10.79	29.47	100	9 Average HORIZONTAL																																																															
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site : 030607-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Power : 100.0000W VSW: 0.0100dB SRT: Auto Project : (FR) 230408 Mode : 17 Plane : X- Full-directivity MEI : #21 power setting : #21 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>deg</th><th>deg</th></tr><tr><td>1 5350.00</td><td>49.24</td><td>-4.76</td><td>54.00</td><td>33.43</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>9 Average HORIZONTAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg	1 5350.00	49.24	-4.76	54.00	33.43	34.50	10.83	29.52	100	9 Average HORIZONTAL																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg																																																														
1 5350.00	49.24	-4.76	54.00	33.43	34.50	10.83	29.52	100	9 Average HORIZONTAL																																																														





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Partial 106/54 CH64 5320MHz																																																																							
CDD 1+2	Vertical	Fundamental																																																																						
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : 17 Mode : 3- Full-directivity Polarization : 821 power setting : 62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5320.50</td><td>58.67</td><td>-15.33</td><td>74.00</td><td>42.86</td><td>34.50</td><td>10.83</td><td>29.52</td><td>103</td><td>118 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dBm/10m	dBm/10m	dBm/10m	dBm/10m	cm	deg			1 5320.50	58.67	-15.33	74.00	42.86	34.50	10.83	29.52	103	118 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : 17 Mode : 3- Full-directivity Polarization : 821 power setting : 62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5320.00</td><td>108.98</td><td>40.68</td><td>68.30</td><td>93.18</td><td>34.50</td><td>10.79</td><td>29.49</td><td>103</td><td>118 Peak VERTICAL</td></tr><tr><td>2 5320.00</td><td>101.68</td><td>40.68</td><td>68.30</td><td>34.50</td><td>10.79</td><td>29.49</td><td>103</td><td>118 Average VERTICAL</td><td></td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dBm/10m	dBm/10m	dBm/10m	dBm/10m	cm	deg			1 5320.00	108.98	40.68	68.30	93.18	34.50	10.79	29.49	103	118 Peak VERTICAL	2 5320.00	101.68	40.68	68.30	34.50	10.79	29.49	103	118 Average VERTICAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/10m	dBm/10m	dBm/10m	dBm/10m	dBm/10m	cm	deg																																																																	
1 5320.50	58.67	-15.33	74.00	42.86	34.50	10.83	29.52	103	118 Peak VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/10m	dBm/10m	dBm/10m	dBm/10m	dBm/10m	cm	deg																																																																	
1 5320.00	108.98	40.68	68.30	93.18	34.50	10.79	29.49	103	118 Peak VERTICAL																																																															
2 5320.00	101.68	40.68	68.30	34.50	10.79	29.49	103	118 Average VERTICAL																																																																
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.0100KHz SMT Auto Plane : 17 Mode : 3- Full-directivity Polarization : 821 power setting : 62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>dBm/10m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5350.00</td><td>48.04</td><td>-5.96</td><td>54.00</td><td>32.23</td><td>34.50</td><td>10.83</td><td>29.52</td><td>103</td><td>118 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dBm/10m	dBm/10m	dBm/10m	dBm/10m	cm	deg			1 5350.00	48.04	-5.96	54.00	32.23	34.50	10.83	29.52	103	118 Average VERTICAL	Left blank																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/10m	dBm/10m	dBm/10m	dBm/10m	dBm/10m	cm	deg																																																																	
1 5350.00	48.04	-5.96	54.00	32.23	34.50	10.83	29.52	103	118 Average VERTICAL																																																															






UNII-2A 5250~5350MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																																						
ANT	802.11ax HE40 Full CH54 5270 - L																																																																																																						
CDD 1+2	Horizontal	Fundamental																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Mode : 18 Plane : X- Full-directivity ME1 : 421 power setting : 70 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 510051305150517051905210523052505260 Frequency (MHz) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5112.96</td><td>62.91</td><td>-11.09</td><td>74.00</td><td>47.23</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>174</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Mode : 18 Plane : X- Full-directivity ME1 : 421 power setting : 70 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000200030004000500060007000 Frequency (MHz) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>109.57</td><td>41.27</td><td>68.30</td><td>93.77</td><td>34.50</td><td>10.72</td><td>29.42</td><td>100</td><td>174</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5260.00</td><td>101.65</td><td>-----</td><td>85.89</td><td>34.50</td><td>10.72</td><td>29.42</td><td>-----</td><td>100</td><td>-----</td><td>Average</td><td>HORIZONTAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:0.510KHz SRT:Auto Mode : 18 Plane : X- Full-directivity ME1 : 421 power setting : 70 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 510051305150517051905210523052505260 Frequency (MHz) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.48</td><td>51.73</td><td>-2.27</td><td>54.00</td><td>36.05</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>174</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank </td></tr>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV	dBuV	dB	cm	deg	1	5112.96	62.91	-11.09	74.00	47.23	34.33	10.61	29.26	100	174	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV	dBuV	dB	cm	deg	1	5260.00	109.57	41.27	68.30	93.77	34.50	10.72	29.42	100	174	Peak	HORIZONTAL	2	5260.00	101.65	-----	85.89	34.50	10.72	29.42	-----	100	-----	Average	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:0.510KHz SRT:Auto Mode : 18 Plane : X- Full-directivity ME1 : 421 power setting : 70 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 510051305150517051905210523052505260 Frequency (MHz) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.48</td><td>51.73</td><td>-2.27</td><td>54.00</td><td>36.05</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>174</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV	dBuV	dB	cm	deg	1	5108.48	51.73	-2.27	54.00	36.05	34.33	10.61	29.26	100	174	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
WIC	dBuV/m	dB	dBuV	dBuV	dB	cm	deg																																																																																																
1	5112.96	62.91	-11.09	74.00	47.23	34.33	10.61	29.26	100	174	Peak	HORIZONTAL																																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
WIC	dBuV/m	dB	dBuV	dBuV	dB	cm	deg																																																																																																
1	5260.00	109.57	41.27	68.30	93.77	34.50	10.72	29.42	100	174	Peak	HORIZONTAL																																																																																											
2	5260.00	101.65	-----	85.89	34.50	10.72	29.42	-----	100	-----	Average	HORIZONTAL																																																																																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:0.510KHz SRT:Auto Mode : 18 Plane : X- Full-directivity ME1 : 421 power setting : 70 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 510051305150517051905210523052505260 Frequency (MHz) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.48</td><td>51.73</td><td>-2.27</td><td>54.00</td><td>36.05</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>174</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV	dBuV	dB	cm	deg	1	5108.48	51.73	-2.27	54.00	36.05	34.33	10.61	29.26	100	174	Average	HORIZONTAL																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
WIC	dBuV/m	dB	dBuV	dBuV	dB	cm	deg																																																																																																
1	5108.48	51.73	-2.27	54.00	36.05	34.33	10.61	29.26	100	174	Average	HORIZONTAL																																																																																											





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																															
ANT	802.11ax HE40 Full CH54 5270 - R																															
CDD 1+2	Horizontal	Fundamental																														
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 6  Site: 030807-KS Condition: 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project: RRM 1000 0000KHz VSW: 3000 0000KHz SWT: Auto Mode: (FR) 230408 Plane: 18 Polar: 2- Full-directivity IMEI: #21 Power setting: 70 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5302.50</td><td>60.33</td><td>-13.67</td><td>74.00</td><td>44.52</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>174</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Limit	Level	Factor	Loss	Factor	cm	deg	1	5302.50	60.33	-13.67	74.00	44.52	34.50	10.83	29.52	100	174	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	Level	Limit	Level	Factor	Loss	Factor	cm	deg																								
1	5302.50	60.33	-13.67	74.00	44.52	34.50	10.83	29.52	100	174	Peak	HORIZONTAL																				
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 7  Site: 030807-KS Condition: 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project: RRM 1000 0000KHz VSW: 0.5108KHz SWT: Auto Mode: (FR) 230408 Plane: 18 Polar: 2- Full-directivity IMEI: #21 Power setting: 70 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>51.23</td><td>-2.77</td><td>54.00</td><td>35.42</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>174</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Limit	Level	Factor	Loss	Factor	cm	deg	1	5350.10	51.23	-2.77	54.00	35.42	34.50	10.83	29.52	100	174	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	Level	Limit	Level	Factor	Loss	Factor	cm	deg																								
1	5350.10	51.23	-2.77	54.00	35.42	34.50	10.83	29.52	100	174	Average	HORIZONTAL																				






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE40 Full CH54 5270 - L																																																																													
CDD 1+2	Vertical	Fundamental																																																																												
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS 230408 Plane : 18 Polar : X- Full-directivity IMEI : #21 PowerSetting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5130.88</td><td>60.34</td><td>-13.66</td><td>74.00</td><td>44.64</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>287 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1	5130.88	60.34	-13.66	74.00	44.64	34.37	10.61	29.28	100	287 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS 230408 Plane : 18 Polar : X- Full-directivity IMEI : #21 PowerSetting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5278.00</td><td>108.89</td><td>40.59</td><td>68.30</td><td>93.09</td><td>34.50</td><td>10.74</td><td>29.44</td><td>100</td><td>287 Peak VERTICAL</td></tr><tr><td>2</td><td>5278.00</td><td>99.38</td><td></td><td>63.58</td><td>34.50</td><td>10.74</td><td>29.44</td><td>100</td><td>287 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1	5278.00	108.89	40.59	68.30	93.09	34.50	10.74	29.44	100	287 Peak VERTICAL	2	5278.00	99.38		63.58	34.50	10.74	29.44	100	287 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																																																																						
1	5130.88	60.34	-13.66	74.00	44.64	34.37	10.61	29.28	100	287 Peak VERTICAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																																																																						
1	5278.00	108.89	40.59	68.30	93.09	34.50	10.74	29.44	100	287 Peak VERTICAL																																																																				
2	5278.00	99.38		63.58	34.50	10.74	29.44	100	287 Average VERTICAL																																																																					
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.5100KHz SMT:Auto Mode : FFS 230408 Plane : 18 Polar : X- Full-directivity IMEI : #21 PowerSetting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5130.88</td><td>50.40</td><td>-3.60</td><td>54.00</td><td>34.70</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>287 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1	5130.88	50.40	-3.60	54.00	34.70	34.37	10.61	29.28	100	287 Average VERTICAL	Left blank																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																																																																						
1	5130.88	50.40	-3.60	54.00	34.70	34.37	10.61	29.28	100	287 Average VERTICAL																																																																				





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																									
ANT	802.11ax HE40 Full CH54 5270 - R																									
CDD 1+2	Vertical	Fundamental																								
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 11  Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 000KHz SMT Auto Mode : (FR) 230408 Plane : 18 Plane : 8- Full-directivity IMEI : #21 power setting : 70 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>61.58</td><td>-12.42</td><td>74.00</td><td>45.77</td><td>34.50</td><td>10.83 29.52 100 287 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5350.20	61.58	-12.42	74.00	45.77	34.50	10.83 29.52 100 287 Peak VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																			
1	5350.20	61.58	-12.42	74.00	45.77	34.50	10.83 29.52 100 287 Peak VERTICAL																			
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 12  Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 0.0100KHz SMT Auto Mode : (FR) 230408 Plane : 18 Plane : 8- Full-directivity IMEI : #21 power setting : 70 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.55</td><td>-3.45</td><td>54.00</td><td>34.74</td><td>34.50</td><td>10.83 29.52 100 287 Average VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5350.00	50.55	-3.45	54.00	34.74	34.50	10.83 29.52 100 287 Average VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																			
1	5350.00	50.55	-3.45	54.00	34.74	34.50	10.83 29.52 100 287 Average VERTICAL																			






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Full CH62 5310 - L																																																																																	
CDD	Horizontal	Fundamental																																																																																
1+2																																																																																		
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : (FR) 230408 Plane : 19 Polar : X-Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5125.92</td><td>58.92</td><td>-15.08</td><td>74.00</td><td>43.22</td><td>34.37</td><td>10.61</td><td>29.28</td><td>135</td><td>179 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : (FR) 230408 Plane : 19 Polar : X-Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5320.00</td><td>163.61</td><td>35.31</td><td>48.30</td><td>87.79</td><td>34.50</td><td>10.79</td><td>29.47</td><td>135</td><td>179 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5320.00</td><td>17.42</td><td></td><td>81.60</td><td>34.50</td><td>10.79</td><td>29.47</td><td>135</td><td>179 Average</td><td></td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5125.92	58.92	-15.08	74.00	43.22	34.37	10.61	29.28	135	179 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5320.00	163.61	35.31	48.30	87.79	34.50	10.79	29.47	135	179 Peak	HORIZONTAL	2	5320.00	17.42		81.60	34.50	10.79	29.47	135	179 Average			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																										
1	5125.92	58.92	-15.08	74.00	43.22	34.37	10.61	29.28	135	179 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																										
1	5320.00	163.61	35.31	48.30	87.79	34.50	10.79	29.47	135	179 Peak	HORIZONTAL																																																																							
2	5320.00	17.42		81.60	34.50	10.79	29.47	135	179 Average																																																																									
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 0.01000KHz SMT:Auto Mode : (FR) 230408 Plane : 19 Polar : X-Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5149.60</td><td>49.38</td><td>-4.62</td><td>54.00</td><td>33.67</td><td>34.40</td><td>10.62</td><td>29.31</td><td>135</td><td>179 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5149.60	49.38	-4.62	54.00	33.67	34.40	10.62	29.31	135	179 Average	HORIZONTAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																										
1	5149.60	49.38	-4.62	54.00	33.67	34.40	10.62	29.31	135	179 Average	HORIZONTAL																																																																							





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																														
ANT	802.11ax HE40 Full CH62 5310 - R																														
CDD 1+2	Horizontal	Fundamental																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT:Auto Mode : (FR) 230408 Plane : 19 Polar : 2- Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>5302.50</td><td>62.78</td><td>-11.22</td><td>74.00</td><td>46.97</td><td>34.50</td><td>10.83</td><td>29.52</td><td>135</td><td>179</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Limit	Level Factor	Loss Factor	dB	deg		1	5302.50	62.78	-11.22	74.00	46.97	34.50	10.83	29.52	135	179	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	Level	Limit	Level Factor	Loss Factor	dB	deg																									
1	5302.50	62.78	-11.22	74.00	46.97	34.50	10.83	29.52	135	179	Peak	HORIZONTAL																			
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 0.01000KHz SMT:Auto Mode : (FR) 230408 Plane : 19 Polar : 2- Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>5300.80</td><td>52.33</td><td>-1.67</td><td>54.00</td><td>36.52</td><td>34.50</td><td>10.83</td><td>29.52</td><td>135</td><td>179</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Limit	Level Factor	Loss Factor	dB	deg		1	5300.80	52.33	-1.67	54.00	36.52	34.50	10.83	29.52	135	179	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	Level	Limit	Level Factor	Loss Factor	dB	deg																									
1	5300.80	52.33	-1.67	54.00	36.52	34.50	10.83	29.52	135	179	Average	HORIZONTAL																			






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE40 Full CH62 5310 - L																																																																													
CDD 1+2	Vertical	Fundamental																																																																												
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 21  Site : 030807-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : (FR) 230408 Plane : 19 Polar : X- Full-directivity IMEI : #21 PowerSetting : 54 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5136.32</td><td>59.10</td><td>-14.90</td><td>74.00</td><td>43.40</td><td>34.37</td><td>10.61</td><td>29.28</td><td>300</td><td>164 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5136.32	59.10	-14.90	74.00	43.40	34.37	10.61	29.28	300	164 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 23  Site : 030807-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : (FR) 230408 Plane : 19 Polar : X- Full-directivity IMEI : #21 PowerSetting : 54 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5296.00</td><td>103.55</td><td>35.25</td><td>48.30</td><td>87.72</td><td>34.50</td><td>10.77</td><td>29.44</td><td>300</td><td>164 Peak VERTICAL</td></tr><tr><td>2</td><td>5296.00</td><td>76.22</td><td></td><td>60.39</td><td>34.50</td><td>10.77</td><td>29.44</td><td>300</td><td>164 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5296.00	103.55	35.25	48.30	87.72	34.50	10.77	29.44	300	164 Peak VERTICAL	2	5296.00	76.22		60.39	34.50	10.77	29.44	300	164 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5136.32	59.10	-14.90	74.00	43.40	34.37	10.61	29.28	300	164 Peak VERTICAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5296.00	103.55	35.25	48.30	87.72	34.50	10.77	29.44	300	164 Peak VERTICAL																																																																				
2	5296.00	76.22		60.39	34.50	10.77	29.44	300	164 Average VERTICAL																																																																					
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 22  Site : 030807-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.51000KHz SMT:Auto Mode : (FR) 230408 Plane : 19 Polar : X- Full-directivity IMEI : #21 PowerSetting : 54 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5116.00</td><td>48.96</td><td>-5.04</td><td>54.00</td><td>33.28</td><td>34.33</td><td>10.61</td><td>29.26</td><td>300</td><td>164 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5116.00	48.96	-5.04	54.00	33.28	34.33	10.61	29.26	300	164 Average VERTICAL	Left blank																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5116.00	48.96	-5.04	54.00	33.28	34.33	10.61	29.26	300	164 Average VERTICAL																																																																				





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																	
ANT	802.11ax HE40 Full CH62 5310 - R																																	
CDD 1+2	Vertical	Fundamental																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57900928 http://www.sparton.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 19 Polar : 2- Full-directivity IMEI : #21 Power setting : 24 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.30</td><td>61.68</td><td>-12.32</td><td>74.00</td><td>45.87</td><td>34.50</td><td>10.83 29.52</td><td>300 164 Peak VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 5350.30	61.68	-12.32	74.00	45.87	34.50	10.83 29.52	300 164 Peak VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase																											
Freq	Level	Limit	Level Factor	Loss Factor																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																											
1 5350.30	61.68	-12.32	74.00	45.87	34.50	10.83 29.52	300 164 Peak VERTICAL																											
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57900928 http://www.sparton.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 0.01000KHz SMT Auto Mode : (FR) 230408 Plane : 19 Polar : 2- Full-directivity IMEI : #21 Power setting : 24 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.30</td><td>50.78</td><td>-3.72</td><td>54.00</td><td>34.47</td><td>34.50</td><td>10.83 29.52</td><td>300 164 Average VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 5350.30	50.78	-3.72	54.00	34.47	34.50	10.83 29.52	300 164 Average VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase																											
Freq	Level	Limit	Level Factor	Loss Factor																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																											
1 5350.30	50.78	-3.72	54.00	34.47	34.50	10.83 29.52	300 164 Average VERTICAL																											






UNII-2A 5250~5350MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																							
CDD 1+2	Horizontal	Fundamental																																																																						
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Project : (FR) 230408 Mode : 20 Plane : X- Full-directivity MEI : #1 power setting : S4 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5132.28</td><td>61.08</td><td>-12.92</td><td>74.00</td><td>40.38</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>183</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	5132.28	61.08	-12.92	74.00	40.38	34.37	10.61	29.28	100	183	Peak	HORIZONTAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 13 Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Project : (FR) 230408 Mode : 20 Plane : X- Full-directivity MEI : #1 power setting : S4 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5302.00</td><td>101.20</td><td>32.90</td><td>68.30</td><td>85.40</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>183</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5302.00</td><td>93.14</td><td>-----</td><td>77.34</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>183</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	5302.00	101.20	32.90	68.30	85.40	34.50	10.77	29.47	100	183	Peak	HORIZONTAL	2	5302.00	93.14	-----	77.34	34.50	10.77	29.47	100	183	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																		
1	5132.28	61.08	-12.92	74.00	40.38	34.37	10.61	29.28	100	183	Peak	HORIZONTAL																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																		
1	5302.00	101.20	32.90	68.30	85.40	34.50	10.77	29.47	100	183	Peak	HORIZONTAL																																																												
2	5302.00	93.14	-----	77.34	34.50	10.77	29.47	100	183	Average	HORIZONTAL																																																													
Avg.	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Site : 030607-KS Condition : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:1.100KHz SRT:Auto Project : (FR) 230408 Mode : 20 Plane : X- Full-directivity MEI : #1 power setting : S4 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5108.48</td><td>50.53</td><td>-3.47</td><td>54.00</td><td>34.85</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>183</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg		1	5108.48	50.53	-3.47	54.00	34.85	34.33	10.61	29.26	100	183	Average	HORIZONTAL	Left blank																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																		
1	5108.48	50.53	-3.47	54.00	34.85	34.33	10.61	29.26	100	183	Average	HORIZONTAL																																																												





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH58 5290MHz - R	
CDD 1+2	Horizontal	Fundamental
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sparton.co.uk.cn	Left blank
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sparton.co.uk.cn	Left blank






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																												
CDD 1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : (FR) 230408 Plane : 20 Polar : Full-directivity IMEI : #21 Power setting : 54 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Wz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5147.52</td><td>99.53</td><td>-14.47</td><td>74.00</td><td>43.82</td><td>34.40</td><td>10.62</td><td>29.31</td><td>301</td><td>164</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Wz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5147.52	99.53	-14.47	74.00	43.82	34.40	10.62	29.31	301	164	Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : (FR) 230408 Plane : 20 Polar : Full-directivity IMEI : #21 Power setting : 54 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Wz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5302.00</td><td>99.20</td><td>30.90</td><td>48.30</td><td>83.40</td><td>34.50</td><td>10.77</td><td>29.47</td><td>301</td><td>164</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5302.00</td><td>91.12</td><td></td><td>75.32</td><td>34.50</td><td>10.77</td><td>29.47</td><td></td><td>301</td><td>164</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Wz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5302.00	99.20	30.90	48.30	83.40	34.50	10.77	29.47	301	164	Peak	VERTICAL	2	5302.00	91.12		75.32	34.50	10.77	29.47		301	164	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Wz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5147.52	99.53	-14.47	74.00	43.82	34.40	10.62	29.31	301	164	Peak	VERTICAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Wz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5302.00	99.20	30.90	48.30	83.40	34.50	10.77	29.47	301	164	Peak	VERTICAL																																																																	
2	5302.00	91.12		75.32	34.50	10.77	29.47		301	164	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 1.1000KHz SMT:Auto Mode : (FR) 230408 Plane : 20 Polar : Full-directivity IMEI : #21 Power setting : 54 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Wz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5112.48</td><td>49.25</td><td>-4.75</td><td>54.00</td><td>33.57</td><td>34.33</td><td>10.61</td><td>29.26</td><td>301</td><td>164</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Wz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5112.48	49.25	-4.75	54.00	33.57	34.33	10.61	29.26	301	164	Average	VERTICAL	Left blank																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Wz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5112.48	49.25	-4.75	54.00	33.57	34.33	10.61	29.26	301	164	Average	VERTICAL																																																																	



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																												
ANT	802.11ax HE80 Full CH58 5290MHz - R																												
CDD 1+2	Vertical	Fundamental																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57900928 http://www.spartan.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 000KHz SMT Auto Mode : (FR) 230408 Plane : 20 Polar : 0- Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dB</th><th>dBm/10m</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1 5355.20</td><td>60.24 -13.76</td><td>74.00</td><td>44.43</td><td>34.50</td><td>10.83</td><td>29.52</td><td>301</td><td>164 Peak</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	deg			1 5355.20	60.24 -13.76	74.00	44.43	34.50	10.83	29.52	301	164 Peak	Left blank
Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																					
MHz	dBm/10m	dB	dBm/10m	dB	dB	deg																							
1 5355.20	60.24 -13.76	74.00	44.43	34.50	10.83	29.52	301	164 Peak																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57900928 http://www.spartan.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 1 1000KHz SMT Auto Mode : (FR) 230408 Plane : 20 Polar : 0- Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dB</th><th>dBm/10m</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1 5352.30</td><td>50.08 -3.92</td><td>54.00</td><td>34.27</td><td>34.50</td><td>10.83</td><td>29.52</td><td>301</td><td>164 Average</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	deg			1 5352.30	50.08 -3.92	54.00	34.27	34.50	10.83	29.52	301	164 Average	Left blank
Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																					
MHz	dBm/10m	dB	dBm/10m	dB	dB	deg																							
1 5352.30	50.08 -3.92	54.00	34.27	34.50	10.83	29.52	301	164 Average																					



UNII-2A - - 5250~5350MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH52 5260MHz	
TxBF	Horizontal	Fundamental
1+2		
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Power : 52 Mode : X- Full-directivity Plane : HZ Power setting : 42 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 5112.32 58.40 -15.60 74.00 42.72 34.33 10.61 29.26 103 0 Peak HORIZONTAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Power : 52 Mode : X- Full-directivity Plane : HZ Power setting : 42 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 * 5260.00 111.23 42.93 68.30 95.43 34.50 10.72 29.42 103 0 Peak HORIZONTAL 2 5260.00 91.92 76.12 34.50 10.72 29.42 103 0 Average HORIZONTAL
Avg.	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto Power : 52 Mode : X- Full-directivity Plane : HZ Power setting : 42 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 5141.76 52.15 -1.85 54.00 36.41 34.40 10.62 29.28 103 0 Average HORIZONTAL	Left blank





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																											
ANT	802.11ax HE20 Full CH52 5260MHz																																																																											
TxBF 1+2	Vertical	Fundamental																																																																										
Peak	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : S2 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5130.56</td><td>58.17</td><td>-15.83</td><td>74.00</td><td>42.47</td><td>34.37</td><td>10.61</td><td>29.28</td><td>106</td><td>110</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dB	dB	dB	cm	deg		1	5130.56	58.17	-15.83	74.00	42.47	34.37	10.61	29.28	106	110	Peak	VERTICAL	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : S2 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5272.00</td><td>105.53</td><td>37.23</td><td>48.30</td><td>89.75</td><td>34.50</td><td>10.72</td><td>29.44</td><td>106</td><td>110</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5272.00</td><td>95.58</td><td>-----</td><td>74.90</td><td>34.50</td><td>10.72</td><td>29.44</td><td>106</td><td>110</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dB	dB	dB	cm	deg		1	5272.00	105.53	37.23	48.30	89.75	34.50	10.72	29.44	106	110	Peak	VERTICAL	2	5272.00	95.58	-----	74.90	34.50	10.72	29.44	106	110	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100m	dB	dB	dB	dB	cm	deg																																																																					
1	5130.56	58.17	-15.83	74.00	42.47	34.37	10.61	29.28	106	110	Peak	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100m	dB	dB	dB	dB	cm	deg																																																																					
1	5272.00	105.53	37.23	48.30	89.75	34.50	10.72	29.44	106	110	Peak	VERTICAL																																																																
2	5272.00	95.58	-----	74.90	34.50	10.72	29.44	106	110	Average	VERTICAL																																																																	
Avg.	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : S2 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5112.00</td><td>51.77</td><td>-2.23</td><td>54.00</td><td>36.09</td><td>34.33</td><td>10.61</td><td>29.26</td><td>106</td><td>110</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dB	dB	dB	cm	deg		1	5112.00	51.77	-2.23	54.00	36.09	34.33	10.61	29.26	106	110	Average	VERTICAL	Left blank																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100m	dB	dB	dB	dB	cm	deg																																																																					
1	5112.00	51.77	-2.23	54.00	36.09	34.33	10.61	29.26	106	110	Average	VERTICAL																																																																








WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Full CH60 5300MHz - L																																																																														
TxBF 1+2	Horizontal	Fundamental																																																																													
Peak	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 53 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5144.00</td><td>58.84</td><td>-15.16</td><td>74.00</td><td>43.13</td><td>34.40</td><td>10.62</td><td>29.31</td><td>102</td><td>353 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1 5144.00	58.84	-15.16	74.00	43.13	34.40	10.62	29.31	102	353 Peak	HORIZONTAL	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 53 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5302.00</td><td>113.08</td><td>44.78</td><td>68.30</td><td>97.28</td><td>34.50</td><td>10.77</td><td>29.47</td><td>102</td><td>353 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5302.00</td><td>94.03</td><td></td><td></td><td>78.33</td><td>34.50</td><td>10.77</td><td>29.47</td><td>102</td><td>353 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1 5302.00	113.08	44.78	68.30	97.28	34.50	10.77	29.47	102	353 Peak	HORIZONTAL	2 5302.00	94.03			78.33	34.50	10.77	29.47	102	353 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																																																																							
1 5144.00	58.84	-15.16	74.00	43.13	34.40	10.62	29.31	102	353 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																																																																							
1 5302.00	113.08	44.78	68.30	97.28	34.50	10.77	29.47	102	353 Peak	HORIZONTAL																																																																					
2 5302.00	94.03			78.33	34.50	10.77	29.47	102	353 Average	HORIZONTAL																																																																					
Avg.	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 53 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5115.68</td><td>51.79</td><td>-2.21</td><td>54.00</td><td>36.11</td><td>34.33</td><td>10.61</td><td>29.26</td><td>102</td><td>353 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1 5115.68	51.79	-2.21	54.00	36.11	34.33	10.61	29.26	102	353 Average	HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																																																																							
1 5115.68	51.79	-2.21	54.00	36.11	34.33	10.61	29.26	102	353 Average	HORIZONTAL																																																																					





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																
ANT	802.11ax HE20 Full CH60 5300MHz - R																																
TxBF 1+2	Horizontal	Fundamental																															
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VSW 3000 0000KHz SWT Auto Mode : (FR) 230408 Plane : 53 Polar : Full-directivity IMEI : #21 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5301.30</td><td>60.67</td><td>-13.33</td><td>74.00</td><td>44.86</td><td>34.50</td><td>10.83</td><td>29.52</td><td>102</td><td>353</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Limit	Level	Factor	Loss	Factor	dB	deg	1	5301.30	60.67	-13.33	74.00	44.86	34.50	10.83	29.52	102	353	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	Level	Limit	Level	Factor	Loss	Factor	dB	deg																									
1	5301.30	60.67	-13.33	74.00	44.86	34.50	10.83	29.52	102	353	Peak	HORIZONTAL																					
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VSW 3000 0000KHz SWT Auto Mode : (FR) 230408 Plane : 53 Polar : Full-directivity IMEI : #21 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5308.00</td><td>50.39</td><td>-3.41</td><td>54.00</td><td>34.56</td><td>34.50</td><td>10.85</td><td>29.52</td><td>102</td><td>353</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Limit	Level	Factor	Loss	Factor	dB	deg	1	5308.00	50.39	-3.41	54.00	34.56	34.50	10.85	29.52	102	353	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	Level	Limit	Level	Factor	Loss	Factor	dB	deg																									
1	5308.00	50.39	-3.41	54.00	34.56	34.50	10.85	29.52	102	353	Average	HORIZONTAL																					






WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																																																																
ANT	802.11ax HE20 Full CH60 5300MHz - L																																																																																																																
TxBF 1+2	Vertical	Fundamental																																																																																																															
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 6  Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 53 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5124.16</td><td>59.21</td><td>-14.79</td><td>74.00</td><td>43.51</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>111 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 8  Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 53 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5302.00</td><td>110.90</td><td>42.60</td><td>48.30</td><td>95.10</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>111 Peak</td><td>VERTICAL</td></tr><tr><td>2 5302.00</td><td>93.99</td><td></td><td></td><td>78.09</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>111 Average</td><td>VERTICAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 7  Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 53 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5119.52</td><td>52.00</td><td>-2.00</td><td>54.00</td><td>36.34</td><td>34.33</td><td>10.61</td><td>29.28</td><td>100</td><td>111 Average</td><td>VERTICAL</td></tr></table> Left blank </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5124.16	59.21	-14.79	74.00	43.51	34.37	10.61	29.28	100	111 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5302.00	110.90	42.60	48.30	95.10	34.50	10.77	29.47	100	111 Peak	VERTICAL	2 5302.00	93.99			78.09	34.50	10.77	29.47	100	111 Average	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 7  Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 53 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5119.52</td><td>52.00</td><td>-2.00</td><td>54.00</td><td>36.34</td><td>34.33</td><td>10.61</td><td>29.28</td><td>100</td><td>111 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5119.52	52.00	-2.00	54.00	36.34	34.33	10.61	29.28	100	111 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 5124.16	59.21	-14.79	74.00	43.51	34.37	10.61	29.28	100	111 Peak	VERTICAL																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 5302.00	110.90	42.60	48.30	95.10	34.50	10.77	29.47	100	111 Peak	VERTICAL																																																																																																							
2 5302.00	93.99			78.09	34.50	10.77	29.47	100	111 Average	VERTICAL																																																																																																							
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 7  Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 53 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5119.52</td><td>52.00</td><td>-2.00</td><td>54.00</td><td>36.34</td><td>34.33</td><td>10.61</td><td>29.28</td><td>100</td><td>111 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5119.52	52.00	-2.00	54.00	36.34	34.33	10.61	29.28	100	111 Average	VERTICAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 5119.52	52.00	-2.00	54.00	36.34	34.33	10.61	29.28	100	111 Average	VERTICAL																																																																																																							






WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																	
ANT	802.11ax HE20 Full CH60 5300MHz - R																																	
TxBF 1+2	Vertical	Fundamental																																
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 53 Polar : Full-directivity IMEI : #21 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5300.40</td><td>58.72</td><td>-15.28</td><td>74.00</td><td>42.91</td><td>34.50</td><td>10.83 29.52 100 111 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Limit	Level	Factor	Loss	Factor		dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	dB	deg	1	5300.40	58.72	-15.28	74.00	42.91	34.50	10.83 29.52 100 111 Peak VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																											
MHz	Level	Limit	Level	Factor	Loss	Factor																												
dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	dB	deg																											
1	5300.40	58.72	-15.28	74.00	42.91	34.50	10.83 29.52 100 111 Peak VERTICAL																											
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 53 Polar : Full-directivity IMEI : #21 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5303.90</td><td>-3.87</td><td>54.00</td><td>34.32</td><td>34.50</td><td>10.83 29.52 100 111 Average VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Limit	Level	Factor	Loss	Factor		dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	dB	deg	1	5303.90	-3.87	54.00	34.32	34.50	10.83 29.52 100 111 Average VERTICAL	Left blank	
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																											
MHz	Level	Limit	Level	Factor	Loss	Factor																												
dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	dB	deg																											
1	5303.90	-3.87	54.00	34.32	34.50	10.83 29.52 100 111 Average VERTICAL																												






WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Full CH64 5320MHz																																																																																	
TxBF 1+2	Horizontal	Fundamental																																																																																
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Date: 2 Site : 030607-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Plane : (FR)230408 Mode : S4 Plane : S- Full-directivity IMEI : #21 Power setting : 42 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5320.00</td><td>61.21</td><td>-12.79</td><td>74.00</td><td>45.40</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>360 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Date: 1 Site : 030607-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Plane : (FR)230408 Mode : S4 Plane : S- Full-directivity IMEI : #21 Power setting : 42 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5320.00</td><td>108.93</td><td>40.63</td><td>68.30</td><td>93.11</td><td>34.50</td><td>10.79</td><td>29.47</td><td>100</td><td>360 Peak</td></tr><tr><td>2 5320.00</td><td>95.34</td><td></td><td>79.52</td><td>34.50</td><td>10.79</td><td>29.47</td><td>100</td><td>360 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBm	dB	cm	deg			1 5320.00	61.21	-12.79	74.00	45.40	34.50	10.83	29.52	100	360 Peak										HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBm	dB	cm	deg			1 5320.00	108.93	40.63	68.30	93.11	34.50	10.79	29.47	100	360 Peak	2 5320.00	95.34		79.52	34.50	10.79	29.47	100	360 Average	HORIZONTAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dBm	dB	cm	deg																																																																											
1 5320.00	61.21	-12.79	74.00	45.40	34.50	10.83	29.52	100	360 Peak																																																																									
									HORIZONTAL																																																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dBm	dB	cm	deg																																																																											
1 5320.00	108.93	40.63	68.30	93.11	34.50	10.79	29.47	100	360 Peak																																																																									
2 5320.00	95.34		79.52	34.50	10.79	29.47	100	360 Average	HORIZONTAL																																																																									
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Date: 3 Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Plane : (FR)230408 Mode : S4 Plane : S- Full-directivity IMEI : #21 Power setting : 42 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5320.70</td><td>50.79</td><td>-3.21</td><td>54.00</td><td>34.96</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>360 Average</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></tbody></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBm	dB	cm	deg			1 5320.70	50.79	-3.21	54.00	34.96	34.50	10.85	29.52	100	360 Average										HORIZONTAL																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dBm	dB	cm	deg																																																																											
1 5320.70	50.79	-3.21	54.00	34.96	34.50	10.85	29.52	100	360 Average																																																																									
									HORIZONTAL																																																																									





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Full CH64 5320MHz																																																																													
TxBF 1+2	Vertical	Fundamental																																																																												
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.spartan.co.uk.cn Site : 030607-KS Condition : 5G BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : (FR)230408 Plane : S4 Polar : Full-directivity IMEI : #21 PowerSetting : 42 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5301.70</td><td>61.98</td><td>-12.02</td><td>74.00</td><td>46.17</td><td>34.50</td><td>10.83</td><td>29.52</td><td>252</td><td>330 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5301.70	61.98	-12.02	74.00	46.17	34.50	10.83	29.52	252	330 Peak VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.spartan.co.uk.cn Site : 030607-KS Condition : 5G BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : (FR)230408 Plane : S4 Polar : Full-directivity IMEI : #21 PowerSetting : 42 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>108.01</td><td>39.71</td><td>48.30</td><td>92.19</td><td>34.50</td><td>10.79</td><td>29.47</td><td>252</td><td>331 Peak VERTICAL</td></tr><tr><td>2</td><td>5320.00</td><td>91.62</td><td></td><td>75.80</td><td>34.50</td><td>10.79</td><td>29.47</td><td>252</td><td>331 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5320.00	108.01	39.71	48.30	92.19	34.50	10.79	29.47	252	331 Peak VERTICAL	2	5320.00	91.62		75.80	34.50	10.79	29.47	252	331 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5301.70	61.98	-12.02	74.00	46.17	34.50	10.83	29.52	252	330 Peak VERTICAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5320.00	108.01	39.71	48.30	92.19	34.50	10.79	29.47	252	331 Peak VERTICAL																																																																				
2	5320.00	91.62		75.80	34.50	10.79	29.47	252	331 Average VERTICAL																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.spartan.co.uk.cn Site : 030607-KS Condition : 5G BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SRT:Auto Mode : (FR)230408 Plane : S4 Polar : Full-directivity IMEI : #21 PowerSetting : 42 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>50.22</td><td>-3.78</td><td>54.00</td><td>34.41</td><td>34.50</td><td>10.83</td><td>29.52</td><td>252</td><td>330 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5350.10	50.22	-3.78	54.00	34.41	34.50	10.83	29.52	252	330 Average VERTICAL	Left blank																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5350.10	50.22	-3.78	54.00	34.41	34.50	10.83	29.52	252	330 Average VERTICAL																																																																				






UNII-2A - - 5250~5350MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE40 Full CH54 5270 - L																																																																							
TxBF 1+2	Horizontal	Fundamental																																																																						
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto (FR) 235408 Mode : 60 Plane : X- Full-directivity MEI : 47 power setting : 74 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WVC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>58.83</td><td>-15.17</td><td>74.00</td><td>43.12</td><td>34.40</td><td>10.62</td><td>29.31</td><td>100</td><td>98</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WVC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5149.76	58.83	-15.17	74.00	43.12	34.40	10.62	29.31	100	98	Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto (FR) 235408 Mode : 60 Plane : X- Full-directivity MEI : 47 power setting : 74 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WVC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 *</td><td>5272.00</td><td>108.59</td><td>40.29</td><td>68.30</td><td>92.81</td><td>34.50</td><td>10.72</td><td>29.44</td><td>100</td><td>98</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5272.00</td><td>90.03</td><td>-----</td><td>74.29</td><td>34.50</td><td>10.72</td><td>29.44</td><td>100</td><td>98</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WVC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 *	5272.00	108.59	40.29	68.30	92.81	34.50	10.72	29.44	100	98	Peak	HORIZONTAL	2	5272.00	90.03	-----	74.29	34.50	10.72	29.44	100	98	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
WVC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	5149.76	58.83	-15.17	74.00	43.12	34.40	10.62	29.31	100	98	Peak	HORIZONTAL																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
WVC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1 *	5272.00	108.59	40.29	68.30	92.81	34.50	10.72	29.44	100	98	Peak	HORIZONTAL																																																												
2	5272.00	90.03	-----	74.29	34.50	10.72	29.44	100	98	Average	HORIZONTAL																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz DUT Auto (FR) 235408 Mode : 60 Plane : X- Full-directivity MEI : 47 power setting : 74 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WVC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5110.88</td><td>52.42</td><td>-1.58</td><td>54.00</td><td>36.74</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>98</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WVC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5110.88	52.42	-1.58	54.00	36.74	34.33	10.61	29.26	100	98	Average	HORIZONTAL	Left blank																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
WVC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	5110.88	52.42	-1.58	54.00	36.74	34.33	10.61	29.26	100	98	Average	HORIZONTAL																																																												





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																
ANT	802.11ax HE40 Full CH54 5270 - R																																
TxBF 1+2	Horizontal	Fundamental																															
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57901158 Fax: +86-512-57900928 http://www.spartan.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 60 Polar : Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5364.70</td><td>60.49</td><td>-13.51</td><td>74.00</td><td>44.66</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>98</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5364.70	60.49	-13.51	74.00	44.66	34.50	10.85	29.52	100	98	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																										
1	5364.70	60.49	-13.51	74.00	44.66	34.50	10.85	29.52	100	98	Peak	HORIZONTAL																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57901158 Fax: +86-512-57900928 http://www.spartan.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR) 230408 Plane : 60 Polar : Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5359.10</td><td>50.79</td><td>-3.21</td><td>54.00</td><td>34.98</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>98</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5359.10	50.79	-3.21	54.00	34.98	34.50	10.83	29.52	100	98	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																										
1	5359.10	50.79	-3.21	54.00	34.98	34.50	10.83	29.52	100	98	Average	HORIZONTAL																					






WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																		
ANT	802.11ax HE40 Full CH54 5270 - L																																																																		
TxBF 1+2	Vertical	Fundamental																																																																	
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FR230408 Plane : 60 Polar : Full-directivity IMEI : #21 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5135.04</td><td>58.86</td><td>-15.14</td><td>74.00</td><td>43.16</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>38 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1 5135.04	58.86	-15.14	74.00	43.16	34.37	10.61	29.28	100	38 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FR230408 Plane : 60 Polar : Full-directivity IMEI : #21 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5266.00</td><td>99.91</td><td>31.61</td><td>48.30</td><td>84.11</td><td>34.50</td><td>10.72</td><td>29.42</td><td>100</td><td>38 Peak VERTICAL</td></tr><tr><td>2 5266.00</td><td>82.66</td><td></td><td>46.86</td><td>34.50</td><td>10.72</td><td>29.42</td><td>100</td><td>38 Average VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1 5266.00	99.91	31.61	48.30	84.11	34.50	10.72	29.42	100	38 Peak VERTICAL	2 5266.00	82.66		46.86	34.50	10.72	29.42	100	38 Average VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																												
1 5135.04	58.86	-15.14	74.00	43.16	34.37	10.61	29.28	100	38 Peak VERTICAL																																																										
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																												
1 5266.00	99.91	31.61	48.30	84.11	34.50	10.72	29.42	100	38 Peak VERTICAL																																																										
2 5266.00	82.66		46.86	34.50	10.72	29.42	100	38 Average VERTICAL																																																											
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FR230408 Plane : 60 Polar : Full-directivity IMEI : #21 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5115.04</td><td>52.53</td><td>-1.47</td><td>54.00</td><td>36.85</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>38 Average VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1 5115.04	52.53	-1.47	54.00	36.85	34.33	10.61	29.26	100	38 Average VERTICAL	Left blank																																					
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																												
1 5115.04	52.53	-1.47	54.00	36.85	34.33	10.61	29.26	100	38 Average VERTICAL																																																										





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH54 5270 - R	
TxBF 1+2	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank






WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																																																																
ANT	802.11ax HE40 Full CH62 5310 - L																																																																																																																
TxBF 1+2	Horizontal	Fundamental																																																																																																															
Peak	 No. 1098 Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57909958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR)230408 Mode : 61 Plane : 8- Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5123.36</td><td>58.17</td><td>-15.83</td><td>74.00</td><td>42.47</td><td>34.37</td><td>10.61</td><td>29.28</td><td>300</td><td>107 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098 Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57909958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR)230408 Mode : 61 Plane : 8- Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5308.00</td><td>103.93</td><td>35.63</td><td>68.30</td><td>88.13</td><td>34.50</td><td>10.77</td><td>29.47</td><td>300</td><td>107 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5308.00</td><td>85.38</td><td></td><td></td><td>69.78</td><td>34.50</td><td>10.77</td><td>29.47</td><td>300</td><td>107 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5123.36	58.17	-15.83	74.00	42.47	34.37	10.61	29.28	300	107 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 5308.00	103.93	35.63	68.30	88.13	34.50	10.77	29.47	300	107 Peak	HORIZONTAL	2 5308.00	85.38			69.78	34.50	10.77	29.47	300	107 Average	HORIZONTAL	Avg.	 No. 1098 Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57909958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1----3 (AVG) 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : (FR)230408 Mode : 61 Plane : 8- Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5120.16</td><td>52.60</td><td>-1.40</td><td>54.00</td><td>36.94</td><td>34.33</td><td>10.61</td><td>29.28</td><td>300</td><td>107 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5120.16	52.60	-1.40	54.00	36.94	34.33	10.61	29.28	300	107 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 5123.36	58.17	-15.83	74.00	42.47	34.37	10.61	29.28	300	107 Peak	HORIZONTAL																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 * 5308.00	103.93	35.63	68.30	88.13	34.50	10.77	29.47	300	107 Peak	HORIZONTAL																																																																																																							
2 5308.00	85.38			69.78	34.50	10.77	29.47	300	107 Average	HORIZONTAL																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 5120.16	52.60	-1.40	54.00	36.94	34.33	10.61	29.28	300	107 Average	HORIZONTAL																																																																																																							





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																														
ANT	802.11ax HE40 Full CH62 5310 - R																														
TxBF	Horizontal	Fundamental																													
1+2																															
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VSW 3000 0000KHz SWT Auto Mode : (FR) 230408 Plane : 01 Polar : 2- Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>deg</th></tr><tr><td>1</td><td>5350.70</td><td>65.15</td><td>-8.85</td><td>74.00</td><td>49.34</td><td>34.50</td><td>10.83</td><td>29.52</td><td>300</td><td>107</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	Level	Limit	Level	Factor	Loss	Factor	deg	1	5350.70	65.15	-8.85	74.00	49.34	34.50	10.83	29.52	300	107	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase																								
MHz	Level	Limit	Level	Factor	Loss	Factor	deg																								
1	5350.70	65.15	-8.85	74.00	49.34	34.50	10.83	29.52	300	107	Peak	HORIZONTAL																			
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VSW 3000 0000KHz SWT Auto Mode : (FR) 230408 Plane : 01 Polar : 2- Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>52.32</td><td>-1.68</td><td>54.00</td><td>36.51</td><td>34.50</td><td>10.83</td><td>29.52</td><td>300</td><td>107</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	Level	Limit	Level	Factor	Loss	Factor	deg	1	5350.40	52.32	-1.68	54.00	36.51	34.50	10.83	29.52	300	107	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phase																								
MHz	Level	Limit	Level	Factor	Loss	Factor	deg																								
1	5350.40	52.32	-1.68	54.00	36.51	34.50	10.83	29.52	300	107	Average	HORIZONTAL																			






WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Full CH62 5310 - L																																																																																	
TxBF 1+2	Vertical	Fundamental																																																																																
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS 230408 Plane : 61 Polar : 3- Full-directivity IMEI : #21 PowerSetting : 74 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5110.40</td><td>59.17</td><td>-14.83</td><td>74.00</td><td>43.49</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>294 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5110.40	59.17	-14.83	74.00	43.49	34.33	10.61	29.26	100	294 Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS 230408 Plane : 61 Polar : 3- Full-directivity IMEI : #21 PowerSetting : 74 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5308.00</td><td>104.51</td><td>34.21</td><td>48.30</td><td>88.71</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>294 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5308.00</td><td>85.25</td><td></td><td>49.45</td><td>34.50</td><td>10.77</td><td>29.47</td><td>100</td><td>294 Average</td><td>VERTICAL</td><td></td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5308.00	104.51	34.21	48.30	88.71	34.50	10.77	29.47	100	294 Peak	VERTICAL	2	5308.00	85.25		49.45	34.50	10.77	29.47	100	294 Average	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																										
1	5110.40	59.17	-14.83	74.00	43.49	34.33	10.61	29.26	100	294 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																										
1	5308.00	104.51	34.21	48.30	88.71	34.50	10.77	29.47	100	294 Peak	VERTICAL																																																																							
2	5308.00	85.25		49.45	34.50	10.77	29.47	100	294 Average	VERTICAL																																																																								
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS 230408 Plane : 61 Polar : 3- Full-directivity IMEI : #21 PowerSetting : 74 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5135.84</td><td>52.47</td><td>-1.53</td><td>54.00</td><td>36.77</td><td>34.37</td><td>10.61</td><td>29.28</td><td>100</td><td>294 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5135.84	52.47	-1.53	54.00	36.77	34.37	10.61	29.28	100	294 Average	VERTICAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																										
1	5135.84	52.47	-1.53	54.00	36.77	34.37	10.61	29.28	100	294 Average	VERTICAL																																																																							





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																						
ANT	802.11ax HE40 Full CH62 5310 - R																																						
TxBF 1+2	Vertical	Fundamental																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR)230408 Plane : 01 Polar : 2- Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>dBm</th><th>dBm/MHz</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>70.63</td><td>-13.37</td><td>74.00</td><td>54.82</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>294</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	Level	Limit	Level	Factor	Loss	Factor		dBm	dBm/MHz	dBm	dBm	dB	dB	dB	deg	1	5310.00	70.63	-13.37	74.00	54.82	34.50	10.83	29.52	100	294	Peak	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phas																																
MHz	Level	Limit	Level	Factor	Loss	Factor																																	
dBm	dBm/MHz	dBm	dBm	dB	dB	dB	deg																																
1	5310.00	70.63	-13.37	74.00	54.82	34.50	10.83	29.52	100	294	Peak	VERTICAL																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Site : 030807-KS Condition : 5G BAND 1-3 (AVG) @ 3m 3117 00240132 VERTICAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : (FR)230408 Plane : 01 Polar : 2- Full-directivity IMEI : 821 Power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>dBm</th><th>dBm/MHz</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>52.45</td><td>-1.55</td><td>54.00</td><td>36.64</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>294</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	Level	Limit	Level	Factor	Loss	Factor		dBm	dBm/MHz	dBm	dBm	dB	dB	dB	deg	1	5310.00	52.45	-1.55	54.00	36.64	34.50	10.83	29.52	100	294	Average	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Presamp	A/Poss	T/Poss	Remark	Pol/Phas																																
MHz	Level	Limit	Level	Factor	Loss	Factor																																	
dBm	dBm/MHz	dBm	dBm	dB	dB	dB	deg																																
1	5310.00	52.45	-1.55	54.00	36.64	34.50	10.83	29.52	100	294	Average	VERTICAL																											






UNII-2A - 5250~5350MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																							
TxBF	Horizontal	Fundamental																																																																						
1+2																																																																								
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : 60 Plane : X- Full-directivity MEI : 821 power setting : 80 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5110.56</td><td>61.45</td><td>-12.55</td><td>74.00</td><td>45.77</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>170</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5110.56	61.45	-12.55	74.00	45.77	34.33	10.61	29.26	100	170	Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : 60 Plane : X- Full-directivity MEI : 821 power setting : 80 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 *</td><td>5284.00</td><td>103.44</td><td>35.34</td><td>68.30</td><td>87.84</td><td>34.50</td><td>10.74</td><td>29.44</td><td>100</td><td>170</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5284.00</td><td>83.45</td><td>-----</td><td>67.65</td><td>34.50</td><td>10.74</td><td>29.44</td><td>100</td><td>170</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 *	5284.00	103.44	35.34	68.30	87.84	34.50	10.74	29.44	100	170	Peak	HORIZONTAL	2	5284.00	83.45	-----	67.65	34.50	10.74	29.44	100	170	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	5110.56	61.45	-12.55	74.00	45.77	34.33	10.61	29.26	100	170	Peak	HORIZONTAL																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1 *	5284.00	103.44	35.34	68.30	87.84	34.50	10.74	29.44	100	170	Peak	HORIZONTAL																																																												
2	5284.00	83.45	-----	67.65	34.50	10.74	29.44	100	170	Average	HORIZONTAL																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : 60 Plane : X- Full-directivity MEI : 821 power setting : 80 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5108.80</td><td>48.61</td><td>-5.39</td><td>54.00</td><td>32.93</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>170</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5108.80	48.61	-5.39	54.00	32.93	34.33	10.61	29.26	100	170	Average	HORIZONTAL	Left blank																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
WIC	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	5108.80	48.61	-5.39	54.00	32.93	34.33	10.61	29.26	100	170	Average	HORIZONTAL																																																												





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH58 5290MHz - R	
TxBF 1+2	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank



WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																													
TxBF	Vertical	Fundamental																																																																												
1+2																																																																														
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS230408 Plane : 66 Polar : Full-directivity IMEI : 821 PowerSetting : 80 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5116.32</td><td>60.00</td><td>-14.00</td><td>74.00</td><td>44.32</td><td>34.33</td><td>10.61</td><td>29.26</td><td>100</td><td>279 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5116.32	60.00	-14.00	74.00	44.32	34.33	10.61	29.26	100	279 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS230408 Plane : 66 Polar : Full-directivity IMEI : 821 PowerSetting : 80 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5278.00</td><td>89.02</td><td>30.72</td><td>48.30</td><td>83.22</td><td>34.50</td><td>10.74</td><td>29.44</td><td>100</td><td>279 Peak VERTICAL</td></tr><tr><td>2</td><td>5278.00</td><td>82.45</td><td></td><td>66.65</td><td>34.50</td><td>10.74</td><td>29.44</td><td>100</td><td>279 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5278.00	89.02	30.72	48.30	83.22	34.50	10.74	29.44	100	279 Peak VERTICAL	2	5278.00	82.45		66.65	34.50	10.74	29.44	100	279 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5116.32	60.00	-14.00	74.00	44.32	34.33	10.61	29.26	100	279 Peak VERTICAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5278.00	89.02	30.72	48.30	83.22	34.50	10.74	29.44	100	279 Peak VERTICAL																																																																				
2	5278.00	82.45		66.65	34.50	10.74	29.44	100	279 Average VERTICAL																																																																					
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS230408 Plane : 66 Polar : Full-directivity IMEI : 821 PowerSetting : 80 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5141.76</td><td>52.26</td><td>-1.74</td><td>54.00</td><td>36.52</td><td>34.40</td><td>10.62</td><td>29.28</td><td>100</td><td>279 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5141.76	52.26	-1.74	54.00	36.52	34.40	10.62	29.28	100	279 Average VERTICAL	Left blank																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5141.76	52.26	-1.74	54.00	36.52	34.40	10.62	29.28	100	279 Average VERTICAL																																																																				





WIFI	UNII-2A - 5250~5350MHz Band Edge @ 3m																																	
ANT	802.11ax HE80 Full CH58 5290MHz - R																																	
TxBF 1+2	Vertical	Fundamental																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB Data: 9 Level (dBm/100MHz) Frequency (MHz) SE BAND 1---3 (dB) Site : 030907-KS Condition : SE BAND 1---3 @ 3117.000MHz VERTICAL Project : RRM-1000.000MHz VSR-3000.000MHz SMT-Auto Plane : 750.230408 Mode : 6A Plane : 3- Full-directivity IMEI : #21 Power-setting : 80 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Bandwidth</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5352.40</td><td>67.66</td><td>-6.34</td><td>74.00</td><td>51.85</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>279 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Bandwidth	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm	dBm	dB	cm	deg			1	5352.40	67.66	-6.34	74.00	51.85	34.50	10.83	29.52	100	279 Peak	VERTICAL	Left blank
Freq	Level	Limit	Bandwidth	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/100MHz	dBm/100MHz	dBm	dBm	dB	cm	deg																											
1	5352.40	67.66	-6.34	74.00	51.85	34.50	10.83	29.52	100	279 Peak	VERTICAL																							
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB Data: 10 Level (dBm/100MHz) Frequency (MHz) SE BAND 1---3 (AVG) (dB) Site : 030907-KS Condition : SE BAND 1---3 (AVG) @ 3117.000MHz VERTICAL Project : RRM-1000.000MHz VSR-3000.000MHz SMT-Auto Plane : 750.230408 Mode : 6A Plane : 3- Full-directivity IMEI : #21 Power-setting : 80 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Bandwidth</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dBm</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5352.30</td><td>52.80</td><td>-1.20</td><td>54.00</td><td>36.99</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>279 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Bandwidth	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm	dBm	dB	cm	deg			1	5352.30	52.80	-1.20	54.00	36.99	34.50	10.83	29.52	100	279 Average	VERTICAL	Left blank
Freq	Level	Limit	Bandwidth	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/100MHz	dBm/100MHz	dBm	dBm	dB	cm	deg																											
1	5352.30	52.80	-1.20	54.00	36.99	34.50	10.83	29.52	100	279 Average	VERTICAL																							







UNII-2A - 5250~5350MHz






WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																					
ANT	802.11a CH52 5260MHz																																																																					
CDD 1+2	Horizontal						Vertical																																																															
Peak Avg.	 Site : 030607-KS Condition : SG BAND 1----3 3e 3117 00300132 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 11 Flare : 3C Full-directivity IME1 : #21 Powersetting : 60 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>45.25</td><td>-23.05</td><td>68.30</td><td>58.32</td><td>37.58</td><td>15.64</td><td>66.29</td><td>100</td><td>360</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>						Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WIC	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	10620.00	45.25	-23.05	68.30	58.32	37.58	15.64	66.29	100	360	Peak	HORIZONTAL	 Site : 030607-KS Condition : SG BAND 1----3 3e 3117 00300132 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 11 Flare : 3C Full-directivity IME1 : #21 Powersetting : 60 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>44.60</td><td>-23.70</td><td>68.30</td><td>57.67</td><td>37.58</td><td>15.64</td><td>66.29</td><td>100</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>						Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WIC	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	10620.00	44.60	-23.70	68.30	57.67	37.58	15.64	66.29	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																														
WIC	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																															
1	10620.00	45.25	-23.05	68.30	58.32	37.58	15.64	66.29	100	360	Peak	HORIZONTAL																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																															
WIC	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																															
1	10620.00	44.60	-23.70	68.30	57.67	37.58	15.64	66.29	100	0	Peak	VERTICAL																																																										





WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11a CH60 5300MHz																																																																																																																																					
CDD 1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto FPC235408 Bode : 12 Plane : X Full-directivity JREI : #21 power setting : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>44.89</td><td>-29.11</td><td>74.00</td><td>57.72</td><td>37.67</td><td>15.69</td><td>66.19</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto FPC235408 Bode : 12 Plane : X Full-directivity JREI : #21 power setting : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>44.89</td><td>-29.11</td><td>74.00</td><td>57.72</td><td>37.67</td><td>15.69</td><td>66.19</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10600.00	44.89	-29.11	74.00	57.72	37.67	15.69	66.19	100	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10600.00	44.89	-29.11	74.00	57.72	37.67	15.69	66.19	100	0 Peak	HORIZONTAL	 Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto FPC235408 Bode : 12 Plane : X Full-directivity JREI : #21 power setting : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>44.90</td><td>-29.10</td><td>74.00</td><td>57.73</td><td>37.67</td><td>15.69</td><td>66.19</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto FPC235408 Bode : 12 Plane : X Full-directivity JREI : #21 power setting : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>44.90</td><td>-29.10</td><td>74.00</td><td>57.73</td><td>37.67</td><td>15.69</td><td>66.19</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10600.00	44.90	-29.10	74.00	57.73	37.67	15.69	66.19	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10600.00	44.90	-29.10	74.00	57.73	37.67	15.69	66.19	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 10600.00	44.89	-29.11	74.00	57.72	37.67	15.69	66.19	100	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 10600.00	44.89	-29.11	74.00	57.72	37.67	15.69	66.19	100	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 10600.00	44.90	-29.10	74.00	57.73	37.67	15.69	66.19	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 10600.00	44.90	-29.10	74.00	57.73	37.67	15.69	66.19	100	360 Peak	VERTICAL																																																																																																																												





WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																				
ANT	802.11a CH64 5320MHz																																																																																																				
CDD 1+2	Horizontal	Vertical																																																																																																			
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900558 http://www.sporton.com.cn SPORTON LAB. Logo Date: 7 Level (dBuV/m)  SG BAND 1---3 (dB) SG BAND 1---3 (AVG) Site : 030607-KS Condition : SG BAND 1---3 @ 3117 00340132 HORIZONTAL Project : RRM-1000.000KHz VBR-3000.000KHz SMT-Auto FREQ230408 Node : 13 Plane : X-Full-directivity Ant : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>45.19</td><td>-28.81</td><td>74.00</td><td>57.92</td><td>37.71</td><td>15.71</td><td>66.15</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> SPORTON LAB. Logo Date: 8 Level (dBuV/m)  SG BAND 1---3 (dB) SG BAND 1---3 (AVG) Site : 030607-KS Condition : SG BAND 1---3 @ 3117 00340132 VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SMT-Auto FREQ230408 Node : 13 Plane : X-Full-directivity Ant : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>45.20</td><td>-28.80</td><td>74.00</td><td>57.93</td><td>37.71</td><td>15.71</td><td>66.15</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	45.19	-28.81	74.00	57.92	37.71	15.71	66.15	300	0 Peak	HORIZONTAL	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	45.20	-28.80	74.00	57.93	37.71	15.71	66.15	100	0 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900558 http://www.sporton.com.cn SPORTON LAB. Logo Date: 8 Level (dBuV/m)  SG BAND 1---3 (dB) SG BAND 1---3 (AVG) Site : 030607-KS Condition : SG BAND 1---3 @ 3117 00340132 VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SMT-Auto FREQ230408 Node : 13 Plane : X-Full-directivity Ant : #21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>45.20</td><td>-28.80</td><td>74.00</td><td>57.93</td><td>37.71</td><td>15.71</td><td>66.15</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	45.20	-28.80	74.00	57.93	37.71	15.71	66.15	100	0 Peak	VERTICAL
	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																													
1 10641.00	45.19	-28.81	74.00	57.92	37.71	15.71	66.15	300	0 Peak	HORIZONTAL																																																																																											
Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																													
1 10641.00	45.20	-28.80	74.00	57.93	37.71	15.71	66.15	100	0 Peak	VERTICAL																																																																																											
Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																													
1 10641.00	45.20	-28.80	74.00	57.93	37.71	15.71	66.15	100	0 Peak	VERTICAL																																																																																											





UNII-2A 5250~5350MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																								
ANT	802.11ax HE20 Full CH52 5260MHz																																																								
CDD 1+2	Horizontal	Vertical																																																							
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site Condition Project Mode Plane Polar power setting : 030607-KS SS BAND 1---3 3m 3117 00240132 HORIZONTAL RFR 1000.000000 WVR 3000.000000 dBT Auto (FR) 230408 14 X- Full-directivity 021 08 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>on</th><th>deg</th><th></th></tr><tr><td>1 10520.00</td><td>44.68</td><td>-23.62</td><td>68.30</td><td>57.75</td><td>37.58</td><td>15.64</td><td>66.29</td><td>100</td><td>300</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site Condition Project Mode Plane Polar power setting : 030607-KS SS BAND 1---3 3m 3117 00240132 VERTICAL RFR 1000.000000 WVR 3000.000000 dBT Auto (FR) 230408 14 X- Full-directivity 021 08 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>on</th><th>deg</th><th></th></tr><tr><td>1 10520.00</td><td>44.67</td><td>-23.63</td><td>68.30</td><td>57.74</td><td>37.58</td><td>15.64</td><td>66.29</td><td>300</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	on	deg		1 10520.00	44.68	-23.62	68.30	57.75	37.58	15.64	66.29	100	300	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	on	deg		1 10520.00	44.67	-23.63	68.30	57.74	37.58	15.64	66.29	300	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																	
Freq	Level	Line	Level Factor	Loss Factor	on	deg																																																			
1 10520.00	44.68	-23.62	68.30	57.75	37.58	15.64	66.29	100	300	Peak	HORIZONTAL																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
Freq	Level	Line	Level Factor	Loss Factor	on	deg																																																			
1 10520.00	44.67	-23.63	68.30	57.74	37.58	15.64	66.29	300	0	Peak	VERTICAL																																														





WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH60 5300MHz	
CDD 1+2	Horizontal	Vertical
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto FPC235408 Bode : 15 Plane : X Full-directivity JREI : #21 power setting : 60 over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor cm deg 1 10600.00 45.39 -28.61 74.00 58.22 37.67 15.69 66.19 100 360 Peak HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto FPC235408 Bode : 15 Plane : X Full-directivity JREI : #21 power setting : 60 over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor cm deg 1 10600.00 45.16 -28.84 74.00 57.99 37.67 15.69 66.19 300 360 Peak VERTICAL






WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH64 5320MHz																																																																			
CDD 1+2	Horizontal	Vertical																																																																		
Peak Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900168 Fax: +86-512-57900958 http://www.spartan.com.cn SPORTON LAB. DATA: 7 Level (dBuV/m) 130 117.5 104.0 91.5 78.0 65.0 52.0 39.0 26.0 13.0 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) SG BAND 1---3 (dBm) SG BAND 1---3 (uV/m) Site : 030607-KS Condition : SG BAND 1---3 @ 3117 00340132 HORIZONTAL Project : RSM-1000 0000KHz VBR-3000 0000KHz SMT-Auto FPC235408 Bode : 16 Plane : X-Full-directivity JREI : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10641.00</td><td>46.75</td><td>-27.25</td><td>74.00</td><td>59.48</td><td>37.71</td><td>15.71</td><td>66.15</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	46.75	-27.25	74.00	59.48	37.71	15.71	66.15	300	0 Peak	HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900168 Fax: +86-512-57900958 http://www.spartan.com.cn SPORTON LAB. DATA: 8 Level (dBuV/m) 130 117.5 104.0 91.5 78.0 65.0 52.0 39.0 26.0 13.0 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) SG BAND 1---3 (dBm) SG BAND 1---3 (uV/m) Site : 030607-KS Condition : SG BAND 1---3 @ 3117 00340132 VERTICAL Project : RSM-1000 0000KHz VBR-3000 0000KHz SMT-Auto FPC235408 Bode : 16 Plane : X-Full-directivity JREI : #21 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10640.00</td><td>44.73</td><td>-29.27</td><td>74.00</td><td>57.46</td><td>37.71</td><td>15.71</td><td>66.15</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10640.00	44.73	-29.27	74.00	57.46	37.71	15.71	66.15	100	360 Peak	VERTICAL
	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10641.00	46.75	-27.25	74.00	59.48	37.71	15.71	66.15	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10640.00	44.73	-29.27	74.00	57.46	37.71	15.71	66.15	100	360 Peak	VERTICAL																																																										



UNII-2A - 5250~5350MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH54 5270	
CDD 1+2	Horizontal	Vertical
Peak Avg.	 Site : 030607-KS Condition : SS BAND 1---3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WVR 3000.000000 dB Auto Project : (FR) 230408 Mode : 18 Plane : X- Full-directivity MEI : 621 power setting : 70 Over Limit : 70 Frag Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 10542.00 45.54 -22.76 68.30 58.56 37.60 15.65 66.27 100 0 Peak HORIZONTAL	 Site : 030607-KS Condition : SS BAND 1---3 3m 3117 00240132 VERTICAL Power : 1000.000000 WVR 3000.000000 dB Auto Project : (FR) 230408 Mode : 18 Plane : X- Full-directivity MEI : 621 power setting : 70 Over Limit : 70 Frag Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 10540.00 45.13 -22.17 68.30 58.15 37.60 15.65 66.27 100 360 Peak VERTICAL



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH62 5310																																																																			
CDD 1+2	Horizontal	Vertical																																																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 26 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 07000 8000 10000 12000 14000 16000 18000 Frequency (MHz) SG BAND 1---3 (dB) SG BAND 1---3 (AVG) Site Condition : 030607-KS SG BAND 1---3 3e 3117 00340132 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Bode : (F)230408 Plane : X- Full-directivity JREI : #21 power setting : S4 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10620.00</td><td>44.86</td><td>-29.14</td><td>74.00</td><td>57.64</td><td>37.69</td><td>15.70</td><td>66.17</td><td>300</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table> <td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 27 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) SG BAND 1---3 (dB) SG BAND 1---3 (AVG) Site Condition : 030607-KS SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Bode : (F)230408 Plane : X- Full-directivity JREI : #21 power setting : S4 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10620.00</td><td>44.58</td><td>-29.42</td><td>74.00</td><td>57.36</td><td>37.69</td><td>15.70</td><td>66.17</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table> </td>	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10620.00	44.86	-29.14	74.00	57.64	37.69	15.70	66.17	300	360 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 27 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) SG BAND 1---3 (dB) SG BAND 1---3 (AVG) Site Condition : 030607-KS SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Bode : (F)230408 Plane : X- Full-directivity JREI : #21 power setting : S4 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10620.00</td><td>44.58</td><td>-29.42</td><td>74.00</td><td>57.36</td><td>37.69</td><td>15.70</td><td>66.17</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10620.00	44.58	-29.42	74.00	57.36	37.69	15.70	66.17	100	0 Peak	VERTICAL
Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10620.00	44.86	-29.14	74.00	57.64	37.69	15.70	66.17	300	360 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10620.00	44.58	-29.42	74.00	57.36	37.69	15.70	66.17	100	0 Peak	VERTICAL																																																										





UNII-2A 5250~5350MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)




WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																													
ANT	802.11ax HE80 Full CH58 5290MHz																																																													
CDD 1+2	Horizontal	Vertical																																																												
Peak Avg.	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 21 Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 20 Plane : X- Full-directivity Polar : 0 power setting : 54 Over Limit : 54 ReadAntenna : 54 Cable Preamp : 54 Loss Factor : 54 A/Pos : 54 T/Pos : 54 Remark : 54 Pol/Phas : 54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>10075.00</td><td>45.54</td><td>-22.76</td><td>68.30</td><td>58.47</td><td>37.63</td><td>15.67</td><td>66.23</td><td>100 300 Peak HORIZONTAL</td></tr></table> <td> No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 22 Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 20 Plane : X- Full-directivity Polar : 0 power setting : 54 Over Limit : 54 ReadAntenna : 54 Cable Preamp : 54 Loss Factor : 54 A/Pos : 54 T/Pos : 54 Remark : 54 Pol/Phas : 54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>10080.00</td><td>45.63</td><td>-23.27</td><td>68.30</td><td>57.91</td><td>37.65</td><td>15.68</td><td>66.21</td><td>300 0 Peak VERTICAL</td></tr></table> </td>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg				1	10075.00	45.54	-22.76	68.30	58.47	37.63	15.67	66.23	100 300 Peak HORIZONTAL	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 22 Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 20 Plane : X- Full-directivity Polar : 0 power setting : 54 Over Limit : 54 ReadAntenna : 54 Cable Preamp : 54 Loss Factor : 54 A/Pos : 54 T/Pos : 54 Remark : 54 Pol/Phas : 54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>10080.00</td><td>45.63</td><td>-23.27</td><td>68.30</td><td>57.91</td><td>37.65</td><td>15.68</td><td>66.21</td><td>300 0 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg				1	10080.00	45.63	-23.27	68.30	57.91	37.65	15.68	66.21	300 0 Peak VERTICAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																								
1	10075.00	45.54	-22.76	68.30	58.47	37.63	15.67	66.23	100 300 Peak HORIZONTAL																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																								
1	10080.00	45.63	-23.27	68.30	57.91	37.65	15.68	66.21	300 0 Peak VERTICAL																																																					





UNII-2A - - 5250~5350MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-2A - 5250~5350MHz Harmonic @ 3m																																																																											
ANT	802.11ax HE20 Full CH52 5260MHz																																																																											
TxBF	Horizontal						Vertical																																																																					
1+2																																																																												
Peak Avg.	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRR-1000-000000 VRR-3000-000000 DRT-Auto Power : 23.04dBm Mode : S2 Plane : X- Full-directivity Antenna : 21 power setting : 62 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><td>1</td><td>100.20</td><td>00</td><td>44.76</td><td>-23.54</td><td>68.30</td><td>57.83</td><td>37.58</td><td>15.64</td><td>66.29</td><td>100</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	1	100.20	00	44.76	-23.54	68.30	57.83	37.58	15.64	66.29	100	0	Peak	HORIZONTAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 VERTICAL Project : RRR-1000-000000 VRR-3000-000000 DRT-Auto Power : 23.04dBm Mode : S2 Plane : X- Full-directivity Antenna : 21 power setting : 62 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><td>1</td><td>100.20</td><td>00</td><td>45.26</td><td>-23.04</td><td>68.30</td><td>58.33</td><td>37.58</td><td>15.64</td><td>66.29</td><td>300</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	1	100.20	00	45.26	-23.04	68.30	58.33	37.58	15.64	66.29	300	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																																				
1	100.20	00	44.76	-23.54	68.30	57.83	37.58	15.64	66.29	100	0	Peak	HORIZONTAL																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																																				
1	100.20	00	45.26	-23.04	68.30	58.33	37.58	15.64	66.29	300	0	Peak	VERTICAL																																																															





WIFI	UNII-2A - 5250~5350MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH60 5300MHz																																																													
TxBF	Horizontal	Vertical																																																												
1+2																																																														
Peak	 Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT Auto Bode : FFS 230408 Plane : X Full-directivity IMEI : #21 PowerSetting : 62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>45.19</td><td>-28.81</td><td>74.00</td><td>58.02</td><td>37.67</td><td>15.69</td><td>66.19</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> <td>  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT Auto Bode : FFS 230408 Plane : X Full-directivity IMEI : #21 PowerSetting : 62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>45.92</td><td>-28.08</td><td>74.00</td><td>58.75</td><td>37.67</td><td>15.69</td><td>66.19</td><td>360 Peak</td><td>VERTICAL</td></tr></table> </td>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 10600.00	45.19	-28.81	74.00	58.02	37.67	15.69	66.19	0 Peak	HORIZONTAL	 Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT Auto Bode : FFS 230408 Plane : X Full-directivity IMEI : #21 PowerSetting : 62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>45.92</td><td>-28.08</td><td>74.00</td><td>58.75</td><td>37.67</td><td>15.69</td><td>66.19</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 10600.00	45.92	-28.08	74.00	58.75	37.67	15.69	66.19	360 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 10600.00	45.19	-28.81	74.00	58.02	37.67	15.69	66.19	0 Peak	HORIZONTAL																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 10600.00	45.92	-28.08	74.00	58.75	37.67	15.69	66.19	360 Peak	VERTICAL																																																					





WIFI	UNII-2A - 5250~5350MHz Harmonic @ 3m																																																												
ANT	802.11ax HE20 Full CH64 5320MHz																																																												
TxBF 1+2	Horizontal	Vertical																																																											
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS 230408 Plane : S Full-directivity IMEI : #21 PowerSetting : 62 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 10641.00</td><td>44.92</td><td>-29.08</td><td>74.00</td><td>57.65</td><td>37.71</td><td>15.71</td><td>66.15</td><td>100</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS 230408 Plane : S Full-directivity IMEI : #21 PowerSetting : 62 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 10641.00</td><td>44.89</td><td>-29.11</td><td>74.00</td><td>57.62</td><td>37.71</td><td>15.71</td><td>66.15</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg		1 10641.00	44.92	-29.08	74.00	57.65	37.71	15.71	66.15	100	0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg		1 10641.00	44.89	-29.11	74.00	57.62	37.71	15.71	66.15	100	360 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																					
1 10641.00	44.92	-29.08	74.00	57.65	37.71	15.71	66.15	100	0 Peak HORIZONTAL																																																				
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																					
1 10641.00	44.89	-29.11	74.00	57.62	37.71	15.71	66.15	100	360 Peak VERTICAL																																																				



UNII-2A - - 5250~5350MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	UNII-2A - 5250~5350MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH54 5270	
TxBF	Horizontal	Vertical
1+2		
Peak Avg.	 Data: 11 Level (dBuV/m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBt Auto Project : (FR) 230408 Mode : 60 Plane : X- Full-directivity MEI : 621 power setting : 74 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 10040.00 45.51 -22.79 68.30 58.53 37.60 15.65 66.27 100 300 Peak HORIZONTAL	 Data: 12 Level (dBuV/m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 VERTICAL Power : 1000.000000 WPM 3000.000000 dBt Auto Project : (FR) 230408 Mode : 60 Plane : X- Full-directivity MEI : 621 power setting : 74 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 10040.00 45.29 -23.01 68.30 58.31 37.60 15.65 66.27 100 0 Peak VERTICAL



WIFI	UNII-2A - 5250~5350MHz Harmonic @ 3m																																																							
ANT	802.11ax HE40 Full CH62 5310																																																							
TxBF 1+2	Horizontal	Vertical																																																						
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS235408 Plane : 3- Full-directivity IMEI : #21 PowerSetting : 74 <table><thead><tr><th>Over</th><th>Level</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10620.00</td><td>45.60</td><td>-28.40</td><td>74.00</td><td>58.38</td><td>37.69</td><td>15.70</td><td>66.17</td><td>100 0 Peak</td></tr></tbody></table>	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg	1 10620.00	45.60	-28.40	74.00	58.38	37.69	15.70	66.17	100 0 Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 12  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS235408 Plane : 3- Full-directivity IMEI : #21 PowerSetting : 74 <table><thead><tr><th>Over</th><th>Level</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10620.00</td><td>44.79</td><td>-29.21</td><td>74.00</td><td>57.57</td><td>37.69</td><td>15.70</td><td>66.17</td><td>100 360 Peak</td></tr></tbody></table>	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg	1 10620.00	44.79	-29.21	74.00	57.57	37.69	15.70	66.17	100 360 Peak
Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg																																																
1 10620.00	45.60	-28.40	74.00	58.38	37.69	15.70	66.17	100 0 Peak																																																
Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg																																																
1 10620.00	44.79	-29.21	74.00	57.57	37.69	15.70	66.17	100 360 Peak																																																








UNII-2A - 5250~5350MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	UNII-2A - 5250~5350MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH58 5290MHz	
TxBF	Horizontal	Vertical
1+2		
Peak Avg.	 Site: 030607-KS Condition: 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Project: RRR-1000-000000 VWR-3000-000000 DRT-Auto Mode: 66 Plane: X- Full-directivity MEI: 621 power setting: 80 Over Limit: 80 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 10580.00 45.96 -22.34 68.30 58.84 37.65 15.68 66.21 100 300 Peak HORIZONTAL	 Site: 030607-KS Condition: 5G BAND 1-3 3m 3117 00240132 VERTICAL Project: RRR-1000-000000 VWR-3000-000000 DRT-Auto Mode: 66 Plane: X- Full-directivity MEI: 621 power setting: 80 Over Limit: 80 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 10580.00 44.40 -22.90 68.30 57.28 37.65 15.68 66.21 100 0 Peak VERTICAL



UNII-2C - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																										
ANT	802.11a CH100 5500MHz																																																																										
CDD 1+2	Horizontal	Fundamental																																																																									
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 1 Level (dBm/Hz) Site : 030607-KS Condition : 5G BAND 1----3 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Bode : (FR) 230408 Plane : Z1 Flare : X- Full-directivity IMEI : 821 power setting : 60 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5453.04</td><td>62.75</td><td>-11.25</td><td>74.00</td><td>46.88</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td></tr><tr><td>5453.28</td><td>62.26</td><td>-6.04</td><td>68.30</td><td>46.37</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td></tr></table> 1 5453.04 62.75 -11.25 74.00 46.88 34.53 10.97 29.63 100 179 Peak HORIZONTAL 2 5453.28 62.26 -6.04 68.30 46.37 34.53 10.99 29.63 100 179 Peak HORIZONTAL  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 3 Level (dBm/Hz) Site : 030607-KS Condition : 5G BAND 1----3 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Bode : (FR) 230408 Plane : Z1 Flare : X- Full-directivity IMEI : 821 power setting : 60 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5500.00</td><td>113.86</td><td>45.56</td><td>68.30</td><td>97.92</td><td>34.55</td><td>11.04</td><td>29.65</td><td>100</td></tr><tr><td>5500.00</td><td>107.00</td><td>-----</td><td>-----</td><td>91.06</td><td>34.55</td><td>11.04</td><td>29.65</td><td>100</td></tr></table> 1 * 5500.00 113.86 45.56 68.30 97.92 34.55 11.04 29.65 100 179 Peak HORIZONTAL 2 5500.00 107.00 ----- 91.06 34.55 11.04 29.65 100 179 Average HORIZONTAL <tr><td>Avg.</td><td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 2 Level (dBm/Hz) Site : 030607-KS Condition : 5G BAND 1----3 (AVG) 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VSW 0.7500KHz SMT Auto Bode : (FR) 230408 Plane : Z1 Flare : X- Full-directivity IMEI : 821 power setting : 60 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5459.44</td><td>52.16</td><td>-1.84</td><td>54.00</td><td>36.29</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td></tr></table> 1 5459.44 52.16 -1.84 54.00 36.29 34.53 10.97 29.63 100 179 Average HORIZONTAL Left blank </td></tr>	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/n	dB	cm	deg	5453.04	62.75	-11.25	74.00	46.88	34.53	10.97	29.63	100	5453.28	62.26	-6.04	68.30	46.37	34.53	10.99	29.63	100	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/n	dB	cm	deg	5500.00	113.86	45.56	68.30	97.92	34.55	11.04	29.65	100	5500.00	107.00	-----	-----	91.06	34.55	11.04	29.65	100	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 2 Level (dBm/Hz) Site : 030607-KS Condition : 5G BAND 1----3 (AVG) 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VSW 0.7500KHz SMT Auto Bode : (FR) 230408 Plane : Z1 Flare : X- Full-directivity IMEI : 821 power setting : 60 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5459.44</td><td>52.16</td><td>-1.84</td><td>54.00</td><td>36.29</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td></tr></table> 1 5459.44 52.16 -1.84 54.00 36.29 34.53 10.97 29.63 100 179 Average HORIZONTAL Left blank	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/n	dB	cm	deg	5459.44	52.16	-1.84	54.00	36.29	34.53	10.97	29.63	100
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/n	dB	cm	deg																																																																			
5453.04	62.75	-11.25	74.00	46.88	34.53	10.97	29.63	100																																																																			
5453.28	62.26	-6.04	68.30	46.37	34.53	10.99	29.63	100																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/n	dB	cm	deg																																																																			
5500.00	113.86	45.56	68.30	97.92	34.55	11.04	29.65	100																																																																			
5500.00	107.00	-----	-----	91.06	34.55	11.04	29.65	100																																																																			
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 2 Level (dBm/Hz) Site : 030607-KS Condition : 5G BAND 1----3 (AVG) 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VSW 0.7500KHz SMT Auto Bode : (FR) 230408 Plane : Z1 Flare : X- Full-directivity IMEI : 821 power setting : 60 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5459.44</td><td>52.16</td><td>-1.84</td><td>54.00</td><td>36.29</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td></tr></table> 1 5459.44 52.16 -1.84 54.00 36.29 34.53 10.97 29.63 100 179 Average HORIZONTAL Left blank	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/n	dB	cm	deg	5459.44	52.16	-1.84	54.00	36.29	34.53	10.97	29.63	100																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/n	dB	cm	deg																																																																			
5459.44	52.16	-1.84	54.00	36.29	34.53	10.97	29.63	100																																																																			