



MIMO

Test Mode	Channel	Detector	Freq. [MHz]	ANT 4 Result [dBm]	ANT 5 Result [dBm]	ANT 6 Result [dBm]	ANT 7 Result [dBm]	sum [dBm]	Result [dBUV/m]	Limit [dBUV/m]	Verdict
N20	5180	AV	4500.000	-67.79	-67.87	-67.88	-67.71	-61.79	33.44	≤54	PASS
		AV	4855.600	-65.68	-65.69	-65.63	-65.67	-59.65	35.58	≤54	PASS
		AV	5150.000	-66.33	-66.36	-66.19	-66.27	-60.27	34.96	≤54	PASS
		Peak	4500.000	-59.46	-59.73	-59.65	-59.02	-53.44	41.79	≤74	PASS
		Peak	4732.400	-54.89	-55.38	-54.83	-55.17	-49.04	46.19	≤74	PASS
		Peak	5150.000	-58.18	-57.88	-57.01	-58.15	-51.76	43.47	≤74	PASS
	5240	AV	5350.000	-66.19	-66.4	-66.2	-66.23	-60.23	35.00	≤54	PASS
		AV	5368.320	-65.93	-65.96	-65.96	-65.91	-59.92	35.31	≤54	PASS
		AV	5460.000	-66.39	-66.37	-66.3	-66.4	-60.34	34.89	≤54	PASS
		Peak	5350.000	-58.27	-57.82	-57.65	-58.14	-51.94	43.29	≤74	PASS
		Peak	5450.640	-55.8	-55.04	-54.6	-55.61	-49.22	46.01	≤74	PASS
		Peak	5460.000	-57.34	-58.21	-67.65	-57.8	-52.85	42.38	≤74	PASS
N40	5190	AV	4500.000	-67.52	-67.38	-65.23	-67.71	-60.81	34.42	≤54	PASS
		AV	4871.000	-65.42	-65.4	-65.93	-65.41	-59.51	35.72	≤54	PASS
		AV	5150.000	-66.07	-65.95	-59.15	-65.97	-57.05	38.18	≤54	PASS
		Peak	4500.000	-59.82	-58.8	-55.02	-58.67	-51.63	43.60	≤74	PASS
		Peak	4929.100	-55.1	-55.27	-57.16	-55.27	-49.60	45.63	≤74	PASS
		Peak	5150.000	-58.69	-58.01	-65.74	-57.55	-53.05	42.18	≤74	PASS
	5230	AV	5350.000	-65.76	-66.01	-65.46	-65.48	-59.65	35.58	≤54	PASS
		AV	5426.200	-65.52	-65.46	-65.76	-65.48	-59.53	35.70	≤54	PASS
		AV	5460.000	-65.87	-65.93	-56.84	-65.81	-55.46	39.77	≤54	PASS
		Peak	5350.000	-58.6	-56.39	-55.78	-57.73	-50.97	44.26	≤74	PASS
		Peak	5421.000	-55.33	-55.52	-57.96	-55.3	-49.88	45.35	≤74	PASS
		Peak	5460.000	-56.69	-57.62	-67.75	-58.02	-52.50	42.73	≤74	PASS
AC20	5180	AV	4500.000	-67.77	-67.72	-65.59	-67.77	-61.08	34.15	≤54	PASS
		AV	4834.600	-65.43	-65.44	-66.19	-65.61	-59.64	35.59	≤54	PASS
		AV	5150.000	-66.42	-66.41	-59.31	-66.24	-57.29	37.94	≤54	PASS
		Peak	4500.000	-59.66	-59.08	-54.83	-59.43	-51.71	43.52	≤74	PASS
		Peak	4910.900	-55.59	-55.35	-58.21	-55.33	-49.95	45.28	≤74	PASS
		Peak	5150.000	-58.54	-58.52	-66.29	-57.63	-53.22	42.01	≤74	PASS
	5240	AV	5350.000	-66.3	-66.32	-65.97	-66.36	-60.21	35.02	≤54	PASS
		AV	5410.320	-66.04	-65.97	-66.29	-65.93	-60.03	35.20	≤54	PASS
		AV	5460.000	-66.18	-66.29	-57.57	-66.22	-56.08	39.15	≤54	PASS
		Peak	5350.000	-57.41	-57.79	-54.9	-58.48	-50.90	44.33	≤74	PASS
		Peak	5438.160	-55.84	-55.25	-57.85	-55.44	-49.96	45.27	≤74	PASS
		Peak	5460.000	-57.67	-57.76	-67.35	-57.1	-52.58	42.65	≤74	PASS
AC40	5190	AV	4500.000	-67.29	-67.71	-65.22	-67.59	-60.80	34.43	≤54	PASS
		AV	4806.600	-65.3	-65.15	-65.78	-65.37	-59.37	35.86	≤54	PASS
		AV	5150.000	-65.78	-65.64	-59.11	-65.73	-56.92	38.31	≤54	PASS



		Peak	4500.000	-59.41	-59.74	-54.74	-59.34	-51.72	43.51	≤74	PASS
		Peak	5133.500	-54.68	-55.56	-57.75	-54.96	-49.56	45.67	≤74	PASS
		Peak	5150.000	-57.48	-56.87	-65.71	-57.04	-52.16	43.07	≤74	PASS
	5230	AV	5350.000	-65.81	-65.81	-65.25	-65.87	-59.66	35.57	≤54	PASS
		AV	5385.640	-65.48	-65.5	-65.84	-65.32	-59.51	35.72	≤54	PASS
		AV	5460.000	-65.78	-65.87	-57.25	-65.68	-55.72	39.51	≤54	PASS
		Peak	5350.000	-57.44	-57.69	-55.15	-57.35	-50.76	44.47	≤74	PASS
		Peak	5377.320	-55.77	-55.94	-57.64	-55.68	-50.17	45.06	≤74	PASS
		Peak	5460.000	-57.03	-57.4	-67.2	-58.45	-52.66	42.57	≤74	PASS
	AC80	AV	4500.000	-67.25	-67.25	-64.75	-67.26	-60.46	34.77	≤54	PASS
		AV	4836.000	-64.77	-64.85	-65.35	-64.82	-58.92	36.31	≤54	PASS
		AV	5150.000	-65.32	-65.27	-58.78	-65.04	-56.52	38.71	≤54	PASS
		Peak	4500.000	-58.86	-58.53	-55.67	-58.62	-51.68	43.55	≤74	PASS
		Peak	5136.750	-54.64	-55.38	-57.61	-55.27	-49.57	45.66	≤74	PASS
		Peak	5150.000	-57.37	-56.8	-65.32	-56.87	-52.03	43.20	≤74	PASS
		AV	5350.000	-65.61	-65.62	-64.85	-65.62	-59.39	35.84	≤54	PASS
		AV	5453.840	-64.91	-64.91	-65.67	-64.82	-59.04	36.19	≤54	PASS
		AV	5460.000	-65.3	-65.58	-57.16	-65.37	-55.55	39.68	≤54	PASS
		Peak	5350.000	-57.96	-57.95	-55.55	-57.82	-51.17	44.06	≤74	PASS
		Peak	5426.400	-55.58	-55.04	-57.72	-55.36	-49.79	45.44	≤74	PASS
		Peak	5460.000	-55.95	-58.66	-67.88	-56.89	-52.14	43.09	≤74	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5250 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs


11A_Ant4_Low_5180_AV




11A_Ant4_Low_5180_Peak




11A_Ant4_High_5240_AV



11A_Ant4_High_5240_Peak




11N20SISO_Ant4_Low_5180_AV







11N20SISO_Ant4_Low_5180_Peak




11N20SISO_Ant4_High_5240_AV




11N20SISO_Ant4_High_5240_Peak



11N40SISO_Ant4_Low_5190_AV




11N40SISO_Ant4_Low_5190_Peak







11N40SISO_Ant4_High_5230_AV




11N40SISO_Ant4_High_5230_Peak



11AC20SISO_Ant4_Low_5180_AV



11AC20SISO_Ant4_Low_5180_Peak




11AC20SISO_Ant4_High_5240_AV







11AC20SISO_Ant4_High_5240_Peak




11AC40SISO_Ant4_Low_5190_AV




11AC40SISO_Ant4_Low_5190_Peak



11AC40SISO_Ant4_High_5230_AV




11AC40SISO_Ant4_High_5230_Peak







11AC80SISO_Ant4_Low_5210_AV




11AC80SISO_Ant4_Low_5210_Peak



11AC80SISO_Ant4_High_5210_AV




11AC80SISO_Ant4_High_5210_Peak







11A_Ant5_Low_5180_AV




11A_Ant5_Low_5180_Peak




11A_Ant5_High_5240_AV



11A_Ant5_High_5240_Peak




11N20SISO_Ant5_Low_5180_AV







11N20SISO_Ant5_Low_5180_Peak




11N20SISO_Ant5_High_5240_AV




11N20SISO_Ant5_High_5240_Peak



11N40SISO_Ant5_Low_5190_AV




11N40SISO_Ant5_Low_5190_Peak







11N40SISO_Ant5_High_5230_AV




11N40SISO_Ant5_High_5230_Peak



11AC20SISO_Ant5_Low_5180_AV



11AC20SISO_Ant5_Low_5180_Peak




11AC20SISO_Ant5_High_5240_AV







11AC20SISO_Ant5_High_5240_Peak




11AC40SISO_Ant5_Low_5190_AV




11AC40SISO_Ant5_Low_5190_Peak



11AC40SISO_Ant5_High_5230_AV




11AC40SISO_Ant5_High_5230_Peak







11AC80SISO_Ant5_Low_5210_AV




11AC80SISO_Ant5_Low_5210_Peak



11AC80SISO_Ant5_High_5210_AV




11AC80SISO_Ant5_High_5210_Peak







11A_Ant6_Low_5180_AV




11A_Ant6_Low_5180_Peak




11A_Ant6_High_5240_AV



11A_Ant6_High_5240_Peak




11N20SISO_Ant6_Low_5180_AV







11N20SISO_Ant6_Low_5180_Peak




11N20SISO_Ant6_High_5240_AV




11N20SISO_Ant6_High_5240_Peak



11N40SISO_Ant6_Low_5190_AV




11N40SISO_Ant6_Low_5190_Peak







11N40SISO_Ant6_High_5230_AV




11N40SISO_Ant6_High_5230_Peak




11AC20SISO_Ant6_Low_5180_AV



11AC20SISO_Ant6_Low_5180_Peak




11AC20SISO_Ant6_High_5240_AV







11AC20SISO_Ant6_High_5240_Peak




11AC40SISO_Ant6_Low_5190_AV




11AC40SISO_Ant6_Low_5190_Peak



11AC40SISO_Ant6_High_5230_AV




11AC40SISO_Ant6_High_5230_Peak







11AC80SISO_Ant6_Low_5210_AV




11AC80SISO_Ant6_Low_5210_Peak



11AC80SISO_Ant6_High_5210_AV




11AC80SISO_Ant6_High_5210_Peak







11A_Ant7_Low_5180_AV




11A_Ant7_Low_5180_Peak




11A_Ant7_High_5240_AV



11A_Ant7_High_5240_Peak




11N20SISO_Ant7_Low_5180_AV







11N20SISO_Ant7_Low_5180_Peak




11N20SISO_Ant7_High_5240_AV




11N20SISO_Ant7_High_5240_Peak



11N40SISO_Ant7_Low_5190_AV




11N40SISO_Ant7_Low_5190_Peak







11N40SISO_Ant7_High_5230_AV




11N40SISO_Ant7_High_5230_Peak




11AC20SISO_Ant7_Low_5180_AV



11AC20SISO_Ant7_Low_5180_Peak




11AC20SISO_Ant7_High_5240_AV







11AC20SISO_Ant7_High_5240_Peak




11AC40SISO_Ant7_Low_5190_AV




11AC40SISO_Ant7_Low_5190_Peak



11AC40SISO_Ant7_High_5230_AV




11AC40SISO_Ant7_High_5230_Peak







11AC80SISO_Ant7_Low_5210_AV




11AC80SISO_Ant7_Low_5210_Peak



11AC80SISO_Ant7_High_5210_AV



11AC80SISO_Ant7_High_5210_Peak





B.5 Frequency Stability

Test Result

Voltage							
TestMode	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	5180	NV	NT	82000	15.830116	20	PASS
		LV	NT	82000	15.830116	20	PASS
		HV	NT	81000	15.637066	20	PASS
	5220	NV	NT	84000	16.091954	20	PASS
		LV	NT	84000	16.091954	20	PASS
		HV	NT	84000	16.091954	20	PASS
	5240	NV	NT	85000	16.221374	20	PASS
		LV	NT	85000	16.221374	20	PASS
		HV	NT	85000	16.221374	20	PASS
11N20	5180	NV	NT	83000	16.023166	20	PASS
		LV	NT	84000	16.216216	20	PASS
		HV	NT	84000	16.216216	20	PASS
	5220	NV	NT	84000	16.091954	20	PASS
		LV	NT	86000	16.475096	20	PASS
		HV	NT	86000	16.475096	20	PASS
	5240	NV	NT	84000	16.030534	20	PASS
		LV	NT	86000	16.412214	20	PASS
		HV	NT	86000	16.412214	20	PASS
11N40	5190	NV	NT	83000	15.992293	20	PASS
		LV	NT	85000	16.377649	20	PASS
		HV	NT	86000	16.570328	20	PASS
	5230	NV	NT	83000	15.869981	20	PASS
		LV	NT	86000	16.443595	20	PASS
		HV	NT	87000	16.634799	20	PASS
11AC20	5180	NV	NT	82000	15.830116	20	PASS
		LV	NT	86000	16.602317	20	PASS
		HV	NT	86000	16.602317	20	PASS
	5220	NV	NT	84000	16.091954	20	PASS
		LV	NT	87000	16.666667	20	PASS
		HV	NT	87000	16.666667	20	PASS
	5240	NV	NT	84000	16.030534	20	PASS
		LV	NT	87000	16.603053	20	PASS
		HV	NT	87000	16.603053	20	PASS
11AC40	5190	NV	NT	84000	16.184971	20	PASS
		LV	NT	86000	16.570328	20	PASS
		HV	NT	86000	16.570328	20	PASS



	5230	NV	NT	84000	16.061185	20	PASS
		LV	NT	87000	16.634799	20	PASS
		HV	NT	87000	16.634799	20	PASS
11AC80	5210	NV	NT	83000	15.930902	20	PASS
		LV	NT	83000	15.930902	20	PASS
		HV	NT	83000	15.930902	20	PASS

Temperature							
TestMode	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	5180	NV	-30	81000	15.637066	20	PASS
		NV	-20	81000	15.637066	20	PASS
		NV	-10	81000	15.637066	20	PASS
		NV	0	81000	15.637066	20	PASS
		NV	10	81000	15.637066	20	PASS
		NV	20	81000	15.637066	20	PASS
		NV	30	81000	15.637066	20	PASS
		NV	40	81000	15.637066	20	PASS
		NV	50	81000	15.637066	20	PASS
	5220	NV	-30	84000	16.091954	20	PASS
		NV	-20	84000	16.091954	20	PASS
		NV	-10	84000	16.091954	20	PASS
		NV	0	84000	16.091954	20	PASS
		NV	10	84000	16.091954	20	PASS
		NV	20	84000	16.091954	20	PASS
		NV	30	84000	16.091954	20	PASS
		NV	40	84000	16.091954	20	PASS
		NV	50	84000	16.091954	20	PASS
	5240	NV	-30	85000	16.221374	20	PASS
		NV	-20	85000	16.221374	20	PASS
		NV	-10	85000	16.221374	20	PASS
		NV	0	85000	16.221374	20	PASS
		NV	10	86000	16.412214	20	PASS
		NV	20	86000	16.412214	20	PASS
		NV	30	86000	16.412214	20	PASS
		NV	40	86000	16.412214	20	PASS
		NV	50	86000	16.412214	20	PASS
11N20	5180	NV	-30	84000	16.216216	20	PASS
		NV	-20	85000	16.409266	20	PASS
		NV	-10	85000	16.409266	20	PASS
		NV	0	85000	16.409266	20	PASS



		NV	10	85000	16.409266	20	PASS
		NV	20	85000	16.409266	20	PASS
		NV	30	85000	16.409266	20	PASS
		NV	40	85000	16.409266	20	PASS
		NV	50	85000	16.409266	20	PASS
	5220	NV	-30	86000	16.475096	20	PASS
		NV	-20	86000	16.475096	20	PASS
		NV	-10	86000	16.475096	20	PASS
		NV	0	86000	16.475096	20	PASS
		NV	10	86000	16.475096	20	PASS
		NV	20	86000	16.475096	20	PASS
		NV	30	86000	16.475096	20	PASS
		NV	40	86000	16.475096	20	PASS
		NV	50	86000	16.475096	20	PASS
	5240	NV	-30	86000	16.412214	20	PASS
		NV	-20	86000	16.412214	20	PASS
		NV	-10	86000	16.412214	20	PASS
		NV	0	87000	16.603053	20	PASS
		NV	10	86000	16.412214	20	PASS
		NV	20	86000	16.412214	20	PASS
		NV	30	86000	16.412214	20	PASS
		NV	40	86000	16.412214	20	PASS
		NV	50	87000	16.603053	20	PASS
11N40	5190	NV	-30	86000	16.570328	20	PASS
		NV	-20	85000	16.377649	20	PASS
		NV	-10	86000	16.570328	20	PASS
		NV	0	86000	16.570328	20	PASS
		NV	10	86000	16.570328	20	PASS
		NV	20	86000	16.570328	20	PASS
		NV	30	86000	16.570328	20	PASS
		NV	40	86000	16.570328	20	PASS
		NV	50	86000	16.570328	20	PASS
	5230	NV	-30	87000	16.634799	20	PASS
		NV	-20	87000	16.634799	20	PASS
		NV	-10	87000	16.634799	20	PASS
		NV	0	87000	16.634799	20	PASS
		NV	10	87000	16.634799	20	PASS
		NV	20	87000	16.634799	20	PASS
		NV	30	87000	16.634799	20	PASS
		NV	40	87000	16.634799	20	PASS
		NV	50	87000	16.634799	20	PASS
11AC20	5180	NV	-30	86000	16.602317	20	PASS
		NV	-20	86000	16.602317	20	PASS



		NV	-10	86000	16.602317	20	PASS
		NV	0	86000	16.602317	20	PASS
		NV	10	86000	16.602317	20	PASS
		NV	20	87000	16.795367	20	PASS
		NV	30	87000	16.795367	20	PASS
		NV	40	86000	16.602317	20	PASS
		NV	50	86000	16.602317	20	PASS
	5220	NV	-30	87000	16.666667	20	PASS
		NV	-20	87000	16.666667	20	PASS
		NV	-10	87000	16.666667	20	PASS
		NV	0	87000	16.666667	20	PASS
		NV	10	87000	16.666667	20	PASS
		NV	20	88000	16.858238	20	PASS
		NV	30	88000	16.858238	20	PASS
		NV	40	88000	16.858238	20	PASS
		NV	50	88000	16.858238	20	PASS
	5240	NV	-30	88000	16.793893	20	PASS
		NV	-20	88000	16.793893	20	PASS
		NV	-10	88000	16.793893	20	PASS
		NV	0	88000	16.793893	20	PASS
		NV	10	87000	16.603053	20	PASS
		NV	20	88000	16.793893	20	PASS
		NV	30	87000	16.603053	20	PASS
		NV	40	87000	16.603053	20	PASS
		NV	50	87000	16.603053	20	PASS
11AC40	5190	NV	-30	86000	16.570328	20	PASS
		NV	-20	86000	16.570328	20	PASS
		NV	-10	87000	16.763006	20	PASS
		NV	0	86000	16.570328	20	PASS
		NV	10	86000	16.570328	20	PASS
		NV	20	87000	16.763006	20	PASS
		NV	30	87000	16.763006	20	PASS
		NV	40	87000	16.763006	20	PASS
		NV	50	87000	16.763006	20	PASS
	5230	NV	-30	87000	16.634799	20	PASS
		NV	-20	87000	16.634799	20	PASS
		NV	-10	87000	16.634799	20	PASS
		NV	0	87000	16.634799	20	PASS
		NV	10	87000	16.634799	20	PASS
		NV	20	87000	16.634799	20	PASS
		NV	30	87000	16.634799	20	PASS
		NV	40	87000	16.634799	20	PASS
		NV	50	87000	16.634799	20	PASS



11AC80	5210	NV	-30	83000	15.930902	20	PASS
		NV	-20	82000	15.738964	20	PASS
		NV	-10	83000	15.930902	20	PASS
		NV	0	83000	15.930902	20	PASS
		NV	10	83000	15.930902	20	PASS
		NV	20	83000	15.930902	20	PASS
		NV	30	83000	15.930902	20	PASS
		NV	40	83000	15.930902	20	PASS
		NV	50	83000	15.930902	20	PASS
	5775	NV	-30	93000	16.103896	20	PASS
		NV	-20	93000	16.103896	20	PASS
		NV	-10	92000	15.930736	20	PASS
		NV	0	92000	15.930736	20	PASS
		NV	10	92000	15.930736	20	PASS
		NV	20	92000	15.930736	20	PASS
		NV	30	92000	15.930736	20	PASS
		NV	40	92000	15.930736	20	PASS
		NV	50	92000	15.930736	20	PASS



B.6 Duty Cycle


Test Result

TestMode	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	5180	1.44	1.64	87.80	---	---
	5220	1.44	1.65	87.27	---	---
	5240	1.44	1.65	87.27	---	---
11N20	5180	1.34	1.55	86.45	---	---
	5220	1.35	1.56	86.54	---	---
	5240	1.36	1.56	87.18	---	---
11N40	5190	0.67	0.87	77.01	---	---
	5230	0.66	0.87	75.86	---	---
11AC20	5180	1.36	1.57	86.62	---	---
	5220	1.36	1.57	86.62	---	---
	5240	1.36	1.57	86.62	---	---
11AC40	5190	0.67	0.88	76.14	---	---
	5230	0.67	0.88	76.14	---	---
11AC80	5210	0.33	0.54	61.11	---	---




Test Graphs


11A_5180




11A_5220




11A_5240



11N20SISO_5180




11N20SISO_5220







11N20SISO_5240




11N40SISO_5190




11N40SISO_5230



11AC20SISO_5180




11AC20SISO_5220







11AC20SISO_5240



11AC40SISO_5190



11AC40SISO_5230



11AC80SISO_5210

