



The Photos of SAR test

No. I17Z61083-SEM01

For

Lenovo PC HK Limited

Portable Tablet Computer

Model Name: Lenovo TB-7304I

With

Hardware Version: Lenovo Tablet TB-7304I

Software Version: TB-7304I_RF01_170728

FCC ID: O57TB7304I



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: cttl_terminals@catr.cn, website: www.chinattl.com



Picture 1: Constituents of the sample


Test positions for Head:



Picture 2 Left Hand Touch Cheek Position



Picture 3 Right Hand Touch Cheek Position



Picture 4 Left Hand Tilt 15° Position



Picture 5 Right Hand Tilt 15° Position

Test positions for Body:


The Body SAR is tested at the following 3 test positions all with the distance = 0mm or 8mm between the EUT and the phantom bottom:



Picture 6 Rear with 0mm



Picture 7 Rear with 8mm



Picture 8 Left with 0mm




Picture 9 Left with 8mm



Picture 10 Bottom with 0mm



Picture 11 Bottom with 8mm



Picture 12 Top with 0mm