

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.14	-13	Pass	401
0.15	30	0.01	Peak	0.97	-53.94	-13	Pass	2986
30	500	0.1	Peak	474.1	-44.84	-13	Pass	4701
500	1000	0.1	Peak	824.3	33.17	-13	N/A	5001
1000	10000	1	Peak	8944	-22.37	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-56.45	-13	Pass	401
0.15	30	0.01	Peak	0.26	-54.23	-13	Pass	2986
30	500	0.1	Peak	465.1	-44.7	-13	Pass	4701
500	1000	0.1	Peak	836.7	33.04	-13	N/A	5001
1000	10000	1	Peak	8723	-21.7	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.99	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.64	-13	Pass	2986
30	500	0.1	Peak	492	-44.49	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.95	-13	N/A	5001
1000	10000	1	Peak	8709	-22.46	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.66	-13	Pass	2986
30	1000	0.1	Peak	547.4	-49.54	-13	Pass	9701
1000	3000	1	Peak	1850	28.74	-13	N/A	2001
3000	20000	1	Peak	3700	-42.91	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.31	-13	Pass	401
0.15	30	0.01	Peak	0.19	-61.03	-13	Pass	2986
30	1000	0.1	Peak	973.683	-49.69	-13	Pass	9701
1000	3000	1	Peak	1881	26.64	-13	N/A	2001
3000	20000	1	Peak	3760	-42.27	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.19	-13	Pass	401
0.15	30	0.01	Peak	0.22	-60.42	-13	Pass	2986
30	1000	0.1	Peak	839.4	-49.98	-13	Pass	9701
1000	3000	1	Peak	1910	28.18	-13	N/A	2001
3000	20000	1	Peak	3819	-40.45	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.93	-13	Pass	401
0.15	30	0.01	Peak	0.28	-53.5	-13	Pass	2986
30	500	0.1	Peak	469.7	-44.91	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.28	-13	N/A	5001
1000	10000	1	Peak	9868	-22.28	-13	Pass	9002




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.95	-13	Pass	401
0.15	30	0.01	Peak	0.53	-53.9	-13	Pass	2986
30	500	0.1	Peak	489.4	-45.36	-13	Pass	4701
500	1000	0.1	Peak	836.6	27.54	-13	N/A	5001
1000	10000	1	Peak	7151	-22.22	-13	Pass	9002



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-55.35	-13	Pass	401
0.15	30	0.01	Peak	0.38	-53.88	-13	Pass	2986
30	500	0.1	Peak	369.3	-44.27	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.63	-13	N/A	5001
1000	10000	1	Peak	8432	-22.03	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.02	-13	Pass	401
0.15	30	0.01	Peak	0.25	-59.6	-13	Pass	2986
30	1000	0.1	Peak	921.048	-49.93	-13	Pass	9701
1000	3000	1	Peak	1850	18.93	-13	N/A	2001
3000	20000	1	Peak	17859	-44.76	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.96	-13	Pass	401
0.15	30	0.01	Peak	0.24	-59.5	-13	Pass	2986
30	1000	0.1	Peak	542.8	-49.83	-13	Pass	9701
1000	3000	1	Peak	1880	23.78	-13	N/A	2001
3000	20000	1	Peak	17420	-44.02	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.43	-13	Pass	401
0.15	30	0.01	Peak	0.25	-60.72	-13	Pass	2986
30	1000	0.1	Peak	948.566	-50.15	-13	Pass	9701
1000	3000	1	Peak	1910	23.37	-13	N/A	2001
3000	20000	1	Peak	17424	-44.45	-13	Pass	17003



5. WCDMA_Band2

5.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.78	-13	52.78	Pass	401
0.15	30	0.01	Peak	0.83	-64.53	-13	51.53	Pass	2986
30	1000	0.1	Peak	857.205	-53.82	-13	40.82	Pass	9701
1000	3000	1	Peak	1852	23.05	-13	-36.05	N/A	2001
3000	20000	1	Peak	19462	-23.46	-13	10.46	Pass	17003



5.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.71	-13	51.71	Pass	401
0.15	30	0.01	Peak	0.15	-64.89	-13	51.89	Pass	2986
30	1000	0.1	Peak	815.1	-53.69	-13	40.69	Pass	9701
1000	3000	1	Peak	1881	23	-13	-36	N/A	2001
3000	20000	1	Peak	17813	-22.87	-13	9.87	Pass	17003



5.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.6	-13	51.6	Pass	401
0.15	30	0.01	Peak	0.27	-63.58	-13	50.58	Pass	2986
30	1000	0.1	Peak	921.648	-53.49	-13	40.49	Pass	9701
1000	3000	1	Peak	1909	23.05	-13	-36.05	N/A	2001
3000	20000	1	Peak	19315	-24.19	-13	11.19	Pass	17003



6. WCDMA_Band4

6.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.35	-13	50.35	Pass	401
0.15	30	0.01	Peak	0.33	-64.43	-13	51.43	Pass	2986
30	1000	0.1	Peak	918.646	-53.64	-13	40.64	Pass	9701
1000	3000	1	Peak	1714	23.17	-13	-36.17	N/A	2001
3000	20000	1	Peak	19405	-23.77	-13	10.77	Pass	17003



6.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.17	-13	52.17	Pass	401
0.15	30	0.01	Peak	1.09	-65.12	-13	52.12	Pass	2986
30	1000	0.1	Peak	870.714	-53.82	-13	40.82	Pass	9701
1000	3000	1	Peak	1731	23.12	-13	-36.12	N/A	2001
3000	20000	1	Peak	18360	-23.99	-13	10.99	Pass	17003



6.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.93	-13	52.93	Pass	401
0.15	30	0.01	Peak	0.15	-63.55	-13	50.55	Pass	2986
30	1000	0.1	Peak	902.335	-53.45	-13	40.45	Pass	9701
1000	3000	1	Peak	1751	23.3	-13	-36.3	N/A	2001
3000	20000	1	Peak	19370	-23.95	-13	10.95	Pass	17003



7. WCDMA_Band5

7.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.38	-13	53.38	Pass	401
0.15	30	0.01	Peak	0.35	-63.89	-13	50.89	Pass	2986
30	500	0.1	Peak	482.7	-55	-13	42	Pass	4701
500	1000	0.1	Peak	825.3	17.32	-13	-30.32	N/A	5001
1000	10000	1	Peak	7291	-32.43	-13	19.43	Pass	9002



7.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.63	-13	51.63	Pass	401
0.15	30	0.01	Peak	0.64	-64.76	-13	51.76	Pass	2986
30	500	0.1	Peak	482.7	-54.74	-13	41.74	Pass	4701
500	1000	0.1	Peak	837.1	17.62	-13	-30.62	N/A	5001
1000	10000	1	Peak	8725	-32.4	-13	19.4	Pass	9002



7.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.97	-13	51.97	Pass	401
0.15	30	0.01	Peak	0.21	-63.91	-13	50.91	Pass	2986
30	500	0.1	Peak	396.4	-54.83	-13	41.83	Pass	4701
500	1000	0.1	Peak	845.7	17.72	-13	-30.72	N/A	5001
1000	10000	1	Peak	9885	-32.61	-13	19.61	Pass	9002



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	Pass	2986
30	1000	0.1	RMS	881.421	-73.4	-13	Pass	9701
1000	1840	1	RMS	1819	-62.89	-13	Pass	841
1840	1920	1	RMS	1920	-62.87	60	Pass	401
1920	3000	1	RMS	2824	-61.1	-13	Pass	1081
3000	12000	1	RMS	6990	-58.04	-13	Pass	9002
12000	20000	1	RMS	13648	-55.19	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-78.5	-13	Pass	2986
30	1000	0.1	RMS	841.9	-73.25	-13	Pass	9701
1000	1840	1	RMS	1839	-62.88	-13	Pass	841
1840	1920	1	RMS	1847.6	-62.9	60	Pass	401
1920	3000	1	RMS	2975	-61.12	-13	Pass	1081
3000	12000	1	RMS	6977	-58.03	-13	Pass	9002
12000	20000	1	RMS	13656	-55.21	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.94	-13	Pass	401
0.15	30	0.01	RMS	0.2	-78.43	-13	Pass	2986
30	1000	0.1	RMS	741.6	-73.38	-13	Pass	9701
1000	1840	1	RMS	1827	-62.9	-13	Pass	841
1840	1920	1	RMS	1859.6	-62.88	60	Pass	401
1920	3000	1	RMS	2957	-61.06	-13	Pass	1081
3000	12000	1	RMS	6982	-58.12	-13	Pass	9002
12000	20000	1	RMS	13654	-55.24	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-77.87	-13	Pass	2986
30	1000	0.1	RMS	839.7	-73.33	-13	Pass	9701
1000	1840	1	RMS	1838	-62.91	-13	Pass	841
1840	1920	1	RMS	1848	-62.88	60	Pass	401
1920	3000	1	RMS	2976	-61.11	-13	Pass	1081
3000	12000	1	RMS	6985	-58.07	-13	Pass	9002
12000	20000	1	RMS	13629	-55.21	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.07	-13	Pass	401
0.15	30	0.01	RMS	0.19	-78.41	-13	Pass	2986
30	1000	0.1	RMS	486.1	-73.28	-13	Pass	9701
1000	1840	1	RMS	1834	-62.88	-13	Pass	841
1840	1920	1	RMS	1919	-62.87	60	Pass	401
1920	3000	1	RMS	2827	-61.09	-13	Pass	1081
3000	12000	1	RMS	6988	-58.06	-13	Pass	9002
12000	20000	1	RMS	13638	-55.16	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-78.32	-13	Pass	2986
30	1000	0.1	RMS	845.2	-73.35	-13	Pass	9701
1000	1840	1	RMS	1838	-62.88	-13	Pass	841
1840	1920	1	RMS	1845	-62.91	60	Pass	401
1920	3000	1	RMS	2985	-61.05	-13	Pass	1081
3000	12000	1	RMS	6990	-58.01	-13	Pass	9002
12000	20000	1	RMS	13634	-55.23	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-78.65	-13	Pass	2986
30	1000	0.1	RMS	832.6	-73.39	-13	Pass	9701
1000	1840	1	RMS	1823	-62.86	-13	Pass	841
1840	1920	1	RMS	1841.8	-62.88	60	Pass	401
1920	3000	1	RMS	2833	-61.08	-13	Pass	1081
3000	12000	1	RMS	6987	-58.03	-13	Pass	9002
12000	20000	1	RMS	13647	-55.23	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.91	-13	Pass	401
0.15	30	0.01	RMS	0.25	-77.86	-13	Pass	2986
30	1000	0.1	RMS	495.7	-73.33	-13	Pass	9701
1000	1840	1	RMS	1831	-62.89	-13	Pass	841
1840	1920	1	RMS	1841.2	-62.88	60	Pass	401
1920	3000	1	RMS	2840	-61.11	-13	Pass	1081
3000	12000	1	RMS	6992	-58	-13	Pass	9002
12000	20000	1	RMS	13626	-55.25	-13	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-13	Pass	2986
30	1000	0.1	RMS	968.979	-73.26	-13	Pass	9701
1000	1840	1	RMS	1830	-62.87	-13	Pass	841
1840	1920	1	RMS	1842.8	-62.85	60	Pass	401
1920	3000	1	RMS	2838	-61.1	-13	Pass	1081
3000	12000	1	RMS	6989	-57.99	-13	Pass	9002
12000	20000	1	RMS	13637	-55.23	-13	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.51	-13	Pass	401
0.15	30	0.01	RMS	0.22	-77.95	-13	Pass	2986
30	1000	0.1	RMS	490.8	-73.39	-13	Pass	9701
1000	1840	1	RMS	1823	-62.92	-13	Pass	841
1840	1920	1	RMS	1841.2	-62.89	60	Pass	401
1920	3000	1	RMS	2836	-61.08	-13	Pass	1081
3000	12000	1	RMS	6980	-58.02	-13	Pass	9002
12000	20000	1	RMS	13648	-55.16	-13	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-78.16	-13	Pass	2986
30	1000	0.1	RMS	856.605	-73.4	-13	Pass	9701
1000	1840	1	RMS	1838	-62.85	-13	Pass	841
1840	1920	1	RMS	1919.8	-62.87	60	Pass	401
1920	3000	1	RMS	2833	-61.07	-13	Pass	1081
3000	12000	1	RMS	6998	-58.05	-13	Pass	9002
12000	20000	1	RMS	13641	-55.21	-13	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-77.9	-13	Pass	2986
30	1000	0.1	RMS	906.938	-73.4	-13	Pass	9701
1000	1840	1	RMS	1839	-62.9	-13	Pass	841
1840	1920	1	RMS	1842	-62.91	60	Pass	401
1920	3000	1	RMS	2977	-61.09	-13	Pass	1081
3000	12000	1	RMS	6977	-58.03	-13	Pass	9002
12000	20000	1	RMS	13643	-55.23	-13	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.31	-13	Pass	401
0.15	30	0.01	RMS	0.21	-78.15	-13	Pass	2986
30	1000	0.1	RMS	827.9	-73.3	-13	Pass	9701
1000	1840	1	RMS	1839	-62.84	-13	Pass	841
1840	1920	1	RMS	1845	-62.9	60	Pass	401
1920	3000	1	RMS	2826	-61.1	-13	Pass	1081
3000	12000	1	RMS	6975	-58.07	-13	Pass	9002
12000	20000	1	RMS	13644	-55.21	-13	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.56	-13	Pass	401
0.15	30	0.01	RMS	0.19	-78.16	-13	Pass	2986
30	1000	0.1	RMS	810.3	-73.37	-13	Pass	9701
1000	1840	1	RMS	1830	-62.85	-13	Pass	841
1840	1920	1	RMS	1919.6	-62.89	60	Pass	401
1920	3000	1	RMS	2829	-61.02	-13	Pass	1081
3000	12000	1	RMS	6988	-58.05	-13	Pass	9002
12000	20000	1	RMS	13642	-55.19	-13	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-78.32	-13	Pass	2986
30	1000	0.1	RMS	863.81	-73.31	-13	Pass	9701
1000	1840	1	RMS	1840	-62.85	-13	Pass	841
1840	1920	1	RMS	1847.2	-62.88	60	Pass	401
1920	3000	1	RMS	2834	-61.11	-13	Pass	1081
3000	12000	1	RMS	6979	-58.06	-13	Pass	9002
12000	20000	1	RMS	13651	-55.25	-13	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-78.07	-13	Pass	2986
30	1000	0.1	RMS	943.763	-73.39	-13	Pass	9701
1000	1840	1	RMS	1830	-62.89	-13	Pass	841
1840	1920	1	RMS	1918.2	-62.87	60	Pass	401
1920	3000	1	RMS	2987	-61.08	-13	Pass	1081
3000	12000	1	RMS	6987	-58.02	-13	Pass	9002
12000	20000	1	RMS	13650	-55.23	-13	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-78.28	-13	Pass	2986
30	1000	0.1	RMS	475.3	-73.43	-13	Pass	9701
1000	1840	1	RMS	1833	-62.84	-13	Pass	841
1840	1920	1	RMS	1843.8	-62.9	60	Pass	401
1920	3000	1	RMS	2835	-61.06	-13	Pass	1081
3000	12000	1	RMS	7004	-58.04	-13	Pass	9002
12000	20000	1	RMS	13644	-55.13	-13	Pass	8001




8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.37	-13	Pass	401
0.15	30	0.01	RMS	0.19	-78.8	-13	Pass	2986
30	1000	0.1	RMS	950.767	-73.34	-13	Pass	9701
1000	1840	1	RMS	1838	-62.88	-13	Pass	841
1840	1920	1	RMS	1842.8	-62.86	60	Pass	401
1920	3000	1	RMS	2978	-61.05	-13	Pass	1081
3000	12000	1	RMS	6999	-58.05	-13	Pass	9002
12000	20000	1	RMS	13648	-55.2	-13	Pass	8001




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-77.93	-13	Pass	2986
30	1000	0.1	RMS	480.6	-73.38	-13	Pass	9701
1000	1840	1	RMS	1840	-62.89	-13	Pass	841
1840	1920	1	RMS	1840.2	-62.91	60	Pass	401
1920	3000	1	RMS	3000	-61.06	-13	Pass	1081
3000	12000	1	RMS	6974	-58.09	-13	Pass	9002
12000	20000	1	RMS	13641	-55.18	-13	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.94	-13	Pass	2986
30	1000	0.1	RMS	984.69	-73.35	-13	Pass	9701
1000	1840	1	RMS	1836	-62.87	-13	Pass	841
1840	1920	1	RMS	1845	-62.9	60	Pass	401
1920	3000	1	RMS	2830	-61.06	-13	Pass	1081
3000	12000	1	RMS	6998	-58.09	-13	Pass	9002
12000	20000	1	RMS	13640	-55.23	-13	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-77.62	-13	Pass	2986
30	1000	0.1	RMS	943.563	-73.41	-13	Pass	9701
1000	1840	1	RMS	1834	-62.89	-13	Pass	841
1840	1920	1	RMS	1844.6	-62.89	60	Pass	401
1920	3000	1	RMS	2982	-61.03	-13	Pass	1081
3000	12000	1	RMS	6994	-58.06	-13	Pass	9002
12000	20000	1	RMS	13652	-55.23	-13	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-78.42	-13	Pass	2986
30	1000	0.1	RMS	858.706	-73.42	-13	Pass	9701
1000	1840	1	RMS	1691	-62.9	-13	Pass	841
1840	1920	1	RMS	1846.2	-62.91	60	Pass	401
1920	3000	1	RMS	2978	-61.07	-13	Pass	1081
3000	12000	1	RMS	6975	-58.08	-13	Pass	9002
12000	20000	1	RMS	13639	-55.19	-13	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-78.08	-13	Pass	2986
30	1000	0.1	RMS	839.9	-73.36	-13	Pass	9701
1000	1840	1	RMS	1836	-62.88	-13	Pass	841
1840	1920	1	RMS	1845.4	-62.89	60	Pass	401
1920	3000	1	RMS	2828	-61.04	-13	Pass	1081
3000	12000	1	RMS	6978	-58.1	-13	Pass	9002
12000	20000	1	RMS	13645	-55.25	-13	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-78.38	-13	Pass	2986
30	1000	0.1	RMS	469.4	-73.3	-13	Pass	9701
1000	1840	1	RMS	1839	-62.88	-13	Pass	841
1840	1920	1	RMS	1841.2	-62.88	60	Pass	401
1920	3000	1	RMS	2982	-61.03	-13	Pass	1081
3000	12000	1	RMS	6994	-58.09	-13	Pass	9002
12000	20000	1	RMS	13629	-55.23	-13	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.77	-13	Pass	2986
30	1000	0.1	RMS	482.3	-73.34	-13	Pass	9701
1000	1840	1	RMS	1836	-62.88	-13	Pass	841
1840	1920	1	RMS	1851	-62.87	60	Pass	401
1920	3000	1	RMS	2978	-61.03	-13	Pass	1081
3000	12000	1	RMS	7001	-58.04	-13	Pass	9002
12000	20000	1	RMS	13653	-55.22	-13	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-78.21	-13	Pass	2986
30	1000	0.1	RMS	843.6	-73.44	-13	Pass	9701
1000	1840	1	RMS	1833	-62.85	-13	Pass	841
1840	1920	1	RMS	1847.4	-62.88	60	Pass	401
1920	3000	1	RMS	2996	-61.12	-13	Pass	1081
3000	12000	1	RMS	6987	-58.06	-13	Pass	9002
12000	20000	1	RMS	13654	-55.17	-13	Pass	8001




8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-78.4	-13	Pass	2986
30	1000	0.1	RMS	497.6	-73.45	-13	Pass	9701
1000	1840	1	RMS	1831	-62.88	-13	Pass	841
1840	1920	1	RMS	1843.6	-62.88	60	Pass	401
1920	3000	1	RMS	2986	-61.07	-13	Pass	1081
3000	12000	1	RMS	6989	-58.07	-13	Pass	9002
12000	20000	1	RMS	13654	-55.19	-13	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.84	-13	Pass	2986
30	1000	0.1	RMS	910.541	-73.34	-13	Pass	9701
1000	1840	1	RMS	1821	-62.91	-13	Pass	841
1840	1920	1	RMS	1843	-62.88	60	Pass	401
1920	3000	1	RMS	2981	-61.09	-13	Pass	1081
3000	12000	1	RMS	6983	-58.06	-13	Pass	9002
12000	20000	1	RMS	13645	-55.2	-13	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-78.16	-13	Pass	2986
30	1000	0.1	RMS	498.1	-73.35	-13	Pass	9701
1000	1840	1	RMS	1825	-62.89	-13	Pass	841
1840	1920	1	RMS	1918.6	-62.87	60	Pass	401
1920	3000	1	RMS	2833	-61.04	-13	Pass	1081
3000	12000	1	RMS	7010	-58.05	-13	Pass	9002
12000	20000	1	RMS	13642	-55.24	-13	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.99	-13	Pass	2986
30	1000	0.1	RMS	845.6	-73.4	-13	Pass	9701
1000	1840	1	RMS	1825	-62.91	-13	Pass	841
1840	1920	1	RMS	1842.2	-62.9	60	Pass	401
1920	3000	1	RMS	2841	-61.05	-13	Pass	1081
3000	12000	1	RMS	6973	-58.06	-13	Pass	9002
12000	20000	1	RMS	13644	-55.24	-13	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-78.11	-13	Pass	2986
30	1000	0.1	RMS	924.55	-73.42	-13	Pass	9701
1000	1840	1	RMS	1837	-62.84	-13	Pass	841
1840	1920	1	RMS	1848.6	-62.89	60	Pass	401
1920	3000	1	RMS	2978	-61.08	-13	Pass	1081
3000	12000	1	RMS	6986	-58.02	-13	Pass	9002
12000	20000	1	RMS	13646	-55.23	-13	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.41	-13	Pass	401
0.15	30	0.01	RMS	0.23	-78.82	-13	Pass	2986
30	1000	0.1	RMS	841.9	-73.45	-13	Pass	9701
1000	1840	1	RMS	1835	-62.9	-13	Pass	841
1840	1920	1	RMS	1847.4	-62.87	60	Pass	401
1920	3000	1	RMS	2950	-61.07	-13	Pass	1081
3000	12000	1	RMS	6996	-58	-13	Pass	9002
12000	20000	1	RMS	13642	-55.3	-13	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-13	Pass	2986
30	1000	0.1	RMS	937.659	-73.36	-13	Pass	9701
1000	1840	1	RMS	1827	-62.86	-13	Pass	841
1840	1920	1	RMS	1842.8	-62.89	60	Pass	401
1920	3000	1	RMS	2976	-61.08	-13	Pass	1081
3000	12000	1	RMS	6992	-58.03	-13	Pass	9002
12000	20000	1	RMS	13626	-55.19	-13	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.52	-13	Pass	401
0.15	30	0.01	RMS	0.21	-78.76	-13	Pass	2986
30	1000	0.1	RMS	987.292	-73.3	-13	Pass	9701
1000	1840	1	RMS	1836	-62.87	-13	Pass	841
1840	1920	1	RMS	1843.2	-62.89	60	Pass	401
1920	3000	1	RMS	2828	-61.1	-13	Pass	1081
3000	12000	1	RMS	6981	-58.02	-13	Pass	9002
12000	20000	1	RMS	13649	-55.27	-13	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.87	-13	Pass	2986
30	1000	0.1	RMS	950.367	-73.28	-13	Pass	9701
1000	1840	1	RMS	1829	-62.86	-13	Pass	841
1840	1920	1	RMS	1848.2	-62.87	60	Pass	401
1920	3000	1	RMS	2986	-61.08	-13	Pass	1081
3000	12000	1	RMS	6981	-58.06	-13	Pass	9002
12000	20000	1	RMS	13640	-55.21	-13	Pass	8001



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-78.34	-13	Pass	2986
30	1000	0.1	RMS	495.9	-73.38	-13	Pass	9701
1000	1840	1	RMS	1830	-62.84	-13	Pass	841
1840	1920	1	RMS	1844.4	-62.88	60	Pass	401
1920	3000	1	RMS	2933	-61.07	-13	Pass	1081
3000	12000	1	RMS	6994	-58.04	-13	Pass	9002
12000	20000	1	RMS	13657	-55.23	-13	Pass	8001



9. LTE_Band4

9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.35	-13	Pass	2986
30	1000	0.1	RMS	995.297	-64.84	-13	Pass	9701
1000	1700	1	RMS	1700	-51.54	-13	Pass	701
1700	1765	1	RMS	1710.238	22.91	60	Pass	401
1765	3000	1	RMS	2999	-50.39	-13	Pass	1236
3000	12000	1	RMS	11983	-41.7	-13	Pass	9002
12000	20000	1	RMS	19375	-35	-13	Pass	8001



**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2986
30	1000	0.1	RMS	977.985	-64.93	-13	Pass	9701
1000	1700	1	RMS	1700	-51.38	-13	Pass	701
1700	1765	1	RMS	1710.238	23.04	60	Pass	401
1765	3000	1	RMS	2972	-50.36	-13	Pass	1236
3000	12000	1	RMS	11979	-41.78	-13	Pass	9002
12000	20000	1	RMS	19359	-35.01	-13	Pass	8001

