
























































Appendix G: Duty Cycle


Test Result


Test Mode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
2.4G Slot 10MHz	Ant1	2410	1.60	2.20	72.73	1.38
	Ant2	2410	1.60	2.25	71.11	1.48
	Ant1	2440	1.60	2.20	72.73	1.38
	Ant2	2440	1.60	2.20	72.73	1.38
	Ant1	2465	1.60	2.20	72.73	1.38
	Ant2	2465	1.60	2.20	72.73	1.38
2.4G Slot 20MHz	Ant1	2415	1.62	2.22	72.97	1.37
	Ant2	2415	1.62	2.22	72.97	1.37
	Ant1	2440	1.62	2.22	72.97	1.37
	Ant2	2440	1.62	2.22	72.97	1.37
	Ant1	2460	1.62	2.22	72.97	1.37
	Ant2	2460	1.62	2.22	72.97	1.37
2.4G Slot 40MHz	Ant1	2425	0.81	1.41	57.45	2.41
	Ant2	2425	0.81	1.41	57.45	2.41
	Ant1	2440	0.81	1.41	57.45	2.41
	Ant2	2440	0.81	1.41	57.45	2.41
	Ant1	2450	0.81	1.41	57.45	2.41
	Ant2	2450	0.81	1.41	57.45	2.41


Note: Duty cycle factor = 10*Ig (1/Duty cycle);


Test Graphs























END OF REPORT