Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.64	0.20	5.84	30.00	Complies
159	5795	4.40	0.20	4.60	30.00	Complies

CH151



Date: 10.JUL.2020 11:20:38

CH159



Date: 10.JUL.2020 11:20:08

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.40	0.20	5.60	30.00	Complies
159	5795	4.97	0.20	5.17	30.00	Complies

CH151



Date: 10.JUL.2020 11:16:57

CH159



Date: 10.JUL.2020 11:18:39

Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.98	28.53	Complies
159	5795	11.51	28.53	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.31	0.44	2.75	30.00	Complies

CH155



Date: 10.JUL.2020 11:32:48

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.18	0.44	2.62	30.00	Complies

CH155



Date: 10.JUL.2020 11:37:01

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.55	0.44	1.99	30.00	Complies

CH155



Date: 10.JUL.2020 11:39:08

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.38	0.44	2.82	30.00	Complies

CH155



Date: 10.JUL.2020 11:36:18

Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.58	28.53	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.15	0.17	9.32	17.00	Complies
40	5200	9.05	0.17	9.22	17.00	Complies
48	5240	9.70	0.17	9.87	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.23	0.17	9.40	17.00	Complies
40	5200	9.66	0.17	9.83	17.00	Complies
48	5240	9.37	0.17	9.54	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.09	0.17	9.26	17.00	Complies
40	5200	8.48	0.17	8.65	17.00	Complies
48	5240	8.55	0.17	8.72	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.90	0.17	9.07	17.00	Complies
40	5200	8.55	0.17	8.72	17.00	Complies
48	5240	8.06	0.17	8.23	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.29	15.89	Complies
40	5200	15.16	15.89	Complies
48	5240	15.16	15.89	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.52	0.19	5.71	17.00	Complies
46	5230	5.64	0.19	5.83	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.29	0.19	5.48	17.00	Complies
46	5230	6.16	0.19	6.35	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.51	0.19	4.70	17.00	Complies
46	5230	5.12	0.19	5.31	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.62	0.19	4.81	17.00	Complies
46	5230	4.90	0.19	5.09	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.21	15.89	Complies
46	5230	11.50	15.89	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.70	0.19	2.89	17.00	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.69	0.19	2.88	17.00	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.39	0.19	1.58	17.00	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.31	0.19	1.50	17.00	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.28	15.89	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.93	0.17	8.10	30.00	Complies
157	5785	7.49	0.17	7.66	30.00	Complies
165	5825	7.92	0.17	8.09	30.00	Complies

CH149



Date: 10.JUL.2020 13:57:55

CH157



Date: 10.JUL.2020 13:59:57

CH165



Date: 10.JUL.2020 14:01:49

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.57	0.17	7.74	30.00	Complies
157	5785	7.15	0.17	7.32	30.00	Complies
165	5825	6.65	0.17	6.82	30.00	Complies

CH149



Date: 10.JUL.2020 14:05:24

CH157



Date: 10.JUL.2020 14:04:31

CH165



Date: 10.JUL.2020 14:02:52

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.93	0.17	7.10	30.00	Complies
157	5785	6.81	0.17	6.98	30.00	Complies
165	5825	5.52	0.17	5.69	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.51	0.17	7.68	30.00	Complies
157	5785	6.68	0.17	6.85	30.00	Complies
165	5825	6.13	0.17	6.30	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.69	28.53	Complies
157	5785	13.24	28.53	Complies
165	5825	12.84	28.53	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.34	0.19	5.53	30.00	Complies
159	5795	5.50	0.19	5.69	30.00	Complies

CH151



Date: 10.JUL.2020 13:42:42

CH159



Date: 10.JUL.2020 13:43:44

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.55	0.19	4.74	30.00	Complies
159	5795	5.08	0.19	5.27	30.00	Complies

CH151



Date: 10.JUL.2020 12:03:09

CH159



Date: 10.JUL.2020 12:02:16

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.20	0.19	5.39	30.00	Complies
159	5795	5.33	0.19	5.52	30.00	Complies

CH151



Date: 10.JUL.2020 11:59:23

CH159



Date: 10.JUL.2020 12:01:05

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.90	0.19	5.09	30.00	Complies
159	5795	5.03	0.19	5.22	30.00	Complies

CH151



Date: 10.JUL.2020 13:45:17

CH159



Date: 10.JUL.2020 13:44:31

Test Mode	UNII-3_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.21	28.53	Complies
159	5795	11.45	28.53	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.36	0.19	3.55	30.00	Complies

CH155



Date: 10.JUL.2020 11:45:36

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.76	0.19	2.95	30.00	Complies

CH155



Date: 10.JUL.2020 11:46:57

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.16	0.19	2.35	30.00	Complies

CH155



Date: 10.JUL.2020 11:51:44

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.94	0.19	3.13	30.00	Complies

CH155



Date: 10.JUL.2020 11:48:05

Test Mode	UNII-3_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.03	28.53	Complies

Beamforming

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.98	0.21	5.19	17.00	Complies
40	5200	4.93	0.21	5.14	17.00	Complies
48	5240	5.03	0.21	5.24	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.85	0.21	5.06	17.00	Complies
40	5200	3.66	0.21	3.87	17.00	Complies
48	5240	4.62	0.21	4.83	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.80	0.21	4.01	17.00	Complies
40	5200	3.56	0.21	3.77	17.00	Complies
48	5240	3.86	0.21	4.07	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.25	0.21	4.46	17.00	Complies
40	5200	3.87	0.21	4.08	17.00	Complies
48	5240	3.57	0.21	3.78	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.73	15.53	Complies
40	5200	10.27	15.53	Complies
48	5240	10.54	15.53	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.10	0.20	2.30	17.00	Complies
46	5230	1.67	0.20	1.87	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.68	0.20	1.88	17.00	Complies
46	5230	2.02	0.20	2.22	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.51	0.20	1.71	17.00	Complies
46	5230	1.36	0.20	1.56	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.18	0.20	1.38	17.00	Complies
46	5230	1.35	0.20	1.55	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.85	15.53	Complies
46	5230	7.83	15.53	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.78	0.44	-0.34	17.00	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.21	0.44	-0.77	17.00	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.63	0.44	-1.19	17.00	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4

	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.61	0.44	-1.17	17.00	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.17	15.53	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.52	0.21	5.73	30.00	Complies
157	5785	5.02	0.21	5.23	30.00	Complies
165	5825	6.42	0.21	6.63	30.00	Complies

CH149



Date: 10.JUL.2020 15:11:17

CH157



Date: 10.JUL.2020 15:08:37

CH165



Date: 10.JUL.2020 15:07:42

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.57	0.21	3.78	30.00	Complies
157	5785	2.90	0.21	3.11	30.00	Complies
165	5825	2.92	0.21	3.13	30.00	Complies

CH149



Date: 10.JUL.2020 15:11:02

CH157



Date: 10.JUL.2020 15:08:53

CH165



Date: 10.JUL.2020 15:04:59

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.94	0.21	6.15	30.00	Complies
157	5785	4.10	0.21	4.31	30.00	Complies
165	5825	5.25	0.21	5.46	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.05	0.21	5.26	30.00	Complies
157	5785	3.20	0.21	3.41	30.00	Complies
165	5825	3.94	0.21	4.15	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.34	28.01	Complies
157	5785	10.12	28.01	Complies
165	5825	11.07	28.01	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.39	0.20	2.59	30.00	Complies
159	5795	2.32	0.20	2.52	30.00	Complies

CH151



Date: 10.JUL.2020 15:27:10

CH159



Date: 10.JUL.2020 15:28:29

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.53	0.20	1.73	30.00	Complies
159	5795	1.94	0.20	2.14	30.00	Complies

CH151



Date: 10.JUL.2020 15:26:48

CH159



Date: 10.JUL.2020 15:28:50

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.21	0.20	1.41	30.00	Complies
159	5795	0.28	0.20	0.48	30.00	Complies

CH151



Date: 10.JUL.2020 15:26:27

CH159



Date: 10.JUL.2020 15:29:12

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.11	0.20	2.31	30.00	Complies
159	5795	1.12	0.20	1.32	30.00	Complies

CH151



Date: 10.JUL.2020 15:26:05

CH159



Date: 10.JUL.2020 15:29:33

Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.05	28.01	Complies
159	5795	7.70	28.01	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.17	0.44	-0.73	30.00	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.97	0.44	-1.53	30.00	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.90	0.44	-2.46	30.00	Complies

CH155



Date: 10.JUL.2020 15:34:07

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.35	0.44	0.09	30.00	Complies

CH155



Date: 10.JUL.2020 15:32:35

Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.97	28.01	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.82	0.17	4.99	17.00	Complies
40	5200	4.30	0.17	4.47	17.00	Complies
48	5240	4.58	0.17	4.75	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.99	0.17	5.16	17.00	Complies
40	5200	4.42	0.17	4.59	17.00	Complies
48	5240	5.26	0.17	5.43	17.00	Complies

CH36



CH40



CH48