

Description: 2012 2.4GHz Chip Antenna

PART NUMBER: ANT2012LL00R2400A

Features:

Size: 2.0x1.2x1.1 mm


Working Frequency: 2.4~2.5GHz

· Omni-directional Radiation

Tape & reel automatic mounting

Reflow process compatible

RoHS compliant



Applications:

- 2.4GHz WiFi device
- Bluetooth gadget
- · Zigbee device
- ISM band equipment

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and Yede all laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:



Ton View

Side View

Description: 2012 2.4GHz Chip Antenna

PART NUMBER: ANT2012LL00R2400A

ELECTRICAL SPECIFICATIONS

Working Frequency 2.45 GHz **Bandwidth** 370 MHz(Typ.) **Return Loss** 10.0 dB Min **Polarization** Linear **Azimuth Beamwidth** Omni-directional **Peak Gain** 3.77 dBi(Typ.) **Impedance** 50 Ω **Operating Temperature** - 40~105 °C **Maximum Power** 1 W Ni / Sn (Environmentally-Friendly Leadless) **Termination** 260°C , 10sec. Resistance to Soldering Heats

NOTE

MECHANICAL DRAWING

			lop view	Side View
	Dimension	_		- I T I-
L (mm)	2.00 ±0.20		1	
W (mm)	1.25 ±0.20			
T (mm)	1.10 ±0.10		W S1	S2
A (mm)	0.15 ±0.10		T C	
			Bottom View	
			- A	

Terminal name	Function	
S1	Feeding Point	
S2	Soldering Point	


^{1.} The specification is defined on Pulse evaluation board



Description: 2012 2.4GHz Chip Antenna


PART NUMBER: ANT2012LL00R2400A

REFERENCE DESIGN OF EVALUATION BOARD



Unit: mm

Outlook and dimension of evaluation board




Details of soldering Pad



Description: 2012 2.4GHz Chip Antenna

PART NUMBER: ANT2012LL00R2400A

ELECTRICAL PERFORMANCES




Marker data

1. 2.21GHz, -10dB

2. 2.45GHz, -28.5dB

3. 2.58GHz, -10dB



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

Radiation pattern

Directivity (dB) = 4.61 Efficiency = -0.84 dB, 82.93 %

MEG (mean effective gain)= -193 dBi

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state/and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



Description: 2012 2.4GHz Chip Antenna

PART NUMBER: ANT2012LL00R2400A

REVISION HISTORY

Revision Date Description Oct. 13, 2020 Version 1 - New issue

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse:

ANT2012LL00R2400A