










Mode	23																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>56.40</td><td>74.00</td><td>-17.60</td><td>47.30</td><td>34.70</td><td>10.84</td><td>36.44</td><td>0.00</td><td>122</td><td>0 PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>62.35</td><td>68.20</td><td>-5.85</td><td>53.25</td><td>34.70</td><td>10.85</td><td>36.45</td><td>0.00</td><td>122</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	56.40	74.00	-17.60	47.30	34.70	10.84	36.44	0.00	122	0 PEAK	2	5468.88	62.35	68.20	-5.85	53.25	34.70	10.85	36.45	0.00	122	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>104.50</td><td>-----</td><td>-----</td><td>95.27</td><td>34.75</td><td>10.91</td><td>36.43</td><td>0.00</td><td>122</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.50	-----	-----	95.27	34.75	10.91	36.43	0.00	122	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.76	56.40	74.00	-17.60	47.30	34.70	10.84	36.44	0.00	122	0 PEAK																																																																																																						
2	5468.88	62.35	68.20	-5.85	53.25	34.70	10.85	36.45	0.00	122	0 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	104.50	-----	-----	95.27	34.75	10.91	36.43	0.00	122	0 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>47.83</td><td>54.00</td><td>-6.17</td><td>38.73</td><td>34.70</td><td>10.84</td><td>36.44</td><td>0.00</td><td>122</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	47.83	54.00	-6.17	38.73	34.70	10.84	36.44	0.00	122	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>95.99</td><td>-----</td><td>-----</td><td>86.82</td><td>34.74</td><td>10.89</td><td>36.46</td><td>0.00</td><td>122</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	95.99	-----	-----	86.82	34.74	10.89	36.46	0.00	122	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	47.83	54.00	-6.17	38.73	34.70	10.84	36.44	0.00	122	0 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	95.99	-----	-----	86.82	34.74	10.89	36.46	0.00	122	0 AVERAGE																																																																																																						





Mode	23																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.32</td><td>52.25</td><td>68.20</td><td>-15.95</td><td>42.52</td><td>34.96</td><td>11.19</td><td>36.42</td><td>0.00</td><td>122</td><td>0</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.32	52.25	68.20	-15.95	42.52	34.96	11.19	36.42	0.00	122	0	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5737.32	52.25	68.20	-15.95	42.52	34.96	11.19	36.42	0.00	122	0	PEAK																																											







		23																																																																																																																																																																								
Mode		Harmonic																																																																																																																																																																								
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																																																																								
ANT		1																																																																																																																																																																								
Pol.		Horizontal						Vertical																																																																																																																																																																		
Peak Avg																																																																																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>70.18</td><td>35.79</td><td>12.72</td><td>66.06</td><td>0.00</td><td>204</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>49.90</td><td>54.00</td><td>-4.10</td><td>67.45</td><td>35.79</td><td>12.72</td><td>66.06</td><td>0.00</td><td>204</td><td>337</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>58.61</td><td>37.88</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7346.48	52.63	74.00	-21.37	70.18	35.79	12.72	66.06	0.00	204	337	PEAK	2	7346.48	49.90	54.00	-4.10	67.45	35.79	12.72	66.06	0.00	204	337	AVERAGE	3	11020.00	45.92	74.00	-28.08	58.61	37.88	16.06	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>69.61</td><td>35.79</td><td>12.72</td><td>66.06</td><td>0.00</td><td>378</td><td>267</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>49.50</td><td>54.00</td><td>-4.50</td><td>67.05</td><td>35.79</td><td>12.72</td><td>66.06</td><td>0.00</td><td>378</td><td>267</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>58.21</td><td>37.88</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7346.48	52.06	74.00	-21.94	69.61	35.79	12.72	66.06	0.00	378	267	PEAK	2	7346.48	49.50	54.00	-4.50	67.05	35.79	12.72	66.06	0.00	378	267	AVERAGE	3	11020.00	45.52	74.00	-28.48	58.21	37.88	16.06	66.63	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	7346.48	52.63	74.00	-21.37	70.18	35.79	12.72	66.06	0.00	204	337	PEAK																																																																																																																																																														
2	7346.48	49.90	54.00	-4.10	67.45	35.79	12.72	66.06	0.00	204	337	AVERAGE																																																																																																																																																														
3	11020.00	45.92	74.00	-28.08	58.61	37.88	16.06	66.63	0.00	---	---	PEAK																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	7346.48	52.06	74.00	-21.94	69.61	35.79	12.72	66.06	0.00	378	267	PEAK																																																																																																																																																														
2	7346.48	49.50	54.00	-4.50	67.05	35.79	12.72	66.06	0.00	378	267	AVERAGE																																																																																																																																																														
3	11020.00	45.52	74.00	-28.48	58.21	37.88	16.06	66.63	0.00	---	---	PEAK																																																																																																																																																														




		24																																																																																			
Mode		Harmonic																																																																																			
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																			
ANT		1																																																																																			
Pol.		Horizontal						Vertical																																																																													
Peak Avg																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7399.82</td><td>49.78</td><td>74.00</td><td>-24.22</td><td>67.43</td><td>35.80</td><td>12.73</td><td>66.18</td><td>0.00</td><td>270</td><td>230</td><td>PEAK</td></tr><tr><td>2</td><td>7399.82</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>64.92</td><td>35.80</td><td>12.73</td><td>66.18</td><td>0.00</td><td>270</td><td>230</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>57.54</td><td>37.80</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7399.82	49.78	74.00	-24.22	67.43	35.80	12.73	66.18	0.00	270	230	PEAK	2	7399.82	47.27	54.00	-6.73	64.92	35.80	12.73	66.18	0.00	270	230	AVERAGE	3	11100.00	44.83	74.00	-29.17	57.54	37.80	16.11	66.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7399.82	49.78	74.00	-24.22	67.43	35.80	12.73	66.18	0.00	270	230	PEAK																																																																									
2	7399.82	47.27	54.00	-6.73	64.92	35.80	12.73	66.18	0.00	270	230	AVERAGE																																																																									
3	11100.00	44.83	74.00	-29.17	57.54	37.80	16.11	66.62	0.00	---	---	PEAK																																																																									
																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7399.82</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>61.89</td><td>35.80</td><td>12.73</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>57.63</td><td>37.80</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7399.82	44.24	74.00	-29.76	61.89	35.80	12.73	66.18	0.00	---	---	PEAK	2	11100.00	44.92	74.00	-29.08	57.63	37.80	16.11	66.62	0.00	---	---	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7399.82	44.24	74.00	-29.76	61.89	35.80	12.73	66.18	0.00	---	---	PEAK																																																																									
2	11100.00	44.92	74.00	-29.08	57.63	37.80	16.11	66.62	0.00	---	---	PEAK																																																																									







Mode	25																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5433.52</td><td>51.47</td><td>74.00</td><td>-22.53</td><td>42.41</td><td>34.67</td><td>10.81</td><td>36.42</td><td>0.00</td><td>244</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>51.17</td><td>68.20</td><td>-17.03</td><td>42.07</td><td>34.70</td><td>10.85</td><td>36.45</td><td>0.00</td><td>244</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.52	51.47	74.00	-22.53	42.41	34.67	10.81	36.42	0.00	244	263	PEAK	2	5468.88	51.17	68.20	-17.03	42.07	34.70	10.85	36.45	0.00	244	263	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.33</td><td>-----</td><td>-----</td><td>97.66</td><td>34.89</td><td>11.10</td><td>36.32</td><td>0.00</td><td>244</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.33	-----	-----	97.66	34.89	11.10	36.32	0.00	244	263	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5433.52	51.47	74.00	-22.53	42.41	34.67	10.81	36.42	0.00	244	263	PEAK																																																																																																									
2	5468.88	51.17	68.20	-17.03	42.07	34.70	10.85	36.45	0.00	244	263	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5670.00	107.33	-----	-----	97.66	34.89	11.10	36.32	0.00	244	263	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5383.28</td><td>40.77</td><td>54.00</td><td>-13.23</td><td>31.82</td><td>34.62</td><td>10.77</td><td>36.44</td><td>0.00</td><td>244</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.28	40.77	54.00	-13.23	31.82	34.62	10.77	36.44	0.00	244	263	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.72</td><td>-----</td><td>-----</td><td>89.05</td><td>34.89</td><td>11.10</td><td>36.32</td><td>0.00</td><td>244</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.72	-----	-----	89.05	34.89	11.10	36.32	0.00	244	263	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5383.28	40.77	54.00	-13.23	31.82	34.62	10.77	36.44	0.00	244	263	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5670.00	98.72	-----	-----	89.05	34.89	11.10	36.32	0.00	244	263	AVERAGE																																																																																																									




Mode	25																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.32</td><td>64.45</td><td>68.20</td><td>-3.75</td><td>54.72</td><td>34.95</td><td>11.18</td><td>36.40</td><td>0.00</td><td>244</td><td>263 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.32	64.45	68.20	-3.75	54.72	34.95	11.18	36.40	0.00	244	263 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5725.32	64.45	68.20	-3.75	54.72	34.95	11.18	36.40	0.00	244	263 PEAK																																											





Mode	25																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.60</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>41.31</td><td>34.69</td><td>10.83</td><td>36.44</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>40.64</td><td>34.70</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.60	50.39	74.00	-23.61	41.31	34.69	10.83	36.44	0.00	100	312 PEAK	2	5462.00	49.74	68.20	-18.46	40.64	34.70	10.84	36.44	0.00	100	312 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.95</td><td>-----</td><td>-----</td><td>98.27</td><td>34.90</td><td>11.11</td><td>36.33</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.95	-----	-----	98.27	34.90	11.11	36.33	0.00	100	312 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5451.60	50.39	74.00	-23.61	41.31	34.69	10.83	36.44	0.00	100	312 PEAK																																																																																																						
2	5462.00	49.74	68.20	-18.46	40.64	34.70	10.84	36.44	0.00	100	312 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	107.95	-----	-----	98.27	34.90	11.11	36.33	0.00	100	312 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.36</td><td>40.75</td><td>54.00</td><td>-13.25</td><td>31.67</td><td>34.69</td><td>10.83</td><td>36.44</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.36	40.75	54.00	-13.25	31.67	34.69	10.83	36.44	0.00	100	312 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.50</td><td>-----</td><td>-----</td><td>88.83</td><td>34.89</td><td>11.10</td><td>36.32</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.50	-----	-----	88.83	34.89	11.10	36.32	0.00	100	312 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5453.36	40.75	54.00	-13.25	31.67	34.69	10.83	36.44	0.00	100	312 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	98.50	-----	-----	88.83	34.89	11.10	36.32	0.00	100	312 AVERAGE																																																																																																						







Mode	25																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.28</td><td>61.35</td><td>68.20</td><td>-6.85</td><td>51.62</td><td>34.95</td><td>11.19</td><td>36.41</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.28	61.35	68.20	-6.85	51.62	34.95	11.19	36.41	0.00	100	312 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5734.28	61.35	68.20	-6.85	51.62	34.95	11.19	36.41	0.00	100	312 PEAK																																											





Mode	25																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.81</td><td>43.08</td><td>74.00</td><td>-30.92</td><td>60.75</td><td>35.82</td><td>12.96</td><td>66.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>43.53</td><td>74.00</td><td>-30.47</td><td>55.93</td><td>37.94</td><td>16.26</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7559.81	43.08	74.00	-30.92	60.75	35.82	12.96	66.45	0.00	---	---	PEAK	2	11340.00	43.53	74.00	-30.47	55.93	37.94	16.26	66.60	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.81</td><td>43.84</td><td>74.00</td><td>-30.16</td><td>61.51</td><td>35.82</td><td>12.96</td><td>66.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>56.67</td><td>37.94</td><td>16.26</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7559.81	43.84	74.00	-30.16	61.51	35.82	12.96	66.45	0.00	---	---	PEAK	2	11340.00	44.27	74.00	-29.73	56.67	37.94	16.26	66.60	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7559.81	43.08	74.00	-30.92	60.75	35.82	12.96	66.45	0.00	---	---	PEAK																																																																																																																	
2	11340.00	43.53	74.00	-30.47	55.93	37.94	16.26	66.60	0.00	---	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7559.81	43.84	74.00	-30.16	61.51	35.82	12.96	66.45	0.00	---	---	PEAK																																																																																																																	
2	11340.00	44.27	74.00	-29.73	56.67	37.94	16.26	66.60	0.00	---	---	PEAK																																																																																																																	







Mode	26																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.28</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>44.60</td><td>34.40</td><td>10.61</td><td>37.03</td><td>0.00</td><td>214 250 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	52.58	74.00	-21.42	44.60	34.40	10.61	37.03	0.00	214 250 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>94.51</td><td>-----</td><td>-----</td><td>86.44</td><td>34.47</td><td>10.67</td><td>37.07</td><td>0.00</td><td>214 250 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.51	-----	-----	86.44	34.47	10.67	37.07	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.28	52.58	74.00	-21.42	44.60	34.40	10.61	37.03	0.00	214 250 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	94.51	-----	-----	86.44	34.47	10.67	37.07	0.00	214 250 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.88</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>35.40</td><td>34.40</td><td>10.61</td><td>37.02</td><td>0.00</td><td>214 250 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.88	43.39	54.00	-10.61	35.40	34.40	10.61	37.02	0.00	214 250 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>85.82</td><td>-----</td><td>-----</td><td>77.75</td><td>34.47</td><td>10.67</td><td>37.07</td><td>0.00</td><td>214 250 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	85.82	-----	-----	77.75	34.47	10.67	37.07	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5146.88	43.39	54.00	-10.61	35.40	34.40	10.61	37.02	0.00	214 250 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	85.82	-----	-----	77.75	34.47	10.67	37.07	0.00	214 250 AVERAGE																																																																																								





Mode	26																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.58</td><td>51.19</td><td>74.00</td><td>-22.81</td><td>42.29</td><td>34.61</td><td>10.76</td><td>36.47</td><td>0.00</td><td>214</td><td>250</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.58	51.19	74.00	-22.81	42.29	34.61	10.76	36.47	0.00	214	250	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5369.58	51.19	74.00	-22.81	42.29	34.61	10.76	36.47	0.00	214	250	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.98</td><td>41.03</td><td>54.00</td><td>-12.97</td><td>32.18</td><td>34.60</td><td>10.75</td><td>36.50</td><td>0.00</td><td>214</td><td>250</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.98	41.03	54.00	-12.97	32.18	34.60	10.75	36.50	0.00	214	250	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5356.98	41.03	54.00	-12.97	32.18	34.60	10.75	36.50	0.00	214	250	AVERAGE																																											





		26																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>58.59</td><td>74.00</td><td>-15.41</td><td>50.61</td><td>34.40</td><td>10.61</td><td>37.03</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.60	58.59	74.00	-15.41	50.61	34.40	10.61	37.03	0.00	100	326 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.07</td><td>-----</td><td>-----</td><td>92.08</td><td>34.46</td><td>10.66</td><td>37.13</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	100.07	-----	-----	92.08	34.46	10.66	37.13	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5149.60	58.59	74.00	-15.41	50.61	34.40	10.61	37.03	0.00	100	326 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5210.00	100.07	-----	-----	92.08	34.46	10.66	37.13	0.00	100	326 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.48</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>40.60</td><td>34.40</td><td>10.61</td><td>37.03</td><td>0.00</td><td>100</td><td>326 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.48	48.58	54.00	-5.42	40.60	34.40	10.61	37.03	0.00	100	326 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.77</td><td>-----</td><td>-----</td><td>83.70</td><td>34.47</td><td>10.67</td><td>37.07</td><td>0.00</td><td>100</td><td>326 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	91.77	-----	-----	83.70	34.47	10.67	37.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5148.48	48.58	54.00	-5.42	40.60	34.40	10.61	37.03	0.00	100	326 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5210.00	91.77	-----	-----	83.70	34.47	10.67	37.07	0.00	100	326 AVERAGE																																																																																									







Mode	26																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																														
ANT	1																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.64</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>42.00</td><td>34.60</td><td>10.75</td><td>36.51</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.64	50.84	74.00	-23.16	42.00	34.60	10.75	36.51	0.00	100	326 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5354.64	50.84	74.00	-23.16	42.00	34.60	10.75	36.51	0.00	100	326 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.98</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>33.16</td><td>34.60</td><td>10.75</td><td>36.50</td><td>0.00</td><td>100</td><td>326 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.98	42.01	54.00	-11.99	33.16	34.60	10.75	36.50	0.00	100	326 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5356.98	42.01	54.00	-11.99	33.16	34.60	10.75	36.50	0.00	100	326 AVERAGE																																				





Mode	26																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>44.74</td><td>68.20</td><td>-23.46</td><td>58.87</td><td>37.42</td><td>15.50</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	10420.00	44.74	68.20	-23.46	58.87	37.42	15.50	67.05	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>44.62</td><td>68.20</td><td>-23.58</td><td>58.81</td><td>37.38</td><td>15.47</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	10420.00	44.62	68.20	-23.58	58.81	37.38	15.47	67.04	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	10420.00	44.74	68.20	-23.46	58.87	37.42	15.50	67.05	0.00	---	---	PEAK																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	10420.00	44.62	68.20	-23.58	58.81	37.38	15.47	67.04	0.00	---	---	PEAK																																																																						







Mode	27																																																																																												
	Band Edge - L																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5110.24</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>43.70</td><td>34.37</td><td>10.57</td><td>36.93</td><td>0.00</td><td>234</td><td>235 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5110.24	51.71	74.00	-22.29	43.70	34.37	10.57	36.93	0.00	234	235 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>95.52</td><td>-----</td><td>-----</td><td>86.89</td><td>34.55</td><td>10.72</td><td>36.64</td><td>0.00</td><td>234</td><td>235 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5290.00	95.52	-----	-----	86.89	34.55	10.72	36.64	0.00	234
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5110.24	51.71	74.00	-22.29	43.70	34.37	10.57	36.93	0.00	234	235 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5290.00	95.52	-----	-----	86.89	34.55	10.72	36.64	0.00	234	235 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5101.44</td><td>42.27</td><td>54.00</td><td>-11.73</td><td>34.25</td><td>34.36</td><td>10.56</td><td>36.90</td><td>0.00</td><td>234</td><td>235 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5101.44	42.27	54.00	-11.73	34.25	34.36	10.56	36.90	0.00	234	235 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>87.33</td><td>-----</td><td>-----</td><td>78.73</td><td>34.54</td><td>10.72</td><td>36.66</td><td>0.00</td><td>234</td><td>235 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5290.00	87.33	-----	-----	78.73	34.54	10.72	36.66	0.00	234
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5101.44	42.27	54.00	-11.73	34.25	34.36	10.56	36.90	0.00	234	235 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5290.00	87.33	-----	-----	78.73	34.54	10.72	36.66	0.00	234	235 AVERAGE																																																																																			



Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.30</td><td>55.86</td><td>74.00</td><td>-18.14</td><td>47.04</td><td>34.59</td><td>10.75</td><td>36.52</td><td>0.00</td><td>234</td><td>235</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.30	55.86	74.00	-18.14	47.04	34.59	10.75	36.52	0.00	234	235	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.30	55.86	74.00	-18.14	47.04	34.59	10.75	36.52	0.00	234	235	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.10</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>38.11</td><td>34.61</td><td>10.75</td><td>36.49</td><td>0.00</td><td>234</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.10	46.98	54.00	-7.02	38.11	34.61	10.75	36.49	0.00	234	235	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5364.10	46.98	54.00	-7.02	38.11	34.61	10.75	36.49	0.00	234	235	AVERAGE																																												




Mode	27																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5109.76</td><td>50.80</td><td>74.00</td><td>-23.20</td><td>42.79</td><td>34.37</td><td>10.57</td><td>36.93</td><td>0.00</td><td>126 357 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.76	50.80	74.00	-23.20	42.79	34.37	10.57	36.93	0.00	126 357 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>99.41</td><td>-----</td><td>-----</td><td>90.81</td><td>34.54</td><td>10.72</td><td>36.66</td><td>0.00</td><td>126 357 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.41	-----	-----	90.81	34.54	10.72	36.66	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5109.76	50.80	74.00	-23.20	42.79	34.37	10.57	36.93	0.00	126 357 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	99.41	-----	-----	90.81	34.54	10.72	36.66	0.00	126 357 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.60</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>34.41</td><td>34.36</td><td>10.56</td><td>36.91</td><td>0.00</td><td>126 357 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.60	42.42	54.00	-11.58	34.41	34.36	10.56	36.91	0.00	126 357 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>90.93</td><td>-----</td><td>-----</td><td>82.33</td><td>34.54</td><td>10.72</td><td>36.66</td><td>0.00</td><td>126 357 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.93	-----	-----	82.33	34.54	10.72	36.66	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5105.60	42.42	54.00	-11.58	34.41	34.36	10.56	36.91	0.00	126 357 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	90.93	-----	-----	82.33	34.54	10.72	36.66	0.00	126 357 AVERAGE																																																																																								







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.10</td><td>59.40</td><td>74.00</td><td>-14.60</td><td>50.48</td><td>34.62</td><td>10.76</td><td>36.46</td><td>0.00</td><td>126</td><td>357</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.10	59.40	74.00	-14.60	50.48	34.62	10.76	36.46	0.00	126	357	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5375.10	59.40	74.00	-14.60	50.48	34.62	10.76	36.46	0.00	126	357	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.30</td><td>50.09</td><td>54.00</td><td>-3.91</td><td>41.25</td><td>34.60</td><td>10.75</td><td>36.51</td><td>0.00</td><td>126</td><td>357</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.30	50.09	54.00	-3.91	41.25	34.60	10.75	36.51	0.00	126	357	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.30	50.09	54.00	-3.91	41.25	34.60	10.75	36.51	0.00	126	357	AVERAGE																																												




		27																																																										
Mode		Harmonic																																																										
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																										
ANT		1																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.05</td><td>68.20</td><td>-24.15</td><td>57.77</td><td>37.60</td><td>15.67</td><td>66.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	44.05	68.20	-24.15	57.77	37.60	15.67	66.99	0.00	---	---	PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10500.00	44.05	68.20	-24.15	57.77	37.60	15.67	66.99	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>43.87</td><td>68.20</td><td>-24.33</td><td>57.62</td><td>37.59</td><td>15.66</td><td>67.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	43.87	68.20	-24.33	57.62	37.59	15.66	67.00	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10500.00	43.87	68.20	-24.33	57.62	37.59	15.66	67.00	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>43.87</td><td>68.20</td><td>-24.33</td><td>57.62</td><td>37.59</td><td>15.66</td><td>67.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	43.87	68.20	-24.33	57.62	37.59	15.66	67.00	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10500.00	43.87	68.20	-24.33	57.62	37.59	15.66	67.00	0.00	---	---	PEAK																																																







Mode	28																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.20</td><td>58.33</td><td>74.00</td><td>-15.67</td><td>49.25</td><td>34.69</td><td>10.83</td><td>36.44</td><td>0.00</td><td>215 221 PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>47.49</td><td>34.70</td><td>10.85</td><td>36.45</td><td>0.00</td><td>215 221 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.20	58.33	74.00	-15.67	49.25	34.69	10.83	36.44	0.00	215 221 PEAK	2	5465.36	56.59	68.20	-11.61	47.49	34.70	10.85	36.45	0.00	215 221 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.51</td><td>-----</td><td>-----</td><td>89.20</td><td>34.77</td><td>10.93</td><td>36.39</td><td>0.00</td><td>215 221 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.51	-----	-----	89.20	34.77	10.93	36.39	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5453.20	58.33	74.00	-15.67	49.25	34.69	10.83	36.44	0.00	215 221 PEAK																																																																																																			
2	5465.36	56.59	68.20	-11.61	47.49	34.70	10.85	36.45	0.00	215 221 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	98.51	-----	-----	89.20	34.77	10.93	36.39	0.00	215 221 PEAK																																																																																																			
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.80</td><td>47.23</td><td>54.00</td><td>-6.77</td><td>38.15</td><td>34.69</td><td>10.83</td><td>36.44</td><td>0.00</td><td>215 221 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.80	47.23	54.00	-6.77	38.15	34.69	10.83	36.44	0.00	215 221 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.19</td><td>-----</td><td>-----</td><td>79.88</td><td>34.77</td><td>10.93</td><td>36.39</td><td>0.00</td><td>215 221 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.19	-----	-----	79.88	34.77	10.93	36.39	0.00	215 221 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5454.80	47.23	54.00	-6.77	38.15	34.69	10.83	36.44	0.00	215 221 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	89.19	-----	-----	79.88	34.77	10.93	36.39	0.00	215 221 AVERAGE																																																																																																			




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.92</td><td>52.40</td><td>68.20</td><td>-15.80</td><td>42.66</td><td>34.97</td><td>11.20</td><td>36.43</td><td>0.00</td><td>215</td><td>221</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.92	52.40	68.20	-15.80	42.66	34.97	11.20	36.43	0.00	215	221	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.92	52.40	68.20	-15.80	42.66	34.97	11.20	36.43	0.00	215	221	PEAK																																												





		28																																																																	
Mode	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																		
ANT	1																																																																		
Pol.	Vertical																																																																		
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.88</td><td>60.11</td><td>74.00</td><td>-13.89</td><td>51.03</td><td>34.69</td><td>10.83</td><td>36.44</td><td>0.00</td><td>127</td><td>0 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>62.87</td><td>68.20</td><td>-5.33</td><td>53.76</td><td>34.71</td><td>10.85</td><td>36.45</td><td>0.00</td><td>127</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.88	60.11	74.00	-13.89	51.03	34.69	10.83	36.44	0.00	127	0 PEAK	2	5469.68	62.87	68.20	-5.33	53.76	34.71	10.85	36.45	0.00	127
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5452.88	60.11	74.00	-13.89	51.03	34.69	10.83	36.44	0.00	127	0 PEAK																																																								
2	5469.68	62.87	68.20	-5.33	53.76	34.71	10.85	36.45	0.00	127	0 PEAK																																																								
Fundamental																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.30</td><td>-----</td><td>-----</td><td>90.05</td><td>34.76</td><td>10.91</td><td>36.42</td><td>0.00</td><td>127</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.30	-----	-----	90.05	34.76	10.91	36.42	0.00	127	0 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	99.30	-----	-----	90.05	34.76	10.91	36.42	0.00	127	0 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.80</td><td>49.73</td><td>54.00</td><td>-4.27</td><td>40.65</td><td>34.69</td><td>10.83</td><td>36.44</td><td>0.00</td><td>127</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.80	49.73	54.00	-4.27	40.65	34.69	10.83	36.44	0.00	127	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5454.80	49.73	54.00	-4.27	40.65	34.69	10.83	36.44	0.00	127	0 AVERAGE																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.60</td><td>-----</td><td>-----</td><td>81.35</td><td>34.76</td><td>10.91</td><td>36.42</td><td>0.00</td><td>127</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.60	-----	-----	81.35	34.76	10.91	36.42	0.00	127	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	90.60	-----	-----	81.35	34.76	10.91	36.42	0.00	127	0 AVERAGE																																																								







Mode	28																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.32</td><td>52.47</td><td>68.20</td><td>-15.73</td><td>42.73</td><td>34.97</td><td>11.21</td><td>36.44</td><td>0.00</td><td>127</td><td>0</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.32	52.47	68.20	-15.73	42.73	34.97	11.21	36.44	0.00	127	0	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5747.32	52.47	68.20	-15.73	42.73	34.97	11.21	36.44	0.00	127	0	PEAK																																											




		28																																																																																																																																																																							
Mode		Harmonic																																																																																																																																																																							
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																																																																							
ANT		1																																																																																																																																																																							
Pol.		Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																									
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.15</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>68.99</td><td>35.80</td><td>12.73</td><td>66.12</td><td>0.00</td><td>200</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>7373.15</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>66.93</td><td>35.80</td><td>12.73</td><td>66.12</td><td>0.00</td><td>200</td><td>335</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>59.48</td><td>37.84</td><td>16.08</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.15	51.40	74.00	-22.60	68.99	35.80	12.73	66.12	0.00	200	335	PEAK	2	7373.15	49.34	54.00	-4.66	66.93	35.80	12.73	66.12	0.00	200	335	AVERAGE	3	11060.00	46.78	74.00	-27.22	59.48	37.84	16.08	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.15</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>68.45</td><td>35.80</td><td>12.73</td><td>66.12</td><td>0.00</td><td>333</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>7373.15</td><td>49.08</td><td>54.00</td><td>-4.92</td><td>66.67</td><td>35.80</td><td>12.73</td><td>66.12</td><td>0.00</td><td>333</td><td>266</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>57.10</td><td>37.84</td><td>16.08</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7373.15	50.86	74.00	-23.14	68.45	35.80	12.73	66.12	0.00	333	266	PEAK	2	7373.15	49.08	54.00	-4.92	66.67	35.80	12.73	66.12	0.00	333	266	AVERAGE	3	11060.00	44.40	74.00	-29.60	57.10	37.84	16.08	66.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	7373.15	51.40	74.00	-22.60	68.99	35.80	12.73	66.12	0.00	200	335	PEAK																																																																																																																																																													
2	7373.15	49.34	54.00	-4.66	66.93	35.80	12.73	66.12	0.00	200	335	AVERAGE																																																																																																																																																													
3	11060.00	46.78	74.00	-27.22	59.48	37.84	16.08	66.62	0.00	---	---	PEAK																																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	7373.15	50.86	74.00	-23.14	68.45	35.80	12.73	66.12	0.00	333	266	PEAK																																																																																																																																																													
2	7373.15	49.08	54.00	-4.92	66.67	35.80	12.73	66.12	0.00	333	266	AVERAGE																																																																																																																																																													
3	11060.00	44.40	74.00	-29.60	57.10	37.84	16.08	66.62	0.00	---	---	PEAK																																																																																																																																																													







Mode	29																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.28	51.68	74.00	-22.32	42.60	34.69	10.83	36.44	0.00	245 258 PEAK	2	5465.36	52.61	68.20	-15.59	43.51	34.70	10.85	36.45	0.00	245 258 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>103.45</td><td>-----</td><td>-----</td><td>93.86</td><td>34.84</td><td>11.02</td><td>36.27</td><td>0.00</td><td>245 258 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.45	-----	-----	93.86	34.84	11.02	36.27	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5455.28	51.68	74.00	-22.32	42.60	34.69	10.83	36.44	0.00	245 258 PEAK																																																																																									
2	5465.36	52.61	68.20	-15.59	43.51	34.70	10.85	36.45	0.00	245 258 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5610.00	103.45	-----	-----	93.86	34.84	11.02	36.27	0.00	245 258 PEAK																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	42.40	54.00	-11.60	33.30	34.70	10.84	36.44	0.00	245 258 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.38</td><td>-----</td><td>-----</td><td>84.78</td><td>34.85</td><td>11.03</td><td>36.28</td><td>0.00</td><td>245 258 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.38	-----	-----	84.78	34.85	11.03	36.28	0.00	245 258 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5459.44	42.40	54.00	-11.60	33.30	34.70	10.84	36.44	0.00	245 258 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5610.00	94.38	-----	-----	84.78	34.85	11.03	36.28	0.00	245 258 AVERAGE																																																																																									




Mode	29																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.80</td><td>59.09</td><td>68.20</td><td>-9.11</td><td>49.36</td><td>34.95</td><td>11.18</td><td>36.40</td><td>0.00</td><td>245</td><td>258 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.80	59.09	68.20	-9.11	49.36	34.95	11.18	36.40	0.00	245	258 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5727.80	59.09	68.20	-9.11	49.36	34.95	11.18	36.40	0.00	245	258 PEAK																																											



	29																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.04</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>44.46</td><td>34.69</td><td>10.83</td><td>36.44</td><td>0.00</td><td>128</td><td>0 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>55.75</td><td>68.20</td><td>-12.45</td><td>46.65</td><td>34.70</td><td>10.85</td><td>36.45</td><td>0.00</td><td>128</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.04	53.54	74.00	-20.46	44.46	34.69	10.83	36.44	0.00	128	0 PEAK	2	5467.92	55.75	68.20	-12.45	46.65	34.70	10.85	36.45	0.00	128	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.07</td><td>-----</td><td>-----</td><td>93.48</td><td>34.84</td><td>11.02</td><td>36.27</td><td>0.00</td><td>128</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.07	-----	-----	93.48	34.84	11.02	36.27	0.00	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5453.04	53.54	74.00	-20.46	44.46	34.69	10.83	36.44	0.00	128	0 PEAK																																																																																																					
2	5467.92	55.75	68.20	-12.45	46.65	34.70	10.85	36.45	0.00	128	0 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	103.07	-----	-----	93.48	34.84	11.02	36.27	0.00	128	0 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.08</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>34.94</td><td>34.69</td><td>10.84</td><td>36.44</td><td>0.00</td><td>128</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.08	44.03	54.00	-9.97	34.94	34.69	10.84	36.44	0.00	128	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>95.07</td><td>-----</td><td>-----</td><td>85.49</td><td>34.84</td><td>11.01</td><td>36.27</td><td>0.00</td><td>128</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.07	-----	-----	85.49	34.84	11.01	36.27	0.00	128	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.08	44.03	54.00	-9.97	34.94	34.69	10.84	36.44	0.00	128	0 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	95.07	-----	-----	85.49	34.84	11.01	36.27	0.00	128	0 AVERAGE																																																																																																					






Mode	29																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.40</td><td>58.83</td><td>68.20</td><td>-9.37</td><td>49.10</td><td>34.95</td><td>11.18</td><td>36.40</td><td>0.00</td><td>128</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.40	58.83	68.20	-9.37	49.10	34.95	11.18	36.40	0.00	128	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5725.40	58.83	68.20	-9.37	49.10	34.95	11.18	36.40	0.00	128	0 PEAK																																											






Mode	29																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7479.81</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>67.00</td><td>35.00</td><td>12.84</td><td>66.36</td><td>0.00</td><td>200</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>7479.81</td><td>48.24</td><td>54.00</td><td>-5.76</td><td>65.96</td><td>35.00</td><td>12.84</td><td>66.36</td><td>0.00</td><td>200</td><td>333</td><td>AVERAGE</td></tr><tr><td>3</td><td>11220.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>57.26</td><td>37.90</td><td>16.18</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7479.81	50.08	74.00	-23.92	67.00	35.00	12.84	66.36	0.00	200	333	PEAK	2	7479.81	48.24	54.00	-5.76	65.96	35.00	12.84	66.36	0.00	200	333	AVERAGE	3	11220.00	44.73	74.00	-29.27	57.26	37.90	16.18	66.61	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7479.81</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>67.18</td><td>35.00</td><td>12.84</td><td>66.36</td><td>0.00</td><td>390</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>7479.81</td><td>46.88</td><td>54.00</td><td>-7.12</td><td>64.60</td><td>35.00</td><td>12.84</td><td>66.36</td><td>0.00</td><td>390</td><td>258</td><td>AVERAGE</td></tr><tr><td>3</td><td>11220.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>57.58</td><td>37.90</td><td>16.18</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7479.81	49.46	74.00	-24.54	67.18	35.00	12.84	66.36	0.00	390	258	PEAK	2	7479.81	46.88	54.00	-7.12	64.60	35.00	12.84	66.36	0.00	390	258	AVERAGE	3	11220.00	45.05	74.00	-28.95	57.58	37.90	16.18	66.61	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7479.81	50.08	74.00	-23.92	67.00	35.00	12.84	66.36	0.00	200	333	PEAK																																																																																																																																																		
2	7479.81	48.24	54.00	-5.76	65.96	35.00	12.84	66.36	0.00	200	333	AVERAGE																																																																																																																																																		
3	11220.00	44.73	74.00	-29.27	57.26	37.90	16.18	66.61	0.00	---	---	PEAK																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7479.81	49.46	74.00	-24.54	67.18	35.00	12.84	66.36	0.00	390	258	PEAK																																																																																																																																																		
2	7479.81	46.88	54.00	-7.12	64.60	35.00	12.84	66.36	0.00	390	258	AVERAGE																																																																																																																																																		
3	11220.00	45.05	74.00	-28.95	57.58	37.90	16.18	66.61	0.00	---	---	PEAK																																																																																																																																																		





Mode	30																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5623.20</td><td>52.72</td><td>68.20</td><td>-15.48</td><td>43.12</td><td>34.85</td><td>11.03</td><td>36.28</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>49.71</td><td>68.80</td><td>-19.09</td><td>40.07</td><td>34.88</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr><tr><td>3</td><td>5715.20</td><td>62.83</td><td>109.56</td><td>-46.73</td><td>53.11</td><td>34.94</td><td>11.16</td><td>36.38</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.02</td><td>110.90</td><td>-48.88</td><td>52.30</td><td>34.94</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5623.20	52.72	68.20	-15.48	43.12	34.85	11.03	36.28	0.00	100	260	PEAK	2	5658.80	49.71	68.80	-19.09	40.07	34.88	11.07	36.31	0.00	100	260	PEAK	3	5715.20	62.83	109.56	-46.73	53.11	34.94	11.16	36.38	0.00	100	260	PEAK	4	5720.00	62.02	110.90	-48.88	52.30	34.94	11.17	36.39	0.00	100	260	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5745.00</td><td>107.66</td><td>-----</td><td>-----</td><td>97.92</td><td>34.97</td><td>11.21</td><td>36.44</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr></thead></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.66	-----	-----	97.92	34.97	11.21	36.44	0.00	100	260	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	5623.20	52.72	68.20	-15.48	43.12	34.85	11.03	36.28	0.00	100	260	PEAK																																																																																																																																				
2	5658.80	49.71	68.80	-19.09	40.07	34.88	11.07	36.31	0.00	100	260	PEAK																																																																																																																																				
3	5715.20	62.83	109.56	-46.73	53.11	34.94	11.16	36.38	0.00	100	260	PEAK																																																																																																																																				
4	5720.00	62.02	110.90	-48.88	52.30	34.94	11.17	36.39	0.00	100	260	PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	107.66	-----	-----	97.92	34.97	11.21	36.44	0.00	100	260	PEAK																																																																																																																																				
Avg	Blank																																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5745.00</td><td>99.97</td><td>-----</td><td>-----</td><td>90.22</td><td>34.97</td><td>11.21</td><td>36.43</td><td>0.00</td><td>100</td><td>260</td><td>AVERAGE</td></tr></thead></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.97	-----	-----	90.22	34.97	11.21	36.43	0.00	100	260	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	99.97	-----	-----	90.22	34.97	11.21	36.43	0.00	100	260	AVERAGE																																																																																																																																				





Mode	30																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.60</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>41.43</td><td>34.87</td><td>11.06</td><td>36.30</td><td>0.00</td><td>152</td><td>341</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.70</td><td>68.20</td><td>-18.50</td><td>40.06</td><td>34.88</td><td>11.07</td><td>36.31</td><td>0.00</td><td>152</td><td>341</td><td>PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>66.33</td><td>110.34</td><td>-44.01</td><td>56.60</td><td>34.94</td><td>11.17</td><td>36.38</td><td>0.00</td><td>152</td><td>341</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>65.90</td><td>110.90</td><td>-45.00</td><td>56.18</td><td>34.94</td><td>11.17</td><td>36.39</td><td>0.00</td><td>152</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.60	51.06	68.20	-17.14	41.43	34.87	11.06	36.30	0.00	152	341	PEAK	2	5650.00	49.70	68.20	-18.50	40.06	34.88	11.07	36.31	0.00	152	341	PEAK	3	5718.00	66.33	110.34	-44.01	56.60	34.94	11.17	36.38	0.00	152	341	PEAK	4	5720.00	65.90	110.90	-45.00	56.18	34.94	11.17	36.39	0.00	152	341	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.62</td><td>-----</td><td>-----</td><td>100.88</td><td>34.97</td><td>11.21</td><td>36.44</td><td>0.00</td><td>152</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.62	-----	-----	100.88	34.97	11.21	36.44	0.00	152	341
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5641.60	51.06	68.20	-17.14	41.43	34.87	11.06	36.30	0.00	152	341	PEAK																																																																																																																																		
2	5650.00	49.70	68.20	-18.50	40.06	34.88	11.07	36.31	0.00	152	341	PEAK																																																																																																																																		
3	5718.00	66.33	110.34	-44.01	56.60	34.94	11.17	36.38	0.00	152	341	PEAK																																																																																																																																		
4	5720.00	65.90	110.90	-45.00	56.18	34.94	11.17	36.39	0.00	152	341	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	110.62	-----	-----	100.88	34.97	11.21	36.44	0.00	152	341	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.61</td><td>-----</td><td>-----</td><td>92.86</td><td>34.97</td><td>11.21</td><td>36.43</td><td>0.00</td><td>152</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.61	-----	-----	92.86	34.97	11.21	36.43	0.00	152	341	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	102.61	-----	-----	92.86	34.97	11.21	36.43	0.00	152	341	AVERAGE																																																																																																																																		






Mode	30																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>61.73</td><td>36.02</td><td>13.07</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>57.21</td><td>38.18</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	44.28	74.00	-29.72	61.73	36.02	13.07	66.54	0.00	---	---	PEAK	2	11490.00	45.17	74.00	-28.83	57.21	38.18	16.36	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>61.37</td><td>36.02</td><td>13.07</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>57.52</td><td>38.18</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.81	43.92	74.00	-30.08	61.37	36.02	13.07	66.54	0.00	---	---	PEAK	2	11490.00	45.48	74.00	-28.52	57.52	38.18	16.36	66.58	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7659.81	44.28	74.00	-29.72	61.73	36.02	13.07	66.54	0.00	---	---	PEAK																																																																																																																		
2	11490.00	45.17	74.00	-28.83	57.21	38.18	16.36	66.58	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	7659.81	43.92	74.00	-30.08	61.37	36.02	13.07	66.54	0.00	---	---	PEAK																																																																																																																		
2	11490.00	45.48	74.00	-28.52	57.52	38.18	16.36	66.58	0.00	---	---	PEAK																																																																																																																		






Mode	31																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal												Vertical																																																																																																																																		
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>7713.14</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>61.35</td><td>36.13</td><td>13.12</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2</td><td>11570.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>58.13</td><td>38.20</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	7713.14	44.02	74.00	-29.98	61.35	36.13	13.12	66.58	0.00	---	---	2	11570.00	46.21	74.00	-27.79	58.13	38.20	16.41	66.53	0.00	---	---	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>7713.14</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>61.57</td><td>36.13</td><td>13.12</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2</td><td>11570.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>58.63</td><td>38.20</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	7713.14	44.24	74.00	-29.76	61.57	36.13	13.12	66.58	0.00	---	---	2	11570.00	46.71	74.00	-27.29	58.63	38.20	16.41	66.53	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																						
1	7713.14	44.02	74.00	-29.98	61.35	36.13	13.12	66.58	0.00	---	---																																																																																																																																				
2	11570.00	46.21	74.00	-27.79	58.13	38.20	16.41	66.53	0.00	---	---																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																						
1	7713.14	44.24	74.00	-29.76	61.57	36.13	13.12	66.58	0.00	---	---																																																																																																																																				
2	11570.00	46.71	74.00	-27.29	58.63	38.20	16.41	66.53	0.00	---	---																																																																																																																																				





Mode	32																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>58.28</td><td>111.36</td><td>-53.08</td><td>48.50</td><td>35.07</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>61.19</td><td>110.73</td><td>-49.54</td><td>51.41</td><td>35.07</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>51.34</td><td>68.35</td><td>-17.01</td><td>41.63</td><td>35.13</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr><tr><td>4</td><td>5976.40</td><td>52.62</td><td>68.20</td><td>-15.58</td><td>43.04</td><td>35.18</td><td>11.45</td><td>37.05</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	58.28	111.36	-53.08	48.50	35.07	11.34	36.63	0.00	100	248	PEAK	2	5855.60	61.19	110.73	-49.54	51.41	35.07	11.34	36.63	0.00	100	248	PEAK	3	5924.00	51.34	68.35	-17.01	41.63	35.13	11.40	36.82	0.00	100	248	PEAK	4	5976.40	52.62	68.20	-15.58	43.04	35.18	11.45	37.05	0.00	100	248	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.37</td><td>-----</td><td>-----</td><td>99.59</td><td>35.05</td><td>11.31</td><td>36.58</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.37	-----	-----	99.59	35.05	11.31	36.58	0.00	100	248
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5854.00	58.28	111.36	-53.08	48.50	35.07	11.34	36.63	0.00	100	248	PEAK																																																																																																																																			
2	5855.60	61.19	110.73	-49.54	51.41	35.07	11.34	36.63	0.00	100	248	PEAK																																																																																																																																			
3	5924.00	51.34	68.35	-17.01	41.63	35.13	11.40	36.82	0.00	100	248	PEAK																																																																																																																																			
4	5976.40	52.62	68.20	-15.58	43.04	35.18	11.45	37.05	0.00	100	248	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	109.37	-----	-----	99.59	35.05	11.31	36.58	0.00	100	248	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.49</td><td>-----</td><td>-----</td><td>90.71</td><td>35.04</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.49	-----	-----	90.71	35.04	11.31	36.57	0.00	100	248	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	100.49	-----	-----	90.71	35.04	11.31	36.57	0.00	100	248	AVERAGE																																																																																																																																			






Mode	32																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>59.05</td><td>111.36</td><td>-52.31</td><td>49.49</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>332 PEAK</td></tr><tr><td>2</td><td>5858.40</td><td>59.62</td><td>109.95</td><td>-50.33</td><td>50.06</td><td>34.86</td><td>11.34</td><td>36.64</td><td>0.00</td><td>100</td><td>332 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>50.27</td><td>68.35</td><td>-18.08</td><td>40.72</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>332 PEAK</td></tr><tr><td>4</td><td>5955.20</td><td>52.92</td><td>68.20</td><td>-15.28</td><td>43.38</td><td>35.07</td><td>11.43</td><td>36.96</td><td>0.00</td><td>100</td><td>332 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	59.05	111.36	-52.31	49.49	34.85	11.34	36.63	0.00	100	332 PEAK	2	5858.40	59.62	109.95	-50.33	50.06	34.86	11.34	36.64	0.00	100	332 PEAK	3	5924.00	50.27	68.35	-18.08	40.72	34.97	11.40	36.82	0.00	100	332 PEAK	4	5955.20	52.92	68.20	-15.28	43.38	35.07	11.43	36.96	0.00	100	332 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.89</td><td>-----</td><td>-----</td><td>101.33</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>332 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.89	-----	-----	101.33	34.82	11.31	36.57	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	59.05	111.36	-52.31	49.49	34.85	11.34	36.63	0.00	100	332 PEAK																																																																																																																															
2	5858.40	59.62	109.95	-50.33	50.06	34.86	11.34	36.64	0.00	100	332 PEAK																																																																																																																															
3	5924.00	50.27	68.35	-18.08	40.72	34.97	11.40	36.82	0.00	100	332 PEAK																																																																																																																															
4	5955.20	52.92	68.20	-15.28	43.38	35.07	11.43	36.96	0.00	100	332 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	110.89	-----	-----	101.33	34.82	11.31	36.57	0.00	100	332 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.33</td><td>-----</td><td>-----</td><td>91.77</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>332 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.33	-----	-----	91.77	34.82	11.31	36.57	0.00	100	332 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	101.33	-----	-----	91.77	34.82	11.31	36.57	0.00	100	332 AVERAGE																																																																																																																															






Mode	32																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>43.03</td><td>68.20</td><td>-25.17</td><td>60.29</td><td>36.20</td><td>13.17</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>57.32</td><td>38.25</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.47	43.03	68.20	-25.17	60.29	36.20	13.17	66.63	0.00	---	---	PEAK	2	11650.00	45.56	74.00	-28.44	57.32	38.25	16.46	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>60.80</td><td>36.20</td><td>13.17</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>57.78</td><td>38.25</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.47	43.54	68.20	-24.66	60.80	36.20	13.17	66.63	0.00	---	---	PEAK	2	11650.00	46.02	74.00	-27.98	57.78	38.25	16.46	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7766.47	43.03	68.20	-25.17	60.29	36.20	13.17	66.63	0.00	---	---	PEAK																																																																																																																		
2	11650.00	45.56	74.00	-28.44	57.32	38.25	16.46	66.47	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7766.47	43.54	68.20	-24.66	60.80	36.20	13.17	66.63	0.00	---	---	PEAK																																																																																																																		
2	11650.00	46.02	74.00	-27.98	57.78	38.25	16.46	66.47	0.00	---	---	PEAK																																																																																																																		





Mode	33																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>51.14</td><td>68.20</td><td>-17.06</td><td>41.94</td><td>34.44</td><td>11.05</td><td>36.29</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr><tr><td>2</td><td>5658.40</td><td>48.79</td><td>68.50</td><td>-19.71</td><td>39.63</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>61.31</td><td>110.12</td><td>-48.81</td><td>52.13</td><td>34.39</td><td>11.17</td><td>36.38</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr><tr><td>4</td><td>5723.20</td><td>66.53</td><td>118.20</td><td>-51.67</td><td>57.33</td><td>34.42</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.20	51.14	68.20	-17.06	41.94	34.44	11.05	36.29	0.00	100	275 PEAK	2	5658.40	48.79	68.50	-19.71	39.63	34.40	11.07	36.31	0.00	100	275 PEAK	3	5717.20	61.31	110.12	-48.81	52.13	34.39	11.17	36.38	0.00	100	275 PEAK	4	5723.20	66.53	118.20	-51.67	57.33	34.42	11.17	36.39	0.00	100	275 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.88</td><td>-----</td><td>-----</td><td>98.57</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.88	-----	-----	98.57	34.53	11.21	36.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5631.20	51.14	68.20	-17.06	41.94	34.44	11.05	36.29	0.00	100	275 PEAK																																																																																																																														
2	5658.40	48.79	68.50	-19.71	39.63	34.40	11.07	36.31	0.00	100	275 PEAK																																																																																																																														
3	5717.20	61.31	110.12	-48.81	52.13	34.39	11.17	36.38	0.00	100	275 PEAK																																																																																																																														
4	5723.20	66.53	118.20	-51.67	57.33	34.42	11.17	36.39	0.00	100	275 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	107.88	-----	-----	98.57	34.53	11.21	36.43	0.00	100	275 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.27</td><td>-----</td><td>-----</td><td>90.96</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>100</td><td>275 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.27	-----	-----	90.96	34.53	11.21	36.43	0.00	100	275 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	100.27	-----	-----	90.96	34.53	11.21	36.43	0.00	100	275 AVERAGE																																																																																																																														





Mode	33																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.00</td><td>51.35</td><td>68.20</td><td>-16.85</td><td>42.18</td><td>34.41</td><td>11.06</td><td>36.30</td><td>0.00</td><td>173</td><td>354 PEAK</td></tr><tr><td>2 5650.00</td><td>47.72</td><td>68.20</td><td>-20.48</td><td>38.56</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>173</td><td>354 PEAK</td></tr><tr><td>3 5720.00</td><td>64.90</td><td>110.90</td><td>-46.00</td><td>55.72</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>173</td><td>354 PEAK</td></tr><tr><td>4 5720.00</td><td>64.90</td><td>110.90</td><td>-46.00</td><td>55.72</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>173</td><td>354 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5644.00	51.35	68.20	-16.85	42.18	34.41	11.06	36.30	0.00	173	354 PEAK	2 5650.00	47.72	68.20	-20.48	38.56	34.40	11.07	36.31	0.00	173	354 PEAK	3 5720.00	64.90	110.90	-46.00	55.72	34.40	11.17	36.39	0.00	173	354 PEAK	4 5720.00	64.90	110.90	-46.00	55.72	34.40	11.17	36.39	0.00	173	354 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>110.52</td><td>-----</td><td>-----</td><td>101.21</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>173</td><td>354 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	110.52	-----	-----	101.21	34.53	11.21	36.43	0.00	173	354 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5644.00	51.35	68.20	-16.85	42.18	34.41	11.06	36.30	0.00	173	354 PEAK																																																																																																																										
2 5650.00	47.72	68.20	-20.48	38.56	34.40	11.07	36.31	0.00	173	354 PEAK																																																																																																																										
3 5720.00	64.90	110.90	-46.00	55.72	34.40	11.17	36.39	0.00	173	354 PEAK																																																																																																																										
4 5720.00	64.90	110.90	-46.00	55.72	34.40	11.17	36.39	0.00	173	354 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	110.52	-----	-----	101.21	34.53	11.21	36.43	0.00	173	354 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.15</td><td>-----</td><td>-----</td><td>92.84</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>173</td><td>354 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	102.15	-----	-----	92.84	34.53	11.21	36.43	0.00	173	354 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	102.15	-----	-----	92.84	34.53	11.21	36.43	0.00	173	354 AVERAGE																																																																																																																										






Mode	33																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>43.83</td><td>74.00</td><td>-30.17</td><td>61.28</td><td>36.02</td><td>13.07</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>56.62</td><td>38.18</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	43.83	74.00	-30.17	61.28	36.02	13.07	66.54	0.00	---	---	PEAK	2	11490.00	44.58	74.00	-29.42	56.62	38.18	16.36	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>42.71</td><td>74.00</td><td>-31.29</td><td>60.16</td><td>36.02</td><td>13.07</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>56.71</td><td>38.18</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.81	42.71	74.00	-31.29	60.16	36.02	13.07	66.54	0.00	---	---	PEAK	2	11490.00	44.67	74.00	-29.33	56.71	38.18	16.36	66.58	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7659.81	43.83	74.00	-30.17	61.28	36.02	13.07	66.54	0.00	---	---	PEAK																																																																																																																		
2	11490.00	44.58	74.00	-29.42	56.62	38.18	16.36	66.58	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	7659.81	42.71	74.00	-31.29	60.16	36.02	13.07	66.54	0.00	---	---	PEAK																																																																																																																		
2	11490.00	44.67	74.00	-29.33	56.71	38.18	16.36	66.58	0.00	---	---	PEAK																																																																																																																		






Mode	34																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>60.98</td><td>36.13</td><td>13.12</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>56.75</td><td>38.20</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.14	43.65	74.00	-30.35	60.98	36.13	13.12	66.58	0.00	---	---	PEAK	2	11570.00	44.83	74.00	-29.17	56.75	38.20	16.41	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>61.20</td><td>36.13</td><td>13.12</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>57.35</td><td>38.20</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.14	43.87	74.00	-30.13	61.20	36.13	13.12	66.58	0.00	---	---	PEAK	2	11570.00	45.43	74.00	-28.57	57.35	38.20	16.41	66.53	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7713.14	43.65	74.00	-30.35	60.98	36.13	13.12	66.58	0.00	---	---	PEAK																																																																																																																		
2	11570.00	44.83	74.00	-29.17	56.75	38.20	16.41	66.53	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7713.14	43.87	74.00	-30.13	61.20	36.13	13.12	66.58	0.00	---	---	PEAK																																																																																																																		
2	11570.00	45.43	74.00	-28.57	57.35	38.20	16.41	66.53	0.00	---	---	PEAK																																																																																																																		





Mode	35																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>59.87</td><td>111.36</td><td>-51.49</td><td>50.31</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>61.93</td><td>110.84</td><td>-48.91</td><td>52.36</td><td>34.86</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>249</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>50.60</td><td>68.35</td><td>-17.75</td><td>41.05</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>249</td><td>PEAK</td></tr><tr><td>4</td><td>5946.40</td><td>52.46</td><td>68.20</td><td>-15.74</td><td>42.92</td><td>35.04</td><td>11.42</td><td>36.92</td><td>0.00</td><td>100</td><td>249</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	59.87	111.36	-51.49	50.31	34.85	11.34	36.63	0.00	100	249	PEAK	2	5855.20	61.93	110.84	-48.91	52.36	34.86	11.34	36.63	0.00	100	249	PEAK	3	5924.80	50.60	68.35	-17.75	41.05	34.97	11.40	36.82	0.00	100	249	PEAK	4	5946.40	52.46	68.20	-15.74	42.92	35.04	11.42	36.92	0.00	100	249	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.76</td><td>-----</td><td>-----</td><td>100.20</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>100</td><td>249</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.76	-----	-----	100.20	34.83	11.31	36.58	0.00	100	249
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5854.00	59.87	111.36	-51.49	50.31	34.85	11.34	36.63	0.00	100	249	PEAK																																																																																																																																		
2	5855.20	61.93	110.84	-48.91	52.36	34.86	11.34	36.63	0.00	100	249	PEAK																																																																																																																																		
3	5924.80	50.60	68.35	-17.75	41.05	34.97	11.40	36.82	0.00	100	249	PEAK																																																																																																																																		
4	5946.40	52.46	68.20	-15.74	42.92	35.04	11.42	36.92	0.00	100	249	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	109.76	-----	-----	100.20	34.83	11.31	36.58	0.00	100	249	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.48</td><td>-----</td><td>-----</td><td>91.92</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>249</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.48	-----	-----	91.92	34.82	11.31	36.57	0.00	100	249	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	101.48	-----	-----	91.92	34.82	11.31	36.57	0.00	100	249	AVERAGE																																																																																																																																		






Mode	35																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>61.06</td><td>112.27</td><td>-51.21</td><td>51.51</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>100</td><td>355 PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>59.54</td><td>110.51</td><td>-50.97</td><td>49.97</td><td>34.86</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>355 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>49.86</td><td>68.35</td><td>-18.49</td><td>40.31</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>355 PEAK</td></tr><tr><td>4</td><td>5944.80</td><td>52.59</td><td>68.20</td><td>-15.61</td><td>43.05</td><td>35.03</td><td>11.42</td><td>36.91</td><td>0.00</td><td>100</td><td>355 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	61.06	112.27	-51.21	51.51	34.85	11.33	36.63	0.00	100	355 PEAK	2	5856.40	59.54	110.51	-50.97	49.97	34.86	11.34	36.63	0.00	100	355 PEAK	3	5924.80	49.86	68.35	-18.49	40.31	34.97	11.40	36.82	0.00	100	355 PEAK	4	5944.80	52.59	68.20	-15.61	43.05	35.03	11.42	36.91	0.00	100	355 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.01</td><td>-----</td><td>-----</td><td>99.45</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>100</td><td>355 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.01	-----	-----	99.45	34.83	11.31	36.58	0.00	100	355 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.40	61.06	112.27	-51.21	51.51	34.85	11.33	36.63	0.00	100	355 PEAK																																																																																																																															
2	5856.40	59.54	110.51	-50.97	49.97	34.86	11.34	36.63	0.00	100	355 PEAK																																																																																																																															
3	5924.80	49.86	68.35	-18.49	40.31	34.97	11.40	36.82	0.00	100	355 PEAK																																																																																																																															
4	5944.80	52.59	68.20	-15.61	43.05	35.03	11.42	36.91	0.00	100	355 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	109.01	-----	-----	99.45	34.83	11.31	36.58	0.00	100	355 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.60</td><td>-----</td><td>-----</td><td>91.04</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>355 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.60	-----	-----	91.04	34.82	11.31	36.57	0.00	100	355 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	100.60	-----	-----	91.04	34.82	11.31	36.57	0.00	100	355 AVERAGE																																																																																																																															




Mode	35																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>42.72</td><td>68.20</td><td>-25.48</td><td>59.98</td><td>36.20</td><td>13.17</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.17</td><td>38.25</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.47	42.72	68.20	-25.48	59.98	36.20	13.17	66.63	0.00	---	---	PEAK	2	11650.00	44.41	74.00	-29.59	56.17	38.25	16.46	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>43.12</td><td>68.20</td><td>-25.08</td><td>60.38</td><td>36.20</td><td>13.17</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.09</td><td>38.25</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.47	43.12	68.20	-25.08	60.38	36.20	13.17	66.63	0.00	---	---	PEAK	2	11650.00	45.33	74.00	-28.67	57.09	38.25	16.46	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7766.47	42.72	68.20	-25.48	59.98	36.20	13.17	66.63	0.00	---	---	PEAK																																																																																																																		
2	11650.00	44.41	74.00	-29.59	56.17	38.25	16.46	66.47	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7766.47	43.12	68.20	-25.08	60.38	36.20	13.17	66.63	0.00	---	---	PEAK																																																																																																																		
2	11650.00	45.33	74.00	-28.67	57.09	38.25	16.46	66.47	0.00	---	---	PEAK																																																																																																																		






Mode	36																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.12</td><td>52.49</td><td>68.20</td><td>-15.71</td><td>43.26</td><td>34.47</td><td>11.03</td><td>36.27</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5652.24</td><td>51.03</td><td>69.87</td><td>-18.84</td><td>41.86</td><td>34.40</td><td>11.08</td><td>36.31</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5718.73</td><td>72.05</td><td>110.54</td><td>-38.49</td><td>62.87</td><td>34.39</td><td>11.17</td><td>36.38</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>69.34</td><td>111.19</td><td>-41.85</td><td>60.16</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5616.12	52.49	68.20	-15.71	43.26	34.47	11.03	36.27	0.00	300	266	PEAK	2	5652.24	51.03	69.87	-18.84	41.86	34.40	11.08	36.31	0.00	300	266	PEAK	3	5718.73	72.05	110.54	-38.49	62.87	34.39	11.17	36.38	0.00	300	266	PEAK	4	5720.13	69.34	111.19	-41.85	60.16	34.40	11.17	36.39	0.00	300	266	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.55</td><td>-----</td><td>-----</td><td>96.22</td><td>34.56</td><td>11.21</td><td>36.44</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.55	-----	-----	96.22	34.56	11.21	36.44	0.00	300	266	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5616.12	52.49	68.20	-15.71	43.26	34.47	11.03	36.27	0.00	300	266	PEAK																																																																																																																																		
2	5652.24	51.03	69.87	-18.84	41.86	34.40	11.08	36.31	0.00	300	266	PEAK																																																																																																																																		
3	5718.73	72.05	110.54	-38.49	62.87	34.39	11.17	36.38	0.00	300	266	PEAK																																																																																																																																		
4	5720.13	69.34	111.19	-41.85	60.16	34.40	11.17	36.39	0.00	300	266	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5755.00	105.55	-----	-----	96.22	34.56	11.21	36.44	0.00	300	266	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.84</td><td>-----</td><td>-----</td><td>87.51</td><td>34.56</td><td>11.21</td><td>36.44</td><td>0.00</td><td>300</td><td>266</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	96.84	-----	-----	87.51	34.56	11.21	36.44	0.00	300	266	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5755.00	96.84	-----	-----	87.51	34.56	11.21	36.44	0.00	300	266	AVERAGE																																																																																																																																		




Mode	36																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>52.36</td><td>111.26</td><td>-58.90</td><td>42.80</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>51.80</td><td>105.92</td><td>-54.12</td><td>42.24</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>50.94</td><td>68.89</td><td>-17.95</td><td>41.39</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5934.01</td><td>52.46</td><td>68.20</td><td>-15.74</td><td>42.91</td><td>35.00</td><td>11.41</td><td>36.86</td><td>0.00</td><td>300</td><td>266</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	52.36	111.26	-58.90	42.80	34.85	11.34	36.63	0.00	300	266	PEAK	2	5872.78	51.80	105.92	-54.12	42.24	34.87	11.35	36.66	0.00	300	266	PEAK	3	5924.07	50.94	68.89	-17.95	41.39	34.97	11.40	36.82	0.00	300	266	PEAK	4	5934.01	52.46	68.20	-15.74	42.91	35.00	11.41	36.86	0.00	300	266	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.84	52.36	111.26	-58.90	42.80	34.85	11.34	36.63	0.00	300	266	PEAK																																																																																				
2	5872.78	51.80	105.92	-54.12	42.24	34.87	11.35	36.66	0.00	300	266	PEAK																																																																																				
3	5924.07	50.94	68.89	-17.95	41.39	34.97	11.40	36.82	0.00	300	266	PEAK																																																																																				
4	5934.01	52.46	68.20	-15.74	42.91	35.00	11.41	36.86	0.00	300	266	PEAK																																																																																				





Mode	36																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.37</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>42.40</td><td>34.48</td><td>11.01</td><td>36.27</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr><tr><td>2</td><td>5658.84</td><td>50.91</td><td>68.83</td><td>-17.92</td><td>41.75</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr><tr><td>3</td><td>5717.96</td><td>72.67</td><td>110.33</td><td>-37.66</td><td>63.49</td><td>34.39</td><td>11.17</td><td>36.38</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>71.46</td><td>112.95</td><td>-41.49</td><td>62.28</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5608.37	51.62	68.20	-16.58	42.40	34.48	11.01	36.27	0.00	100	335 PEAK	2	5658.84	50.91	68.83	-17.92	41.75	34.40	11.07	36.31	0.00	100	335 PEAK	3	5717.96	72.67	110.33	-37.66	63.49	34.39	11.17	36.38	0.00	100	335 PEAK	4	5720.90	71.46	112.95	-41.49	62.28	34.40	11.17	36.39	0.00	100	335 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.25</td><td>-----</td><td>-----</td><td>95.89</td><td>34.59</td><td>11.22</td><td>36.45</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	105.25	-----	-----	95.89	34.59	11.22	36.45	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5608.37	51.62	68.20	-16.58	42.40	34.48	11.01	36.27	0.00	100	335 PEAK																																																																																																																														
2	5658.84	50.91	68.83	-17.92	41.75	34.40	11.07	36.31	0.00	100	335 PEAK																																																																																																																														
3	5717.96	72.67	110.33	-37.66	63.49	34.39	11.17	36.38	0.00	100	335 PEAK																																																																																																																														
4	5720.90	71.46	112.95	-41.49	62.28	34.40	11.17	36.39	0.00	100	335 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	105.25	-----	-----	95.89	34.59	11.22	36.45	0.00	100	335 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.58</td><td>-----</td><td>-----</td><td>88.22</td><td>34.59</td><td>11.22</td><td>36.45</td><td>0.00</td><td>100</td><td>335 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	97.58	-----	-----	88.22	34.59	11.22	36.45	0.00	100	335 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	97.58	-----	-----	88.22	34.59	11.22	36.45	0.00	100	335 AVERAGE																																																																																																																														






Mode	36																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>51.20</td><td>111.71</td><td>-60.51</td><td>41.64</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>5866.93</td><td>53.97</td><td>107.56</td><td>-53.59</td><td>44.40</td><td>34.87</td><td>11.35</td><td>36.65</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr><tr><td>3</td><td>5923.89</td><td>51.94</td><td>69.61</td><td>-17.67</td><td>42.38</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr><tr><td>4</td><td>5934.99</td><td>51.96</td><td>68.20</td><td>-16.24</td><td>42.42</td><td>35.00</td><td>11.41</td><td>36.87</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	51.20	111.71	-60.51	41.64	34.85	11.34	36.63	0.00	100	335	PEAK	2	5866.93	53.97	107.56	-53.59	44.40	34.87	11.35	36.65	0.00	100	335	PEAK	3	5923.89	51.94	69.61	-17.67	42.38	34.97	11.40	36.81	0.00	100	335	PEAK	4	5934.99	51.96	68.20	-16.24	42.42	35.00	11.41	36.87	0.00	100	335	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.65	51.20	111.71	-60.51	41.64	34.85	11.34	36.63	0.00	100	335	PEAK																																																																																				
2	5866.93	53.97	107.56	-53.59	44.40	34.87	11.35	36.65	0.00	100	335	PEAK																																																																																				
3	5923.89	51.94	69.61	-17.67	42.38	34.97	11.40	36.81	0.00	100	335	PEAK																																																																																				
4	5934.99	51.96	68.20	-16.24	42.42	35.00	11.41	36.87	0.00	100	335	PEAK																																																																																				




Mode	36																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>43.61</td><td>74.00</td><td>-30.39</td><td>61.03</td><td>36.05</td><td>13.08</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.33</td><td>38.20</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7673.14	43.61	74.00	-30.39	61.03	36.05	13.08	66.55	0.00	---	---	PEAK	2	11510.00	45.33	74.00	-28.67	57.33	38.20	16.37	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>60.85</td><td>36.05</td><td>13.08</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>57.57</td><td>38.20</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7673.14	43.43	74.00	-30.57	60.85	36.05	13.08	66.55	0.00	---	---	PEAK	2	11510.00	45.57	74.00	-28.43	57.57	38.20	16.37	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7673.14	43.61	74.00	-30.39	61.03	36.05	13.08	66.55	0.00	---	---	PEAK																																																																																																																		
2	11510.00	45.33	74.00	-28.67	57.33	38.20	16.37	66.57	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7673.14	43.43	74.00	-30.57	60.85	36.05	13.08	66.55	0.00	---	---	PEAK																																																																																																																		
2	11510.00	45.57	74.00	-28.43	57.57	38.20	16.37	66.57	0.00	---	---	PEAK																																																																																																																		






Mode	37																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5685.60</td><td>50.92</td><td>68.20</td><td>-17.28</td><td>41.69</td><td>34.49</td><td>11.01</td><td>36.27</td><td>0.00</td><td>257</td><td>247 PEAK</td></tr><tr><td>2 5658.40</td><td>50.66</td><td>68.50</td><td>-17.84</td><td>41.50</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>257</td><td>247 PEAK</td></tr><tr><td>3 5784.00</td><td>51.00</td><td>106.42</td><td>-55.42</td><td>41.89</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>257</td><td>247 PEAK</td></tr><tr><td>4 5720.00</td><td>50.31</td><td>110.90</td><td>-60.59</td><td>41.13</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>257</td><td>247 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5685.60	50.92	68.20	-17.28	41.69	34.49	11.01	36.27	0.00	257	247 PEAK	2 5658.40	50.66	68.50	-17.84	41.50	34.40	11.07	36.31	0.00	257	247 PEAK	3 5784.00	51.00	106.42	-55.42	41.89	34.32	11.15	36.36	0.00	257	247 PEAK	4 5720.00	50.31	110.90	-60.59	41.13	34.40	11.17	36.39	0.00	257	247 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>106.89</td><td>-----</td><td>-----</td><td>97.40</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>257</td><td>247 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	106.89	-----	-----	97.40	34.74	11.26	36.51	0.00	257
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5685.60	50.92	68.20	-17.28	41.69	34.49	11.01	36.27	0.00	257	247 PEAK																																																																																																																									
2 5658.40	50.66	68.50	-17.84	41.50	34.40	11.07	36.31	0.00	257	247 PEAK																																																																																																																									
3 5784.00	51.00	106.42	-55.42	41.89	34.32	11.15	36.36	0.00	257	247 PEAK																																																																																																																									
4 5720.00	50.31	110.90	-60.59	41.13	34.40	11.17	36.39	0.00	257	247 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5795.00	106.89	-----	-----	97.40	34.74	11.26	36.51	0.00	257	247 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>98.11</td><td>-----</td><td>-----</td><td>88.59</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>257</td><td>247 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	98.11	-----	-----	88.59	34.77	11.27	36.52	0.00	257	247 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5795.00	98.11	-----	-----	88.59	34.77	11.27	36.52	0.00	257	247 AVERAGE																																																																																																																									




Mode	37																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>56.20</td><td>114.09</td><td>-57.89</td><td>46.65</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>257 247 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>51.77</td><td>105.36</td><td>-53.59</td><td>42.21</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>257 247 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>50.95</td><td>68.64</td><td>-17.69</td><td>41.40</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>257 247 PEAK</td></tr><tr><td>4</td><td>5990.00</td><td>52.04</td><td>68.20</td><td>-16.16</td><td>42.53</td><td>35.17</td><td>11.46</td><td>37.12</td><td>0.00</td><td>257 247 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	56.20	114.09	-57.89	46.65	34.85	11.33	36.63	0.00	257 247 PEAK	2	5874.80	51.77	105.36	-53.59	42.21	34.87	11.35	36.66	0.00	257 247 PEAK	3	5924.40	50.95	68.64	-17.69	41.40	34.97	11.40	36.82	0.00	257 247 PEAK	4	5990.00	52.04	68.20	-16.16	42.53	35.17	11.46	37.12	0.00	257 247 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5853.60	56.20	114.09	-57.89	46.65	34.85	11.33	36.63	0.00	257 247 PEAK																																																																														
2	5874.80	51.77	105.36	-53.59	42.21	34.87	11.35	36.66	0.00	257 247 PEAK																																																																														
3	5924.40	50.95	68.64	-17.69	41.40	34.97	11.40	36.82	0.00	257 247 PEAK																																																																														
4	5990.00	52.04	68.20	-16.16	42.53	35.17	11.46	37.12	0.00	257 247 PEAK																																																																														





Mode	37																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>52.19</td><td>68.20</td><td>-16.01</td><td>42.99</td><td>34.44</td><td>11.05</td><td>36.29</td><td>0.00</td><td>313</td><td>355 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>49.86</td><td>69.99</td><td>-20.13</td><td>40.69</td><td>34.40</td><td>11.08</td><td>36.31</td><td>0.00</td><td>313</td><td>355 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>51.47</td><td>105.75</td><td>-54.28</td><td>42.37</td><td>34.31</td><td>11.14</td><td>36.35</td><td>0.00</td><td>313</td><td>355 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>49.69</td><td>111.81</td><td>-62.12</td><td>40.51</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>313</td><td>355 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.20	52.19	68.20	-16.01	42.99	34.44	11.05	36.29	0.00	313	355 PEAK	2	5652.40	49.86	69.99	-20.13	40.69	34.40	11.08	36.31	0.00	313	355 PEAK	3	5701.60	51.47	105.75	-54.28	42.37	34.31	11.14	36.35	0.00	313	355 PEAK	4	5720.40	49.69	111.81	-62.12	40.51	34.40	11.17	36.39	0.00	313	355 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.76</td><td>-----</td><td>-----</td><td>98.21</td><td>34.80</td><td>11.28</td><td>36.53</td><td>0.00</td><td>313</td><td>355 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	107.76	-----	-----	98.21	34.80	11.28	36.53	0.00	313	355 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5631.20	52.19	68.20	-16.01	42.99	34.44	11.05	36.29	0.00	313	355 PEAK																																																																																																																														
2	5652.40	49.86	69.99	-20.13	40.69	34.40	11.08	36.31	0.00	313	355 PEAK																																																																																																																														
3	5701.60	51.47	105.75	-54.28	42.37	34.31	11.14	36.35	0.00	313	355 PEAK																																																																																																																														
4	5720.40	49.69	111.81	-62.12	40.51	34.40	11.17	36.39	0.00	313	355 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	107.76	-----	-----	98.21	34.80	11.28	36.53	0.00	313	355 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.60</td><td>-----</td><td>-----</td><td>89.08</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>313</td><td>355 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	98.60	-----	-----	89.08	34.77	11.27	36.52	0.00	313	355 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	98.60	-----	-----	89.08	34.77	11.27	36.52	0.00	313	355 AVERAGE																																																																																																																														






Mode	37																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.35</td><td>113.18</td><td>-57.83</td><td>45.00</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>313 355 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>50.92</td><td>105.47</td><td>-54.55</td><td>41.36</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>313 355 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>50.15</td><td>68.35</td><td>-18.20</td><td>40.60</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>313 355 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>53.76</td><td>68.20</td><td>-14.44</td><td>44.21</td><td>34.99</td><td>11.41</td><td>36.85</td><td>0.00</td><td>313 355 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.35	113.18	-57.83	45.00	34.85	11.33	36.63	0.00	313 355 PEAK	2	5874.40	50.92	105.47	-54.55	41.36	34.87	11.35	36.66	0.00	313 355 PEAK	3	5924.80	50.15	68.35	-18.20	40.60	34.97	11.40	36.82	0.00	313 355 PEAK	4	5930.00	53.76	68.20	-14.44	44.21	34.99	11.41	36.85	0.00	313 355 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.00	55.35	113.18	-57.83	45.00	34.85	11.33	36.63	0.00	313 355 PEAK																																																																														
2	5874.40	50.92	105.47	-54.55	41.36	34.87	11.35	36.66	0.00	313 355 PEAK																																																																														
3	5924.80	50.15	68.35	-18.20	40.60	34.97	11.40	36.82	0.00	313 355 PEAK																																																																														
4	5930.00	53.76	68.20	-14.44	44.21	34.99	11.41	36.85	0.00	313 355 PEAK																																																																														




Mode	37																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7726.47</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>60.85</td><td>36.15</td><td>13.13</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>57.52</td><td>38.20</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7726.47	43.54	74.00	-30.46	60.85	36.15	13.13	66.59	0.00	---	---	PEAK	2	11590.00	45.62	74.00	-28.38	57.52	38.20	16.42	66.52	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7726.47</td><td>44.19</td><td>74.00</td><td>-29.81</td><td>61.50</td><td>36.15</td><td>13.13</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>55.77</td><td>38.20</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7726.47	44.19	74.00	-29.81	61.50	36.15	13.13	66.59	0.00	---	---	PEAK	2	11590.00	43.87	74.00	-30.13	55.77	38.20	16.42	66.52	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7726.47	43.54	74.00	-30.46	60.85	36.15	13.13	66.59	0.00	---	---	PEAK																																																																																																																		
2	11590.00	45.62	74.00	-28.38	57.52	38.20	16.42	66.52	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7726.47	44.19	74.00	-29.81	61.50	36.15	13.13	66.59	0.00	---	---	PEAK																																																																																																																		
2	11590.00	43.87	74.00	-30.13	55.77	38.20	16.42	66.52	0.00	---	---	PEAK																																																																																																																		






Mode	38																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.60</td><td>60.67</td><td>68.20</td><td>-7.53</td><td>51.50</td><td>34.40</td><td>11.07</td><td>36.30</td><td>0.00</td><td>300</td><td>263 PEAK</td></tr><tr><td>2</td><td>5657.20</td><td>66.44</td><td>73.56</td><td>-7.12</td><td>57.28</td><td>34.39</td><td>11.08</td><td>36.31</td><td>0.00</td><td>300</td><td>263 PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>99.71</td><td>110.68</td><td>-10.97</td><td>90.52</td><td>34.40</td><td>11.17</td><td>36.38</td><td>0.00</td><td>300</td><td>263 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>100.36</td><td>111.81</td><td>-11.45</td><td>91.18</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>300</td><td>263 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.60	60.67	68.20	-7.53	51.50	34.40	11.07	36.30	0.00	300	263 PEAK	2	5657.20	66.44	73.56	-7.12	57.28	34.39	11.08	36.31	0.00	300	263 PEAK	3	5719.20	99.71	110.68	-10.97	90.52	34.40	11.17	36.38	0.00	300	263 PEAK	4	5720.40	100.36	111.81	-11.45	91.18	34.40	11.17	36.39	0.00	300	263 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.94</td><td>-----</td><td>-----</td><td>92.61</td><td>34.56</td><td>11.21</td><td>36.44</td><td>0.00</td><td>300</td><td>263 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.94	-----	-----	92.61	34.56	11.21	36.44	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5649.60	60.67	68.20	-7.53	51.50	34.40	11.07	36.30	0.00	300	263 PEAK																																																																																																																													
2	5657.20	66.44	73.56	-7.12	57.28	34.39	11.08	36.31	0.00	300	263 PEAK																																																																																																																													
3	5719.20	99.71	110.68	-10.97	90.52	34.40	11.17	36.38	0.00	300	263 PEAK																																																																																																																													
4	5720.40	100.36	111.81	-11.45	91.18	34.40	11.17	36.39	0.00	300	263 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	101.94	-----	-----	92.61	34.56	11.21	36.44	0.00	300	263 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.75</td><td>-----</td><td>-----</td><td>84.44</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>300</td><td>263 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	93.75	-----	-----	84.44	34.53	11.21	36.43	0.00	300	263 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	93.75	-----	-----	84.44	34.53	11.21	36.43	0.00	300	263 AVERAGE																																																																																																																													




Mode	38																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.55</td><td>111.36</td><td>-50.81</td><td>50.99</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5861.20</td><td>61.32</td><td>109.16</td><td>-47.84</td><td>51.76</td><td>34.86</td><td>11.34</td><td>36.64</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>50.70</td><td>68.35</td><td>-17.65</td><td>41.15</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>52.76</td><td>68.20</td><td>-15.44</td><td>43.22</td><td>35.05</td><td>11.42</td><td>36.93</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	60.55	111.36	-50.81	50.99	34.85	11.34	36.63	0.00	300	263	PEAK	2	5861.20	61.32	109.16	-47.84	51.76	34.86	11.34	36.64	0.00	300	263	PEAK	3	5924.80	50.70	68.35	-17.65	41.15	34.97	11.40	36.82	0.00	300	263	PEAK	4	5948.40	52.76	68.20	-15.44	43.22	35.05	11.42	36.93	0.00	300	263	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	60.55	111.36	-50.81	50.99	34.85	11.34	36.63	0.00	300	263	PEAK																																																																																				
2	5861.20	61.32	109.16	-47.84	51.76	34.86	11.34	36.64	0.00	300	263	PEAK																																																																																				
3	5924.80	50.70	68.35	-17.65	41.15	34.97	11.40	36.82	0.00	300	263	PEAK																																																																																				
4	5948.40	52.76	68.20	-15.44	43.22	35.05	11.42	36.93	0.00	300	263	PEAK																																																																																				





Mode	38																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.00</td><td>59.44</td><td>68.20</td><td>-8.76</td><td>50.27</td><td>34.40</td><td>11.07</td><td>36.30</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>67.00</td><td>74.75</td><td>-7.75</td><td>57.85</td><td>34.38</td><td>11.08</td><td>36.31</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>99.33</td><td>110.68</td><td>-11.35</td><td>90.14</td><td>34.40</td><td>11.17</td><td>36.38</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>99.73</td><td>111.81</td><td>-12.08</td><td>90.55</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.00	59.44	68.20	-8.76	50.27	34.40	11.07	36.30	0.00	100	335 PEAK	2	5658.80	67.00	74.75	-7.75	57.85	34.38	11.08	36.31	0.00	100	335 PEAK	3	5719.20	99.33	110.68	-11.35	90.14	34.40	11.17	36.38	0.00	100	335 PEAK	4	5720.40	99.73	111.81	-12.08	90.55	34.40	11.17	36.39	0.00	100	335 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.49</td><td>-----</td><td>-----</td><td>93.13</td><td>34.59</td><td>11.22</td><td>36.45</td><td>0.00</td><td>100</td><td>335 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.49	-----	-----	93.13	34.59	11.22	36.45	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5648.00	59.44	68.20	-8.76	50.27	34.40	11.07	36.30	0.00	100	335 PEAK																																																																																																																														
2	5658.80	67.00	74.75	-7.75	57.85	34.38	11.08	36.31	0.00	100	335 PEAK																																																																																																																														
3	5719.20	99.33	110.68	-11.35	90.14	34.40	11.17	36.38	0.00	100	335 PEAK																																																																																																																														
4	5720.40	99.73	111.81	-12.08	90.55	34.40	11.17	36.39	0.00	100	335 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	102.49	-----	-----	93.13	34.59	11.22	36.45	0.00	100	335 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.09</td><td>-----</td><td>-----</td><td>84.71</td><td>34.62</td><td>11.23</td><td>36.47</td><td>0.00</td><td>100</td><td>335 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.09	-----	-----	84.71	34.62	11.23	36.47	0.00	100	335 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	94.09	-----	-----	84.71	34.62	11.23	36.47	0.00	100	335 AVERAGE																																																																																																																														





Mode	38																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>63.10</td><td>113.18</td><td>-50.08</td><td>53.55</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>5868.80</td><td>62.24</td><td>109.27</td><td>-47.03</td><td>52.68</td><td>34.86</td><td>11.34</td><td>36.64</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>50.68</td><td>68.35</td><td>-17.67</td><td>41.13</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>52.62</td><td>68.20</td><td>-15.58</td><td>43.06</td><td>35.00</td><td>11.41</td><td>36.85</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.10	113.18	-50.08	53.55	34.85	11.33	36.63	0.00	100	335	PEAK	2	5868.80	62.24	109.27	-47.03	52.68	34.86	11.34	36.64	0.00	100	335	PEAK	3	5924.80	50.68	68.35	-17.67	41.13	34.97	11.40	36.82	0.00	100	335	PEAK	4	5932.00	52.62	68.20	-15.58	43.06	35.00	11.41	36.85	0.00	100	335	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	63.10	113.18	-50.08	53.55	34.85	11.33	36.63	0.00	100	335	PEAK																																																																											
2	5868.80	62.24	109.27	-47.03	52.68	34.86	11.34	36.64	0.00	100	335	PEAK																																																																											
3	5924.80	50.68	68.35	-17.67	41.13	34.97	11.40	36.82	0.00	100	335	PEAK																																																																											
4	5932.00	52.62	68.20	-15.58	43.06	35.00	11.41	36.85	0.00	100	335	PEAK																																																																											





Mode	38																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.81</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>60.83</td><td>36.10</td><td>13.11</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>56.78</td><td>38.20</td><td>16.39</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7699.81	43.47	74.00	-30.53	60.83	36.10	13.11	66.57	0.00	---	---	PEAK	2	11550.00	44.83	74.00	-29.17	56.78	38.20	16.39	66.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.81</td><td>43.59</td><td>74.00</td><td>-30.41</td><td>60.95</td><td>36.10</td><td>13.11</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>56.20</td><td>38.20</td><td>16.39</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7699.81	43.59	74.00	-30.41	60.95	36.10	13.11	66.57	0.00	---	---	PEAK	2	11550.00	44.25	74.00	-29.75	56.20	38.20	16.39	66.54	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7699.81	43.47	74.00	-30.53	60.83	36.10	13.11	66.57	0.00	---	---	PEAK																																																																																																																	
2	11550.00	44.83	74.00	-29.17	56.78	38.20	16.39	66.54	0.00	---	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7699.81	43.59	74.00	-30.41	60.95	36.10	13.11	66.57	0.00	---	---	PEAK																																																																																																																	
2	11550.00	44.25	74.00	-29.75	56.20	38.20	16.39	66.54	0.00	---	---	PEAK																																																																																																																	





Mode	38	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 The Horizontal polarization spectrum plot shows Level (dBuV/m) on the y-axis (0 to 120) and Frequency (MHz) on the x-axis (18000 to 40000). A red line represents the U-NII-3 signal, showing a stepped profile with levels around 75 dBuV/m. A blue line represents the U-NII-3(AVG) signal, showing a noisy baseline around 45 dBuV/m.	 The Vertical polarization spectrum plot shows Level (dBuV/m) on the y-axis (0 to 120) and Frequency (MHz) on the x-axis (18000 to 40000). A red line represents the U-NII-3 signal, showing a stepped profile with levels around 75 dBuV/m. A blue line represents the U-NII-3(AVG) signal, showing a noisy baseline around 45 dBuV/m.





Mode	38																																																																																																																																																																																																	
	30M-1G																																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																																																																	
ANT	1																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue signal line with several peaks labeled 1 through 6. A red limit line is shown at the top. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>30.49</td><td>21.61</td><td>40.00</td><td>-18.39</td><td>29.20</td><td>24.86</td><td>0.36</td><td>32.81</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>191.99</td><td>26.84</td><td>43.50</td><td>-16.66</td><td>43.39</td><td>14.71</td><td>1.49</td><td>32.75</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>269.35</td><td>27.54</td><td>46.00</td><td>-18.46</td><td>39.70</td><td>19.00</td><td>1.71</td><td>32.87</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>383.81</td><td>35.86</td><td>46.00</td><td>-10.14</td><td>45.57</td><td>21.18</td><td>2.08</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>447.59</td><td>33.69</td><td>46.00</td><td>-12.31</td><td>41.62</td><td>22.90</td><td>2.23</td><td>33.06</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>847.71</td><td>30.16</td><td>46.00</td><td>-15.84</td><td>30.62</td><td>29.11</td><td>3.03</td><td>32.60</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.49	21.61	40.00	-18.39	29.20	24.86	0.36	32.81	---	---	Peak	2	191.99	26.84	43.50	-16.66	43.39	14.71	1.49	32.75	---	---	Peak	3	269.35	27.54	46.00	-18.46	39.70	19.00	1.71	32.87	---	---	Peak	4	383.81	35.86	46.00	-10.14	45.57	21.18	2.08	32.97	---	---	Peak	5	447.59	33.69	46.00	-12.31	41.62	22.90	2.23	33.06	---	---	Peak	6	847.71	30.16	46.00	-15.84	30.62	29.11	3.03	32.60	---	---	Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue signal line with several peaks labeled 1 through 6. A red limit line is shown at the top. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>38.25</td><td>24.39</td><td>40.00</td><td>-15.61</td><td>35.78</td><td>20.83</td><td>0.60</td><td>32.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>82.14</td><td>23.77</td><td>40.00</td><td>-16.23</td><td>41.66</td><td>13.81</td><td>1.00</td><td>32.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>383.81</td><td>29.66</td><td>46.00</td><td>-16.34</td><td>39.37</td><td>21.18</td><td>2.08</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>511.61</td><td>28.24</td><td>46.00</td><td>-17.76</td><td>34.77</td><td>24.28</td><td>2.35</td><td>33.16</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>575.63</td><td>27.16</td><td>46.00</td><td>-18.84</td><td>31.74</td><td>26.18</td><td>2.51</td><td>33.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>783.91</td><td>32.54</td><td>46.00</td><td>-13.46</td><td>36.49</td><td>26.52</td><td>2.76</td><td>33.23</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	38.25	24.39	40.00	-15.61	35.78	20.83	0.60	32.82	---	---	Peak	2	82.14	23.77	40.00	-16.23	41.66	13.81	1.00	32.70	---	---	Peak	3	383.81	29.66	46.00	-16.34	39.37	21.18	2.08	32.97	---	---	Peak	4	511.61	28.24	46.00	-17.76	34.77	24.28	2.35	33.16	---	---	Peak	5	575.63	27.16	46.00	-18.84	31.74	26.18	2.51	33.27	---	---	Peak	6	783.91	32.54	46.00	-13.46	36.49	26.52	2.76	33.23	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	30.49	21.61	40.00	-18.39	29.20	24.86	0.36	32.81	---	---	Peak																																																																																																																																																																																							
2	191.99	26.84	43.50	-16.66	43.39	14.71	1.49	32.75	---	---	Peak																																																																																																																																																																																							
3	269.35	27.54	46.00	-18.46	39.70	19.00	1.71	32.87	---	---	Peak																																																																																																																																																																																							
4	383.81	35.86	46.00	-10.14	45.57	21.18	2.08	32.97	---	---	Peak																																																																																																																																																																																							
5	447.59	33.69	46.00	-12.31	41.62	22.90	2.23	33.06	---	---	Peak																																																																																																																																																																																							
6	847.71	30.16	46.00	-15.84	30.62	29.11	3.03	32.60	---	---	Peak																																																																																																																																																																																							
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	38.25	24.39	40.00	-15.61	35.78	20.83	0.60	32.82	---	---	Peak																																																																																																																																																																																							
2	82.14	23.77	40.00	-16.23	41.66	13.81	1.00	32.70	---	---	Peak																																																																																																																																																																																							
3	383.81	29.66	46.00	-16.34	39.37	21.18	2.08	32.97	---	---	Peak																																																																																																																																																																																							
4	511.61	28.24	46.00	-17.76	34.77	24.28	2.35	33.16	---	---	Peak																																																																																																																																																																																							
5	575.63	27.16	46.00	-18.84	31.74	26.18	2.51	33.27	---	---	Peak																																																																																																																																																																																							
6	783.91	32.54	46.00	-13.46	36.49	26.52	2.76	33.23	---	---	Peak																																																																																																																																																																																							





Mode	39																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7626.48</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>63.03</td><td>35.95</td><td>13.04</td><td>66.51</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>57.85</td><td>38.08</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7626.48	45.51	74.00	-28.49	63.03	35.95	13.04	66.51	0.00	---	PEAK	2	11440.00	45.66	74.00	-28.34	57.85	38.08	16.32	66.59	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7626.48</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>61.87</td><td>35.95</td><td>13.04</td><td>66.51</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>58.32</td><td>38.08</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7626.48	44.35	74.00	-29.65	61.87	35.95	13.04	66.51	0.00	---	PEAK	2	11440.00	46.13	74.00	-27.87	58.32	38.08	16.32	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7626.48	45.51	74.00	-28.49	63.03	35.95	13.04	66.51	0.00	---	PEAK																																																																																																																			
2	11440.00	45.66	74.00	-28.34	57.85	38.08	16.32	66.59	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7626.48	44.35	74.00	-29.65	61.87	35.95	13.04	66.51	0.00	---	PEAK																																																																																																																			
2	11440.00	46.13	74.00	-27.87	58.32	38.08	16.32	66.59	0.00	---	PEAK																																																																																																																			





Mode	40																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>61.23</td><td>35.95</td><td>13.04</td><td>66.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>56.99</td><td>38.08</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7626.48	43.71	74.00	-30.29	61.23	35.95	13.04	66.51	0.00	---	---	PEAK	2	11440.00	44.80	74.00	-29.20	56.99	38.08	16.32	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>41.90</td><td>74.00</td><td>-32.10</td><td>59.42</td><td>35.95</td><td>13.04</td><td>66.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>57.36</td><td>38.08</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7626.48	41.90	74.00	-32.10	59.42	35.95	13.04	66.51	0.00	---	---	PEAK	2	11440.00	45.17	74.00	-28.83	57.36	38.08	16.32	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7626.48	43.71	74.00	-30.29	61.23	35.95	13.04	66.51	0.00	---	---	PEAK																																																																																																																		
2	11440.00	44.80	74.00	-29.20	56.99	38.08	16.32	66.59	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7626.48	41.90	74.00	-32.10	59.42	35.95	13.04	66.51	0.00	---	---	PEAK																																																																																																																		
2	11440.00	45.17	74.00	-28.83	57.36	38.08	16.32	66.59	0.00	---	---	PEAK																																																																																																																		






Mode	41																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																							
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>7613.14</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>62.12</td><td>35.93</td><td>13.03</td><td>66.50</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>57.09</td><td>38.04</td><td>16.31</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	7613.14	44.58	74.00	-29.42	62.12	35.93	13.03	66.50	0.00	---	---	PEAK	2	11420.00	44.85	74.00	-29.15	57.09	38.04	16.31	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>7613.14</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>60.09</td><td>35.93</td><td>13.03</td><td>66.50</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>57.09</td><td>38.04</td><td>16.31</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	7613.14	42.55	74.00	-31.45	60.09	35.93	13.03	66.50	0.00	---	---	PEAK	2	11420.00	44.85	74.00	-29.15	57.09	38.04	16.31	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																																																							
1	7613.14	44.58	74.00	-29.42	62.12	35.93	13.03	66.50	0.00	---	---	PEAK																																																																																																																				
2	11420.00	44.85	74.00	-29.15	57.09	38.04	16.31	66.59	0.00	---	---	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																																																							
1	7613.14	42.55	74.00	-31.45	60.09	35.93	13.03	66.50	0.00	---	---	PEAK																																																																																																																				
2	11420.00	44.85	74.00	-29.15	57.09	38.04	16.31	66.59	0.00	---	---	PEAK																																																																																																																				






Mode	42																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.48</td><td>44.23</td><td>74.00</td><td>-29.77</td><td>61.83</td><td>35.87</td><td>13.00</td><td>66.47</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>57.42</td><td>37.98</td><td>16.29</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7586.48	44.23	74.00	-29.77	61.83	35.87	13.00	66.47	0.00	---	PEAK	2	11380.00	45.10	74.00	-28.90	57.42	37.98	16.29	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.48</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>60.69</td><td>35.87</td><td>13.00</td><td>66.47</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>56.39</td><td>37.98</td><td>16.29</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7586.48	43.09	74.00	-30.91	60.69	35.87	13.00	66.47	0.00	---	PEAK	2	11380.00	44.07	74.00	-29.93	56.39	37.98	16.29	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7586.48	44.23	74.00	-29.77	61.83	35.87	13.00	66.47	0.00	---	PEAK																																																																																																																			
2	11380.00	45.10	74.00	-28.90	57.42	37.98	16.29	66.59	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7586.48	43.09	74.00	-30.91	60.69	35.87	13.00	66.47	0.00	---	PEAK																																																																																																																			
2	11380.00	44.07	74.00	-29.93	56.39	37.98	16.29	66.59	0.00	---	PEAK																																																																																																																			




For Co-location mode:

Mode	43																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.40</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>49.96</td><td>34.43</td><td>11.18</td><td>36.40</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.40	59.17	68.20	-9.03	49.96	34.43	11.18	36.40	0.00	100	307 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.64</td><td>-----</td><td>-----</td><td>96.53</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	105.64	-----	-----	96.53	34.32	11.15	36.36	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5725.40	59.17	68.20	-9.03	49.96	34.43	11.18	36.40	0.00	100	307 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	105.64	-----	-----	96.53	34.32	11.15	36.36	0.00	100	307 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.31</td><td>-----</td><td>-----</td><td>87.22</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>100</td><td>307 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.31	-----	-----	87.22	34.30	11.14	36.35	0.00	100	307 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	96.31	-----	-----	87.22	34.30	11.14	36.35	0.00	100	307 AVERAGE																																																																																										



Mode	43																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.04</td><td>64.57</td><td>68.20</td><td>-3.63</td><td>55.35</td><td>34.44</td><td>11.18</td><td>36.40</td><td>0.00</td><td>139</td><td>322</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.04	64.57	68.20	-3.63	55.35	34.44	11.18	36.40	0.00	139	322	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.15</td><td>-----</td><td>-----</td><td>102.06</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>139</td><td>322</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5700.00	111.15	-----	-----	102.06	34.30	11.14	36.35	0.00	139	322
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5728.04	64.57	68.20	-3.63	55.35	34.44	11.18	36.40	0.00	139	322	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																													
1	5700.00	111.15	-----	-----	102.06	34.30	11.14	36.35	0.00	139	322	PEAK																																																																																												
Avg	Blank																																																																																																							
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.54</td><td>-----</td><td>-----</td><td>92.43</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>139</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5700.00	101.54	-----	-----	92.43	34.32	11.15	36.36	0.00	139	322	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																													
1	5700.00	101.54	-----	-----	92.43	34.32	11.15	36.36	0.00	139	322	AVERAGE																																																																																												




Mode	43																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>63.40</td><td>35.70</td><td>13.02</td><td>66.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>55.95</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.81	45.63	74.00	-28.37	63.40	35.70	13.02	66.49	0.00	---	---	PEAK	2	11400.00	43.82	74.00	-30.18	55.95	38.16	16.30	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	7599.81	45.63	74.00	-28.37	63.40	35.70	13.02	66.49	0.00	---	---	PEAK																																																												
2	11400.00	43.82	74.00	-30.18	55.95	38.16	16.30	66.59	0.00	---	---	PEAK																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>61.29</td><td>35.70</td><td>13.02</td><td>66.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>55.87</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.81	43.52	74.00	-30.48	61.29	35.70	13.02	66.49	0.00	---	---	PEAK	2	11400.00	43.74	74.00	-30.26	55.87	38.16	16.30	66.59	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	7599.81	43.52	74.00	-30.48	61.29	35.70	13.02	66.49	0.00	---	---	PEAK																																																												
2	11400.00	43.74	74.00	-30.26	55.87	38.16	16.30	66.59	0.00	---	---	PEAK																																																												

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.56	1.388	0.720	0.75kHz
802.11ac VHT20	97.31	1.312	0.762	0.82kHz
802.11ac VHT40	94.74	0.652	1.533	1.6kHz
802.11ac VHT80	89.96	0.325	3.080	3.3kHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

