

# SPEAKERCRAFT™

STATUS

MODEL: HRSi-10

Designed and Engineered in the USA  
Manufactured in China

Nortek Security & Control LLC  
5919 Sea Otter Place  
Carlsbad, CA 92010

OPTIONAL WIRELESS RECEIVER

R L/LFE  
IN  
OUT  
LOW LEVEL



C

US



FC CE E NOM



ATTENTION RISQUE DE CHOC ELECTRIQUE NE PAS OUVRIR

CAUTION: For continued protection against risk of fire, replace only with the same type fuse and rating.  
ATTENTION: Utiliser un fusible de rechange de meme type et calibre.

This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.


CAN ICES-3 (B) / NMB-3 (B)

FCC ID: EF400214  
IC: 1078A-00214

USB POWER  
5V === 500mA

ON  
OFF  
POWER

100-120V~ 220-240V~



FUSE T8AL/250V  
INPUT 100-120V~60Hz 6A/  
220-240V~50Hz 3A

# PROFICIENT®



STATUS

MODEL: FRS-10

Designed and Engineered in the USA  
Manufactured in China

Nortek Security & Control LLC  
5919 Sea Otter Place  
Carlsbad, CA 92010

OPTIONAL WIRELESS RECEIVER




CAUTION: For continued protection against risk of fire, replace only with the same type fuse and rating.  
ATTENTION: Utiliser un fusible de rechange de meme type et calibre.

This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.


CAN ICES-3 (B) / NMB-3 (B)

FCC ID: EF400214  
IC: 1078A-00214

USB POWER  
5V === 500mA



100-120V~ 220-240V~



# SPEAKERCRAFT™

STATUS

产品型号 **MODEL: HRSi-12**

Designed and Engineered in the USA  
Manufactured in China  
中国制造

Product Name / 产品名称: Subwoofer Speaker / 低音炮音箱  
Manufacturer / 制造商: Nortek Security & Control LLC  
5919 Sea Otter Place  
Carlsbad, CA 92010

**OPTIONAL WIRELESS RECEIVER**

R L/LFE  
IN  
OUT  
LOW LEVEL



C

US



**ATTENTION** RISQUE DE CHOC ELECTRIQUE NE PAS OUVRIR

警告: 有触电危险, 严禁打开, 仅限于干燥处, 非专业人员, 请勿拆卸本设备!

Only suitable for use in non-tropical areas with an altitude of 2000 meters and below!  
仅适用于海拔2000米及以下和非热带地区使用!

CAUTION: For continued protection against risk of fire, replace only with the same type fuse and rating.  
ATTENTION: Utiliser un fusible de rechange de meme type et calibre.

This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-3 (B) / NMB-3 (B)

FCC ID: EF400214  
IC: 1078A-00214




**100-120V~ 220-240V~**




**USB POWER**  
5V === 500mA

ON  
开



OFF  
关

**POWER**  
电源



保险丝 **FUSE T8AL/250V**  
输入 **INPUT 100-120V~60Hz 6A/220-240V~50Hz 3A**

# PROFICIENT®


STATUS

产品型号 **MODEL: FRS-12**

Designed and Engineered in the USA  
Manufactured in China  
中国制造

Product Name / 产品名称: Subwoofer Speaker / 低音炮音箱  
Manufacturer / 制造商: Nortek Security & Control LLC  
5919 Sea Otter Place  
Carlsbad, CA 92010

**OPTIONAL WIRELESS RECEIVER**



C

US



FC

CE

UL

NOM

CCC

CSA

ETL

10



**ATTENTION** RISQUE DE CHOC ELECTRIQUE NE PAS OUVRIR

警告: 有触电危险, 严禁打开, 仅限于干燥处, 非专业人员, 请勿拆卸本设备!

Only suitable for use in non-tropical areas with an altitude of 2000 meters and below!  
仅适用于海拔2000米及以下和非热带地区使用!

CAUTION: For continued protection against risk of fire, replace only with the same type fuse and rating.  
ATTENTION: Utiliser un fusible de rechange de meme type et calibre.

This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-3 (B) / NMB-3 (B)

FCC ID: EF400214  
IC: 1078A-00214


+

+


**100-120V~ 220-240V~**



**USB POWER**  
5V === 500mA



**POWER**  
电源



保险丝 **FUSE T8AL/250V**  
输入 **INPUT 100-120V~60Hz 6A/220-240V~50Hz 3A**

# Label Location

